

DMB COPY

NOV 13 1985

21-18668-01

30-14016

Testing Engineers and Consultants,
Incorporated
ATTN: Mr. Gerald Belian
1333 Rochester Road
Post Office Box 249
Troy, Michigan 48099

Gentlemen:

This refers to the routine safety inspection conducted by Mr. M. Kunowski and Ms. C. Casey of this office on October 30, 1985, of activities authorized by NRC Byproduct Material License No. 21-18668-01 and to the discussion of our findings with Mr. Ray Chyla and Mr. Gerard Kress at the conclusion of the inspection.

The inspection was an examination of activities conducted under your license as they relate to radiation safety and to compliance with the Commission's rules and regulations and with the conditions of your license. The inspection consisted of a selective examination of procedures and representative records, observations, independent measurements, and interviews with personnel.

During this inspection, certain of your activities appeared to be in non-compliance with NRC requirements, as specified in the enclosed Appendix. A written response is required.

The responses directed by this letter (and the accompanying Notice) are not subject to the clearance procedures of the Office of Management and Budget as required by the Paperwork Reduction Act of 1980, PL 96-511.

We will gladly discuss any questions you have concerning this inspection.

Sincerely,

R. E. Burgin

D. G. Wiedeman, Chief
Nuclear Materials Safety
Section 1

Enclosure: Appendix,
Notice of Violation

cc w/enclosure:
Mr. Ray Chyla
DCS/RSB (RIDS)

8511180353 851113
REG3 LIC30
21-18668-01 PDR

RIII
AK
Kunowski/ld
11/06/85
11-7-85

RIII
CCKC
Casey
11/1/85

RIII
RSB
Wiedeman
11/12

IE07
11