

June 11, 1997

Docket No. 030-32495

License No. 29-23795-02E

Walter Crawford
Radiation Safety Officer
Heuer Time & Electronics Corporation
960 S. Springfield Avenue
Springfield, NJ 07081

SUBJECT: INSPECTION NO. 030-32495/97-001

Dear Mr. Crawford:

On May 28, 1997, Eric H. Reber of this office conducted a safety inspection at the above address of activities authorized by the above listed NRC license. The inspection was an examination of your licensed activities as they relate to radiation safety and to compliance with the Commission's regulations and the license conditions. The inspection consisted of observations by the inspector, interviews with personnel, and a selective examination of representative records. The findings of the inspection were discussed with you, at the conclusion of the inspection.

Based on the results of this inspection, it appears that your activities were not conducted in full compliance with NRC requirements. A Notice of Violation is enclosed and categorizes the violation by severity level in accordance with the "General Statement of Policy and Procedure for NRC Enforcement Actions," (Enforcement Policy), NUREG 1600. You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. In your response, you should document the specific actions taken and any additional actions you plan to prevent recurrence. Your response may reference or include previous docketed correspondence, if the correspondence adequately addresses the required response. After reviewing your response to this Notice, including your proposed corrective actions and the results of future inspections, the NRC will determine whether further NRC enforcement action is necessary to ensure compliance with NRC regulatory requirements.

In accordance with Section 2.790 of NRC's "Rules of Practice," Part 2, Title 10, Code of Federal Regulations, a copy of this letter and your reply will be placed in the Public Document Room (PDR). To the extent possible, your response should not include any personal privacy, proprietary, or safeguards information so that it can be placed in the PDR without redaction. However, if you find it necessary to include such information, you should clearly indicate the specific information that you desire not to be placed in the PDR, and provide the legal basis to support your request for withholding the information from the public. The responses directed by this letter and the accompanying Notice are not subject to the clearance procedures of the Office of

OFFICIAL RECORD COPY

RETURN ORIGINAL TO

IE07

9706170030 970611
PDR ADOCK 03032495
C PDR



W. Crawford
Heuer Time & Electronics Corp.

-2-

Management and Budget as required by the Paperwork Reduction Act of 1980,
PL 96-511.

Your cooperation with us is appreciated.

Sincerely,

ORIGINAL SIGNED BY:
JENNY M. JOHANSEN

Jenny M. Johansen, Chief
Nuclear Materials Safety Branch 3
Division of Nuclear Materials Safety

Docket No.: 030-32495
License No.: 29-23795-02E

Enclosure:
Notice of Violation

cc w/enclosure:
State of New Jersey

OFFICIAL RECORD COPY

W. Crawford
Heuer Time & Electronics Corp.

-3-

Distribution: w/encl

PUBLIC

Nuclear Safety Information Center (NSIC)

Region I Docket Room (w/concurrences)

D. J. Holody, RI

DOCUMENT NAME: R:\WPS\MLDL\L2923795.02E

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	Reber/chr		Johansen				
DATE	06/09/97		06/10/97		06/ /97		06/ /97

OFFICIAL RECORD COPY