

MATERIALS LICENSE

Amendment No. 06

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

302577

Licensee		In accordance with letters dated April 18, 1997 and May 13, 1997	
1. Ohio Institute of Cardiac Care (OICC)		3. License Number 34-26495-01 is amended in its entirety to read as follows:	
2. 601 Edwin C. Moses Blvd. West Medical Plaza, Suite 200 Dayton, OH 45408		4. Expiration Date May 31, 2003	
		5. Docket or Reference No. 030-33151	
6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License	
A. Any byproduct material identified in 10 CFR 35.100	A. Any radiopharmaceutical identified in 10 CFR 35.100	A. As needed	
B. Any byproduct material identified in 10 CFR 35.200	B. Any radiopharmaceutical identified in 10 CFR 35.200 (excluding generators)	B. As needed	
9. Authorized Use:			
A. Medical use described in 10 CFR 35.100.			
B. Medical use described in 10 CFR 35.200 (excluding generators).			

CONDITIONS

10. Licensed material shall be used only at the licensee's facilities located at:
- A. 601 Edwin C. Moses Blvd. West
West Plaza, Suite 200
Dayton, OH
 - B. 1416 W. First Street
Springfield, OH 45504



130260
9706180387 970604
PDR ADOCK 03033151
C PDR

COPY 230 SD

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

34-26495-01

Docket or Reference Number

030-33151

Amendment No. 06

11. A. Radiation Safety Officer: Charles Peterson, M.D.
- B. Assistant Radiation Safety Officer: Neil S. Freund, D.O.
12. Licensed material listed in Item 6 above is only authorized for use by, or under the supervision of, the following individuals for the materials and uses indicated:

Authorized Users

Material and Use

- | | |
|--------------------------------|---|
| A. Charles Peterson, M.D. | 10 CFR 35.100 and 35.200 (excluding generator). |
| B. Jose C. Mantil, M.D., Ph.D. | 10 CFR 35.100 and 35.200 (excluding generator). |
| C. Martin P. Jacobs, M.D. | 10 CFR 35.100 and 35.200 (excluding generator). |
| D. Andrew M. Ross, M.D. | 10 CFR 35.100 and 35.200 (excluding generators), limited to cardiovascular clinical procedures. |
| E. Neil S. Freund, D.O. | 10 CFR 35.100 and 35.200 (excluding generators), limited to cardiovascular clinical procedures. |

13. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below, except for minor changes in the medical use radiation safety procedures as provided in 10 CFR 35.31. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
 - A. Application dated April 14, 1993; and
 - B. Letters dated November 9, 1994 (with attachments) and December 22, 1994.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date JUN 04 1997

By Colleen E. Casey
Nuclear Materials Licensing Branch, Region III

COPY

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

(FOR LFMS USE)
INFORMATION FROM LTS

Program Code: 02201
Status Code: 0
Fee Category: 7C
Exp. Date: 20030531
Fee Comments:
Decom Fin Assur Req'd: N

SLP

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: OHIO INSTITUTE OF CARDIAC CARE/OICC
Received Date: 970428
Docket No: 3033151
Control No.: 302577
License No.: 34-26495-01
Action Type: Amendment

2. FEE ATTACHED

Amount: 440
Check No.: 27717

3. COMMENTS

Signed
Date

D. Hersey
4-30-97

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / ☒)

1. Fee Category and Amount: 7C

2. Correct Fee Paid. Application may be processed for:

Amendment ☒
Renewal ☐
License ☐

3. OTHER

Signed
Date


SC
5/2/97

MAY 07 1997

Log	May 1 7C
Remitter	
Check No.	27717
Amount	\$440
Fee Category	Amendment 7C
Type of Fee	Amendment
Date Check Rec'd	5/1/97
Date Completed	5/2/97
By:	SC

CARDIOLOGY

SALIM O. DAHDAH, M.D., FACC
JOSEPH N. GUNASEKERA, M.D., FACC
ANDREW M. ROSS, M.D., FACP
PAUL W. GRUNENWALD, M.D., FACC
NEIL S. FREUND, D.O., FACC



NUCLEAR MEDICINE

INDEPENDENT CONSULTANTS:
K-S NUCLEAR MEDICINE ASSOC.
JOSEPH C. MANTIL, M.D., PH.D.
MARTIN P. JACOBS, M.D.
CHARLES D. PETERSON, M.D.

OHIO INSTITUTE OF CARDIAC CARE

CARDIAC & VASCULAR INTERVENTIONS
SALIM O. DAHDAH, M.D. and ASSOCIATES

April 18, 1997

U.S. NUCLEAR REGULATORY COMMISSION
Region III
801 Warrenville Road
Lisle, IL 60532-4351

ATTN: Debbie Hersey

Ms. Hersey:

I am submitting this letter to you as a request for amendment to our NRC License #34-26495-01.

Recently, our practice has merged with several physicians in this area. The result is an increase in requests for nuclear testing that is beyond the capacity of the space we now occupy. Therefore, we must relocate to accomodate the demand.

Our present address is: 30 W. McCreight Avenue
Mercycrest Medical Arts Bldg.
Suite 100
Springfield, Ohio 45504

The new address will be: 1416 W. First Street
Springfield, Ohio 45504

Due to the fact that our move is taking place in a few weeks, please expedite this amendment as quickly as possible. Your cooperation is truly appreciated.

If you have any questions, please contact me at (937) 390-3366 or Jeffrey Shutte at (937) 461-4401.

Thank you again,

Jeffery N. Razor

JR/ca

Pm; 4-17-97

Mercycrest Medical Arts Bldg.
30 W. McCreight Ave., Suite 100
Springfield, Ohio 45504
(937) 390-3366

Franciscan Medical Center
West Plaza, Suite 200
Dayton, Ohio 45408
(937) 461-4401

Fairfield Medical Center
1911 N. Fairfield Road, Suite 230
Beavercreek, Ohio 45432
(937) 426-0917

Madison County Hospital
210 N. Main Street
London, Ohio 43140
(614) 852-7190

RECEIVED

APR 28 1997

REGION III

302577

APR 28 1997

JUN 04 1997

Salim O. Dahdah, M.D.
President and CEO
Ohio Institute of Cardiac Care (OICC)
601 Edwin C. Moses Blvd.
West Medical Plaza, Suite 200
Dayton, OH 45408

Dear Dr. Dahdah:

Enclosed is Amendment No. 06 to your NRC Material License No. 34-26495-01 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC, in writing, within 30 days:
 - a. When an authorized user or Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change; or
 - b. When the mailing address listed on the license changes. (No fee is required if the location of byproduct material remains the same.)
3. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license when you decide to terminate all activities involving materials authorized under the license.

302577

4. Request and obtain a license amendment before you:
 - a. Receive or use byproduct material for a clinical procedure permitted under Part 35 but not permitted by your license issued pursuant to this Part;
 - b. Permit anyone, except individuals described in 10 CFR 35.13(b), to work as an authorized user under the license;
 - c. Change Radiation Safety Officers;
 - d. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
 - e. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or
 - f. Change ownership of your organization.
5. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC

S. Dahdah

-3-

requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

Original Signed By
Colleen C. Casey
Nuclear Materials Licensing Branch

License No.: 34-26495-01

Docket No.: 030-33151

Enclosure: Amendment No. 06

DOCUMENT NAME: M:\03033151.CL7


To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RIII <i>CC/C</i>								
NAME	CCCasey:brt								
DATE	06/02/97								

OFFICIAL RECORD COPY

CARDIOLOGY

SALIM O. DAHDAH, M.D., FACC
JOSEPH N. GUNASEKERA, M.D., FACC
ANDREW M. ROSS, M.D., FACP
PAUL W. GRUNENWALD, M.D., FACC
NEIL S. FREUND, D.O., FACC



NUCLEAR MEDICINE

INDEPENDENT CONSULTANTS:
K-S NUCLEAR MEDICINE ASSOC.
JOSEPH C. MANTIL, M.D., PH.D.
MARTIN P. JACOBS, M.D.
CHARLES D. PETERSON, M.D.

OHIO INSTITUTE OF CARDIAC CARE

CARDIAC & VASCULAR INTERVENTIONS
SALIM O. DAHDAH, M.D. and ASSOCIATES

May 13, 1997

United States Nuclear Regulatory Commission
Region III
801 Warrenville Road
Lisle, Illinois 60532-4351
Attn: Colleen Casey

Control # 302577

Dear Ms. Casey:

In response to your recent conversation with Jeffery N. Razor, the nuclear technologist at our facility, I am sending you a scale drawing of the facility that we plan to move to, located at 1416 West First Street, Springfield, Ohio 45504.

If there is any other information that I can supply to expedite this matter, please do not hesitate to contact our office.

Thank you very much for your consideration in this matter.

Sincerely yours,

Salim O. Dahdah, M.D.
President and CEO
Ohio Institute of Cardiac Care

SOD/jsc

RECEIVED

MAY 16 1997

REGION III

Pm: 5-13-97

Mercycrest Medical Arts Bldg.
30 W. McCreight Ave., Suite 100
Springfield, Ohio 45504
(937) 390-3366

Franciscan Medical Center
West Plaza, Suite 200
Dayton, Ohio 45408
(937) 461-4401

Fairfield Medical Center
1911 N. Fairfield Road, Suite 230
Beavercreek, Ohio 45432
(937) 426-0917

Madison County Hospital
210 N. Main Street
London, Ohio 43140
(614) 852-7190

- A.) TREADMILL
- B.) CONNECTING CAMERA/COMPUTER EQUIPMENT
- C.) GAMMA CAMERA
- D.) COUNTER
- E.) DOSE CALIBRATOR
- F.) SEALED SOURCES/LEAD-BRICK SHIELDING
- G.) DECAY STORAGE/LEAD-LINED BOX

Ohio Institute of Cardiac Care
1416 West First St.
Springfield, OH. 45504

SCALE - 1/4" = 1'

← NORTH





UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
801 WARRENVILLE ROAD
LISLE, ILLINOIS 60532-4351

April 30, 1997

Charles Peterson
Radiation Safety Officer
Ohio Institute of Cardiac/OICC
1416 W. First Street
Springfield, OH 45504

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE
(Letter Dated April 18, 1997)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

☐ New License ☒ Amendment ☐ Renewal
☐ Termination ☐ Auth User (Amendment not required) ☐ Other

No administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information.

It appears that your request is routine (see 1-3 below, as applicable).

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Renewal actions are normally processed within 180 days, however, under timely filing (before expiration), you may continue to operate under your existing license.
3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount, if required.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (630) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch

Mail Control No. 302577
License No. 34-26495-01

CHECKLIST FOR

Private Practice - Medical

The undersigned hereby attests that this licensing action:

Amendment

Termination

was reviewed and prepared in accordance with current NRC guidance and regulatory requirements, to the best of my knowledge.

Colleen C. Casey
Colleen C. Casey5/5/97
Date

Licensee:

Ohio Institute of Cardiac Care

License No.:

34-26495-01

Docket No.:

030-33151

Control No.:

302577

Amendment No.:

06

Application/Letter dated:

4/18/97

NOTES

no generators.

Close enough
 1. We need a diagram of the new facility per Item 9.1
 + Exhibit 6 in Reg Guide 10.8, Sec. 2. Show locations of
 lockable doors. Diagram of the door shows lockable door 10. (201 + 1802)

2. When is more occurring? Reminder of 90 days for amendments.
 19 June, 3rd week

3. Has there been a change in ownership or control? No.

4. Who is Jeffrey Pazar? (Signatory on Reg) GP's referring to OIC.
 nuclear tech. need mgmt signature

5. C. telecon 5/5/97 11:10 am - 11:20 am.

see above w/ Jeff Pazar.

937-390-3366

6. C. telecon 6/02/97 - yes - keep Edwin C. Moses location on license as mailing
 address + for nuclear studies. 19:20 am. 6/2/97 - Jeff Pazar telecon.

OK to issue - C. Casey 5/30/97

also copy as telecon record.