

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number
12-26623-01

Docket or Reference Number
030-33735

Amendment No. 01

302634

Diagnostic Health Services
c/o Roger Wheat
800 East Locust
Olney, IL 62450

In accordance with the NRC Form 314 "Certificate of Disposition" dated May 12, 1997 and letter dated May 12, 1997, License Number 12-26623-01 is hereby terminated.

TERMINATED

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date MAY 30 1997

By Colleen C. Casey ^{dl}
Nuclear Materials Licensing Branch, Region III



180289
9706190067 970530
PDR ADOCK 03033735
C PDR

COPY

230
50

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

(FOR LFMS USE)
INFORMATION FROM LTS

Program Code: 02220
Status Code: 0
Fee Category: 7C
Exp. Date: 20001031
Fee Comments:
Decon Fin Assur Req'd: N

SL6

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: DIAGNOSTIC HEALTH SERVICES
Received Date: 970514
Docket No: 3033735
Control No: 302634
License No: 12-26623-01
Action Type: Termination

2. FEE ATTACHED

Amount:
Check No:

3. COMMENTS

Signed
Date

D. Hersey
5-15-97

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered 1)

1. Fee Category and Amount: 7C Termination

2. Correct Fee Paid. Application may be processed for:

Amendment
Renewal
License

3. OTHER

Signed
Date

SC
5/16/97

MAY 23 1997

Log	<u>May 8 11</u>
Remitter	<u> </u>
Check No.	<u> </u>
Amount	<u> </u>
Fee Category	<u>7C</u>
Type of Fee	<u>AMB</u>
Date Check Rec'd	<u> </u>
Date Completed	<u>3/16/97</u>
By:	<u>SC</u>

1997 MAY 16 PM 3:58

CERTIFICATE OF DISPOSITION OF MATERIALS

INSTRUCTIONS: ALL ITEMS MUST BE COMPLETED -- PRINT OR TYPE
SEND THE COMPLETED CERTIFICATE TO THE NRC OFFICE SPECIFIED ON THE REVERSE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS MANDATORY INFORMATION COLLECTION REQUEST: 30 MINUTES. THIS SUBMITTAL IS USED BY NRC AS PART OF THE BASIS FOR ITS DETERMINATION THAT THE FACILITY HAS BEEN CLEARED OF RADIOACTIVE MATERIAL BEFORE THE FACILITY IS RELEASED FOR UNRESTRICTED USE. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (T-8 P33), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20555-0001, AND TO THE PAPERWORK REDUCTION PROJECT (3150-0028), OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503. AN AGENCY MAY NOT CONDUCT OR SPONSOR, AND A PERSON IS NOT REQUIRED TO RESPOND TO, A COLLECTION OF INFORMATION UNLESS IT DISPLAYS A CURRENTLY VALID DATA CONTROL NUMBER.

LICENSEE NAME AND ADDRESS

Diagnostic Health Services
800 East Locust
Olney, IL 62450

LICENSE NUMBER

12-26623-01

LICENSE EXPIRATION DATE

10-31-2000

A. MATERIALS DATA (Check one and complete as necessary)

THE LICENSEE OR ANY INDIVIDUAL EXECUTING THIS CERTIFICATE ON BEHALF OF THE LICENSEE CERTIFIES THAT:
(Check and/or complete the appropriate item(s) below.)

- ☐ 1. NO MATERIALS HAVE EVER BEEN PROCURED OR POSSESSED BY THE LICENSEE UNDER THIS LICENSE.
OR
☒ 2. ALL ACTIVITIES AUTHORIZED BY THE LICENSE HAVE CEASED AND ALL MATERIALS PROCURED AND/OR POSSESSED BY THE LICENSE NUMBER CITED ABOVE HAVE BEEN DISPOSED OF IN THE FOLLOWING MANNER. (If additional space is needed, use the reverse side or provide attachments.)

Describe specific material transfer actions and, if there were radioactive wastes generated in terminating this license, the disposal actions including the disposition of low-level radioactive waste, mixed waste, Greater-than-Class-C waste, and sealed sources, if applicable. AN AMENDMENT APPLICATION TO TRANSFER ALL ACTIVITY FROM LICENSE #12-26623-01 TO LICENSE #12-13568-02 HAS BEEN SUBMITTED TO THE NRC, AND IS BEING PROCESSED BY MS. COLLEEN CASEY, CONTROL #302381. WE REQUEST THAT LICENSE #12-26623-01 BE TERMINATED CONCURRENTLY WITH THE APPROVAL OF THE AMENDMENT APPLICATION (CONTROL #302381).

For transfers, specify the date of the transfer, the name of the licensee recipient, and the recipient's NRC license number or Agreement State name and license number.

LICENSE RECIPIENT: DIAGNOSTIC HEALTH SERVICES, 840 WEST BARTLETT ROAD, BARTLETT, IL 60103

LICENSE NO. 12-13568-02

DATE OF TRANSFER: TO BE CONCURRENT WITH THE APPROVAL OF AMENDMENT APPLICATION REFERRED TO ABOVE.

If materials were disposed of directly by the licensee rather than transferred to another licensee, licensed disposal site or waste contractor, describe the specific disposal procedures (e.g., decay in storage)

B. OTHER DATA

- ☒ 1. OUR LICENSE HAS NOT YET EXPIRED; PLEASE TERMINATE IT.
2. A RADIATION SURVEY WAS CONDUCTED BY THE LICENSEE TO CONFIRM THE ABSENCE OF LICENSED RADIOACTIVE MATERIALS AND TO DETERMINE WHETHER ANY CONTAMINATION REMAINS ON THE PREMISES COVERED BY THE LICENSE. (Check one)
- ☒ NO (Attach explanation) (PLEASE SEE ATTACHED)
- ☐ YES, THE RESULTS (Check one)
- ☐ ARE ATTACHED, or
- ☐ WERE FORWARDED TO NRC ON (Date)

FEE EXEMPT

3. THE PERSON TO BE CONTACTED REGARDING THE INFORMATION PROVIDED ON THIS FORM

NAME

Ashwin Patel

RECEIVED

TELEPHONE NUMBER
(Include Area Code)

630-372-7400

4. MAIL ALL FUTURE CORRESPONDENCE REGARDING THIS LICENSE TO

Diagnostic Health Services
840 West Bartlett Road
Bartlett, IL 60103

MAY 14 1997

REGION III

302634

CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE

Ashwin Patel, Vice President
Radiation Safety Officer

SIGNATURE

Ashwin Patel

DATE

5-12-97

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECTS. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTIONS.



May 12, 1997

Materials Licensing Section
U.S. Nuclear Regulatory Commission
Region III
801 Warrenville Road
Lisle, Illinois 60532-7351

Reference: License No. 12-26623-01

Gentlemen,

We have applied for the transfer of all licensed activities conducted under License No. 12-26623-01 to be transferred to Byproduct Materials License No. 12-13568-02. This request is being processed by Ms. Colleen Casey of the NRC. Please refer to Control No. 302381.

Please terminate license No. 12-26623-01 concurrently with the approval of the amendment application, Control #302381. Attached please find the completed NRC Form 314 "Certificate of Disposition of Materials".

Should you have any questions, or need additional information, please contact me at (630)372-7400, FAX # (630)983-1214.

Sincerely,

A handwritten signature in cursive script that reads 'Ashwin Patel'.

Ashwin Patel
Vice President
Radiation Safety Officer

AP:sk/enclosure

RECEIVED
MAY 14 1997
REGION III

MAY 14 1997

ATTACHMENT TO CERTIFICATE OF DISPOSITION OF MATERIALS

Item B.2 (Other Data):

Diagnostic Health Services has two Byproduct Materials Licenses:

- a. 12-13568-02 issued to:
Diagnostic Health Services
840 West Bartlett Road
Bartlett, IL 60103
- b. 12-26623-01 issued to:
Diagnostic Health Services
800 East Locust
Olney, IL 62450

We have requested an amendment to License No. 12-13568-02 to transfer all the activities conducted under License No. 12-26623-01 to License #12-13568-02. This amendment application is being reviewed by Ms. Colleen Casey, under Control #302381. Hence, upon approval of the amendment application, the activities presently under License No. 12-26623-01 will be continued under License No. 12-13568-02. As the activity will continue, close out surveys will not be necessary.

We request that the termination of license No. 12-26623-01 be concurrent with the approval of the amendment application for License No. 12-13568-02 (i.e. same date).

Shatt

MAY 30 1997

Ashwin Patel
Vice President of Clinical Services
Diagnostic Health Services
840 West Bartlett Road
Bartlett, IL 60103

Dear Mr. Patel:

Enclosed is Amendment No. 01 which terminates your NRC License
Number 12-26623-01 in accordance with your request.

If you have any questions or require clarification on any of the information
stated above, you may contact us at (630) 829-9841.

Sincerely,

Original Signed By
Colleen C. Casey
Nuclear Materials Licensing Branch

License No.: 12-26623-01
Docket No.: 030-33735

Enclosure: Amendment No. 01

DOCUMENT NAME: M:\03033735.T7

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RIII <i>CCF</i>								
NAME	CCASEY: jaw								
DATE	05/29/97								

OFFICIAL RECORD COPY

302634

Def. Teleron

CHECKLIST FOR

02220 - Mobile Nuc. Med Service

The undersigned hereby attests that this licensing action:

12-13568-02 of Amendment and Termination of 12-26623-01

was reviewed and prepared in accordance with current NRC guidance and regulatory requirements, to the best of my knowledge.

Colleen C. Casey
Colleen C. Casey

5/28/97
Date

Licensee: Diagnostic Health Services, Inc.

License No.: 12-13568-02 / 12-26623-01

Docket No.: 030-14235 / 030-33735

Control No.: 302381 / 302634

Amendment No.: 49 / 01

Application letter dated: 2/24/97 + 5/12/97 / 3/4 dtd 5/12/97
+ 4/4 dtd 5/12/97

NOTES

See attached def teleron dtd 5/5/97.

cor ltr → Note that by "instrument calibration" Patel was referring to dose calibrators only, not survey meter calibrations. Confirm understanding in cover letter because Patel did not clarify this in response ltr dtd 5/12/97.

cor ltr → Extend surviving license to 2002.

cor ltr → Note merged licenses / term. lic. in cor ltr.

OK to issue.

CONVERSATION RECORD

TYPE

☐ VISIT

☐ CONFERENCE

☒ TELEPHONE

☐ INCOMING

☒ OUTGOING

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

ORGANIZATION (Office, dept., bureau, etc.)

TELEPHONE NO.

SUBJECT

SUMMARY

ROUTING	
NAME/SYMBOL	INT

DHS

same parent

① What is ownership relationship between these 2 licenses?

② We need a termination request for 12-26623-01 - OK.

③ We need a commitment from DHS that all rad. safety procedures on 12-13568-02 will be followed for activities currently under 12-26623-01 after licenses merge. - OK.

④ 12-26623-01 does not exclude Xe-133 - shouldn't it? - yes
- Has Xe-133 been used w/o reg. pressure? - no.

N/A
Patel was reporting to dose calibrator
⑤ Address specifically instrument calibration procedures, where they will be performed, which source, is this a service etc.

⑥ Who is in charge of DHS? Brad Hummel is Pres. + COO.

⑦ Where does Patel fit into org. chart relative to Rager, Wheat?
Patel is V.P. under Hummel & above Wheat.

15 day response.

SIGNATURE

TITLE

DATE

Colleen C. Casey

License Reviewer

5/5/97

CONVERSATION RECORD



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
801 WARRENVILLE ROAD
LISLE, ILLINOIS 60532-4351

May 16, 1997

Roger Wheat
Radiation Safety Officer
Diagnostic Health Services
800 East Locust
Olney, IL 62450

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE
(Application Dated May 12, 1997)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

☐ New License ☐ Amendment ☐ Renewal
☒ Termination ☐ Auth User (Amendment not required) ☐ Other

No administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information.

It appears that your request is routine (see 1-3 below, as applicable).

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Renewal actions are normally processed within 180 days, however, under timely filing (before expiration), you may continue to operate under your existing license.
3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount, if required.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (630) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch

Mail Control No. 302634
License No. 12-26623-01