

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 39, 40 and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

<p>Licensee</p> <p>1. St. Luke's Midland Regional Medical Center</p> <p>2. 305 South State Street Aberdeen, South Dakota 57402</p>		<p>In accordance with letter dated May 1, 1997</p> <p>3. License number 40-18000-01 is amended in its entirety to read as follows:</p> <p>4. Expiration date February 28, 2005</p> <p>5. Docket or Reference No 030-13778</p>	
<p>6. Byproduct, source, and/or special nuclear material</p> <p>A. Any byproduct material identified in 10 CFR 35.100</p> <p>B. Any byproduct material identified in 10 CFR 35.200</p> <p>C. Any byproduct material identified in 10 CFR 35.300</p> <p>D. Any byproduct material identified in 10 CFR 35.400</p> <p>E. Any byproduct material identified in 10 CFR 31.11</p>	<p>7. Chemical and/or physical form</p> <p>A. Any radiopharmaceutical identified in 10 CFR 35.100</p> <p>B. Any radiopharmaceutical identified in 10 CFR 35.200</p> <p>C. Any radiopharmaceutical identified in 10 CFR 35.300</p> <p>D. Any brachytherapy source identified in 10 CFR 35.400</p> <p>E. Prepackaged Kits</p>	<p>8. Maximum amount that licensee may possess at any one time under this license</p> <p>A. As needed</p> <p>B. As needed</p> <p>C. 400 millicuries</p> <p>D. As needed</p> <p>E. As needed</p>	
<p>9. Authorized use</p> <p>A. Medical use described in 10 CFR 35.100.</p> <p>B. Medical use described in 10 CFR 35.200.</p> <p>C. Medical use described in 10 CFR 35.300.</p> <p>D. Medical use described in 10 CFR 35.400 and, for Cesium-137, calibration of licensee's survey meters and personnel dosimeters.</p> <p>E. <u>In vitro</u> studies.</p>			

180280

OFFICIAL RECORD COPY



011

ML40

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

40-18000-01

Docket or Reference Number

030-13778

Amendment No. 18

CONDITIONS

10. Location of use: 305 S. State Street, Aberdeen, South Dakota.
11. Radiation Safety Officer: James William McGee, M.D.
12. Authorized Users:
 - A. Roy G. Burt, M.D., for material identified in 10 CFR 31.11.
 - B. Enrique F. Mendoza, M.D., for material identified in 10 CFR 35.300 and 35.400.
 - C. Raymundo Tan, M.D., for material identified in 10 CFR 35.100, 35.200, 35.300, 35.400, and 31.11.
 - D. S. Guru Prasad, Ph.D., sealed sources for instrument calibration.
 - E. William R. Austin, M.D., for material identified in 10 CFR 35.100 and 35.200.
 - F. Lawrence "Larry" Alexander, M.D., for material identified in 10 CFR 31.11.
 - G. James William McGee, M.D., for material identified in 10 CFR 35.100, 35.200, 35.300, and 35.400.
 - H. Douglas Kimmel, M.D., for material identified in 10 CFR 35.100 and 35.200.
 - I. Pawel P. Gruca, D.O., for material identified in 10 CFR 35.100 and 35.200.
 - J. Caroline J. Lundell, M.D., for material identified in 10 CFR 35.100 and 35.200.
 - K. Stephen R. Peters, M.D., for material identified in 10 CFR 35.100, 35.200, 35.300 and 31.11.
13. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

40-18000-01


Docket or Reference Number

030-13778

Amendment No. 18

14. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below, except for minor changes in the medical use radiation safety procedures as provided in 10 CFR 35.31. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated October 29, 1993
- B. Letter dated November 29, 1993
- C. Letter dated February 9, 1995
- D. Letter dated March 31, 1995
- E. Letter dated July 10, 1995
- F. Letter dated July 25, 1995
- G. Letter dated August 28, 1995



FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date MAY 19 1997

By Jacqueline D. Cook
Nuclear Materials Licensing Branch
Region IV
Arlington, Texas 76011



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION IV

611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TEXAS 76011-8064

May 19, 1997

St. Luke's Midland Regional
Medical Center
ATTN: Dale J. Stein
President & CEO
305 South State Street
Aberdeen, SD 57402

SUBJECT: LICENSE AMENDMENT

Please find enclosed License No. 40-18000-01. You should review this license carefully and be sure that you understand all conditions. Please note that as part of this amendment, in accordance with 10 CFR 30.36, effective February 15, 1996, the expiration date of your license has been extended by a period of five years. Your new expiration date is stated in Item 4 of the license. If you have any questions, you may contact the reviewer who signed your license at 817-860-8132.

NRC expects licensees to conduct their programs with meticulous attention to detail and a high standard of compliance. Because of the serious consequences to employees and the public which can result from failure to comply with NRC requirements, you must conduct your program involving radioactive materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers: Inspection and Investigations," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Possess radioactive material only in the quantity and form indicated in your license.
3. Use radioactive material only for the purpose(s) indicated in your license.
4. Notify NRC in writing of any change in mailing address (no fee required if the location of radioactive material remains the same).


5. Request and obtain written NRC consent before transferring your license or any right thereunder, either voluntarily or involuntarily, directly or indirectly, through transfer of control of your license to any person or entity. A transfer of control of your license includes not only a total change of ownership, but also a change in the controlling interest in your company whether it is a corporation, partnership, or other entity. In addition, appropriate license amendments must be requested and obtained for any other planned changes in your facility or program that are contrary to your license or contrary to representations made in your license application, as well as supplemental correspondence thereto, which are incorporated into your license. A license fee may be charged for the amendments if you are not in a fee-exempt category.
6. Maintain in a single document decommissioning records that have been certified for completeness and accuracy listing all the following items applicable to the license:
 - Onsite areas designated or formerly designated as restricted areas as defined in 10 CFR 20.3(a)(14) or 20.1003.
 - Onsite areas, other than restricted areas, where radioactive materials in quantities greater than amounts listed in Appendix C to 10 CFR 20.1001-20.2401 have been used, possessed, or stored.
 - Onsite areas, other than restricted areas, where spills or other unusual occurrences involving the spread of contamination in and around the facility, equipment, or site have occurred that required reporting pursuant to 10 CFR 30.50(b)(1) or (b)(4), including areas where subsequent cleanup procedures have removed the contamination.
 - Specific locations and radionuclide contents of previous and current burial areas within the site, excluding radioactive material with half-lives of 10 days or less, depleted uranium used only for shielding or as penetrators in unused munitions, or sealed sources authorized for use at temporary job sites.
 - Location and description of all contaminated equipment involved in licensed operations that is to remain onsite after license termination.

7. Submit a complete renewal application with proper fee, or termination request at least 30 days before the expiration date on your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of radioactive material after your license expires is a violation of NRC regulations.
8. Request termination of your license if you plan to permanently discontinue activities involving radioactive material.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation; imposition of a civil penalty; or an order suspending, modifying, or revoking your license as specified in the "General Statement of Policy and Procedure for NRC Enforcement Actions" (Enforcement Policy), 60 FR 34381, June 30, 1995.

Thank you for your cooperation.

Sincerely,



Jacqueline D. Cook
Health Physicist
Nuclear Materials Licensing Branch

Docket: 030-13778
License: 40-18000-01
Control: 466395

Enclosures: As stated

MAY 19 1997

St. Luke's Midland Regional Medical Center -4-

DOCUMENT NAME: P:\MLCOVER\LETTER\STLUKES.MLC

To receive copy of document, indicate in box: "C" = Copy without enclosures "E" = Copy with enclosures "N" = No copy

RIV:NMLB	N						
JDCook <i>JDCook</i>							
05/19/97							

OFFICIAL RECORD COPY



St. Luke's Midland
Regional Medical Center

DIAGNOSTIC RADIOLOGY

305 South State Street
PO Box 4450
Aberdeen, SD 57402-4450
A member of the Presentation Health System
Sponsored by the Presentation System

605-622-5540
1-800-225-8537

RECEIVED
MAY 19 1997

mb#16

79

May 19, 1997
Ms. Jacqueline D. Cook
Health Physicist
Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 400
Arlington, Texas 76011-8064

License No. 40-18000-01
Docket No. 030-13778
Control No. 466395

Dear Ms. Cook,

Regarding our request to amend Dr. Stephen Peter's authorized use under 10 CFR Part 35.300, the specific amount of material to be used will be 400 mCi or less. Routinely, our therapy doses of iodine are 30 mCi or less. However, we infrequently may require higher doses for whole body therapy. The above amount requested would include any waste material also.

If any further information is required, please don't hesitate to call me. Thank you, and it was nice to talk with you this morning.

Sincerely,

Lee Ann Tople, R.T. (R)
Director of Radiology/Nuclear Medicine

466395

FILE COPY

CONVERSATION RECORD

TIME

8:05 am

DATE

5/19/97

TYPE

☐ VISIT

☐ CONFERENCE

☒ TELEPHONE

☐ INCOMING

☒ OUTGOING

ROUTING

NAME/SYMBOL INT

Location of Visit/Conference:

NAME OF PERSON(S) CONTACTED OR IN CONTACT WITH YOU

Lee Ann Tople, R.T.(R)

ORGANIZATION (Office, dept., bureau, etc.)

St. Luke's Midland Regional Medical Center

TELEPHONE NO:

605-622-5540

SUBJECT

Re: possession limit for 10 CFR 35.300 material

SUMMARY

Left message for Ms. Tople on answering machine requesting that she get me a specific possession limit for 10 CFR 35.300 material including photo materials they may have on hand.

ACTION REQUIRED

Wait on response to above before issuing amendment.

NAME OF PERSON DOCUMENTING CONVERSATION

Jacqueline D. Cook

SIGNATURE

Jacqueline D. Cook

DATE

5/19/97

ACTION TAKEN

SIGNATURE

TITLE

DATE




St. Luke's Midland
Regional Medical Center

DIAGNOSTIC RADIOLOGY

305 South State Street
PO Box 4450
Abilene, SD 79402-4450
A member of the Presentation Health System
Sponsored by the Presentation Sisters

605-622-5540
1-800-225-8537



May 16, 1997
Ms. Jacqueline D. Cook
Health Physicist
Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 400
Arlington, Texas 76011-8064

License No. 40-18000-01
Docket No. 030-13778
Control No. 466395

Dear Ms. Cook,

We would like to withdraw our request to add use of material identified in 10 CFR 35.400 to Dr. Peter's listing. We found that the request was in error when requesting similar privileges as to his previous use with the Department of the Navy. We have verified that this is the correct usage requested by Dr. Peters according to his training and experience.

Thank you for your fax message bringing this to our attention. We will expect written documentation of our amendment requests with this change.

Sincerely,

Lee Ann Tople, R.T. (R)
Director of Radiology/Nuclear Medicine

466395



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION IV

611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TEXAS 76011-8064

FACSIMILE FORM

DATE/TIME: 5/16/97 1:30pm

PRIORITY: X

Immediately

1 hour

2-4 hours

MESSAGE TO: LeeAnn Tople
St. Luke's Midland Regional Med. Center

License No. 40-18000-01

Docket No. 030-13778

Control No. 466395

MESSAGE FROM: Jacqueline D. Cook
Health Physicist
Nuclear Materials Licensing Branch
U.S. NRC, Region IV

NUMBER OF PAGES: 1 PLUS TRANSMITTAL SHEET

TELECOPY NUMBER: (605) 622-5217

VERIFICATION NUMBER:

CONTACT:

SPECIAL INSTRUCTION/ ATTACHMENTS:

Ms. Tople,

Per your amendment request dated May 1, 1997, the item on the next page is a deficiency which requires your response. Please respond to this fax within 15 days. Our fax number is (817) 860-8263. If you have any questions regarding our discussion and this fax, please call me at (817) 860-8132. When responding to this fax, please include your license, docket and control numbers located at the top of this page. Thank you.

Jacqueline D. Cook
Health Physicist

TRANSMITTED & VERIFIED BY:

Jacqueline D. Cook

DISPOSITION

Return to Originator X

Place in Mail

Please respond to the following item as it pertains to your letter dated May 1, 1997:

1. Dr. Stephen R. Peters is authorized to use material identified in 10 CFR 35.100, 35.200, 35.300, and 31.11. Additional information is needed to support Dr. Peters's request to use material identified in 10 CFR 35.400. To authorize Dr. Peters for 10 CFR 35.400 materials will require the submittal of one of the following:
 - ° A preceptor statement containing the information requested in §35.940(b);
 - ° Confirmation that Dr. Peters is board certified in one of the areas identified in §35.940; or
 - ° A copy of an NRC or Agreement State byproduct material license on which Dr. Peters is specifically listed as an authorized user for §35.400 materials or equivalent.
2. Please note that 10 CFR 35.75 is the regulation concerning "Release of Patients or Human Research Subjects Containing Radiopharmaceuticals or Permanent Implants."

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

(FOR LFMS USE)
INFORMATION FROM LTS

Program Code: 02120
Status Code: 0
Fee Category: 7C
Exp. Date: 20050228
Fee Comments: CODE 21
Decom Fin Assur Req'd: N

1997 MAY -7 PM 2:16

LICENSE FEE TRANSMITTAL

A. REGION IV

1. APPLICATION ATTACHED

Applicant/Licensee: ST. LUKE'S MIDLAND REG. MED. CTR.
Received Date: 970506
Docket No.: 3013778
Control No.: 466395
License No.: 40-18000-01
Action Type: Amendment

2. FEE ATTACHED

Amount: \$1500.00
Check No.: 86868

3. COMMENTS

Signed
Date

Billie Truszyński
5/6/97

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered 1-1)1. Fee Category and Amount: 7C \$440


2. Correct Fee Paid. Application may be processed for:

Amendment ☒
Renewal ☐
License ☐

3. OTHER

Signed
Date

Rita Messier
5/7/97



Log	<u>May 2 IV</u>
Remitter	
Check No.	<u>086868</u>
Amount	<u>\$500.00 (Refund)</u>
Fee Category	<u>7C</u>
Type of Fee	<u>and</u>
Date Check Rec'd.	<u>5/7/97</u>
Date Completed	<u>5/7/97</u>
By:	<u>fer</u>



St. Luke's Midland
Regional Medical Center


305 South State Street PO Box 4450
Aberdeen, SD 57402-4450

605-622-5000

A member of the Presentation Health System
Sponsored by the Presentation Sisters

May 1, 1997

Nuclear Regulatory Commission
Materials Licensing Section, Region IV
611 Ryan Plaza Drive
Arlington, TX 76011



RE: Request for Amendment to License 40-18000-01

Dear Sir or Madam:

St. Luke's Midland Regional Medical Center wishes to amend its byproduct materials license to reflect the following changes:


1. Stephen R. Peters is currently an authorized user for materials identified in 10 CFR 35.100 and 35.200 on our byproduct license. We wish to add use in 10 CFR 35.300, 35.400, 35.75 and 31.11 to his listing.
2. Remove Jay I. Lipoff, M.D. from our authorized users list.
3. Remove Rufus Rodriguez, M.D. from our authorized users list.
4. Remove Location B from the list of locations of use on page 2 of our materials license. That information is not accurate when described as a location of use. 1400 15th Avenue N.W., Aberdeen, S.D. is an ancillary campus of our hospital. There is no use of radioactive materials at that location.

We have enclosed information in support of the request regarding Dr. Peters.

If additional information is required to support these changes please direct inquiries to LeeAnn Tople at the above address.

Also enclosed please find a check in the amount of \$500 for this amendment.

Sincerely,


Dale J. Stein
President & CEO



DEPARTMENT OF THE NAVY
OFFICE OF THE CHIEF OF NAVAL OPERATIONS
WASHINGTON, DC 20350-2000

IN REPLY REFER TO

5104

Ser N455C/50598443

14 Nov 1995

From: Chairman, Navy Radiation Safety Committee
To: Commanding Officer, Naval Hospital, PSC 482, FPO AP
96362-1600

Subj: NAVY RADIOACTIVE MATERIAL PERMIT (NRMP) RENEWAL

Ref: (a) Your NRMP application of 28 Aug 95

Encl: (1) NRMP Number 63-68470-11NP

1. As requested by reference (a), your NRMP has been amended. Note the following changes from your previous permit:


a. LCDR S. R. Peters, MC, USNR replaces LT C. J. Day, MC, USNR as Radiation Safety Officer (RSO). You are reminded that a replacement RSO must be approved by the Navy Radiation Safety Committee (NRSC) prior to the detachment of an incumbent RSO.

b. Authorization to perform outpatient radiiodine therapy in accordance with 10 CFR 35.300 and 35.75 has been added.

c. Permit condition 12 includes the new authorized user approval and notification procedures previously transmitted to you.

2. Your request to modify radioactive waste disposal procedures has been forwarded to the NRSC for consideration.

3. Enclosure (1) is forwarded as your new authorization to use radioactive material. All previous correspondence pertaining to your NRMP shall be kept on file until disposition is authorized by the NRSC.


J. W. MALINOSKI
By direction

Copy to:
BUMED (MED-211)
NRC Region II Atlanta GA
NAVENVIRHLTHCEN Norfolk VA

NAVY RADIOACTIVE MATERIALS PERMIT

Pursuant to the authority stated in OPNAVINST 6470.3, Navy Radiation Safety Committee, and in reliance on statements made by the applicant, permission is hereby granted for the acquisition, receipt, possession, use, storage and disposal of radioactive materials listed below subject to the conditions listed in this permit.

1 - COMMAND U. S. Naval Hospital (Okinawa) PSC 482 FPO AP 96362-1600	2 - PERMIT NO. 63-68470-11NP
	3 - AMENDMENT NO. 02
	4 - DOCKET NO.
	5 - EXPIRATION DATE 31 May 1997

6 - RADIOACTIVE MATERIAL

7 - CHEMICAL/ PHYSICAL FORM

8 - MAXIMUM QUANTITY AUTHORIZED

a. Byproduct material for in vitro use as specified in 10 CFR 31.11 in amounts as needed.

b. Byproduct or accelerator produced material in a radio-pharmaceutical for diagnostic use involving measurements of uptake, dilution or excretion as specified in 10 CFR 35.100 in amounts as needed.

c. Byproduct or accelerator produced material, excluding gases, in a radiopharmaceutical for diagnostic use involving imaging and localization as specified in 10 CFR 35.200 in amounts as needed.

d. Iodine-131 in capsule form for use in outpatient hyperthyroid therapy as specified in 10 CFR 35.300 and 10 CFR 35.75 in amounts as needed. (A)

PERMIT CONDITIONS:

9. The Command's Radioactive Material Permit is amended and reprinted in its entirety. Additions and revisions to the permit conditions as a result of this amendment are denoted by (A and (R respectively. Your permit application dated 20 April 1992, letters dated 19 May 1992 and 31 August 1992, and amendment requests dated 5 July 1994 and 28 August 1995, along with submitted information and procedures, are considered an integral part of this Radioactive Material Permit and shall be maintained on file with the permit. (R

SUPPLEMENTARY SHEET

United States Navy Radiation Safety Committee

RADIOACTIVE MATERIALS PERMIT

PERMIT NO.

63-68470-11NP

AMENDMENT NO.

02

10. Radioactive material authorized by this Permit shall be used only at the Naval Hospital, Okinawa, Japan.

11. The Radiation Safety Officer for the use of radioactive material authorized by this Permit is LCDR S. R. Peters, MC, USNR. (R)

12. Radioactive material shall be used by, or under the supervision of, individuals designated by the Command's Radiation Safety Committee.

a. The use of radioactive materials in or on humans shall be by a physician as defined in 10 CFR 35.2.

b. The Command's Radiation Safety Committee may approve authorized users of radioactive material after verifying that the individual is board certified by organizations specified in Subpart J of 10 CFR 35 or was previously identified as an authorized user on another NRMP or license issued by the NRC or an Agreement State. The Command's Radiation Safety Committee records shall clearly document the basis for granting the approval and specifically state the types of use of radioactive material authorized. These records shall be maintained for later review by the Navy Radiation Safety Committee. Actions of the Command's Radiation Safety Committee in approving authorized users must be distinct from any certification actions of the Command's credentialing committee. (R)

c. NAVENVIRHLTHCEN shall be notified within 30 days of the approval or removal of an authorized user. Notification should include copies of board certification or previous NRMP/license for newly approved authorized users. (A)

d. A NRMP amendment is required if a proposed authorized user is not board certified and has not been previously listed on an NRMP or license issued by the NRC or an Agreement State. (A)

13. The Command may use isotopes of 10 CFR 31.11 subject only to the requirements of 31.11 if:

a. inventory limits of 31.11 are observed, and

b. in vitro isotope usage is physically and administratively separate from medical isotope use involving internal or external administration to humans or animals.

SUPPLEMENTARY SHEET

United States Navy Radiation Safety Committee

RADIOACTIVE MATERIALS PERMIT

PERMIT NO.

63-68470-11NP

AMENDMENT NO.

02

14. Each gas chromatograph detector cell containing nickel-63 shall be tested for leakage and/or contamination at intervals not to exceed six months, in accordance with the requirements of 10 CFR 35.59.

15. Gas chromatograph detector cells containing radioactive material shall not be opened or the foil sources removed from the detector cell by the Command.

16. The notifications specified in subparagraphs (a) and (b) will be made in lieu of Nuclear Regulatory Commission reporting requirements of 10 CFR.

a. Immediate voice/message notification by OPREP-3 NAVY BLUE report per OPNAVINST 3100.6 series with the Bureau of Medicine and Surgery (MED-21) and Navy Environmental Health Center (NAVENVIRHLTHCEN) as information addressees for the following:

(1) Excessive radiation levels or contamination on packages (10 CFR 20.1906).

(2) Theft or loss of radioactive material (10 CFR 20.2201).

(3) Radiation incidents as defined by 10 CFR 20.2202 and 10 CFR 30.50.

(4) Defect or failure to comply (10 CFR 21).

(5) Misadministrations (10 CFR 35.33).

(6) Reports of leaking sources (10 CFR 35.59).

b. Written notification to Chief of Naval Operations (N45) within 15 days with an information copy to Navy Environmental Health Center. An advance copy and/or telephone report to N45 should also be made to ensure notification with 15 days for the following:

(1) Overexposure and excessive levels and concentrations (10 CFR 20.2203).

SUPPLEMENTARY SHEET

United States Navy Radiation Safety Committee

RADIOACTIVE MATERIALS PERMIT

PERMIT NO. REGION IV

63-68470-11NP

AMENDMENT NO.

02

17. The Command may make minor changes in radiation safety procedures as described in 10 CFR 35.31 after conducting an internal review and obtaining approval of the Command's Radiation Safety Committee, as long as compliance with NRC regulations is maintained. No formal amendment request is required but an information copy of any such approval should be forwarded to NAVENVIRHLTHCEN. An amendment request to this Permit is required for a change in Radiation Safety Officer, additional types of use of radioactive material, or new location of use of radioactive material.

18. Except as specifically provided otherwise by this Permit, the command shall possess and use radioactive material described in this Permit in accordance with:

a. Statements, representations, and procedures contained in the Command's permit renewal application dated 20 April 1992, letters dated 19 May 1992 and 31 August 1992, and amendment requests dated 5 July 1994 and 28 August 1995. (R)

b. Code of Federal Regulations, BUMEDINST 6470.20, OPNAVINST 6470.3 and NAVMED F-5055.

c. The command shall maintain records for review by the Navy Radiation Safety Committee sufficient to document operational compliance with the above requirements and other conditions of this Permit.

Date

14 Nov 94
J. W. MALINOSKI

Captain, MSC, U.S. Navy

Executive Secretary

Navy Radiation Safety Committee