

MATERIALS LICENSE

Amendment No. 01

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

302651

Licensee		In accordance with letter dated April 30, 1997	
1. Fairview Radiology		3. License Number 21-26306-01 is amended in its entirety to read as follows:	
2. 5245 Schaefer Road Dearborn, MI 48126		4. Expiration Date May 31, 2001	
		5. Docket or Reference No. 030-32143	
6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License	
A. Any byproduct material identified in 10 CFR 35.100	A. Any radiopharmaceutical identified in 10 CFR 35.100	A. As needed	
B. Any byproduct material identified in 10 CFR 35.200	B. Any radiopharmaceutical identified in 10 CFR 35.200 (excluding xenon-133)	B. As needed	
9. Authorized Use:			
A. Medical use described in 10 CFR 35.100.			
B. Medical use described in 10 CFR 35.200 (excluding xenon-133).			

CONDITIONS

10. Locations of Use: 5245 Schaefer Road, Dearborn, Michigan and 3800 Woodward Avenue, Suite 700, Detroit, Michigan.
11. Radiation Safety Officer: Frank M. Fayz, M.D.
12. Authorized Users:
- A. Frank M. Fayz, M.D., for material in 10 CFR 35.100 and 35.200 (excluding xenon-133).

230034



COPY 230034

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

21-26306-01

Docket or Reference Number

030-32143

Amendment No. 01

12. Authorized Users (Continued)

B. Frank J. Messina, D.O., for material in 10 CFR 35.100 and 35.200 (excluding xenon-133).

13. Pursuant to Title 10, Chapter 1, Code of Federal Regulations, Part 40, "Domestic Licensing of Source Material," the licensee is authorized to possess, use, transfer, and import up to 999 kilograms of depleted uranium contained as shielding material in the molybdenum-99/technetium-99m generators authorized by this license.

14. The licensee shall maintain records of information important to safe and effective decommissioning at 5245 Schaefer Road, Dearborn, Michigan per the provisions of 10 CFR 30.35(g) until this license is terminated by the Commission.

15. This license is based on the licensee's statements and representations listed below:

A. Application dated April 2, 1991; and

B. Letters dated April 30, 1997 and June 6, 1997.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date

JUN 13 1997

By

Loren J. Hunter
Nuclear Materials Licensing Branch, Region III

COPY

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

(FOR LFMS USE)
INFORMATION FROM LTS

Program Code: 02200
Status Code: 0
Fee Category: 7C
Exp. Date: 20010531
Fee Comments:
Decom Fin Assur Req'd: N

R8

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: FAIRVIEW RADIOLOGY
Received Date: 970516
Docket No: 3032143
Control No.: 302651
License No.: 21-26306-01
Action Type: Amendment

2. FEE ATTACHED

Amount: 440
Check No.: 23622

3. COMMENTS

Signed
Date

D. Hersey
5-20-97

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / ☒ /)

1. Fee Category and Amount:

7C

\$440

2. Correct Fee Paid. ☒ Application may be processed for:

Amendment
Renewal
License

3. OTHER

Signed
Date

SC
5/21/97

JUN 02 1997

Log	May 10 1997
Remitter	
Check No.	13671
Amount	\$440
Fee Category	7C
Type of Fee	Amnd
Date Check Rec'd	5/21/97
Date Completed	
By	SC

FAIRVIEW RADIOLOGY

ACCREDITED BY AMERICAN COLLEGE OF RADIOLOGY IN MAMMOGRAPHY

AFFILIATED PHYSICIAN OF THE CLEVELAND CLINIC FOUNDATION

FRANK M. FAYZ, M.D.

Diplomate American Board of Radiology

- CT Scan
- Nuclear Medicine
- Nuclear Cardiology
- Stress Lab

- General Radiology
- Fluoroscopy
- Mammography
- MRI/MRA

- Ultrasound
- Transrectal Ultrasound
- Echo Cardiography
- Color Flow Doppler

April 30, 1997

U.S. Nuclear Regulatory Commission
Region III
Materials Licensing Section
801 Warrenville Road
Lisle, Illinois 60532-4351

Re: Amendment to 21-26306-01

Dear Sirs:

We wish to amend our Materials License 21-25306-01 as follows:


ADD - AREA OF AUTHORIZED USE

3800 Woodward Ave
Suite 700
Detroit, Michigan 48201

In support of the request we have enclosed a diagram and description of this proposed area of use.

If you require any additional information, please contact us.

Sincerely,


Frank M. Fayz, M.D.
Radiation Safety Officer

RECEIVED

MAY 16 1997

REGION III

Fairview Medical Center
5245 Schaefer Road Dearborn, Michigan 48126
313/581-3000 FAX 313/581-6464

Oaklane Medical
17000 Hubbard Drive, Suite 600 Dearborn, Michigan 48126
313/336-5300 FAX 313/336-5353

302651
MAY 16 1997

FAIRVIEW RADIOLOGY

ACCREDITED BY AMERICAN COLLEGE OF RADIOLOGY IN MAMMOGRAPHY

AFFILIATED PHYSICIAN OF THE CLEVELAND CLINIC FOUNDATION

FRANK M. FAYZ, M.D.

Diplomate American Board of Radiology

- CT Scan
- Nuclear Medicine
- Nuclear Cardiology
- Stress Lab

- General Radiology
- Fluoroscopy
- Mammography
- MRI/MRA

- Ultrasound
- Transrectal Ultrasound
- Echo Cardiography
- Color Flow Doppler

Fairview Radiology
3800 Woodward Ave.
Suite 700
Detroit, Michigan 48201


This additional area of authorized use under 21-26306-01 is located on the seventh floor of an established medical office building.

We confirm that all statements and representations made in our Materials License will be followed.

We confirm that all areas of radioactive material storage to include waste, will be secured from unauthorized entry via locked doors when the suite is unoccupied.

Radioactive material will be delivered and used as unit doses.

No radioactive gases will be used by this licensee.



Fairview Medical Center
5245 Schaefer Road Dearborn, Michigan 48126
313/581-3000 FAX 313/581-6464

JUN 13 1997

Frank Fayz, M.D.
Fairview Radiology
5245 Schaefer Road
Dearborn, MI 48126

Dear Dr. Fayz:

Enclosed is Amendment No. 01 to your NRC Material License No. 21-26306-01 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

Please note that the expiration date on your NRC license was extended 5 years in accordance with 10 CFR 30.36(2) and now reads May 31, 2001. Also, please note that we have listed Frank J. Messina, D.O., on the license, in accordance with your previous notification to us by letter dated January 24, 1996, pursuant to 10 CFR 35.13 and 10 CFR 35.14.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.
2. Notify NRC, in writing, within 30 days:
 - a. When an authorized user or Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change; or
 - b. When the mailing address listed on the license changes. (No fee is required if the location of byproduct material remains the same.)

302651

3. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license when you decide to terminate all activities involving materials authorized under the license.
4. Request and obtain a license amendment before you:
 - a. Receive or use byproduct material for a clinical procedure permitted under Part 35 but not permitted by your license issued pursuant to this Part;
 - b. Permit anyone, except individuals described in 10 CFR 35.13(b), to work as an authorized user under the license;
 - c. Change Radiation Safety Officers;
 - d. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;
 - e. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or
 - f. Change ownership of your organization.
5. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious

F. Fayz

-3-

consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

Original Signed By
Loren J. Hueter
Nuclear Materials Licensing Branch

License No.: 21-26306-01
Docket No.: 030-32143

Enclosures:

1. Amendment No. 01
2. NRC Form 313

DOCUMENT NAME: M:\03032143.CL7

To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RIII	<input checked="" type="checkbox"/>							
NAME	LJHueter:brt	<input checked="" type="checkbox"/>							
DATE	06/12/97	<input checked="" type="checkbox"/>							

OFFICIAL RECORD COPY



ACCREDITED BY AMERICAN COLLEGE OF RADIOLOGY IN MAMMOGRAPHY

AFFILIATED PHYSICIAN OF THE CLEVELAND CLINIC FOUNDATION

FRANK M. FAYZ, M.D.

Diplomate American Board of Radiology

- CT Scan
- Nuclear Medicine
- Nuclear Cardiology
- Stress Lab

- General Radiology
- Fluoroscopy
- Mammography
- MRI/MRA

- Ultrasound
- Transrectal Ultrasound
- Echo Cardiography
- Color Flow Doppler

June 6th, 1997

U.S. Nuclear Regulatory Commission
801 Warrenville Road
Lisle, Illinois 60532-4351

ATTN: Loren Hueter

Dear Mr. Hueter:

In regards to Reference Control No. 302651, Dr. Frank M. Fayz, Radiation Safety Officer, has sufficient time to perform RSO duties, as 90% of his time is devoted to administrative duties at Fairview Radiology. The routine site visits as well as the program audits for each location of use will be performed by Dr. Fayz on a quarterly basis. Radiowaste will not be transported between locations of use since we have a toxic waste disposal system at every site provided by BFI. In addition, our existing quality program for our original license applies to each location of use.

If you have any questions, please call me at 313-581-3000.

Sincerely yours,

Al Turfe
Administrator

RECEIVED
JUN 09 1997
REGION III

Pm: 6-6-97

Fairview Medical Center
5245 Schaefer Road Dearborn, Michigan 48126
313/581-3000 FAX 313/581-6464

Oaklane Medical
17000 Hubbard Drive, Suite 600 Dearborn, Michigan 48126
313/336-5300 FAX 313/336-5353

CONVERSATION RECORD

TIME

DATE

6-5-97

☐ VISIT☐ CONFERENCE☒ TELEPHONE☐ INCOMING☒ OUTGOING

NAME OF PERSON(S) CONTACTED OR IN CONTACT

ORGANIZATION (OFFICE, DEPT. ETC.)

TELEPHONE NO.

Frank M. Fagg, M.A., RSO

Fairview Radiology FAX

313-581-3000
-6464

SUBJECT

CN 302651

SUMMARY

1. Provide assurance that the Radiation Safety Officer (RSO) has sufficient time to perform RSO duties.
2. Specify the frequency of routine site visits by the RSO
3. Specify the frequency of program audits by RSO for each location of use.
4. Confirm that radwaste will not be transported between locations of use.
5. Since your Quality Management Program is not incorporated into your license by condition, confirm that the QMP you have previously implemented will apply to each location of use.
6. Reference Control No. 302651 and respond in 3 days. Please FAX response to 630-515-1259, followed by overnight of hard copy. Thank you.

ACTION REQUIRED

NAME OF PERSON DOCUMENTING CONVERSATION

SIGNATURE

DATE

Loren Hester

6-5-97

ACTION TAKEN

SIGNATURE

TITLE

DATE



UNITED STATES
NUCLEAR REGULATORY COMMISSION

REGION III
801 WARRENVILLE ROAD
LISLE, ILLINOIS 60532-4351

May 21, 1997

Frank M. Fayz, M.D., President
Radiation Safety Officer
Fairview Radiology
5245 Schaefer Road
Dearborn, MI 48126

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE
(Letter Dated 04/30/97)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

☐ New License ☒ Amendment ☐ Renewal
☐ Termination ☐ Auth User (Amendment not required)
☐ Other _____

No administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information.

It appears that your request is routine (see 1-3 below, as applicable).

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.
2. Renewal actions are normally processed within 180 days, however, under timely filing (before expiration), you may continue to operate under your existing license.
3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount, if required.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (630) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch

Mail Control No. 302651
License No. 21-26306-01