

## MATERIALS LICENSE

Amendment No. 03

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

OFFICIAL RECORD COPY

## Licensee

1. Geisser Engineering Corporation  
d.b.a. Vermont Testing2. P.O. Box 420  
Waterbury, Vermont 05676In accordance with the letter dated  
April 25, 1997,3. License Number 44-28180-01 is amended in  
its entirety to read as follows:

4. Expiration Date August 31, 2003

5. Docket or  
Reference No. 030-304946. Byproduct, Source, and/or  
Special Nuclear Material7. Chemical and/or Physical  
Form8. Maximum Amount that Licensee  
May Possess at Any One Time  
Under This LicenseA. Cesium 137  
B. Americium 241A. Sealed sources  
B. Sealed neutron sourcesA. 100 millicuries  
B. 500 millicuries

## 9. Authorized use

A. and B. For possession and use in Troxler Electronic Laboratories, Inc., Campbell Pacific Nuclear Corp., Humboldt Scientific, Inc., Seaman Nuclear Corporation, or Soiltest, Incorporated devices which have been evaluated and approved for licensing purposes under a license issued by the U.S. Nuclear Regulatory Commission or any Agreement State.

## CONDITIONS

10. Licensed material may be stored at the licensee's facilities located at Kneeland Flats Road, Waterbury, Vermont and may be used only at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.
11. Licensed material shall only be used by, or under the supervision and in the physical presence of individuals who have successfully completed the manufacturer's training program for gauge users, have been instructed in the licensee's routine and emergency operating procedures and who have been designated in writing by the Radiation Safety Officer.
12. The Radiation Safety Officer for this license is Ken H. Morin.
13. A. Sealed sources and detector cells containing licensed material shall be tested for leakage and/or contamination at intervals not to exceed six months or at such other intervals as are specified by the certificate of registration referred to in 10 CFR 32.210, not to exceed three years.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed three months.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number

44-28180-01

Docket or Reference Number

030-30494

Amendment No. 03

- C. In the absence of a certificate from a transferor indicating that a leak test has been made within six months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
  - D. Each sealed source fabricated by the licensee shall be inspected and tested for construction defects, leakage, and contamination prior to any use or transfer as a sealed source.
  - E. Sealed sources and detector cells need not be leak tested if:
    - (i) they contain only hydrogen-3; or
    - (ii) they contain only a radioactive gas; or
    - (iii) the half-life of the isotope is 30 days or less; or
    - (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or
    - (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
  - F. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission and the source or detector cell shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within five days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region I, A.T.N: Director, Division of Nuclear Materials Safety, 475 Allendale Road, King of Prussia, Pennsylvania 19406. The report shall specify the source or detector cell involved, the test results, and corrective action taken.
  - G. The licensee is authorized to collect leak test samples for analysis by Troxler Electronic Laboratories. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
14. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
  15. The licensee shall conduct a physical inventory every six months to account for all sealed sources and devices containing licensed material received and possessed under the license.

**MATERIALS LICENSE  
SUPPLEMENTARY SHEET**

License Number

44-28180-01

Docket or Reference Number

030-30494

Amendment No. 03

16. The licensee shall not acquire licensed material in a sealed source or device unless the source or device has been registered with the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations of an Agreement State.
17. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage or when not under the direct surveillance of an authorized user.
18. Any cleaning, maintenance, or repair of the gauge(s) that requires removal of the source rod shall be performed only by the manufacturer or by other persons specifically licensed by the Commission or an Agreement State to perform such services.
19. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
  - A. Application dated March 8, 1993
  - B. Letter dated July 23, 1993
  - C. Letter dated April 25, 1997
  - D. Letter dated May 7, 1997

Date

JUN - 9 1997

For the U.S. Nuclear Regulatory Commission

**ORIGINAL SIGNED BY:**

By **JUDITH A. JOUSTRA**

Division of Nuclear Materials Safety  
Region I

King of Prussia, Pennsylvania 19406

JUN -9 1997

Mr. George J. Geisser, III  
President  
Geisser Engineering Corporation  
d.b.a. Vermont Testing  
P.O. Box 420  
Waterbury, Vermont 05676

Dear Mr. Geisser:

This refers to your license amendment request. Enclosed with this letter is the amended license. Please note that as part of this amendment, in accordance with 10 CFR 30.36, effective February 15, 1996, the expiration date of your license has been extended by a period of five years. Your new expiration date is stated in item 4 of the license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5093 or 5239, so that we can provide appropriate corrections and answers.

Thank you for your cooperation.

Sincerely,

**ORIGINAL SIGNED BY:**  
**JUDITH A. JOUSTRA**

Judith A. Joustra  
Division of Nuclear Materials Safety

License No. 44-28180-01  
Docket No. 030-30494  
Control No. 124517

Enclosure:  
Amendment No. 03

OFFICIAL RECORD COPY

ML 10

DOCUMENT NAME: R:\WPS\MLTR\L4428180.01

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	JJoustra						
DATE	05/07/97		05/ /97		05/ /97		05/ /97

OFFICIAL RECORD COPY

MS-16  
P8

C O V E R

44-28180-01

030-30494

S H E E T

FAX

To: Ms. Judy Joustra - NRC  
Fax #: 1-610-337-5269  
Subject: Transfer of Licence from Vermont Testing to Geisser Engineering Corporation  
d.b.a. Vermont Testing  
Date: May 7, 1997  
Pages: 7 of 7, including this cover sheet.

## COMMENTS:

Dear Ms. Joustan:

Thank you for contacting us this morning regarding our application for the licence transfer. We are forwarding to you the copies of the State of Rhode Island Radiation Control Agency Materials License. We would like to change the name of the radiation safety officer listed on our original correspondence to Mr. Ken H. Morin. We are enclosing copies of his resume and training course certification. If you need any further information please do not hesitate to contact us.

From the desk of...

Mr. George J. Geisser, III  
President  
Geisser Engineering Corporation  
227 Wampanoag Trail  
Riverside, R.I. 02915

401-438-7711  
Fax: 401-438-0281

SECTION COPY

124517  
MAY - 7 1997



# Q/C RESOURCE

## Training Course Certification

This is to certify that

**Ken H. Morin**

has successfully completed the user's course as required by the U.S. Nuclear Regulatory Commission and the Agreement States, in the Fundamentals of Safety and Gage operation, for the use of nuclear moisture/density equipment. The course covered:

Atomic Physics	Transportation	Operation
Radiation Safety	Risk	Field Applications
Dose/Shielding Calculations	ALARA	Calibration
Accidents/Storage	Measurement Theory	Maintenance

April 9, 1997

Date of Training

1265

Certificate Number

Instructor - Philip C. Palla

Manufacturer's Rep

*Philip C. Palla*

**Kon H. Merin**RD 1 Box 1930  
Merriville, VT 05661

Home Phone (802) 888-2760

**WORK HISTORY**

- 1993-1996 *Groundline Foreman, Osmose Wood Preserving*  
Hiring, training, and supervision of crew members as well as new foremen, responsible for groundline inspections and chemical treatments of utility poles, quality control
- 1990-1993 *Concrete Finisher, Tatro Brother's Concrete*  
All aspects of concrete finishing, crew supervision
- 1991-1993 *Lead Man, Rick Fisher*  
Part Time Position, all aspects of carpentry, home and property maintenance, minor electrical, plumbing work
- 1989-1992 *E-2, PFC 0331 Machine Gunner, United States Marine Corp*  
Machine Gunner, Squad Leader

**EDUCATION**

- 1983-1987 *Lamoille Union High School, diploma*

**LICENSES & CERTIFICATES**

- Certified ECA (Emergency Care Attendant)
- VT State Certified for Pesticide Application

**AWARDS RECEIVED**

- Most Outstanding Student, Agriculture and Drafting, 1987
- First Place, Prepared Speech Competition, State Level, 1997

**REFERENCES**

- Dennis Tatro, (802) 635-2112
- Alton Reed, (802) 253-9490
- Carl Powden, (802) 635-2116
- Kevin Niles, (800) 494-2877



FORM MAT-4 (8/88)

Page 1 of 4

RHODE ISLAND RADIATION CONTROL AGENCYMATERIALS LICENSE

Pursuant to Title 23, Chapter 1.3 of the General Laws of Rhode Island and Rhode Island Rules and Regulations for the Control of Radiation and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer radioactive material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the Rhode Island Rules and Regulations for the Control of Radiation. This license is subject to all applicable rules, regulations, and orders of the Rhode Island Radiation Control Agency now or hereafter in effect and to any conditions specified below.

<b>Licensee</b>	In accordance with application dated 30 September 1993,
1. Geisser Engineering Corporation	3. License No.: 3L-050-01 is amended in its entirety as follows:
2. 227 Wampanoag Trail East Providence, RI 02915	4. Expiration Date: 31 October 1998
	5. Amendment No.: 02

<b>6. Radioactive Material</b>	<b>7. Chemical and/or Physical Form</b>	<b>8. Maximum amount that licensee may possess at any one time under this license</b>
A. Americium 241	A. Sealed source (Troxler Drawing #A-102451)	A. No single source to exceed 44 millicuries.
B. Cesium 137	B. Sealed source (Troxler Drawing #A-102112)	B. No single source to exceed 9 millicuries.

---

**9. Authorized Use**

A. and B. For use in Troxler Electronics Laboratories Series 3400 moisture density gauges.

FORM MAT-4A (8/88)

Page 2 of 4

RHODE ISLAND RADIATION CONTROL AGENCY

## MATERIALS LICENSE

## Supplementary Sheet

3L-050-01

License No.: \_\_\_\_\_

Amendment No.: 02CONDITIONS

10. Licensed material may be stored at the licensee's address stated in item 2 above and used at temporary job sites of the licensee anywhere in Rhode Island.
11. Licensed material shall be used by, or under the supervision and in the physical presence of George J. Geisser, III, Brian McClarnon, and individuals who have completed the device manufacturer's training course. The licensee shall maintain records of individuals designated as users.
12. The Radiation Safety Officer for all activities authorized under this license is Brian McClarnon.
13. A. (1) Each sealed source containing licensed material, other than Hydrogen 3, with a half-life greater than thirty days and in any form other than gas shall be tested for leakage and/or contamination at intervals not to exceed six months. In the absence of a certificate from a transferor indicating that a test has been made within six months prior to the transfer, a sealed source received from another person shall not be put into use until tested.  
(2) Notwithstanding the periodic leak test required by this condition, any licensed sealed source is exempt from such leak tests when the source contains 100 microcuries or less of beta and/or gamma emitting material or 10 microcuries or less of alpha emitting material.  
B. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. The test sample shall be taken from the sealed source or from the surfaces of the device in which the sealed source is permanently mounted or stored on which one might expect contamination to accumulate. Records of leak test results shall be kept in units of microcuries and maintained for inspection by the Agency.

FORM M.T.-4A (8/88)

Page 3 of 4

RHODE ISLAND RADIATION CONTROL AGENCY

## MATERIALS LICENSE

## Supplementary Sheet

License No.: 3L-050-01Amendment No.: 02

## Conditions Continued

13. C. If the test reveals the presence of 0.005 microcurie or more of removable contamination, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with Agency Regulations. A report shall be filed within five (5) days of the test with the Rhode Island Radiation Control Agency, describing the equipment involved, the test results, and the corrective action taken.
- D. The licensee is authorized to collect leak test samples in accordance with the procedures described in the licensee's letter applications dated 30 September 1993, for analysis by Troxler Electronics Laboratories. Alternatively, leak test samples may be collected and/or analyzed by other persons specifically authorized by the Agency, the Nuclear Regulatory Commission or an Agreement or Licensing State to perform such services.
14. Sealed sources containing licensed material shall not be opened.
15. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 2 years from the date of each inventory.
16. The licensee may transport licensed material or deliver licensee material to a carrier for transport in accordance with the provisions of Subpart C.7 of the RI Rules and Regulations for the Control of Radiation.
17. Maintenance or repair of portable devices involving removal of the sealed sources from the devices or removal or dismantling of shielding may be performed only by the device manufacturer, or by the other persons specifically authorized by the Agency, the Nuclear Regulatory Commission or an Agreement or Licensing State to perform such services.

FORM MAT-4A (8/88)

Page 4 of 4

RHODE ISLAND RADIATION CONTROL AGENCY

## MATERIALS LICENSE

## Supplementary Sheet

License No.: 31-050-01Amendment No.: 02

## Conditions Continued

18. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures listed below. The Radiation Control Agency's regulations shall govern unless the statements, representations and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated 30 September 1993.  
B. Letter dated 18 October 1993.

For the Rhode Island Radiation Control Agency

Date:


November 1, 1993

By:

Charles F. W. [Signature]

124517

SECTION COPY

<b>TELEPHONE CONVERSATION RECORD</b>		<b>Date:</b> 5-7-97	<b>Time:</b> 8:15am
<b>Mail Control No.:</b> 124517		<b>License No.:</b> 44-28180-01	<b>Docket No.:</b> 030-30494
<b>Person Called:</b> George Geisser		<b>Organization:</b> Vermont Testing	<b>Telephone Number:</b> 1(800) 640-7714
<b>Person Calling:</b> Judy Joustra			
<b>Subject:</b> amendment request			
<b>Summary:</b> 1. pick one person to be RSO and provide training and experience 2. send copy of Rhode Island license.			
<b>Action Required/Taken:</b> send additional information			
<b>Signature:</b> 		<b>Date:</b> 5/7/97	

OFFICIAL RECORD COPY

ML 10



April 25, 1997

44-28180-01

United States Nuclear Regulatory Commission  
Region 1  
475 Allendale Road  
King of Prussia, PA 19406-1415  
Attn: Mr. Eric H. Reber

**RE: Transfer of Licence**

Dear Mr. Reber:

We have recently completed the purchase of Vermont Testing Inc. The date of our purchase was April 10, 1997. We are hoping to have their licence to operate portable nuclear devices for the purpose of soil and asphalt testing to our new company. We are providing you with the following information along with the completed Certificate of Disposition of Material Form.

The new name of the company is Geisser Engineering Corporation d.b.a. Vermont Testing. The person in overall charge of the office on a daily basis is Mr. Jacques Bouramia the vice president of the company. The radiation safety officer for the time being will be Mr. Doug Williams and Mr. Brian McClarnon both of whom have the necessary training. All authorized users have completed the Troxler Training Course and are monitored by the Landauer Inc. of Glenwood, Ill.

It is our hope to achieve the transfer of the licence since we also have a existing licence in a agreement State for the same devices. The State of Rhode Island Department of Health, Radiation Safety Division has issued a licence to Geisser Engineering Corporation. The licence number is 3L-050-01 with a expiration date of October 31, 1998. The radiation safety officer is Mr. Brian McClarnon within Rhode Island. We will remain in business without the licence by using other conventional means to measure soil moisture and density.

On April 10, 1997 all of the assets of Vermont Testing Inc. were acquired by Geisser Engineering Corporation. This includes all of the equipment and inventory as well as the clients and good will. We assumed the Lease of the existing facility and expect to remain there for the next few years. Within the building is a separate facility for the storage of the nuclear devices. This facility is a separate room within the building with a lockable door to the facility which is locked at the end of every day. Emergency procedures for Troxler Nuclear Gauges is posted on the door with the appropriate telephone numbers for notification in case of an emergency. A daily log of the nuclear devices is kept on site showing the date out, date in, location of device within the state of Vermont, the moisture standard and the density standard calibration, as well as the checklist of the required equipment that is used in the testing. These are existing facilities with no changes contemplated for at this time.





United States Nuclear Regulatory Commission - 2 -

April 25, 1997

There is to be no change in use for the nuclear gauges that we can anticipate at this time. It is our understanding that as of the date of this letter all of the Troxler gauges have been leak tested and their results are in the file. Those that have not been leak tested are being done on this date with results to be subsequently sent to our company and to remain as part of the permanent file. The results of the prior leak tests indicate that no radioactive material has been released and that no contamination is within the storage area. All gauges that are to be decommissioned in the future will be sent to Troxler Laboratories for proper disposal.

We will abide by all of the constraints, conditions, requirements, commitments and representations identified in the existing license. These are to include, but are not limited to: maintaining decommissioning records required by 10 CFR 30.35 (g); implementing decontamination activities and decommissioning of the present site of the licence; and corrective actions for open inspection items and enforcement actions.

All of the parties agree to the change in ownership and control of the licensed material and activity, and the conditions of transfer, and the transferee has been made aware of all open inspection items and possible resulting enforcement actions.

If you should have any questions or we can be of any further assistance to you in this matter please do not hesitate to contact us.

Very Truly Yours

Geisser Engineering Corporation  
d.b.a. Vermont Testing

George F. Geisser, III, P.E.  
President

Doug Williams  
Former Owner

124517

# CERTIFICATE OF DISPOSITION OF MATERIALS

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST: 30 MIN. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (INMS-7714), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20546, AND TO THE PAPERWORK REDUCTION PROJECT (2152-0038), OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503.

INSTRUCTIONS: SEND THE COMPLETED CERTIFICATE TO THE NRC OFFICE SPECIFIED ON THE REVERSE.

(All items MUST be completed—print or type)

LICENSEE NAME AND ADDRESS

Vermont Testing Inc.  
RR#3 Box 1835  
Waterbury, VT 05676

LICENSE NUMBER

44-28180-01

LICENSE EXPIRATION DATE

August 31, 1998

THE LICENSEE OR ANY INDIVIDUAL EXECUTING THIS CERTIFICATE ON BEHALF OF THE LICENSEE CERTIFIES THAT:  
(Check one for completion of the appropriate section below.)

## A. MATERIALS DATA (Check one and complete as necessary)

☐ 1. NO MATERIALS HAVE EVER BEEN PROCURED OR POSSESSED BY THE LICENSEE UNDER THIS LICENSE.

OR

☒ 2. ALL MATERIALS PROCURED AND/OR POSSESSED BY THE LICENSEE UNDER THE LICENSE NUMBER CITED ABOVE HAVE BEEN DISPOSED OF IN THE FOLLOWING MANNER. (If additional space is needed, use the reverse side or a separate sheet.)

Describe specific material transfer actions and, if there were radioactive wastes generated in performing this license, the disposal actions, including the disposition of low-level radioactive waste, mixed waste, Greater-than-Class-C waste, and sealed sources, if applicable.

For transfers, specify the date of the transfer, the name of the licensed recipient, and the recipient's NRC license number or Agreement State name and license number.

April 10, 1997, Geisser Engineering Corp., D/B/A Vermont Testing, License 3L-050-01 State of Rhode Island Exp. Oct 31, 1998

If materials were disposed of directly by the licensee rather than transferred to another licensee, licensed disposal site or waste compactor, describe the specific disposal procedures (e.g., decay in storage).

Amendment#2

## B. OTHER DATA

☐ 1. OUR LICENSE HAS NOT YET EXPIRED. PLEASE TERMINATE IT.

☐ 2. WAS A RADIATION SURVEY CONDUCTED TO CONFIRM THE ABSENCE OF LICENSED RADIOACTIVE MATERIALS AND TO DETERMINE WHETHER ANY CONTAMINATION REMAINS ON THE PREMISES COVERED BY THE LICENSE? (Check one)

☐ NO (Attach explanation)

☒ YES. THE RESULTS (Check one) None-All Troxlers onsite and leak checked within a 6 month period.  
ARE ATTACHED, OR  
WERE FORWARDED TO NRC ON (Date)

3. THE PERSON TO BE CONTACTED REGARDING THE INFORMATION PROVIDED ON THIS FORM

NAME

George J. Geisser III

TELEPHONE NUMBER

1-401-438-7711

4. MAIL ALL FUTURE CORRESPONDENCE REGARDING THIS LICENSE TO

George J. Geisser III c/o Geisser Engineering Corp. D/B/A  
P.O. Box 420  
Waterbury, VT 05676  
Vermont Testing

## CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT.

SIGNATURE

DATE

4/25/97

PRINTED NAME AND TITLE

George J. Geisser III President

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECTS. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

OFFICIAL RECORD COPY 17 ML 10

## LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH  
DIVISION OF ACCOUNTING AND FINANCE  
OFFICE OF THE CONTROLLER  
U.S. NUCLEAR REGULATORY COMMISSION  
WASHINGTON, DC 20555-0001

## TYPE OF ACTION

- ☐ NEW LICENSE  
☐ RENEWAL OF LICENSE  
☒ AMENDMENT TO LICENSE

REQUESTED DATE

4-25-97

LICENSE NUMBER

44-28180-01

CONTROL NUMBER

124517

VERMONT TESTING  
ATTN: GEORGE J. GEISSER, III, P.E.  
PRESIDENT  
P.O. BOX 420  
WATERBURY, VERMONT 05676

## I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

FEE CATEGORY	APPLICATION	RENEWAL	AMENDMENT
3P	\$	\$	\$ 300.00
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$

FEE(s) DUE	\$	300.00
PAYMENT RECEIVED	\$	0.00
AMOUNT DUE	\$	300.00

- ☒ Your request was received without the prescribed application fee.
- ☐ We received your Check No. \_\_\_\_\_ in the amount of \$ \_\_\_\_\_. Payment of the additional fee noted above is required.
- ☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).
- ☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

## II. FEE NOT REQUIRED

☐ Enclosed is Check No. \_\_\_\_\_ which accompanied your request. The fee is not required because:

☐ We received your Check No. \_\_\_\_\_ in payment of the fee.

☐ The Licensing staff has informed us that your request is to be considered as a continuation of your request dated \_\_\_\_\_, Control No. \_\_\_\_\_.

☐ Your request was combined, prior to review, with your request, Control No. \_\_\_\_\_.

## III. CHECK RETURNED

☐ Enclosed is Check No. \_\_\_\_\_ which was returned to us by the bank for:

- ☐ INSUFFICIENT FUNDS  
☐ ACCOUNT CLOSED  
☐ OTHER

MAIL THE REPLACEMENT CHECK TO THE ADDRESS LISTED AT THE TOP OF THIS FORM AND REFERENCE THE ABOVE CONTROL NUMBER.

## IV. LICENSE ISSUED WITHOUT THE REQUIRED FEE

☐ License No. \_\_\_\_\_ Amendment No. \_\_\_\_\_, issued on \_\_\_\_\_, was issued without the required fee being collected. The fee required is noted in Section I of this form.

☐ The scope of your licensed program was increased. Therefore, your request is subject to the application fee(s) noted in Section I of this form. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Because of the urgency of your request, the license was issued without remittance of the prescribed fee noted in Section I of this form.

SIGNATURE - LICENSE FEE ANALYST

LFDCB

LFDCB

Distribution:

Region I LFARB R/F  
Pending OC/DAF R/F  
BBrown OC/DAF S/F (LF-3.2.7)

DATE

BRENDA BROWN 301-415-6055

5/16/97

5-16-97

BETWEEN:

License Fee Management Branch: ARM  
and  
Regional Licensing Sections

FOR LFMS USE)  
INFORMATION FROM LTS

Program Code: 03121  
Status Code: 0  
Fee Category: 3P  
Exp. Date: 20030831  
Fee Comments: \_\_\_\_\_  
Decom Fin Assur Req'd: N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: VERMONT TESTING  
Received Date: 970428  
Docket No: 3030494  
Control No.: 124517  
License No.: 44-28180-01  
Action Type: Amendment

2. FEE ATTACHED

Amount: \_\_\_\_\_  
Check No.: \_\_\_\_\_

3. COMMENTS

Signed Brown, R. J.  
Date 5/5/97

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / /)

1. Fee Category and Amount: 3P \$300

2. Correct Fee Paid. Application may be processed for:

Amendment: \_\_\_\_\_  
Renewal: \_\_\_\_\_  
License: \_\_\_\_\_

3. OTHER \_\_\_\_\_

Signed SC  
Date 6/3/97

Log May 5  
Removal 010  
Check No. 3030494  
Amount \$300  
Fee Cat 3P  
Type Amo  
Date 6/3/97  
State SC

5/27/97  
Jackus Bourgeois  
Called me wanting to  
know the fee. I faxed  
him a copy of the letter  
ABrown

802-  
244-  
5897