

Petrotomics Company

P. O. Box 8509, Shirley Basin, Wyoming 82615 - Telephone: (307) 234-9341

May 6, 1997

Mr. Joseph J. Holonich, Chief
Uranium Recovery Branch MS-T-7-J-9
Division of Waste Management
Office of Nuclear Material Safety
and Safeguards
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

40-6659

Reference: Alternate Concentration Limits Application -
Additional information issues - Source Material
License SUA-551.

Dear Mr. Holonich:

We have received Mr. Cain's letter dated April 18, 1997 concerning additional information needs for several issues related to Petrotomics' Alternate Concentration Limits (ACL) application. The letter requests submittal of the additional information within 30 days, or by May 18, 1997. We have determined, based on review of the eight issues and discussion with our contractor Shepherd Miller Inc., that additional time will be required to adequately address these issues. We request that the submittal date for the additional information be extended to June 20, 1997.

In addition, we believe that a site visit and meeting to discuss the ACL application with the appropriate NRC staff and contractor personnel would be of substantial benefit at this time. We propose that such a meeting be scheduled at Petrotomics site on or about June 18, 1997. It is our current understanding that the Wyoming DEQ Land Quality Division and Water Quality Division will jointly review the groundwater situation with respect to State of Wyoming requirements. We plan to invite DEQ representatives to the proposed meeting also. Please advise us as to whether June 18, 1997 would fit your schedule, or what proximate dates would be suitable.

If you have questions or need additional information please contact me.

Sincerely,

NLOS

9705150364 970506
PDR ADOCK 04006659
C PDR

R. A. Juday
R. A. Juday
Supervisor

1/0



Mr. Joseph J. Holonich
May 6, 1997
page 2

pc: Mr. Mohammad Haque

U.S. Nuclear Regulatory Commission
Region IV
Attn: Samuel J. Collins, Director
Division of Radiation Safety and Safeguards
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011