NRC FORM 374
(7-94)

U.S. NUCLEAR REGULATORY COMMISSION

MATERIALS LICENSE

Amendment No. 01

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

302612

Licensee	
1. AWS Environmental Consultants, Inc.	In accordance with letter dated May 8, 1997 3. License Number 21-26663-01 is amended in its entirety to read as follows:
2. 95 West Main Street P.O. Box 1464 Benton Harbor, MI 49023	4. Expiration Date August 31, 2005
	5. Docket or Reference No. 030-33895

6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License
A. Cesium-137	A. Sealed source (Troxler Dwg. No. A-102112)	A. No single source to exceed 10 millicuries
B. Americium-241	B. Sealed source (Troxler Dwg. (No. A-102451)	B. No single source to exceed 50 millicuries
C. Americium-241	C. Sealed source (Troxler Dwg. No. A-100337)	C. No single source to exceed 330 millicuries
D. Americium-241	D. Sealed source (Troxler Dwg. No. A-100608)	D. No single source to exceed 110 millicuries

9. Authorized Use:

A. To be used in Troxler Model 3400 and 4640 Series portable gauges to measure moisture/density of soils, aggregates, and construction materials.

B. To be used in Troxler Model 3400 Series portable gauges to measure moisture/density of soils, aggregates, and construction materials.

C. and D. To be used in Troxler Model 3241 Series portable gauges to measure hydrogen with relation to oil content in asphaltic construction materials.

CONDITIONS

10. Licensed material may be stored at the licensee's facilities located at 95 West Main Street, Benton Harbor, Michigan, and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.

11. The Radiation Safety Officer for this license is Christopher J. Cook.

12. Licensed material shall only be used by, or under the supervision and in the physical presence of, Christopher J. Cook or individuals who have successfully completed the manufacturer's training program for gauge users, have been instructed in the licensee's routine and emergency operating procedures and who have been designated by the Radiation Safety Officer.

13. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed 6 months or at such other intervals as specified by the certificate of registration referred to in 10 CFR 32.210.

    B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.

    C. In the absence of a certificate from a transferor indicating that a leak test has been made within 6 months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.

    D. Sealed sources need not be leak tested if:

    (i) they contain only hydrogen-3; or

    (ii) they contain only a radioactive gas; or

    (iii) the half-life of the isotope is 30 days or less; or

    (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or

    (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

E. The leak test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(b)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region III, ATTN: Chief, Nuclear Materials Safety Branch, 801 Warrenville Road, Lisle, Illinois 60532-4351. The report shall specify the source involved, the test results, and corrective action taken.

F. The licensee is authorized to collect leak test samples for analysis by Troxler Electronic Laboratories, Inc. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.

14. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.

15. When performing tests at temporary job sites, the authorized user shall not leave the moisture/density gauge unattended. Upon completion of tests the device shall be locked in the licensee's vehicle or a secure building to prevent unauthorized use, loss, or theft.

16. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license.

17. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

18. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage, or when not under the direct surveillance of an authorized user.

19. Any cleaning, maintenance, or repair of the gauge(s) that requires removal of the source rod shall be performed only by the manufacturer or by other persons specifically licensed by the Commission or an Agreement State to perform such services.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number
21-26663-01

Docket or Reference Number
030-33895

Amendment No. 01

20. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.

21. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

A. Application dated June 19, 1995; and

B. Letters dated August 4, 1995 (with attachments) and May 8, 1997.

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date JUN 11 1997

By Charles F. Gill
Nuclear Materials Licensing Branch, Region III

COPY

S8

BETWEEN:

License Fee Management Branch, ARM
and
Regional Licensing Sections

(FOR LFMS USE)
INFORMATION FROM LTS

Program Code: 03121
Status Code: 0
Fee Category: 3P
Exp. Date: 20050831
Fee Comments:
Decom Fin Assur Reqd: N

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED
   Applicant/Licensee: AWS ENVIRONMENTAL CONSULT, INC.
   Received Date: 970509
   Docket No: 3033895
   Control No.: 302612
   License No.: 21-26663-01
   Action Type: Amendment

2. FEE ATTACHED
   Amount: 300
   Check No.: 7336

3. COMMENTS

Signed D. Hersey
Date 5-13-97

97 MAY 14 PM 5:08

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered (/))

1. Fee Category and Amount: 3P $300

2. Correct Fee Paid. Application may be processed for:
   Amendment /
   Renewal
   License

3. OTHER

Signed JC
Date 5/14/97

MAY 21 1997

Log May 6 III
Remitter
Check No. 7336
Amount $300
Fee Category 3P
Type of Fee AMD
Date Check Rec'd 5/14
Date Completed 5/14/97
By JC

THE ABONMARCHE GROUP

95 West Main Street, P. O. Box 1088, Benton Harbor, MI 49023 • T 616.927.2295 F 616.927.4639 E acl@abonmarche.com

Manistee, MI
Dearborn, MI
Mishawaka, IN
Singapore

May 8, 1997

Mr. Charles Gill
United States Nuclear Regulatory Commission
Region 3 Material Licensing Department
801 Warrenville Rd.
Lisle, IL 60532-4351

Re: License Amendment
License # 21- 26663- 01

Dear Mr. Gill;

This letter is to state our request to amend our materials license to incorporate a second Troxler Density Gauge at a separate location and designate a different individual as the Radiation Safety Officer.

Enclosed, please find a copy of our existing license #21-26663-01, Reference #030-33895 and location of our office that will house the new Troxler Density Gauge. Also included are site plan sketches of location of work areas and distances relative to work stations where the unit will be stored. See attachments 9-A and 9-B.

The request to change the designated R.S.O. is accompanied by the revised version of Attachment #4. It should be noted that with this change, the name Mark McClellan shall be replaced by the name of the new R.S.O., Christopher J. Cook, P.E., at every instance within the Materials License document and Application for Materials License document.

We would also like to request that the names given on Attachment #6, organizational chart of AWS Environmental Consultants, Inc., be updated as well. See the attached revised version of Attachment 6 of our existing license for these changes.

We are anticipating that our license amendment will be processed in a 2 to 3 week time frame, thus taking delivery of the Troxler Gauge on or about the 1st or 2nd week of June.

Please contact me upon receipt of this letter so that I may schedule an alternate purchasing and delivery time frame if the time frame I have mentioned is too aggressive. Also enclosed is a check for $300.00 for the processing fee that Ms. Shirley Crutchfield quoted as an application fee.

Sincerely,

ABONMARCHE ENVIRONMENTAL, INC.

Jeffrey A. Bartoszek, P.E.
Vice President, Engineering

enclosures

RECEIVED
MAY 09 1997
REGION III
MAY 09 1997

Pm: 5-8-97

30-2612

ATTACHMENT #4

Item 7 - Individuals Responsible for Radiation Safety Program

Christopher J. Cook, P.E., has been designated as the Radiation Safety Officer (RSO). Mr. Cook is a college graduate and is designated as Vice President, Municipal Engineering with this company. Mr. Cook has also completed the TROXLER Nuclear Gauge Safety Training Course and a copy of his certificate is attached for your review (attachment #5).

Management of AWS Environmental Consultants, Inc. has provided the RSO with independent authority to stop unsafe operations and will also provide him with sufficient time to fulfill his radiation safety duties and responsibilities. The RSO will comply with the duties and responsibilities outlined in Appendix C of PG 2-07 (September, 1994). Management will also meet with the RSO annually to review the radiation safety program described in Item 10, ensure that copies of regulations are current, review new regulations, review annual audit and make changes as needed. We have attached a copy of our organizational chart for your review (attachment #6).

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee	
1. AWS Environmental Consultants, Inc.	3. License Number 21-26663-01
2. 95 West Main Street P.O. Box 1464 Benton Harbor, MI 49023	4. Expiration Date August 31, 2000
	5. Docket or Reference No. 030-33895

6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License
A. Cesium-137	A. Sealed source (Troxler Dwg. No. A-102112)	A. No single source to exceed 10 millicuries
B. Americium-241	B. Sealed source (Troxler Dwg. (No. A-102451)	B. No single source to exceed 50 millicuries
C. Americium-241	C. Sealed source (Troxler Dwg. No. A-100337)	C. No single source to exceed 330 millicuries
D. Americium-241	D. Sealed source (Troxler Dwg. No. A-100608)	D. No single source to exceed 110 millicuries

9. Authorized Use:

A. To be used in Troxler Model 3400 and 4640 Series portable gauges to measure moisture/density of soils, aggregates, and construction materials.

B. To be used in Troxler Model 3400 Series portable gauges to measure moisture/density of soils, aggregates, and construction materials.

C. and D. To be used in Troxler Model 3241 Series portable gauges to measure hydrogen with relation to oil content in asphaltic construction materials.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number: 21-26663-01
Docket or Reference number: 030-33895

CONDITIONS

10. Licensed material may be stored at the licensee's facilities located at 95 West Main Street, Benton Harbor, Michigan, and may be used at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.

11. The Radiation Safety Officer for this license is Mark McClellan.

12. Licensed material shall only be used by, or under the supervision and in the physical presence of, Mark McClellan or individuals who have successfully completed the manufacturer's training program for gauge users, have been instructed in the licensee's routine and emergency operating procedures and who have been designated by the Radiation Safety Officer.

13. A. Sealed sources and detector cells shall be tested for leakage and/or contamination at intervals not to exceed 6 months or at such other intervals as specified by the certificate of registration referred to in 10 CFR 32.210.

    B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.

    C. In the absence of a certificate from a transferor indicating that a leak test has been made within 6 months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.

    D. Sealed sources need not be leak tested if:

    (i) they contain only hydrogen-3; or

    (ii) they contain only a radioactive gas; or

    (iii) the half-life of the isotope is 30 days or less; or

    (iv) they contain not more than 100 microcuries of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or

    (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number
21-26663-01
Docket or Reference number
030-33895

E. The leak test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(b)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within 5 days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region III, ATTN: Chief, Nuclear Materials Safety Branch, 801 Warrenville Road, Lisle, Illinois 60532-4351. The report shall specify the source involved, the test results, and corrective action taken.

F. The licensee is authorized to collect leak test samples for analysis by Troxler Electronic Laboratories, Inc. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.

14. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.

15. When performing tests at temporary job sites, the authorized user shall not leave the moisture/density gauge unattended. Upon completion of tests the device shall be locked in the licensee's vehicle or a secure building to prevent unauthorized use, loss, or theft.

16. The licensee shall conduct a physical inventory every 6 months to account for all sources and/or devices received and possessed under the license.

17. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

18. Each portable nuclear gauge shall have a lock or outer locked container designed to prevent unauthorized or accidental removal of the sealed source from its shielded position. The gauge or its container must be locked when in transport, storage, or when not under the direct surveillance of an authorized user.

19. Any cleaning, maintenance, or repair of the gauge(s) that requires removal of the source rod shall be performed only by the manufacturer or by other persons specifically licensed by the Commission or an Agreement State to perform such services.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License number: 21-26663-01
Docket or Reference number: 030-33895

20. In addition to the possession limits in Item 8, the licensee shall further restrict the possession of licensed material to quantities below the minimum limit specified in 10 CFR 30.35(d) for establishing decommissioning financial assurance.

21. The licensee may not possess and use materials authorized in Items 6, 7, and 8 until:

    1. The licensee has constructed the facilities and obtained the equipment described in the application and supporting documentation; and

    2. The U. S. Nuclear Regulatory Commission, Region III, ATTN: Chief, Materials Licensing Section, 801 Warrenville Road, Lisle, IL 60532-4351 has been notified that activities authorized by the license will be initiated.

22. Within 30 days of the date of a decision not to complete the facility, acquire equipment, or possess and use authorized material, the licensee must notify the Commission in writing, of the decision.

23. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

    A. Application dated June 19, 1995; and

    B. Letter dated August 4, 1995 (with attachments).

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Date August 14, 1995

By Patricia M. Vacherlon
Materials Licensing Section, Region III

AWS ENVIRONMENTAL CONSULTANTS, INC.
ORGANIZATION CHART



ATTACHMENT #6

CITY OF

MANISTEE

MANISTEE COUNTY

T 21 N – R16 & 17 W

POP. 6,734 - 1990 CENSUS

STREET SYSTEMS

THE MICHIGAN HIGHWAY LAW,
PUBLIC ACT 51 OF 1951, AS AMENDED



LEGEND

TY LINE

ORATE LIMITS

STREET SYSTEMS

E TRUNKLINE

TY PRIMARY

TY LOCAL

R STREET

L STREET

INING CITY OR

9706240130-01

N

ANSI/EIA
APERTURE
CARD

Also Available on
Aperture Card

APPROVED
18.66 MILES OF MAJOR STREET
29.69 MILES OF LOCAL STREET
FOR THE PERIOD
7-01-95 TO 6-30-96
BY

THE ABONMARCHE GROUP

Benton Harbor, MI
Mishawaka, IN
Dearborn, MI
Manistee, MI

Falls Church, VA
Yorba Linda, CA
Singapore

JOB _____

SHEET NO. _____ OF _____

CALCULATED BY _____ DATE _____

CHECKED BY _____ DATE _____

SCALE _____

SKETCH OF STORAGE LOCATION



ATTACHMENT #9-A

THE ABONMARCHE GROUP

Benton Harbor, MI
Mishawaka, IN
Dearborn, MI
Manistee, MI

Falls Church, VA
Yorba Linda, CA
Singapore

JOB

SHEET NO. OF

CALCULATED BY DATE

CHECKED BY DATE

SCALE

SKETCH OF STORAGE LOCATION



ATTACHMENT # 9-B

TROXLER ELECTRONIC LABORATORIES, INC.

HEREBY CERTIFIES THAT

Christopher J. Cook

of

Granger Engineering

HAS SUCCESSFULLY COMPLETED THE TROXLER ELECTRONIC LABORATORIES, INC. TRAINING COURSE FOR THE USE OF NUCLEAR TESTING EQUIPMENT.

SUBJECTS INCLUDED IN THIS COURSE WERE AS FOLLOWS:

Radiological Safety

1. *Principles and practices of radiation protection.*
2. *Leak testing procedures.*
3. *Mathematics and calculations basic to the use and measurement of radioactivity.*
4. *Biological effects of radiation.*
5. *Radioactivity measurement standardization and monitoring techniques and instruments.*
6. *Accident and incident procedures.*
7. *Procedures for nuclear gauge storage and transportation.*
8. *General safety precautions.*

Gauge Operation

1. *Instrument theory*
2. *Operating procedures*
3. *Maintenance*
4. *Field application*
5. *Gauge calibration*

James Luttrell
INSTRUCTOR

June 10, 1987
DATE

W F Troxler
PRESIDENT

№ 15497

ATTACHMENT #5

AWS ENVIRONMENTAL CONSULTANTS, INC.
ORGANIZATION CHART



ATTACHMENT #6

JUN 11 1997

Christopher J. Cook
Radiation Safety Officer
AWS Environmental Consultants, Inc.
95 West Main Street
P. O. Box 1464
Benton Harbor, MI 49023

Dear Mr. Cook:

Enclosed is Amendment No. 01 to your NRC Material License No. 21-26663-01 in accordance with your request.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

This refers to your license amendment request. Enclosed is the amended license. Please note that as part of this amendment, in accordance with 10 CFR 30.36, effective February 15, 1996, the expiration date of your license has been extended by a period of five years. Your new expiration date is stated in Item 4 of the license.

Please be advised that your May 8, 1997 letter implies that AWS Environmental Consultants, Inc. may have undergone a change of ownership. Title 10 of the Code of Federal Regulations, Part 30, Section 30.34(b) **(enclosed)**, states, in part, that you may not transfer control of your License with prior consent by the NRC in writing. Please review the **enclosed** NRC Information Notice 89-25, Rev. 1, Unauthorized Transfer Ownership or Control of Licensed Activities, dated December 7, 1994. Respond to the 15 questions attached to that Information Notice, in duplicate, within 20 days, and refer to Control No. 302612 to avoid an additional fee. Also be advised that the highest level of management for the transferor and the transferee must sign the responses to the 15 questions.

Please be advised that your license expires at the end of the day, in the month, and year stated in the license. Unless your license has been terminated, you must conduct your program involving byproduct materials in accordance with the conditions of your NRC license, representations made in your license application, and NRC regulations. In particular, note that you must:

1. Operate in accordance with NRC regulations 10 CFR Part 19, "Notices, Instructions and Reports to Workers; Inspections," 10 CFR Part 20, "Standards for Protection Against Radiation," and other applicable regulations.

302612

2. Notify NRC, in writing, within 30 days:

   a. When the Radiation Safety Officer permanently discontinues performance of duties under the license or has a name change; or

   b. When the mailing address listed on the license changes. (No fee is required if the location of byproduct material remains the same.)

3. In accordance with 10 CFR 30.36(b) and/or license condition, notify NRC, promptly, in writing, and request termination of the license when a decision is made to terminate all activities involving materials authorized under the license.

4. Request and obtain a license amendment before you:

   a. Change Radiation Safety Officers;

   b. Order byproduct material in excess of the amount, or radionuclide, or form different than authorized on the license;

   c. Add or change the areas of use or address or addresses of use identified in the license application or on the license; or

   d. Change ownership of your organization.

5. Submit a complete renewal application with proper fee or termination request at least 30 days before the expiration date of your license. You will receive a reminder notice approximately 90 days before the expiration date. Possession of byproduct material after your license expires is a violation of NRC regulations. A license will not normally be renewed, except on a case-by-case basis, in instances where licensed material has never been possessed or used.

In addition, please note that NRC Form 313 requires the applicant, by his/her signature, to verify that the applicant understands that all statements contained in the application are true and correct to the best of the applicant's knowledge. The signatory for the application should be the licensee or certifying official rather than a consultant.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC

requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

Sincerely,

Original Signed By
Charles F. Gill
Nuclear Materials Licensing Branch

License No.: 21-26663-01
Docket No.: 030-33895

Enclosures: 1. Amendment No. 01
2. 10 CFR Part 30
3. Information Notice 89-25, Rev. 1

DOCUMENT NAME: M:\03033895.CL7
To receive a copy of this document, indicate in the box: "C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure "N" = No copy

OFFICE	DNMS/RIII	E							
NAME	CFGILL:jaw								
DATE	06/11/97								

OFFICIAL RECORD COPY

UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
801 WARRENVILLE ROAD
LISLE, ILLINOIS 60532-4351

May 14, 1997

Christopher J. Cook, P.E.
Radiation Safety Officer
AWS Environmental Consultants, Inc.
95 W. Main Street, P.O. Box 1464
Benton Harbor, MI 49023

SUBJECT: ACKNOWLEDGEMENT OF CORRESPONDENCE
(Letter Dated 05/08/97)

Dear Licensee:

In response to your request, we have completed the initial processing, which is an administrative review of your application for a(n):

___ New License X Amendment ___ Renewal
___ Termination ___ Auth User (Amendment not required)
___ Other_____

No administrative deficiencies were identified during this initial review. However, it should be noted that a technical review may identify omissions in the submitted information.

It appears that your request is routine (see 1-3 below, as applicable).

1. New and amendment actions are normally processed within 90 days, unless we find major deficiencies, or policy issues requiring central program office assistance.

2. Renewal actions are normally processed within 180 days, however, under timely filing (before expiration), you may continue to operate under your existing license.

3. Termination actions are normally processed within 90 days, unless confirmatory surveys following decontamination/decommissioning activities are involved.

A copy of your correspondence has been forwarded to our Licensing Fee and Debt Collection Branch (301/415-6097) for approval of the fee category and amount, if required.

If you have a compelling safety or business-related reason for requesting expedited review, please contact the Materials Licensing Branch at (630) 829-9887. We will try to complete your request as soon as practicable. Any correspondence about this request should reference the control number.

Nuclear Materials Support Branch

Mail Control No. 302612
License No. 21-26663-01