



RSV Zware Apparatenbouw b.v.
Rotterdam Heavy Equipment

United States Regulatory
Commission, Region IV
611 Ryan Plaza Drive, Suite 1000
ARLINGTON, TEXAS 76011
U.S.A.
Att. Mr. U. Potapovs
Chief Vendor Inspection Branch



ur ref.

Our ref. DIR/520

Rotterdam, 26th July, 1978

Response to your report, Docket no. 99900039/78-01.

Dear Sirs,

This is to confirm that we received on July 10th, 1978, subject Report, of the NRC Audit conducted by your inspectors on our facilities June 12-16, 1978. Therefore find attached to this letter, as you requested, our detailed responses to the reported Audit findings.

We evaluated the subject report for RSV-A proprietary information and, we do not object to the "Rules of Practice" of part 2, Title 10, CFR, Section 2.790.

The formal Audit response which you will find as Section I of this letter will address the violated 10 CFR 50 Appendix B criterion first, followed by your finding, then the discussion of the previous two, where we feel appropriate, and the subsequent RSV-A response.

The response is divided in three sections as requested, namely:

- ... - 1. A description of steps that have been or will be taken to correct deficiencies found.
- ... -2 . A description of steps that have been or will be taken to prevent recurrence, and
- ... - 3. Date of completion of corrective actions.

In section I of the response we will reference documents containing the detailed information as "the documented evidence", which you will find attached in Section II.

We hope that our response will be satisfactory to your requirements, but when you need any additional information, concerning this inspection, we will be very pleased to discuss this with you, or your representatives, at a time and location to your convenience.

Yours faithfully,

RSV Zware Apparatenbouw b.v.

Ir. F.C. Smit
Managing Director

7810130112