

OB/GYN Associates
Suite 206
7605 Forest Ave.
Richmond, Virginia 23229

May 22, 1987

U. S. Nuclear Regulatory Commission
Region II, Nuclear Materials
101 Marietta Street, Suite 2900
Atlanta, Georgia 30323

Gentlemen:

Materials License 45-24894-01

Please find enclosed a letter from Dr. Dean Broga regarding the training of Dr. Rabhan and myself, and a new diagram for our facility. At the time of application we were not sure as to whether or not Dr. Rabhan would be able to participate in the training program. As is indicated on the enclosed letter, Dr. Rabhan was able to participate in the training program and we would like to have him listed as an authorized user on our license.

Just prior to delivery of our bone densitometer, it was determined that the unit would fit into a smaller area just down the hall from the location specified in our application. Since this would provide more space for other office use, we decided to locate the unit in this area. Enclosed is a diagram for the present area.

If you have any questions regarding this letter please contact the undersigned at (804) 285-7802.

Sincerely,

Lawrence G. Miller M.D.
Lawrence G. Miller, M.D.

Enclosure 1 - Letter Dates May 18, 1987 from Dean W. Broga, Ph.D.

Enclosure 2 - Diagram for New Area

8801220116 870814
REG2 LIC30
45-24894-01 PDR

Official Copy

DEAN W. BROGA, PH.D.

Medical Physicist
7721 Kenmore Circle
Richmond, Virginia 23225

May 18, 1987

OB/GYN Associates
Suite 206
7605 Forest Ave.
Richmond, Virginia 23229


Gentlemen:

Training - Sealed Sources For Diagnosis

By way of this letter I am informing you that Dr. Lawrence G. Miller and Dr. Nathan Rabhan have completed eight hours of classroom and laboratory training in basic radioisotope handling techniques specifically applicable to the use of a Norland Dichromatic Bone Densitometer. The training included: radiation physics, mathematics pertaining to the use and measurement of radioactivity, and instrumentation; radiation biology; radiation protection; and training in the use of the bone densitometer.

If you should have any questions regarding this training please feel free to contact me.

Sincerely,


Dean W. Broga, Ph.D.
ABHP Certified

DWB:idi

cc: Lawrence G. Miller, M.D.
Nathan Rabhan, M.D.

OB/GYN Associates
Suite 206
7605 Forest Ave.
Richmond, Virginia

