

23 December 1987

U.S. Nuclear Regulatory Commission
Region IV
Materials Licensing Section
611 Ryan Plaza Drive, Suite 1000
Arlington, Texas 76011

Re: ARCSF-P/87-0141

Gentlemen,

Forwarded are two copies of the U.S. Army Dugway Proving Ground's request to renew and amend license 43-01316-09. We recommend approval of the request. This request includes the following changes:

a. Deletion of phosphorus-32 and sulfur-35 as tracers, tritium and Americium-241 in chemical agent detectors, and tritium in gas chromatographs.

Amendment - b. Quantity increase in tritium in any form from 10 millicuries to 100 millicuries. No more than 10 millicuries will be used at any one time.

Please acknowledge receipt of correspondence on the enclosed DA Form 209, Delay Referral, Follow-Up Notice. If you have any questions please contact Ms. Patricia A. Eiker, 202-274-5476/9340.

Sincerely,

Darwin H. Tares
Chief
Safety Office

Enclosures

Copies Furnished

ADA(DASG PSP-1), 5111 Leesburg Pike, Falls Church, VA 22041-3250
2 cys w/o encl

Director, USAMC Field Safety Activity, ATTN: ARCSF, Charlestown,
IN 47111-2009 w/encl

COMUSAMC

TECOM, ATTN: ARCSF-1

Dugway Proving Ground, ATTN: ARCSF-1

FEE EXEMPT