



Wayne State University

Health Physics-Radiation Control  
645 Mullett  
Detroit, Michigan 48226

Public

September 23, 1996

Mr. James Mullauer  
U.S. Nuclear Regulatory Commission  
Region III  
Licensing Division  
801 Warrenville Road  
Lisle, Illinois 60532-4531

Re: Status and Plans regarding slugs licensed under N.R.C. # SUD-232 for  
Wayne State University, Detroit, Michigan

Dear Mr. Mullauer:

As you are aware, the above mentioned license allows for the storage only of natural uranium cylindrical slugs. These rods will never be used at Wayne State and our plans are to dispose of them through the D.O.E. Jim Barrows and myself will be gathering all the new forms that must be completed prior to shipment. Again, before the rods are shipped, we will leak test them to be assured they are acceptable for shipment.

If you need any additional information regarding this matter, please feel free to contact me at (313) 577-1253.

Sincerely,

*Richard D. Cummings*

Richard D. Cummings, M.S.  
R.S.O.  
Director, Health Physics  
Wayne State University  
645 Mullett  
Detroit, Michigan 48226

9705130025 960923  
PDR ADDCK 04002497  
C PDR



110  
Ie07  
RECEIVED

SEP 27 1996

REGION III

SEP 27 1996

1-2000  
pm 9-25-96