

MATERIALS LICENSE

Amendment No. 24

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

OFFICIAL RECORD COPY

Licensee		In accordance with the facsimile dated December 13, 1996, 3. License Number 37-09135-01 is amended in its entirety to read as follows:	
1. Applied Health Physics, Inc.			
2. 2986 Industrial Boulevard Bethel Park, Pennsylvania 15102		4. Expiration Date October 31, 2000	
		5. Docket or Reference No. 030-06198	
6. Byproduct, Source, and/or Special Nuclear Material	7. Chemical and/or Physical Form	8. Maximum Amount that Licensee May Possess at Any One Time Under This License	
A. Any byproduct material between Atomic Numbers 3 through 83	A. Any	A. See Condition 12	
B. Any byproduct material between Atomic Numbers 3 through 83	B. Sealed sources	B. Not to exceed 200 millicuries per source, 5 curies total	
C. Cesium 137	C. Sealed sources	C. 15 curies	
D. Cobalt 60	D. Sealed sources	D. 2 curies	
E. Americium 241	E. Sealed sources	E. Not to exceed 200 millicuries per source, 600 millicuries total	
F. Iron 55	F. Sealed sources	F. Not applicable	
G. Cobalt 60	G. Sealed sources	G. Not applicable	
H. Nickel 63	H. Sealed sources	H. Not applicable	
I. Strontium 90	I. Sealed sources	I. Not applicable	
J. Cadmium 109	J. Sealed sources	J. Not applicable	
K. Cesium 137	K. Sealed sources	K. Not applicable	
L. Cerium 144	L. Sealed sources	L. Not applicable	
M. Promethium 147	M. Sealed sources	M. Not applicable	
N. Americium 241	N. Sealed sources	N. Not applicable	

9706160085 970125
PDR ADOCK 03006198
C PDR**ML-10**

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

37-09135-01

Docket or Reference Number

030-06198

Amendment No. 24

9. Authorized use

- A. For possession incident to the collection and analysis of test samples, including leak test samples of sealed sources, and for possession incident to decontamination activities.
- B. For possession and use in the calibration of instruments and for the testing of sealed sources.
- C. and D. For possession and use in the calibration of instruments; for use in the performance of gamma scans; and for instruction purposes.
- E. For use in the calibration of instruments.
- F. through N. For possession incident to the installation, relocation and removal from service of Kay Ray, Accuray, Ohmart, LFE, Berthold System, Inc., Data Measurement Corp., Flow Measurement Systems, Ronan Engineering or Texas Nuclear devices which have been evaluated and approved for licensing purposes and authorized for distribution under a license issued by the U.S. Nuclear Regulatory Commission or any Agreement State.

CONDITIONS

10. A. Licensed material in Item 6A. through 6E. may be used at the licensee's facilities located at 2986 Industrial Boulevard, Bethel Park, Pennsylvania and may be used only at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.
- B. Licensed material in Item 6F. through 6N. may be used only at temporary job sites of the licensee anywhere in the United States where the U.S. Nuclear Regulatory Commission maintains jurisdiction for regulating the use of licensed material.
11. A. Licensed material shall only be used by, or under the supervision and in the physical presence of Todd Mobley, Ronald Hand, Jr., or individuals who have received the training described in letter dated October 10, 1995, with attachments and have been designated in writing by the Radiation Safety Officer.
- B. The Radiation Safety Officer for this license is Todd Mobley.
12. A. If only one radionuclide is possessed, the possession limit is the quantity specified for that radionuclide in 10 CFR 33.100, Schedule A, Column II. If two or more radionuclides are possessed, the possession limit is determined as follows: For each radionuclide, determine the ratio of the quantity possessed to the applicable quantity specified in 10 CFR 33.100, Schedule A, Column II, for that radionuclide. The sum of the ratios for all radionuclides possessed under the license shall not exceed unity.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

37-09135-01

Docket or Reference Number

030-06198

Amendment No. 24

(License Condition 12. continued)

- B. Notwithstanding Paragraph A of this Condition and 10 CFR 33.100, Schedule A, Column II, the applicable quantities for the following radionuclides are reduced to:

Carbon 14	100 millicuries
Krypton 85	100 millicuries
Iodine 129	100 microcuries

Any byproduct material other than alpha emitting byproduct material not listed in 10 CFR 33.100, Schedule A	100 microcuries
--	-----------------

13. A. Sealed sources and detector cells containing licensed material shall be tested for leakage and/or contamination at intervals not to exceed six months or at such other intervals as are specified by the certificate of registration referred to in 10 CFR 32.210, not to exceed three years.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed three months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within six months prior to the transfer, a sealed source or detector cell received from another person shall not be put into use until tested.
- D. Each sealed source fabricated by the licensee shall be inspected and tested for construction defects, leakage, and contamination prior to any use or transfer as a sealed source.
- E. Sealed sources and detector cells need not be leak tested if:
- (i) they contain only hydrogen-3; or
 - (ii) they contain only a radioactive gas; or
 - (iii) the half-life of the isotope is 30 days or less; or
 - (iv) they contain not more than 100 microcurie of beta and/or gamma emitting material or not more than 10 microcuries of alpha emitting material; or
 - (v) they are not designed to emit alpha particles, are in storage, and are not being used. However, when they are removed from storage for use or transfer to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source or detector cell shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.

MATERIALS LICENSE
SUPPLEMENTARY SHEET

License Number

37-09135-01

Docket or Reference Number

030-06198

Amendment No. 24

(License Condition 13. continued)

- F. The test shall be capable of detecting the presence of 0.005 microcurie of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission and the source or detector cell shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations. The report shall be filed within five days of the date the leak test result is known with the U.S. Nuclear Regulatory Commission, Region I, ATTN: Chief, Nuclear Materials Safety Branch, 475 Allendale Road, King of Prussia, Pennsylvania 19406. The report shall specify the source or detector cell involved, the test results, and corrective action taken.
- G. The licensee is authorized to collect leak test samples for analysis by the licensee. Alternatively, tests for leakage and/or contamination may be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
14. Sealed sources or detector cells containing licensed material shall not be opened or sources removed from source holders by the licensee.
15. The licensee shall conduct a physical inventory every six months to account for all sealed sources and devices containing licensed material received and possessed under the license.
16. The licensee shall not acquire licensed material in a sealed source or device unless the source or device has been registered with the U.S. Nuclear Regulatory Commission pursuant to 10 CFR 32.210 or equivalent regulations of an Agreement State.
17. Installation, initial radiation survey, relocation, and removal from service of devices containing sealed sources shall be performed by individuals listed in Item 11.A. or by persons specifically licensed by the Commission or an Agreement State to perform such services. Installation, replacement, and disposal of sealed sources shall be performed only by persons specifically licensed by the Commission or any Agreement State to perform such services.
18. The licensee shall assure that the shutter mechanism of each device is locked in the closed position during periods when a portion of an individual's body may be subject to the direct radiation beam. The licensee shall review and modify as appropriate its "lock-out" procedures whenever a new device is obtained to incorporate the device manufacturer's recommendations.
19. The licensee is authorized to transport licensed material in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License Number

37-09135-01

Docket or Reference Number

030-06198

Amendment No. 24

20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
- A. Letter dated July 20, 1995
 - B. Letter dated October 10, 1995, with attachments
 - C. Letter dated October 18, 1995

For the U.S. Nuclear Regulatory Commission

ORIGINAL SIGNED BY:

By

JENNY M. JOHANSEN

Division of Nuclear Materials Safety
Region I
King of Prussia, Pennsylvania 19406

Date

JAN 25 1997

JAN 25 1997

Mr. Robert G. Gallagher
President and CEO
Applied Health Physics, Inc.
2986 Industrial Boulevard
Bethel Park, PA 15102

Dear Mr. Gallagher:

This refers to your license amendment request. Enclosed with this letter is the amended license.

Please review the enclosed document carefully and be sure that you understand and fully implement all the conditions incorporated into the amended license. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region I Office, Licensing Assistance Team, (610) 337-5093 or 5239, so that we can provide appropriate corrections and answers.

Thank you for your cooperation.

Sincerely,

ORIGINAL SIGNED BY:
JENNY M. JOHANSEN

Jenny Johansen, Chief
Nuclear Materials Safety Branch 3
Division of Nuclear Materials Safety

License No. 37-09135-01
Docket No. 030-06198
Control No. 124014

Enclosure:
Amendment No. 24


DOCUMENT NAME: R:\WPS\MLTR\L3709135.01

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	Dolce\kd1		Johansen				
DATE	12/23/96		12/27/96		12/ /96		12/ /96

OFFICIAL RECORD COPY

ML 10



M516
P-3

2986 Industrial Blvd. -- Bethel Park, PA 15102 -- Phone 412 -- 835-9555 -- Fax No. 412 -- 835-9559

United States Nuclear Regulatory Commission
Region 1
475 Allendale Road
King of Prussia, PA. 19406

December 19, 1996

Attn: Ms. Jenny Johansen, Branch Chief
Re: License No: 37-09135 - of
Docket No: 030-16198

Dear Ms. Johansen,

Enclosed please find the Radioactive Materials License Amendment Form and requested information. Please note that the only changes at this time are the new Radiation Safety Officer and the naming of an Assistant Radiation Safety Officer. Additional changes to the Applied Health Physics Inc. Radiation Safety Manual will be forwarded to your attention in the near future.

The qualifications for both individuals are as follows:

Radiation Safety Officer

Mr. Todd Mobley has over seventeen years of experience in the nuclear industry.

Training and Education: Bachelors Degree in Criminal Justice, Mansfield Univ. 1977
Radiation Technician Trng: 1980-1994 (Nuclear Power Plants)
Nuclear Power Operations, Beaver County Comm. College, 1981
Radiation Physics, Beaver County Comm. College, 1982
40 Hour Radiation Safety Officer Course, AHP 1994
40 Hour HAZWCPEK, 1994
8 Hour Refresher, 1995-96

Experience: Routine and Emergency radiation and contamination surveys
Use of radioisotopes in calibrations, laboratory analysis. (Multi-Curie amounts)
Examples but not limited to: Co_{60} , Cs_{137} , Am_{241} , Fe_{55} , Ni_{63} , Sr_{90} , Pu_{239}
Radioactive materials handling, packaging, and shipping for disposal.
Decommissioning and decontamination management.
Radioactive Materials License application, renewal and amendment
submittals to USNRC and Agreement States.

Mr. Ronald Hand has over eighteen months of experience in the nuclear industry.

Training and Education: Bachelors Degree in Health Physics from Bloomsburg Univ., 1995
Basic Radiation Worker Training, Wright Patterson Air Force Base, 1994
40 Hour Radiation Safety Officer Training Course, AHP 1994

OFFICIAL RECORD COPY

ML 10

124014


DEC 26 1996

Experience:

Routine radiation and contamination surveys.
Uses of radioisotopes in calibrations and laboratory analysis (Multi-curie).
Personnel dosimeter certification and calibration.
Procedure writing

If you have any questions in regard to this request please call.

Sincerely,



Robert G. Gallagher, PE, CHP
President and CEO
Applied Health Physics

APPLICATION FOR MATERIAL LICENSE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST: 8 HOURS. SUBMITTAL OF THE APPLICATION IS NECESSARY TO DETERMINE THAT THE APPLICANT IS QUALIFIED AND THAT ADEQUATE PROCEDURES EXIST TO PROTECT THE PUBLIC HEALTH AND SAFETY. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (MNBB 7714), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20555-0001, AND TO THE PAPERWORK REDUCTION PROJECT (3150-0120), OFFICE OF MANAGEMENT AND BUDGET, WASHINGTON, DC 20503.

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW.

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND,
MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA,
RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

LICENSING ASSISTANT SECTION
NUCLEAR MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406-1415

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO
RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA,
SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION II
101 MARIETTA STREET, NW, SUITE 2800
ATLANTA, GA 30323-0180

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN,
SEND APPLICATIONS TO:

MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
780 ROOSEVELT ROAD
GLEN ELLYN, IL 60137-3627

ARKANSAS, COLORADO, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEW
MEXICO, NORTH DAKOTA, OKLAHOMA, SOUTH DAKOTA, TEXAS, UTAH, OR WYOMING,
SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
811 RYAN PLAZA DRIVE, SUITE 600
ARLINGTON, TX 76011-8064

ALASKA, ARIZONA, CALIFORNIA, HAWAII, NEVADA, OREGON, WASHINGTON, AND U.S.
TERRITORIES AND POSSESSIONS IN THE PACIFIC, SEND APPLICATIONS TO:

RADIOACTIVE MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION V
1450 MARIA LANE
WALNUT CREEK, CA 94596-5368

1. THIS IS AN APPLICATION FOR: (Check appropriate item)

- ☐ A. NEW LICENSE
☒ B. AMENDMENT TO LICENSE NUMBER 37-09135-01
☐ C. RENEWAL OF LICENSE NUMBER _____

2. NAME AND MAILING ADDRESS OF APPLICANT (include Zip code)

Applied Health Physics, Inc.
2986 Industrial Blvd.
Bethel Park, PA 15102

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

Applied Health Physics, Inc.
2986 Industrial Blvd.
Bethel Park, PA 15102

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

Todd Y. Mobley

TELEPHONE NUMBER

412-835-9555

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL. a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time	9. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED.
7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE	8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS
9. FACILITIES AND EQUIPMENT.	10. RADIATION SAFETY PROGRAM
11. WASTE MANAGEMENT	12. LICENSEE FEES (See 10 CFR 170 and Section 170.31) FEE CATEGORY _____ AMOUNT ENCLOSED \$ _____
13. CERTIFICATION (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE BINDING UPON THE APPLICANT. THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 38 AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF. WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 25, 1948 (18 STAT. 760) MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.	

CERTIFYING OFFICER - TYPE/PRINTED NAME AND TITLE

Robert G. Gallagher, PE, CHP, President & CEO

SIGNATURE


[Signature]

DATE

12-24-96

FOR NRC USE ONLY


TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
			\$		
APPROVED BY				DATE	

TELEPHONE CONVERSATION RECORD	Date: 12/23/96	Time: 11:10 AM
Mail Control Nos.: 124013 & 124014	License Nos.: 37-14600-01 37-01935-01	Docket Nos.: 030-10859 030-06198
Person Called: Todd Mobley, Technical Services Supervisor	Licensee: Applied Health Physics, Inc. (AHP)	Telephone No.: 412.835.9555
Person Calling: Kathleen Dolce		
Summary: Facsimiles included in the pending folder requesting Todd Mobley as RSO were signed by Mr. Mobley. Mr. Mobley indicated today that Mr. Gallagher is signing the official copies which should be received by December 31, 1996.		
Action Required/Taken: Process amendment requests.		
Signature: 	Date: 12/23/96	

OFFICIAL RECORD COPY

ML 10

030-06198



2986 Industrial Blvd. -- Bethel Park, PA 15102 -- Phone 412 -- 835-9555 -- Fax No. 412 -- 835-9559

Ms. Jenny Johansen
United States Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA. 19406

December 13, 1996

Re: License Nos. 37-14600 -- 01
License Nos. 37-09135 -- 01
Docket No: 030-06198

Dear Ms. Johansen,

Applied Health Physics Inc. formally requests that the USNRC issue amendments to both radioactive materials licenses referenced above. Mr. Todd Mobley is to be named as the Radiation Safety Officer for both licenses with Mr. Ronald Hand Jr. named as Assistant Radiation Safety Officer.

The qualifications for both individuals are as follows:

Radiation Safety Officer

Mr. Todd Mobley has over seventeen years of experience in the nuclear industry.

Training and Education: Bachelors Degree in Criminal Justice, Mansfield Univ. 1977
Radiation Technician Trng: 1980-1994 (Nuclear Power Plants)
Nuclear Power Operations, Beaver County Comm. College, 1981
Radiation Physics, Beaver County Comm. College, 1982
40 Hour Radiation Safety Officer Course, AHP 1994
40 Hour HAZWOPER, 1994
8 Hour Refresher, 1995-96

Experience: Routine and Emergency radiation and contamination surveys
Use of radioisotopes in calibrations, laboratory analysis. (Multi-Curie amounts)
Examples but not limited to: Co_{60} , Cs_{137} , Am_{241} , Fe_{55} , Ni_{63} , Sr_{90} , Pu_{239}
Radioactive materials handling, packaging, and shipping for disposal.
Decommissioning and decontamination management.
Radioactive Materials License application, renewal and amendment
submittals to USNRC and Agreement States.

Mr. Ronald Hand has over eighteen months of experience in the nuclear industry.

Training and Education: Bachelors Degree in Health Physics from Bloomsburg Univ., 1995
Basic Radiation Worker Training, Wright Patterson Air Force Base, 1994
40 Hour Radiation Safety Officer Training Course, AHP 1994

CONSULTATION • SERVICES • PRODUCTS • RADIATION APPLICATIONS

OFFICIAL RECORD COPY ML 10

124014


DEC 13 1996

Experience:

Routine radiation and contamination surveys.
Uses of radioisotopes in calibrations and laboratory analysis (Multi-curie).
Personnel dosimeter certification and calibration.
Procedure writing

If you have any questions in regard to this request please call.

Sincerely,



Todd Mobley
Applied Health Physics Inc.

LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH
DIVISION OF ACCOUNTING AND FINANCE
OFFICE OF THE CONTROLLER
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20556-0001APPLIED HEALTH PHYSICS, INC.
ATTN: TODD MOBLEY
2986 INDUSTRIAL BOULEVARD
BETHEL PARK, PA 15102

TYPE OF ACTION

- ☐ NEW LICENSE
☐ RENEWAL OF LICENSE
☒ AMENDMENT TO LICENSE

REQUESTED DATE

12-13-96

LICENSE NUMBER

37-09135-01/37-14600-01

CONTROL NUMBER

124014/124013

I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

FEE CATEGORY	APPLICATION	RENEWAL	AMENDMENT
3N	\$	\$	\$ 590.00
4C	\$	\$	\$ 290.00
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$

FEE(s) DUE	\$	880.00
PAYMENT RECEIVED	\$	0.00
AMOUNT DUE	\$	880.00

☒ Your request was received without the prescribed application fee.

☐ We received your Check No. _____ in the amount of \$ _____. Payment of the additional fee noted above is required.

☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

SIGNATURE - LICENSE FEE ANALYST

LFDCB

LFDCB

BRENDA BROWN

12/26/96

II. FEE NOT REQUIRED

☐ Enclosed is Check No. _____ which accompanied your request. The fee is not required because:

☐ We received your Check No. _____ in payment of the fee.

☐ The Licensing staff has informed us that your request is to be considered as a continuation of your request dated _____, Control No. _____.

☐ Your request was combined, prior to review, with your _____ request, Control No. _____.

III. CHECK RETURNED

☐ Enclosed is Check No. _____ which was returned to us by the bank for:

- ☐ INSUFFICIENT FUNDS
☐ ACCOUNT CLOSED
☐ OTHER

MAIL THE REPLACEMENT CHECK TO THE ADDRESS LISTED AT THE TOP OF THIS FORM AND REFERENCE THE ABOVE CONTROL NUMBER.

IV. LICENSE ISSUED WITHOUT THE REQUIRED FEE

☐ License No. _____, Amendment No. _____, issued on _____ was issued without the required fee being collected. The fee required is noted in Section I of this form.

☐ The scope of your licensed program was increased. Therefore, your request is subject to the application fee(s) noted in Section I of this form. Refer to Section 170.31 and Footnote 1(d)(2).

☐ Because of the urgency of your request, the license was issued without remittance of the prescribed fee noted in Section I of this form.

Distribution:

Pending Fee File OC/DAF/SF(LF-3.2.7)

LFARB R/F (2)

Region 1

DATE

Dec. 26, 1996

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

(FOR LFMS USE)
INFORMATION FROM LTS

PROGRAM CODE: 03225
STATUS CODE: 0
FEE CATEGORY: 3N
EXP. DATE: 20001031 *St deleted from LTS*
FEE COMMENTS: STORAGE NMSS/SUSP/1312
DECOM FIN ASSUR REQ: Y

LICENSE FEE TRANSMITTAL

A. REGION

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: APPLIED HEALTH PHYSICS, INC.
RECEIVED DATE: 961213
DOCKET NO: 3006198
CONTROL NO.: 124014
LICENSE NO.: 37-09135-01
ACTION TYPE: AMENDMENT

2. FEE ATTACHED

AMOUNT: -----
CHECK NO.: -----

3. COMMENTS
Reference 124013

SIGNED *Brown, R. J.*
DATE *12/18/96*

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED *1V1*)

1. FEE CATEGORY AND AMOUNT: *3N* *8590*

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:
AMENDMENT ☒ -----
RENEWAL -----
LICENSE -----

3. OTHER -----

SIGNED -----
DATE -----

Log	<i>Dec 12 I</i>
Remitter	-----
Check No.	<i>2520</i>
Amount	<i>8590</i>
Fee Category	<i>3N</i>
Type of Fee	<i>AMTD</i>
Date Check Rec'd	-----
Date Completed	<i>11/15/97</i>
By	<i>BB</i>

*Remainder applied to
control 124013
Rec'd 12/26/96*

07 for 1/13/97