

ABANDONED
~~and~~ SHEET

63034113

TO: License Fee Management Branch

FROM: Region I

SUBJECT: ~~VOIDED~~ APPLICATION
ABANDONED

APR 4 12 30 23

Control Number: 123023

Applicant: GEI Enterprises, Inc.

Abandoned:
Date ~~Voided~~ 12/11/96

Abandonment:
Reason for ~~voiding~~ No response by licensee to Oct. 20, 1996 threat to
abandon letter for new license application (030-34113).
After review.

M.A. Perkins 12/12/96
Signature Date

Attachment:
Official Record Copy of
~~voided~~ Action
Abandoned
FOR LFMB USE ONLY

ABANDONMENT
Final Review of ~~void~~ Completed:

Refund Authorized and processed 330059

No Refund Due

Fee Exempt or Fee Not Required

Comments: no money submitted

Log completed

Processed by: LS



9707070172 961212
PDR ADOCK 03034113
C PDR

OFFICIAL RECORD COPY. ML 10

OCT 20 1996

William Gallagher, Jr.
President
GEI Enterprises, Inc.
462 Glennie Circle
Gulph Mills Industrial Park
King of Prussia, PA 19406-2626

SUBJECT: APPLICATION FOR MATERIAL LICENSE DATED MARCH 14, 1996, AND OUR
REQUEST FOR INFORMATION DATED MARCH 28, 1996

Dear Mr. Gallagher:

This concerns the subject application for a material license and our letter in which we notified you that the application was deficient and that certain additional information was required.

You are hereby notified that unless within thirty (30) days from the date of this notice we receive the additional information requested, we will consider that you have abandoned your application. This action is without prejudice to the resubmission of an application.

Sincerely,
ORIGINAL SIGNED BY:
SHERI A. ARREDONDO

Sheri A. Arredondo
Division of Nuclear Materials Safety

Docket No. 03C-34113
Control No. 123023

Enclosure:
Letter dated March 28, 1996

DOCUMENT NAME:

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/encl "E" = Copy w/ attach/encl "N" = No copy

OFFICE	DNMS/RI	<input checked="" type="checkbox"/> N	DNMS/RI	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
NAME	Arredondo						
DATE	10/17/96		10/ /96	10/ /96	10/ /96	10/ /96	

OFFICIAL RECORD COPY

ML 10

MAR 28 1996

Docket No. 030-34113
Control No. 123023

William Gallagher, Jr.
President
GEI Enterprises, Inc.
462 Glennie Circle
Gulph Mills Industrial Park
King of Prussia, PA 19406-2626

Dear Mr. Gallagher:

This is in reference to your application dated March 14, 1996. In order to continue our review, we need the following additional information:

1. You specified Todd Rittenhouse as your Radiation Safety Officer. Please submit his qualifications. Refer to Item 7 of Draft Regulatory Guide DG-0008 (enclosed) for the necessary qualifications.
2. You indicated that all personnel would be monitored for radiation with a personnel monitoring device. Please provide the information listed in 2.a., 2.b., and 2.c. under Item 10.1 of DG-0008 on personnel monitoring programs.
3. Please provide the information requested under Item 10.2 of DG-0008 on radiation detection instruments.
4. Page 3 of your Radiation Safety Plan states that you will perform leak tests annually. The leak test is required to be performed at 6-month intervals or an interval approved by the NRC. Please confirm that you will perform leak tests at 6-month intervals, or provide documentation that an annually frequency has been approved by the NRC. Refer to Item 10.3 of DG-0008.
5. Please provide the information requested under Item 10.4 of DG-0008 on inventories.
6. Page 4 of your Radiation Safety Plan states that you will perform certain operating procedures for access hole sites greater than 12 feet in depth. Please confirm that you will follow these certain operating procedures for access hole sites greater than 3 feet in depth, as indicated under Item 10.7 of DG-0008.
7. Please revise your Radiation Safety Plan to incorporate the above items and corrections and submit the updated version. Also, be sure that the Radiation Safety Plan that you submit, as well as the copies that you

OFFICIAL RECORD COPY

ML 10

William Gallagher, Jr.

-2-

provide to the gauge users, is legible. The previous copy submitted with your application was difficult to read.

We will continue our review upon receipt of this information. Please reply in duplicate to my attention at the Region I office and refer to Mail Control No. 123023. If you have any technical questions regarding this deficiency letter, please call me at (610) 337-5342.

In order to continue prompt review of your application, we request that you submit your response to this letter within 30 calendar days from the date of this letter.

Sincerely,

ORIGINAL SIGNED BY:
SHERI A. ARREDONDO

Sheri A. Arredondo
Health Physicist
Division of Nuclear Materials Safety

Docket No. 030-34113
Control No. 123023

Enclosures:

1. 10 CFR Parts 19, 20, 30, and 170
2. Draft Regulatory Guides DG-0008

DOCUMENT NAME: P:\GEI

To receive a copy of this document, indicate in the box: "C" = Copy w/o attach/enc "E" = Copy w/ attach/enc "N" = No copy

OFFICE	DNMS/RI	N	DNMS/RI				
NAME	Arredondo/sa						
DATE	03/28/96		03/ /96	03/ /96	03/ /96		

OFFICIAL RECORD COPY

GEI Enterprises, Inc.

462 GLENNIE CIRCLE
GULPH MILLS INDUSTRIAL PARK
KING OF PRUSSIA, PA 19406-2628
(610)-277-1983 FAX (610)-277-7641
PENNDOT Prequalification #G204

030-34113

PAVING
MILLING
EXCAVATING
SNOW PLOWING
ROAD CONSTRUCTION

To whom it may concern:

Please find attached our application. Please expedite as quickly as possible as we are in a bit of a rush. Training is scheduled for April 9, 1996 after which we will send you our certificates.

Thank you,



William Gallagher, Jr.

OFFICIAL RECORD COPY

ML 10

123023

MAR 25 1996

(6-93)
10 CFR 30.33, 33
34, 35, 36, 39 and 40

APPLICATION FOR MATERIAL LICENSE

ESTIMATED BURDEN PER RESPONSE TO COMPLY WITH THIS INFORMATION COLLECTION REQUEST 9 HOURS. SUBMITTAL OF THE APPLICATION IS NECESSARY TO DETERMINE THAT THE APPLICANT IS QUALIFIED AND THAT ADEQUATE PROCEDURES EXIST TO PROTECT THE PUBLIC HEALTH AND SAFETY. FORWARD COMMENTS REGARDING BURDEN ESTIMATE TO THE INFORMATION AND RECORDS MANAGEMENT BRANCH (MNBB 7714), U.S. NUCLEAR REGULATORY COMMISSION, WASHINGTON, DC 20555-0001, AND TO THE PAPERWORK REDUCTION PROJECT (3150-0120), OFFICE OF MANAGEMENT AND BUDGET WASHINGTON, DC 20503.

INSTRUCTIONS: SEE THE APPROPRIATE LICENSE APPLICATION GUIDE FOR DETAILED INSTRUCTIONS FOR COMPLETING APPLICATION. SEND TWO COPIES OF THE ENTIRE COMPLETED APPLICATION TO THE NRC OFFICE SPECIFIED BELOW. 030-34113

APPLICATION FOR DISTRIBUTION OF EXEMPT PRODUCTS FILE APPLICATIONS WITH:

DIVISION OF INDUSTRIAL AND MEDICAL NUCLEAR SAFETY
OFFICE OF NUCLEAR MATERIALS SAFETY AND SAFEGUARDS
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001

ALL OTHER PERSONS FILE APPLICATIONS AS FOLLOWS:

IF YOU ARE LOCATED IN:

CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, PENNSYLVANIA, RHODE ISLAND, OR VERMONT, SEND APPLICATIONS TO:

LICENSING ASSISTANT SECTION
NUCLEAR MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
475 ALLENDALE ROAD
KING OF PRUSSIA, PA 19406-1415

ALABAMA, FLORIDA, GEORGIA, KENTUCKY, MISSISSIPPI, NORTH CAROLINA, PUERTO RICO, SOUTH CAROLINA, TENNESSEE, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION II
101 MARIETTA STREET, NW, SUITE 2900
ATLANTA, GA 30323-0199

IF YOU ARE LOCATED IN:

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND APPLICATIONS TO:

MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
799 ROOSEVELT ROAD
GLEN ELLYN, IL 60137-5027

ARKANSAS, COLORADO, IDAHO, KANSAS, LOUISIANA, MONTANA, NEBRASKA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, SOUTH DAKOTA, TEXAS, UTAH, OR WYOMING, SEND APPLICATIONS TO:

NUCLEAR MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION IV
611 RYAN PLAZA DRIVE, SUITE 400
ARLINGTON, TX 78011-8064

ALASKA, ARIZONA, CALIFORNIA, HAWAII, NEVADA, OREGON, WASHINGTON, AND U.S. TERRITORIES AND POSSESSIONS IN THE PACIFIC, SEND APPLICATIONS TO:

RADIOACTIVE MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION V
1450 MARIA LANE
WALNUT CREEK, CA 94596-5366

PERSONS LOCATED IN AGREEMENT STATES SEND APPLICATIONS TO THE U.S. NUCLEAR REGULATORY COMMISSION ONLY IF THEY WISH TO POSSESS AND USE LICENSED MATERIAL IN STATES SUBJECT TO U.S. NUCLEAR REGULATORY COMMISSION JURISDICTIONS.

1. THIS IS AN APPLICATION FOR (Check appropriate item)

- ☒ A. NEW LICENSE
☐ B. AMENDMENT TO LICENSE NUMBER _____
☐ C. RENEWAL OF LICENSE NUMBER _____

2. NAME AND MAILING ADDRESS OF APPLICANT (Include Zip code)

GEI ENTERPRISES, INC.
482 GLENNIE CIRCLE
GULPH MILLS INDUSTRIAL PARK
KING OF PRUSSIA, PA 19406-2828
610-277-1983

3. ADDRESS(ES) WHERE LICENSED MATERIAL WILL BE USED OR POSSESSED

GEI ENTERPRISES, INC.
482 GLENNIE CIRCLE
GULPH MILLS INDUSTRIAL PARK
KING OF PRUSSIA, PA 19406-2828
610-277-1983

4. NAME OF PERSON TO BE CONTACTED ABOUT THIS APPLICATION

WILLIAM GALLAGHER JR.
TELEPHONE NUMBER
610-277-1983

SUBMIT ITEMS 5 THROUGH 11 ON 8-1/2 X 11" PAPER. THE TYPE AND SCOPE OF INFORMATION TO BE PROVIDED IS DESCRIBED IN THE LICENSE APPLICATION GUIDE.

5. RADIOACTIVE MATERIAL a. Element and mass number, b. chemical and/or physical form, and c. maximum amount which will be possessed at any one time	6. PURPOSE(S) FOR WHICH LICENSED MATERIAL WILL BE USED
7. INDIVIDUAL(S) RESPONSIBLE FOR RADIATION SAFETY PROGRAM AND THEIR TRAINING EXPERIENCE	8. TRAINING FOR INDIVIDUALS WORKING IN OR FREQUENTING RESTRICTED AREAS
9. FACILITIES AND EQUIPMENT	10. RADIATION SAFETY PROGRAM
11. WASTE MANAGEMENT	12. LICENSEE FEES (See 10 CFR 170 and Section 170.31) FEE CATEGORY: AMOUNT ENCLOSED \$ 0
13. CERTIFICATION (Must be completed by applicant) THE APPLICANT UNDERSTANDS THAT ALL STATEMENTS AND REPRESENTATIONS MADE IN THIS APPLICATION ARE HONEST UPON THE APPLICANT. THE APPLICANT AND ANY OFFICIAL EXECUTING THIS CERTIFICATION ON BEHALF OF THE APPLICANT, NAMED IN ITEM 2, CERTIFY THAT THIS APPLICATION IS PREPARED IN CONFORMITY WITH TITLE 10, CODE OF FEDERAL REGULATIONS, PARTS 30, 32, 33, 34, 35, 36, 39 AND 40, AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF THEIR KNOWLEDGE AND BELIEF. WARNING: 18 U.S.C. SECTION 1001 ACT OF JUNE 2, 1948 62 STAT. 749 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.	

CERTIFYING OFFICER - TYPED/PRINTED NAME AND TITLE

WILLIAM GALLAGHER JR. PRES

SIGNATURE

William Gallagher Jr. Pres

DATE

3-14-96

FOR NRC USE ONLY

TYPE OF FEE	FEE LOG	FEE CATEGORY	AMOUNT RECEIVED	CHECK NUMBER	COMMENTS
			\$		
APPROVED BY			DATE		

Hand Delivered
MAR 25 1996

GEI Enterprises, Inc.

462 GLENNIE CIRCLE
GULPH MILLS INDUSTRIAL PARK
KING OF PRUSSIA, PA 19406-2628
(610)-277-1983 FAX (610)-277-7641
PENNDOT Prequalification #G204

PAVING
MILLING
EXCAVATING
SNOW PLOWING
ROAD CONSTRUCTION

ATTACHMENT TO APPLICATION PG 1

ITEM 5

A) ELEMENT
+ MASS NUMBER

B) FORM

C) MAXIMUM AMT

1) CESIUM 137

SEALED SOURCE
(CPN MODEL CPN-131)

NO SINGLE SOURCE TO
EXCEED 10 MILLICURIES

2) AMERICIUM 241/Be

SEALED SOURCE
(CPN MODEL CPN-131)

NO SINGLE SOURCE TO
EXCEED 50 MILLICURIES

ITEM 6

FOR USE IN CPN MODEL MC SERIES
MOISTURE / DENSITY GAUGES TO MEASURE
PROPERTIES OF CONSTRUCTION AND
OTHER MATERIALS.

ITEM 7

TODD RITTENHOUSE

GEI Enterprises, Inc.

462 GLENNIE CIRCLE
GULPH MILLS INDUSTRIAL PARK
KING OF PRUSSIA, PA 19406-2628
(610)-277-1983 FAX (610)-277-7641
PENNDOT Prequalification #G204

PAVING
MILLING
EXCAVATING
SNOW PLOWING
ROAD CONSTRUCTION

ATTACHMENT TO APPLICATION PG 2

ITEM 8

ALL USERS SHALL BE TRAINED.
THE RSD SHALL RETAIN FOR INSPECTION
CERTIFICATES OF COMPLETION FROM
A MANUFACTURER'S AUTHORIZED
TRAINING CLASS

ITEM 9

SEE ATTACHED PERMANENT STORAGE
LOCATION, RADIATION SAFETY PLAN.

ITEM 10

SEE ATTACHED RADIATION SAFETY PLAN

ITEM 11

THE GAUGE(S) WILL ONLY BE RETURNED TO THE MANU-
FACTURER OR TRANSFERRED TO AN AUTHORIZED
LICENSEE

GEI Enterprises, Inc.

462 GLENNIE CIRCLE
GULPH MILLS INDUSTRIAL PARK
KING OF PRUSSIA, PA 19406-2628
(610)-277-1983 FAX (610)-277-7641
PENNDOT Prequalification #G204

PAVING
MILLING
EXCAVATING
SNOW PLOWING
ROAD CONSTRUCTION

RADIATION

SAFETY

PLAN

RADIATION SAFETY PLAN

General

This Radiation Safety Plan covers the procedures for the safe and proper use and possession of radioactive material as contained in portable moisture/density gauges used to measure soil and other materials. When handled in accordance with this plan, the radioactive materials present no hazard to the licensee's employees, customers, or the general public.

Radiation Safety Officer

All use and possession is under the direction and supervision of the Radiation Safety Officer (RSO). The RSO is a single point of accountability and responsibility between the Regulatory Agency and the Licensee. The RSO is responsible for all aspects of the Radiation Safety Plan, including the following specific duties:

1. To ensure that all terms and conditions of the license are being complied with and that the information contained is up-to-date and accurate.
2. To ensure that the equipment is leak tested at the required intervals.
3. To ensure that the equipment is only used by operators authorized by the RSO, and that they use the equipment in accordance with all relevant regulations. This will include wearing of a suitable personnel monitoring device.
4. To maintain records as required by the license and the regulations.
5. To ensure that all equipment is properly secured against unauthorized removal at all times.
6. To serve as a point of contact and give assistance in case of an emergency such as equipment damage in the field, theft, or fire and to notify the proper authorities in case of an emergency.
7. To ensure that all operators have read and understand this Radiation Safety Plan.
8. To arrange appropriate training for all operators.
9. To provide annual refresher training to all gauge operators on operating and emergency procedures, transportation requirements, changes in applicable regulations or license conditions, and correction of deficiencies identified by the RSO.
10. To post all required signs and notices at gauge storage location.

Post document RH-2364, Notice to Employees.

Label storage cabinet with "Caution, Radioactive Material" and international symbol.

Post notice of where a copy of the organization's license, safety plan, and copy of regulations are located.

Operation

1. The operator will exercise suitable control over the gauge at all times. At no time is it to be left unattended or in the possession of an unauthorized person.
2. When not being used for field measurements, the gauge will be locked and returned to its storage/transportation case.
3. When testing is complete, the gauge will be returned to its permanent place of storage as soon as possible.
4. When using the equipment, the operator will wear the personnel monitoring device assigned. When the operator is not using the equipment, the monitoring device will be kept in a radiation free, low heat area.
5. At all times operators will observe ALARA principles to minimize any dose received:

As Low As Reasonably Achievable

6. While the equipment is in the operators possession, the operator will have a:

- Copy of the License
- Copy of this Radiation Safety Plan with Emergency Procedures and Telephone Call - Down List
- Copy of Letter/Card of Authorization from RSO
- Copy of the Gauge Operating Manual and
- Copy of the Current Leak Test Certificate.

Transportation

1. During transportation, the equipment shall be fully secured in the transporting vehicle and located away from personnel. When transported in a closed vehicle (car or van), the case will be locked and the vehicle will be locked when the operator is not with the vehicle. When transported in an open bed vehicle (pick-up truck), the case will be locked and the case securely fastened and locked to the truck bed when the operator is not with vehicle.
2. The equipment will only be transported in an approved DOT shipping container with all the required labels and markings.
3. During transportation the operator will have Shipping Papers on the seat adjacent to the driver or in a holder which is mounted to the inside of the door on the driver's side of the vehicle describing the radioactive material with the proper nomenclature. A sample Shipping Paper is attached.
4. When an open bed vehicle is parked overnight at a hotel or motel, the operator shall cover the case in the secured transport position or lock the case in the cab of the vehicle.
5. When shipping by common carrier, the package shall be in compliance with 49 CFR 170-179.

Maintenance

1. Periodic maintenance will include cleaning of the gauge. The operator will have received proper instruction on how to clean the gauge and will wear his assigned monitoring device.
2. No maintenance will be performed in which the radioactive source is removed from the gauge. The gauge will be returned to the manufacturer or an approved service center for this type of service.
3. A leak test will be performed annually ~~using an approved leak test kit provided by CPN, and in accordance with the gauge manufacturer's instructions.~~ using an approved leak test kit provided by CPN, and in accordance with the gauge manufacturer's instructions. The operator will have received proper instruction on how to leak test the gauge and will wear his assigned monitoring device.
4. The shipping case will be periodically checked for integrity, and to verify that all labels are present and readable.

Records

Records will consist of:

- Radioactive Material License
- Personnel Dosimetry Reports
- Leak Tests Certificates
- Training Certification
- Gauge Inventory
- Check-out/Check-in Log

A check-out log will be attached to storage cabinet. Information on log will include serial number of gauge, operator checking out gauge, date checked out, destination, estimated return date, and actual date of return.

Training

All operators will complete a manufacturer's Operator's Training Course. Operators will be given special training as required for their individual work assignments.

EMERGENCY PROCEDURES

Coil Down List

See Appendix for Emergency Telephone Numbers

Physical Damage

1. If any moving equipment is involved, stop its movement, until the extent of contamination, if any, can be established.
2. Cordon off the area around the incident. An area with a radius of fifteen (15) feet will be sufficient.
3. Visually inspect the gauge to determine the extent of the damage to the source(s), source housing(s), and shielding. If the source(s), source housing(s) and shielding are intact and functional, the gauge can be removed from the site, returned to the shipping container, and shipped to the manufacturer for repair or replacement.
4. If the integrity or location of the source(s) cannot be positively identified, at the earliest possible time, when the situation is under control, contact the RSO. Describe the conditions and follow the instructions of the RSO. The RSO will immediately notify the appropriate regulatory agency.
5. The RSO shall follow the instructions of the regulatory agency.
6. If the source rod is bent and extended, or the shielding is damaged such that dose rates are likely to exceed those of an undamaged gauge, call the manufacturer for instructions before shipment.

Lodged or Lost Down-Hole Probe

1. Operating procedures to prevent a probe from becoming stuck or lost in a bore-hole:
 - a. All access holes for probes shall be lined with a continuous casing from the lower depth to a minimum of six inches above the surface.
 - b. The cable connectors to both the probe and surface electronics shall be checked daily to assure they are tight.
 - c. For all access hole sites greater than 12 feet in depth, a dummy probe, whose stiffness, outside diameter and effective length are equal to that of the active probe, will be lowered to the bottom of the hole before deploying the radioactive source(s).
2. Emergency procedures if a probe becomes stuck in a bore-hole:

If a sealed source becomes lodged in a bore-hole and it becomes apparent that effort to recover the sealed source will not be successful, the licensee shall:

 - a. Immediately secure the area around the hole.
 - b. Notify the licensing authority immediately by telephone of the circumstances that resulted in the inability to retrieve the source.
 - c. Follow the instructions of the licensing authority.

Theft or Loss

1. Immediately notify the RSO. The RSO will immediately notify the appropriate regulatory agency and the police.

Fire

1. Call the Fire Department.
2. Take action appropriate with a fire to protect personnel.
3. Notify the RSO.
4. Stand by to advise the fire fighters as to the nature, locations, and potential hazards of the radioactive materials. Supply them with an information packet consisting of the facility layout and a data sheet of the equipment including a photograph. Be sure to include any other important information, e.g. explosives, guard dogs, etc.

Melting Points:

	°F	°C
Stainless Steel	2550	1400
Carbide	2000	1090
Aluminum	1005	540
Lead	620	327
Polyethylene	257	125

Temperatures in an industrial fire will normally range from 500°F at floor level to a high at the ceiling of 1400 to 1800°F. The polyethylene and lead would melt in most fires, the aluminum only in a severe fire. The stainless steel capsule would not reach its melting point.


Disposal/Decommissioning

1. Disposal will only be performed by transferring to a properly licensed organization.
2. The regulatory agency will be notified 30 or more days in advance of any relocation of the storage area. Formal decommissioning will not be required, provided leak tests are current.

RADIATION SAFETY PLAN

This radiation safety plan will be implemented at all times. A copy of these procedures shall be maintained in the licensee's radioactive materials license file, and another copy in the shipping case of the nuclear gauge at all times.

SIGNED



DATE

3-14-96

APPENDIX

Telephone Numbers

RSQ: Work: 610-277-1983
Home: 610-539-9581

Police: Business: 610-265-3232
Emergency: 911

Radiologic Health: 610-331-5000
24 hr.: 301-816-5100 (collect)

Fire: Business: 610-265-5533
Emergency: 911

CPN: 15101228-9770

STORAGE LOCATION

GEI ENTERPRISES, INC.
482 GLENNIE CIRCLE
GULFH MILLS INDUSTRIAL PARK
KING OF PRUSSIA, PA 19406-2026
610-277-1983



Metal or wood cabinet locked and posted. Storage cabinet 10 ft. from any people work stations. Cabinet includes circuitry for charging. Maximum storage, 6 gauges.

Notice to Employees, Utilization Log, and location of License and Regulations posted.

The storage area is not in a residential zone.

GAUGE STORAGE
LOCATION

TO ROAD →
6

123023

GE ENTERPRISES, INC.
408 GLENNE CIRCLE
GULPH MILLS INDUSTRIAL PARK
KING OF PRUSSIA, PA 19380-0028
PHONE 610-277-1000
FAX 610-277-7641

SHIPPING PAPER

one case, R.O., RADIOACTIVE MATERIAL,
SPECIAL FORM, N.O.S., 7, UN2974
Cs-137, 10 mCi
Am-241/Be, 50 mCi
RADIOACTIVE YELLOW II Label
Transport Index 0.4
USA DOT 7A, TYPE A PACKAGE

24 hour emergency contact phone #

610-539-9580

(Radiation Safety Officer)

- 177.817(e) Shipping paper accessibility - accident or inspection. A driver of a motor vehicle containing hazardous material shall insure that the shipping paper required by this section is readily available to, and recognizable by, authorities in the event of an accident or an inspection. Specifically, the driver and the carrier shall:
- (1) Clearly distinguish the shipping paper, if it is carried with other shipping papers or papers of any kind, by either distinctively tabbing it or having it appear first; and
 - (2) Store the shipping paper as follows:
 - (i) When the driver is at the vehicle controls, the shipping paper shall be: (A) within his immediate reach while he is restrained by the lab belt; and (B) either readily visible to a person entering the driver's compartment or in a holder which is mounted to the inside of the door on the driver's side of the vehicle.
 - (ii) When the driver is not at the vehicle controls, the shipping paper shall be: (A) in a holder which is mounted to the inside of the door on the driver's side of the vehicle, or (B) on the driver's seat in the vehicle.

LICENSE FEE REQUIREMENTS

LICENSE FEE AND DEBT COLLECTION BRANCH
DIVISION OF ACCOUNTING AND FINANCE
OFFICE OF THE CONTROLLER
U.S. NUCLEAR REGULATORY COMMISSION
WASHINGTON, DC 20555-0001GEI ENTERPRISES, INC.
ATTN: WILLIAM GALLAGHER, JR.
PRESIDENT
462 GLENNIE CIRCLE
GULPH MILLS INDUSTRIAL PARK
KING OF PRUSSIA, PA 19406-2628

TYPE OF ACTION

- ☒ NEW LICENSE
☐ RENEWAL OF LICENSE
☐ AMENDMENT TO LICENSE

REQUESTED DATE

3-14-96

LICENSE NUMBER

NEW

CONTROL NUMBER

123023

I. APPLICATION FEE DUE

Your request for a licensing action is subject to the fee(s) in the category(ies) noted below in accordance with Section 170.31 of the enclosed Federal Register notice. Payment of the fee is required prior to the issuance of the license, renewal, or amendment.

FEE CATEGORY	APPLICATION	RENEWAL	AMENDMENT
3P	\$ 530.00	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$
	\$	\$	\$

FEE(s) DUE \$ 530.00
PAYMENT RECEIVED \$ 0.00
AMOUNT DUE \$ 530.00

- ☒ Your request was received without the prescribed application fee.
- ☐ We received your Check No. _____ in the amount of \$ _____. Payment of the additional fee noted above is required.
- ☐ Your request will increase the scope of your license program. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(d)(2).
- ☐ Your license expired prior to the receipt of your application for renewal. Therefore, your request is subject to the application fee(s) noted above. Refer to Section 170.31 and Footnote 1(a).

MAKE PAYMENT OF THE FEE(S) TO THE U.S. NUCLEAR REGULATORY COMMISSION AND MAIL THE PAYMENT TO THE ADDRESS LISTED AT THE TOP OF THIS FORM. IF WE DO NOT RECEIVE A REPLY FROM YOU WITHIN 30 CALENDAR DAYS FROM THE DATE LISTED BELOW, WE SHALL ASSUME THAT YOU DO NOT WISH TO PURSUE YOUR APPLICATION AND WILL VOID THIS ACTION.

II. FEE NOT REQUIRED

- ☐ Enclosed is Check No. _____ which accompanied your request. The fee is not required because:
- ☐ We received your Check No. _____ in payment of the fee.
- ☐ The Licensing staff has informed us that your request is to be considered as a continuation of your request dated _____, Control No. _____.
- ☐ Your request was combined, prior to review, with your request, Control No. _____.

III. CHECK RETURNED

- ☐ Enclosed is Check No. _____ which was returned to us by the bank for:
- ☐ INSUFFICIENT FUNDS
- ☐ ACCOUNT CLOSED
- ☐ OTHER

MAIL THE REPLACEMENT CHECK TO THE ADDRESS LISTED AT THE TOP OF THIS FORM AND REFERENCE THE ABOVE CONTROL NUMBER.

IV. LICENSE ISSUED WITHOUT THE REQUIRED FEE

- ☐ License No. _____, Amendment No. _____, issued on _____, was issued without the required fee being collected. The fee required is noted in Section I of this form.
- ☐ The scope of your licensed program was increased. Therefore, your request is subject to the application fee(s) noted in Section I of this form. Refer to Section 170.31 and Footnote 1(d)(2).
- ☐ Because of the urgency of your request, the license was issued without remittance of the prescribed fee noted in Section I of this form.

SIGNATURE - LICENSE FEE ANALYST

BRENDA BROWN

LFDCB

BB BB
4/3/96

LFDCB

Distribution:

MAF Correspondence FY

LFDCB Chief

Invoice File w/encl LFDCB Analyst

LFDCB R/F (2)

DAF R/F

DATE

4-3-96

(FOR LFMS USE)

INFORMATION FROM LTS

BETWEEN:

LICENSE FEE MANAGEMENT BRANCH, ARM
AND
REGIONAL LICENSING SECTIONS

PROGRAM CODE: 03121
STATUS CODE: 3
FEE CATEGORY: _____
EXP. DATE: 0
FEE COMMENTS: _____
DECDM FIN ASSUR REQD: _____
.....

LICENSE FEE TRANSMITTAL

A. REGION

I

12/12/96

1. APPLICATION ATTACHED

APPLICANT/LICENSEE: GEI ENTERPRISES, INC.
RECEIVED DATE: 960325
DOCKET NO: 3034113
CONTROL NO.: 123023
LICENSE NO.:
ACTION TYPE: NEW LICENSEE

*To be Abandoned
by RT - failure
to respond to
RT threat to
Abandon letter.
Return to RT.*

2. FEE ATTACHED

AMOUNT: _____
CHECK NO.: _____

3. COMMENTS

BR

SIGNED *M. A. Perkins*
DATE *3/22/96*

B. LICENSE FEE MANAGEMENT BRANCH (CHECK WHEN MILESTONE 03 IS ENTERED *1*)

1. FEE CATEGORY AND AMOUNT: *3P*

2. CORRECT FEE PAID. APPLICATION MAY BE PROCESSED FOR:

AMENDMENT _____
RENEWAL _____
LICENSE *✓* _____

3. OTHER _____

SIGNED _____
DATE _____

Log	<i>APR 4</i>
Remitter	_____
Check No.	_____
Amount	_____
Fee Category	<i>3P</i>
Type of Fee	<i>AP</i>
Date Check Rec'd	_____
Date Completed	_____
By:	_____

*02 Fox 12/14/96 - BR
04 deleted 12/12/96 BR*