

MATERIALS LICENSE

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 37, 39, 40, 70 and 71, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee 1. Hilo Medical Center Hawaii Health Systems Corporation 2. 1190 Waiuanuenue Avenue Hilo, HI 96720-2020		In accordance with letter dated February 24, 2020,	4. Expiration Date: November 30, 2024
		3. License No.: 53-03506-01 is amended in its entirety to read as follows:	5. Docket No.: 030-03542 Reference No.:
6. Byproduct, source, and/or special nuclear material	7. Chemical and/or physical form	8. Maximum amount that licensee may possess at any one time under this license	9. Authorized use
A. Any byproduct material permitted by 10 CFR 35.100	A. Any	A. As Needed	A. For use in uptake, dilution and excretion studies permitted by 10 CFR 35.100.
B. Any byproduct material permitted by 10 CFR 35.200	B. Any	B. As Needed	B. For use in imaging and localization studies permitted by 10 CFR 35.200.
C. Any byproduct material permitted by 10 CFR 35.300	C. Any	C. 3.3 curies total	C. For any use permitted by 10 CFR 35.300.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 53-03506-01

Docket or Reference No.:
030-03542

Amendment No. 84

CONDITIONS

10. Licensed material may be used or stored at the licensee's facilities located at 1190 Waianuenue Avenue, Hilo (Island of Hawaii), Hawaii, 96720-2020.
11. The Radiation Safety Officer (RSO) for this license is Harry Palmer, MCE.
12. Licensed material shall only be used by, or under the supervision of:
- A. Individuals permitted to work as authorized users, authorized nuclear pharmacists, and/or authorized medical physicists in accordance with 10 CFR 35.13 and 10 CFR 35.14.
- B. The following individuals are authorized users for the material and medical uses as indicated:
- | <u>Authorized Users</u> | <u>Material and Use</u> |
|----------------------------|-------------------------|
| David Camacho, Jr., M.D. | 35.100; 35.200; 35.300 |
| Scott R. Grosskreutz, M.D. | 35.100; 35.200; 35.300 |
| James Lambeth, M.D. | 35.100; 35.200; 35.300 |
| Christopher A. Neal, M.D. | 35.100; 35.200; 35.300 |
| Ming Yu Peng, M.D. | 35.100; 35.200; 35.300 |
| Robert Saito, M.D. | 35.100; 35.200; 35.300 |
| Thomas Jason Sawyer, M.D. | 35.200 |
| Michael J. T. Seu, M.D. | 35.100; 35.200; 35.300 |
| Lori L. Wilhelm, M.D. | 35.100; 35.200; 35.300 |
| Eric Wyatt, M.D. | 35.100; 35.200; 35.300 |
| Jamison N. Wyatt, M.D. | 35.200 |

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 53-03506-01

Docket or Reference No.:
030-03542

Amendment No. 84

13. For sealed sources not associated with 10 CFR Part 35 use, the following conditions apply:

- A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State.
- B. Notwithstanding Paragraph A of this Condition, sealed sources designed to primarily emit alpha particles shall be tested for leakage and/or contamination at intervals not to exceed 3 months.
- C. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by the U.S. Nuclear Regulatory Commission under 10 CFR 32.210 or under equivalent regulations of an Agreement State, prior to the transfer, a sealed source received from another person shall not be put into use until tested and the test results received.
- D. Sealed sources need not be tested if they contain only hydrogen 3; or they contain only a radioactive gas; or the half-life of the isotope is 30 days or less; or they contain not more than 100 microcuries of beta- and/or gamma-emitting material or not more than 10 microcuries of alpha emitting material.
- E. Sealed sources need not be tested if they are in storage and are not being used; however, when they are removed from storage for use or transferred to another person and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
- F. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U.S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.

**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 53-03506-01

Amendment No. 84

Docket or Reference No.:
030-03542

G. Tests for leakage and/or contamination, including leak test sample collection and analysis, shall be performed by the licensee or by other persons specifically licensed by the U.S. Nuclear Regulatory Commission or an Agreement State to perform such services.

H. Records of leak test results shall be kept in units of microcuries and shall be maintained for 3 years.

14. Sealed sources containing licensed material shall not be opened or sources removed from source holders by the licensee.

15. The licensee shall conduct a physical inventory every 6 months, or at other intervals approved by the U.S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license. Records of inventories shall be maintained for 3 years from the date of each inventory and shall include the radionuclides, quantities, manufacturer's name and model numbers, and the date of the inventory.



**MATERIALS LICENSE
SUPPLEMENTARY SHEET**

License No.: 53-03506-01

Docket or Reference No.:
030-03542

Amendment No. 84

16. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. This license condition applies only to those procedures that are required to be submitted in accordance with the regulations. Additionally, this license condition does not limit the licensee's ability to make changes to the radiation protection program as provided for in 10 CFR 35.26. The U.S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.

- A. Application dated September 11, 2014 (ML14274A206)
- B. E-mails dated November 20, 2014 with enclosures (ML14330A252)
- C. Letter dated December 9, 2014 with enclosure (ML14343A680)
- D. Letter dated May 18, 2015 (ML15166A474)
- E. Letter with attachments dated February 24, 2020 (ML20140A051)

Date: July 16, 2020

FOR THE U.S. NUCLEAR REGULATORY COMMISSION

Michelle M.By: **Hammond**Michelle M. Hammond
Region IVDigitally signed by Michelle M.
Hammond
Date: 2020.07.16 08:20:20 -05'00'