

**From:** [Hann, Patrick-John](#)  
**To:** [Rusty Beeler](#)  
**Subject:** RE: Re: Re: Re: Re: Re: Re: [EXTERNAL] Request for Additional Information  
**Date:** Monday, September 13, 2021 9:54:00 AM

---

Mr. Beeler,

On a letter signed by a management representative, please confirm that you no longer possess any I-131. Additionally, please have management confirm that they agree with the information submitted in emailed dated July 15 and July 26.

If at all possible, please submit this management signed letter no later than Wednesday, September 15<sup>th</sup>.

Thank you very much, sir.

Patrick-John E. Hann, MHP  
Health Physicist  
U.S. Nuclear Regulatory Commission

---

**From:** Rusty Beeler <[rusty\\_beeler@chs.net](mailto:rusty_beeler@chs.net)>  
**Sent:** Tuesday, August 24, 2021 1:28 PM  
**To:** Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)>  
**Subject:** [External\_Sender] Re: Re: Re: Re: Re: Re: [EXTERNAL] Request for Additional Information

Letter adding 31.11 and 35.500

Let me know if you need anything changed or added

Rusty

On Tue, Aug 24, 2021 at 6:54 AM Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)> wrote:

Yes, if you don't mind. After speaking with you, my management has changed their licensing strategy. The call should only take about 5 minutes and would be easier to discuss than over email.

Patrick-John E. Hann, MHP  
Health Physicist  
U.S. Nuclear Regulatory Commission

---

**From:** Rusty Beeler <[rusty\\_beeler@chs.net](mailto:rusty_beeler@chs.net)>  
**Sent:** Tuesday, August 24, 2021 7:25 AM  
**To:** Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)>

**Subject:** [External\_Sender] Re: Re: Re: Re: Re: Re: [EXTERNAL] Request for Additional Information

Mr. Hann

Do we still need to talk? I spoke with you yesterday afternoon.

Rusty

On Mon, Aug 23, 2021 at 1:24 PM Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)> wrote:

Mr. Beeler,

Could you please call me at your earliest convenience to discuss the Gd sources in more detail. I spoke with my leadership and they want this to be licensed a certain way.

215-694-3008

Patrick-John E. Hann, MHP  
Health Physicist  
U.S. Nuclear Regulatory Commission

---

**From:** Rusty Beeler <[rusty\\_beeler@chs.net](mailto:rusty_beeler@chs.net)>

**Sent:** Wednesday, August 18, 2021 8:12 AM

**To:** Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)>

**Subject:** [External\_Sender] Re: Re: Re: Re: Re: Re: [EXTERNAL] Request for Additional Information

OK thank you

On Tue, Aug 17, 2021 at 1:53 PM Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)> wrote:

This will do just fine, sir! There is no need for a paper copy.

Thank you!

Patrick-John E. Hann, MHP  
Health Physicist  
U.S. Nuclear Regulatory Commission

---

**From:** Rusty Beeler <[rusty\\_beeler@chs.net](mailto:rusty_beeler@chs.net)>

**Sent:** Tuesday, August 17, 2021 2:52 PM

**To:** Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)>

**Subject:** [External\_Sender] Re: Re: Re: Re: [EXTERNAL] Request for Additional Information

letter is attached will send in mail as well if you provide me with address if it is different then in the letter

thanks

rusty

On Tue, Aug 17, 2021 at 9:43 AM Rusty Beeler <[rusty\\_beeler@chs.net](mailto:rusty_beeler@chs.net)> wrote:

Tony Keene

[Tony\\_keene@chs.net](mailto:Tony_keene@chs.net)

On Tue, Aug 17, 2021 at 9:38 AM Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)> wrote:

Thanks, Mr. Beeler. What are the names and emails addresses of these individuals? I will update the management representative when composing the renewed license.

Patrick-John E. Hann, MHP  
Health Physicist  
U.S. Nuclear Regulatory Commission

---

**From:** Rusty Beeler <[rusty\\_beeler@chs.net](mailto:rusty_beeler@chs.net)>  
**Sent:** Tuesday, August 17, 2021 10:03 AM  
**To:** Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)>  
**Subject:** [External\_Sender] Re: Re: Re: [EXTERNAL] Request for Additional Information

Ranee has retired we have a new CEO I will have him or the CFO who is over Diagnostic Imaging sign it

On Tue, Aug 17, 2021 at 8:54 AM Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)> wrote:

Yes, if you would be so kind as to copy and paste your last email response and place it in a letter signed by your management representative, Ranee Brayton, it will allow me to close this action.

Patrick-John E. Hann, MHP  
Health Physicist  
U.S. Nuclear Regulatory Commission

---

**From:** Rusty Beeler <[rusty\\_beeler@chs.net](mailto:rusty_beeler@chs.net)>  
**Sent:** Tuesday, August 17, 2021 9:46 AM  
**To:** Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)>  
**Subject:** [External\_Sender] Re: Re: [EXTERNAL] Request for Additional Information

Answers to all your questions or just the last email?  
Where do I mail it or do I scan it and send it to you?  
Management being CEO or Director of Radiology?

Rusty

On Fri, Aug 13, 2021 at 11:41 AM Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)> wrote:

Rusty,

Could you please put your responses in the email you have sent in a letter with a signature from management on it?

Patrick-John E. Hann, MHP  
Health Physicist  
U.S. Nuclear Regulatory Commission

---

**From:** Hann, Patrick-John  
**Sent:** Thursday, August 12, 2021 10:13 AM  
**To:** Rusty Beeler <[rusty\\_beeler@chs.net](mailto:rusty_beeler@chs.net)>; Philip Birt <[philip\\_birt@chs.net](mailto:philip_birt@chs.net)>  
**Subject:** RE: Re: [EXTERNAL] Request for Additional Information

Thank you very much for your prompt response. We will continue to review your submission.

Patrick-John E. Hann, MHP  
Health Physicist  
U.S. Nuclear Regulatory Commission

---

**From:** Rusty Beeler <[rusty\\_beeler@chs.net](mailto:rusty_beeler@chs.net)>  
**Sent:** Thursday, August 12, 2021 9:49 AM  
**To:** Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)>; Philip Birt <[philip\\_birt@chs.net](mailto:philip_birt@chs.net)>  
**Subject:** [External\_Sender] Re: [EXTERNAL] Request for Additional Information

1. In your response dated July 26, 2021, you specified that you will identify an in-house representative who will serve as a point of contact during the RSO's absence and specify the maximum amount of time it will take a consultant RSO to arrive at the facility in the event of an emergency that requires their presence. Please confirm whether you will be using a consultant RSO.

**A. A representative/desiginee will be identified during the RSO's absence as a**

**point of contact. We will not be using a consultant RSO**

2. In your response dated July 26, 2021, you specified a possession limit of "As Needed" for any byproduct material listed under 10 CFR 31.11 when the activity exceeds the quantity listed in 10 CFR 31.11. We do not allow this type of use to have a possession limit of "As Needed". Your current license has a possession limit of 3mCi. Please confirm that a 3mCi possession limit is adequate.

**A. 3mCi is adequate.**

3. In your response dated July 26, 2021, you didn't indicate whether Jonas Singer, M.D., who is currently listed on your license, is to remain as an Authorized User. Please confirm whether Jonas Singer is to be on the license for uses permitted by 10 CFR 35.100 and 35.200.

**A. I am confirming the removal of Dr. Jonas Singer from license #24-05245-01.**

4. In your response dated July 26, 2021, you indicated that you have submitted a description of the training and experience demonstrating that the proposed employee is qualified by training and experience for the use requested, a copy of the manufacturer's training certification and an outline of the training in procedures to be followed, and a written commitment from the licensee that the trained employee will follow manufacturer procedures in regards to the Installation, Maintenance, Adjustment, Repair, and Inspection of Therapy Devices Containing Sealed Sources. Please confirm that you do not possess or intend to possess any therapy device containing sealed sources.

**A. We do not possess or intend to possess any therapy devices containing sealed sources.**

If you need anything else don't hesitate to send me an email or call.

Thanks

Rusty Beeler

On Tue, Aug 10, 2021 at 1:04 PM Hann, Patrick-John <[Patrick-John.Hann@nrc.gov](mailto:Patrick-John.Hann@nrc.gov)> wrote:

License No. 24-05245-01  
Docket No. 03002332  
Mail Control No. 624953

Mr. Beeler,

Please find attached the request for additional information regarding your license renewal application February 8, 2021, March 24, 2021, July 15 2021, and July, 26, 2021. If you could please review, confirm, and clarify these items by August 17, 2021, it would be greatly appreciated. Should you have any questions, please don't hesitate to reach out.

Patrick-John E. Hann, MHP  
Health Physicist  
U.S. Nuclear Regulatory Commission

--

Rusty Beeler, RT(R) | Lead Nuclear Medicine Technologist and Radiation Safety Officer | Northeast Regional Medical Center | 315 S. Osteopathy| Kirksville, MO 63501 |PH: 660-785-1610|Fax: 660-785-1356 <http://www.nermc.com>

--

Rusty Beeler, RT(R) | Lead Nuclear Medicine Technologist and Radiation Safety Officer | Northeast Regional Medical Center | 315 S. Osteopathy| Kirksville, MO 63501 |PH: 660-785-1610|Fax: 660-785-1356 <http://www.nermc.com>

--

Rusty Beeler, RT(R) | Lead Nuclear Medicine Technologist and Radiation Safety Officer | Northeast Regional Medical Center | 315 S. Osteopathy| Kirksville, MO 63501 |PH: 660-785-

1610|Fax: 660-785-1356 <http://www.nermc.com>

--

Rusty Beeler, RT(R) | Lead Nuclear Medicine Technologist and Radiation Safety Officer |  
Northeast Regional Medical Center | 315 S. Osteopathy| Kirksville, MO 63501 |PH: 660-785-  
1610|Fax: 660-785-1356 <http://www.nermc.com>

--

Rusty Beeler, RT(R) | Lead Nuclear Medicine Technologist and Radiation Safety Officer |  
Northeast Regional Medical Center | 315 S. Osteopathy| Kirksville, MO 63501 |PH: 660-785-  
1610|Fax: 660-785-1356 <http://www.nermc.com>

--

Rusty Beeler, RT(R) | Lead Nuclear Medicine Technologist and Radiation Safety Officer | Northeast  
Regional Medical Center | 315 S. Osteopathy| Kirksville, MO 63501 |PH: 660-785-1610|Fax: 660-  
785-1356 <http://www.nermc.com>

--

Rusty Beeler, RT(R) | Lead Nuclear Medicine Technologist and Radiation Safety Officer | Northeast  
Regional Medical Center | 315 S. Osteopathy| Kirksville, MO 63501 |PH: 660-785-1610|Fax: 660-785-  
1356 <http://www.nermc.com>

--

Rusty Beeler, RT(R) | Lead Nuclear Medicine Technologist and Radiation Safety Officer | Northeast  
Regional Medical Center | 315 S. Osteopathy| Kirksville, MO 63501 |PH: 660-785-1610|Fax: 660-785-  
1356 <http://www.nermc.com>