



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

October 18, 2021

Mr. Dominik Bussmann,
Licensing Manager
Gesellschaft für Nuklear-Service mbH
Frohnhauser Straße 67
45127 Essen Germany

SUBJECT: REQUEST FOR CERTIFICATE OF COMPLIANCE FOR THE MODEL NO.
CASTOR® GEO69 STORAGE CASK – REQUEST FOR SUPPLEMENTAL
INFORMATION

Dear Mr. Bussmann:

By letter dated June 7, 2021 (Agencywide Documents Access and Management System Accession No. ML21188A178), Gesellschaft für Nuklear-Service mbH submitted an application for a certificate of compliance for the Model No. CASTOR® geo69 storage cask. The U.S. Nuclear Regulatory Commission staff performed an acceptance review of your application to determine whether the application contains sufficient technical information in scope and depth to allow the staff to complete a detailed technical review.

This letter is to advise you that, based on our acceptance review, the application does not contain sufficient technical information. The information needed to continue our review is described as a request for supplemental information (RSI) in the enclosures to this letter. Please note that addressing this RSI does not preclude the staff from issuing further requests for additional information during the course of the detailed technical review of this application.

The staff also included observations to allow you to start earlier on items that may be asked at a later date. Observations are not the result of a detailed technical review and may be resolved once staff begins a detailed review. Responses to observations are not required for staff to begin its technical review.

In order to schedule our technical review, the RSI response should be provided within 8 weeks from the date of this letter. If the RSI responses are not received by this date, the application may not be accepted for review and the staff may discontinue any further review.

Upon removal of Enclosure 2, this document is uncontrolled.

D. Bussmann

- 2 -

Please reference Docket No. 72-1052 and Enterprise Project Identifier (EPID) No. L-2021-NEW-0006 in future correspondence related to this request. The staff is available to meet to discuss your proposed responses. If you have any questions, I may be contacted at +1 (301) 415-6999 or via email at Norma.GarciaSantos@nrc.gov.

Sincerely,



Signed by Garcia Santos, Norma
on 10/18/21

Norma García Santos, Project Manager
Storage and Transportation Licensing Branch
Division of Fuel Management
Office of Nuclear Material Safety
and Safeguards

Docket No. 72-1052
EPID No. L-2021-NEW-0006

Enclosures:

1. Non-proprietary RSI
2. Proprietary RSI

D. Bussmann

- 3 -

SUBJECT: REQUEST FOR CERTIFICATE OF COMPLIANCE FOR THE MODEL NO.
CASTOR® GEO69 STORAGE CASK – REQUEST FOR SUPPLEMENTAL
INFORMATION

DOCUMENT DATE: October 18, 2021

DISTRIBUTION:

DFM r/f

NMSS r/f

ADAMS Accession No.: ML21266A240 (pkg)

Office	NMSS/DFM	NMSS/DFM	NMSS/DFM	NMSS/DFM	NMSS/DFM
Name	NGarcía-Santos	WWheatley	JWoodfield	PPatel	OKhan
Date	9/ 24 /2021	9/ 24 /2021	9/ 27 /2021	10/4 /2021	9/ 30 /2021
Office	NMSS/DFM	NMSS/DFM	NMSS/DFM	NMSS/DFM	NMSS/DFM
Name	ASotoMayor-Rivera	JBorowsky	CBajwa	TBoyce	FPeduzzi
Date	9/ 30 /2021	9/ 30 /2021	9/ 29 /2021	10/ 4 /2021	10/ 7 /2021
Office	NMSS/DFM	NMSS/DFM	NMSS/DFM		
Name	ZCruz-Perez	JMarcano	JMcKirgan		
Date	10/ 4 /2021	10/ 7 /2021	10/ 15 /2021		

OFFICIAL RECORD COPY

DATE October 18, 2021

DISTRIBUTION:

ADAMS Accession No.: ML21266A240; Ltr ML21266A241

OFFICE	NMSS/DFM/STLB	NMSS/DFM/STLB	NMSS/DFM/STLB	NMSS/DFM/STLB
NAME	NGarcia <i>NG</i>	BWhite <i>BW</i>	WWheatley <i>WW</i>	BWhite <i>BW</i>
DATE	Sep 24, 2021	Sep 24, 2021	Sep 24, 2021	Sep 24, 2021
OFFICE	NMSS/DFM/STLB	NMSS/DFM/STLB	NMSS/DFM/STLB	NMSS/DFM/STLB
NAME	BWhite <i>BW</i>	BWhite <i>BW</i>	JMcKirgan <i>JM</i>	NGarcia <i>NG</i>
DATE	Oct 4, 2021	Oct 7, 2021	Oct 15, 2021	Oct 18, 2021

OFFICIAL RECORD COPY