

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3.RAD

Table of Contents

Part VI: Uncertainty Analysis

RESRAD Uncertainty Analysis Results

Probabilistic Input	2
Total Dose	3
Total Risk	4
Dose vs Pathway: Ground External	5
Dose vs Pathway: Inhalation (w/o Radon)	6
Dose vs Pathway: Radon (Water Ind.)	7
Dose vs Pathway: Plant (Water Ind.)	8
Dose vs Pathway: Meat (Water Ind.)	9
Dose vs Pathway: Milk (Water Ind.)	10
Dose vs Pathway: Soil Ingestion	11
Dose vs Pathway: Water Ingestion	12
Dose vs Pathway: Fish Ingestion	13
Dose vs Pathway: Radon (Water Dep.)	14
Dose vs Pathway: Plant (Water Dep.)	15
Dose vs Pathway: Meat (Water Dep.)	16
Dose vs Pathway: Milk (Water Dep.)	17
Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23

[illegible]

Probabilistic Total Dose Summary

Nuclide (j)	Peak Time	Peak Dose	DOSE(j,t), mrem/yr							
		t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
H-3										
Min	0.00E+00	6.88E-02	6.88E-02	5.58E-02	3.48E-02	4.49E-04	1.73E-11	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	1.53E-01	1.53E-01	1.28E-01	9.07E-02	2.79E-02	1.87E-03	2.63E-07	2.57E-18	0.00E+00
Avg	0.00E+00	1.18E-01	1.18E-01	9.50E-02	6.14E-02	1.40E-02	3.02E-04	3.01E-09	1.77E-21	0.00E+00
Std	0.00E+00	1.37E-02	1.37E-02	1.17E-02	1.07E-02	6.14E-03	3.32E-04	1.14E-08	5.51E-20	0.00E+00
ALL										
Min	0.00E+00	6.88E-02	6.88E-02	5.58E-02	3.48E-02	4.49E-04	1.73E-11	0.00E+00	0.00E+00	0.00E+00
Max	0.00E+00	1.53E-01	1.53E-01	1.28E-01	9.07E-02	2.79E-02	1.87E-03	2.63E-07	2.57E-18	0.00E+00
Avg	0.00E+00	1.18E-01	1.18E-01	9.50E-02	6.14E-02	1.40E-02	3.02E-04	3.01E-09	1.77E-21	0.00E+00
Std	0.00E+00	1.37E-02	1.37E-02	1.17E-02	1.07E-02	6.14E-03	3.32E-04	1.14E-08	5.51E-20	0.00E+00

ALL is total dose summed for all nuclides.

Probabilistic Risk Summary

Nuclide		RISK(j,t)							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		4.23E-06	3.50E-06	2.27E-06	3.51E-08	1.93E-15	0.00E+00	0.00E+00	0.00E+00
Max		9.74E-06	8.21E-06	5.80E-06	1.76E-06	1.16E-07	1.63E-11	1.59E-22	0.00E+00
Avg		7.64E-06	6.14E-06	3.96E-06	8.98E-07	1.92E-08	1.89E-13	1.09E-25	0.00E+00
Std		9.62E-07	7.70E-07	6.56E-07	3.80E-07	2.08E-08	7.09E-13	3.42E-24	0.00E+00
ALL									
Min		4.23E-06	3.50E-06	2.27E-06	3.51E-08	1.93E-15	0.00E+00	0.00E+00	0.00E+00
Max		9.74E-06	8.21E-06	5.80E-06	1.76E-06	1.16E-07	1.63E-11	1.59E-22	0.00E+00
Avg		7.64E-06	6.14E-06	3.96E-06	8.98E-07	1.92E-08	1.89E-13	1.09E-25	0.00E+00
Std		9.62E-07	7.70E-07	6.56E-07	3.80E-07	2.08E-08	7.09E-13	3.42E-24	0.00E+00
<hr/>									

ALL is total risk summed for all nuclides.

Probabilistic Dose vs Pathway(i): Ground External

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Inhalation (w/o Radon)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	1.64E-05	8.15E-06	1.26E-07	5.49E-14	7.21E-26	0.00E+00
Avg		0.00E+00	0.00E+00	1.77E-08	5.18E-08	1.16E-10	1.95E-17	2.80E-29	0.00E+00
Std		0.00E+00	0.00E+00	4.23E-07	4.54E-07	2.45E-09	1.00E-15	0.00E+00	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	1.64E-05	8.15E-06	1.26E-07	5.49E-14	7.21E-26	0.00E+00
Avg		0.00E+00	0.00E+00	1.77E-08	5.18E-08	1.16E-10	1.95E-17	2.80E-29	0.00E+00
Std		0.00E+00	0.00E+00	4.23E-07	4.54E-07	2.45E-09	1.00E-15	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Radon (Water Ind.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Plant (Water Ind.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
H-3									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.48E-02	1.25E-02	9.30E-03	2.80E-03	1.91E-04	2.43E-08	2.55E-19	0.00E+00
Avg		7.83E-03	6.30E-03	4.11E-03	9.45E-04	2.10E-05	2.30E-10	1.35E-22	0.00E+00
Std		4.64E-03	3.74E-03	2.49E-03	7.15E-04	2.88E-05	9.74E-10	4.78E-21	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.48E-02	1.25E-02	9.30E-03	2.80E-03	1.91E-04	2.43E-08	2.55E-19	0.00E+00
Avg		7.83E-03	6.30E-03	4.11E-03	9.45E-04	2.10E-05	2.30E-10	1.35E-22	0.00E+00
Std		4.64E-03	3.74E-03	2.49E-03	7.15E-04	2.88E-05	9.74E-10	4.78E-21	0.00E+00

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Meat (Water Ind.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.38E-03	1.16E-03	8.58E-04	2.66E-04	1.76E-05	2.24E-09	2.35E-20	0.00E+00
Avg		7.31E-04	5.89E-04	3.84E-04	8.82E-05	1.95E-06	2.13E-11	1.24E-23	0.00E+00
Std		4.34E-04	3.49E-04	2.32E-04	6.64E-05	2.67E-06	8.99E-11	4.40E-22	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.38E-03	1.16E-03	8.58E-04	2.66E-04	1.76E-05	2.24E-09	2.35E-20	0.00E+00
Avg		7.31E-04	5.89E-04	3.84E-04	8.82E-05	1.95E-06	2.13E-11	1.24E-23	0.00E+00
Std		4.34E-04	3.49E-04	2.32E-04	6.64E-05	2.67E-06	8.99E-11	4.40E-22	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3.RAD

Probabilistic Dose vs Pathway(i): Milk (Water Ind.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.10E-02	9.22E-03	6.85E-03	2.08E-03	1.41E-04	1.79E-08	1.88E-19	0.00E+00
Avg		5.81E-03	4.68E-03	3.05E-03	7.01E-04	1.55E-05	1.70E-10	9.94E-23	0.00E+00
Std		3.45E-03	2.78E-03	1.85E-03	5.29E-04	2.13E-05	7.18E-10	3.52E-21	0.00E+00
<hr/>									
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.10E-02	9.22E-03	6.85E-03	2.08E-03	1.41E-04	1.79E-08	1.88E-19	0.00E+00
Avg		5.81E-03	4.68E-03	3.05E-03	7.01E-04	1.55E-05	1.70E-10	9.94E-23	0.00E+00
Std		3.45E-03	2.78E-03	1.85E-03	5.29E-04	2.13E-05	7.18E-10	3.52E-21	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3.RAD

Probabilistic Dose vs Pathway(i): Soil Ingestion

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	1.70E-07	5.07E-08	4.87E-10	2.03E-13	2.16E-25	0.00E+00
Avg		0.00E+00	0.00E+00	1.68E-10	2.42E-10	8.08E-13	1.17E-16	7.55E-29	0.00E+00
Std		0.00E+00	0.00E+00	4.70E-09	2.39E-09	1.42E-11	4.06E-15	0.00E+00	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	1.70E-07	5.07E-08	4.87E-10	2.03E-13	2.16E-25	0.00E+00
Avg		0.00E+00	0.00E+00	1.68E-10	2.42E-10	8.08E-13	1.17E-16	7.55E-29	0.00E+00
Std		0.00E+00	0.00E+00	4.70E-09	2.39E-09	1.42E-11	4.06E-15	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3.RAD

Probabilistic Dose vs Pathway(i): Water Ingestion

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
H-3								
Min	4.55E-02	3.92E-02	2.46E-02	2.46E-04	8.54E-12	0.00E+00	0.00E+00	0.00E+00
Max	8.96E-02	7.53E-02	5.32E-02	1.67E-02	1.21E-03	1.63E-07	1.57E-18	0.00E+00
Avg	7.47E-02	5.99E-02	3.87E-02	8.80E-03	1.90E-04	1.88E-09	1.13E-21	0.00E+00
Std	6.27E-03	5.67E-03	6.07E-03	3.81E-03	2.08E-04	7.25E-09	3.50E-20	0.00E+00
ALL								
Min	4.55E-02	3.92E-02	2.46E-02	2.46E-04	8.54E-12	0.00E+00	0.00E+00	0.00E+00
Max	8.96E-02	7.53E-02	5.32E-02	1.67E-02	1.21E-03	1.63E-07	1.57E-18	0.00E+00
Avg	7.47E-02	5.99E-02	3.87E-02	8.80E-03	1.90E-04	1.88E-09	1.13E-21	0.00E+00
Std	6.27E-03	5.67E-03	6.07E-03	3.81E-03	2.08E-04	7.25E-09	3.50E-20	0.00E+00

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3.RAD

Probabilistic Dose vs Pathway(i): Fish Ingestion

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3.RAD

Probabilistic Dose vs Pathway(i): Radon (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3.RAD

Probabilistic Dose vs Pathway(i): Plant (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		3.09E-03	2.66E-03	1.96E-03	2.96E-05	1.01E-12	0.00E+00	0.00E+00	0.00E+00
Max		1.21E-02	1.01E-02	7.16E-03	2.12E-03	1.02E-04	1.27E-08	1.21E-19	0.00E+00
Avg		8.61E-03	6.90E-03	4.45E-03	1.01E-03	2.13E-05	1.93E-10	9.32E-23	0.00E+00
Std		1.40E-03	1.13E-03	8.92E-04	4.45E-04	2.28E-05	6.62E-10	2.78E-21	0.00E+00
<hr/>									
ALL									
Min		3.09E-03	2.66E-03	1.96E-03	2.96E-05	1.01E-12	0.00E+00	0.00E+00	0.00E+00
Max		1.21E-02	1.01E-02	7.16E-03	2.12E-03	1.02E-04	1.27E-08	1.21E-19	0.00E+00
Avg		8.61E-03	6.90E-03	4.45E-03	1.01E-03	2.13E-05	1.93E-10	9.32E-23	0.00E+00
Std		1.40E-03	1.13E-03	8.92E-04	4.45E-04	2.28E-05	6.62E-10	2.78E-21	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3.RAD

Probabilistic Dose vs Pathway(i): Meat (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		2.28E-03	1.96E-03	1.29E-03	1.31E-05	4.61E-13	0.00E+00	0.00E+00	0.00E+00
Max		4.70E-03	3.95E-03	2.79E-03	8.65E-04	6.12E-05	8.17E-09	7.87E-20	0.00E+00
Avg		3.88E-03	3.11E-03	2.01E-03	4.57E-04	9.83E-06	9.65E-11	5.71E-23	0.00E+00
Std		3.50E-04	3.06E-04	3.15E-04	1.97E-04	1.07E-05	3.69E-10	1.76E-21	0.00E+00
ALL									
Min		2.28E-03	1.96E-03	1.29E-03	1.31E-05	4.61E-13	0.00E+00	0.00E+00	0.00E+00
Max		4.70E-03	3.95E-03	2.79E-03	8.65E-04	6.12E-05	8.17E-09	7.87E-20	0.00E+00
Avg		3.88E-03	3.11E-03	2.01E-03	4.57E-04	9.83E-06	9.65E-11	5.71E-23	0.00E+00
Std		3.50E-04	3.06E-04	3.15E-04	1.97E-04	1.07E-05	3.69E-10	1.76E-21	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3.RAD

Probabilistic Dose vs Pathway(i): Milk (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
H-3									
Min		9.65E-03	8.30E-03	5.54E-03	5.61E-05	1.95E-12	0.00E+00	0.00E+00	0.00E+00
Max		2.07E-02	1.74E-02	1.23E-02	3.77E-03	2.62E-04	3.48E-08	3.36E-19	0.00E+00
Avg		1.68E-02	1.35E-02	8.72E-03	1.98E-03	4.26E-05	4.17E-10	2.44E-22	0.00E+00
Std		1.60E-03	1.39E-03	1.40E-03	8.56E-04	4.65E-05	1.58E-09	7.52E-21	0.00E+00
ALL									
Min		9.65E-03	8.30E-03	5.54E-03	5.61E-05	1.95E-12	0.00E+00	0.00E+00	0.00E+00
Max		2.07E-02	1.74E-02	1.23E-02	3.77E-03	2.62E-04	3.48E-08	3.36E-19	0.00E+00
Avg		1.68E-02	1.35E-02	8.72E-03	1.98E-03	4.26E-05	4.17E-10	2.44E-22	0.00E+00
Std		1.60E-03	1.39E-03	1.40E-03	8.56E-04	4.65E-05	1.58E-09	7.52E-21	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3.RAD

Cumulative Probability Summary for: Total Dose Over Pathways

Cumulative Probability	Dose(t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
0.025	8.95E-02	7.20E-02	4.20E-02	4.19E-03	2.44E-06	1.34E-20	0.00E+00	0.00E+00
0.050	9.40E-02	7.52E-02	4.43E-02	4.96E-03	6.83E-06	2.53E-16	0.00E+00	0.00E+00
0.075	9.75E-02	7.73E-02	4.58E-02	5.58E-03	1.07E-05	1.59E-15	0.00E+00	0.00E+00
0.100	9.99E-02	7.90E-02	4.71E-02	6.14E-03	1.49E-05	6.60E-15	0.00E+00	0.00E+00
0.125	1.02E-01	8.09E-02	4.84E-02	6.70E-03	1.99E-05	1.94E-14	0.00E+00	0.00E+00
0.150	1.04E-01	8.25E-02	4.96E-02	7.26E-03	2.56E-05	5.16E-14	0.00E+00	0.00E+00
0.175	1.05E-01	8.39E-02	5.05E-02	7.76E-03	3.09E-05	1.01E-13	0.00E+00	0.00E+00
0.200	1.07E-01	8.49E-02	5.14E-02	8.17E-03	3.72E-05	1.80E-13	0.00E+00	0.00E+00
0.225	1.08E-01	8.61E-02	5.24E-02	8.59E-03	4.49E-05	3.52E-13	0.00E+00	0.00E+00
0.250	1.09E-01	8.71E-02	5.34E-02	9.05E-03	5.28E-05	6.13E-13	0.00E+00	0.00E+00
0.275	1.10E-01	8.80E-02	5.42E-02	9.52E-03	6.01E-05	9.96E-13	0.00E+00	0.00E+00
0.300	1.12E-01	8.89E-02	5.51E-02	9.88E-03	6.87E-05	1.66E-12	0.00E+00	0.00E+00
0.325	1.13E-01	8.96E-02	5.60E-02	1.04E-02	7.83E-05	2.47E-12	0.00E+00	0.00E+00
0.350	1.14E-01	9.05E-02	5.68E-02	1.08E-02	8.98E-05	3.86E-12	0.00E+00	0.00E+00
0.375	1.15E-01	9.13E-02	5.76E-02	1.12E-02	1.01E-04	5.80E-12	0.00E+00	0.00E+00
0.400	1.15E-01	9.22E-02	5.83E-02	1.16E-02	1.12E-04	8.70E-12	0.00E+00	0.00E+00
0.425	1.17E-01	9.29E-02	5.89E-02	1.20E-02	1.24E-04	1.22E-11	0.00E+00	0.00E+00
0.450	1.18E-01	9.36E-02	5.97E-02	1.24E-02	1.36E-04	1.74E-11	0.00E+00	0.00E+00
0.475	1.19E-01	9.43E-02	6.05E-02	1.28E-02	1.52E-04	2.57E-11	0.00E+00	0.00E+00
0.500	1.20E-01	9.51E-02	6.13E-02	1.34E-02	1.68E-04	3.40E-11	0.00E+00	0.00E+00
0.525	1.21E-01	9.58E-02	6.20E-02	1.38E-02	1.86E-04	4.83E-11	0.00E+00	0.00E+00
0.550	1.21E-01	9.66E-02	6.26E-02	1.43E-02	2.06E-04	6.42E-11	0.00E+00	0.00E+00
0.575	1.22E-01	9.74E-02	6.33E-02	1.48E-02	2.24E-04	9.02E-11	0.00E+00	0.00E+00
0.600	1.23E-01	9.84E-02	6.40E-02	1.53E-02	2.47E-04	1.28E-10	0.00E+00	0.00E+00
0.625	1.24E-01	9.93E-02	6.49E-02	1.58E-02	2.69E-04	1.78E-10	0.00E+00	0.00E+00
0.650	1.25E-01	1.00E-01	6.58E-02	1.63E-02	2.99E-04	2.44E-10	1.05E-30	0.00E+00
0.675	1.26E-01	1.01E-01	6.66E-02	1.69E-02	3.30E-04	3.38E-10	4.23E-30	0.00E+00
0.700	1.27E-01	1.02E-01	6.75E-02	1.74E-02	3.68E-04	4.87E-10	2.06E-29	0.00E+00
0.725	1.28E-01	1.03E-01	6.83E-02	1.80E-02	4.11E-04	7.15E-10	9.98E-29	0.00E+00
0.750	1.29E-01	1.03E-01	6.93E-02	1.86E-02	4.55E-04	9.85E-10	4.13E-28	0.00E+00
0.775	1.30E-01	1.04E-01	7.03E-02	1.94E-02	5.05E-04	1.37E-09	1.50E-27	0.00E+00
0.800	1.31E-01	1.05E-01	7.11E-02	1.99E-02	5.61E-04	1.99E-09	8.80E-27	0.00E+00
0.825	1.32E-01	1.06E-01	7.23E-02	2.05E-02	6.25E-04	3.00E-09	4.18E-26	0.00E+00
0.850	1.33E-01	1.07E-01	7.36E-02	2.13E-02	6.87E-04	3.91E-09	1.65E-25	0.00E+00
0.875	1.34E-01	1.09E-01	7.46E-02	2.20E-02	7.48E-04	5.24E-09	8.87E-25	0.00E+00
0.900	1.36E-01	1.10E-01	7.59E-02	2.27E-02	8.23E-04	7.20E-09	4.02E-24	0.00E+00
0.925	1.37E-01	1.12E-01	7.75E-02	2.37E-02	9.09E-04	9.94E-09	1.58E-23	0.00E+00
0.950	1.39E-01	1.14E-01	7.95E-02	2.49E-02	1.02E-03	1.54E-08	6.69E-23	0.00E+00
0.975	1.41E-01	1.17E-01	8.24E-02	2.61E-02	1.16E-03	2.66E-08	3.92E-22	0.00E+00
1.000	1.53E-01	1.28E-01	9.07E-02	2.79E-02	1.87E-03	2.63E-07	2.57E-18	0.00E+00

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3-RAD

Summary of dose at graphical times, reptition 1								
Time	Dose statistics at graphical times, mrem/yr							
Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	6.93E-02	1.49E-01	1.18E-01	1.20E-01	1.36E-01	1.39E-01	1.41E-01	1.45E-01
1.00E+00	5.58E-02	1.23E-01	9.50E-02	9.50E-02	1.10E-01	1.15E-01	1.18E-01	1.20E-01
1.06E+00	5.51E-02	1.22E-01	9.37E-02	9.38E-02	1.09E-01	1.13E-01	1.16E-01	1.19E-01
1.12E+00	5.44E-02	1.21E-01	9.25E-02	9.25E-02	1.07E-01	1.12E-01	1.15E-01	1.18E-01
1.19E+00	5.36E-02	1.19E-01	9.12E-02	9.12E-02	1.06E-01	1.11E-01	1.14E-01	1.16E-01
1.25E+00	5.28E-02	1.18E-01	8.98E-02	8.99E-02	1.05E-01	1.09E-01	1.12E-01	1.15E-01
1.33E+00	5.20E-02	1.16E-01	8.84E-02	8.83E-02	1.04E-01	1.08E-01	1.11E-01	1.13E-01
1.40E+00	5.11E-02	1.14E-01	8.69E-02	8.66E-02	1.02E-01	1.06E-01	1.09E-01	1.12E-01
1.49E+00	5.02E-02	1.13E-01	8.53E-02	8.51E-02	1.01E-01	1.05E-01	1.08E-01	1.10E-01
1.57E+00	4.93E-02	1.11E-01	8.37E-02	8.34E-02	9.90E-02	1.03E-01	1.06E-01	1.09E-01
1.66E+00	4.83E-02	1.09E-01	8.21E-02	8.16E-02	9.71E-02	1.01E-01	1.04E-01	1.07E-01
1.76E+00	4.73E-02	1.07E-01	8.04E-02	7.99E-02	9.55E-02	9.93E-02	1.03E-01	1.05E-01
1.86E+00	4.63E-02	1.05E-01	7.86E-02	7.82E-02	9.37E-02	9.75E-02	1.01E-01	1.03E-01
1.97E+00	4.52E-02	1.03E-01	7.67E-02	7.64E-02	9.18E-02	9.55E-02	9.90E-02	1.01E-01
2.09E+00	4.41E-02	1.01E-01	7.48E-02	7.45E-02	8.98E-02	9.36E-02	9.70E-02	9.92E-02
2.21E+00	4.30E-02	9.91E-02	7.29E-02	7.25E-02	8.77E-02	9.16E-02	9.50E-02	9.72E-02
2.34E+00	4.18E-02	9.69E-02	7.09E-02	7.04E-02	8.57E-02	8.93E-02	9.29E-02	9.51E-02
2.47E+00	4.06E-02	9.46E-02	6.88E-02	6.84E-02	8.36E-02	8.73E-02	9.07E-02	9.30E-02
2.62E+00	3.93E-02	9.23E-02	6.67E-02	6.63E-02	8.15E-02	8.52E-02	8.85E-02	9.08E-02
2.77E+00	3.80E-02	9.00E-02	6.45E-02	6.41E-02	7.92E-02	8.30E-02	8.62E-02	8.83E-02
2.93E+00	3.63E-02	8.76E-02	6.23E-02	6.19E-02	7.69E-02	8.08E-02	8.38E-02	8.59E-02
3.00E+00	3.54E-02	8.67E-02	6.14E-02	6.11E-02	7.60E-02	7.99E-02	8.28E-02	8.50E-02
3.310E+00	3.42E-02	8.52E-02	6.00E-02	5.97E-02	7.46E-02	7.84E-02	8.15E-02	8.35E-02
3.328E+00	3.21E-02	8.27E-02	5.77E-02	5.75E-02	7.23E-02	7.59E-02	7.91E-02	8.10E-02
3.48E+00	3.00E-02	8.01E-02	5.54E-02	5.53E-02	6.99E-02	7.34E-02	7.67E-02	7.84E-02
3.68E+00	2.80E-02	7.75E-02	5.30E-02	5.29E-02	6.75E-02	7.09E-02	7.43E-02	7.58E-02
3.89E+00	2.60E-02	7.48E-02	5.06E-02	5.03E-02	6.49E-02	6.83E-02	7.17E-02	7.32E-02
4.12E+00	2.40E-02	7.20E-02	4.82E-02	4.80E-02	6.23E-02	6.58E-02	6.91E-02	7.05E-02
4.36E+00	2.21E-02	6.92E-02	4.58E-02	4.57E-02	5.97E-02	6.32E-02	6.65E-02	6.77E-02
4.61E+00	1.85E-02	6.64E-02	4.34E-02	4.33E-02	5.70E-02	6.06E-02	6.37E-02	6.49E-02
4.88E+00	1.41E-02	6.35E-02	4.09E-02	4.10E-02	5.43E-02	5.76E-02	6.07E-02	6.19E-02
5.17E+00	1.06E-02	6.06E-02	3.85E-02	3.86E-02	5.16E-02	5.49E-02	5.80E-02	5.89E-02
5.47E+00	8.02E-03	5.76E-02	3.61E-02	3.61E-02	4.91E-02	5.24E-02	5.52E-02	5.62E-02
5.78E+00	6.33E-03	5.47E-02	3.37E-02	3.37E-02	4.64E-02	4.98E-02	5.23E-02	5.33E-02
6.12E+00	4.71E-03	5.17E-02	3.14E-02	3.14E-02	4.38E-02	4.71E-02	4.94E-02	5.04E-02
6.48E+00	3.79E-03	4.88E-02	2.91E-02	2.91E-02	4.11E-02	4.44E-02	4.67E-02	4.76E-02
6.86E+00	3.09E-03	4.58E-02	2.69E-02	2.68E-02	3.86E-02	4.18E-02	4.38E-02	4.48E-02
7.26E+00	2.49E-03	4.29E-02	2.47E-02	2.46E-02	3.60E-02	3.91E-02	4.08E-02	4.20E-02
7.68E+00	1.98E-03	4.01E-02	2.26E-02	2.24E-02	3.35E-02	3.64E-02	3.79E-02	3.94E-02
8.13E+00	1.56E-03	3.73E-02	2.06E-02	2.03E-02	3.11E-02	3.40E-02	3.53E-02	3.66E-02
8.60E+00	1.21E-03	3.46E-02	1.87E-02	1.84E-02	2.87E-02	3.16E-02	3.28E-02	3.39E-02
9.10E+00	9.21E-04	3.20E-02	1.69E-02	1.65E-02	2.63E-02	2.90E-02	3.03E-02	3.12E-02
9.63E+00	6.92E-04	2.95E-02	1.51E-02	1.46E-02	2.40E-02	2.66E-02	2.78E-02	2.87E-02
1.00E+01	5.66E-04	2.78E-02	1.40E-02	1.35E-02	2.26E-02	2.49E-02	2.62E-02	2.71E-02
1.02E+01	5.11E-04	2.70E-02	1.35E-02	1.30E-02	2.19E-02	2.42E-02	2.54E-02	2.63E-02
1.08E+01	3.71E-04	2.47E-02	1.19E-02	1.15E-02	1.98E-02	2.19E-02	2.31E-02	2.39E-02
1.14E+01	2.64E-04	2.24E-02	1.05E-02	9.97E-03	1.79E-02	1.97E-02	2.09E-02	2.16E-02
1.21E+01	1.84E-04	2.02E-02	9.19E-03	8.64E-03	1.60E-02	1.76E-02	1.88E-02	1.95E-02
1.28E+01	1.26E-04	1.82E-02	7.98E-03	7.43E-03	1.43E-02	1.57E-02	1.68E-02	1.74E-02
1.35E+01	8.44E-05	1.64E-02	6.88E-03	6.35E-03	1.26E-02	1.39E-02	1.49E-02	1.55E-02
1.43E+01	4.70E-05	1.47E-02	5.88E-03	5.36E-03	1.10E-02	1.23E-02	1.32E-02	1.37E-02
1.51E+01	2.70E-05	1.31E-02	4.99E-03	4.50E-03	9.68E-03	1.08E-02	1.15E-02	1.20E-02
1.60E+01	1.65E-05	1.16E-02	4.20E-03	3.72E-03	8.36E-03	9.34E-03	1.01E-02	1.05E-02
1.70E+01	9.81E-06	1.02E-02	3.50E-03	3.05E-03	7.19E-03	8.05E-03	8.70E-03	9.05E-03
1.80E+01	5.65E-06	8.94E-03	2.89E-03	2.46E-03	6.09E-03	6.82E-03	7.42E-03	7.77E-03
1.90E+01	3.16E-06	7.74E-03	2.36E-03	1.96E-03	5.14E-03	5.80E-03	6.29E-03	6.61E-03

2.01E+01 1.70E-06 6.65E-03 1.91E-03 1.55E-03 4.26E-03 4.88E-03 5.29E-03 5.58E-03

2.13E+01 8.86E-07 5.66E-03 1.53E-03 1.20E-03 3.48E-03 4.06E-03 4.40E-03 4.66E-03

2.25E+01 4.44E-07 4.77E-03 1.21E-03 9.05E-04 2.82E-03 3.33E-03 3.63E-03 3.86E-03

2.38E+01	2.14E-07	3.98E-03	9.46E-04	6.80E-04	2.27E-03	2.73E-03	2.95E-03	3.17E-03
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.52E+01	9.86E-08	3.29E-03	7.31E-04	5.03E-04	1.80E-03	2.18E-03	2.40E-03	2.57E-03
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.67E+01 4.35E-08 2.69E-03 5.58E-04 3.66E-04 1.42E-03 1.72E-03 1.93E-03 2.06E-03

2.82E+01 1.83E-08 2.17E-03 4.19E-04 2.62E-04 1.10E-03 1.34E-03 1.51E-03 1.62E-03

2.99E+01 7.31E-09 1.73E-03 3.11E-04 1.85E-04 8.31E-04 1.04E-03 1.17E-03 1.27E-03

3.00E+01 6.84E-09 1.70E-03 3.04E-04 1.80E-04 8.15E-04 1.02E-03 1.15E-03 1.25E-03

3.16E+01 2.77E-09 1.36E-03 2.27E-04 1.27E-04 6.26E-04 7.90E-04 8.90E-04 9.75E-04

3.35E+01	9.91E-10	1.06E-03	1.63E-04	8.57E-05	4.60E-04	5.88E-04	6.69E-04	7.48E-04
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.54E+01 1.85E-10 8.09E-04 1.15E-04 5.62E-05 3.37E-04 4.32E-04 4.92E-04 5.61E-04

3.75E+01 5.56E-11 6.09E-04 7.99E-05 3.55E-05 2.42E-04 3.12E-04 3.55E-04 4.09E-04

3.97E+01	1.57E-11	4.51E-04	5.45E-05	2.21E-05	1.69E-04	2.21E-04	2.55E-04	2.93E-04
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.20E+01 4.09E-12 3.29E-04 3.64E-05 1.33E-05 1.15E-04 1.53E-04 1.79E-04 2.06E-04

4.44E+01 9.84E-13 2.35E-04 2.38E-05 7.87E-06 7.68E-05 1.04E-04 1.25E-04 1.45E-04

4.70E+01 2.18E-13 1.64E-04 1.53E-05 4.46E-06 4.99E-05 6.82E-05 8.39E-05 1.01E-04

4.97E+01 4.40E-14 1.13E-04 9.57E-06 2.45E-06 3.19E-05 4.41E-05 5.59E-05 6.74E-05

5.26E+01 8.08E-15 7.57E-05 5.85E-06 1.31E-06 1.99E-05 2.79E-05 3.62E-05 4.39E-05

5.57E+01 1.34E-15 4.97E-05 3.49E-06 6.82E-07 1.21E-05 1.71E-05 2.26E-05 2.78E-05

5.90E+01 1.99E-16 3.18E-05 2.03E-06 3.24E-07 7.14E-06 1.03E-05 1.37E-05 1.72E-05

6.24E+01 2.65E-17 1.98E-05 1.14E-06 1.53E-07 4.07E-06 5.96E-06 8.09E-06 1.03E-05

6.60E+01 3.11E-18 1.20E-05 6.28E-07 6.92E-08 2.25E-06 3.35E-06 4.69E-06 6.02E-06

6.99E+01 3.20E-19 7.08E-06 3.34E-07 3.00E-08 1.19E-06 1.82E-06 2.60E-06 3.40E-06

7.39E+01 2.88E-20 4.05E-06 1.72E-07 1.24E-08 6.07E-07 9.51E-07 1.39E-06 1.86E-06

7.82E+01 2.23E-21 2.24E-06 8.58E-08 4.79E-09 3.01E-07 4.79E-07 7.15E-07 9.80E-07

8.28E+01 1.48E-22 1.20E-06 4.12E-08 1.78E-09 1.41E-07 2.32E-07 3.55E-07 4.98E-07

8.76E+01 8.33E-24 6.16E-07 1.91E-08 6.22E-10 6.34E-08 1.08E-07 1.69E-07 2.43E-07

9.27E+01 3.93E-25 3.05E-07 8.47E-09 2.06E-10 2.72E-08 4.80E-08 7.68E-08 1.15E-07

9.81E+01 1.53E-26 1.45E-07 3.61E-09 6.40E-11 1.11E-08 2.03E-08 3.34E-08 5.20E-08

1.00E+02 4.16E-27 1.12E-07 2.69E-09 4.28E-11 8.12E-09 1.51E-08 2.50E-08 3.93E-08

1.04E+02 1.27E-28 6.72E-08 1.47E-09 1.87E-11 4.29E-09 8.19E-09 1.38E-08 2.22E-08

1.10E+02 0.00E+00 3.00E-08 5.72E-10 4.96E-12 1.57E-09 3.12E-09 5.45E-09 8.99E-09

1.16E+02 0.00E+00 1.28E-08 2.12E-10 1.20E-12 5.46E-10 1.12E-09 2.03E-09 3.46E-09

1.23E+02 0.00E+00 5.18E-09 7.47E-11 2.76E-13 1.77E-10 3.81E-10 7.17E-10 1.26E-09

1.30E+02 0.00E+00 1.75E-09 2.30E-11 5.83E-14 5.35E-11 1.21E-10 2.37E-10 4.34E-10

1.38E+02 0.00E+00 6.17E-10 6.85E-12 9.79E-15 1.52E-11 3.62E-11 7.36E-11 1.39E-10

1.46E+02 0.00E+00 2.04E-10 1.95E-12 1.40E-15 3.50E-12 9.65E-12 2.13E-11 4.20E-11

1.54E+02 0.00E+00 3.30E-11 5.01E-13 1.88E-16 8.43E-13 2.50E-12 5.76E-12 1.19E-11

1.63E+02 0.00E+00 7.48E-12 1.17E-13 1.51E-17 1.87E-13 6.00E-13 1.44E-12 3.12E-12

1.73E+02 0.00E+00 1.94E-12 2.56E-14 1.58E-18 2.83E-14 1.22E-13 3.19E-13 7.57E-13

1.83E+02 0.00E+00 4.64E-13 5.20E-15 1.01E-19 5.18E-15 2.33E-14 6.40E-14 1.66E-13

1.94E+02 0.00E+00 1.02E-13 9.48E-16 5.46E-21 8.13E-16 3.73E-15 1.04E-14 2.94E-14

2.05E+02 0.00E+00 2.07E-14 1.69E-16 2.65E-22 1.21E-16 5.89E-16 1.81E-15 5.47E-15

2.17E+02	0.00E+00	3.81E-15	2.77E-17	5.25E-24	1.61E-17	8.59E-17	2.86E-16	9.22E-16
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.29E+02 0.00E+00 6.34E-16 4.12E-18 1.76E-25 1.91E-18 1.12E-17 4.04E-17 1.40E-16

2.43E+02 0.00E+00 9.52E-17 4.79E-19 2.75E-27 1.91E-19 1.29E-18 4.00E-18 1.01E-17

2.57E+02 0.00E+00 1.28E-17 5.42E-20 4.18E-29 1.33E-20 1.16E-19 3.38E-19 1.02E-18

2.72E+02	0.00E+00	1.53E-18	5.44E-21	0.00E+00	9.78E-22	9.58E-21	3.12E-20	1.03E-19
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.88E+02	0.00E+00	1.62E-19	5.12E-22	0.00E+00	4.62E-23	6.16E-22	2.57E-21	9.06E-21
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.00E+02 0.00E+00 2.85E-20 8.32E-23 0.00E+00 4.45E-24 8.10E-23 3.73E-22 1.39E-21

3.05E+02 0.00E+00 1.50E-20 4.04E-23 0.00E+00 1.84E-24 3.90E-23 1.83E-22 6.94E-22

3.22E+02 0.00E+00 1.21E-21 2.89E-24 0.00E+00 6.06E-26 2.10E-24 1.12E-23 4.57E-23

3.41E+02 0.00E+00 8.46E-23 1.80E-25 0.00E+00 1.76E-27 9.14E-26 5.44E-25 2.00E-24

3.61E+02 0.00E+00 5.05E-24 9.82E-27 0.00E+00 3.80E-29 2.62E-27 2.02E-26 9.45E-26

3.82E+02	0.00E+00	2.56E-25	4.60E-28	0.00E+00	0.00E+00	8.24E-29	7.25E-28	3.73E-27
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.04E+02 0.00E+00 1.09E-26 1.81E-29 0.00E+00 0.00E+00 0.00E+00 1.59E-29 1.21E-28

4.28E+02	0.00E+00	3.86E-28	5.69E-31	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.98E-30
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.53E+02	0.00E+00	9.36E-30	9.36E-33	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
----------	----------	----------	----------	----------	----------	----------	----------	----------

[illegible]

[illegible]

[illegible]

```
6.01E+02      0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
```

```
6.36E+02      0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
```

```
6.73E+02      0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
9.45E+02      0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00
```

[illegible]

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3-RAD

Summary of dose at graphical times, reptition 2								
Time	Dose statistics at graphical times, mrem/yr							
Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	7.28E-02	1.50E-01	1.18E-01	1.20E-01	1.36E-01	1.39E-01	1.41E-01	1.45E-01
1.00E+00	6.24E-02	1.26E-01	9.50E-02	9.52E-02	1.11E-01	1.14E-01	1.17E-01	1.19E-01
1.06E+00	6.15E-02	1.25E-01	9.38E-02	9.39E-02	1.09E-01	1.12E-01	1.15E-01	1.18E-01
1.12E+00	6.06E-02	1.23E-01	9.25E-02	9.25E-02	1.08E-01	1.11E-01	1.14E-01	1.17E-01
1.19E+00	5.96E-02	1.22E-01	9.12E-02	9.12E-02	1.07E-01	1.10E-01	1.13E-01	1.16E-01
1.25E+00	5.85E-02	1.21E-01	8.98E-02	8.98E-02	1.05E-01	1.08E-01	1.11E-01	1.14E-01
1.33E+00	5.75E-02	1.19E-01	8.84E-02	8.83E-02	1.04E-01	1.07E-01	1.10E-01	1.13E-01
1.40E+00	5.64E-02	1.17E-01	8.69E-02	8.67E-02	1.02E-01	1.06E-01	1.08E-01	1.11E-01
1.49E+00	5.52E-02	1.16E-01	8.54E-02	8.51E-02	1.01E-01	1.04E-01	1.06E-01	1.10E-01
1.57E+00	5.41E-02	1.14E-01	8.38E-02	8.35E-02	9.91E-02	1.02E-01	1.05E-01	1.08E-01
1.66E+00	5.28E-02	1.12E-01	8.21E-02	8.19E-02	9.74E-02	1.01E-01	1.03E-01	1.06E-01
1.76E+00	5.16E-02	1.11E-01	8.04E-02	8.02E-02	9.56E-02	9.89E-02	1.01E-01	1.05E-01
1.86E+00	5.02E-02	1.09E-01	7.86E-02	7.84E-02	9.38E-02	9.73E-02	9.95E-02	1.03E-01
1.97E+00	4.85E-02	1.07E-01	7.68E-02	7.66E-02	9.19E-02	9.56E-02	9.78E-02	1.01E-01
2.09E+00	4.67E-02	1.05E-01	7.49E-02	7.47E-02	8.99E-02	9.36E-02	9.59E-02	9.86E-02
2.21E+00	4.49E-02	1.02E-01	7.29E-02	7.27E-02	8.79E-02	9.15E-02	9.40E-02	9.65E-02
2.34E+00	4.31E-02	1.00E-01	7.09E-02	7.08E-02	8.60E-02	8.95E-02	9.20E-02	9.43E-02
2.47E+00	4.13E-02	9.79E-02	6.88E-02	6.86E-02	8.39E-02	8.74E-02	8.99E-02	9.20E-02
2.62E+00	3.94E-02	9.56E-02	6.67E-02	6.64E-02	8.18E-02	8.52E-02	8.78E-02	8.97E-02
2.77E+00	3.76E-02	9.31E-02	6.45E-02	6.45E-02	7.96E-02	8.31E-02	8.56E-02	8.74E-02
2.93E+00	3.56E-02	9.06E-02	6.23E-02	6.22E-02	7.74E-02	8.09E-02	8.33E-02	8.51E-02
3.00E+00	3.48E-02	8.96E-02	6.14E-02	6.13E-02	7.65E-02	7.99E-02	8.23E-02	8.42E-02
3.310E+00	3.36E-02	8.80E-02	6.01E-02	6.00E-02	7.51E-02	7.85E-02	8.09E-02	8.28E-02
3.328E+00	3.16E-02	8.53E-02	5.78E-02	5.77E-02	7.27E-02	7.61E-02	7.84E-02	8.04E-02
3.48E+00	2.97E-02	8.26E-02	5.54E-02	5.53E-02	7.03E-02	7.35E-02	7.59E-02	7.77E-02
3.68E+00	2.77E-02	7.98E-02	5.31E-02	5.29E-02	6.76E-02	7.11E-02	7.34E-02	7.49E-02
3.89E+00	2.58E-02	7.70E-02	5.07E-02	5.04E-02	6.53E-02	6.85E-02	7.08E-02	7.21E-02
4.12E+00	2.31E-02	7.40E-02	4.82E-02	4.78E-02	6.27E-02	6.59E-02	6.82E-02	6.96E-02
4.36E+00	1.82E-02	7.11E-02	4.58E-02	4.54E-02	6.02E-02	6.34E-02	6.55E-02	6.70E-02
4.61E+00	1.43E-02	6.81E-02	4.34E-02	4.30E-02	5.76E-02	6.07E-02	6.28E-02	6.43E-02
4.88E+00	1.14E-02	6.50E-02	4.09E-02	4.05E-02	5.51E-02	5.81E-02	6.00E-02	6.15E-02
5.17E+00	9.48E-03	6.20E-02	3.85E-02	3.80E-02	5.24E-02	5.54E-02	5.72E-02	5.85E-02
5.47E+00	8.04E-03	5.89E-02	3.61E-02	3.56E-02	4.97E-02	5.28E-02	5.44E-02	5.58E-02
5.78E+00	6.77E-03	5.58E-02	3.37E-02	3.31E-02	4.70E-02	5.02E-02	5.14E-02	5.30E-02
6.12E+00	5.44E-03	5.27E-02	3.14E-02	3.09E-02	4.44E-02	4.74E-02	4.86E-02	5.03E-02
6.48E+00	4.43E-03	4.96E-02	2.91E-02	2.86E-02	4.17E-02	4.46E-02	4.58E-02	4.74E-02
6.86E+00	3.07E-03	4.65E-02	2.69E-02	2.64E-02	3.91E-02	4.19E-02	4.31E-02	4.48E-02
7.26E+00	2.14E-03	4.34E-02	2.47E-02	2.42E-02	3.64E-02	3.91E-02	4.04E-02	4.18E-02
7.68E+00	1.66E-03	4.04E-02	2.26E-02	2.20E-02	3.39E-02	3.63E-02	3.78E-02	3.91E-02
8.13E+00	1.29E-03	3.75E-02	2.06E-02	1.99E-02	3.13E-02	3.38E-02	3.52E-02	3.64E-02
8.60E+00	9.88E-04	3.46E-02	1.86E-02	1.80E-02	2.90E-02	3.12E-02	3.27E-02	3.37E-02
9.10E+00	7.45E-04	3.19E-02	1.68E-02	1.62E-02	2.66E-02	2.89E-02	3.02E-02	3.12E-02
9.63E+00	5.53E-04	2.94E-02	1.51E-02	1.44E-02	2.43E-02	2.65E-02	2.77E-02	2.87E-02
1.00E+01	4.49E-04	2.77E-02	1.39E-02	1.33E-02	2.29E-02	2.49E-02	2.61E-02	2.70E-02
1.02E+01	4.03E-04	2.69E-02	1.34E-02	1.27E-02	2.22E-02	2.40E-02	2.53E-02	2.62E-02
1.08E+01	2.89E-04	2.46E-02	1.19E-02	1.11E-02	2.01E-02	2.17E-02	2.31E-02	2.39E-02
1.14E+01	2.03E-04	2.24E-02	1.04E-02	9.61E-03	1.81E-02	1.96E-02	2.10E-02	2.17E-02
1.21E+01	1.39E-04	2.03E-02	9.12E-03	8.26E-03	1.62E-02	1.75E-02	1.89E-02	1.95E-02
1.28E+01	9.38E-05	1.84E-02	7.92E-03	7.09E-03	1.44E-02	1.56E-02	1.70E-02	1.76E-02
1.35E+01	6.17E-05	1.65E-02	6.82E-03	5.99E-03	1.27E-02	1.38E-02	1.51E-02	1.57E-02
1.43E+01	3.96E-05	1.47E-02	5.83E-03	5.02E-03	1.11E-02	1.22E-02	1.33E-02	1.40E-02
1.51E+01	2.32E-05	1.31E-02	4.94E-03	4.20E-03	9.69E-03	1.06E-02	1.17E-02	1.23E-02
1.60E+01	1.26E-05	1.15E-02	4.15E-03	3.43E-03	8.38E-03	9.21E-03	1.01E-02	1.08E-02
1.70E+01	6.45E-06	1.01E-02	3.46E-03	2.78E-03	7.17E-03	7.94E-03	8.71E-03	9.34E-03
1.80E+01	3.11E-06	8.78E-03	2.86E-03	2.22E-03	6.13E-03	6.83E-03	7.49E-03	8.04E-03
1.90E+01	1.40E-06	7.63E-03	2.33E-03	1.76E-03	5.12E-03	5.83E-03	6.40E-03	6.92E-03

2.01E+01 5.77E-07 6.58E-03 1.89E-03 1.38E-03 4.24E-03 4.91E-03 5.38E-03 5.85E-03

2.13E+01 2.17E-07 5.62E-03 1.51E-03 1.06E-03 3.50E-03 4.10E-03 4.48E-03 4.92E-03

2.25E+01 7.32E-08 4.76E-03 1.20E-03 8.12E-04 2.85E-03 3.37E-03 3.69E-03 4.07E-03

2.38E+01	2.14E-08	3.99E-03	9.36E-04	6.08E-04	2.29E-03	2.74E-03	3.02E-03	3.34E-03
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.52E+01 5.30E-09 3.31E-03 7.22E-04 4.49E-04 1.82E-03 2.20E-03 2.45E-03 2.75E-03

2.67E+01 1.08E-09 2.72E-03 5.50E-04 3.25E-04 1.43E-03 1.75E-03 1.96E-03 2.24E-03

2.82E+01 1.73E-10 2.21E-03 4.14E-04 2.31E-04 1.10E-03 1.37E-03 1.54E-03 1.80E-03

2.99E+01 2.03E-11 1.77E-03 3.07E-04 1.62E-04 8.33E-04 1.06E-03 1.21E-03 1.41E-03

3.00E+01 1.73E-11 1.74E-03 3.01E-04 1.58E-04 8.17E-04 1.04E-03 1.18E-03 1.39E-03

3.16E+01	1.59E-12	1.40E-03	2.24E-04	1.10E-04	6.22E-04	8.02E-04	9.21E-04	1.09E-03
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.35E+01 7.21E-14 1.09E-03 1.61E-04 7.32E-05 4.58E-04 5.98E-04 7.04E-04 8.33E-04

3.54E+01	1.52E-15	8.42E-04	1.14E-04	4.75E-05	3.34E-04	4.38E-04	5.29E-04	6.25E-04
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.75E+01 1.04E-17 6.39E-04 7.94E-05 3.01E-05 2.36E-04 3.18E-04 3.90E-04 4.62E-04

3.97E+01 1.23E-20 4.76E-04 5.42E-05 1.85E-05 1.63E-04 2.27E-04 2.81E-04 3.37E-04

4.20E+01 7.31E-25 3.52E-04 3.63E-05 1.10E-05 1.11E-04 1.56E-04 1.99E-04 2.42E-04

4.44E+01 0.00E+00 2.57E-04 2.39E-05 6.43E-06 7.39E-05 1.05E-04 1.38E-04 1.71E-04

4.70E+01 0.00E+00 1.84E-04 1.54E-05 3.63E-06 4.80E-05 6.96E-05 9.38E-05 1.18E-04

4.97E+01 0.00E+00 1.30E-04 9.67E-06 1.98E-06 3.04E-05 4.49E-05 6.18E-05 8.00E-05

5.26E+01 0.00E+00 8.95E-05 5.95E-06 1.04E-06 1.87E-05 2.82E-05 4.00E-05 5.29E-05

5.57E+01 0.00E+00 6.03E-05 3.57E-06 5.29E-07 1.12E-05 1.73E-05 2.50E-05 3.42E-05

5.90E+01 0.00E+00 3.98E-05 2.09E-06 2.58E-07 6.54E-06 1.03E-05 1.52E-05 2.15E-05

6.24E+01 0.00E+00 2.56E-05 1.19E-06 1.21E-07 3.67E-06 6.05E-06 9.20E-06 1.32E-05

6.60E+01 0.00E+00 1.61E-05 6.62E-07 5.38E-08 1.98E-06 3.41E-06 5.35E-06 7.86E-06

6.99E+01 0.00E+00 9.80E-06 3.56E-07 2.30E-08 1.03E-06 1.89E-06 3.00E-06 4.54E-06

7.39E+01	0.00E+00	5.82E-06	1.86E-07	9.24E-09	5.22E-07	1.01E-06	1.62E-06	2.54E-06
----------	----------	----------	----------	----------	----------	----------	----------	----------

7.82E+01 0.00E+00 3.35E-06 9.36E-08 3.58E-09 2.53E-07 5.11E-07 8.44E-07 1.39E-06

8.28E+01	0.00E+00	1.86E-06	4.57E-08	1.31E-09	1.18E-07	2.49E-07	4.30E-07	7.33E-07
----------	----------	----------	----------	----------	----------	----------	----------	----------

8.76E+01 0.00E+00 1.00E-06 2.15E-08 4.52E-10 5.27E-08 1.18E-07 2.08E-07 3.70E-07

9.27E+01 0.00E+00 5.21E-07 9.79E-09 1.46E-10 2.24E-08 5.32E-08 9.67E-08 1.77E-07

9.81E+01 0.00E+00 2.61E-07 4.28E-09 4.27E-11 9.08E-09 2.27E-08 4.29E-08 8.14E-08

1.00E+02 0.00E+00 2.05E-07 3.22E-09 2.83E-11 6.65E-09 1.69E-08 3.24E-08 6.22E-08

1.04E+02 0.00E+00 1.25E-07 1.79E-09 1.21E-11 3.49E-09 9.21E-09 1.82E-08 3.58E-08

1.10E+02	0.00E+00	5.76E-08	7.20E-10	3.19E-12	1.27E-09	3.55E-09	7.32E-09	1.51E-08
----------	----------	----------	----------	----------	----------	----------	----------	----------

1.16E+02	0.00E+00	2.53E-08	2.77E-10	7.58E-13	4.36E-10	1.29E-09	2.80E-09	6.06E-09
----------	----------	----------	----------	----------	----------	----------	----------	----------

1.23E+02 0.00E+00 1.06E-08 1.01E-10 1.70E-13 1.40E-10 4.46E-10 1.01E-09 2.31E-09

1.30E+02 0.00E+00 4.23E-09 3.51E-11 3.18E-14 4.01E-11 1.44E-10 3.40E-10 8.30E-10

1.38E+02 0.00E+00 1.60E-09 1.14E-11 5.48E-15 1.08E-11 4.19E-11 1.08E-10 2.80E-10

1.46E+02	0.00E+00	5.70E-10	3.46E-12	6.89E-16	2.64E-12	1.07E-11	2.67E-11	8.36E-11
----------	----------	----------	----------	----------	----------	----------	----------	----------

1.54E+02	0.00E+00	1.91E-10	9.82E-13	8.00E-17	5.81E-13	2.51E-12	6.95E-12	2.45E-11
----------	----------	----------	----------	----------	----------	----------	----------	----------

1.63E+02 0.00E+00 6.04E-11 2.74E-13 7.32E-18 1.23E-13 5.99E-13 1.76E-12 6.71E-12

1.73E+02 0.00E+00 1.78E-11 7.17E-14 6.76E-19 2.31E-14 1.31E-13 4.11E-13 1.70E-12

1.83E+02 0.00E+00 4.89E-12 1.76E-14 6.06E-20 4.15E-15 2.64E-14 8.81E-14 3.99E-13

1.94E+02	0.00E+00	1.24E-12	3.98E-15	3.66E-21	6.61E-16	4.32E-15	1.64E-14	8.58E-14
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.05E+02 0.00E+00 2.93E-13 8.44E-16 1.96E-22 8.52E-17 7.18E-16 2.91E-15 1.69E-14

2.17E+02 0.00E+00 6.35E-14 1.63E-16 6.74E-24 1.11E-17 9.84E-17 4.40E-16 3.02E-15

2.29E+02	0.00E+00	1.26E-14	2.88E-17	2.35E-25	1.19E-18	1.27E-17	6.35E-17	4.89E-16
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.43E+02 0.00E+00 2.29E-15 4.62E-18 4.68E-27 1.02E-19 1.39E-18 8.09E-18 6.99E-17

2.57E+02 0.00E+00 3.76E-16 6.82E-19 7.99E-29 7.95E-21 1.28E-19 8.43E-19 7.80E-18

2.72E+02 0.00E+00 5.55E-17 9.34E-20 0.00E+00 5.04E-22 6.41E-21 8.54E-20 9.11E-19

2.88E+02 0.00E+00 7.33E-18 1.14E-20 0.00E+00 3.13E-23 4.78E-22 4.44E-21 4.80E-20

3.00E+02 0.00E+00 1.53E-18 2.29E-21 0.00E+00 2.76E-24 5.46E-23 6.00E-22 7.93E-21

3.05E+02 0.00E+00 8.61E-19 1.27E-21 0.00E+00 1.23E-24 2.61E-23 2.71E-22 4.09E-21

3.22E+02	0.00E+00	8.92E-20	1.25E-22	0.00E+00	4.67E-26	1.13E-24	1.69E-23	3.02E-22
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.41E+02	0.00E+00	8.10E-21	1.08E-23	0.00E+00	1.55E-27	4.86E-26	9.01E-25	1.91E-23
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.61E+02 0.00E+00 6.39E-22 8.20E-25 0.00E+00 3.43E-29 1.78E-27 3.28E-26 1.03E-24

3.82E+02	0.00E+00	4.35E-23	5.38E-26	0.00E+00	0.00E+00	3.34E-29	8.53E-28	4.70E-26
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.04E+02	0.00E+00	2.53E-24	3.03E-27	0.00E+00	0.00E+00	0.00E+00	2.47E-29	1.79E-27
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.28E+02	0.00E+00	1.25E-25	1.45E-28	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.66E-29
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.53E+02	0.00E+00	5.17E-27	5.46E-30	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.79E+02	0.00E+00	1.78E-28	1.82E-31	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
----------	----------	----------	----------	----------	----------	----------	----------	----------

[illegible]

[illegible]

[illegible]

```
6.01E+02      0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
```

```
6.36E+02      0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
```


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Summary of dose at graphical times, reptition 3								
Time	Dose statistics at graphical times, mrem/yr							
Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	6.88E-02	1.53E-01	1.18E-01	1.19E-01	1.35E-01	1.39E-01	1.42E-01	1.44E-01
1.00E+00	5.85E-02	1.28E-01	9.50E-02	9.51E-02	1.10E-01	1.13E-01	1.17E-01	1.20E-01
1.06E+00	5.80E-02	1.27E-01	9.37E-02	9.38E-02	1.09E-01	1.12E-01	1.15E-01	1.19E-01
1.12E+00	5.74E-02	1.26E-01	9.25E-02	9.25E-02	1.08E-01	1.11E-01	1.14E-01	1.17E-01
1.19E+00	5.68E-02	1.24E-01	9.12E-02	9.12E-02	1.06E-01	1.09E-01	1.13E-01	1.16E-01
1.25E+00	5.61E-02	1.23E-01	8.98E-02	8.98E-02	1.05E-01	1.08E-01	1.11E-01	1.15E-01
1.33E+00	5.55E-02	1.21E-01	8.84E-02	8.84E-02	1.03E-01	1.07E-01	1.10E-01	1.13E-01
1.40E+00	5.48E-02	1.20E-01	8.69E-02	8.69E-02	1.02E-01	1.05E-01	1.08E-01	1.12E-01
1.49E+00	5.41E-02	1.18E-01	8.53E-02	8.52E-02	1.00E-01	1.03E-01	1.06E-01	1.10E-01
1.57E+00	5.33E-02	1.16E-01	8.37E-02	8.36E-02	9.84E-02	1.02E-01	1.05E-01	1.08E-01
1.66E+00	5.25E-02	1.14E-01	8.21E-02	8.18E-02	9.65E-02	1.00E-01	1.03E-01	1.07E-01
1.76E+00	5.17E-02	1.12E-01	8.04E-02	8.01E-02	9.47E-02	9.83E-02	1.01E-01	1.05E-01
1.86E+00	5.08E-02	1.10E-01	7.86E-02	7.84E-02	9.29E-02	9.65E-02	9.95E-02	1.03E-01
1.97E+00	5.00E-02	1.08E-01	7.67E-02	7.67E-02	9.10E-02	9.47E-02	9.75E-02	1.01E-01
2.09E+00	4.88E-02	1.06E-01	7.48E-02	7.47E-02	8.90E-02	9.26E-02	9.57E-02	9.93E-02
2.21E+00	4.71E-02	1.04E-01	7.29E-02	7.27E-02	8.71E-02	9.07E-02	9.37E-02	9.72E-02
2.34E+00	4.54E-02	1.02E-01	7.09E-02	7.07E-02	8.50E-02	8.88E-02	9.16E-02	9.50E-02
2.47E+00	4.37E-02	9.94E-02	6.88E-02	6.86E-02	8.30E-02	8.67E-02	8.95E-02	9.28E-02
2.62E+00	4.19E-02	9.69E-02	6.67E-02	6.65E-02	8.08E-02	8.44E-02	8.71E-02	9.05E-02
2.77E+00	4.01E-02	9.44E-02	6.45E-02	6.45E-02	7.85E-02	8.21E-02	8.46E-02	8.81E-02
2.93E+00	3.83E-02	9.18E-02	6.23E-02	6.24E-02	7.61E-02	7.97E-02	8.25E-02	8.57E-02
3.00E+00	3.76E-02	9.07E-02	6.14E-02	6.15E-02	7.52E-02	7.87E-02	8.16E-02	8.47E-02
3.10E+00	3.64E-02	8.91E-02	6.00E-02	6.01E-02	7.38E-02	7.73E-02	8.03E-02	8.31E-02
3.28E+00	3.41E-02	8.63E-02	5.77E-02	5.80E-02	7.15E-02	7.50E-02	7.80E-02	8.06E-02
3.48E+00	3.17E-02	8.35E-02	5.54E-02	5.56E-02	6.92E-02	7.27E-02	7.57E-02	7.80E-02
3.68E+00	2.94E-02	8.06E-02	5.30E-02	5.33E-02	6.66E-02	7.03E-02	7.33E-02	7.54E-02
3.89E+00	2.72E-02	7.77E-02	5.06E-02	5.09E-02	6.41E-02	6.78E-02	7.08E-02	7.27E-02
4.12E+00	2.50E-02	7.47E-02	4.82E-02	4.84E-02	6.17E-02	6.52E-02	6.80E-02	7.00E-02
4.36E+00	2.29E-02	7.16E-02	4.58E-02	4.60E-02	5.91E-02	6.26E-02	6.52E-02	6.72E-02
4.61E+00	2.08E-02	6.85E-02	4.34E-02	4.34E-02	5.66E-02	6.01E-02	6.26E-02	6.44E-02
4.88E+00	1.88E-02	6.54E-02	4.09E-02	4.09E-02	5.41E-02	5.75E-02	6.00E-02	6.17E-02
5.17E+00	1.69E-02	6.23E-02	3.85E-02	3.84E-02	5.16E-02	5.48E-02	5.72E-02	5.90E-02
5.47E+00	1.52E-02	5.91E-02	3.61E-02	3.59E-02	4.91E-02	5.23E-02	5.45E-02	5.63E-02
5.78E+00	1.35E-02	5.59E-02	3.37E-02	3.35E-02	4.66E-02	4.97E-02	5.16E-02	5.35E-02
6.12E+00	1.06E-02	5.27E-02	3.14E-02	3.11E-02	4.38E-02	4.71E-02	4.87E-02	5.06E-02
6.48E+00	7.53E-03	4.96E-02	2.91E-02	2.87E-02	4.12E-02	4.44E-02	4.59E-02	4.76E-02
6.86E+00	5.47E-03	4.64E-02	2.69E-02	2.64E-02	3.85E-02	4.17E-02	4.32E-02	4.48E-02
7.26E+00	4.28E-03	4.33E-02	2.47E-02	2.42E-02	3.60E-02	3.90E-02	4.06E-02	4.20E-02
7.68E+00	2.90E-03	4.03E-02	2.26E-02	2.21E-02	3.34E-02	3.64E-02	3.78E-02	3.90E-02
8.13E+00	2.00E-03	3.75E-02	2.06E-02	2.01E-02	3.09E-02	3.39E-02	3.51E-02	3.62E-02
8.60E+00	1.55E-03	3.47E-02	1.87E-02	1.81E-02	2.85E-02	3.13E-02	3.26E-02	3.34E-02
9.10E+00	1.21E-03	3.20E-02	1.68E-02	1.62E-02	2.62E-02	2.90E-02	3.01E-02	3.07E-02
9.63E+00	9.26E-04	2.95E-02	1.51E-02	1.44E-02	2.40E-02	2.66E-02	2.77E-02	2.84E-02
1.00E+01	7.66E-04	2.79E-02	1.40E-02	1.33E-02	2.26E-02	2.50E-02	2.61E-02	2.68E-02
1.02E+01	6.95E-04	2.70E-02	1.34E-02	1.28E-02	2.19E-02	2.43E-02	2.52E-02	2.60E-02
1.08E+01	5.13E-04	2.47E-02	1.19E-02	1.12E-02	1.99E-02	2.20E-02	2.30E-02	2.37E-02
1.14E+01	3.47E-04	2.24E-02	1.05E-02	9.76E-03	1.80E-02	1.98E-02	2.08E-02	2.15E-02
1.21E+01	2.24E-04	2.02E-02	9.15E-03	8.46E-03	1.60E-02	1.79E-02	1.87E-02	1.94E-02
1.28E+01	1.54E-04	1.84E-02	7.94E-03	7.27E-03	1.43E-02	1.60E-02	1.68E-02	1.74E-02
1.35E+01	1.04E-04	1.66E-02	6.84E-03	6.16E-03	1.27E-02	1.42E-02	1.49E-02	1.54E-02
1.43E+01	6.87E-05	1.50E-02	5.85E-03	5.16E-03	1.12E-02	1.25E-02	1.31E-02	1.37E-02
1.51E+01	4.42E-05	1.34E-02	4.96E-03	4.29E-03	9.72E-03	1.09E-02	1.15E-02	1.22E-02
1.60E+01	2.77E-05	1.19E-02	4.17E-03	3.54E-03	8.34E-03	9.42E-03	1.01E-02	1.06E-02
1.70E+01	1.69E-05	1.05E-02	3.48E-03	2.89E-03	7.17E-03	8.06E-03	8.74E-03	9.24E-03
1.80E+01	1.00E-05	9.20E-03	2.87E-03	2.32E-03	6.09E-03	6.88E-03	7.52E-03	7.96E-03
1.90E+01	5.77E-06	8.00E-03	2.35E-03	1.84E-03	5.13E-03	5.81E-03	6.40E-03	6.76E-03

2.01E+01 2.87E-06 6.90E-03 1.90E-03 1.44E-03 4.27E-03 4.87E-03 5.41E-03 5.77E-03

2.13E+01 1.43E-06 5.90E-03 1.52E-03 1.11E-03 3.52E-03 4.05E-03 4.52E-03 4.84E-03

2.25E+01 7.37E-07 5.00E-03 1.20E-03 8.44E-04 2.87E-03 3.33E-03 3.73E-03 4.03E-03

2.38E+01 3.67E-07 4.19E-03 9.39E-04 6.35E-04 2.32E-03 2.70E-03 3.04E-03 3.35E-03

2.52E+01 1.75E-07 3.48E-03 7.25E-04 4.68E-04 1.84E-03 2.16E-03 2.48E-03 2.77E-03

2.67E+01	8.01E-08	2.86E-03	5.53E-04	3.38E-04	1.45E-03	1.70E-03	1.98E-03	2.24E-03
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.82E+01 3.50E-08 2.34E-03 4.16E-04 2.39E-04 1.12E-03 1.33E-03 1.56E-03 1.79E-03

2.99E+01	1.46E-08	1.90E-03	3.09E-04	1.67E-04	8.53E-04	1.02E-03	1.21E-03	1.41E-03
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.00E+01 1.37E-08 1.87E-03 3.02E-04 1.63E-04 8.36E-04 1.00E-03 1.18E-03 1.38E-03

3.16E+01 5.76E-09 1.53E-03 2.25E-04 1.14E-04 6.35E-04 7.70E-04 9.23E-04 1.09E-03

3.35E+01 2.16E-09 1.21E-03 1.62E-04 7.60E-05 4.69E-04 5.73E-04 6.97E-04 8.34E-04

3.54E+01 7.65E-10 9.43E-04 1.14E-04 4.95E-05 3.38E-04 4.24E-04 5.16E-04 6.27E-04

3.75E+01 2.55E-10 7.26E-04 7.96E-05 3.15E-05 2.39E-04 3.07E-04 3.75E-04 4.65E-04

3.97E+01	2.92E-11	5.51E-04	5.43E-05	1.95E-05	1.68E-04	2.16E-04	2.68E-04	3.38E-04
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.20E+01 7.85E-12 4.11E-04 3.64E-05 1.18E-05 1.15E-04 1.50E-04 1.87E-04 2.41E-04

4.44E+01 1.96E-12 3.01E-04 2.39E-05 6.84E-06 7.56E-05 1.02E-04 1.28E-04 1.69E-04

4.70E+01 4.51E-13 2.17E-04 1.53E-05 3.86E-06 4.88E-05 6.83E-05 8.61E-05 1.16E-04

4.97E+01 9.50E-14 1.53E-04 9.65E-06 2.12E-06 3.07E-05 4.43E-05 5.63E-05 7.77E-05

5.26E+01	1.82E-14	1.06E-04	5.93E-06	1.13E-06	1.90E-05	2.80E-05	3.59E-05	5.10E-05
----------	----------	----------	----------	----------	----------	----------	----------	----------

5.57E+01 2.34E-15 7.20E-05 3.56E-06 5.78E-07 1.14E-05 1.72E-05 2.23E-05 3.26E-05

5.90E+01 6.22E-19 4.77E-05 2.08E-06 2.83E-07 6.61E-06 1.03E-05 1.35E-05 2.03E-05

6.24E+01	1.94E-26	3.09E-05	1.18E-06	1.33E-07	3.74E-06	5.97E-06	7.93E-06	1.23E-05
----------	----------	----------	----------	----------	----------	----------	----------	----------

6.60E+01 0.00E+00 1.95E-05 6.56E-07 6.01E-08 2.05E-06 3.35E-06 4.55E-06 7.34E-06

6.99E+01	0.00E+00	1.20E-05	3.52E-07	2.59E-08	1.08E-06	1.82E-06	2.53E-06	4.23E-06
----------	----------	----------	----------	----------	----------	----------	----------	----------

7.39E+01 0.00E+00 7.15E-06 1.83E-07 1.06E-08 5.53E-07 9.50E-07 1.36E-06 2.33E-06

7.82E+01 0.00E+00 4.14E-06 9.22E-08 4.00E-09 2.69E-07 4.79E-07 7.04E-07 1.24E-06

8.28E+01 0.00E+00 2.32E-06 4.48E-08 1.47E-09 1.26E-07 2.35E-07 3.51E-07 6.38E-07

8.76E+01 0.00E+00 1.26E-06 2.11E-08 5.07E-10 5.63E-08 1.09E-07 1.68E-07 3.15E-07

9.27E+01 0.00E+00 6.60E-07 9.54E-09 1.64E-10 2.42E-08 4.86E-08 7.69E-08 1.49E-07

9.81E+01 0.00E+00 3.33E-07 4.15E-09 5.00E-11 9.93E-09 2.06E-08 3.37E-08 6.81E-08

1.00E+02 0.00E+00 2.63E-07 3.12E-09 3.30E-11 7.31E-09 1.54E-08 2.53E-08 5.20E-08

1.04E+02 0.00E+00 1.61E-07 1.74E-09 1.42E-11 3.87E-09 8.34E-09 1.41E-08 2.99E-08

1.10E+02 0.00E+00 7.49E-08 6.95E-10 3.76E-12 1.41E-09 3.21E-09 5.59E-09 1.25E-08

1.16E+02 0.00E+00 3.33E-08 2.66E-10 9.18E-13 4.83E-10 1.16E-09 2.10E-09 4.97E-09

1.23E+02 0.00E+00 1.41E-08 9.73E-11 2.06E-13 1.56E-10 3.96E-10 7.47E-10 1.87E-09

1.30E+02 0.00E+00 5.68E-09 3.37E-11 4.25E-14 4.73E-11 1.27E-10 2.50E-10 6.67E-10

1.38E+02 0.00E+00 2.17E-09 1.11E-11 7.49E-15 1.32E-11 3.74E-11 7.83E-11 2.24E-10

1.46E+02 0.00E+00 7.85E-10 3.40E-12 1.08E-15 3.45E-12 1.01E-11 2.20E-11 7.04E-11

1.54E+02 0.00E+00 2.67E-10 1.00E-12 1.50E-16 7.80E-13 2.52E-12 6.00E-12 2.07E-11

1.63E+02 0.00E+00 8.55E-11 2.78E-13 1.35E-17 1.71E-13 5.47E-13 1.48E-12 5.64E-12

1.73E+02 0.00E+00 2.56E-11 7.27E-14 1.27E-18 3.29E-14 1.19E-13 3.41E-13 1.42E-12

1.83E+02 0.00E+00 7.14E-12 1.80E-14 1.01E-19 5.84E-15 1.99E-14 7.18E-14 3.28E-13

1.94E+02 0.00E+00 1.85E-12 3.73E-15 5.19E-21 9.35E-16 3.60E-15 1.41E-14 6.96E-14

2.05E+02 0.00E+00 4.43E-13 7.82E-16 2.55E-22 1.38E-16 5.87E-16 2.46E-15 1.17E-14

2.17E+02 0.00E+00 9.76E-14 1.57E-16 1.01E-23 1.18E-17 8.24E-17 3.95E-16 2.06E-15

2.29E+02 0.00E+00 1.97E-14 2.89E-17 3.15E-25 1.33E-18 1.01E-17 4.73E-17 3.08E-16

2.43E+02 0.00E+00 3.62E-15 4.96E-18 5.91E-27 1.28E-19 1.16E-18 5.98E-18 4.35E-17

2.57E+02 0.00E+00 6.02E-16 7.76E-19 1.12E-28 9.92E-21 1.11E-19 6.14E-19 5.50E-18

2.72E+02	0.00E+00	9.03E-17	1.11E-19	0.00E+00	7.32E-22	7.38E-21	6.01E-20	6.16E-19
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.88E+02 0.00E+00 1.21E-17 1.43E-20 0.00E+00 4.43E-23 5.63E-22 4.90E-21 6.07E-20

3.00E+02	0.00E+00	2.57E-18	2.94E-21	0.00E+00	5.01E-24	6.40E-23	4.36E-22	1.01E-20
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.05E+02 0.00E+00 1.45E-18 1.65E-21 0.00E+00 2.03E-24 3.07E-23 2.15E-22 5.22E-21

3.22E+02	0.00E+00	1.53E-19	1.69E-22	0.00E+00	7.97E-26	1.37E-24	9.88E-24	3.90E-22
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.41E+02 0.00E+00 1.42E-20 1.50E-23 0.00E+00 2.53E-27 6.00E-26 5.03E-25 4.16E-24

3.61E+02 0.00E+00 1.14E-21 1.19E-24 0.00E+00 4.44E-29 1.66E-27 1.35E-26 1.31E-25

3.82E+02 0.00E+00 7.94E-23 8.21E-26 0.00E+00 0.00E+00 3.63E-29 4.34E-28 5.34E-27

4.04E+02	0.00E+00	4.73E-24	4.85E-27	0.00E+00	0.00E+00	0.00E+00	9.89E-30	1.81E-28
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.28E+02	0.00E+00	2.39E-25	2.44E-28	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.39E-30
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.53E+02	0.00E+00	1.02E-26	1.03E-29	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.79E+02	0.00E+00	3.60E-28	3.60E-31	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
----------	----------	----------	----------	----------	----------	----------	----------	----------

5.07E+02	0.00E+00	8.75E-30	8.75E-33	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
----------	----------	----------	----------	----------	----------	----------	----------	----------

[illegible]

[illegible]

```
6.01E+02      0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BFM INSITU UNCERTAINTY ANALYSIS\FCS BFM INSITU UA H-3.RAD

Peak of the mean dose (averaged over observations) at graphical times		
Repetition	Time of peak mean dose	Peak mean dose
	Years	mrem/yr
1	0.000E+00	1.184E-01
2	0.000E+00	1.184E-01
3	0.000E+00	1.184E-01

Title : RESRAD Default Parameters

Input File : FCS BFM INSITU UA H-3.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
---------------------------------------	-----------	-----------	-----------	-----------

Contaminated zone erosion rate	12	-0.04	12	-0.01	15	-0.01	15	0.00
Contaminated zone b parameter	10	-0.04	10	-0.01	8	-0.05	8	-0.01
Evapotranspiration coefficient	3	0.57	3	0.16	3	0.49	3	0.16
Wind Speed	7	0.05	7	0.01	17	0.00	17	0.00
Runoff coefficient	4	0.29	4	0.07	4	0.27	4	0.08
b Parameter of Unsaturated zone 1	15	0.02	15	0.00	9	0.05	9	0.01
Mass loading for inhalation	13	0.02	13	0.01	12	0.01	12	0.00
Indoor dust filtration factor	16	-0.02	16	0.00	16	0.00	16	0.00
Depth of soil mixing layer	6	0.06	6	0.01	7	0.05	7	0.02
Depth of roots	2	0.93	2	0.58	2	0.90	2	0.59
Wet weight crop yield of fruit, grain and non-leafy vegetables	5	-0.08	5	-0.02	5	-0.08	5	-0.02
Weathering removal constant of all vegetation	11	0.04	11	0.01	6	0.06	6	0.02
Wet foliar interception fraction of leafy vegetables	9	-0.05	9	-0.01	11	-0.02	11	-0.01
Humidity in air	14	0.02	14	0.00	10	0.03	10	0.01
Cover erosion rate	8	0.05	8	0.01	14	0.01	14	0.00
Kd of H-3 in Contaminated Zone	1	-0.96	1	-0.76	1	-0.93	1	-0.73
Kd of H-3 in Saturated Zone	17	0.00	17	0.00	13	-0.01	13	0.00
<hr/>								
R-SQUARE		0.95		0.95		0.92		0.92

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default Parameters

Input File : FCS BFM INSITU UA H-3.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC		SRC		PRCC		SRRC	
Repetition =	2		2		2		2	
Description of Probabilistic Variable	Sig Coeff		Sig Coeff		Sig Coeff		Sig Coeff	
Contaminated zone erosion rate	15	-0.01	15	0.00	11	0.03	11	0.01
Contaminated zone b parameter	14	0.01	14	0.00	5	0.06	5	0.02
Evapotranspiration coefficient	3	0.59	3	0.17	3	0.48	3	0.17
Wind Speed	9	0.02	9	0.01	13	-0.02	13	-0.01
Runoff coefficient	4	0.33	4	0.08	4	0.21	4	0.07
b Parameter of Unsaturated zone 1	8	-0.02	8	-0.01	7	-0.05	7	-0.02
Mass loading for inhalation	5	-0.07	5	-0.02	10	-0.03	10	-0.01
Indoor dust filtration factor	16	0.00	16	0.00	6	0.06	6	0.02
Depth of soil mixing layer	13	0.01	13	0.00	17	0.00	17	0.00
Depth of roots	2	0.93	2	0.58	2	0.89	2	0.60
Wet weight crop yield of fruit, grain and non-leafy vegetables	12	0.01	12	0.00	15	0.01	15	0.00
Weathering removal constant of all vegetation	17	0.00	17	0.00	9	0.04	9	0.01
Wet foliar interception fraction of leafy vegetables	7	0.02	7	0.01	8	-0.05	8	-0.01
Humidity in air	10	-0.02	10	0.00	12	-0.03	12	-0.01
Cover erosion rate	11	0.01	11	0.00	16	0.01	16	0.00
Kd of H-3 in Contaminated Zone	1	-0.96	1	-0.76	1	-0.92	1	-0.72
Kd of H-3 in Saturated Zone	6	-0.05	6	-0.01	14	0.02	14	0.00
R-SQUARE	0.95		0.95		0.91		0.91	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default Parameters

Input File : FCS BFM INSITU UA H-3.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	3	3	3	3

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Contaminated zone erosion rate	5	0.05	5	0.01	16	0.00	16	0.00
Contaminated zone b parameter	17	0.00	17	0.00	11	-0.02	11	-0.01
Evapotranspiration coefficient	3	0.55	3	0.15	3	0.44	3	0.15
Wind Speed	14	-0.01	14	0.00	7	0.04	7	0.01
Runoff coefficient	4	0.35	4	0.09	4	0.25	4	0.08
b Parameter of Unsaturated zone 1	13	0.01	13	0.00	5	0.06	5	0.02
Mass loading for inhalation	10	0.03	10	0.01	15	0.01	15	0.00
Indoor dust filtration factor	12	0.01	12	0.00	13	0.01	13	0.00
Depth of soil mixing layer	11	0.02	11	0.00	12	0.02	12	0.01
Depth of roots	2	0.93	2	0.59	2	0.89	2	0.60
Wet weight crop yield of fruit, grain and non-leafy vegetables	7	0.04	7	0.01	14	0.01	14	0.00
Weathering removal constant of all vegetation	8	-0.03	8	-0.01	6	-0.05	6	-0.02
Wet foliar interception fraction of leafy vegetables	16	0.01	16	0.00	8	0.03	8	0.01
Humidity in air	6	-0.04	6	-0.01	9	-0.02	9	-0.01
Cover erosion rate	15	0.01	15	0.00	17	0.00	17	0.00
Kd of H-3 in Contaminated Zone	1	-0.96	1	-0.76	1	-0.92	1	-0.72
Kd of H-3 in Saturated Zone	9	-0.03	9	-0.01	10	-0.02	10	-0.01
R-SQUARE	0.95		0.95		0.91		0.91	

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.