

Table of Contents

Part VI: Uncertainty Analysis

RESRAD Uncertainty Analysis Results	
Probabilistic Input	2
Total Dose	3
Total Risk	4
Dose vs Pathway: Ground External	5
Dose vs Pathway: Inhalation (w/o Radon)	6
Dose vs Pathway: Radon (Water Ind.)	7
Dose vs Pathway: Plant (Water Ind.)	8
Dose vs Pathway: Meat (Water Ind.)	9
Dose vs Pathway: Milk (Water Ind.)	10
Dose vs Pathway: Soil Ingestion	11
Dose vs Pathway: Water Ingestion	12
Dose vs Pathway: Fish Ingestion	13
Dose vs Pathway: Radon (Water Dep.)	14
Dose vs Pathway: Plant (Water Dep.)	15
Dose vs Pathway: Meat (Water Dep.)	16
Dose vs Pathway: Milk (Water Dep.)	17
Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23

Probabilistic Input

Number of Sample Runs: 1500

Number	Name	Distribution	Parameters																
1	VCZ	CONTINUOUS LOGARITHMIC4	5.E-8	0	.0007	.22	.005	.95	.2	1									
2	BCZ	BOUNDED LOGNORMAL-N	1.28	.334	1.28	10.1													
3	EVAPTR	UNIFORM	.5	.99															
4	WIND	UNIFORM	2.8	4.7															
5	RUNOFF	UNIFORM	.1	.8															
6	BUZ(1)	BOUNDED LOGNORMAL-N	1.28	.334	1.28	10.1													
7	MLINH	CONTINUOUS LINEAR	8	0	0	.000008	.0151	.000016	.1365	.00003	.8119	.00004	.9495	.00006	.9937	.000076	.9983	.0001	1
8	SHF3	UNIFORM	.15	.95															
9	DM	TRIANGULAR	0	.15	.6														
10	DROOT	UNIFORM	.3	4															
11	YV(1)	TRUNCATED LOGNORMAL-N	.56	.48	.001	.999													
12	WLAM	TRIANGULAR	5.1	18	84														
13	RWET(2)	TRIANGULAR	.06	.67	.95														
14	HUMID	TRUNCATED LOGNORMAL-N	1.98	.334	.001	.999													
15	VCV	CONTINUOUS LOGARITHMIC4	5.E-8	0	.0007	.22	.005	.95	.2	1									
16	DCACTC(1)	LOGNORMAL-N	2.83	1.79															
17	DCACTS(1)	LOGNORMAL-N	2.83	1.79															
18	DWIBWT	CONTINUOUS LINEAR	6	5	0	24	.29	43	.66	53	.68	76	.95	89	1				

Probabilistic Total Dose Summary

Nuclide (j)	Peak Time	Peak Dose	DOSE(j,t), mrem/yr							
		t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
SB-125										
Min	0.00E+00	4.54E-06	4.07E-06	4.48E-06	3.03E-06	2.12E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.77E+01	6.16E-02	5.55E-03	6.89E-03	2.78E-03	2.05E-02	7.98E-05	8.10E-13	0.00E+00	0.00E+00
Avg	3.09E-01	7.50E-04	5.58E-04	4.66E-04	2.51E-04	9.38E-05	2.37E-07	1.92E-15	0.00E+00	0.00E+00
Std	1.16E+00	2.53E-03	4.41E-04	4.49E-04	2.58E-04	1.02E-03	2.43E-06	2.23E-14	0.00E+00	0.00E+00
ALL										
Min	0.00E+00	4.54E-06	4.07E-06	4.48E-06	3.03E-06	2.12E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.77E+01	6.16E-02	5.55E-03	6.89E-03	2.78E-03	2.05E-02	7.98E-05	8.10E-13	0.00E+00	0.00E+00
Avg	3.09E-01	7.50E-04	5.58E-04	4.66E-04	2.51E-04	9.38E-05	2.37E-07	1.92E-15	0.00E+00	0.00E+00
Std	1.16E+00	2.53E-03	4.41E-04	4.49E-04	2.58E-04	1.02E-03	2.43E-06	2.23E-14	0.00E+00	0.00E+00

ALL is total dose summed for all nuclides.

Probabilistic Risk Summary

Nuclide		RISK(j,t)							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Sb-125									
Min		1.30E-11	1.73E-10	1.21E-10	3.82E-19	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.65E-07	3.29E-07	1.55E-07	5.32E-07	2.03E-09	2.10E-17	0.00E+00	0.00E+00
Avg		1.77E-08	2.35E-08	1.28E-08	3.02E-09	8.66E-12	7.30E-20	0.00E+00	0.00E+00
Std		3.48E-08	2.17E-08	1.43E-08	2.46E-08	6.08E-11	5.83E-19	0.00E+00	0.00E+00
ALL									
Min		1.30E-11	1.73E-10	1.21E-10	3.82E-19	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.65E-07	3.29E-07	1.55E-07	5.32E-07	2.03E-09	2.10E-17	0.00E+00	0.00E+00
Avg		1.77E-08	2.35E-08	1.28E-08	3.02E-09	8.66E-12	7.30E-20	0.00E+00	0.00E+00
Std		3.48E-08	2.17E-08	1.43E-08	2.46E-08	6.08E-11	5.83E-19	0.00E+00	0.00E+00

ALL is total risk summed for all nuclides.

Probabilistic Dose vs Pathway(i): Ground External

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		1.33E-09	2.46E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.25E-07	1.25E-06	1.23E-04	2.04E-02	7.94E-05	8.08E-13	0.00E+00	0.00E+00
Avg		2.42E-08	1.97E-08	2.83E-07	6.41E-05	1.26E-07	8.49E-16	0.00E+00	0.00E+00
Std		9.00E-09	5.98E-08	5.10E-06	1.02E-03	2.42E-06	2.22E-14	0.00E+00	0.00E+00
ALL									
Min		1.33E-09	2.46E-20	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.25E-07	1.25E-06	1.23E-04	2.04E-02	7.94E-05	8.08E-13	0.00E+00	0.00E+00
Avg		2.42E-08	1.97E-08	2.83E-07	6.41E-05	1.26E-07	8.49E-16	0.00E+00	0.00E+00
Std		9.00E-09	5.98E-08	5.10E-06	1.02E-03	2.42E-06	2.22E-14	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Inhalation (w/o Radon)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	9.73E-13	1.32E-09	5.03E-12	2.82E-20	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	6.49E-16	2.17E-12	6.70E-15	4.63E-23	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	2.51E-14	4.09E-11	1.50E-13	9.61E-22	0.00E+00	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	9.73E-13	1.32E-09	5.03E-12	2.82E-20	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	6.49E-16	2.17E-12	6.70E-15	4.63E-23	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	2.51E-14	4.09E-11	1.50E-13	9.61E-22	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Radon (Water Ind.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>									
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Plant (Water Ind.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.04E-03	1.04E-03	7.67E-04	1.11E-04	8.40E-07	1.75E-14	0.00E+00	0.00E+00
Avg		3.42E-04	2.77E-04	1.27E-04	1.36E-05	5.04E-08	5.61E-16	0.00E+00	0.00E+00
Std		2.52E-04	2.47E-04	1.43E-04	2.10E-05	1.09E-07	1.86E-15	0.00E+00	0.00E+00
<hr/>									
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.04E-03	1.04E-03	7.67E-04	1.11E-04	8.40E-07	1.75E-14	0.00E+00	0.00E+00
Avg		3.42E-04	2.77E-04	1.27E-04	1.36E-05	5.04E-08	5.61E-16	0.00E+00	0.00E+00
Std		2.52E-04	2.47E-04	1.43E-04	2.10E-05	1.09E-07	1.86E-15	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Meat (Water Ind.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.90E-06	5.56E-06	4.11E-06	1.02E-06	4.49E-09	9.32E-17	0.00E+00	0.00E+00
Avg		1.66E-06	1.52E-06	6.91E-07	7.40E-08	2.73E-10	3.02E-18	0.00E+00	0.00E+00
Std		1.19E-06	1.32E-06	7.67E-07	1.15E-07	5.94E-10	9.97E-18	0.00E+00	0.00E+00
<hr/>									
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.90E-06	5.56E-06	4.11E-06	1.02E-06	4.49E-09	9.32E-17	0.00E+00	0.00E+00
Avg		1.66E-06	1.52E-06	6.91E-07	7.40E-08	2.73E-10	3.02E-18	0.00E+00	0.00E+00
Std		1.19E-06	1.32E-06	7.67E-07	1.15E-07	5.94E-10	9.97E-18	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Milk (Water Ind.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		3.70E-06	4.02E-06	2.97E-06	5.21E-07	3.25E-09	6.74E-17	0.00E+00	0.00E+00
Avg		1.24E-06	1.09E-06	4.98E-07	5.30E-08	1.96E-10	2.17E-18	0.00E+00	0.00E+00
Std		8.98E-07	9.57E-07	5.55E-07	8.20E-08	4.25E-10	7.21E-18	0.00E+00	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		3.70E-06	4.02E-06	2.97E-06	5.21E-07	3.25E-09	6.74E-17	0.00E+00	0.00E+00
Avg		1.24E-06	1.09E-06	4.98E-07	5.30E-08	1.96E-10	2.17E-18	0.00E+00	0.00E+00
Std		8.98E-07	9.57E-07	5.55E-07	8.20E-08	4.25E-10	7.21E-18	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA SB-125.RAD

Probabilistic Dose vs Pathway(i): Soil Ingestion

Nuclide		DOSE(i, j, t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	4.54E-10	4.74E-07	1.80E-09	1.29E-17	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	3.03E-13	9.69E-10	3.07E-12	1.82E-20	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	1.17E-11	1.52E-08	6.08E-11	4.01E-19	0.00E+00	0.00E+00
<hr/>									
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	4.54E-10	4.74E-07	1.80E-09	1.29E-17	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	3.03E-13	9.69E-10	3.07E-12	1.82E-20	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	1.17E-11	1.52E-08	6.08E-11	4.01E-19	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Water Ingestion

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		2.63E-06	2.68E-06	1.68E-06	2.00E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.71E-03	6.06E-03	2.53E-03	1.51E-04	3.88E-07	3.37E-15	0.00E+00	0.00E+00
Avg		1.95E-04	1.70E-04	1.12E-04	1.46E-05	5.44E-08	4.59E-16	0.00E+00	0.00E+00
Std		3.66E-04	3.80E-04	2.22E-04	2.00E-05	6.13E-08	6.02E-16	0.00E+00	0.00E+00
<hr/>									
ALL									
Min		2.63E-06	2.68E-06	1.68E-06	2.00E-15	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.71E-03	6.06E-03	2.53E-03	1.51E-04	3.88E-07	3.37E-15	0.00E+00	0.00E+00
Avg		1.95E-04	1.70E-04	1.12E-04	1.46E-05	5.44E-08	4.59E-16	0.00E+00	0.00E+00
Std		3.66E-04	3.80E-04	2.22E-04	2.00E-05	6.13E-08	6.02E-16	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Fish Ingestion

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Radon (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA SB-125.RAD

Probabilistic Dose vs Pathway(i): Plant (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		1.32E-07	1.36E-07	8.70E-08	1.05E-16	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.95E-04	6.43E-04	3.08E-04	2.46E-05	1.09E-07	8.89E-16	0.00E+00	0.00E+00
Avg		1.77E-05	1.56E-05	1.03E-05	1.37E-06	5.28E-09	4.47E-17	0.00E+00	0.00E+00
Std		3.47E-05	3.71E-05	2.23E-05	2.14E-06	8.03E-09	7.49E-17	0.00E+00	0.00E+00
<hr/>									
ALL									
Min		1.32E-07	1.36E-07	8.70E-08	1.05E-16	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.95E-04	6.43E-04	3.08E-04	2.46E-05	1.09E-07	8.89E-16	0.00E+00	0.00E+00
Avg		1.77E-05	1.56E-05	1.03E-05	1.37E-06	5.28E-09	4.47E-17	0.00E+00	0.00E+00
Std		3.47E-05	3.71E-05	2.23E-05	2.14E-06	8.03E-09	7.49E-17	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Meat (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		1.18E-08	1.28E-08	7.92E-09	1.07E-17	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.22E-05	1.70E-05	7.17E-06	4.44E-07	1.39E-09	1.36E-17	0.00E+00	0.00E+00
Avg		5.21E-07	4.69E-07	3.13E-07	4.22E-08	1.67E-10	1.59E-18	0.00E+00	0.00E+00
Std		9.22E-07	9.88E-07	5.99E-07	5.37E-08	1.78E-10	2.04E-18	0.00E+00	0.00E+00
<hr/>									
ALL									
Min		1.18E-08	1.28E-08	7.92E-09	1.07E-17	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.22E-05	1.70E-05	7.17E-06	4.44E-07	1.39E-09	1.36E-17	0.00E+00	0.00E+00
Avg		5.21E-07	4.69E-07	3.13E-07	4.22E-08	1.67E-10	1.59E-18	0.00E+00	0.00E+00
Std		9.22E-07	9.88E-07	5.99E-07	5.37E-08	1.78E-10	2.04E-18	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA SB-125.RAD

Probabilistic Dose vs Pathway(i): Milk (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Sb-125									
Min		5.27E-09	5.61E-09	3.46E-09	3.79E-18	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.85E-06	6.71E-06	2.92E-06	1.84E-07	6.09E-10	6.17E-18	0.00E+00	0.00E+00
Avg		1.97E-07	1.82E-07	1.21E-07	1.65E-08	6.67E-11	6.64E-19	0.00E+00	0.00E+00
Std		3.45E-07	3.79E-07	2.28E-07	2.06E-08	7.07E-11	8.62E-19	0.00E+00	0.00E+00
<hr/>									
ALL									
Min		5.27E-09	5.61E-09	3.46E-09	3.79E-18	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		4.85E-06	6.71E-06	2.92E-06	1.84E-07	6.09E-10	6.17E-18	0.00E+00	0.00E+00
Avg		1.97E-07	1.82E-07	1.21E-07	1.65E-08	6.67E-11	6.64E-19	0.00E+00	0.00E+00
Std		3.45E-07	3.79E-07	2.28E-07	2.06E-08	7.07E-11	8.62E-19	0.00E+00	0.00E+00
<hr/>									

ALL is total pathway dose summed for all nuclides.

Cumulative Probability Summary for: Total Dose Over Pathways								
Cumulative	Dose(t), mrem/yr							
Probability	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02
		0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02
0.025		1.32E-05	1.31E-05	8.10E-06	8.04E-07	2.07E-23	0.00E+00	0.00E+00
0.050		2.79E-05	2.42E-05	1.31E-05	1.39E-06	1.89E-14	0.00E+00	0.00E+00
0.075		4.87E-05	3.70E-05	1.80E-05	1.94E-06	4.09E-11	0.00E+00	0.00E+00
0.100		8.39E-05	5.34E-05	2.56E-05	2.61E-06	2.04E-09	0.00E+00	0.00E+00
0.125		1.24E-04	7.38E-05	3.27E-05	3.21E-06	7.00E-09	0.00E+00	0.00E+00
0.150		1.81E-04	8.84E-05	3.95E-05	4.15E-06	9.36E-09	0.00E+00	0.00E+00
0.175		2.61E-04	1.15E-04	4.77E-05	4.81E-06	1.22E-08	1.11E-26	0.00E+00
0.200		3.10E-04	1.50E-04	5.77E-05	5.65E-06	1.52E-08	1.64E-24	0.00E+00
0.225		3.26E-04	1.83E-04	6.99E-05	6.51E-06	1.81E-08	1.49E-22	0.00E+00
0.250		3.40E-04	2.14E-04	8.07E-05	7.58E-06	2.05E-08	1.05E-20	0.00E+00
0.275		3.56E-04	2.47E-04	9.64E-05	8.28E-06	2.49E-08	1.41E-19	0.00E+00
0.300		3.69E-04	2.74E-04	1.09E-04	9.50E-06	2.89E-08	1.40E-18	0.00E+00
0.325		3.84E-04	2.98E-04	1.19E-04	1.11E-05	3.29E-08	9.73E-18	0.00E+00
0.350		3.98E-04	3.13E-04	1.34E-04	1.22E-05	3.67E-08	4.17E-17	0.00E+00
0.375		4.12E-04	3.25E-04	1.47E-04	1.39E-05	4.13E-08	8.71E-17	0.00E+00
0.400		4.23E-04	3.39E-04	1.58E-04	1.55E-05	4.51E-08	1.52E-16	0.00E+00
0.425		4.35E-04	3.57E-04	1.77E-04	1.71E-05	5.07E-08	2.11E-16	0.00E+00
0.450		4.52E-04	3.70E-04	1.86E-04	1.88E-05	5.53E-08	2.76E-16	0.00E+00
0.475		4.73E-04	3.82E-04	1.93E-04	2.07E-05	6.09E-08	3.14E-16	0.00E+00
0.500		4.88E-04	3.98E-04	2.02E-04	2.28E-05	6.72E-08	3.88E-16	0.00E+00
0.525		5.09E-04	4.10E-04	2.11E-04	2.52E-05	7.40E-08	4.41E-16	0.00E+00
0.550		5.28E-04	4.24E-04	2.21E-04	2.71E-05	7.98E-08	4.90E-16	0.00E+00
0.575		5.52E-04	4.39E-04	2.31E-04	2.88E-05	8.52E-08	5.38E-16	0.00E+00
0.600		5.68E-04	4.60E-04	2.43E-04	3.10E-05	9.29E-08	6.02E-16	0.00E+00
0.625		5.84E-04	4.77E-04	2.53E-04	3.26E-05	1.01E-07	6.83E-16	0.00E+00
0.650		6.11E-04	4.98E-04	2.63E-04	3.43E-05	1.11E-07	7.62E-16	0.00E+00
0.675		6.37E-04	5.23E-04	2.76E-04	3.59E-05	1.23E-07	8.55E-16	0.00E+00
0.700		6.58E-04	5.41E-04	2.93E-04	3.79E-05	1.34E-07	9.70E-16	0.00E+00
0.725		6.84E-04	5.69E-04	3.06E-04	4.07E-05	1.49E-07	1.07E-15	0.00E+00
0.750		7.18E-04	6.03E-04	3.28E-04	4.34E-05	1.64E-07	1.15E-15	0.00E+00
0.775		7.51E-04	6.38E-04	3.52E-04	4.65E-05	1.78E-07	1.32E-15	0.00E+00
0.800		7.79E-04	6.74E-04	3.75E-04	5.11E-05	1.96E-07	1.47E-15	0.00E+00
0.825		8.16E-04	7.12E-04	4.03E-04	5.45E-05	2.19E-07	1.66E-15	0.00E+00
0.850		8.56E-04	7.56E-04	4.41E-04	6.06E-05	2.37E-07	1.97E-15	0.00E+00
0.875		9.01E-04	8.08E-04	4.69E-04	6.57E-05	2.64E-07	2.36E-15	0.00E+00
0.900		9.64E-04	8.61E-04	5.03E-04	7.25E-05	2.91E-07	3.04E-15	0.00E+00
0.925		1.03E-03	9.19E-04	5.56E-04	7.98E-05	3.31E-07	3.70E-15	0.00E+00
0.950		1.16E-03	1.03E-03	6.35E-04	9.00E-05	3.82E-07	5.31E-15	0.00E+00
0.975		1.49E-03	1.47E-03	8.99E-04	1.09E-04	4.90E-07	7.45E-15	0.00E+00
1.000		5.55E-03	6.89E-03	2.78E-03	2.05E-02	7.98E-05	8.10E-13	0.00E+00

Summary of dose at graphical times, reptition 1								
Time	Dose statistics at graphical times, mrem/yr							
Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	4.54E-06	3.73E-03	5.59E-04	4.76E-04	1.00E-03	1.19E-03	1.47E-03	2.46E-03
1.00E+00	4.48E-06	4.40E-03	4.68E-04	3.93E-04	8.81E-04	1.07E-03	1.54E-03	2.53E-03
1.06E+00	4.44E-06	4.38E-03	4.60E-04	3.84E-04	8.65E-04	1.05E-03	1.52E-03	2.50E-03
1.12E+00	4.39E-06	4.35E-03	4.51E-04	3.74E-04	8.48E-04	1.04E-03	1.51E-03	2.46E-03
1.19E+00	4.33E-06	4.32E-03	4.42E-04	3.65E-04	8.31E-04	1.02E-03	1.50E-03	2.43E-03
1.25E+00	4.28E-06	4.29E-03	4.33E-04	3.56E-04	8.16E-04	1.00E-03	1.50E-03	2.39E-03
1.33E+00	4.22E-06	4.25E-03	4.23E-04	3.49E-04	8.02E-04	9.82E-04	1.50E-03	2.35E-03
1.40E+00	4.15E-06	4.20E-03	4.13E-04	3.37E-04	7.87E-04	9.61E-04	1.49E-03	2.31E-03
1.49E+00	4.09E-06	4.15E-03	4.03E-04	3.28E-04	7.69E-04	9.40E-04	1.48E-03	2.27E-03
1.57E+00	4.02E-06	4.09E-03	3.92E-04	3.21E-04	7.53E-04	9.18E-04	1.47E-03	2.22E-03
1.66E+00	3.95E-06	3.99E-03	3.81E-04	3.10E-04	7.36E-04	8.95E-04	1.42E-03	2.17E-03
1.76E+00	3.88E-06	3.87E-03	3.70E-04	2.99E-04	7.18E-04	8.72E-04	1.39E-03	2.15E-03
1.86E+00	3.80E-06	3.69E-03	3.58E-04	2.90E-04	6.96E-04	8.59E-04	1.37E-03	2.11E-03
1.97E+00	3.72E-06	3.48E-03	3.46E-04	2.80E-04	6.67E-04	8.43E-04	1.30E-03	2.05E-03
2.09E+00	3.63E-06	3.22E-03	3.34E-04	2.70E-04	6.46E-04	8.09E-04	1.24E-03	1.98E-03
2.21E+00	3.55E-06	2.92E-03	3.21E-04	2.61E-04	6.28E-04	7.89E-04	1.20E-03	1.91E-03
2.34E+00	3.46E-06	2.57E-03	3.09E-04	2.51E-04	6.02E-04	7.66E-04	1.17E-03	1.85E-03
2.47E+00	3.37E-06	2.20E-03	2.96E-04	2.41E-04	5.85E-04	7.21E-04	1.15E-03	1.78E-03
2.62E+00	3.27E-06	2.11E-03	2.82E-04	2.30E-04	5.64E-04	6.66E-04	1.12E-03	1.72E-03
2.77E+00	3.17E-06	2.03E-03	2.69E-04	2.19E-04	5.38E-04	6.40E-04	1.10E-03	1.66E-03
2.93E+00	3.07E-06	1.95E-03	2.56E-04	2.09E-04	5.11E-04	6.13E-04	1.06E-03	1.40E-03
3.00E+00	3.03E-06	1.92E-03	2.50E-04	2.03E-04	5.02E-04	5.94E-04	1.02E-03	1.38E-03
3.10E+00	2.97E-06	1.87E-03	2.43E-04	1.97E-04	4.89E-04	5.77E-04	9.63E-04	1.33E-03
3.28E+00	2.86E-06	1.79E-03	2.30E-04	1.86E-04	4.67E-04	5.51E-04	9.21E-04	1.16E-03
3.48E+00	2.75E-06	1.70E-03	2.17E-04	1.76E-04	4.41E-04	5.26E-04	8.40E-04	1.10E-03
3.68E+00	2.64E-06	1.62E-03	2.05E-04	1.65E-04	4.16E-04	5.01E-04	8.16E-04	1.07E-03
3.89E+00	2.53E-06	1.54E-03	1.93E-04	1.55E-04	3.93E-04	4.72E-04	7.67E-04	1.10E-03
4.12E+00	2.41E-06	2.26E-03	1.82E-04	1.44E-04	3.72E-04	4.41E-04	7.18E-04	1.04E-03
4.36E+00	2.30E-06	3.38E-03	1.73E-04	1.34E-04	3.48E-04	4.21E-04	6.70E-04	9.83E-04
4.61E+00	2.18E-06	5.54E-03	1.65E-04	1.24E-04	3.26E-04	3.96E-04	6.23E-04	9.23E-04
4.88E+00	1.83E-06	9.69E-03	1.62E-04	1.15E-04	3.05E-04	3.66E-04	5.76E-04	8.33E-04
5.17E+00	8.00E-07	1.36E-02	1.58E-04	1.05E-04	2.80E-04	3.35E-04	5.22E-04	8.04E-04
5.47E+00	3.33E-07	1.59E-02	1.53E-04	9.44E-05	2.57E-04	3.11E-04	4.58E-04	7.45E-04
5.78E+00	1.32E-07	1.53E-02	1.43E-04	8.63E-05	2.37E-04	2.87E-04	3.94E-04	6.88E-04
6.12E+00	4.95E-08	1.25E-02	1.31E-04	7.86E-05	2.11E-04	2.63E-04	3.58E-04	5.65E-04
6.48E+00	1.76E-08	1.01E-02	1.24E-04	7.08E-05	1.93E-04	2.41E-04	2.92E-04	5.17E-04
6.86E+00	4.16E-09	1.65E-02	1.26E-04	6.14E-05	1.72E-04	2.18E-04	2.66E-04	4.34E-04
7.26E+00	6.91E-10	2.28E-02	1.26E-04	5.45E-05	1.55E-04	1.92E-04	2.27E-04	3.28E-04
7.68E+00	1.04E-10	2.39E-02	1.18E-04	4.87E-05	1.36E-04	1.70E-04	1.99E-04	2.87E-04
8.13E+00	1.39E-11	2.02E-02	1.00E-04	4.28E-05	1.21E-04	1.44E-04	1.78E-04	2.50E-04
8.60E+00	1.67E-12	1.69E-02	8.51E-05	3.67E-05	1.05E-04	1.27E-04	1.52E-04	2.21E-04
9.10E+00	1.77E-13	1.40E-02	7.19E-05	2.99E-05	9.24E-05	1.13E-04	1.34E-04	1.64E-04
9.63E+00	1.64E-14	1.14E-02	6.10E-05	2.48E-05	7.95E-05	9.71E-05	1.14E-04	1.54E-04
1.00E+01	3.11E-15	9.93E-03	5.49E-05	2.23E-05	7.24E-05	8.78E-05	1.04E-04	1.92E-04
1.02E+01	1.32E-15	9.23E-03	5.22E-05	2.10E-05	6.90E-05	8.37E-05	9.83E-05	2.17E-04
1.08E+01	9.06E-17	7.35E-03	4.59E-05	1.74E-05	5.86E-05	7.15E-05	8.41E-05	3.29E-04
1.14E+01	5.40E-18	5.77E-03	4.34E-05	1.42E-05	4.91E-05	6.07E-05	7.18E-05	2.35E-04
1.21E+01	2.73E-19	9.32E-03	4.62E-05	1.15E-05	3.95E-05	5.15E-05	6.03E-05	1.48E-04
1.28E+01	1.16E-20	6.17E-03	3.59E-05	9.30E-06	3.33E-05	4.27E-05	5.16E-05	8.85E-05
1.35E+01	4.10E-22	2.90E-03	2.22E-05	7.37E-06	2.64E-05	3.38E-05	4.11E-05	5.39E-05
1.43E+01	1.20E-23	3.61E-03	1.98E-05	5.81E-06	2.14E-05	2.74E-05	3.14E-05	3.98E-05
1.51E+01	2.83E-25	2.71E-03	1.54E-05	4.66E-06	1.69E-05	2.15E-05	2.51E-05	3.22E-05
1.60E+01	5.40E-27	1.99E-03	1.19E-05	3.71E-06	1.34E-05	1.68E-05	1.98E-05	2.44E-05
1.70E+01	7.97E-29	1.44E-03	9.12E-06	2.91E-06	1.04E-05	1.29E-05	1.55E-05	1.92E-05
1.80E+01	0.00E+00	1.01E-03	6.64E-06	2.21E-06	7.95E-06	9.82E-06	1.19E-05	1.49E-05
1.90E+01	0.00E+00	6.99E-04	4.89E-06	1.60E-06	6.00E-06	7.44E-06	9.03E-06	1.15E-05

2.01E+01 0.00E+00 4.70E-04 3.76E-06 1.18E-06 4.46E-06 5.41E-06 6.84E-06 8.64E-06

2.13E+01	0.00E+00	5.44E-04	3.15E-06	8.64E-07	3.25E-06	3.91E-06	5.00E-06	6.42E-06
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.25E+01	0.00E+00	3.81E-04	2.13E-06	5.96E-07	2.31E-06	2.77E-06	3.58E-06	4.68E-06
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.38E+01	0.00E+00	2.38E-04	1.36E-06	4.05E-07	1.63E-06	1.94E-06	2.42E-06	3.12E-06
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.52E+01	0.00E+00	1.43E-04	8.53E-07	2.75E-07	1.12E-06	1.38E-06	1.79E-06	2.20E-06
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.67E+01 0.00E+00 8.21E-05 5.24E-07 1.79E-07 7.60E-07 9.29E-07 1.14E-06 1.52E-06

2.82E+01	0.00E+00	4.33E-05	3.15E-07	1.16E-07	5.13E-07	6.27E-07	7.22E-07	1.02E-06
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.99E+01 0.00E+00 2.09E-05 1.85E-07 7.28E-08 3.31E-07 4.01E-07 5.00E-07 6.75E-07

3.00E+01	0.00E+00	1.97E-05	1.79E-07	7.03E-08	3.22E-07	3.88E-07	4.85E-07	6.55E-07
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.16E+01 0.00E+00 8.63E-06 1.04E-07 4.38E-08 2.05E-07 2.57E-07 3.19E-07 4.50E-07

3.35E+01	0.00E+00	2.18E-06	5.39E-08	2.52E-08	1.23E-07	1.56E-07	2.05E-07	2.89E-07
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.54E+01	0.00E+00	5.80E-07	2.75E-08	1.43E-08	7.26E-08	9.31E-08	1.23E-07	1.46E-07
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.75E+01 0.00E+00 2.20E-07 1.55E-08 8.17E-09 4.10E-08 5.35E-08 7.22E-08 8.67E-08

3.97E+01 0.00E+00 7.19E-08 8.56E-09 4.38E-09 2.32E-08 2.92E-08 4.11E-08 5.12E-08

4.20E+01 0.00E+00 3.58E-08 4.58E-09 2.36E-09 1.25E-08 1.58E-08 2.17E-08 2.78E-08

4.44E+01 0.00E+00 1.93E-08 2.37E-09 1.21E-09 6.51E-09 8.12E-09 1.14E-08 1.50E-08

4.70E+01 0.00E+00 1.00E-08 1.19E-09 5.89E-10 3.26E-09 4.13E-09 5.76E-09 7.81E-09

4.97E+01 0.00E+00 5.00E-09 5.75E-10 2.80E-10 1.56E-09 2.01E-09 2.84E-09 3.91E-09

5.26E+01	0.00E+00	2.40E-09	2.68E-10	1.29E-10	7.48E-10	9.24E-10	1.42E-09	1.88E-09
----------	----------	----------	----------	----------	----------	----------	----------	----------

5.57E+01 0.00E+00 1.13E-09 1.20E-10 5.81E-11 3.42E-10 4.30E-10 6.32E-10 9.81E-10

5.90E+01 0.00E+00 7.79E-10 5.21E-11 2.32E-11 1.45E-10 1.88E-10 2.93E-10 4.32E-10

6.24E+01	0.00E+00	5.61E-10	2.16E-11	9.06E-12	5.71E-11	7.85E-11	1.19E-10	1.82E-10
----------	----------	----------	----------	----------	----------	----------	----------	----------

6.60E+01	0.00E+00	4.16E-10	8.58E-12	3.37E-12	2.19E-11	3.03E-11	4.57E-11	7.22E-11
----------	----------	----------	----------	----------	----------	----------	----------	----------

6.99E+01	0.00E+00	3.13E-10	3.44E-12	1.19E-12	8.00E-12	1.14E-11	1.67E-11	2.73E-11
----------	----------	----------	----------	----------	----------	----------	----------	----------

7.39E+01 0.00E+00 2.35E-10 1.45E-12 4.01E-13 2.69E-12 4.09E-12 6.25E-12 9.81E-12

7.82E+01 0.00E+00 1.75E-10 6.70E-13 1.21E-13 9.03E-13 1.37E-12 2.02E-12 3.28E-12

8.28E+01 0.00E+00 1.30E-10 3.58E-13 3.82E-14 2.75E-13 4.42E-13 6.20E-13 1.03E-12

8.76E+01	0.00E+00	3.28E-11	9.37E-14	1.06E-14	7.91E-14	1.30E-13	1.81E-13	3.04E-13
----------	----------	----------	----------	----------	----------	----------	----------	----------

9.27E+01	0.00E+00	7.45E-12	2.24E-14	2.70E-15	2.05E-14	3.46E-14	5.79E-14	8.36E-14
----------	----------	----------	----------	----------	----------	----------	----------	----------

9.81E+01 0.00E+00 1.46E-12 4.80E-15 6.40E-16 5.00E-15 8.52E-15 1.47E-14 2.37E-14

1.00E+02 0.00E+00 8.10E-13 2.78E-15 3.87E-16 3.13E-15 5.30E-15 9.16E-15 1.48E-14

1.04E+02	0.00E+00	2.31E-13	9.00E-16	1.38E-16	1.17E-15	1.99E-15	3.45E-15	5.58E-15
----------	----------	----------	----------	----------	----------	----------	----------	----------

1.10E+02 0.00E+00 2.37E-14 1.43E-16 2.68E-17 2.30E-16 4.15E-16 7.45E-16 1.21E-15

1.16E+02 0.00E+00 1.82E-15 2.02E-17 4.95E-18 4.27E-17 7.90E-17 1.28E-16 2.14E-16

1.23E+02 0.00E+00 6.83E-16 4.20E-18 7.44E-19 7.24E-18 1.41E-17 2.32E-17 3.85E-17

1.30E+02 0.00E+00 2.43E-16 9.36E-19 1.08E-19 1.09E-18 2.17E-18 3.79E-18 6.40E-18

1.38E+02 0.00E+00 5.86E-17 1.82E-19 1.40E-20 1.57E-19 3.10E-19 5.57E-19 9.75E-19

1.46E+02 0.00E+00 7.07E-18 2.25E-20 1.74E-21 2.07E-20 4.02E-20 7.33E-20 1.34E-19

1.54E+02 0.00E+00 7.55E-19 2.48E-21 1.73E-22 2.40E-21 4.72E-21 8.57E-21 1.56E-20

1.63E+02 0.00E+00 7.07E-20 2.41E-22 1.22E-23 2.32E-22 5.02E-22 9.69E-22 1.60E-21

1.73E+02 0.00E+00 5.77E-21 2.09E-23 8.32E-25 1.96E-23 4.37E-23 1.06E-22 1.52E-22

1.83E+02 0.00E+00 4.07E-22 1.61E-24 1.98E-26 1.58E-24 3.44E-24 8.97E-24 1.79E-23

1.94E+02 0.00E+00 2.46E-23 1.14E-25 7.06E-28 1.02E-25 2.39E-25 5.98E-25 1.66E-24

2.05E+02 0.00E+00 1.26E-24 7.54E-27 1.33E-29 5.43E-27 1.47E-26 4.10E-26 1.81E-25

2.17E+02	0.00E+00	5.45E-26	4.91E-28	0.00E+00	2.71E-28	7.20E-28	2.02E-27	1.77E-26
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.29E+02 0.00E+00 3.04E-27 3.10E-29 0.00E+00 6.16E-30 2.88E-29 8.62E-29 1.62E-27

2.43E+02 0.00E+00 2.34E-28 1.83E-30 0.00E+00 0.00E+00 0.00E+00 2.89E-30 5.75E-29

2.57E+02	0.00E+00	1.29E-29	7.45E-32	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.30E-30
----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

[illegible]

```

2.88E+02      0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00

```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```

1.00E+03      0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00

```

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA SB-125.RAD

Summary of dose at graphical times, reptition 2								
Time	Dose statistics at graphical times, mrem/yr							
Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	4.46E-06	5.55E-03	5.55E-04	4.87E-04	9.64E-04	1.19E-03	1.59E-03	2.11E-03
1.00E+00	4.77E-06	6.89E-03	4.70E-04	4.05E-04	8.49E-04	1.02E-03	1.60E-03	2.02E-03
1.06E+00	4.73E-06	6.88E-03	4.62E-04	3.95E-04	8.37E-04	1.01E-03	1.58E-03	2.02E-03
1.12E+00	4.69E-06	6.86E-03	4.54E-04	3.86E-04	8.32E-04	9.89E-04	1.56E-03	2.02E-03
1.19E+00	4.65E-06	6.82E-03	4.45E-04	3.77E-04	8.21E-04	9.71E-04	1.55E-03	2.01E-03
1.25E+00	4.61E-06	6.75E-03	4.36E-04	3.64E-04	8.08E-04	9.54E-04	1.53E-03	2.00E-03
1.33E+00	4.56E-06	6.68E-03	4.26E-04	3.56E-04	7.85E-04	9.37E-04	1.51E-03	1.98E-03
1.40E+00	4.51E-06	6.54E-03	4.17E-04	3.42E-04	7.71E-04	9.23E-04	1.49E-03	1.97E-03
1.49E+00	4.45E-06	6.36E-03	4.06E-04	3.33E-04	7.53E-04	8.98E-04	1.46E-03	1.95E-03
1.57E+00	4.39E-06	6.14E-03	3.96E-04	3.21E-04	7.36E-04	8.84E-04	1.43E-03	1.92E-03
1.66E+00	4.33E-06	5.86E-03	3.85E-04	3.10E-04	7.22E-04	8.63E-04	1.40E-03	1.90E-03
1.76E+00	4.27E-06	5.55E-03	3.74E-04	2.98E-04	7.03E-04	8.47E-04	1.36E-03	1.87E-03
1.86E+00	4.20E-06	5.16E-03	3.62E-04	2.88E-04	6.83E-04	8.26E-04	1.32E-03	1.84E-03
1.97E+00	4.11E-06	4.74E-03	3.50E-04	2.79E-04	6.64E-04	8.11E-04	1.27E-03	1.80E-03
2.09E+00	4.02E-06	4.27E-03	3.37E-04	2.69E-04	6.43E-04	7.98E-04	1.22E-03	1.77E-03
2.21E+00	3.92E-06	3.74E-03	3.24E-04	2.59E-04	6.21E-04	7.74E-04	1.18E-03	1.73E-03
2.34E+00	3.82E-06	3.25E-03	3.11E-04	2.48E-04	6.05E-04	7.56E-04	1.13E-03	1.68E-03
2.47E+00	3.72E-06	2.79E-03	2.98E-04	2.37E-04	5.82E-04	7.24E-04	1.09E-03	1.64E-03
2.62E+00	3.61E-06	2.49E-03	2.85E-04	2.25E-04	5.63E-04	6.99E-04	1.06E-03	1.58E-03
2.77E+00	3.50E-06	2.37E-03	2.72E-04	2.15E-04	5.41E-04	6.73E-04	1.02E-03	1.47E-03
2.93E+00	3.39E-06	2.21E-03	2.59E-04	2.07E-04	5.20E-04	6.53E-04	9.50E-04	1.38E-03
3.00E+00	3.34E-06	2.14E-03	2.53E-04	2.03E-04	5.11E-04	6.45E-04	9.39E-04	1.33E-03
3.10E+00	3.27E-06	2.01E-03	2.45E-04	1.97E-04	4.97E-04	6.34E-04	9.21E-04	1.30E-03
3.28E+00	3.15E-06	1.79E-03	2.32E-04	1.88E-04	4.68E-04	6.10E-04	8.67E-04	1.20E-03
3.48E+00	3.03E-06	1.53E-03	2.19E-04	1.78E-04	4.69E-04	5.86E-04	7.79E-04	1.15E-03
3.68E+00	2.91E-06	1.47E-03	2.07E-04	1.67E-04	4.29E-04	5.81E-04	7.02E-04	1.04E-03
3.89E+00	2.78E-06	1.41E-03	1.95E-04	1.57E-04	4.06E-04	5.39E-04	7.13E-04	1.01E-03
4.12E+00	2.66E-06	1.56E-03	1.84E-04	1.47E-04	3.80E-04	4.81E-04	6.83E-04	9.97E-04
4.36E+00	2.53E-06	2.54E-03	1.75E-04	1.38E-04	3.48E-04	4.53E-04	5.96E-04	9.43E-04
4.61E+00	2.40E-06	4.37E-03	1.70E-04	1.26E-04	3.24E-04	4.15E-04	5.71E-04	8.69E-04
4.88E+00	2.27E-06	7.88E-03	1.71E-04	1.16E-04	3.03E-04	3.78E-04	5.26E-04	7.83E-04
5.17E+00	2.14E-06	1.48E-02	1.87E-04	1.07E-04	2.82E-04	3.53E-04	4.89E-04	7.22E-04
5.47E+00	2.01E-06	2.95E-02	2.34E-04	9.68E-05	2.61E-04	3.31E-04	4.63E-04	6.96E-04
5.78E+00	1.37E-06	4.57E-02	2.92E-04	8.64E-05	2.34E-04	3.06E-04	4.22E-04	7.24E-04
6.12E+00	2.62E-07	5.85E-02	3.32E-04	7.95E-05	2.15E-04	2.82E-04	3.82E-04	6.21E-04
6.48E+00	4.59E-08	5.98E-02	3.26E-04	7.18E-05	1.95E-04	2.51E-04	3.52E-04	5.70E-04
6.86E+00	7.32E-09	5.32E-02	2.98E-04	6.50E-05	1.78E-04	2.25E-04	3.24E-04	5.19E-04
7.26E+00	1.05E-09	4.70E-02	2.76E-04	5.82E-05	1.61E-04	2.04E-04	2.88E-04	4.55E-04
7.68E+00	1.36E-10	4.12E-02	2.57E-04	5.11E-05	1.42E-04	1.83E-04	2.58E-04	3.87E-04
8.13E+00	1.57E-11	3.58E-02	2.44E-04	4.45E-05	1.28E-04	1.65E-04	2.24E-04	3.42E-04
8.60E+00	1.63E-12	3.08E-02	2.32E-04	3.90E-05	1.11E-04	1.45E-04	2.14E-04	3.14E-04
9.10E+00	1.50E-13	2.72E-02	2.08E-04	3.31E-05	9.74E-05	1.25E-04	1.71E-04	4.95E-04
9.63E+00	1.21E-14	2.30E-02	1.77E-04	2.83E-05	8.43E-05	1.07E-04	1.40E-04	8.20E-04
1.00E+01	2.12E-15	2.05E-02	1.59E-04	2.53E-05	7.65E-05	9.64E-05	1.29E-04	1.17E-03
1.02E+01	8.67E-16	1.94E-02	1.50E-04	2.39E-05	7.30E-05	9.19E-05	1.22E-04	1.41E-03
1.08E+01	5.44E-17	1.61E-02	1.28E-04	1.99E-05	6.20E-05	7.78E-05	9.97E-05	2.53E-03
1.14E+01	2.95E-18	1.32E-02	1.09E-04	1.59E-05	5.24E-05	6.35E-05	8.22E-05	1.87E-03
1.21E+01	1.38E-19	1.07E-02	9.11E-05	1.27E-05	4.35E-05	4.99E-05	6.34E-05	1.34E-03
1.28E+01	5.52E-21	8.59E-03	7.22E-05	9.70E-06	3.46E-05	4.17E-05	5.21E-05	9.46E-04
1.35E+01	1.86E-22	6.78E-03	5.70E-05	8.01E-06	2.77E-05	3.43E-05	4.23E-05	1.43E-03
1.43E+01	5.24E-24	5.28E-03	4.56E-05	6.39E-06	2.20E-05	2.72E-05	3.48E-05	1.74E-03
1.51E+01	1.22E-25	4.03E-03	3.43E-05	5.11E-06	1.74E-05	2.19E-05	2.75E-05	1.08E-03
1.60E+01	2.29E-27	3.03E-03	2.49E-05	3.85E-06	1.37E-05	1.72E-05	2.19E-05	6.09E-04
1.70E+01	3.21E-29	2.23E-03	1.76E-05	2.98E-06	1.06E-05	1.36E-05	1.77E-05	2.80E-04
1.80E+01	0.00E+00	1.60E-03	1.20E-05	2.19E-06	8.12E-06	1.05E-05	1.29E-05	5.48E-05
1.90E+01	0.00E+00	1.11E-03	7.97E-06	1.59E-06	6.00E-06	7.94E-06	9.44E-06	2.78E-05

2.01E+01 0.00E+00 7.47E-04 5.11E-06 1.15E-06 4.43E-06 5.93E-06 7.04E-06 1.29E-05

2.13E+01	0.00E+00	4.87E-04	3.09E-06	8.27E-07	3.24E-06	4.25E-06	4.99E-06	1.05E-05
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.25E+01 0.00E+00 3.04E-04 1.84E-06 5.86E-07 2.23E-06 3.01E-06 3.48E-06 4.43E-06

2.38E+01 0.00E+00 1.81E-04 1.20E-06 3.98E-07 1.52E-06 2.10E-06 2.43E-06 3.18E-06

2.52E+01	0.00E+00	9.93E-05	7.70E-07	2.60E-07	1.06E-06	1.39E-06	1.68E-06	2.20E-06
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.67E+01 0.00E+00 4.67E-05 4.84E-07 1.76E-07 6.92E-07 9.27E-07 1.13E-06 1.49E-06

2.82E+01 0.00E+00 2.57E-05 3.08E-07 1.15E-07 4.46E-07 6.03E-07 7.57E-07 9.84E-07

2.99E+01 0.00E+00 3.55E-05 2.14E-07 7.15E-08 2.91E-07 3.94E-07 4.92E-07 6.37E-07

3.00E+01	0.00E+00	3.66E-05	2.11E-07	6.86E-08	2.82E-07	3.82E-07	4.77E-07	6.17E-07
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.16E+01 0.00E+00 3.35E-05 1.53E-07 4.21E-08 1.80E-07 2.48E-07 3.03E-07 4.04E-07

3.35E+01 0.00E+00 1.63E-05 8.38E-08 2.57E-08 1.11E-07 1.48E-07 1.88E-07 2.50E-07

3.54E+01 0.00E+00 6.80E-06 4.31E-08 1.50E-08 6.62E-08 8.80E-08 1.14E-07 1.52E-07

3.75E+01 0.00E+00 2.08E-06 2.08E-08 8.47E-09 3.87E-08 5.20E-08 6.61E-08 9.06E-08

3.97E+01	0.00E+00	5.46E-07	9.17E-09	4.41E-09	2.23E-08	2.98E-08	3.68E-08	4.85E-08
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.20E+01 0.00E+00 2.50E-07 4.83E-09 2.28E-09 1.23E-08 1.63E-08 2.02E-08 2.68E-08

4.44E+01 0.00E+00 1.10E-07 2.46E-09 1.15E-09 6.32E-09 8.50E-09 1.11E-08 1.43E-08

4.70E+01 0.00E+00 4.58E-08 1.23E-09 5.43E-10 3.28E-09 4.28E-09 5.73E-09 8.19E-09

4.97E+01 0.00E+00 1.82E-08 5.86E-10 2.57E-10 1.61E-09 2.12E-09 2.80E-09 3.67E-09

5.26E+01	0.00E+00	6.82E-09	2.71E-10	1.19E-10	7.21E-10	1.00E-09	1.33E-09	1.76E-09
----------	----------	----------	----------	----------	----------	----------	----------	----------

5.57E+01 0.00E+00 4.69E-09 1.24E-10 5.12E-11 3.19E-10 4.74E-10 6.12E-10 8.87E-10

5.90E+01 0.00E+00 3.85E-09 5.60E-11 2.13E-11 1.30E-10 1.99E-10 2.70E-10 3.60E-10

6.24E+01	0.00E+00	3.26E-09	2.60E-11	8.72E-12	5.42E-11	7.94E-11	1.12E-10	1.52E-10
----------	----------	----------	----------	----------	----------	----------	----------	----------

6.60E+01	0.00E+00	2.79E-09	1.30E-11	3.25E-12	2.05E-11	3.34E-11	4.53E-11	6.10E-11
----------	----------	----------	----------	----------	----------	----------	----------	----------

6.99E+01 0.00E+00 1.61E-09 5.93E-12 1.12E-12 7.75E-12 1.27E-11 1.74E-11 2.29E-11

7.39E+01	0.00E+00	4.88E-10	1.90E-12	3.73E-13	2.63E-12	4.39E-12	5.97E-12	8.36E-12
----------	----------	----------	----------	----------	----------	----------	----------	----------

7.82E+01	0.00E+00	1.36E-10	5.69E-13	1.21E-13	8.32E-13	1.35E-12	1.99E-12	2.84E-12
----------	----------	----------	----------	----------	----------	----------	----------	----------

8.28E+01	0.00E+00	3.45E-11	1.58E-13	3.56E-14	2.43E-13	4.27E-13	5.95E-13	8.92E-13
----------	----------	----------	----------	----------	----------	----------	----------	----------

8.76E+01	0.00E+00	7.64E-12	4.06E-14	9.86E-15	6.87E-14	1.20E-13	1.72E-13	2.61E-13
----------	----------	----------	----------	----------	----------	----------	----------	----------

9.27E+01	0.00E+00	1.46E-12	9.60E-15	2.63E-15	1.84E-14	3.14E-14	4.71E-14	7.06E-14
----------	----------	----------	----------	----------	----------	----------	----------	----------

9.81E+01	0.00E+00	2.20E-13	2.09E-15	6.13E-16	4.42E-15	7.81E-15	1.19E-14	1.76E-14
----------	----------	----------	----------	----------	----------	----------	----------	----------

1.00E+02 0.00E+00 1.05E-13 1.22E-15 3.72E-16 2.74E-15 4.83E-15 7.36E-15 1.09E-14

1.04E+02 0.00E+00 1.58E-14 4.04E-16 1.26E-16 1.02E-15 1.83E-15 2.73E-15 4.06E-15

1.10E+02 0.00E+00 1.34E-15 7.76E-17 2.49E-17 2.13E-16 3.84E-16 5.67E-16 7.69E-16

1.16E+02 0.00E+00 2.69E-16 1.49E-17 4.75E-18 3.87E-17 7.63E-17 1.12E-16 1.50E-16

1.23E+02 0.00E+00 4.92E-17 2.58E-18 8.04E-19 6.60E-18 1.33E-17 2.00E-17 2.66E-17

1.30E+02 0.00E+00 8.15E-18 4.08E-19 1.12E-19 1.03E-18 2.12E-18 3.25E-18 4.27E-18

1.38E+02 0.00E+00 1.21E-18 5.80E-20 1.24E-20 1.44E-19 2.96E-19 4.75E-19 6.17E-19

1.46E+02 0.00E+00 1.62E-19 7.56E-21 1.26E-21 1.85E-20 4.15E-20 6.16E-20 7.96E-20

1.54E+02 0.00E+00 2.16E-20 9.01E-22 1.13E-22 2.12E-21 4.67E-21 7.85E-21 1.08E-20

1.63E+02 0.00E+00 7.28E-21 1.03E-22 5.86E-24 2.06E-22 4.63E-22 8.90E-22 1.09E-21

1.73E+02 0.00E+00 8.48E-22 9.83E-24 1.46E-25 1.89E-23 4.01E-23 8.00E-23 1.30E-22

1.83E+02 0.00E+00 9.74E-23 8.69E-25 2.69E-27 1.47E-24 3.02E-24 6.09E-24 1.15E-23

1.94E+02 0.00E+00 1.11E-23 7.37E-26 9.16E-29 9.92E-26 2.00E-25 4.07E-25 7.65E-25

2.05E+02	0.00E+00	1.22E-24	6.22E-27	0.00E+00	5.76E-27	1.12E-26	2.31E-26	4.36E-26
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.17E+02 0.00E+00 1.26E-25 5.25E-28 0.00E+00 3.00E-28 5.41E-28 1.12E-27 2.44E-27

2.29E+02 0.00E+00 1.18E-26 4.21E-29 0.00E+00 5.60E-30 2.36E-29 5.42E-29 1.40E-28

2.43E+02 0.00E+00 7.97E-28 2.70E-30 0.00E+00 0.00E+00 0.00E+00 1.58E-30 7.23E-30

2.57E+02	0.00E+00	3.03E-29	1.05E-31	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
----------	----------	----------	----------	----------	----------	----------	----------	----------

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
3.61E+02      0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```
6.01E+02      0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00  0.00E+00
```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Summary of dose at graphical times, reptition 3								
Time	Dose statistics at graphical times, mrem/yr							
Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	4.07E-06	4.69E-03	5.59E-04	4.99E-04	9.44E-04	1.12E-03	1.52E-03	2.17E-03
1.00E+00	5.45E-06	4.54E-03	4.60E-04	3.93E-04	8.48E-04	1.05E-03	1.28E-03	2.13E-03
1.06E+00	5.38E-06	4.48E-03	4.52E-04	3.86E-04	8.38E-04	1.03E-03	1.27E-03	2.15E-03
1.12E+00	5.31E-06	4.42E-03	4.43E-04	3.72E-04	8.22E-04	1.02E-03	1.27E-03	2.16E-03
1.19E+00	5.24E-06	4.35E-03	4.34E-04	3.64E-04	8.09E-04	1.00E-03	1.27E-03	2.17E-03
1.25E+00	5.16E-06	4.29E-03	4.25E-04	3.59E-04	7.98E-04	9.93E-04	1.26E-03	2.18E-03
1.33E+00	5.08E-06	4.21E-03	4.16E-04	3.48E-04	7.81E-04	9.71E-04	1.25E-03	2.19E-03
1.40E+00	5.00E-06	4.14E-03	4.06E-04	3.40E-04	7.71E-04	9.52E-04	1.25E-03	2.19E-03
1.49E+00	4.91E-06	4.05E-03	3.96E-04	3.29E-04	7.54E-04	9.34E-04	1.24E-03	2.15E-03
1.57E+00	4.82E-06	3.97E-03	3.86E-04	3.18E-04	7.36E-04	9.15E-04	1.22E-03	2.10E-03
1.66E+00	4.72E-06	3.88E-03	3.75E-04	3.07E-04	7.19E-04	9.05E-04	1.20E-03	2.05E-03
1.76E+00	4.62E-06	3.79E-03	3.65E-04	3.00E-04	7.00E-04	8.85E-04	1.17E-03	2.00E-03
1.86E+00	4.52E-06	3.70E-03	3.54E-04	2.87E-04	6.80E-04	8.61E-04	1.11E-03	1.94E-03
1.97E+00	4.41E-06	3.60E-03	3.42E-04	2.77E-04	6.62E-04	8.35E-04	1.04E-03	1.89E-03
2.09E+00	4.30E-06	3.54E-03	3.30E-04	2.69E-04	6.44E-04	8.08E-04	1.01E-03	1.83E-03
2.21E+00	4.19E-06	3.43E-03	3.18E-04	2.60E-04	6.25E-04	7.86E-04	9.34E-04	1.78E-03
2.34E+00	4.07E-06	3.29E-03	3.06E-04	2.49E-04	6.11E-04	7.59E-04	8.86E-04	1.72E-03
2.47E+00	3.95E-06	3.18E-03	2.93E-04	2.37E-04	5.86E-04	7.22E-04	8.57E-04	1.66E-03
2.62E+00	3.83E-06	3.06E-03	2.81E-04	2.26E-04	5.57E-04	7.05E-04	8.28E-04	1.60E-03
2.77E+00	3.70E-06	2.95E-03	2.68E-04	2.14E-04	5.29E-04	6.79E-04	8.03E-04	1.54E-03
2.93E+00	3.57E-06	2.83E-03	2.55E-04	2.04E-04	5.04E-04	6.48E-04	7.81E-04	1.48E-03
3.00E+00	3.52E-06	2.78E-03	2.49E-04	2.00E-04	4.98E-04	6.39E-04	7.69E-04	1.45E-03
3.10E+00	3.44E-06	2.70E-03	2.42E-04	1.92E-04	4.89E-04	6.26E-04	7.48E-04	1.42E-03
3.28E+00	3.30E-06	2.46E-03	2.28E-04	1.82E-04	4.75E-04	6.03E-04	7.20E-04	1.35E-03
3.48E+00	3.11E-06	2.11E-03	2.15E-04	1.71E-04	4.46E-04	5.74E-04	6.90E-04	1.29E-03
3.68E+00	2.93E-06	1.69E-03	2.02E-04	1.61E-04	4.27E-04	5.36E-04	6.59E-04	1.23E-03
3.89E+00	2.75E-06	1.55E-03	1.88E-04	1.49E-04	4.04E-04	5.10E-04	6.18E-04	1.16E-03
4.12E+00	2.59E-06	1.38E-03	1.75E-04	1.41E-04	3.78E-04	4.85E-04	5.93E-04	8.55E-04
4.36E+00	2.43E-06	1.19E-03	1.63E-04	1.31E-04	3.47E-04	4.55E-04	5.58E-04	8.06E-04
4.61E+00	2.28E-06	1.01E-03	1.51E-04	1.21E-04	3.21E-04	4.24E-04	5.27E-04	7.28E-04
4.88E+00	2.13E-06	9.10E-04	1.39E-04	1.11E-04	3.00E-04	4.01E-04	5.03E-04	6.71E-04
5.17E+00	1.98E-06	8.70E-04	1.29E-04	1.03E-04	2.81E-04	3.73E-04	4.64E-04	6.25E-04
5.47E+00	1.09E-06	1.16E-03	1.19E-04	9.39E-05	2.62E-04	3.46E-04	4.41E-04	5.80E-04
5.78E+00	5.53E-07	1.29E-03	1.10E-04	8.34E-05	2.43E-04	3.10E-04	3.96E-04	5.36E-04
6.12E+00	2.71E-07	1.32E-03	1.00E-04	7.47E-05	2.24E-04	2.84E-04	3.55E-04	4.93E-04
6.48E+00	1.27E-07	2.25E-03	9.20E-05	6.56E-05	2.00E-04	2.58E-04	3.21E-04	4.74E-04
6.86E+00	5.69E-08	3.97E-03	8.61E-05	5.76E-05	1.80E-04	2.34E-04	2.95E-04	4.32E-04
7.26E+00	2.44E-08	5.27E-03	8.01E-05	5.11E-05	1.55E-04	2.11E-04	2.60E-04	3.90E-04
7.68E+00	9.95E-09	5.16E-03	7.23E-05	4.50E-05	1.33E-04	1.83E-04	2.24E-04	2.87E-04
8.13E+00	3.75E-09	3.82E-03	6.37E-05	3.93E-05	1.17E-04	1.58E-04	1.89E-04	2.41E-04
8.60E+00	3.25E-10	4.18E-03	5.82E-05	3.38E-05	1.02E-04	1.33E-04	1.63E-04	2.15E-04
9.10E+00	3.04E-11	7.79E-03	5.75E-05	2.90E-05	8.80E-05	1.14E-04	1.41E-04	1.79E-04
9.63E+00	2.69E-12	1.48E-02	6.48E-05	2.50E-05	7.48E-05	9.62E-05	1.22E-04	1.58E-04
1.00E+01	5.02E-13	1.83E-02	6.79E-05	2.20E-05	6.72E-05	8.76E-05	1.11E-04	1.45E-04
1.02E+01	2.12E-13	1.91E-02	6.76E-05	2.07E-05	6.40E-05	8.45E-05	1.06E-04	1.36E-04
1.08E+01	1.43E-14	1.68E-02	5.80E-05	1.74E-05	5.50E-05	6.88E-05	9.30E-05	1.13E-04
1.14E+01	8.24E-16	1.41E-02	4.84E-05	1.41E-05	4.59E-05	5.81E-05	8.08E-05	1.03E-04
1.21E+01	4.06E-17	1.17E-02	4.00E-05	1.13E-05	3.86E-05	4.86E-05	6.84E-05	8.20E-05
1.28E+01	1.68E-18	9.65E-03	3.30E-05	8.97E-06	3.12E-05	4.07E-05	5.63E-05	6.83E-05
1.35E+01	5.79E-20	7.84E-03	2.71E-05	7.13E-06	2.56E-05	3.34E-05	4.46E-05	5.23E-05
1.43E+01	1.64E-21	6.29E-03	2.19E-05	5.81E-06	2.08E-05	2.68E-05	3.42E-05	4.20E-05
1.51E+01	3.76E-23	4.99E-03	1.74E-05	4.55E-06	1.64E-05	2.12E-05	2.66E-05	3.39E-05
1.60E+01	6.94E-25	3.90E-03	1.38E-05	3.55E-06	1.26E-05	1.67E-05	2.10E-05	2.76E-05
1.70E+01	1.01E-26	3.01E-03	1.11E-05	2.66E-06	9.82E-06	1.31E-05	1.65E-05	2.19E-05
1.80E+01	1.15E-28	2.29E-03	8.49E-06	2.03E-06	7.41E-06	1.00E-05	1.28E-05	1.95E-05
1.90E+01	0.00E+00	1.71E-03	6.40E-06	1.51E-06	5.63E-06	7.58E-06	9.69E-06	1.49E-05

2.01E+01 0.00E+00 1.26E-03 4.87E-06 1.07E-06 4.22E-06 5.58E-06 7.06E-06 1.12E-05

2.13E+01	0.00E+00	9.06E-04	3.84E-06	7.64E-07	3.13E-06	4.07E-06	4.95E-06	8.30E-06
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.25E+01 0.00E+00 6.41E-04 2.75E-06 5.50E-07 2.14E-06 2.92E-06 3.55E-06 5.38E-06

2.38E+01 0.00E+00 4.45E-04 1.88E-06 3.78E-07 1.48E-06 2.04E-06 2.56E-06 3.38E-06

2.52E+01 0.00E+00 3.03E-04 1.26E-06 2.54E-07 1.02E-06 1.40E-06 1.75E-06 2.37E-06

2.67E+01 0.00E+00 2.01E-04 8.27E-07 1.61E-07 6.95E-07 9.26E-07 1.18E-06 1.63E-06

2.82E+01 0.00E+00 1.30E-04 5.30E-07 1.03E-07 4.52E-07 6.21E-07 8.10E-07 1.10E-06

2.99E+01	0.00E+00	8.24E-05	3.33E-07	6.55E-08	2.97E-07	3.90E-07	5.33E-07	9.65E-07
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.00E+01	0.00E+00	7.98E-05	3.22E-07	6.35E-08	2.88E-07	3.79E-07	5.16E-07	9.73E-07
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.16E+01 0.00E+00 5.08E-05 2.03E-07 4.06E-08 1.91E-07 2.46E-07 3.34E-07 6.88E-07

3.35E+01	0.00E+00	3.04E-05	1.20E-07	2.36E-08	1.12E-07	1.56E-07	2.07E-07	3.71E-07
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.54E+01	0.00E+00	1.77E-05	6.97E-08	1.35E-08	6.74E-08	8.93E-08	1.29E-07	1.78E-07
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.75E+01	0.00E+00	9.95E-06	3.92E-08	7.93E-09	3.93E-08	5.15E-08	7.53E-08	1.05E-07
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.97E+01	0.00E+00	5.42E-06	2.15E-08	4.32E-09	2.22E-08	2.89E-08	4.11E-08	6.04E-08
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.20E+01 0.00E+00 2.85E-06 1.14E-08 2.38E-09 1.21E-08 1.60E-08 2.28E-08 3.36E-08

4.44E+01 0.00E+00 1.44E-06 6.04E-09 1.16E-09 6.49E-09 8.29E-09 1.21E-08 1.66E-08

4.70E+01 0.00E+00 7.01E-07 3.23E-09 5.88E-10 3.21E-09 4.26E-09 6.06E-09 8.57E-09

4.97E+01 0.00E+00 3.27E-07 1.85E-09 2.82E-10 1.57E-09 1.99E-09 3.01E-09 4.26E-09

5.26E+01 0.00E+00 3.39E-07 1.25E-09 1.25E-10 7.28E-10 9.61E-10 1.41E-09 2.03E-09

5.57E+01 0.00E+00 6.21E-08 2.48E-10 5.54E-11 3.31E-10 4.29E-10 6.34E-10 8.65E-10

5.90E+01 0.00E+00 2.52E-08 1.02E-10 2.34E-11 1.47E-10 1.91E-10 2.80E-10 3.79E-10

6.24E+01	0.00E+00	9.67E-09	4.03E-11	9.03E-12	5.93E-11	8.02E-11	1.21E-10	1.58E-10
----------	----------	----------	----------	----------	----------	----------	----------	----------

6.60E+01 0.00E+00 3.51E-09 1.51E-11 3.51E-12 2.28E-11 3.21E-11 4.90E-11 6.68E-11

6.99E+01	0.00E+00	1.20E-09	5.36E-12	1.16E-12	8.33E-12	1.21E-11	1.87E-11	2.50E-11
----------	----------	----------	----------	----------	----------	----------	----------	----------

7.39E+01	0.00E+00	3.88E-10	1.84E-12	3.82E-13	2.88E-12	4.39E-12	6.61E-12	8.86E-12
----------	----------	----------	----------	----------	----------	----------	----------	----------

7.82E+01	0.00E+00	1.17E-10	6.15E-13	1.23E-13	9.16E-13	1.46E-12	2.34E-12	3.27E-12
----------	----------	----------	----------	----------	----------	----------	----------	----------

8.28E+01	0.00E+00	3.28E-11	1.83E-13	3.67E-14	2.77E-13	4.60E-13	7.34E-13	1.02E-12
----------	----------	----------	----------	----------	----------	----------	----------	----------

8.76E+01	0.00E+00	8.57E-12	4.95E-14	1.08E-14	7.96E-14	1.35E-13	2.13E-13	2.70E-13
----------	----------	----------	----------	----------	----------	----------	----------	----------

9.27E+01	0.00E+00	2.07E-12	1.23E-14	2.65E-15	2.05E-14	3.71E-14	5.22E-14	7.33E-14
----------	----------	----------	----------	----------	----------	----------	----------	----------

9.81E+01	0.00E+00	4.60E-13	2.89E-15	6.40E-16	5.03E-15	9.35E-15	1.26E-14	1.86E-14
----------	----------	----------	----------	----------	----------	----------	----------	----------

1.00E+02 0.00E+00 2.73E-13 1.75E-15 3.92E-16 3.14E-15 5.69E-15 7.73E-15 1.16E-14

1.04E+02 0.00E+00 9.36E-14 6.26E-16 1.36E-16 1.16E-15 2.13E-15 2.86E-15 4.42E-15

1.10E+02 0.00E+00 1.74E-14 1.24E-16 2.53E-17 2.33E-16 4.42E-16 6.08E-16 9.63E-16

1.16E+02 0.00E+00 2.92E-15 2.27E-17 4.34E-18 4.40E-17 8.77E-17 1.19E-16 1.92E-16

1.23E+02 0.00E+00 4.43E-16 3.81E-18 6.44E-19 7.78E-18 1.58E-17 2.60E-17 3.50E-17

1.30E+02 0.00E+00 6.01E-17 5.95E-19 9.00E-20 1.23E-18 2.56E-18 4.91E-18 6.06E-18

1.38E+02 0.00E+00 7.27E-18 8.35E-20 1.14E-20 1.72E-19 3.58E-19 7.09E-19 9.22E-19

1.46E+02 0.00E+00 7.78E-19 1.05E-20 1.18E-21 2.23E-20 4.73E-20 8.64E-20 1.14E-19

1.54E+02 0.00E+00 7.31E-20 1.20E-21 7.18E-23 2.48E-21 5.46E-21 1.02E-20 1.36E-20

1.63E+02 0.00E+00 6.12E-21 1.26E-22 4.22E-24 2.43E-22 5.24E-22 1.02E-21 1.57E-21

1.73E+02 0.00E+00 8.28E-22 1.24E-23 2.29E-25 2.18E-23 4.75E-23 9.64E-23 1.46E-22

1.83E+02 0.00E+00 1.11E-22 1.17E-24 8.62E-27 1.66E-24 3.79E-24 8.92E-24 1.21E-23

1.94E+02 0.00E+00 1.44E-23 1.10E-25 2.42E-28 1.03E-25 2.54E-25 6.51E-25 1.19E-24

2.05E+02 0.00E+00 1.75E-24 1.05E-26 3.35E-30 6.14E-27 1.48E-26 4.30E-26 1.06E-25

2.17E+02	0.00E+00	1.93E-25	1.00E-27	0.00E+00	3.19E-28	7.30E-28	2.23E-27	9.49E-27
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.29E+02 0.00E+00 1.64E-26 5.11E-29 0.00E+00 7.27E-30 2.69E-29 1.25E-28 4.38E-28

2.43E+02 0.00E+00 2.25E-28 1.28E-30 0.00E+00 0.00E+00 0.00E+00 5.96E-30 3.00E-29

2.57E+02	0.00E+00	5.71E-30	2.55E-32	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
----------	----------	----------	----------	----------	----------	----------	----------	----------

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```

1.00E+03      0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00   0.00E+00

```

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\BP INSITU UA\FCS BURIED PIPE INSITU UA SB-125.RAD

Peak of the mean dose (averaged over observations) at graphical times

Repetition	Time of peak mean dose	Peak mean dose
	Years	mrem/yr
1	0.000E+00	5.593E-04
2	0.000E+00	5.554E-04
3	0.000E+00	5.586E-04

Title : RESRAD Default Parameters
Input File : FCS BURIED PIPE INSITU UA SB-125.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
Contaminated zone erosion rate	4 0.08	4 0.06	8 -0.05	8 -0.04
Contaminated zone b parameter	17 0.02	17 0.01	16 -0.02	16 -0.02
Evapotranspiration coefficient	7 0.05	7 0.04	4 0.09	4 0.08
Wind Speed	6 0.05	6 0.04	13 0.03	13 0.02
Runoff coefficient	10 -0.03	10 -0.02	14 0.02	14 0.02
b Parameter of Unsaturated zone 1	8 -0.05	8 -0.04	6 -0.07	6 -0.06
Mass loading for inhalation	13 0.02	13 0.02	15 0.02	15 0.02
Indoor dust filtration factor	12 -0.02	12 -0.02	17 -0.02	17 -0.01
Depth of soil mixing layer	16 0.02	16 0.01	10 -0.04	10 -0.03
Depth of roots	15 -0.02	15 -0.01	5 0.08	5 0.07
Wet weight crop yield of fruit, grain and non-leafy vegetables	5 0.06	5 0.05	11 -0.03	11 -0.03
Weathering removal constant of all vegetation	11 -0.02	11 -0.02	12 -0.03	12 -0.03
Wet foliar interception fraction of leafy vegetables	3 0.09	3 0.06	7 -0.06	7 -0.06
Humidity in air	9 0.04	9 0.03	18 0.00	18 0.00
Cover erosion rate	1 0.64	1 0.63	9 0.05	9 0.04
Kd of Sb-125 in Contaminated Zone	14 -0.02	14 -0.02	3 -0.17	3 -0.16
Kd of Sb-125 in Saturated Zone	18 0.01	18 0.00	2 -0.20	2 -0.19
Well pump intake depth	2 -0.14	2 -0.11	1 -0.30	1 -0.29
R-SQUARE	0.43	0.43	0.17	0.17

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default Parameters

Input File : FCS BURIED PIPE INSITU UA SB-125.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	2	2	2	2

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
---------------------------------------	-----------	-----------	-----------	-----------

Contaminated zone erosion rate	18	0.00	18	0.00	6	-0.10	6	-0.09
Contaminated zone b parameter	7	-0.04	7	-0.02	18	0.00	18	0.00
Evapotranspiration coefficient	5	0.06	5	0.03	7	0.10	7	0.09
Wind Speed	4	-0.06	4	-0.04	17	0.01	17	0.01
Runoff coefficient	2	-0.11	2	-0.07	12	0.05	12	0.04
b Parameter of Unsaturated zone 1	6	-0.05	6	-0.03	8	0.07	8	0.07
Mass loading for inhalation	11	0.03	11	0.02	15	-0.02	15	-0.02
Indoor dust filtration factor	10	0.03	10	0.02	14	-0.05	14	-0.04
Depth of soil mixing layer	8	0.04	8	0.02	5	0.12	5	0.10
Depth of roots	9	0.03	9	0.02	4	0.14	4	0.13
Wet weight crop yield of fruit, grain and non-leafy vegetables	17	-0.01	17	0.00	10	-0.05	10	-0.05
Weathering removal constant of all vegetation	16	0.01	16	0.01	13	-0.05	13	-0.04
Wet foliar interception fraction of leafy vegetables	14	0.02	14	0.01	9	0.06	9	0.05
Humidity in air	15	0.01	15	0.01	16	0.01	16	0.01
Cover erosion rate	1	0.79	1	0.78	11	0.05	11	0.05
Kd of Sb-125 in Contaminated Zone	12	0.03	12	0.02	3	-0.16	3	-0.14
Kd of Sb-125 in Saturated Zone	13	-0.03	13	-0.02	2	-0.27	2	-0.25
Well pump intake depth	3	-0.08	3	-0.05	1	-0.30	1	-0.28

R-SQUARE	0.63	0.63	0.21	0.21
----------	------	------	------	------

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default Parameters

Input File : FCS BURIED PIPE INSITU UA SB-125.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	3	3	3	3

Description of Probabilistic Variable	Sig Coeff	Sig Coeff	Sig Coeff	Sig Coeff
---------------------------------------	-----------	-----------	-----------	-----------

Contaminated zone erosion rate	9	0.04	9	0.04	16	0.00	16	0.00
Contaminated zone b parameter	5	-0.06	5	-0.05	6	-0.05	6	-0.05
Evapotranspiration coefficient	2	0.11	2	0.11	4	0.14	4	0.13
Wind Speed	11	-0.02	11	-0.02	9	0.02	9	0.02
Runoff coefficient	4	0.08	4	0.08	11	0.02	11	0.02
b Parameter of Unsaturated zone 1	17	-0.01	17	-0.01	18	0.00	18	0.00
Mass loading for inhalation	18	0.00	18	0.00	7	-0.03	7	-0.03
Indoor dust filtration factor	14	0.02	14	0.01	14	0.01	14	0.01
Depth of soil mixing layer	8	-0.04	8	-0.04	10	-0.02	10	-0.02
Depth of roots	16	0.01	16	0.01	5	0.06	5	0.05
Wet weight crop yield of fruit, grain and non-leafy vegetables	13	0.02	13	0.02	17	0.00	17	0.00
Weathering removal constant of all vegetation	7	0.04	7	0.04	8	0.03	8	0.02
Wet foliar interception fraction of leafy vegetables	15	0.01	15	0.01	13	-0.01	13	-0.01
Humidity in air	12	-0.02	12	-0.02	12	0.02	12	0.01
Cover erosion rate	1	0.35	1	0.35	15	0.01	15	0.01
Kd of Sb-125 in Contaminated Zone	6	-0.05	6	-0.05	1	-0.27	1	-0.26
Kd of Sb-125 in Saturated Zone	10	-0.02	10	-0.02	3	-0.22	3	-0.20
Well pump intake depth	3	-0.09	3	-0.08	2	-0.25	2	-0.23

R-SQUARE	0.15	0.15	0.19	0.19
----------	------	------	------	------

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.