

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Table of Contents

Part VI: Uncertainty Analysis

RESRAD Uncertainty Analysis Results

Probabilistic Input	2
Total Dose	3
Total Risk	4
Dose vs Pathway: Ground External	5
Dose vs Pathway: Inhalation (w/o Radon)	6
Dose vs Pathway: Radon (Water Ind.)	7
Dose vs Pathway: Plant (Water Ind.)	8
Dose vs Pathway: Meat (Water Ind.)	9
Dose vs Pathway: Milk (Water Ind.)	10
Dose vs Pathway: Soil Ingestion	11
Dose vs Pathway: Water Ingestion	12
Dose vs Pathway: Fish Ingestion	13
Dose vs Pathway: Radon (Water Dep.)	14
Dose vs Pathway: Plant (Water Dep.)	15
Dose vs Pathway: Meat (Water Dep.)	16
Dose vs Pathway: Milk (Water Dep.)	17
Cumulative Probability Summary.....	18
Summary of dose at graphical times, reptition 1.....	19
Summary of dose at graphical times, reptition 2.....	20
Summary of dose at graphical times, reptition 3.....	21
Peak of the mean dose at graphical times.....	22
Correlation and Regression coefficients (if any).....	23

Number	Name	Distribution	Parameters																
1	VCZ	CONTINUOUS LOGARITHMIC4	5.E-8	0	.0007	.22	.005	.95	.2	1									
2	BCZ	BOUNDED LOGNORMAL-N	1.28	.334	1.28	10.1													
3	EVAPTR	UNIFORM	.5	.99															
4	WIND	UNIFORM	2.8	4.7															
5	RUNOFF	UNIFORM	.1	.8															
6	DWIBWT	CONTINUOUS LINEAR	6	5	0	24	.29	43	.66	53	.68	76	.95	89	1				
7	BUZ (1)	BOUNDED LOGNORMAL-N	1.28	.334	1.28	10.1													
8	MLINH	CONTINUOUS LINEAR	8	0	0	.000008	.0151	.000016	.1365	.00003	.8119	.00004	.9495	.00006	.9937	.000076	.9983	.0001	1
9	SHF3	UNIFORM	.15	.95															
10	DM	TRIANGULAR	0	.15	.6														
11	DROOT	UNIFORM	.3	4															
12	YV (1)	TRUNCATED LOGNORMAL-N	.56	.48	.001	.999													
13	WLAM	TRIANGULAR	5.1	18	84														
14	RWET (2)	TRIANGULAR	.06	.67	.95														
15	HUMID	TRUNCATED LOGNORMAL-N	1.98	.334	.001	.999													
16	DCACTC (3)	LOGNORMAL-N	6.86	1.39															
17	DCACTU1 (3)	LOGNORMAL-N	6.86	1.39															
18	DCACTS (3)	LOGNORMAL-N	5.99	1.39															

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Probabilistic Total Dose Summary

Nuclide (j)	Peak Time	Peak Dose	DOSE(j,t), mrem/yr							
		t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pu-241										
Min	0.00E+00	5.88E-03	5.71E-03	5.64E-03	4.30E-03	0.00E+00	0.00E+00	0.00E+00	1.90E-10	2.43E-09
Max	5.67E+01	3.08E-02	1.92E-02	1.98E-02	2.11E-02	2.46E-02	2.95E-02	2.95E-02	2.14E-02	6.91E-03
Avg	4.41E+01	1.69E-02	1.11E-02	1.15E-02	1.22E-02	1.39E-02	1.62E-02	1.47E-02	7.20E-03	1.01E-03
Std	1.18E+01	7.44E-03	4.63E-03	4.80E-03	5.12E-03	6.12E-03	7.51E-03	7.64E-03	6.10E-03	1.79E-03
ALL										
Min	0.00E+00	5.88E-03	5.71E-03	5.64E-03	4.30E-03	0.00E+00	0.00E+00	0.00E+00	1.90E-10	2.43E-09
Max	5.67E+01	3.08E-02	1.92E-02	1.98E-02	2.11E-02	2.46E-02	2.95E-02	2.95E-02	2.14E-02	6.91E-03
Avg	4.41E+01	1.69E-02	1.11E-02	1.15E-02	1.22E-02	1.39E-02	1.62E-02	1.47E-02	7.20E-03	1.01E-03
Std	1.18E+01	7.44E-03	4.63E-03	4.80E-03	5.12E-03	6.12E-03	7.51E-03	7.64E-03	6.10E-03	1.79E-03

ALL is total dose summed for all nuclides.

Probabilistic Risk Summary

Nuclide		RISK(j,t)							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min		5.83E-09	6.66E-09	7.27E-09	0.00E+00	0.00E+00	0.00E+00	8.95E-17	1.14E-15
Max		2.05E-08	2.19E-08	2.46E-08	3.22E-08	4.31E-08	4.51E-08	3.28E-08	1.05E-08
Avg		1.13E-08	1.24E-08	1.44E-08	1.96E-08	2.69E-08	2.68E-08	1.44E-08	2.00E-09
Std		4.56E-09	4.77E-09	5.16E-09	6.53E-09	8.78E-09	9.57E-09	9.10E-09	3.02E-09
ΣALL									
Min		5.83E-09	6.66E-09	7.27E-09	0.00E+00	0.00E+00	0.00E+00	8.95E-17	1.14E-15
Max		2.05E-08	2.19E-08	2.46E-08	3.22E-08	4.31E-08	4.51E-08	3.28E-08	1.05E-08
Avg		1.13E-08	1.24E-08	1.44E-08	1.96E-08	2.69E-08	2.68E-08	1.44E-08	2.00E-09
Std		4.56E-09	4.77E-09	5.16E-09	6.53E-09	8.78E-09	9.57E-09	9.10E-09	3.02E-09
<hr/>									

ΣALL is total risk summed for all nuclides.

Probabilistic Dose vs Pathway(i): Ground External

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min	2.49E-05	5.45E-05	1.05E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	2.54E-05	5.71E-05	1.16E-04	2.81E-04	5.26E-04	6.12E-04	4.49E-04	1.48E-04	
Avg	2.54E-05	5.71E-05	1.16E-04	2.78E-04	5.11E-04	5.82E-04	3.51E-04	4.92E-05	
Std	1.48E-08	7.38E-08	3.05E-07	2.82E-05	8.12E-05	1.22E-04	1.78E-04	6.71E-05	
ΣALL									
Min	2.49E-05	5.45E-05	1.05E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	2.54E-05	5.71E-05	1.16E-04	2.81E-04	5.26E-04	6.12E-04	4.49E-04	1.48E-04	
Avg	2.54E-05	5.71E-05	1.16E-04	2.78E-04	5.11E-04	5.82E-04	3.51E-04	4.92E-05	
Std	1.48E-08	7.38E-08	3.05E-07	2.82E-05	8.12E-05	1.22E-04	1.78E-04	6.71E-05	
<hr/>									

ΣALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Inhalation (w/o Radon)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min		3.20E-07	3.32E-07	3.53E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		7.10E-04	7.35E-04	7.82E-04	9.11E-04	1.09E-03	1.09E-03	7.92E-04	2.54E-04
Avg		1.14E-04	1.19E-04	1.26E-04	1.45E-04	1.71E-04	1.68E-04	9.45E-05	1.27E-05
Std		6.95E-05	7.20E-05	7.65E-05	8.98E-05	1.09E-04	1.10E-04	8.52E-05	2.34E-05
ΣALL									
Min		3.20E-07	3.32E-07	3.53E-07	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		7.10E-04	7.35E-04	7.82E-04	9.11E-04	1.09E-03	1.09E-03	7.92E-04	2.54E-04
Avg		1.14E-04	1.19E-04	1.26E-04	1.45E-04	1.71E-04	1.68E-04	9.45E-05	1.27E-05
Std		6.95E-05	7.20E-05	7.65E-05	8.98E-05	1.09E-04	1.10E-04	8.52E-05	2.34E-05
<hr/>									

ΣALL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Radon (Water Ind.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>									

TOTAL is total pathway dose summed for all nuclides.

Probabilistic Dose vs Pathway(i): Plant (Water Ind.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
Pu-241									
Min		4.26E-03	4.08E-03	2.70E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.71E-02	1.77E-02	1.88E-02	2.18E-02	2.60E-02	2.61E-02	1.90E-02	6.23E-03
Avg		9.59E-03	9.89E-03	1.04E-02	1.19E-02	1.37E-02	1.21E-02	5.74E-03	8.02E-04
Std		4.62E-03	4.79E-03	5.11E-03	6.06E-03	7.37E-03	7.44E-03	5.60E-03	1.55E-03
ΣALL									
Min		4.26E-03	4.08E-03	2.70E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		1.71E-02	1.77E-02	1.88E-02	2.18E-02	2.60E-02	2.61E-02	1.90E-02	6.23E-03
Avg		9.59E-03	9.89E-03	1.04E-02	1.19E-02	1.37E-02	1.21E-02	5.74E-03	8.02E-04
Std		4.62E-03	4.79E-03	5.11E-03	6.06E-03	7.37E-03	7.44E-03	5.60E-03	1.55E-03

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Probabilistic Dose vs Pathway(i): Meat (Water Ind.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min		3.61E-04	3.51E-04	3.16E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		3.81E-04	3.79E-04	3.75E-04	3.64E-04	3.42E-04	3.00E-04	2.19E-04	7.37E-05
Avg		3.69E-04	3.67E-04	3.64E-04	3.48E-04	3.21E-04	2.75E-04	1.55E-04	2.01E-05
Std		6.84E-06	6.85E-06	6.99E-06	3.80E-05	5.28E-05	5.82E-05	8.57E-05	2.94E-05
ΣALL									
Min		3.61E-04	3.51E-04	3.16E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		3.81E-04	3.79E-04	3.75E-04	3.64E-04	3.42E-04	3.00E-04	2.19E-04	7.37E-05
Avg		3.69E-04	3.67E-04	3.64E-04	3.48E-04	3.21E-04	2.75E-04	1.55E-04	2.01E-05
Std		6.84E-06	6.85E-06	6.99E-06	3.80E-05	5.28E-05	5.82E-05	8.57E-05	2.94E-05
<hr/>									

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Probabilistic Dose vs Pathway(i): Milk (Water Ind.)

Nuclide (j)	DOSE(i,j,t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>								
Pu-241								
Min	1.73E-05	1.96E-05	2.19E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.95E-05	2.21E-05	2.69E-05	4.05E-05	6.04E-05	6.58E-05	4.82E-05	1.58E-05
Avg	1.82E-05	2.07E-05	2.52E-05	3.74E-05	5.47E-05	5.80E-05	3.25E-05	4.22E-06
Std	7.49E-07	8.51E-07	1.05E-06	4.32E-06	9.22E-06	1.25E-05	1.81E-05	6.20E-06
ΣALL								
Min	1.73E-05	1.96E-05	2.19E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max	1.95E-05	2.21E-05	2.69E-05	4.05E-05	6.04E-05	6.58E-05	4.82E-05	1.58E-05
Avg	1.82E-05	2.07E-05	2.52E-05	3.74E-05	5.47E-05	5.80E-05	3.25E-05	4.22E-06
Std	7.49E-07	8.51E-07	1.05E-06	4.32E-06	9.22E-06	1.25E-05	1.81E-05	6.20E-06
<hr/>								

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Probabilistic Dose vs Pathway(i): Soil Ingestion

Nuclide		DOSE(i, j, t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min		9.69E-04	9.54E-04	9.28E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		9.94E-04	1.03E-03	1.09E-03	1.27E-03	1.52E-03	1.52E-03	1.11E-03	3.60E-04
Avg		9.94E-04	1.03E-03	1.09E-03	1.25E-03	1.47E-03	1.44E-03	8.17E-04	1.05E-04
Std		7.26E-07	2.13E-06	5.14E-06	1.35E-04	2.40E-04	3.03E-04	4.52E-04	1.54E-04
ΣALL									
Min		9.69E-04	9.54E-04	9.28E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		9.94E-04	1.03E-03	1.09E-03	1.27E-03	1.52E-03	1.52E-03	1.11E-03	3.60E-04
Avg		9.94E-04	1.03E-03	1.09E-03	1.25E-03	1.47E-03	1.44E-03	8.17E-04	1.05E-04
Std		7.26E-07	2.13E-06	5.14E-06	1.35E-04	2.40E-04	3.03E-04	4.52E-04	1.54E-04
<hr/>									

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Probabilistic Dose vs Pathway(i): Water Ingestion

Nuclide		DOSE(i, j, t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.69E-10	2.19E-09
Max		0.00E+00	0.00E+00	2.34E-07	1.44E-05	1.74E-04	3.18E-04	2.85E-04	2.09E-04
Avg		0.00E+00	0.00E+00	2.59E-10	3.79E-08	5.38E-07	2.65E-06	1.09E-05	1.85E-05
Std		0.00E+00	0.00E+00	7.23E-09	5.65E-07	5.72E-06	1.17E-05	1.94E-05	2.47E-05
<hr/>									
ΣALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.69E-10	2.19E-09
Max		0.00E+00	0.00E+00	2.34E-07	1.44E-05	1.74E-04	3.18E-04	2.85E-04	2.09E-04
Avg		0.00E+00	0.00E+00	2.59E-10	3.79E-08	5.38E-07	2.65E-06	1.09E-05	1.85E-05
Std		0.00E+00	0.00E+00	7.23E-09	5.65E-07	5.72E-06	1.17E-05	1.94E-05	2.47E-05
<hr/>									

ΣALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Probabilistic Dose vs Pathway(i): Fish Ingestion

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>									

TOTAL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Probabilistic Dose vs Pathway(i): Radon (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
TOTAL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Max		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Avg		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Std		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
<hr/>									

TOTAL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Probabilistic Dose vs Pathway(i): Plant (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.72E-11	8.29E-11
Max		0.00E+00	0.00E+00	1.50E-08	1.57E-06	1.09E-05	2.87E-05	4.68E-05	2.53E-05
Avg		0.00E+00	0.00E+00	1.29E-11	2.63E-09	4.16E-08	2.42E-07	9.87E-07	1.67E-06
Std		0.00E+00	0.00E+00	4.03E-10	4.62E-08	4.21E-07	1.13E-06	1.99E-06	2.46E-06
<hr/>									
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.72E-11	8.29E-11
Max		0.00E+00	0.00E+00	1.50E-08	1.57E-06	1.09E-05	2.87E-05	4.68E-05	2.53E-05
Avg		0.00E+00	0.00E+00	1.29E-11	2.63E-09	4.16E-08	2.42E-07	9.87E-07	1.67E-06
Std		0.00E+00	0.00E+00	4.03E-10	4.62E-08	4.21E-07	1.13E-06	1.99E-06	2.46E-06
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Probabilistic Dose vs Pathway(i): Meat (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.85E-12	6.38E-12
Max		0.00E+00	0.00E+00	1.74E-10	1.75E-08	2.11E-07	3.43E-07	1.24E-06	2.70E-06
Avg		0.00E+00	0.00E+00	2.19E-13	5.01E-11	1.39E-09	2.37E-08	1.49E-07	2.54E-07
Std		0.00E+00	0.00E+00	6.00E-12	6.24E-10	6.85E-09	3.22E-08	1.81E-07	3.46E-07
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	2.85E-12	6.38E-12
Max		0.00E+00	0.00E+00	1.74E-10	1.75E-08	2.11E-07	3.43E-07	1.24E-06	2.70E-06
Avg		0.00E+00	0.00E+00	2.19E-13	5.01E-11	1.39E-09	2.37E-08	1.49E-07	2.54E-07
Std		0.00E+00	0.00E+00	6.00E-12	6.24E-10	6.85E-09	3.22E-08	1.81E-07	3.46E-07
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Probabilistic Dose vs Pathway(i): Milk (Water Dep.)

Nuclide		DOSE(i,j,t), mrem/yr							
(j)	t=	0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
<hr/>									
Pu-241									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.64E-13	9.47E-13
Max		0.00E+00	0.00E+00	1.50E-11	1.34E-09	1.74E-08	5.59E-08	9.60E-08	1.53E-07
Avg		0.00E+00	0.00E+00	1.99E-14	3.92E-12	1.03E-10	1.55E-09	9.00E-09	1.53E-08
Std		0.00E+00	0.00E+00	5.43E-13	4.90E-11	6.14E-10	2.82E-09	1.13E-08	2.03E-08
<hr/>									
ALL									
Min		0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.64E-13	9.47E-13
Max		0.00E+00	0.00E+00	1.50E-11	1.34E-09	1.74E-08	5.59E-08	9.60E-08	1.53E-07
Avg		0.00E+00	0.00E+00	1.99E-14	3.92E-12	1.03E-10	1.55E-09	9.00E-09	1.53E-08
Std		0.00E+00	0.00E+00	5.43E-13	4.90E-11	6.14E-10	2.82E-09	1.13E-08	2.03E-08
<hr/>									

ALL is total pathway dose summed for all nuclides.

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Cumulative Probability Summary for: Total Dose Over Pathways

Cumulative Probability	Dose(t), mrem/yr							
	t= 0.00E+00	1.00E+00	3.00E+00	1.00E+01	3.00E+01	1.00E+02	3.00E+02	1.00E+03
0.025	5.88E-03	6.10E-03	6.44E-03	7.23E-03	9.38E-04	4.82E-08	8.70E-08	9.99E-08
0.050	5.98E-03	6.19E-03	6.55E-03	7.55E-03	8.65E-03	6.31E-03	5.76E-07	2.26E-07
0.075	6.11E-03	6.33E-03	6.68E-03	7.69E-03	8.99E-03	7.11E-03	1.37E-06	4.46E-07
0.100	6.22E-03	6.44E-03	6.80E-03	7.83E-03	9.14E-03	7.58E-03	2.09E-06	6.93E-07
0.125	6.35E-03	6.57E-03	6.92E-03	7.96E-03	9.29E-03	8.06E-03	3.16E-06	9.12E-07
0.150	6.46E-03	6.67E-03	7.06E-03	8.13E-03	9.46E-03	8.43E-03	5.21E-06	1.18E-06
0.175	6.60E-03	6.82E-03	7.22E-03	8.31E-03	9.72E-03	8.68E-03	8.92E-06	1.56E-06
0.200	6.74E-03	6.95E-03	7.36E-03	8.47E-03	9.89E-03	8.89E-03	5.32E-05	2.07E-06
0.225	6.87E-03	7.09E-03	7.50E-03	8.65E-03	1.01E-02	9.12E-03	1.31E-03	2.45E-06
0.250	7.04E-03	7.28E-03	7.66E-03	8.86E-03	1.03E-02	9.32E-03	2.53E-03	2.80E-06
0.275	7.21E-03	7.43E-03	7.86E-03	9.09E-03	1.05E-02	9.52E-03	3.26E-03	3.42E-06
0.300	7.38E-03	7.64E-03	8.10E-03	9.30E-03	1.08E-02	9.79E-03	3.82E-03	4.04E-06
0.325	7.59E-03	7.83E-03	8.27E-03	9.54E-03	1.11E-02	1.00E-02	4.21E-03	4.89E-06
0.350	7.81E-03	8.07E-03	8.51E-03	9.77E-03	1.14E-02	1.03E-02	4.52E-03	5.80E-06
0.375	7.99E-03	8.26E-03	8.73E-03	1.01E-02	1.16E-02	1.05E-02	4.84E-03	6.70E-06
0.400	8.26E-03	8.52E-03	8.99E-03	1.03E-02	1.20E-02	1.09E-02	5.14E-03	7.62E-06
0.425	8.54E-03	8.80E-03	9.28E-03	1.07E-02	1.24E-02	1.11E-02	5.42E-03	8.56E-06
0.450	8.81E-03	9.10E-03	9.59E-03	1.10E-02	1.28E-02	1.15E-02	5.67E-03	9.77E-06
0.475	9.11E-03	9.37E-03	9.89E-03	1.14E-02	1.32E-02	1.18E-02	5.97E-03	1.10E-05
0.500	9.40E-03	9.68E-03	1.02E-02	1.17E-02	1.36E-02	1.22E-02	6.24E-03	1.26E-05
0.525	9.75E-03	1.00E-02	1.06E-02	1.22E-02	1.42E-02	1.26E-02	6.53E-03	1.51E-05
0.550	1.02E-02	1.04E-02	1.11E-02	1.28E-02	1.47E-02	1.30E-02	6.79E-03	1.71E-05
0.575	1.06E-02	1.09E-02	1.16E-02	1.34E-02	1.55E-02	1.35E-02	7.20E-03	2.10E-05
0.600	1.11E-02	1.14E-02	1.21E-02	1.39E-02	1.62E-02	1.42E-02	7.48E-03	2.61E-05
0.625	1.16E-02	1.20E-02	1.27E-02	1.45E-02	1.68E-02	1.50E-02	7.87E-03	3.53E-05
0.650	1.22E-02	1.26E-02	1.33E-02	1.54E-02	1.78E-02	1.57E-02	8.11E-03	1.60E-04
0.675	1.28E-02	1.32E-02	1.40E-02	1.62E-02	1.87E-02	1.65E-02	8.41E-03	4.95E-04
0.700	1.36E-02	1.40E-02	1.48E-02	1.70E-02	1.97E-02	1.73E-02	8.87E-03	8.49E-04
0.725	1.44E-02	1.49E-02	1.58E-02	1.81E-02	2.09E-02	1.83E-02	9.40E-03	1.07E-03
0.750	1.55E-02	1.60E-02	1.70E-02	1.91E-02	2.20E-02	1.92E-02	9.91E-03	1.42E-03
0.775	1.66E-02	1.72E-02	1.80E-02	2.08E-02	2.37E-02	2.08E-02	1.06E-02	2.03E-03
0.800	1.79E-02	1.84E-02	1.95E-02	2.24E-02	2.56E-02	2.21E-02	1.15E-02	2.32E-03
0.825	1.85E-02	1.91E-02	2.03E-02	2.36E-02	2.77E-02	2.45E-02	1.26E-02	2.54E-03
0.850	1.85E-02	1.92E-02	2.04E-02	2.37E-02	2.84E-02	2.68E-02	1.38E-02	2.76E-03
0.875	1.85E-02	1.92E-02	2.04E-02	2.38E-02	2.84E-02	2.82E-02	1.53E-02	3.07E-03
0.900	1.85E-02	1.92E-02	2.04E-02	2.38E-02	2.85E-02	2.84E-02	1.81E-02	3.58E-03
0.925	1.86E-02	1.92E-02	2.04E-02	2.38E-02	2.85E-02	2.85E-02	2.03E-02	4.34E-03
0.950	1.86E-02	1.92E-02	2.05E-02	2.38E-02	2.86E-02	2.86E-02	2.06E-02	5.70E-03
0.975	1.86E-02	1.93E-02	2.05E-02	2.39E-02	2.87E-02	2.87E-02	2.08E-02	6.63E-03
1.000	1.92E-02	1.98E-02	2.11E-02	2.46E-02	2.95E-02	2.95E-02	2.14E-02	6.91E-03

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Summary of dose at graphical times, reptition 1								
Time	Dose statistics at graphical times, mrem/yr							
Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	5.72E-03	1.88E-02	1.11E-02	9.37E-03	1.85E-02	1.86E-02	1.86E-02	1.87E-02
1.00E+00	5.92E-03	1.94E-02	1.15E-02	9.63E-03	1.92E-02	1.92E-02	1.93E-02	1.93E-02
1.06E+00	5.93E-03	1.95E-02	1.15E-02	9.65E-03	1.92E-02	1.93E-02	1.93E-02	1.94E-02
1.12E+00	5.95E-03	1.95E-02	1.15E-02	9.67E-03	1.93E-02	1.93E-02	1.93E-02	1.94E-02
1.19E+00	5.96E-03	1.96E-02	1.16E-02	9.69E-03	1.93E-02	1.94E-02	1.94E-02	1.95E-02
1.25E+00	5.97E-03	1.96E-02	1.16E-02	9.71E-03	1.94E-02	1.94E-02	1.94E-02	1.95E-02
1.33E+00	5.99E-03	1.96E-02	1.16E-02	9.74E-03	1.94E-02	1.94E-02	1.95E-02	1.95E-02
1.40E+00	6.00E-03	1.97E-02	1.16E-02	9.76E-03	1.94E-02	1.95E-02	1.95E-02	1.96E-02
1.49E+00	6.02E-03	1.97E-02	1.17E-02	9.78E-03	1.95E-02	1.95E-02	1.96E-02	1.97E-02
1.57E+00	6.03E-03	1.98E-02	1.17E-02	9.81E-03	1.96E-02	1.96E-02	1.96E-02	1.97E-02
1.66E+00	6.05E-03	1.99E-02	1.17E-02	9.84E-03	1.96E-02	1.97E-02	1.97E-02	1.98E-02
1.76E+00	6.07E-03	1.99E-02	1.18E-02	9.87E-03	1.97E-02	1.97E-02	1.98E-02	1.98E-02
1.86E+00	6.09E-03	2.00E-02	1.18E-02	9.89E-03	1.97E-02	1.98E-02	1.98E-02	1.99E-02
1.97E+00	6.11E-03	2.01E-02	1.18E-02	9.93E-03	1.98E-02	1.98E-02	1.99E-02	2.00E-02
2.09E+00	6.13E-03	2.01E-02	1.19E-02	9.96E-03	1.99E-02	1.99E-02	2.00E-02	2.00E-02
2.21E+00	6.08E-03	2.02E-02	1.19E-02	9.99E-03	1.99E-02	2.00E-02	2.00E-02	2.01E-02
2.34E+00	6.02E-03	2.03E-02	1.19E-02	1.00E-02	2.00E-02	2.01E-02	2.01E-02	2.02E-02
2.47E+00	5.96E-03	2.04E-02	1.20E-02	1.01E-02	2.01E-02	2.02E-02	2.02E-02	2.03E-02
2.62E+00	5.85E-03	2.04E-02	1.20E-02	1.01E-02	2.02E-02	2.02E-02	2.03E-02	2.03E-02
2.77E+00	5.63E-03	2.05E-02	1.21E-02	1.01E-02	2.03E-02	2.03E-02	2.04E-02	2.04E-02
2.93E+00	5.39E-03	2.06E-02	1.21E-02	1.02E-02	2.04E-02	2.04E-02	2.05E-02	2.05E-02
3.00E+00	5.29E-03	2.07E-02	1.22E-02	1.02E-02	2.04E-02	2.05E-02	2.05E-02	2.06E-02
3.10E+00	5.13E-03	2.07E-02	1.22E-02	1.02E-02	2.05E-02	2.05E-02	2.06E-02	2.06E-02
3.28E+00	4.86E-03	2.08E-02	1.23E-02	1.03E-02	2.06E-02	2.06E-02	2.07E-02	2.07E-02
3.48E+00	4.56E-03	2.09E-02	1.23E-02	1.03E-02	2.07E-02	2.07E-02	2.08E-02	2.08E-02
3.68E+00	4.20E-03	2.11E-02	1.24E-02	1.04E-02	2.08E-02	2.08E-02	2.09E-02	2.10E-02
3.89E+00	3.76E-03	2.12E-02	1.24E-02	1.04E-02	2.09E-02	2.10E-02	2.10E-02	2.11E-02
4.12E+00	3.23E-03	2.13E-02	1.25E-02	1.05E-02	2.10E-02	2.11E-02	2.11E-02	2.12E-02
4.36E+00	2.60E-03	2.14E-02	1.26E-02	1.06E-02	2.12E-02	2.12E-02	2.13E-02	2.13E-02
4.61E+00	1.87E-03	2.16E-02	1.26E-02	1.06E-02	2.13E-02	2.14E-02	2.14E-02	2.15E-02
4.88E+00	1.10E-03	2.17E-02	1.27E-02	1.07E-02	2.14E-02	2.15E-02	2.15E-02	2.16E-02
5.17E+00	4.94E-04	2.19E-02	1.28E-02	1.08E-02	2.16E-02	2.16E-02	2.17E-02	2.18E-02
5.47E+00	1.06E-04	2.20E-02	1.29E-02	1.09E-02	2.17E-02	2.18E-02	2.18E-02	2.19E-02
5.78E+00	3.19E-08	2.22E-02	1.30E-02	1.09E-02	2.19E-02	2.20E-02	2.20E-02	2.21E-02
6.12E+00	0.00E+00	2.24E-02	1.31E-02	1.10E-02	2.21E-02	2.21E-02	2.22E-02	2.22E-02
6.48E+00	0.00E+00	2.25E-02	1.31E-02	1.11E-02	2.22E-02	2.23E-02	2.23E-02	2.24E-02
6.86E+00	0.00E+00	2.27E-02	1.32E-02	1.12E-02	2.24E-02	2.25E-02	2.25E-02	2.26E-02
7.26E+00	0.00E+00	2.29E-02	1.33E-02	1.13E-02	2.26E-02	2.27E-02	2.27E-02	2.28E-02
7.68E+00	0.00E+00	2.31E-02	1.34E-02	1.13E-02	2.28E-02	2.29E-02	2.29E-02	2.30E-02
8.13E+00	0.00E+00	2.33E-02	1.35E-02	1.14E-02	2.30E-02	2.31E-02	2.31E-02	2.32E-02
8.60E+00	0.00E+00	2.35E-02	1.37E-02	1.15E-02	2.32E-02	2.33E-02	2.33E-02	2.34E-02
9.10E+00	0.00E+00	2.37E-02	1.38E-02	1.16E-02	2.34E-02	2.35E-02	2.35E-02	2.36E-02
9.63E+00	0.00E+00	2.40E-02	1.39E-02	1.17E-02	2.36E-02	2.37E-02	2.37E-02	2.38E-02
1.00E+01	0.00E+00	2.41E-02	1.40E-02	1.18E-02	2.38E-02	2.38E-02	2.39E-02	2.40E-02
1.02E+01	0.00E+00	2.42E-02	1.40E-02	1.18E-02	2.39E-02	2.39E-02	2.40E-02	2.40E-02
1.08E+01	0.00E+00	2.44E-02	1.41E-02	1.19E-02	2.41E-02	2.42E-02	2.42E-02	2.43E-02
1.14E+01	0.00E+00	2.46E-02	1.42E-02	1.20E-02	2.43E-02	2.44E-02	2.44E-02	2.45E-02
1.21E+01	0.00E+00	2.49E-02	1.44E-02	1.21E-02	2.46E-02	2.46E-02	2.47E-02	2.48E-02
1.28E+01	0.00E+00	2.51E-02	1.45E-02	1.22E-02	2.48E-02	2.49E-02	2.49E-02	2.50E-02
1.35E+01	0.00E+00	2.54E-02	1.46E-02	1.23E-02	2.51E-02	2.51E-02	2.52E-02	2.52E-02
1.43E+01	0.00E+00	2.57E-02	1.47E-02	1.23E-02	2.53E-02	2.54E-02	2.54E-02	2.55E-02
1.51E+01	0.00E+00	2.59E-02	1.49E-02	1.25E-02	2.56E-02	2.56E-02	2.57E-02	2.58E-02
1.60E+01	0.00E+00	2.62E-02	1.50E-02	1.26E-02	2.58E-02	2.59E-02	2.59E-02	2.60E-02
1.70E+01	0.00E+00	2.64E-02	1.51E-02	1.27E-02	2.61E-02	2.62E-02	2.62E-02	2.63E-02
1.80E+01	0.00E+00	2.67E-02	1.52E-02	1.28E-02	2.63E-02	2.64E-02	2.65E-02	2.65E-02
1.90E+01	0.00E+00	2.70E-02	1.54E-02	1.28E-02	2.66E-02	2.67E-02	2.67E-02	2.68E-02

2.01E+01	0.00E+00	2.72E-02	1.55E-02	1.29E-02	2.68E-02	2.69E-02	2.70E-02	2.70E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.13E+01 0.00E+00 2.75E-02 1.56E-02 1.30E-02 2.71E-02 2.72E-02 2.72E-02 2.73E-02

2.25E+01 0.00E+00 2.77E-02 1.57E-02 1.31E-02 2.73E-02 2.74E-02 2.75E-02 2.75E-02

2.38E+01	0.00E+00	2.80E-02	1.58E-02	1.32E-02	2.76E-02	2.77E-02	2.77E-02	2.78E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.52E+01	0.00E+00	2.82E-02	1.60E-02	1.33E-02	2.78E-02	2.79E-02	2.79E-02	2.80E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.67E+01 0.00E+00 2.85E-02 1.61E-02 1.34E-02 2.80E-02 2.81E-02 2.82E-02 2.83E-02

2.82E+01	0.00E+00	2.87E-02	1.61E-02	1.35E-02	2.83E-02	2.83E-02	2.84E-02	2.85E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.99E+01 0.00E+00 2.89E-02 1.62E-02 1.35E-02 2.85E-02 2.86E-02 2.86E-02 2.87E-02

3.00E+01 0.00E+00 2.89E-02 1.62E-02 1.35E-02 2.85E-02 2.86E-02 2.86E-02 2.87E-02

3.16E+01 0.00E+00 2.91E-02 1.63E-02 1.36E-02 2.87E-02 2.88E-02 2.88E-02 2.89E-02

3.35E+01 0.00E+00 2.93E-02 1.64E-02 1.37E-02 2.89E-02 2.89E-02 2.90E-02 2.91E-02

3.54E+01	0.00E+00	2.95E-02	1.64E-02	1.37E-02	2.90E-02	2.91E-02	2.92E-02	2.92E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.75E+01	0.00E+00	2.96E-02	1.64E-02	1.38E-02	2.92E-02	2.93E-02	2.93E-02	2.94E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.97E+01 0.00E+00 2.97E-02 1.65E-02 1.38E-02 2.93E-02 2.94E-02 2.95E-02 2.95E-02

4.20E+01 0.00E+00 2.99E-02 1.65E-02 1.38E-02 2.94E-02 2.95E-02 2.96E-02 2.96E-02

4.44E+01 4.31E-12 3.00E-02 1.65E-02 1.38E-02 2.95E-02 2.96E-02 2.97E-02 2.97E-02

4.70E+01 2.69E-11 3.00E-02 1.64E-02 1.38E-02 2.96E-02 2.97E-02 2.98E-02 2.98E-02

4.97E+01 4.39E-11 3.01E-02 1.64E-02 1.37E-02 2.97E-02 2.97E-02 2.98E-02 2.99E-02

5.26E+01 4.48E-11 3.01E-02 1.64E-02 1.37E-02 2.97E-02 2.98E-02 2.98E-02 2.99E-02

5.57E+01 4.59E-11 3.01E-02 1.63E-02 1.36E-02 2.97E-02 2.98E-02 2.99E-02 2.99E-02

5.90E+01 4.72E-11 3.01E-02 1.62E-02 1.36E-02 2.97E-02 2.98E-02 2.98E-02 2.99E-02

6.24E+01 4.88E-11 3.01E-02 1.61E-02 1.35E-02 2.96E-02 2.97E-02 2.98E-02 2.99E-02

6.60E+01 5.07E-11 3.00E-02 1.60E-02 1.34E-02 2.96E-02 2.97E-02 2.97E-02 2.98E-02

6.99E+01 5.28E-11 3.00E-02 1.59E-02 1.33E-02 2.95E-02 2.96E-02 2.97E-02 2.97E-02

7.39E+01 5.51E-11 2.98E-02 1.57E-02 1.32E-02 2.94E-02 2.95E-02 2.96E-02 2.96E-02

7.82E+01 5.76E-11 2.97E-02 1.55E-02 1.30E-02 2.92E-02 2.94E-02 2.94E-02 2.95E-02

8.28E+01	6.04E-11	2.96E-02	1.54E-02	1.28E-02	2.91E-02	2.92E-02	2.93E-02	2.94E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

8.76E+01	6.35E-11	2.94E-02	1.52E-02	1.26E-02	2.89E-02	2.90E-02	2.91E-02	2.92E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

9.27E+01 0.00E+00 2.92E-02 1.49E-02 1.24E-02 2.87E-02 2.88E-02 2.89E-02 2.90E-02

9.81E+01 0.00E+00 2.90E-02 1.47E-02 1.21E-02 2.85E-02 2.86E-02 2.87E-02 2.88E-02

1.00E+02 0.00E+00 2.89E-02 1.46E-02 1.21E-02 2.84E-02 2.85E-02 2.86E-02 2.87E-02

1.04E+02 0.00E+00 2.87E-02 1.45E-02 1.19E-02 2.82E-02 2.84E-02 2.85E-02 2.85E-02

1.10E+02 0.00E+00 2.85E-02 1.42E-02 1.17E-02 2.80E-02 2.81E-02 2.82E-02 2.83E-02

1.16E+02 0.00E+00 2.82E-02 1.39E-02 1.14E-02 2.77E-02 2.79E-02 2.79E-02 2.80E-02

1.23E+02 0.00E+00 2.79E-02 1.36E-02 1.12E-02 2.74E-02 2.76E-02 2.77E-02 2.77E-02

1.30E+02 0.00E+00 2.76E-02 1.33E-02 1.10E-02 2.70E-02 2.73E-02 2.74E-02 2.74E-02

1.38E+02 0.00E+00 2.72E-02 1.30E-02 1.06E-02 2.67E-02 2.69E-02 2.70E-02 2.71E-02

1.46E+02 0.00E+00 2.68E-02 1.27E-02 1.04E-02 2.63E-02 2.66E-02 2.67E-02 2.67E-02

1.54E+02 0.00E+00 2.65E-02 1.23E-02 1.01E-02 2.57E-02 2.62E-02 2.63E-02 2.64E-02

1.63E+02 0.00E+00 2.61E-02 1.19E-02 9.86E-03 2.52E-02 2.58E-02 2.60E-02 2.60E-02

1.73E+02 0.00E+00 2.57E-02 1.15E-02 9.51E-03 2.48E-02 2.54E-02 2.56E-02 2.56E-02

1.83E+02 3.59E-15 2.53E-02 1.11E-02 9.15E-03 2.40E-02 2.50E-02 2.52E-02 2.52E-02

1.94E+02 1.31E-10 2.49E-02 1.07E-02 8.74E-03 2.34E-02 2.46E-02 2.47E-02 2.48E-02

2.05E+02 1.38E-10 2.44E-02 1.02E-02 8.52E-03 2.28E-02 2.41E-02 2.42E-02 2.43E-02

2.17E+02 1.45E-10 2.40E-02 9.70E-03 8.23E-03 2.21E-02 2.36E-02 2.38E-02 2.38E-02

2.29E+02 1.52E-10 2.35E-02 9.23E-03 7.89E-03 2.12E-02 2.32E-02 2.33E-02 2.33E-02

2.43E+02 1.59E-10 2.30E-02 8.78E-03 7.54E-03 2.04E-02 2.26E-02 2.28E-02 2.29E-02

2.57E+02 1.67E-10 2.25E-02 8.33E-03 7.23E-03 1.97E-02 2.21E-02 2.23E-02 2.23E-02

2.72E+02 1.75E-10 2.19E-02 7.89E-03 6.80E-03 1.91E-02 2.16E-02 2.17E-02 2.18E-02

2.88E+02 1.83E-10 2.14E-02 7.46E-03 6.50E-03 1.81E-02 2.10E-02 2.12E-02 2.12E-02

3.00E+02 1.90E-10 2.09E-02 7.15E-03 6.24E-03 1.76E-02 2.06E-02 2.08E-02 2.08E-02

3.05E+02 1.92E-10 2.08E-02 7.03E-03 6.15E-03 1.73E-02 2.04E-02 2.06E-02 2.07E-02

3.22E+02 2.01E-10 2.02E-02 6.61E-03 5.82E-03 1.64E-02 1.98E-02 2.00E-02 2.01E-02

3.41E+02 2.10E-10 1.96E-02 6.21E-03 5.50E-03 1.56E-02 1.92E-02 1.94E-02 1.95E-02

3.61E+02 2.19E-10 1.90E-02 5.81E-03 5.07E-03 1.49E-02 1.86E-02 1.88E-02 1.89E-02

3.82E+02 2.29E-10 1.84E-02 5.42E-03 4.74E-03 1.41E-02 1.80E-02 1.82E-02 1.83E-02

4.04E+02 2.39E-10 1.77E-02 5.05E-03 4.37E-03 1.33E-02 1.73E-02 1.75E-02 1.76E-02

4.28E+02 2.49E-10 1.71E-02 4.69E-03 3.97E-03 1.27E-02 1.66E-02 1.69E-02 1.70E-02

4.53E+02 2.60E-10 1.64E-02 4.34E-03 3.56E-03 1.19E-02 1.59E-02 1.62E-02 1.63E-02

4.79E+02 2.71E-10 1.57E-02 4.01E-03 3.19E-03 1.12E-02 1.53E-02 1.55E-02 1.56E-02

5.07E+02 2.84E-10 1.50E-02 3.69E-03 2.80E-03 1.03E-02 1.45E-02 1.49E-02 1.49E-02

5.36E+02 2.97E-10 1.44E-02 3.39E-03 2.35E-03 9.70E-03 1.38E-02 1.42E-02 1.42E-02

5.68E+02 3.13E-10 1.37E-02 3.10E-03 1.91E-03 9.11E-03 1.31E-02 1.35E-02 1.36E-02

6.01E+02 3.31E-10 1.30E-02 2.82E-03 1.39E-03 8.63E-03 1.24E-02 1.27E-02 1.29E-02

6.36E+02 3.55E-10 1.23E-02 2.57E-03 7.31E-04 7.98E-03 1.14E-02 1.20E-02 1.22E-02

6.73E+02 3.89E-10 1.16E-02 2.32E-03 1.34E-04 7.49E-03 1.07E-02 1.13E-02 1.15E-02

7.12E+02 4.40E-10 1.09E-02 2.10E-03 3.47E-05 6.84E-03 1.00E-02 1.06E-02 1.08E-02

7.53E+02 5.24E-10 1.02E-02 1.88E-03 2.57E-05 6.31E-03 8.91E-03 9.93E-03 1.01E-02

7.97E+02 6.72E-10 9.48E-03 1.68E-03 2.29E-05 5.72E-03 8.30E-03 9.25E-03 9.41E-03

8.44E+02 9.49E-10 8.81E-03 1.50E-03 1.98E-05 5.31E-03 7.63E-03 8.58E-03 8.74E-03

8.93E+02 1.44E-09 8.16E-03 1.33E-03 1.70E-05 4.72E-03 7.00E-03 7.93E-03 8.08E-03

9.45E+02 2.52E-09 7.52E-03 1.17E-03 1.53E-05 4.26E-03 6.33E-03 7.29E-03 7.44E-03

1.00E+03 2.78E-09 6.90E-03 1.03E-03 1.30E-05 3.77E-03 5.64E-03 6.67E-03 6.82E-03

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Summary of dose at graphical times, reptition 2								
Time	Dose statistics at graphical times, mrem/yr							
Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	5.74E-03	1.92E-02	1.11E-02	9.41E-03	1.85E-02	1.86E-02	1.86E-02	1.87E-02
1.00E+00	5.95E-03	1.98E-02	1.15E-02	9.69E-03	1.92E-02	1.93E-02	1.93E-02	1.93E-02
1.06E+00	5.96E-03	1.99E-02	1.15E-02	9.70E-03	1.92E-02	1.93E-02	1.93E-02	1.94E-02
1.12E+00	5.97E-03	1.99E-02	1.15E-02	9.71E-03	1.93E-02	1.93E-02	1.94E-02	1.94E-02
1.19E+00	5.99E-03	2.00E-02	1.15E-02	9.73E-03	1.93E-02	1.94E-02	1.94E-02	1.94E-02
1.25E+00	6.00E-03	2.00E-02	1.16E-02	9.75E-03	1.94E-02	1.94E-02	1.95E-02	1.95E-02
1.33E+00	6.01E-03	2.01E-02	1.16E-02	9.77E-03	1.94E-02	1.95E-02	1.95E-02	1.95E-02
1.40E+00	6.02E-03	2.01E-02	1.16E-02	9.80E-03	1.95E-02	1.95E-02	1.95E-02	1.96E-02
1.49E+00	6.04E-03	2.02E-02	1.17E-02	9.82E-03	1.95E-02	1.96E-02	1.96E-02	1.96E-02
1.57E+00	6.05E-03	2.02E-02	1.17E-02	9.85E-03	1.96E-02	1.96E-02	1.97E-02	1.97E-02
1.66E+00	6.07E-03	2.03E-02	1.17E-02	9.87E-03	1.96E-02	1.97E-02	1.97E-02	1.98E-02
1.76E+00	5.99E-03	2.03E-02	1.17E-02	9.90E-03	1.97E-02	1.97E-02	1.98E-02	1.98E-02
1.86E+00	5.86E-03	2.04E-02	1.18E-02	9.93E-03	1.97E-02	1.98E-02	1.98E-02	1.99E-02
1.97E+00	5.73E-03	2.05E-02	1.18E-02	9.96E-03	1.98E-02	1.99E-02	1.99E-02	1.99E-02
2.09E+00	5.59E-03	2.05E-02	1.19E-02	1.00E-02	1.99E-02	1.99E-02	2.00E-02	2.00E-02
2.21E+00	5.44E-03	2.06E-02	1.19E-02	1.00E-02	1.99E-02	2.00E-02	2.00E-02	2.01E-02
2.34E+00	5.27E-03	2.07E-02	1.19E-02	1.01E-02	2.00E-02	2.01E-02	2.01E-02	2.02E-02
2.47E+00	5.10E-03	2.08E-02	1.20E-02	1.01E-02	2.01E-02	2.02E-02	2.02E-02	2.02E-02
2.62E+00	4.91E-03	2.09E-02	1.20E-02	1.01E-02	2.02E-02	2.02E-02	2.03E-02	2.03E-02
2.77E+00	4.68E-03	2.10E-02	1.21E-02	1.02E-02	2.03E-02	2.03E-02	2.04E-02	2.04E-02
2.93E+00	4.42E-03	2.11E-02	1.21E-02	1.02E-02	2.04E-02	2.04E-02	2.05E-02	2.05E-02
3.00E+00	4.30E-03	2.11E-02	1.21E-02	1.03E-02	2.04E-02	2.05E-02	2.05E-02	2.06E-02
3.10E+00	4.11E-03	2.12E-02	1.22E-02	1.03E-02	2.05E-02	2.05E-02	2.06E-02	2.06E-02
3.28E+00	3.76E-03	2.13E-02	1.22E-02	1.03E-02	2.06E-02	2.06E-02	2.07E-02	2.07E-02
3.48E+00	3.34E-03	2.14E-02	1.23E-02	1.04E-02	2.07E-02	2.07E-02	2.08E-02	2.08E-02
3.68E+00	2.88E-03	2.15E-02	1.24E-02	1.04E-02	2.08E-02	2.09E-02	2.09E-02	2.09E-02
3.89E+00	2.38E-03	2.16E-02	1.24E-02	1.05E-02	2.09E-02	2.10E-02	2.10E-02	2.11E-02
4.12E+00	1.85E-03	2.17E-02	1.25E-02	1.05E-02	2.10E-02	2.11E-02	2.11E-02	2.12E-02
4.36E+00	1.26E-03	2.19E-02	1.25E-02	1.05E-02	2.12E-02	2.12E-02	2.13E-02	2.13E-02
4.61E+00	7.08E-04	2.20E-02	1.26E-02	1.06E-02	2.13E-02	2.14E-02	2.14E-02	2.15E-02
4.88E+00	2.92E-04	2.22E-02	1.27E-02	1.07E-02	2.14E-02	2.15E-02	2.16E-02	2.16E-02
5.17E+00	4.25E-05	2.23E-02	1.28E-02	1.07E-02	2.16E-02	2.17E-02	2.17E-02	2.17E-02
5.47E+00	1.17E-08	2.25E-02	1.28E-02	1.08E-02	2.17E-02	2.18E-02	2.19E-02	2.19E-02
5.78E+00	0.00E+00	2.26E-02	1.29E-02	1.08E-02	2.19E-02	2.20E-02	2.20E-02	2.21E-02
6.12E+00	0.00E+00	2.28E-02	1.30E-02	1.09E-02	2.21E-02	2.21E-02	2.22E-02	2.22E-02
6.48E+00	0.00E+00	2.30E-02	1.31E-02	1.10E-02	2.22E-02	2.23E-02	2.24E-02	2.24E-02
6.86E+00	0.00E+00	2.32E-02	1.32E-02	1.11E-02	2.24E-02	2.25E-02	2.25E-02	2.26E-02
7.26E+00	0.00E+00	2.34E-02	1.33E-02	1.11E-02	2.26E-02	2.27E-02	2.27E-02	2.28E-02
7.68E+00	0.00E+00	2.36E-02	1.34E-02	1.12E-02	2.28E-02	2.29E-02	2.29E-02	2.30E-02
8.13E+00	0.00E+00	2.38E-02	1.35E-02	1.13E-02	2.30E-02	2.31E-02	2.31E-02	2.32E-02
8.60E+00	0.00E+00	2.40E-02	1.36E-02	1.14E-02	2.32E-02	2.33E-02	2.33E-02	2.34E-02
9.10E+00	0.00E+00	2.42E-02	1.37E-02	1.15E-02	2.34E-02	2.35E-02	2.35E-02	2.36E-02
9.63E+00	0.00E+00	2.44E-02	1.38E-02	1.16E-02	2.36E-02	2.37E-02	2.38E-02	2.38E-02
1.00E+01	0.00E+00	2.46E-02	1.39E-02	1.17E-02	2.38E-02	2.39E-02	2.39E-02	2.40E-02
1.02E+01	0.00E+00	2.47E-02	1.40E-02	1.17E-02	2.39E-02	2.39E-02	2.40E-02	2.40E-02
1.08E+01	0.00E+00	2.49E-02	1.41E-02	1.18E-02	2.41E-02	2.42E-02	2.42E-02	2.43E-02
1.14E+01	0.00E+00	2.52E-02	1.42E-02	1.19E-02	2.43E-02	2.44E-02	2.45E-02	2.45E-02
1.21E+01	0.00E+00	2.54E-02	1.43E-02	1.20E-02	2.46E-02	2.46E-02	2.47E-02	2.47E-02
1.28E+01	0.00E+00	2.57E-02	1.44E-02	1.21E-02	2.48E-02	2.49E-02	2.49E-02	2.50E-02
1.35E+01	0.00E+00	2.59E-02	1.46E-02	1.22E-02	2.51E-02	2.51E-02	2.52E-02	2.52E-02
1.43E+01	0.00E+00	2.62E-02	1.47E-02	1.23E-02	2.53E-02	2.54E-02	2.54E-02	2.55E-02
1.51E+01	0.00E+00	2.64E-02	1.48E-02	1.24E-02	2.56E-02	2.56E-02	2.57E-02	2.58E-02
1.60E+01	0.00E+00	2.67E-02	1.49E-02	1.25E-02	2.58E-02	2.59E-02	2.60E-02	2.60E-02
1.70E+01	0.00E+00	2.70E-02	1.51E-02	1.27E-02	2.61E-02	2.62E-02	2.62E-02	2.63E-02
1.80E+01	0.00E+00	2.72E-02	1.52E-02	1.27E-02	2.63E-02	2.64E-02	2.65E-02	2.65E-02
1.90E+01	0.00E+00	2.75E-02	1.53E-02	1.28E-02	2.66E-02	2.67E-02	2.67E-02	2.68E-02

2.01E+01 0.00E+00 2.78E-02 1.54E-02 1.30E-02 2.68E-02 2.69E-02 2.70E-02 2.71E-02

2.13E+01 0.00E+00 2.80E-02 1.56E-02 1.31E-02 2.71E-02 2.72E-02 2.73E-02 2.73E-02

2.25E+01 0.00E+00 2.83E-02 1.57E-02 1.32E-02 2.73E-02 2.74E-02 2.75E-02 2.76E-02

2.38E+01	0.00E+00	2.86E-02	1.58E-02	1.33E-02	2.76E-02	2.77E-02	2.78E-02	2.78E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.52E+01 6.80E-13 2.88E-02 1.59E-02 1.34E-02 2.78E-02 2.79E-02 2.80E-02 2.81E-02

2.67E+01 9.57E-12 2.90E-02 1.60E-02 1.35E-02 2.81E-02 2.82E-02 2.82E-02 2.83E-02

2.82E+01 3.91E-11 2.93E-02 1.61E-02 1.36E-02 2.83E-02 2.84E-02 2.84E-02 2.85E-02

2.99E+01 1.01E-10 2.95E-02 1.62E-02 1.37E-02 2.85E-02 2.86E-02 2.87E-02 2.87E-02

3.00E+01 1.07E-10 2.95E-02 1.62E-02 1.37E-02 2.85E-02 2.86E-02 2.87E-02 2.87E-02

3.16E+01 1.14E-10 2.97E-02 1.62E-02 1.37E-02 2.87E-02 2.88E-02 2.89E-02 2.89E-02

3.35E+01	1.23E-10	2.99E-02	1.63E-02	1.38E-02	2.89E-02	2.90E-02	2.90E-02	2.91E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.54E+01 1.34E-10 3.01E-02 1.63E-02 1.38E-02 2.90E-02 2.91E-02 2.92E-02 2.93E-02

3.75E+01	1.46E-10	3.02E-02	1.64E-02	1.39E-02	2.92E-02	2.93E-02	2.94E-02	2.94E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.97E+01 1.61E-10 3.04E-02 1.64E-02 1.39E-02 2.93E-02 2.94E-02 2.95E-02 2.96E-02

4.20E+01 1.78E-10 3.05E-02 1.64E-02 1.39E-02 2.94E-02 2.95E-02 2.96E-02 2.97E-02

4.44E+01 1.97E-10 3.06E-02 1.64E-02 1.39E-02 2.95E-02 2.96E-02 2.97E-02 2.98E-02

4.70E+01 2.18E-10 3.07E-02 1.64E-02 1.39E-02 2.96E-02 2.97E-02 2.98E-02 2.99E-02

4.97E+01 2.42E-10 3.07E-02 1.64E-02 1.38E-02 2.97E-02 2.98E-02 2.98E-02 2.99E-02

5.26E+01 2.68E-10 3.08E-02 1.63E-02 1.37E-02 2.97E-02 2.98E-02 2.99E-02 3.00E-02

5.57E+01 2.97E-10 3.08E-02 1.62E-02 1.37E-02 2.97E-02 2.98E-02 2.99E-02 3.00E-02

5.90E+01 3.29E-10 3.08E-02 1.62E-02 1.36E-02 2.97E-02 2.98E-02 2.99E-02 3.00E-02

6.24E+01 3.63E-10 3.07E-02 1.61E-02 1.35E-02 2.96E-02 2.98E-02 2.98E-02 2.99E-02

6.60E+01 4.01E-10 3.07E-02 1.59E-02 1.34E-02 2.96E-02 2.97E-02 2.98E-02 2.99E-02

6.99E+01 4.41E-10 3.06E-02 1.58E-02 1.32E-02 2.95E-02 2.96E-02 2.97E-02 2.98E-02

7.39E+01 4.84E-10 3.05E-02 1.57E-02 1.31E-02 2.94E-02 2.95E-02 2.96E-02 2.97E-02

7.82E+01 5.31E-10 3.03E-02 1.55E-02 1.29E-02 2.93E-02 2.94E-02 2.95E-02 2.96E-02

8.28E+01 5.80E-10 3.02E-02 1.53E-02 1.27E-02 2.91E-02 2.93E-02 2.93E-02 2.94E-02

8.76E+01 6.33E-10 3.00E-02 1.51E-02 1.25E-02 2.89E-02 2.91E-02 2.92E-02 2.92E-02

9.27E+01 6.89E-10 2.98E-02 1.49E-02 1.23E-02 2.87E-02 2.89E-02 2.90E-02 2.90E-02

9.81E+01 7.48E-10 2.96E-02 1.47E-02 1.20E-02 2.85E-02 2.87E-02 2.88E-02 2.88E-02

1.00E+02 7.68E-10 2.95E-02 1.46E-02 1.20E-02 2.85E-02 2.86E-02 2.87E-02 2.87E-02

1.04E+02 8.10E-10 2.94E-02 1.45E-02 1.18E-02 2.83E-02 2.84E-02 2.85E-02 2.86E-02

1.10E+02 8.76E-10 2.91E-02 1.42E-02 1.15E-02 2.80E-02 2.82E-02 2.83E-02 2.83E-02

1.16E+02 9.46E-10 2.88E-02 1.40E-02 1.13E-02 2.77E-02 2.79E-02 2.80E-02 2.80E-02

1.23E+02 1.02E-09 2.85E-02 1.37E-02 1.10E-02 2.74E-02 2.76E-02 2.77E-02 2.78E-02

1.30E+02 0.00E+00 2.82E-02 1.34E-02 1.08E-02 2.71E-02 2.73E-02 2.74E-02 2.74E-02

1.38E+02 0.00E+00 2.79E-02 1.31E-02 1.05E-02 2.68E-02 2.70E-02 2.70E-02 2.71E-02

1.46E+02 0.00E+00 2.75E-02 1.27E-02 1.03E-02 2.64E-02 2.66E-02 2.67E-02 2.68E-02

1.54E+02 0.00E+00 2.71E-02 1.24E-02 1.00E-02 2.61E-02 2.63E-02 2.63E-02 2.64E-02

1.63E+02 0.00E+00 2.67E-02 1.20E-02 9.77E-03 2.56E-02 2.59E-02 2.60E-02 2.60E-02

1.73E+02	0.00E+00	2.63E-02	1.16E-02	9.44E-03	2.52E-02	2.55E-02	2.56E-02	2.56E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

1.83E+02	0.00E+00	2.59E-02	1.12E-02	9.17E-03	2.48E-02	2.51E-02	2.52E-02	2.52E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

1.94E+02 0.00E+00 2.55E-02 1.08E-02 8.83E-03 2.42E-02 2.46E-02 2.47E-02 2.48E-02

2.05E+02 3.64E-13 2.50E-02 1.03E-02 8.56E-03 2.38E-02 2.42E-02 2.43E-02 2.43E-02

2.17E+02 1.94E-09 2.45E-02 9.82E-03 8.21E-03 2.32E-02 2.37E-02 2.38E-02 2.39E-02

2.29E+02 2.07E-09 2.40E-02 9.35E-03 7.87E-03 2.27E-02 2.32E-02 2.33E-02 2.34E-02

2.43E+02 2.19E-09 2.35E-02 8.88E-03 7.47E-03 2.22E-02 2.27E-02 2.28E-02 2.29E-02

2.57E+02 2.32E-09 2.30E-02 8.42E-03 7.10E-03 2.11E-02 2.22E-02 2.23E-02 2.24E-02

2.72E+02 2.45E-09 2.24E-02 7.97E-03 6.82E-03 2.05E-02 2.16E-02 2.18E-02 2.19E-02

2.88E+02 2.58E-09 2.19E-02 7.53E-03 6.51E-03 1.98E-02 2.11E-02 2.12E-02 2.13E-02

3.00E+02 2.68E-09 2.14E-02 7.22E-03 6.25E-03 1.90E-02 2.07E-02 2.08E-02 2.09E-02

3.05E+02 2.71E-09 2.13E-02 7.11E-03 6.12E-03 1.87E-02 2.05E-02 2.06E-02 2.07E-02

3.22E+02 2.83E-09 2.07E-02 6.69E-03 5.67E-03 1.75E-02 1.99E-02 2.01E-02 2.02E-02

3.41E+02 2.92E-09 2.01E-02 6.27E-03 5.35E-03 1.69E-02 1.93E-02 1.95E-02 1.96E-02

3.61E+02 3.01E-09 1.94E-02 5.87E-03 4.89E-03 1.57E-02 1.87E-02 1.89E-02 1.90E-02

3.82E+02 3.10E-09 1.88E-02 5.48E-03 4.57E-03 1.48E-02 1.81E-02 1.82E-02 1.83E-02

4.04E+02 3.20E-09 1.81E-02 5.11E-03 4.23E-03 1.33E-02 1.74E-02 1.76E-02 1.77E-02

4.28E+02 3.30E-09 1.74E-02 4.74E-03 3.96E-03 1.24E-02 1.68E-02 1.69E-02 1.70E-02

4.53E+02 3.40E-09 1.67E-02 4.40E-03 3.59E-03 1.17E-02 1.61E-02 1.63E-02 1.64E-02

4.79E+02 3.50E-09 1.60E-02 4.06E-03 3.09E-03 1.11E-02 1.54E-02 1.56E-02 1.57E-02

5.07E+02 3.61E-09 1.53E-02 3.74E-03 2.71E-03 1.04E-02 1.48E-02 1.49E-02 1.50E-02

5.36E+02 3.71E-09 1.46E-02 3.43E-03 2.36E-03 9.95E-03 1.40E-02 1.42E-02 1.43E-02

5.68E+02 3.82E-09 1.39E-02 3.14E-03 1.79E-03 9.40E-03 1.33E-02 1.35E-02 1.36E-02

6.01E+02 3.92E-09 1.32E-02 2.86E-03 1.33E-03 8.61E-03 1.26E-02 1.28E-02 1.29E-02

6.36E+02 4.03E-09 1.24E-02 2.59E-03 7.60E-04 8.08E-03 1.19E-02 1.21E-02 1.22E-02

6.73E+02 4.13E-09 1.17E-02 2.35E-03 1.07E-04 7.50E-03 1.12E-02 1.14E-02 1.15E-02

7.12E+02 4.24E-09 1.10E-02 2.12E-03 3.64E-05 6.68E-03 1.05E-02 1.07E-02 1.08E-02

7.53E+02 4.34E-09 1.03E-02 1.90E-03 2.50E-05 6.14E-03 9.72E-03 9.96E-03 1.01E-02

7.97E+02 4.45E-09 9.59E-03 1.70E-03 2.11E-05 5.55E-03 9.01E-03 9.26E-03 9.39E-03

8.44E+02 4.55E-09 8.89E-03 1.51E-03 1.83E-05 5.02E-03 8.23E-03 8.59E-03 8.72E-03

8.93E+02 3.34E-09 8.21E-03 1.33E-03 1.53E-05 4.54E-03 7.59E-03 7.93E-03 8.06E-03

9.45E+02 3.08E-09 7.55E-03 1.17E-03 1.35E-05 4.09E-03 6.95E-03 7.29E-03 7.42E-03

1.00E+03 2.82E-09 6.91E-03 1.03E-03 1.20E-05 3.64E-03 6.34E-03 6.67E-03 6.80E-03

Summary of dose at graphical times, reptition 3								
Time	Dose statistics at graphical times, mrem/yr							
Years	Minimum	Maximum	Mean	Median	90%	95%	97.5%	99%
0.00E+00	5.71E-03	1.89E-02	1.11E-02	9.42E-03	1.85E-02	1.86E-02	1.86E-02	1.87E-02
1.00E+00	5.64E-03	1.96E-02	1.15E-02	9.74E-03	1.92E-02	1.93E-02	1.93E-02	1.94E-02
1.06E+00	5.62E-03	1.96E-02	1.15E-02	9.74E-03	1.92E-02	1.93E-02	1.93E-02	1.94E-02
1.12E+00	5.61E-03	1.97E-02	1.15E-02	9.76E-03	1.93E-02	1.93E-02	1.94E-02	1.94E-02
1.19E+00	5.59E-03	1.97E-02	1.15E-02	9.78E-03	1.93E-02	1.94E-02	1.94E-02	1.95E-02
1.25E+00	5.57E-03	1.98E-02	1.16E-02	9.80E-03	1.94E-02	1.94E-02	1.95E-02	1.95E-02
1.33E+00	5.55E-03	1.98E-02	1.16E-02	9.82E-03	1.94E-02	1.95E-02	1.95E-02	1.96E-02
1.40E+00	5.53E-03	1.99E-02	1.16E-02	9.85E-03	1.95E-02	1.95E-02	1.96E-02	1.96E-02
1.49E+00	5.50E-03	1.99E-02	1.17E-02	9.87E-03	1.95E-02	1.96E-02	1.96E-02	1.97E-02
1.57E+00	5.48E-03	2.00E-02	1.17E-02	9.90E-03	1.96E-02	1.96E-02	1.97E-02	1.97E-02
1.66E+00	5.45E-03	2.00E-02	1.17E-02	9.93E-03	1.96E-02	1.97E-02	1.97E-02	1.98E-02
1.76E+00	5.42E-03	2.01E-02	1.17E-02	9.96E-03	1.97E-02	1.97E-02	1.98E-02	1.98E-02
1.86E+00	5.39E-03	2.02E-02	1.18E-02	9.95E-03	1.97E-02	1.98E-02	1.99E-02	1.99E-02
1.97E+00	5.36E-03	2.02E-02	1.18E-02	9.98E-03	1.98E-02	1.99E-02	1.99E-02	2.00E-02
2.09E+00	5.32E-03	2.03E-02	1.19E-02	1.00E-02	1.99E-02	1.99E-02	2.00E-02	2.00E-02
2.21E+00	5.29E-03	2.04E-02	1.19E-02	1.00E-02	1.99E-02	2.00E-02	2.01E-02	2.01E-02
2.34E+00	5.24E-03	2.05E-02	1.19E-02	1.01E-02	2.00E-02	2.01E-02	2.01E-02	2.02E-02
2.47E+00	5.20E-03	2.05E-02	1.20E-02	1.01E-02	2.01E-02	2.02E-02	2.02E-02	2.03E-02
2.62E+00	5.15E-03	2.06E-02	1.20E-02	1.01E-02	2.02E-02	2.03E-02	2.03E-02	2.04E-02
2.77E+00	5.10E-03	2.07E-02	1.21E-02	1.02E-02	2.03E-02	2.03E-02	2.04E-02	2.04E-02
2.93E+00	5.05E-03	2.08E-02	1.21E-02	1.02E-02	2.04E-02	2.04E-02	2.05E-02	2.05E-02
3.00E+00	5.02E-03	2.08E-02	1.21E-02	1.02E-02	2.04E-02	2.05E-02	2.05E-02	2.06E-02
3.10E+00	4.99E-03	2.09E-02	1.22E-02	1.03E-02	2.05E-02	2.05E-02	2.06E-02	2.06E-02
3.28E+00	4.93E-03	2.10E-02	1.22E-02	1.03E-02	2.06E-02	2.06E-02	2.07E-02	2.07E-02
3.48E+00	4.86E-03	2.11E-02	1.23E-02	1.04E-02	2.07E-02	2.07E-02	2.08E-02	2.09E-02
3.68E+00	4.78E-03	2.12E-02	1.24E-02	1.04E-02	2.08E-02	2.09E-02	2.09E-02	2.10E-02
3.89E+00	4.45E-03	2.14E-02	1.24E-02	1.05E-02	2.09E-02	2.10E-02	2.10E-02	2.11E-02
4.12E+00	3.62E-03	2.15E-02	1.25E-02	1.05E-02	2.10E-02	2.11E-02	2.12E-02	2.12E-02
4.36E+00	2.63E-03	2.16E-02	1.25E-02	1.06E-02	2.12E-02	2.12E-02	2.13E-02	2.13E-02
4.61E+00	1.56E-03	2.18E-02	1.26E-02	1.07E-02	2.13E-02	2.14E-02	2.14E-02	2.15E-02
4.88E+00	7.20E-04	2.19E-02	1.27E-02	1.07E-02	2.14E-02	2.15E-02	2.16E-02	2.16E-02
5.17E+00	1.73E-04	2.21E-02	1.28E-02	1.08E-02	2.16E-02	2.17E-02	2.17E-02	2.18E-02
5.47E+00	8.28E-08	2.22E-02	1.29E-02	1.09E-02	2.18E-02	2.18E-02	2.19E-02	2.19E-02
5.78E+00	0.00E+00	2.24E-02	1.29E-02	1.09E-02	2.19E-02	2.20E-02	2.20E-02	2.21E-02
6.12E+00	0.00E+00	2.25E-02	1.30E-02	1.10E-02	2.21E-02	2.21E-02	2.22E-02	2.23E-02
6.48E+00	0.00E+00	2.27E-02	1.31E-02	1.11E-02	2.23E-02	2.23E-02	2.24E-02	2.24E-02
6.86E+00	0.00E+00	2.29E-02	1.32E-02	1.12E-02	2.24E-02	2.25E-02	2.26E-02	2.26E-02
7.26E+00	0.00E+00	2.31E-02	1.33E-02	1.13E-02	2.26E-02	2.27E-02	2.27E-02	2.28E-02
7.68E+00	0.00E+00	2.33E-02	1.34E-02	1.13E-02	2.28E-02	2.29E-02	2.29E-02	2.30E-02
8.13E+00	0.00E+00	2.35E-02	1.35E-02	1.14E-02	2.30E-02	2.31E-02	2.31E-02	2.32E-02
8.60E+00	0.00E+00	2.37E-02	1.36E-02	1.15E-02	2.32E-02	2.33E-02	2.33E-02	2.34E-02
9.10E+00	0.00E+00	2.39E-02	1.37E-02	1.16E-02	2.34E-02	2.35E-02	2.35E-02	2.36E-02
9.63E+00	0.00E+00	2.41E-02	1.38E-02	1.17E-02	2.36E-02	2.37E-02	2.38E-02	2.38E-02
1.00E+01	0.00E+00	2.43E-02	1.39E-02	1.18E-02	2.38E-02	2.38E-02	2.39E-02	2.40E-02
1.02E+01	0.00E+00	2.44E-02	1.40E-02	1.19E-02	2.39E-02	2.39E-02	2.40E-02	2.41E-02
1.08E+01	0.00E+00	2.46E-02	1.41E-02	1.20E-02	2.41E-02	2.42E-02	2.42E-02	2.43E-02
1.14E+01	0.00E+00	2.48E-02	1.42E-02	1.21E-02	2.43E-02	2.44E-02	2.45E-02	2.45E-02
1.21E+01	0.00E+00	2.51E-02	1.43E-02	1.22E-02	2.46E-02	2.46E-02	2.47E-02	2.48E-02
1.28E+01	0.00E+00	2.53E-02	1.44E-02	1.23E-02	2.48E-02	2.49E-02	2.49E-02	2.50E-02
1.35E+01	0.00E+00	2.56E-02	1.46E-02	1.24E-02	2.50E-02	2.51E-02	2.52E-02	2.53E-02
1.43E+01	0.00E+00	2.58E-02	1.47E-02	1.25E-02	2.53E-02	2.54E-02	2.55E-02	2.55E-02
1.51E+01	0.00E+00	2.61E-02	1.48E-02	1.26E-02	2.56E-02	2.56E-02	2.57E-02	2.58E-02
1.60E+01	0.00E+00	2.64E-02	1.49E-02	1.27E-02	2.58E-02	2.59E-02	2.60E-02	2.60E-02
1.70E+01	0.00E+00	2.66E-02	1.51E-02	1.28E-02	2.61E-02	2.62E-02	2.62E-02	2.63E-02
1.80E+01	0.00E+00	2.69E-02	1.52E-02	1.29E-02	2.63E-02	2.64E-02	2.65E-02	2.66E-02
1.90E+01	0.00E+00	2.71E-02	1.53E-02	1.30E-02	2.66E-02	2.67E-02	2.67E-02	2.68E-02

2.01E+01 0.00E+00 2.74E-02 1.54E-02 1.31E-02 2.68E-02 2.69E-02 2.70E-02 2.71E-02

2.13E+01 0.00E+00 2.77E-02 1.56E-02 1.32E-02 2.71E-02 2.72E-02 2.73E-02 2.73E-02

2.25E+01	0.00E+00	2.79E-02	1.57E-02	1.33E-02	2.73E-02	2.74E-02	2.75E-02	2.76E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.38E+01	0.00E+00	2.82E-02	1.58E-02	1.34E-02	2.76E-02	2.77E-02	2.78E-02	2.78E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.52E+01	0.00E+00	2.84E-02	1.59E-02	1.35E-02	2.78E-02	2.79E-02	2.80E-02	2.81E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.67E+01 0.00E+00 2.86E-02 1.60E-02 1.35E-02 2.80E-02 2.81E-02 2.82E-02 2.83E-02

2.82E+01	0.00E+00	2.89E-02	1.61E-02	1.36E-02	2.83E-02	2.84E-02	2.84E-02	2.85E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

2.99E+01 0.00E+00 2.91E-02 1.62E-02 1.37E-02 2.85E-02 2.86E-02 2.87E-02 2.87E-02

3.00E+01	0.00E+00	2.91E-02	1.62E-02	1.37E-02	2.85E-02	2.86E-02	2.87E-02	2.88E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.16E+01 0.00E+00 2.93E-02 1.62E-02 1.37E-02 2.87E-02 2.88E-02 2.89E-02 2.89E-02

3.35E+01 0.00E+00 2.95E-02 1.63E-02 1.38E-02 2.88E-02 2.90E-02 2.90E-02 2.91E-02

3.54E+01	0.00E+00	2.96E-02	1.63E-02	1.38E-02	2.90E-02	2.91E-02	2.92E-02	2.93E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.75E+01	0.00E+00	2.98E-02	1.64E-02	1.39E-02	2.92E-02	2.93E-02	2.94E-02	2.95E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

3.97E+01	0.00E+00	2.99E-02	1.64E-02	1.39E-02	2.93E-02	2.94E-02	2.95E-02	2.96E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

4.20E+01 0.00E+00 3.00E-02 1.64E-02 1.40E-02 2.94E-02 2.95E-02 2.96E-02 2.97E-02

4.44E+01 0.00E+00 3.01E-02 1.64E-02 1.40E-02 2.95E-02 2.96E-02 2.97E-02 2.98E-02

4.70E+01 0.00E+00 3.02E-02 1.64E-02 1.40E-02 2.96E-02 2.97E-02 2.98E-02 2.99E-02

4.97E+01 0.00E+00 3.03E-02 1.64E-02 1.40E-02 2.96E-02 2.98E-02 2.98E-02 3.00E-02

5.26E+01 0.00E+00 3.03E-02 1.63E-02 1.40E-02 2.97E-02 2.98E-02 2.99E-02 3.00E-02

5.57E+01	0.00E+00	3.03E-02	1.63E-02	1.39E-02	2.97E-02	2.98E-02	2.99E-02	3.00E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

5.90E+01 0.00E+00 3.03E-02 1.62E-02 1.38E-02 2.96E-02 2.98E-02 2.99E-02 3.00E-02

6.24E+01	0.00E+00	3.03E-02	1.61E-02	1.37E-02	2.96E-02	2.98E-02	2.99E-02	3.00E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

6.60E+01 0.00E+00 3.00E-02 1.60E-02 1.36E-02 2.95E-02 2.97E-02 2.98E-02 2.99E-02

6.99E+01 0.00E+00 2.99E-02 1.59E-02 1.36E-02 2.95E-02 2.96E-02 2.97E-02 2.98E-02

7.39E+01 0.00E+00 2.98E-02 1.57E-02 1.34E-02 2.93E-02 2.95E-02 2.96E-02 2.97E-02

7.82E+01	0.00E+00	2.97E-02	1.56E-02	1.33E-02	2.92E-02	2.94E-02	2.95E-02	2.96E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

8.28E+01	0.00E+00	2.96E-02	1.54E-02	1.31E-02	2.91E-02	2.92E-02	2.93E-02	2.94E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

8.76E+01	0.00E+00	2.94E-02	1.52E-02	1.29E-02	2.89E-02	2.91E-02	2.92E-02	2.93E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

9.27E+01 0.00E+00 2.92E-02 1.50E-02 1.27E-02 2.87E-02 2.89E-02 2.90E-02 2.91E-02

9.81E+01	0.00E+00	2.90E-02	1.48E-02	1.24E-02	2.85E-02	2.87E-02	2.87E-02	2.89E-02
----------	----------	----------	----------	----------	----------	----------	----------	----------

1.00E+02 0.00E+00 2.89E-02 1.47E-02 1.23E-02 2.84E-02 2.86E-02 2.87E-02 2.88E-02

1.04E+02 0.00E+00 2.88E-02 1.45E-02 1.22E-02 2.82E-02 2.84E-02 2.85E-02 2.86E-02

1.10E+02 0.00E+00 2.85E-02 1.43E-02 1.20E-02 2.79E-02 2.82E-02 2.83E-02 2.84E-02

1.16E+02 0.00E+00 2.82E-02 1.40E-02 1.17E-02 2.77E-02 2.79E-02 2.80E-02 2.81E-02

1.23E+02 0.00E+00 2.79E-02 1.37E-02 1.15E-02 2.74E-02 2.76E-02 2.77E-02 2.78E-02

1.30E+02 0.00E+00 2.76E-02 1.34E-02 1.11E-02 2.71E-02 2.73E-02 2.74E-02 2.75E-02

1.38E+02 0.00E+00 2.73E-02 1.31E-02 1.08E-02 2.67E-02 2.70E-02 2.71E-02 2.72E-02

1.46E+02 0.00E+00 2.70E-02 1.27E-02 1.06E-02 2.63E-02 2.66E-02 2.67E-02 2.68E-02

1.54E+02 0.00E+00 2.66E-02 1.23E-02 1.03E-02 2.60E-02 2.63E-02 2.64E-02 2.65E-02

1.63E+02 1.54E-11 2.62E-02 1.20E-02 1.00E-02 2.56E-02 2.59E-02 2.60E-02 2.61E-02

1.73E+02 9.07E-11 2.58E-02 1.16E-02 9.81E-03 2.52E-02 2.55E-02 2.56E-02 2.57E-02

1.83E+02 1.20E-10 2.54E-02 1.12E-02 9.46E-03 2.48E-02 2.51E-02 2.52E-02 2.53E-02

1.94E+02 1.60E-10 2.50E-02 1.07E-02 9.10E-03 2.41E-02 2.46E-02 2.47E-02 2.49E-02

2.05E+02 2.09E-10 2.45E-02 1.03E-02 8.74E-03 2.33E-02 2.42E-02 2.43E-02 2.44E-02

2.17E+02 2.64E-10 2.41E-02 9.80E-03 8.45E-03 2.26E-02 2.37E-02 2.38E-02 2.40E-02

2.29E+02 3.24E-10 2.36E-02 9.34E-03 8.11E-03 2.19E-02 2.32E-02 2.33E-02 2.35E-02

2.43E+02 3.88E-10 2.31E-02 8.89E-03 7.69E-03 2.10E-02 2.27E-02 2.28E-02 2.30E-02

2.57E+02 4.56E-10 2.26E-02 8.45E-03 7.27E-03 2.04E-02 2.22E-02 2.23E-02 2.24E-02

2.72E+02 5.26E-10 2.20E-02 8.00E-03 6.95E-03 1.94E-02 2.16E-02 2.18E-02 2.19E-02

2.88E+02 5.99E-10 2.15E-02 7.56E-03 6.56E-03 1.86E-02 2.11E-02 2.12E-02 2.13E-02

3.00E+02 6.54E-10 2.11E-02 7.24E-03 6.23E-03 1.83E-02 2.06E-02 2.08E-02 2.09E-02

3.05E+02 6.74E-10 2.09E-02 7.13E-03 6.13E-03 1.81E-02 2.04E-02 2.06E-02 2.08E-02

3.22E+02 7.52E-10 2.03E-02 6.71E-03 5.75E-03 1.75E-02 1.98E-02 2.01E-02 2.01E-02

3.41E+02 8.31E-10 1.97E-02 6.29E-03 5.48E-03 1.63E-02 1.91E-02 1.95E-02 1.95E-02

3.61E+02 9.13E-10 1.91E-02 5.89E-03 5.04E-03 1.48E-02 1.85E-02 1.88E-02 1.89E-02

3.82E+02 9.97E-10 1.85E-02 5.49E-03 4.67E-03 1.40E-02 1.79E-02 1.82E-02 1.83E-02

4.04E+02 1.08E-09 1.78E-02 5.11E-03 4.37E-03 1.31E-02 1.73E-02 1.76E-02 1.76E-02

4.28E+02 1.17E-09 1.72E-02 4.73E-03 4.06E-03 1.22E-02 1.66E-02 1.69E-02 1.70E-02

4.53E+02 1.26E-09 1.65E-02 4.37E-03 3.72E-03 1.12E-02 1.60E-02 1.62E-02 1.63E-02

4.79E+02 1.35E-09 1.58E-02 4.02E-03 3.30E-03 1.03E-02 1.53E-02 1.55E-02 1.56E-02

5.07E+02 1.44E-09 1.51E-02 3.69E-03 2.89E-03 9.75E-03 1.45E-02 1.48E-02 1.49E-02

5.36E+02 1.53E-09 1.45E-02 3.37E-03 2.51E-03 9.28E-03 1.34E-02 1.41E-02 1.42E-02

5.68E+02 1.62E-09 1.37E-02 3.06E-03 2.02E-03 8.82E-03 1.24E-02 1.34E-02 1.35E-02

6.01E+02 1.72E-09 1.30E-02 2.78E-03 1.32E-03 8.00E-03 1.15E-02 1.26E-02 1.28E-02

6.36E+02 1.81E-09 1.23E-02 2.52E-03 8.08E-04 7.56E-03 1.08E-02 1.19E-02 1.21E-02

6.73E+02 1.90E-09 1.16E-02 2.27E-03 1.05E-04 6.75E-03 1.01E-02 1.12E-02 1.14E-02

7.12E+02 2.00E-09 1.09E-02 2.04E-03 2.72E-05 6.21E-03 9.44E-03 1.04E-02 1.07E-02

7.53E+02 2.09E-09 1.02E-02 1.82E-03 2.37E-05 5.71E-03 8.76E-03 9.76E-03 1.00E-02

7.97E+02 2.18E-09 9.53E-03 1.62E-03 2.08E-05 5.29E-03 8.11E-03 9.09E-03 9.35E-03

8.44E+02 2.27E-09 8.85E-03 1.44E-03 1.89E-05 4.83E-03 7.48E-03 8.42E-03 8.67E-03

8.93E+02 2.36E-09 8.18E-03 1.27E-03 1.75E-05 4.38E-03 6.86E-03 7.77E-03 8.02E-03

9.45E+02 2.44E-09 7.53E-03 1.12E-03 1.46E-05 3.77E-03 6.27E-03 7.14E-03 7.38E-03

1.00E+03 2.43E-09 6.88E-03 9.87E-04 1.27E-05 3.42E-03 5.69E-03 6.53E-03 6.75E-03

Probabilistic results summary : RESRAD Default Parameters

File : C:\USERS\DNF\DOCUMENTS\FT CALHOUN\RESRAD INPUT FILES\SOIL UNCERTAINTY ANALYSIS\FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Peak of the mean dose (averaged over observations) at graphical times

Repetition	Time of peak mean dose	Peak mean dose
	Years	mrem/yr
1	4.197E+01	1.647E-02
2	4.197E+01	1.641E-02
3	4.442E+01	1.642E-02

Title : RESRAD Default Parameters
Input File : FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	1	1	1	1

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
Contaminated zone erosion rate	2	-0.38	2	-0.14	2	-0.64	2	-0.16
Contaminated zone b parameter	9	-0.03	10	-0.01	12	0.05	12	0.01
Evapotranspiration coefficient	13	0.02	13	0.01	11	0.06	11	0.01
Wind Speed	15	-0.01	15	0.00	6	-0.08	6	-0.02
Runoff coefficient	4	-0.06	4	-0.02	10	0.06	10	0.01
Well pump intake depth	11	-0.02	11	-0.01	9	0.07	9	0.01
b Parameter of Unsaturated zone 1	5	-0.06	5	-0.02	17	-0.01	17	0.00
Mass loading for inhalation	3	0.08	3	0.03	5	0.09	5	0.02
Indoor dust filtration factor	12	0.02	12	0.01	3	0.15	3	0.03
Depth of soil mixing layer	6	0.04	6	0.01	14	-0.03	14	-0.01
Depth of roots	1	-0.95	1	-0.94	1	-0.98	1	-0.97
Wet weight crop yield of fruit, grain and non-leafy vegetables	18	0.00	18	0.00	13	-0.03	13	-0.01
Weathering removal constant of all vegetation	14	0.02	14	0.00	16	-0.02	16	0.00
Wet foliar interception fraction of leafy vegetables	8	0.03	8	0.01	8	-0.08	8	-0.01
Humidity in air	16	0.01	17	0.00	18	0.00	18	0.00
Kd of Pu-241 in Contaminated Zone	7	0.04	7	0.01	4	0.14	4	0.03
Kd of Pu-241 in Unsaturated Zone 1	17	0.01	16	0.00	7	0.08	7	0.02
Kd of Pu-241 in Saturated Zone	10	0.02	9	0.01	15	0.02	15	0.00
R-SQUARE		0.90		0.90		0.96		0.96

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default Parameters

Input File : FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	2	2	2	2

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
---------------------------------------	-----	-------	-----	-------	-----	-------	-----	-------

Contaminated zone erosion rate	2	-0.40	2	-0.14	2	-0.69	2	-0.18
Contaminated zone b parameter	7	-0.06	7	-0.02	8	-0.08	8	-0.02
Evapotranspiration coefficient	10	0.05	10	0.01	6	0.09	6	0.02
Wind Speed	9	-0.05	9	-0.02	10	-0.06	10	-0.01
Runoff coefficient	8	0.05	8	0.02	14	0.03	14	0.01
Well pump intake depth	6	-0.08	6	-0.03	17	0.01	17	0.00
b Parameter of Unsaturated zone 1	5	-0.08	5	-0.03	15	0.02	15	0.00
Mass loading for inhalation	3	0.12	3	0.04	3	0.17	3	0.03
Indoor dust filtration factor	4	0.09	4	0.03	4	0.16	4	0.03
Depth of soil mixing layer	11	-0.04	11	-0.01	12	-0.05	12	-0.01
Depth of roots	1	-0.94	1	-0.93	1	-0.98	1	-0.96
Wet weight crop yield of fruit, grain and non-leafy vegetables	15	-0.02	15	-0.01	13	0.03	13	0.01
Weathering removal constant of all vegetation	16	0.02	16	0.01	9	0.06	9	0.01
Wet foliar interception fraction of leafy vegetables	14	0.02	14	0.01	7	0.09	7	0.02
Humidity in air	17	0.01	17	0.00	16	-0.01	16	0.00
Kd of Pu-241 in Contaminated Zone	18	-0.01	18	0.00	5	0.14	5	0.03
Kd of Pu-241 in Unsaturated Zone 1	12	-0.03	12	-0.01	18	0.00	18	0.00
Kd of Pu-241 in Saturated Zone	13	0.03	13	0.01	11	0.06	11	0.01

R-SQUARE	0.90	0.90	0.96	0.96
----------	------	------	------	------

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.

Title : RESRAD Default Parameters

Input File : FCS SOIL UNCERTAINTY ANALYSIS PU-241.RAD

Coefficients for peak All Pathways Dose

Coefficient =	PCC	SRC	PRCC	SRRC
Repetition =	3	3	3	3

Description of Probabilistic Variable	Sig	Coeff	Sig	Coeff	Sig	Coeff	Sig	Coeff
---------------------------------------	-----	-------	-----	-------	-----	-------	-----	-------

Contaminated zone erosion rate	2	-0.39	2	-0.13	2	-0.66	2	-0.16
Contaminated zone b parameter	9	-0.04	9	-0.01	17	0.01	17	0.00
Evapotranspiration coefficient	15	0.01	15	0.00	6	0.08	6	0.02
Wind Speed	5	-0.06	5	-0.02	8	-0.08	8	-0.01
Runoff coefficient	3	-0.06	3	-0.02	16	-0.02	16	0.00
Well pump intake depth	10	0.04	10	0.01	14	0.03	14	0.01
b Parameter of Unsaturated zone 1	16	0.00	16	0.00	15	0.02	15	0.00
Mass loading for inhalation	7	0.05	7	0.02	4	0.13	4	0.02
Indoor dust filtration factor	8	0.05	8	0.02	7	0.08	7	0.01
Depth of soil mixing layer	12	-0.03	12	-0.01	11	0.05	11	0.01
Depth of roots	1	-0.95	1	-0.94	1	-0.98	1	-0.97
Wet weight crop yield of fruit, grain and non-leafy vegetables	17	0.00	17	0.00	9	-0.06	9	-0.01
Weathering removal constant of all vegetation	6	-0.05	6	-0.02	5	-0.09	5	-0.02
Wet foliar interception fraction of leafy vegetables	13	-0.02	13	-0.01	12	0.04	12	0.01
Humidity in air	18	0.00	18	0.00	18	-0.01	18	0.00
Kd of Pu-241 in Contaminated Zone	11	0.03	11	0.01	3	0.16	3	0.03
Kd of Pu-241 in Unsaturated Zone 1	4	-0.06	4	-0.02	13	-0.04	13	-0.01
Kd of Pu-241 in Saturated Zone	14	0.02	14	0.01	10	-0.06	10	-0.01

R-SQUARE	0.90	0.90	0.97	0.97
----------	------	------	------	------

-Rank is set to zero if the dose is zero or the correlation matrix is singular.

-R-SQUARE varies between 0 and 1 and is called the coefficient of determination; it provides a measure of the variation in the dependent variable (Dose) explained by regression on the independent variables.