

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

TABLE OF CONTENTS

	<u>PAGE</u>
10A	<u>HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT</u>
10A.0	<u>INTRODUCTION</u>
10A.0.1	REFERENCES
10A.1	<u>MAIN STEAM</u>
10A.1.1	PIPE WHIP
10A.1.2	CRITERIA FOR PIPE BREAK LOCATION
10A.1.3	CRITERIA FOR PIPE BREAK ORIENTATION
10A.1.4	SUMMARY OF PIPE WHIP DYNAMIC ANALYSIS
10A.1.4.1	<u>Location of Number of Breaks</u>
10A.1.4.2	<u>The Postulated Rupture Orientation</u>
10A.1.4.3	<u>Description of Forcing Function</u>
10A.1.4.4	<u>Mathematical Model and Dynamic Analysis</u>
10A.1.4.5	<u>Unrestrained Motion of the Ruptured Line</u>
10A.1.5	PROTECTION AGAINST PIPE WHIP, JET IMPINGEMENT, AND REACTIVE FORCE
10A.1.5.1	<u>Pipe Whip Restraints and Encapsulation & 2</u>
10A.1.5.3	<u>Separation Provisions & 4</u>
10A.1.5.5	<u>Description of a Typical Pipe Whip Restraint</u>
10A.1.6	EVALUATION OF SEISMIC CATEGORY I STRUCTURES
10A.1.6.1	<u>Method of Evaluating Stresses</u>
10A.1.6.2	<u>Allowable Design Stress</u>
10A.1.6.3	<u>Load Factors and Load Combinations</u>
10A.1.6.4	<u>Stresses in Category I Structure</u>
10A.1.6.5	<u>Erosion of Concrete from Jet Impingement Forces</u>
10A.1.7	STRUCTURAL DESIGN LOADS
10A.1.8	REVERSAL OF LOADS ON THE STRUCTURE
10A.1.9	STRUCTURAL EFFECTS OF OPENINGS
10A.1.10	EFFECT OF STRUCTURAL FAILURE
10A.1.11	VERIFICATION THAT PIPE RUPTURE WILL NOT AFFECT SAFETY
10A.1.12	EFFECT ON CONTROL ROOM
10A.1.13	ENVIRONMENTAL QUALIFICATION OF AFFECTED REQUIRED EQUIPMENT
10A.1.14	DESIGN DIAGRAMS AND DRAWINGS
10A.1.15	FLOODING
10A.1.16	QUALITY CONTROL

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

TABLE OF CONTENTS

		<u>PAGE</u>
10A.1.17	LEAK DETECTION	10A.1-14
10A.1.18	EMERGENCY PROCEDURES	10A.1-14
10A.1.19	SEISMIC AND QUALITY CLASSIFICATION	10A.1-14
10A.1.20	DESCRIPTION OF ASSUMPTIONS, METHODS AND RESULTS OF ANALYSIS FOR PRESSURE AND TEMPERATURE TRANSIENTS IN COMPARTMENTS	10A.1-15
10A.1.20.1	<u>Circumferential Break of 47" Line - 1608 in²</u>	10A.1-15
10A.1.20.2	<u>Circumferential Break (Single Ended) of 6" Line - 28.9 in²</u>	10A.1-17
10A.1.20.3	<u>Circumferential Break Inside Encapsulation - 53.8 in² Clearance</u>	10A.1-18
10A.1.20.4	<u>Critical Crack in 47" Line - 8.5 in²</u>	10A.1-19
10A.1.20.5	<u>Critical Crack in 4" Atmospheric Dump Line - 0.32 in²</u>	10A.1-19
10A.1.21	INTEGRITY OF THE CONTAINMENT STRUCTURE AND A PIPE RUPTURE OUTSIDE THE CONTAINMENT	10A.1-20
10A.1.22	EFFECT OF THE BABCOCK & WILCOX, CANADA REPLACEMENT STEAM GENERATORS	10A.1-20
10A.1.23	REFERENCES	10A.1-20
10A.2	<u>MAIN STEAM TO AUXILIARY STEAM GENERATOR FEED PUMP TURBINES</u>	10A.2-1
10A.2.1	PIPE WHIP	10A.2-1
10A.2.2	PIPE BREAK LOCATIONS	10A.2-1
10A.2.3	PIPE BREAK ORIENTATION	10A.2-1
10A.2.4	SUMMARY OF DYNAMIC ANALYSIS	10A.2-1
10A.2.4.1	<u>Location and Number of Design Basis Breaks</u>	10A.2-1
10A.2.4.2	<u>The Postulated Rupture Orientation</u>	10A.2-1
10A.2.4.3	<u>Description of the Forcing Function and the Mathematical Model</u>	10A.2-1
10A.2.4.4	<u>Unrestrained Motion of the Ruptured Lines</u>	10A.2-2
10A.2.5	PROTECTION AGAINST PIPE WHIP, JET IMPINGEMENT, AND REACTIVE FORCES	10A.2-2
10A.2.5.1	<u>Pipe Whip Restraints and Sleeves</u>	10A.2-2
10A.2.5.2	<u>Separation Provisions</u>	10A.2-2
10A.2.5.3	<u>Description of a Typical Pipe Whip Restraint</u>	10A.2-2
10A.2.6	EVALUATION OF SEISMIC CATEGORY I STRUCTURES	10A.2-3
10A.2.6.1	<u>Method of Evaluating Stresses</u>	10A.2-3
10A.2.6.2	<u>Allowable Design Stresses</u>	10A.2-3
10A.2.6.3	<u>Load Factors and Load Combinations</u>	10A.2-3
10A.2.7	STRUCTURAL DESIGN LOADS	10A.2-3

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

TABLE OF CONTENTS

		<u>PAGE</u>
10A.2.8	REVERSAL OF LOADS ON THE STRUCTURES	10A.2-3
10A.2.9	STRUCTURAL EFFECTS OF NEW OPENINGS	10A.2-3
10A.2.10	EFFECTS OF STRUCTURAL FAILURE	10A.2-3
10A.2.11	VERIFICATION THAT PIPE RUPTURE WILL NOT AFFECT SAFETY	10A.2-4
10A.2.12	EFFECT ON CONTROL ROOM	10A.2-4
10A.2.13	ENVIRONMENTAL QUALIFICATION OF AFFECTED REQUIRED EQUIPMENT	10A.2-4
10A.2.14	DESIGN DRAWINGS	10A.2-4
10A.2.15	FLOODING	10A.2-4
10A.2.16	QUALITY CONTROL AND INSPECTION PROGRAMS	10A.2-4
10A.2.17	LEAK DETECTION	10A.2-4
10A.2.18	EMERGENCY PROCEDURES	10A.2-4
10A.2.19	SEISMIC AND QUALITY CLASSIFICATION	10A.2-4
10A.2.20	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR PRESSURE AND TEMPERATURE TRANSIENTS IN COMPARTMENTS	10A.2-5
10A.2.21	INTEGRITY OF THE CONTAINMENT STRUCTURE AND A PIPE RUPTURE OUTSIDE THE CONTAINMENT	10A.2-5
10A.3	<u>STEAM GENERATOR BLOWDOWN</u>	10A.3-1
10A.3.1	PIPE WHIPS	10A.3-1
10A.3.2	CRITERIA FOR PIPE BREAK LOCATIONS	10A.3-1
10A.3.3	CRITERIA FOR PIPE BREAK ORIENTATION	10A.3-1
10A.3.4	SUMMARY OF DYNAMIC ANALYSIS	10A.3-1
10A.3.5	PROTECTION AGAINST PIPE WHIP, JET IMPINGEMENT, AND REACTIVE FORCES	10A.3-1
10A.3.6	EVALUATION OF SEISMIC CATEGORY I STRUCTURES	10A.3-2
10A.3.7	STRUCTURE DESIGN LOADS	10A.3-2
10A.3.8	REVERSAL OF LOADS ON STRUCTURE	10A.3-2
10A.3.9	STRUCTURAL EFFECT OF OPENINGS ADDED TO THE STRUCTURE	10A.3-2
10A.3.10	VERIFICATION THAT ANY STRUCTURE FAILURE WILL NOT AFFECT OTHER STRUCTURES REQUIRED FOR SAFETY	10A.3-2
10A.3.11	VERIFICATION THAT PIPE RUPTURE WILL NOT AFFECT SAFETY	10A.3-2
10A.3.12	EFFECT ON CONTROL ROOM	10A.3-2
10A.3.13	ENVIRONMENTAL QUALIFICATION OF AFFECTED REQUIRED EQUIPMENT	10A.3-2
10A.3.14	DESIGN DIAGRAMS AND DRAWINGS	10A.3-2

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

TABLE OF CONTENTS

		<u>PAGE</u>
10A.3.15	FLOODING	10A.3-3
10A.3.16	QUALITY CONTROL AND INSPECTION PROGRAM	10A.3-3
10A.3.17	LEAK DETECTION	10A.3-3
10A.3.18	EMERGENCY PROCEDURES	10A.3-3
10A.3.19	SEISMIC AND QUALITY CLASSIFICATION	10A.3-3
10A.3.20	DESCRIPTION OF ASSUMPTIONS, METHODS AND RESULTS OF ANALYSIS FOR PRESSURE AND TEMPERATURE TRANSIENT IN COMPARTMENT	10A.3-3
10A.3.21	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR EFFECT ON PRIMARY OR SECONDARY CONTAINMENT STRUCTURE DUE TO PIPE RUPTURE OUTSIDE	10A.3-4
10A.4.1	<u>MAIN FEEDWATER SYSTEM (INSIDE AUXILIARY BUILDING)</u>	10A.4.1-1
10A.4.1.1	PIPE WHIP	10A.4.1-1
10A.4.1.2	CRITERIA FOR LOCATING PIPE BREAKS	10A.4.1-1
10A.4.1.3	CRITERIA FOR PIPE BREAK ORIENTATION	10A.4.1-1
10A.4.1.4	SUMMARY OF DYNAMIC ANALYSIS	10A.4.1-1
	10A.4.1.4.1 <u>Location and Number of Design Basis Breaks</u>	10A.4.1-1
	10A.4.1.4.2 <u>The Postulated Rupture Orientation</u>	10A.4.1-1
	10A.4.1.4.3 <u>Description of the Forcing Function</u>	10A.4.1-2
	10A.4.1.4.4 <u>Dynamic Analysis and Mathematical Model</u>	10A.4.1-2
	10A.4.1.4.5 <u>Unrestrained Motion of the Ruptured Line</u>	10A.4.1-2
10A.4.1.5	PROTECTIVE MEASURES	10A.4.1-2
	10A.4.1.5.1 <u>Pipe Whip Restraints</u>	10A.4.1-2
	10A.4.1.5.2 <u>Protective Measures - MFW Pipe Sleeve</u>	10A.4.1-2
	10A.4.1.5.3 <u>Separation Provisions</u> & 4	10A.4.1-2
	10A.4.1.5.5 <u>Description of the Pipe Whip Restraint</u>	10A.4.1-2
10A.4.1.6	EVALUATION OF CATEGORY I STRUCTURES	10A.4.1-3
	10A.4.1.6.1 <u>Method of Evaluating Stresses</u>	10A.4.1-3
	10A.4.1.6.2 <u>Allowable Design Stresses</u>	10A.4.1-3
	10A.4.1.6.3 <u>Load Factors and Load Combinations</u>	10A.4.1-3
	10A.4.1.6.4 <u>Stresses in the Category I Structure</u>	10A.4.1-3
	10A.4.1.6.5 <u>Erosion of Concrete from Jet Impingement Forces</u>	10A.4.1-4
10A.4.1.7	STRUCTURAL DESIGN LOADS	10A.4.1-4
10A.4.1.8	REVERSAL OF LOADS ON THE STRUCTURE	10A.4.1-4
	10A.4.1.8.1 <u>Reversal of Loading Due to Jet Impingement Forces</u>	10A.4.1-4

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

TABLE OF CONTENTS

		<u>PAGE</u>
	10A.4.1.8.2 <u>Reversal of Loading Due to Compartment Pressurization</u>	10A.4.1-4
	10A.4.1.8.3 <u>Pipe Whip Restraints</u>	10A.4.1-5
10A.4.1.9	STRUCTURAL EFFECTS OF OPENINGS	10A.4.1-5
10A.4.1.10	EFFECTS OF STRUCTURAL FAILURE	10A.4.1-5
10A.4.1.11	VERIFICATION THAT HIGH ENERGY PIPE RUPTURES WILL NOT AFFECT SAFETY	10A.4.1-5
10A.4.1.12	EFFECT ON CONTROL ROOM	10A.4.1-5
10A.4.1.13	ENVIRONMENTAL QUALIFICATION OF AFFECTED REQUIRED EQUIPMENT	10A.4.1-5
10A.4.1.14	DRAWINGS	10A.4.1-6
10A.4.1.15	FLOODING	10A.4.1-6
10A.4.1.16	QUALITY CONTROL AND INSPECTION	10A.4.1-6
10A.4.1.17	LEAK DETECTION	10A.4.1-6
10A.4.1.18	EMERGENCY PROCEDURE	10A.4.1-6
10A.4.1.19	SEISMIC AND QUALITY CLASSIFICATION	10A.4.1-6
10A.4.1.20	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR PRESSURE AND TEMPERATURE TRANSIENTS IN COMPARTMENTS	10A.4.1-7
10A.4.1.21	INTEGRITY OF THE CONTAINMENT STRUCTURE WITH A PIPE RUPTURE OUTSIDE THE CONTAINMENT	10A.4.1-7
10A.4.1.22	REFERENCE	10A.4.1-8
10A.4.2	<u>MAIN FEEDWATER AND HEATER DRAIN SYSTEM (INSIDE TURBINE BUILDING)</u>	10A.4.2-1
10A.4.2.1	PIPE WHIP	10A.4.2-1
10A.4.2.2	CRITERIA FOR LOCATING PIPE BREAKS	10A.4.2-1
10A.4.2.3	CRITERIA FOR PIPE BREAK ORIENTATION	10A.4.2-1
10A.4.2.4	SUMMARY OF PIPE WHIP DYNAMIC ANALYSIS	10A.4.2-1
	10A.4.2.4.1 <u>Location and Number of Breaks</u>	10A.4.2-1
	10A.4.2.4.2 <u>The Postulated Rupture Orientation</u>	10A.4.2-1
	10A.4.2.4.3 <u>Description of the Forcing Function and the Mathematical Model</u>	10A.4.2-1
	10A.4.2.4.5 <u>Unrestrained Motion of the Ruptured Line</u>	10A.4.2-2
10A.4.2.5	PROTECTIVE MEASURES	10A.4.2-2
	10A.4.2.5.1 <u>The Pipe Whip Restraint</u>	10A.4.2-2
	10A.4.2.5.3 <u>Separation Criteria</u>	10A.4.2-3
	10A.4.2.5.5 <u>Description of the Pipe Whip Restraint</u>	10A.4.2-3

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

TABLE OF CONTENTS

		<u>PAGE</u>
10A.4.2.6	EVALUATION OF SEISMIC CATEGORY I STRUCTURES	10A.4.2-3
10A.4.2.7	STRUCTURAL DESIGN LOADS	10A.4.2-3
10A.4.2.8	REVERSAL OF LOADS ON THE STRUCTURE	10A.4.2-4
10A.4.2.9	STRUCTURAL EFFECTS OF OPENINGS	10A.4.2-4
10A.4.2.10	EFFECTS OF STRUCTURAL FAILURE	10A.4.2-4
10A.4.2.11	VERIFICATION THAT HIGH ENERGY PIPE RUPTURES WILL NOT AFFECT SAFETY	10A.4.2-4
10A.4.2.12	EFFECT ON THE CONTROL ROOM	10A.4.2-4
10A.4.2.13	ENVIRONMENTAL QUALIFICATION OF AFFECTED REQUIRED EQUIPMENT	10A.4.2-5
10A.4.2.14	DRAWINGS	10A.4.2-5
10A.4.2.15	FLOODING	10A.4.2-5
10A.4.2.16	QUALITY CONTROL AND INSPECTION	10A.4.2-5
10A.4.2.17	LEAK DETECTION	10A.4.2-5
10A.4.2.18	EMERGENCY PROCEDURES	10A.4.2-5
10A.4.2.19	SEISMIC AND QUALITY CLASSIFICATION	10A.4.2-5
10A.4.2.20	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR PRESSURE AND TEMPERATURE TRANSIENT IN COMPARTMENTS	10A.4.2-5
10A.4.2.21	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR EFFECT ON PRIMARY OR SECONDARY CONTAINMENT STRUCTURE DUE TO PIPE RUPTURE OUTSIDE	10A.4.2-5
10A.4.2.22	REFERENCES	10A.4.2-5
10A.5	<u>AUXILIARY FEEDWATER SYSTEM</u>	10A.5-1
10A.5.1	PIPE WHIP	10A.5-1
10A.5.2	PIPE BREAK LOCATIONS	10A.5-1
10A.5.3	PIPE BREAK ORIENTATION	10A.5-1
10A.5.4	SUMMARY OF DYNAMIC ANALYSIS	10A.5-2
10A.5.5	PROTECTIVE MEASURES	10A.5-2
10A.5.6	SEISMIC CATEGORY I STRUCTURE EVALUATION	10A.5-2
10A.5.7	STRUCTURAL DESIGN LOADS	10A.5-2
10A.5.8	LOAD REVERSAL ANALYSIS	10A.5-2
10A.5.9	EFFECTS OF NEW OPENINGS ON STRUCTURE	10A.5-2
10A.5.10	VERIFICATION THAT ANY STRUCTURAL FAILURES WILL NOT AFFECT OTHER STRUCTURES REQUIRED FOR SAFETY	10A.5-2
10A.5.11	VERIFICATION THAT PIPE RUPTURE WILL NOT AFFECT SAFETY	10A.5-2
10A.5.12	EFFECT ON CONTROL ROOM	10A.5-2

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

TABLE OF CONTENTS

		<u>PAGE</u>
10A.5.13	ENVIRONMENTAL QUALIFICATION OF AFFECTED REQUIRED EQUIPMENT	10A.5-2
10A.5.14	DESIGN DRAWINGS	10A.5-2
10A.5.15	FLOODING	10A.5-2
10A.5.16	QUALITY CONTROL AND INSPECTION PROGRAMS	10A.5-2
10A.5.17	LEAK DETECTION	10A.5-3
10A.5.18	EMERGENCY PROCEDURES	10A.5-3
10A.5.19	SEISMIC AND QUALITY CLASSIFICATION	10A.5-3
10A.5.20	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR PRESSURE AND TEMPERATURE TRANSIENTS IN COMPARTMENTS	10A.5-3
10A.5.21	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR EFFECT ON PRIMARY OR SECONDARY CONTAINMENT STRUCTURE DUE TO PIPE RUPTURE OUTSIDE	10A.5-3
10A.5.22	MODERATE ENERGY PIPE CRACK ANALYSIS	10A.5-3
	10A.5.22.1 <u>Analysis</u>	10A.5-3
	10A.5.22.2 <u>Evaluation</u>	10A.5-4
	10A.5.22.3 <u>Conclusions</u>	10A.5-5
10A.6	<u>SHUTDOWN COOLING</u>	10A.6-1
10A.6.1	PIPE WHIP	10A.6-1
10A.6.2	PIPE BREAK LOCATION	10A.6-1
10A.6.3	PIPE BREAK ORIENTATION	10A.6-1
10A.6.4	DYNAMIC ANALYSIS	10A.6-1
10A.6.5	PIPE WHIP, JET IMPINGEMENT, AND REACTIVE FORCES PROTECTION	10A.6-1
10A.6.6	SEISMIC CATEGORY I STRUCTURE EVALUATION	10A.6-1
10A.6.7	STRUCTURAL DESIGN LOADS	10A.6-1
10A.6.8	ANALYSIS OF REVERSAL OF LOADS	10A.6-1
10A.6.9	STRUCTURAL EFFECT OF OPENINGS ADDED TO THE STRUCTURES	10A.6-1
10A.6.10	VERIFICATION THAT ANY STRUCTURAL FAILURE WILL NOT AFFECT OTHER STRUCTURES REQUIRED FOR SAFETY	10A.6-1
10A.6.11	VERIFICATION THAT PIPE RUPTURE WILL NOT AFFECT SAFETY	10A.6-1
10A.6.12	EFFECT ON CONTROL ROOM	10A.6-2
10A.6.13	ENVIRONMENTAL QUALIFICATION OF AFFECTED REQUIRED EQUIPMENT	10A.6-2
10A.6.14	DESIGN DIAGRAMS AND DRAWINGS	10A.6-2
10A.6.15	FLOODING	10A.6-2

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

TABLE OF CONTENTS

		<u>PAGE</u>
10A.6.16	QUALITY CONTROL AND INSPECTION PROGRAM	10A.6-2
10A.6.17	LEAK DETECTION	10A.6-2
10A.6.18	EMERGENCY PROCEDURES	10A.6-2
10A.6.19	SEISMIC AND QUALITY CLASSIFICATION	10A.6-2
10A.6.20	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR PRESSURE AND TEMPERATURE TRANSIENTS IN COMPARTMENTS	10A.6-2
10A.6.21	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR EFFECT ON PRIMARY OR SECONDARY CONTAINMENT STRUCTURE DUE TO PIPE RUPTURE	10A.6-2
10A.7	<u>CHEMICAL AND VOLUME CONTROL SYSTEM</u>	10A.7-1
10A.7.1	PIPE WHIP	10A.7-1
10A.7.2	CRITERIA FOR PIPE BREAK LOCATIONS	10A.7-1
10A.7.3	CRITERIA FOR PIPE BREAK ORIENTATION	10A.7-2
10A.7.4	SUMMARY OF DYNAMIC ANALYSIS	10A.7-2
	10A.7.4.1 <u>Location and Number of Design Basis Breaks</u>	10A.7-2
	10A.7.4.2 <u>The Postulated Rupture Orientation</u>	10A.7-2
	10A.7.4.3 <u>Description of the Forcing Function</u>	10A.7-2
	10A.7.4.4 <u>Dynamic Analysis and Mathematical Model</u>	10A.7-2
	10A.7.4.5 <u>Unrestrained Motion of the Ruptured Line</u>	10A.7-2
10A.7.5	PROTECTION AGAINST PIPE WHIP, JET IMPINGEMENT, AND REACTIVE FORCES	10A.7-2
	10A.7.5.1 <u>Pipe Whip Restraints and Sleeves</u>	10A.7-2
	10A.7.5.2 <u>Excess Flow Check Valve</u>	10A.7-2
	10A.7.5.3 <u>Description of a Typical Pipe Whip Restraint</u>	10A.7-3
10A.7.6	EVALUATION OF SEISMIC CATEGORY I STRUCTURES	10A.7-3
	10A.7.6.1 <u>Method of Evaluating Stresses</u>	10A.7-3
	10A.7.6.2 <u>Allowable Design Stresses</u>	10A.7-3
	10A.7.6.3 <u>Load Factors and Load Combinations</u>	10A.7-3
10A.7.7	STRUCTURAL DESIGN LOADS	10A.7-3
10A.7.8	REVERSAL OF LOADS ON THE STRUCTURES	10A.7-3
10A.7.9	EFFECTS OF NEW OPENINGS ON STRUCTURE	10A.7-4
10A.7.10	VERIFICATION THAT ANY STRUCTURAL FAILURE WILL NOT AFFECT OTHER STRUCTURES REQUIRED FOR SAFETY	10A.7-4

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

TABLE OF CONTENTS

		<u>PAGE</u>
10A.7.11	VERIFICATION THAT PIPE RUPTURE WILL NOT AFFECT SAFETY	10A.7-4
10A.7.12	EFFECT ON CONTROL ROOM	10A.7-4
10A.7.13	ENVIRONMENTAL QUALIFICATION OF AFFECTED REQUIRED EQUIPMENT	10A.7-4
10A.7.14	DESIGN DRAWINGS	10A.7-5
10A.7.15	FLOODING	10A.7-5
10A.7.16	QUALITY CONTROL AND INSPECTION PROGRAMS	10A.7-5
10A.7.17	LEAK DETECTION EQUIPMENT	10A.7-5
10A.7.18	EMERGENCY PROCEDURES	10A.7-5
10A.7.19	SEISMIC AND QUALITY CLASSIFICATION	10A.7-5
10A.7.20	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR PRESSURE AND TEMPERATURE TRANSIENTS IN COMPARTMENTS	10A.7-6
10A.7.21	INTEGRITY OF THE CONTAINMENT STRUCTURE AND A PIPE RUPTURE OUTSIDE THE CONTAINMENT	10A.7-6
10A.8	<u>SAMPLING SYSTEM</u>	10A.8-1
10A.8.1	PIPE WHIP	10A.8-1
10A.8.2	CRITERIA FOR PIPE BREAK LOCATIONS	10A.8-1
10A.8.3	CRITERIA FOR PIPE BREAK ORIENTATION	10A.8-2
10A.8.4	SUMMARY OF DYNAMIC ANALYSIS	10A.8-2
10A.8.5	PROTECTIVE MEASURES	10A.8-2
10A.8.6	EVALUATION OF SEISMIC CATEGORY I STRUCTURES	10A.8-2
10A.8.7	STRUCTURAL DESIGN LOADS	10A.8-2
10A.8.8	LOAD REVERSAL ANALYSIS	10A.8-2
10A.8.9	EFFECTS OF NEW OPENINGS ON STRUCTURE	10A.8-2
10A.8.10	VERIFICATION THAT ANY STRUCTURAL FAILURES WILL NOT AFFECT OTHER STRUCTURES REQUIRED FOR SAFETY	10A.8-2
10A.8.11	VERIFICATION THAT PIPE RUPTURE WILL NOT AFFECT SAFETY	10A.8-2
10A.8.12	EFFECT ON CONTROL ROOM	10A.8-2
10A.8.13	ENVIRONMENTAL QUALIFICATION OF AFFECTED REQUIRED EQUIPMENT	10A.8-2
10A.8.14	DESIGN DRAWINGS	10A.8-3
10A.8.15	FLOODING	10A.8-3
10A.8.16	QUALITY CONTROL AND INSPECTION PROGRAMS	10A.8-3
10A.8.17	LEAK DETECTION	10A.8-3
10A.8.18	EMERGENCY PROCEDURES	10A.8-3
10A.8.19	SEISMIC AND QUALITY CLASSIFICATION	10A.8-3

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

TABLE OF CONTENTS

		<u>PAGE</u>
10A.8.20	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR PRESSURE AND TEMPERATURE TRANSIENTS IN COMPARTMENTS	10A.8-3
10A.8.21	DESCRIPTION OF ASSUMPTIONS, METHODS, AND RESULTS OF ANALYSIS FOR EFFECT ON PRIMARY OR SECONDARY CONTAINMENT STRUCTURES DUE TO PIPE RUPTURE OUTSIDE	10A.8-3
10A.9	<u>AUXILIARY STEAM SYSTEM</u>	10A.9-1
10A.9.1	PIPE WHIP	10A.9-1
10A.9.2	PIPE BREAK LOCATIONS	10A.9-1
10A.9.3	PIPE BREAK ORIENTATION	10A.9-1
10A.9.4	SUMMARY OF DYNAMIC ANALYSIS	10A.9-1
10A.9.5	PROTECTION AGAINST PIPE WHIP, JET BLOWDOWN, AND REACTIVE FORCES	10A.9-1
	10A.9.5.1 <u>Pipe Whip Restraints</u>	10A.9-1
	10A.9.5.2 <u>Jet Forces</u>	10A.9-1
10A.9.6	EVALUATION OF SEISMIC CATEGORY I STRUCTURES	10A.9-1
10A.9.7	STRUCTURAL DESIGN LOAD	10A.9-1
10A.9.8	REVERSAL OF LOADS ON STRUCTURE	10A.9-1
10A.9.9	STRUCTURAL EFFECT OF OPENINGS ADDED TO THE STRUCTURE	10A.9-1
10A.9.10	VERIFICATION THAT ANY STRUCTURAL FAILURE WILL NOT AFFECT OTHER STRUCTURES REQUIRED FOR SAFETY	10A.9-2
10A.9.11	VERIFICATION THAT PIPE RUPTURE WILL NOT AFFECT SAFETY	10A.9-2
10A.9.12	EFFECT ON CONTROL ROOM	10A.9-2
10A.9.13	ENVIRONMENTAL QUALIFICATION OF AFFECTED REQUIRED EQUIPMENT	10A.9-2
10A.9.14	DESIGN DIAGRAMS AND DRAWINGS	10A.9-2
10A.9.15	FLOODING	10A.9-2
10A.9.16	QUALITY CONTROL AND INSPECTION	10A.9-2
10A.9.17	LEAK DETECTION	10A.9-2
10A.9.18	EMERGENCY PROCEDURE	10A.9-2
10A.9.19	SEISMIC AND QUALITY CLASSIFICATION	10A.9-2
10A.9.20	DESCRIPTION OF ASSUMPTIONS, METHOD AND RESULTS OF ANALYSIS FOR PRESSURE AND TEMPERATURE TRANSIENTS IN COMPARTMENTS	10A.9-3

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

TABLE OF CONTENTS

	<u>PAGE</u>
10A.9.21 DESCRIPTION OF ASSUMPTIONS, METHODS AND RESULTS OF ANALYSIS FOR EFFECT ON PRIMARY OR SECONDARY CONTAINMENT STRUCTURE DUE TO PIPE RUPTURE OUTSIDE	10A.9-3

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

LIST OF TABLES

<u>TITLE</u>	<u>PAGE</u>	
10A-1A	MAIN STEAM PENETRATION ROOM ANALYSIS RESULTS	10A.1-21
10A-1	MAIN STEAM STRESS VALUES	10A.1-22
10A-2	STRESSES ON STRUCTURAL COMPONENTS DUE TO JET IMPINGEMENT FORCES RESULTING FROM A CRITICAL CRACK OF THE MAIN STEAM LINE	10A.1-23
10A-3	STRESSES ON STRUCTURAL COMPONENTS IN THE MAIN STEAM COMPARTMENT DUE TO POSTULATED MAIN STEAM PIPE RUPTURE	10A.1-24
10A-4	STEAM LINE RUPTURE INCIDENT NO LOAD, 1-LOOP OPERATION BREAK INSIDE TURBINE BUILDING	10A.1-25
10A-5	INSTRUMENTATION REQUIRED TO PLACE THE PLANT IN A SAFE SHUTDOWN CONDITION AND MAINTAIN IT IN A SAFE SHUTDOWN CONDITION	10A.3-5
10A-6	MECHANICAL AND ELECTRICAL EQUIPMENT REQUIRED TO PLACE THE PLANT IN A SAFE SHUTDOWN CONDITION AND MAINTAIN IT IN A SAFE SHUTDOWN CONDITION	10A.3-20
10A-7	COMPARISON OF TIME-HISTORY PIPE WHIP DESIGN METHOD WITH ENERGY BALANCE DESIGN METHOD	10A.1-26
10A-8	LOCATION OF DOORS BETWEEN TURBINE BUILDING AND AUXILIARY BUILDING	10A.1-27
10A-9	MAIN FEEDWATER STRESS VALUES	10A.4.1-9
10A-10	STRESSES IN STRUCTURAL COMPONENTS IN THE PIPE PENETRATION ROOM DUE TO PRESSURIZATION FROM POSTULATED RUPTURE OF LETDOWN LINE	10A.7-7

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

LIST OF FIGURES

FIGURE

10A.1-1	MAIN STEAM SYSTEM
10A.1-2	HIGH ENERGY MAIN STEAM SYSTEM ROUTING PLAN - FLOOR EL. 27'0"
10A.1-3	ENCAPSULATION DETAILS MAIN STEAM SYSTEM
10A.1-4	HIGH ENERGY PIPE WHIP RESTRAINT
10A.1-5	MATHEMATICAL MODEL FOR PIPE WHIP RESTRAINT
10A.1-7	VENT STACK FROM MAIN STEAM COMPARTMENT
10A.1-8	BLOWDOWN MODEL
10A.1-9	EFFECT OF PIPE FRICTION OF STEAM-WATER
10A.1-10	EFFECT OF AREA RESTRICTION ON STEAM WATER
10A.1-11	STAGNATION PRESSURE - ASYMPTOTIC JET PRESSURE
10A.1-12	STAGNATION PRESSURE - JET ASYMPTOTIC AREA
10A.1-13	TYP. JET IMPINGEMENT BARRIER FOR CABLE TRAYS
10A.1-14	HIGH ENERGY AUX. FEED PUMP ROOM AND SERVICE WTR PUMP ROOM VENTILATION SYSTEMS
10A.1-15	6" STEAM LINE BREAK - MAIN STEAM PENETRATION ROOM - INITIAL TEMPERATURE = 160F
10A.1-16	6" STEAM LINE BREAK - MAIN STEAM PENETRATION ROOM - INITIAL TEMPERATURE = 160F
10A.1-17	BREAK OF ENCAPSULATED STEAM LINE - MAIN STEAM PENETRATION ROOM - INITIAL TEMPERATURE = 160F
10A.1-18	BREAK OF ENCAPSULATED STEAM LINE - MAIN STEAM PENETRATION ROOM - INITIAL TEMPERATURE = 160F
10A.1-19	CRITICAL CRACK IN MAIN STEAM LINE - MAIN STEAM PENETRATION ROOM - INITIAL TEMPERATURE = 160F
10A.1-20	CRITICAL CRACK IN MAIN STEAM LINE - MAIN STEAM PENETRATION ROOM - INITIAL TEMPERATURE = 160F
10A.2-1	MAIN STEAM TO AUX. STEAM GEN. FEED PUMP TURBINE
10A.2-2	HIGH ENERGY MAIN STEAM TO AUX. FEED PUMP TURBINE ROUTING PLAN - FLOOR EL. 27'0"
10A.2-2A	MAIN STEAM TO AFW TURBINE - BREAK LOCATIONS
10A.2-2B	MAIN STEAM TO AFW TURBINE - SMALL PIPE LOCATIONS
10A.2-3	HIGH ENERGY MAIN STEAM TO AUX. FEED PUMP TURBINE ROUTING PLAN - FLOOR EL. 5'0"
10A.3-1	STEAM GENERATOR BLOWDOWN
10A.3-2	HIGH ENERGY STEAM GENERATOR BLOWDOWN SYSTEM ROUTING PLAN - FLOOR EL. 27'0"
10A.3-3	HIGH ENERGY STEAM GENERATOR BLOWDOWN SYSTEM ROUTING PLAN - FLOOR EL. 45'0"
10A.3-4	STEAM GENERATOR BLOWDOWN LINE BREAK - EAST PIPING PENETRATION ROOM - INITIAL TEMPERATURE = 160F

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

LIST OF FIGURES

FIGURE

10A.3-5	STEAM GENERATOR BLOWDOWN LINE BREAK - ELEVATION 45' - INITIAL TEMPERATURE = 160F
10A.4-1	MAIN FEEDWATER SYSTEM
10A.4-2	HIGH ENERGY MAIN FEEDWATER ROUTING PLAN - FLOOR EL. 27'0"
10A.4-3	HIGH ENERGY MAIN FEEDWATER ROUTING PLAN - FLOOR EL. 5'0"
10A.4-4	FEEDWATER TO HP HEATERS
10A.4-5	FEEDWATER HEATER DRAIN TO CONDENSER
10A.4-6	HIGH ENERGY MAIN FEEDWATER AND HEATER DRAIN SYSTEM ROUTING PLAN - TURB BLDG. FLR EL. 12'0"
10A.4-7	PIPE SLEEVE DETAILS MAIN FEEDWATER SYSTEM UNIT NO. 1
10A.5-1	AUX. FEEDWATER SYSTEM
10A.5-2	HIGH ENERGY AUXILIARY FEEDWATER ROUTING PLAN - FLOOR EL. 27'0"
10A.5-3 sh 1	POSTULATED PIPE CRACK LOCATIONS - AUX. FEEDWATER - UNIT 1 - ROOMS 226 AND 227 - ELEVATION 3'0"
10A.5-3 sh 2	POSTULATED PIPE CRACK LOCATIONS - AUX. FEEDWATER - UNIT 1 - ROOMS 202 AND 224 - ELEVATION 5'0"
10A.5-4 sh 1	POSTULATED PIPE CRACK LOCATIONS - AUX. FEEDWATER - UNIT 2 - ROOMS 205, 206 - ELEVATION 3'0"
10A.5-4 sh 2	POSTULATED PIPE CRACK LOCATIONS - AUX. FEEDWATER - UNIT 2 - ROOMS 202 AND 203 - ELEVATION 5'0"
10A.5-5	POSTULATED PIPE CRACK TARGETS - AUX. FEEDWATER SYSTEM UNITS 1 AND 2
10A.7-1	CVC SYSTEM REACTOR COOL. CHARGING LINE
10A.7-2	HIGH ENERGY R.C. CHARGING LINE - ROUTING PARTIAL PLANS - @ FLOOR EL. 5'0" AND (-)10'0"
10A.7-3	HIGH ENERGY R.C. CHARGING LINE ROUTING PLAN - FLOOR EL. 27'0"
10A.7-4	CVC SYSTEM REACTOR COOLANT LETDOWN LINE
10A.7-5	HIGH ENERGY CVC SYSTEM LETDOWN LINE ROUTING PLAN - FLOOR EL. 27'-0"
10A.8-1	STEAM GEN. AND REACTOR COOL. SAMPLING SYSTEMS
10A.8-2	HIGH ENERGY SAMPLING SYSTEM ROUTING PLAN - FLR EL. 5'0" AND 45'0"
10A.9-1	AUX. STEAM TO WASTE EVAPORATORS (Retired in place)
10A.9-2	HIGH ENERGY AUXILIARY STEAM ROUTING PLAN - FLOOR EL. 5'0"
10A.9-3	HIGH ENERGY AUXILIARY STEAM - PARTIAL PLANS - FLOOR EL. 27'0", 45'0", AND 69'0"

APPENDIX 10A
HIGH ENERGY PIPE RUPTURES OUTSIDE CONTAINMENT

LIST OF ACRONYMS

ACI	American Concrete Institute
AEC	Atomic Energy Commission
AFW	Auxiliary Feedwater
AFWP	Auxiliary Feedwater Pump
ANSI	American National Standards Institute
ASME	American Society of Mechanical Engineers
ASTM	American Society for Testing and Materials
B&PV	Boiler and Pressure Vessel
CCW	Component Cooling Water
CV	Control Valve
CVCS	Chemical and Volume Control System
EDG	Emergency Diesel Generator
ESF	Engineered Safety Feature
fL/D	Flow Resistance Coefficient
FCR	Facility Change Request
HPSI	High Pressure Safety Injection
HX	Heat Exchanger (used in Tables only)
ISI	Inservice Inspection
LPSI	Low Pressure Safety Injection
MFIV	Main Feedwater Isolation Valve
MFW	Main Feedwater
MOV	Motor-Operated Valve
MS	Main Steam
MSIV	Main Steam Isolation Valve
MSLB	Main Steam Line Break
NRC	Nuclear Regulatory Commission
OBE	Operating Basis Earthquake
SDC	Shutdown Cooling
SG	Steam Generator (used in Tables only)
SGFP	Steam Generator Feed Pump
SRW	Service Water
SSC	System, Structure and/or Components
SSE	Safe Shutdown Earthquake
UFSAR	Updated Final Safety Analysis Report