

Facility: <b>Byron</b>		Date of Exam: 10/13/21		Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>	
Item Description	Initials				
	a	b	c		
1. Clean answer sheets copied before grading			<i>QMR</i>		
2. Proposed answer key changes and question deletions justified and documented (facility reviewer initials not required (N/R) if NO post-examination comments are submitted)			<i>QMR</i>		
3. Applicants' scores checked for addition errors (reviewers spot check > 25% of examinations)			<i>QMR</i>		
4. Grading for all borderline cases (80% $\pm$ 2% overall and 70% or 80%, as applicable, $\pm$ 4% on the SRO-only exam) reviewed in detail			<i>QMR</i>		
5. All other failing examinations checked to ensure that grades are justified			<i>QMR</i>		
6. Performance on missed questions checked for training deficiencies and wording problems; evaluate validity of questions missed by one-half or more of the applicants			<i>QMR</i>		
Printed Name/Signature		Date			
a. Grader		<u>10/26/21</u>			
b. Facility Reviewer(*)		<u>10/27/2021</u>			
c. NRC Chief Examiner (*)	<i>QMR</i>				
d. NRC Supervisor (*)					
(*) The facility reviewer's signature is not applicable for examinations graded by the NRC; two independent NRC reviews are required.					