



**UNITED STATES  
NUCLEAR REGULATORY COMMISSION**  
REGION IV  
1600 EAST LAMAR BOULEVARD  
ARLINGTON, TEXAS 76011-4511

January 18, 2022

Mr. James C. Teeters  
Radiation Safety Officer  
Shaw Pipeline Services, Inc.  
1725 West Reno Street  
Broken Arrow, OK 74012

SUBJECT: NRC INSPECTION NO. 03038558/2021001 AND NOTICE OF VIOLATION

Dear Mr. Teeters:

This letter refers to the routine announced inspection conducted on July 27, 2021, at your Broken Arrow, Oklahoma facility. This inspection examined activities conducted under your license as they relate to public health and safety, and to confirm compliance with the Commission's rules and regulations and with the conditions of your license. Within these areas, the inspection consisted of selected examination of procedures and representative records, observations of activities, and interviews with personnel. A telephonic exit briefing was conducted with you on January 13, 2022, discussing the results of the inspection.

Based on the results of this inspection, the U.S. Nuclear Regulatory Commission (NRC) has determined that two Severity Level IV violations of NRC security requirements occurred. The violation was evaluated in accordance with the NRC Enforcement Policy which can be found at the NRC's Web site at <https://www.nrc.gov/about-nrc/regulatory/enforcement/enforce-pol.html>. The violation is cited in the enclosed non-public Notice of Violation (Notice) because it was identified by the NRC during the inspection.

You are required to respond to this letter and should follow the instructions specified in the enclosed Notice when preparing your response. If you have additional information that you believe the NRC should consider, you may provide it in your response to the Notice. The NRC review of your response to the Notice will also determine whether further enforcement action is necessary to ensure compliance with regulatory requirements.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be made available electronically for public inspection in the NRC Public Document Room located at NRC Headquarters in Rockville, MD, and from the NRC's document system, the Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

The enclosure contains Sensitive Unclassified Non-Safeguards Information. Upon separation, this cover letter is DECONTROLLED.
---

J. Teeters

2

However, the material enclosed herewith contains Security-Related Information as described above. Therefore, the material in the enclosures will not be made available electronically for public inspection in the NRC Public Document Room or from the NRC's document system Agencywide Documents Access and Management System (ADAMS)

The enclosed Notice contains Security-Related Information withheld under 10 CFR 2.390(d)(1), and its disclosure to unauthorized individuals could present a security vulnerability. Therefore, the material in the enclosure will not be made available electronically for public inspection in the NRC Public Document Room or in the NRC's Agencywide Document Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Because security-related information is necessary to provide an acceptable response, please mark your entire response Security-Related Information in accordance with 10 CFR 2.390(d)(1) and follow the instructions for withholding in 10 CFR 2.390(b)(1). In accordance with 10 CFR 2.390(b)(1)(ii), the NRC is waiving the affidavit requirements for your response.

If you have any questions regarding this matter, please contact Leonardo Wardrobe of my staff at (817) 200-1429 or via electronic mail at [leonardo.wardrobe@nrc.gov](mailto:leonardo.wardrobe@nrc.gov).

Thank you for your cooperation.

Sincerely,



Signed by Roldan-Otero, Lizette  
on 01/18/22

Lizette Roldán-Otero, Ph.D., Chief  
Material Inspection Branch  
Division of Nuclear Material Safety  
Region IV

Docket No. 030-38558  
License No. 35-23193-03

Enclosure:  
Notice of Violation:

cc w/Enclosure

Mike Broderick, Environmental Program Mgr. II  
OK Dept. of Environmental Quality  
P.O. Box 1677  
Oklahoma City, OK 73101-1677

J. Teeters

3

SUBJECT: NRC INSPECTION NO. 030-38558/2021-001 AND NOTICE OF VIOLATION  
DATED JANUARY 18, 2022

**DISTRIBUTION:**

SMorris, ORA  
JMonninger, ORA  
MMuessle, DNMS  
NO'Keefe, DNMS  
RTorres, DNMS  
R4DNMS\_MIB

ADAMS ACCESSION NUMBER, Cover Letter– **ML22014A416**

<b>X</b> SUNSI Review by: <b>lfw</b>		ADAMS <b>X</b> Yes <input type="checkbox"/> No		X Publicly Available Non-Publicly Available		X Non-Sensitive Sensitive		Keyword: NRC002	
OFFICE	RIV:MIB	BC: MIB	ACES:TL	RIV: RC	OE	NMSS	D: DNMS		
NAME	LFWardrobe	LRoldanOtero							
SIGNATURE	lfw	lro							
DATE	1/13/22	1/18/22							

OFFICE REPORT COPY