



**CERTIFICATE OF DISPOSITION
OF MATERIALS**

APPROVED BY OMB: NO. 3150-0028

EXPIRES: 03/31/2023

Estimated burden per response to comply with this mandatory collection request: 30 minutes. This submittal is used by NRC as part of the basis for its determination that the facility is released for unrestricted use. Send comments regarding burden estimate to the FOIA, Library, and Information Collections Branch (T-6 A10M), U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, or by e-mail to Infocollections.Resource@nrc.gov, and the OMB reviewer at: OMB Office of Information and Regulatory Affairs, (3150-0028), Attn: Desk Officer for the Nuclear Regulatory Commission, 725 17th Street NW, Washington, DC 20503; e-mail: oir_submission@omb.eop.gov. The NRC may not conduct or sponsor, and a person is not required to respond to, a collection of information unless the document requesting or requiring the collection displays a currently valid OMB control number.

LICENSEE NAME AND ADDRESS

DWVW
"%">#S"SS

Coffey Engineering and Surveying, LLC
902 S. 3rd St.
Laramie, WY 82070

LICENSE NUMBER

49-29281-01

DOCKET NUMBER

3037595

LICENSE EXPIRATION DATE

05-31-2033

A. LICENSE STATUS (Check the appropriate box)

- ☐ This license has expired. ☒ This license has not yet expired; please terminate it.

B. DISPOSAL OF RADIOACTIVE MATERIAL

(Check the appropriate boxes and complete as necessary. If additional space is needed, provide attachments)

The licensee, or any individual executing this certificate on behalf of the licensee, certifies that:

- ☐ 1. No radioactive materials have ever been procured or possessed by the licensee under this license.
- ☒ 2. All activities authorized by this license have ceased, and all radioactive materials procured and/or possessed by the licensee under this license number cited above have been disposed of in the following manner.
- ☒ a. Transfer of radioactive materials to the licensee listed below: Troxler Electronics
3008 Cornwallis Road
Research Triangle Park, NC 27709
- ☐ b. Disposal of radioactive materials:
- ☐ 1. Directly by the licensee:
- ☐ 2. By licensed disposal site:
- ☐ 3. By waste contractor:
- ☐ c. All radioactive materials have been removed such that any remaining residual radioactivity is within the limits of 10 CFR Part 20, Subpart E, and is ALARA.

? S[^5a` fch^@g_ TWI (% 'S%+
6aUj W@g_ TWI, % '% ' +
>[UWeW@g_ TWI, &ZS+S*#Z #
>[UWeW@S_ W5aXXW7' YI' WVI Y~ EgdWVI YI >>5

C. SURVEYS PERFORMED AND REPORTED

- ☐ 1. A radiation survey was conducted by the licensee. The survey confirms:
- ☐ a. the absence of licensed radioactive materials
- ☐ b. that any remaining residual radioactivity is within the limits of 10 CFR 20, Subpart E, and is ALARA.
- ☐ 2. A copy of the radiation survey results:
- ☐ a. is attached; or ☐ b. is not attached (Provide explanation); or ☐ c. was forwarded to NRC on: _____ Date _____
- ☒ 3. A radiation survey is not required as only sealed sources were ever possessed under this license, and
- ☒ a. The results of the latest leak test are attached; and/or ☐ b. No leaking sources have ever been identified.

See Page 4

The person to be contacted regarding the information provided on this form:

NAME	Dru Burr	TITLE	Staff Engineer	TELEPHONE (Include Area Code)	(307) 742-7425	E-MAIL ADDRESS	dburr@coffeyeng.com
------	----------	-------	----------------	-------------------------------	----------------	----------------	---------------------

Mail all future correspondence regarding this license to:

902 S. 3rd Street, Laramie, WY

C. CERTIFYING OFFICIAL

I CERTIFY UNDER PENALTY OF PERJURY THAT THE FOREGOING IS TRUE AND CORRECT

PRINTED NAME AND TITLE	Dru Burr	SIGNATURE		DATE	2-21-22
------------------------	----------	-----------	--	------	---------

Digitally signed by
84B425d-5a2c-4f06-a384-b5cb2f63e96
DN: CN=84B425d-5a2c-4f06-a384-b5cb2f63e96
Reason: I am the author of this document
Location: Laramie Wyoming
Date: 2022.03.01 10:11:44
Foxit PhantomPDF Version: 9.7.5

WARNING: FALSE STATEMENTS IN THIS CERTIFICATE MAY BE SUBJECT TO CIVIL AND/OR CRIMINAL PENALTIES. NRC REGULATIONS REQUIRE THAT SUBMISSIONS TO THE NRC BE COMPLETE AND ACCURATE IN ALL MATERIAL RESPECT. 18 U.S.C. SECTION 1001 MAKES IT A CRIMINAL OFFENSE TO MAKE A WILLFULLY FALSE STATEMENT OR REPRESENTATION TO ANY DEPARTMENT OR AGENCY OF THE UNITED STATES AS TO ANY MATTER WITHIN ITS JURISDICTION.

CERTIFICATE OF DISPOSITION OF MATERIALS

PLEASE READ THESE INSTRUCTIONS BEFORE COMPLETING NRC FORM 314.

Subpart E of 10 CFR Part 20 establishes the radiological criteria for license terminations/decommissioning of facilities licensed under 10 CFR Parts 30, 40, 50, 60, 61, 70, and 72, as well as other facilities subject to the Commission's jurisdiction under the Atomic Energy Act of 1954, as amended, and the Energy Reorganization Act of 1974, as amended.

INSTRUCTIONS

Section B, Item 2.

Licensees should describe the specific radioactive material transfer actions. If radioactive wastes were generated in terminating this license, the licensee should describe the disposal actions taken, including the disposition of low-level radioactive waste, mixed waste, greater-than-Class-C waste, and sealed sources.

Section B, Item 2.a.

The information provided concerning the transfer of radioactive material to another licensee should specify the date of the transfer, the name of the licensee recipient, an individual contact name and telephone number for the licensee recipient, and the recipient's NRC or Agreement State license number.

Section B, Item 2.b.

For disposal of radioactive materials, licensees should describe the specific disposal method or procedure (e.g., decay-in-storage). For those cases when radioactive materials are disposed of by a licensed disposal site or by a waste contractor, the licensee should specify the name, address, and telephone number of the licensed disposal site operator or waste contractor.

Section B, Item 2.c.

"Residual radioactivity," as defined in 10 CFR 20.1003, means radioactivity in 'areas' (structures, materials, soils, etc.) remaining as a result of activities (licensed and unlicensed) under the licensee's control from sources used by the licensee, excluding background radiation. ALARA is defined in 10 CFR 20.1003.

FILE CERTIFICATES AS FOLLOWS:

IF YOU ARE LOCATED IN:

ALABAMA, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, KENTUCKY, MAINE, MARYLAND, MASSACHUSETTS, NEW HAMPSHIRE, NEW JERSEY, NEW YORK, NORTH CAROLINA, PENNSYLVANIA, PUERTO RICO, RHODE ISLAND, SOUTH CAROLINA, TENNESSEE, VERMONT, VIRGINIA, VIRGIN ISLANDS, OR WEST VIRGINIA, SEND CERTIFICATES TO:

LICENSING ASSISTANT SECTION
NUCLEAR MATERIALS SAFETY BRANCH
U.S. NUCLEAR REGULATORY COMMISSION, REGION I
2100 RENAISSANCE BOULEVARD, SUITE 100
KING OF PRUSSIA, PA 19406-2713

ILLINOIS, INDIANA, IOWA, MICHIGAN, MINNESOTA, MISSOURI, OHIO, OR WISCONSIN, SEND CERTIFICATES TO:

MATERIALS LICENSING SECTION
U.S. NUCLEAR REGULATORY COMMISSION, REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, IL 60532-4352

IF YOU ARE LOCATED IN:

ALASKA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, HAWAII, IDAHO, KANSAS, LOUISIANA, MISSISSIPPI, MONTANA, NEBRASKA, NEVADA, NEW MEXICO, NORTH DAKOTA, OKLAHOMA, OREGON, PACIFIC TRUST TERRITORIES, SOUTH DAKOTA, TEXAS, UTAH, WASHINGTON, OR WYOMING, SEND CERTIFICATES TO:

MATERIAL RADIATION PROTECTION SECTION
U. S. NUCLEAR REGULATORY COMMISSION, REGION IV
1600 E. LAMAR BOULEVARD
ARLINGTON, TX 76011-4511

SECTION B, Item 2.

Coffey Engineering transferred our licensed materials that are sealed in our nuclear density gauge using Fed Ex hazardous materials service. Fed Ex picked up the nuclear density containing 44 millicuries of Americium-241 and 9 millicuries of Cesium-137, to the licensed Troxler Electronics disposal department. The nuclear density gauge was transported with Fed Ex and received by Troxler Electronics on 12-09-2021.

SECTION B Item 2 A.

Coffey Engineering received a notification letter from Troxler Electronics on December 14th declaring that the nuclear density gauge and the radioactive licensed materials sealed there in are transferred to Troxler Electronics. See the letter on page 4. The contact information is stated on the letter.



"Your One Stop for Calibration & Service"

6100 Rough Road
Cleburne TX 76031
p:817.834.5411
f: 817.834.5435

www.onestopcal.net

7301 Broadway Street
Denver CO 80221
p:303.292.2412
f: 303.292.2409

1.877.737.8225

Attn Flint Polson
Coffey Engineering & Surveying
902 S. 3rd St.
Laramie WY 82070

Certificate Number: 03262021C

Leak Test Certificate

Gauge Serial Number: 24612
Sample Procedure by: OSCS

Gauge Model: 3440
Sample Date: 03-12-2021

Sealed Source Isotope:	Serial Number:	Activity:	Removable Contamination:
Cs-137 (gamma)	75-6678	8 mCi	< .005 μ Ci
Am-241 (alpha)	47-20755	40 mCi	< .005 μ Ci

The analysis procedure was performed on 03/26/21 by OSCS.

This portable nuclear gauge displays no removable contamination and may remain in active service.

The .001 μ Ci Cs-137 and Am-241 calibration check sources are NIST traceable.
The survey meter used to perform the analysis was calibrated on 30 April 2020.
The Federal and Agreement State limits for removable contamination is 0.005 μ Ci (5.0×10^{-3} μ Ci). OSCS is authorized to analyze portable and fixed gauge leak test samples; State of Texas License Number: LO-5813.

Notice: The RSO or owner of the gauge that fails the leak test analysis will be alerted immediately via telephone, e-mail or fax to remove the gauge from active service.

Certified by:

James Stiles



Troxler Electronic Laboratories, Inc. - Troxler International, Ltd.
3008 Cornwallis Road, P.O. Box 12057, Research Triangle Park, NC 27709 - USA
Telephone: 919/549-8661 Telefax: 919/549/0761

December 14, 2021

Coffey Engineering & Surveying
Attn: Dru Burr
902 S 3rd Street
Laramie, WY 82070

Attn: Dru Burr

This is to acknowledge receipt and transfer of ownership of the nuclear gauge(s) listed below, and the radioactive sources contained therein, to Troxler under North Carolina Radioactive Material License #032-0182-1. You should retain this letter in your files for future reference.

Date Received: 12-09-2021

Job Number
47690

Model
3440

Serial Number
24612

Regards,

A handwritten signature in cursive script that reads 'Emily Davis'.

Emily Davis
Service/Repair Department
Troxler Electronics

From: [Dru Burr](#)
To: [Hill, Carol](#)
Cc: [Rolland, Joey](#); [Flint Polson](#); [Dave Coffey](#); [Teresea Wasik](#)
Subject: [External_Sender] Termination Form 314 of License 49-29281-01, Docket No.: 030-37595, Coffey Engineering and Surveying
Date: Monday, February 28, 2022 9:48:38 AM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[nrc314.pdf](#)

Good morning Carol,

I was informed to send you and Joseph my form 314 to terminate our license. Please see the attached pdf which has the last leak test and a transfer of radio-active materials letter to a Troxler Electronics, which is a licensed entity. I believe I met all necessary requirements to terminate the license. However, if there is something that I'm missing please let me know as soon as possible. I will be available through the Laramie office phone or my email if you need anything else from me. Have an awesome day!



Dru Burr, P.E.
Staff Engineer I
CELL: (307) 399-8675



Laramie, WY: (307) 742-7425
Loveland, CO: (970) 622-2095



www.coffeyeng.com/

Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**



ACKNOWLEDGEMENT - RECEIPT OF CORRESPONDENCE

Name and Address of Applicant and/or Licensee

Flint Polson, P.E.
Radiation Safety Officer
Coffey Engineering & Surveying, LLC
902 S 3rd St
Laramie, WY 82070

Date

03/01/2022

License Number(s)

49-29281-01

Mail Control Number(s)

630239

Licensing and/or Technical Reviewer or Branch

C. Hill

This is to acknowledge receipt of your: ☒ Letter and/or ☐ Application Dated: 02/28/2022

The initial processing, which included an administrative review, has been performed.

☐ Amendment ☒ Termination ☐ New License ☐ Renewal

☐ There were no administrative omissions identified during our initial review.

☐ This is to acknowledge receipt of your application for renewal of the material(s) license identified above. Your application is deemed timely filed, and accordingly, the license will not expire until final action has been taken by this office.

☐ Your application for a new NRC license did not include your taxpayer identification number. Please complete and submit NRC Form 531, Request for Taxpayer Identification Number, located at the following link: <http://www.nrc.gov/reading-rm/doc-collections/forms/nrc531.pdf>
Follow the instructions on the form for submission.

☐ The following administrative omissions have been identified:

Your application has been assigned the above listed MAIL CONTROL NUMBER. When calling to inquire about this action, please refer to this control number. Your application has been forwarded to a technical reviewer. Please note that the technical review, which is normally completed within 180 days for a renewal application (90 days for all other requests), may identify additional omissions or require additional information. If you have any questions concerning the processing of your application, our contact information is listed below:

Region IV
U. S. Nuclear Regulatory Commission
DNMS/NMSB - B
1600 E. Lamar Boulevard
Arlington, TX 76011-4511
(817) 200-1103 or (817) 200-1140

BETWEEN:

Accounts Receivable/Payable
and
Regional Licensing Branches

[FOR ARPB USE]
INFORMATION FROM WBL

Program Code: 03121
Status Code: Pending Termination
Fee Category: 3P
Exp. Date:
Fee Comments:
Decom Fin Assur Req'd: N

License Fee Worksheet - License Fee Transmittal

A. REGION

1. APPLICATION ATTACHED

Applicant/Licensee: Coffey Engineering & Surveying, LLC
Received Date: 02/28/2022
Docket Number: 3037595
Mail Control Number: 630239
License Number: 49-29281-01
Action Type: Termination

2. FEE ATTACHED

Amount: N/A

Check No.: N/A

3. COMMENTS

Signed: Carol L. Hill

Date: 03/01/2022

B. LICENSE FEE MANAGEMENT BRANCH (Check when milestone 03 is entered / /)

1. Fee Category and Amount: _____

2. Correct Fee Paid. Application may be processed for:

Amendment: _____

Renewal: _____

License: _____

3. OTHER _____

Signed: _____

Date: _____

Agency: NRC

WBL WORKSHEET

DOCKET NUMBER: 3037595	LICENSE NUMBER: 49-29281-01	STATUS: Pending Termination
MAIL CONTROL NUMBER: 630239	RECEIPT DATE: 02/28/2022	ACTION TYPE: Termination
DUE DATE: 05/29/2022	INST. CODE: 29281	LICENSE REGION: Region 4
LICENSE TYPE: 30	ENTITY TYPE: C	LICENSE GROUP: Industrial
ISSUE DATE:	ORIGINAL DATE: 02/14/2008	EXPIRATION DATE:
DECOMMISSIONING CATEGORY: Group 1	LAST ISSUE DATE:	
LICENSEE NAME: Coffey Engineering & Surveying, LLC	DECOM FIN ASSUR REQD: N SUBM: N	
MAILING ADDRESS LINE1: 902 South 3rd Street	CONT PLAN REQD: N APPRV: N	
MAILING ADDRESS LINE 2:		
CITY: Laramie	STATE: WY	ZIP: 82070
CONTACT PERSON: PREFIX:	FIRST NAME: David	MIDDLE INITIAL: R.
LAST NAME: Coffey	SUFFIX:	
JOB TITLE: President	PHONE: 307-742-7425 FAX: 307-742-7403	EMAIL: dcoffey@coffey-engineer
BILLING ADDRESS LINE 1:		
BILLING ADDRESS LINE 2:		
CITY:	STATE: Wyoming	ZIP:
BILLING CONTACT PERSON: FIRST NAME:	MIDDLE INITIAL:	LAST NAME:
PHONE:	EMAIL:	FAX:
PRIMARY PGM CODE: 03121	SECONDARY PGM CODE:	
INSPECTION REGION: Region 4	PRIORITY: 5	
RSO: PREFIX:	FIRST NAME: Flint	MIDDLE INITIAL: LAST NAME Polson
SUFFIX: P.E	RSO JOB TITLE: Radiation Safety Officer	
RSO PHONE: 307-742-7425	RSO FAX: 307-742-7403	RSO EMAIL: fpolson@coffey-engineering.com
STATES WHERE USE IS AUTHORIZED: 1	0- ALL LISTED STATES 1- SAME AS STATE IN ADDRESS 2- ALL STATES 3- NON-AGREEMENT-STATES	
AUTHORIZED STATES (USE ONLY IF ABOVE IS ZERO):		