

FEDERAL NOTIFICATION LETTER

Tuesday, February 15, 2022

Director of FSME
Attn: GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

This letter is a notification per 10 CFR 31.5(c)(8) or corresponding State regulation indicating that a device containing radioactive material was transferred from a general licensee to a specific licensee. The following information is provided:

From General Licensee:

LDS Church
4400 Presidential Dr. NE Ste A
Albuquerque, NM 87109

To Specific Licensee:

SRB Technologies, Inc.
2580 Landmark Drive
Winston-Salem, NC 27103
(336)-659-2610
Radioactive Materials License #034-0534-2


Date of Transfer: (Enter Date Disposal Box was shipped to Specific Licensee)	2-28-2022
--	-----------

Description of Device(s) Transferred:

Exit signs containing tritium as per attached Inventory Form(s).

If there are questions or concerns, please contact me.

Sincerely,

Printed Name:	LYNN A THOMPSON
Signature:	
Phone Number:	620-796-1033

FEDERAL LETTER- MAIL TO USNRC WITHIN 30 DAYS OF SHIPMENT

VEOLIA USE ONLY

Sales Order #: 2234401

Case #: 00065594

Box 1 of 4

VEOLIA USE ONLY

RGA #: 999426 / Expires: 3/21/22

UCN: 8Y51386Z-1A58409B

FedEx Tracking #: 776052798834

Box 1 of 4 / Ref #: 549

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

	DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1.	Safety Light Corp	U-20	629884	5/98	20Y
2.	Safety Light Corp	U-20	629885	5/98	20Y
3.	Safety Light Corp	U-20	615459	3/97	20Y
4.	Safety Light Corp	U-20	629882	5/98	20Y
5.	Safety Light Corp	U-20	608947	9/96	20Y
6.	Safety Light Corp	U-20	629883	5/98	20Y
7.	Perm EX Mfg	T4001	86394	10/92	20Y
8.	Safety Light	SLX-60	267393	5/04	20Y
9.	Safety Light Corp	U-20	73408	3/88	20Y
10.	Safety Light Corp	U-20	73465	3/88	20Y

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:

Stacey Reynoso

Title:

Project manager

Print Name:

Stacey Reynoso

Date:

10/19/2021

VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX

Date Received:

12-18-21

Checked In by:

Angie Krumm

VEOLIA USE ONLY

VEOLIA USE ONLY

Sales Order #: 2234401

Case #: 00065594

Box 2 of 4

RGA #: 999428 / Expires: 3/21/22
UCN: 6C51385D-8E58415F
FedEx Tracking #: 776052809916
Box 2 of 4 / Ref #: 550

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

	DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1.	Safety Light Corp	U-20	73467	3/88	20Y
2.	Safety Light Corp	U-20	73464	3/88	20Y
3.	Safety Light Corp	U-20	73466	3/88	20Y
4.	Safety Light Corp	U-20	100270	2/89	20Y
5.	Safety Light	SLX-60	410650	5/07	20Y
6.	Safety Light	SLX-60	410651	5/07	20Y
7.	Safety Light	SLX-60	410648	5/07	20Y
8.	Safety Light	SLX-60	410655	5/07	20Y
9.	Safety Light	SLX-60	410653	5/07	20Y
10.	Safety Light	SLX-60	410654	5/07	20Y

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:

Stacey Reynoso

Title:

Project manager

Print Name:

Stacey Reynoso

Date:

10/19/2021**VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX**

Date Received:

12-18-21

Checked in by:

Angie Kung

VEOLIA USE ONLY

VEOLIA USE ONLY

Sales Order #: 2234401

Case #: 00065594

Box 3 of 4

RGA #: 999428 / Expires: 3/21/22

UCN: 3G51384H-2158428J

FedEx Tracking #: 776052819424

Box 3 of 4 / Ref #: 551

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

	DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1.	Safety Light	SLX-60	410649	5/07	20Y
2.	Safety Light	SLX-60	440652	5/07	20Y
3.	Isolite	200	A921800	5/07	20Y
4.	Isolite	200	A921818	5/07	20Y
5.	Safety Light	SLX-60	410656	9/07	20Y
6.	Safety Light	SLX-60	430679	9/07	20Y
7.	Safety Light	SLX-60	430675	9/07	20Y
8.	Safety Light	SLX-60	430680	9/07	20Y
9.	Safety Light	SLX-60	430658	9/07	20Y
10.	Safety Light	SLX-60	430674	9/07	20Y

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:

Stacey Reynoso

Title:

Project manager

Print Name:

Stacey Reynoso

Date:

10/19/2021**VEOLIA INFORMATION – DO NOT WRITE IN THIS BOX**

Date Received:

12-18-21

Checked In by:

Angie Kum

VEOLIA USE ONLY

Sales Order #: 2234401

Case #: 00065594

Box 4 of 4

VEOLIA USE ONLY

RGA #: 999428 / Expires: 3/21/22

UCN: 4K51381L-2M58436N

FedEx Tracking #: 776052828863

Box 4 of 4 / Ref #: 552

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

	DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1.	Safety Light	SLX-60	430659	9/07	20Y
2.	Safety Light	SLX-60	431808	9/07	20Y
3.	Safety Light	SLX-60	430676	9/07	20Y
4.	Safety Light	SLX-60	430657	9/07	20Y
5.	Safety Light	SLX-60	430673	9/07	20Y

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:

Stacey Reynoso

Title:

Project manager

Print Name:

Stacey Reynoso

Date:

10/19/2021

VEOLIA INFORMATION – DO NOT WRITE IN THIS BOX

Date Received:

12-18-21

Checked In by:

Angie Kury

FEDERAL NOTIFICATION LETTER

Sunday, February 06, 2022

Director of FSME
Attn: GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

This letter is a notification per 10 CFR 31.5(c)(8) or corresponding State regulation indicating that a device containing radioactive material was transferred from a general licensee to a specific licensee. The following information is provided:

From General Licensee:

Church of Latter Day Saints
14415 369th Ave. NE
Startup, WA 98294

To Specific Licensee:

SRB Technologies, Inc.
2580 Landmark Drive
Winston-Salem, NC 27103
(336)-659-2610
Radioactive Materials License #034-0534-2


Date of Transfer: (Enter Date Disposal Box was shipped to Specific Licensee)	2/25/2022
---	-----------

Description of Device(s) Transferred:

Exit signs containing tritium as per attached Inventory Form(s).

If there are questions or concerns, please contact me.

Sincerely,

Printed Name:	Lynn A. Robbins
Signature:	
Phone Number:	630/796-1033

FEDERAL LETTER- MAIL TO USNRC WITHIN 30 DAYS OF SHIPMENT

VEOLIA USE ONLY

Sales Order #: 2229094
Case #: 00061667
Box 1 of 2

VEOLIA USE ONLY

KGA #: 999446 / Expires: 4/18/22
UCN: 7Q51384R-5S59039T
FedEx Tracking #: 775966357540
Box 1 of 2 / Ref #: 612

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

	DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1.	Safety Light Corp	SLX60	036277	01/99	11.5
2.	Safety Light Corp	SLX60	036275	01/99	11.5
3.	Safety Light Corp	SLX60	036278	01/99	11.5
4.	Safety Light Corp	SLX60	036272	01/99	11.5
5.	Safety Light Corp	SLX60	036269	01/99	11.5
6.	Safety Light corp	SLX60	036271	01/99	11.5
7.	Safety Light Corp	SLX60	036270	01/99	11.5
8.	Safety Light Corp	SLX60	036279	01/99	11.5
9.	Safety Light Corp	SLX60	036252	01/99	11.5
10.	Safety Light Corp	SLX60	046121	11/87	11.5

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR AGREEMENT

Generator Signature: Michaelann Agoranos

Title: VP Refresh Construction

Print Name: Michaelann Agoranos

Date: 12/07/21

VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX

Date Received: 12-22-21

Checked in by: Angie Kung

VEOLIA USE ONLY

Sales Order #: 2229094
Case #: 00061667
Box 2 of 2

VEOLIA USE ONLY

KGA #: 999446 / Expires: 4/18/22
UCN: 1U51387V-5W59042X
FedEx Tracking #: 775966362583
Box 2 of 2 / Ref #: 613

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. Safety Light Corp	SLX60	cannot read	cannot read	20
2. Safety Light Corp	SLX60	cannot read	cannot read	20
3. Safety Light Corp	SLX60	cannot read	cannot read	20

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR AGREEMENT

Generator Signature: Michaelann AgoranosTitle: VP Refresh ConstructionPrint Name: Michaelann AgoranosDate: 12/07/21

VEOLIA INFORMATION – DO NOT WRITE IN THIS BOX

Date Received: 12-22-21Checked in by: Angie Kung

FEDERAL NOTIFICATION LETTER

Sunday, February 06, 2022

Director of FSME
Attn: GLTS
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

This letter is a notification per 10 CFR 31.5(c)(8) or corresponding State regulation indicating that a device containing radioactive material was transferred from a general licensee to a specific licensee. The following information is provided:

From General Licensee:

Church of Latter Day Saints
1301 N. Navajo Dr.
Page, AZ 86040

To Specific Licensee:

SRB Technologies, Inc.
2580 Landmark Drive
Winston-Salem, NC 27103
(336)-659-2610
Radioactive Materials License #034-0534-2


Date of Transfer: (Enter Date Disposal Box was shipped to Specific Licensee)	2-25-2022
--	-----------

Description of Device(s) Transferred:

Exit signs containing tritium as per attached Inventory Form(s).

If there are questions or concerns, please contact me.

Sincerely,

Printed Name:	LENN A. ROBBINS
Signature:	
Phone Number:	620/796-1033

FEDERAL LETTER- MAIL TO USNRC WITHIN 30 DAYS OF SHIPMENT

Sales Order #: 2229061

Case #: 00061602

Box 1 of 3

RGA #: 999447 / Expires: 4/25/22

UCN: 9051383P-7Q59094R

FedEx Tracking #: 775966448034

Box 1 of 3 / Ref #: 618

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. Brandhurst Corp	B100	68584	02/88	20
2. Brandhurst Corp	B100	62504	11/87	20
3. SRB Technologies Inc	B100	62512	11/87	20
4. SRB Technologies Inc	B100	62507	11/87	20
5. SRB Technologies Inc	B100	62498	11/87	20
6. Brandhurst Corp	B100	65200	12/87	20
7. SRB Technologies Inc	B100	65255	12/87	20
8. SRB Technologies Inc	B100	62501	04/87	20
9. SRB Technologies Inc	B100	62499	11/87	20
10. SRB Technologies Inc	B100	62505	11/87	20

Describe any damaged units:
Please email pictures of damaged signs to
pok.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR AGREEMENT

Generator Signature:

Michaelann AgoranosTitle: VP Refresh Construction

Print Name:

Michaelann AgoranosDate: 12/07/21**VEOLIA INFORMATION – DO NOT WRITE IN THIS BOX**

Date Received:

12-22-21

Checked in by:

Angie Kung

VEOLIA USE ONLY

Sales Order #: 2229061
Case #: 00061602
Box 2 of 3

VEOLIA USE ONLY

RGA #: 999447 / Expires: 4/25/22
UCN: 5S51389T-1U59107V
FedEx Tracking #: 775966450126
Box 2 of 3 / Ref #: 619

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

	DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1.	SRB Technologies Inc	B100	62506	11/87	20
2.	SRB Technologies Inc	B100	62503	11/87	20
3.	SRB Technologies Inc	B100	62502	11/87	20
4.	SRB Technologies Inc	B100	62510	11/87	20
5.	SRB Technologies Inc	B100	62511	11/87	20
6.	SRB Technologies Inc	B100	62509	11/87	20
7	Brandhurst Corp	B100	68583	2/88	20
8	Brandhurst Corp	B100	65254	12/87	20

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

SRB Technologies sign 62500 is damaged inside "Exit" tubing broken

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR AGREEMENT

Generator Signature: Michaelann Agoranos

Title: VP Refresh Construction

Print Name: Michaelann Agoranos

Date: 12/07/21

VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX

Date Received: 12-22-21

Checked In by: Angie Kung

VEOLIA USE ONLY

Sales Order #: 2229061
Case #: 00061602
Box 3 of 3

VEOLIA USE ONLY

RGA #: 999447 / Expires: 4/25/22
UCN: 5W51382X-8Y59116Z
FedEx Tracking #: 775966452379
Box 3 of 3 / Ref #: 620

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. SRB Technologies Inc	B100	62500	11/87	20

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

SRB Technologies sign 62500 is damaged inside "Exit" tubing broken

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR AGREEMENT

Generator Signature:

Michaelann AgoranosTitle: VP Refresh Construction

Print Name:

Michaelann AgoranosDate: 12/07/21

VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX

Date Received:

12-22-21

Checked in by:

Angie Kung

FEDERAL NOTIFICATION LETTER

Sunday, February 06, 2022

Director of FSME

Attn: GLTS

U.S. Nuclear Regulatory Commission

Washington, DC 20555-0001

This letter is a notification per 10 CFR 31.5(c)(8) or corresponding State regulation indicating that a device containing radioactive material was transferred from a general licensee to a specific licensee. The following information is provided:

From General Licensee:

Church of Latter Day Saints
7115 224th Ave. NE
Redmond, WA 98053

To Specific Licensee:

SRB Technologies, Inc.
2580 Landmark Drive
Winston-Salem, NC 27103
(336)-659-2610
Radioactive Materials License #034-0534-2


Date of Transfer: (Enter Date Disposal Box was shipped to Specific Licensee)	2-7-2022
--	----------

Description of Device(s) Transferred:

Exit signs containing tritium as per attached Inventory Form(s).

If there are questions or concerns, please contact me.

Sincerely,

Printed Name:	LYNN A ROSSINS
Signature:	
Phone Number:	630/796-1033

FEDERAL LETTER- MAIL TO USNRC WITHIN 30 DAYS OF SHIPMENT

VEOLIA USE ONLY

VEOLIA USE ONLY

Sales Order #: 2229070

Case #: 00061613

Box 1 of 4

RGA #: 999435 / Expires: 4/22/22

UCN: 8Y51386Z-1A59059B

FedEx Tracking #: 775966399250

Box 1 of 4 / Ref #: 614

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. Safety Signs	B100	571592	03/94	20
2. Safety Signs	B100	571580	03/94	20
3. Safety Signs	B100	571581	03/94	20
4. Safety Signs	B100	571585	03/94	20
5. Safety Signs	B100	571584	03/94	20
6. Isolite Safety Light Corp	2040	A011213	1/00	11.5
7. Safety Light corp	SLX-60	046007	12/00	11.5
8. Safety Signs	B100	665668	02/01	20
9. Safety Signs	B100	665673	02/01	20
10. Safety Signs	B100	665672	02/01	20

Describe any damaged units:

Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:



Title:

Site SUPER

Print Name:

Guillermo Gomez

Date:


12-02-21

VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX

Date Received:

12-16-21

Checked in by:



VEOLIA USE ONLY

Sales Order #: 2229070
Case #: 00061613
Box 2 of 4

VEOLIA USE ONLY

RGA #: 999435 / Expires: 4/22/22
UCN: 6C51385D-8E59065F
FedEx Tracking #: 775966403256
Box 2 of 4 / Ref #: 615

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. Safety Signs	B100	665676	02/01	20
2. Safety Signs	B100	665669	02/01	20
3. Safety Signs	B100	665746	02/01	20
4. Safety Signs	B100	665745	02/01	20
5. Safety Signs	B100	665674	02/01	20
6. Safety Signs	B100	665743	02/01	20
7. Safety Signs	B100	665744	02/01	20
8. Safety Signs	B100	571587	03/94	20
9. Safety Signs	B100	571595	03/94	20
10. Safety Signs	B100	571588	03/94	20

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:



Title:

Site Super

Print Name:

Guillermo Gomez

Date:

12-02-21

VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX

Date Received:

12-16-21

Checked in by:

Angie King

VEOLIA USE ONLY

Sales Order #: 2229070

Case #: 00061613

Box 3 of 4

RGA #: 999435 / Expires: 4/22/22

UCN: 3G51384H-2159078J

FedEx Tracking #: 775966405660

Box 3 of 4 / Ref #: 616

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

	DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1.	Safety Light Corp	SLX60	046119	12/00	11.5
2.	Safety Light Corp	SLX60	046122	12/00	11.5
3.	Safety Light Corp	SLX60	046109	12/00	11.5
4.	Safety Light Corp	SLX60	046110	12/00	11.5
5.	Safety Light Corp	SLX60	046104	12/00	11.5
6.	Safety Light corp	SLX60	046123	12/00	11.5
7.	Safety Light Corp	SLX60	046117	12/00	11.5
8.	Safety Light Corp	SLX60	046120	12/00	11.5
9.	Safety Light Corp	SLX60	046108	11/87	11.5
10.	Safety Light Corp	SLX60	046121	11/87	11.5

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:

Title:

Print Name:

Date:

Guillermo Gomez

Site SUPER

12-02-21

VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX

Date Received:

Checked in by:

12-22-21

Angie Kung

VEOLIA USE ONLY

Sales Order #: 2229070

Case #: 00061613

Box: 4 of 4

VEOLIA USE ONLY

RGA #: 999435 / Expires: 4/22/22

UCN: 4K51381L-2M59086N

FedEx Tracking #: 775966404848

Box 4 of 4 / Ref #: 617

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. Safety Sign	B100 B100	571594	03/94	20
2. Safety Sign	B100	571593	03/94	20
3. Safety Sign	B100	665670	02/01	20

Describe any damaged units:

Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:



Title:

Site Super

Print Name:

Guillermo Gomez

Date:


12-02-21

VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX

Date Received:

12-11-21

Checked In by:



FEDERAL NOTIFICATION LETTER

Thursday, December 23, 2021

Director of FSME

Attn: GLTS

U.S. Nuclear Regulatory Commission

Washington, DC 20555-0001

This letter is a notification per 10 CFR 31.5(c)(8) or corresponding State regulation indicating that a device containing radioactive material was transferred from a general licensee to a specific licensee. The following information is provided:

From General Licensee:

LDS Church
1065 Main St.
Panaca, NV 89042

To Specific Licensee:

SRB Technologies, Inc.
2580 Landmark Drive
Winston-Salem, NC 27103
(336)-659-2610
Radioactive Materials License #034-0534-2


Date of Transfer: (Enter Date Disposal Box was shipped to Specific Licensee)	2-7-2022
--	----------

Description of Device(s) Transferred:

Exit signs containing tritium as per attached Inventory Form(s).

If there are questions or concerns, please contact me.

Sincerely,

Printed Name:	LEAH A ROBINSON
Signature:	
Phone Number:	630-796-1033

FEDERAL LETTER- MAIL TO USNRC WITHIN 30 DAYS OF SHIPMENT

VEOLIA USE ONLY

Sales Order #: 2234758
Case #: 00065981
Box 1 of 2

VEOLIA USE ONLY

RGA #: 999425 / Expires: 3/21/22
UCN: 8Y51386Z-1A58539B
FedEx Tracking #: 775595940168
Box 1 of 2 / Ref #: 562

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT or LIFE RATING
1. SRB Technologies	U20	665657	3/01	20C
2. SRB Technologies	U20	665658	3/01	20C
3. SRB Technologies	U20	665647	3/01	20C
4. SRB Technologies	U20	665650	3/01	20C
5. SRB Technologies	U20	665648	3/01	20C
6. SRB Technologies	U20	665662	3/01	20C
7. SRB Technologies	U20	665640	3/01	20C
8. SRB Technologies	U20	665663	3/01	20C
9. SRB Technologies	U20	665652	2/01	20C
10. SRB Technologies	U20	665664	2/01	20C

Describe any damaged units:
Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:

Michaelann Agoranos

Title: VP Refresh Construction

Print Name:

Michaelann Agoranos

Date: 12/3/21

VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX

Date Received:

12-18-21

Checked In by:

Angie Kung

VEOLIA USE ONLY

Sales Order #: 2234758

Case #: 00065981

Box 2 of 2

VEOLIA USE ONLY

RGA #: 999425 / Expires: 3/21/22

UCN: 6C51385D-8E58545F

FedEx Tracking #: 775595945332

Box 2 of 2 / Ref #: 563

TRITIUM EXIT SIGN INVENTORY FORM

Record an inventory of the exit signs using the manufacturer label information on the back of the sign. Make sure that all information is legible. **DO NOT REMOVE THE LABEL FROM THE SIGN. ALL FIELDS BELOW MUST BE FILLED OUT FOR EACH SIGN. DO NOT PUT ARROWS OR DITTO MARKS FOR REPETITIVE INFORMATION.** Note: Double faced signs made by connecting two signs back-to-back should be counted as two signs even if there is one serial number on the housing. If you have one or more back-to-back signs, please list each one twice.

DESCRIPTION/MFR.	MODEL NUMBER	SERIAL NUMBER	DATE OF MANUFACTURE	CURIES PER UNIT OF LIFE RATING
1. SRB Technologies	U20	66656666	2/01	20
2. SRB Technologies	U20	66656666	2/01	20
3. SRB Technologies	U20	66656655	2/01	20
4. SRB Technologies	U20	66656653	2/01	20
5. SRB Technologies	U20	66656665	N/A	20
6. SRB Technologies	U20	66656661	N/A	20

Describe any damaged units:

Please email pictures of damaged signs to
pak.ts@veolia.com

I hereby certify that all information submitted on this form contains true and accurate descriptions of the exit signs.

GENERATOR CERTIFICATION

Generator Signature:

Michaelann AgoranosTitle: VP Refresh Construction

Print Name:

Michaelann AgoranosDate: 12/3/21**VEOLIA INFORMATION - DO NOT WRITE IN THIS BOX**

Date Received:

12-18-21

Checked in by:

Angie Kung