



Celeste Ceva
Manager
Nuclear Support Services

Duke Energy
MG01VP | 12700 Hagers Ferry Road
Huntersville, NC 28078

o: 980.875.4646
Celeste.Ceva@duke-energy.com

RA-22-0133

April 21, 2011

ATTN: Document Control Desk
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

Subject: Duke Energy Carolinas, LLC (Duke Energy)
McGuire Nuclear Station (MNS), Unit 2
Docket Number 50-370
McGuire Unit 1, Cycle 29, Revision 0, Core Operating Limits Report (COLR)

Pursuant to McGuire Technical Specification 5.6.5.d, enclosed is the McGuire Unit 1, Cycle 29, Revision 0, Core Operating Limits Report (COLR) and Appendix A, Power Distribution Monitoring Factors.

This letter and the enclosed COLR do not contain any regulatory commitments. Questions should be directed to Jeff Thomas at (980) 875-4499.

Sincerely,

A handwritten signature in black ink that reads "Celeste M. Ceva".

Celeste Ceva
Manager, Nuclear Support Services
McGuire Nuclear Station

Enclosures

1. McGuire Unit 1, Cycle 29, Revision 0, Core Operating Limits Report
2. McGuire Unit 1, Cycle 29, Revision 0, Core Operating Limits Report Appendix A, Power Distribution Monitoring Factors

U.S. Nuclear Regulatory Commission
RA-22-0133
Page 2

cc: (with enclosures)

Laura A. Dudes, Regional Administrator
U.S. Nuclear Regulatory Commission, Region II
Marquis One Tower
245 Peachtree Center Ave., NE Suite 1200
Atlanta, GA 30303-1257

John Klos
Project Manager (McGuire)
U.S. Nuclear Regulatory Commission
Mail Stop O-9-E3
11555 Rockville Pike
Rockville, MD 20852

Andy Hutto
NRC Senior Resident Inspector
McGuire Nuclear Station

ENCLOSURE 1

McGuire Unit 1, Cycle 29, Revision 0, Core Operating Limits Report



Facility Code :	MC	
Applicable Facilities :		
Document Number :	MCEI-0400-420	
Document Revision Number :	000	
Document EC Number :		
Change Reason :	NTM 02353938	
Document Title :	McGuire 1 Cycle 29 Core Operating Limits Report	
Hager, Nicholas R	Originator	3/3/2022
Elder, Michael L	Verifier	3/3/2022
Phelps, Timothy P	Safety Analysis Verifier	3/3/2022
Elkins, Jason R	Site Acceptance Review	3/3/2022
Robinson, Duncan	Approver	3/3/2022
Notes :		

McGuire 1 Cycle 29
Core Operating Limits Report
Revision 0

March 2022

Calculation Number: MCC-1553.05-00-0716, Rev. 0
Reload 50.59 AR #: 02414939



QA Condition 1

The information presented in this report has been prepared and issued in accordance with McGuire Technical Specification 5.6.5.

McGuire 1 Cycle 29 Core Operating Limits Report

Implementation Instructions for Revision 0

Revision Description and CR Tracking

Revision 0 of the McGuire 1 Cycle 29 COLR contains limits specific to the reload core.

There is no CR associated with this revision.

Implementation Schedule

The McGuire 1 Cycle 29 COLR requires the reload 50.59 (AR # 02414939) be approved prior to implementation and fuel loading.

Revision 0 may become effective any time during NO MODE between cycles 28 and 29, but must become effective prior to entering MODE 6 which starts cycle 29. The McGuire 1 Cycle 29 COLR will cease to be effective during NO MODE between cycles 29 and 30.

Data Files to be Implemented

No data files are transmitted as part of this document.

Additional Information

CDR was performed by Safety Analysis for COLR Sections 1.1, 2.1, 2.9, 2.10, 2.12, and 2.15 – 2.17.

MNS Reactor Engineering performed a site inspection in accordance with AD-NF-ALL-0807 and AD-NF-NGO-0214.

McGuire 1 Cycle 29 Core Operating Limits Report**Revision Log**

<u>Revision</u>	<u>Effective Date</u>	<u>Pages Affected</u>	<u>COLR</u>
0	March 2022	1-31, Appendix A*	M1C29 COLR, Rev. 0

* Appendix A contains power distribution monitoring factors used in Technical Specification Surveillance and is not uploaded as part of the EI body. However, Appendix A is uploaded into the document management system, for ease of transmittal to the NRC.

McGuire 1 Cycle 29 Core Operating Limits Report

1.0 Core Operating Limits Report

This Core Operating Limits Report (COLR) has been prepared in accordance with requirements of Technical Specification 5.6.5. The Technical Specifications that reference this report are listed below along with the NRC approved analytical methods used to develop and/or determine COLR parameters in Technical Specifications.

TS Number	Technical Specifications	COLR Parameter	COLR Section	NRC Approved Methodology (Section 1.1 Number)
2.1.1	Reactor Core Safety Limits	RCS Temperature and Pressure Safety Limits	2.1	6,7,8,9,10,12,15,16,18,19
3.1.1	Shutdown Margin	Shutdown Margin	2.2	6,7,8,12,14,15,16,18,19
3.1.3	Moderator Temperature Coefficient	MTC	2.3	6,7,8,14,16,17
3.1.4	Rod Group Alignment Limits	Shutdown Margin	2.2	6,7,8,12,14,15,16,18,19
3.1.5	Shutdown Bank Insertion Limits	Shutdown Margin Shutdown Bank Insertion Limit	2.2 2.4	2,4,6,7,8,9,10,12,14,15,16,18,19
3.1.6	Control Bank Insertion Limits	Shutdown Margin Control Bank Insertion Limit	2.2 2.5	2,4,6,7,8,9,10,12,14,15,16,18,19
3.1.8	Physics Tests Exceptions	Shutdown Margin	2.2	6,7,8,12,14,15,16,18,19
3.2.1	Heat Flux Hot Channel Factor	F _Q AFD OTΔT Penalty Factors	2.6 2.8 2.9 2.6	2,4,6,7,8,9,10,12,15,16,18,19
3.2.2	Nuclear Enthalpy Rise Hot Channel Factor	FΔH Penalty Factors	2.7 2.7	2,4,6,7,8,9,10,12,15,16,18,19
3.2.3	Axial Flux Difference	AFD	2.8	2,4,6,7,8,15,16
3.3.1	Reactor Trip System Instrumentation Setpoints	OTΔT OPΔT	2.9 2.9	6,7,8,9,10,12,15,16,18,19
3.4.1	RCS Pressure, Temperature, and Flow DNB limits	RCS Pressure, Temperature and Flow	2.10	6,7,8,9,10,12,18,19
3.5.1	Accumulators	Max and Min Boron Conc.	2.11	6,7,8,14,16
3.5.4	Refueling Water Storage Tank	Max and Min Boron Conc.	2.12	6,7,8,14,16
3.7.14	Spent Fuel Pool Boron Concentration	Min Boron Concentration	2.13	6,7,8,14,16
3.9.1	Refueling Operations – Boron Concentration	Min Boron Concentration	2.14	6,7,8,14,16
5.6.5	Core Operating Limits Report (COLR)	Analytical Methods	1.1	None

The Selected Licensee Commitments that reference this report are listed below:

SLC Number	Selected Licensing Commitment	COLR Parameter	COLR Section	NRC Approved Methodology (Section 1.1 Number)
16.9.14	Borated Water Source – Shutdown	Borated Water Volume and Conc. for BAT/RWST	2.15	6,7,8,14,16
16.9.11	Borated Water Source – Operating	Borated Water Volume and Conc. for BAT/RWST	2.16	6,7,8,14,16
16.9.7	Standby Shutdown System	Standby Makeup Pump Water Supply	2.17	6,7,8,14,16

McGuire 1 Cycle 29 Core Operating Limits Report

1.1 Analytical Methods

The analytical methods used to determine core operating limits for parameters identified in Technical Specifications and previously reviewed and approved by the NRC as specified in Technical Specification 5.6.5 are as follows.

1. WCAP-9272-P-A, "Westinghouse Reload Safety Evaluation Methodology," (W Proprietary).

Revision 0

Report Date: July 1985

Not Used

2. WCAP-10054-P-A, "Westinghouse Small Break ECCS Evaluation Model using the NOTRUMP Code," (W Proprietary).

Revision 0

Report Date: August 1985

Addendum 2, "Addendum to the Westinghouse Small Break ECCS Evaluation Model Using the NOTRUMP Code: Safety Injection into the Broken Loop and COSI Condensation Model," (W Proprietary). (Referenced in Duke Letter DPC-06-101)

Revision 1

Report Date: July 1997

3. WCAP-10266-P-A, "The 1981 Version of Westinghouse Evaluation Model Using BASH Code," (W Proprietary).

Revision 2

Report Date: March 1987

Not Used

4. WCAP-12945-P-A, Volume 1 and Volumes 2-5, "Code Qualification Document for Best-Estimate Loss of Coolant Analysis," (W Proprietary).

Revision: Volume 1 (Revision 2) and Volumes 2-5 (Revision 1)

Report Date: March 1998

5. BAW-10168P-A, "B&W Loss-of-Coolant Accident Evaluation Model for Recirculating Steam Generator Plants," (B&W Proprietary).

Revision 1

SER Date: January 22, 1991

Revision 2

SER Dates: August 22, 1996 and November 26, 1996

Revision 3

SER Date: June 15, 1994

Not Used

McGuire 1 Cycle 29 Core Operating Limits Report

1.1 Analytical Methods (continued)

6. DPC-NE-3000-PA, "Thermal-Hydraulic Transient Analysis Methodology," (DPC Proprietary).

Revision 5a

Report Date: October 2012

7. DPC-NE-3001-PA, "Multidimensional Reactor Transients and Safety Analysis Physics Parameter Methodology," (DPC Proprietary).

Revision 1

Report Date: March 2015

8. DPC-NE-3002-A, "UFSAR Chapter 15 System Transient Analysis Methodology."

Revision 4c

Report Date: February 2019

9. DPC-NE-2004P-A, "Duke Power Company McGuire and Catawba Nuclear Stations Core Thermal-Hydraulic Methodology Using VIPRE-01," (DPC Proprietary).

Revision 2a

Report Date: December 2008

10. DPC-NE-2005P-A, "Thermal Hydraulic Statistical Core Design Methodology," (DPC Proprietary).

Revision 6

Report Date: September 2020

11. DPC-NE-2008P-A, "Fuel Mechanical Reload Analysis Methodology Using TACO3," (DPC Proprietary).

Revision 0

Report Date: April 1995

Not Used

12. DPC-NE-2009-P-A, "Westinghouse Fuel Transition Report," (DPC Proprietary).

Revision 3c

Report Date: March 2017

13. DPC-NE-1004A, "Nuclear Design Methodology Using CASMO-3/SIMULATE-3P."

Revision 1a

Report Date: January 2009

Not Used

McGuire 1 Cycle 29 Core Operating Limits Report

1.1 Analytical Methods (continued)

14. DPC-NF-2010-A, "Nuclear Physics Methodology for Reload Design."

Revision 2a

Report Date: December 2009

15. DPC-NE-2011-PA, "Nuclear Design Methodology Report for Core Operating Limits of Westinghouse Reactors," (DPC Proprietary).

Revision 1a

Report Date: June 2009

16. DPC-NE-1005-PA, "Nuclear Design Methodology Using CASMO-4 / SIMULATE-3 MOX," (DPC Proprietary).

Revision 1

Report Date: November 2008

17. DPC-NE-1007-PA, "Conditional Exemption of the EOC MTC Measurement Methodology," (DPC and W Proprietary)

Revision 0

Report Date: April 2015

18. WCAP-12610-P-A, "VANTAGE+ Fuel Assembly Reference Core Report," (W Proprietary).

Revision 0

Report Date: April 1995

19. WCAP-12610-P-A & CENPD-404-P-A, Addendum 1-A, "Optimized ZIRLO™," (W Proprietary).

Revision 0

Report Date: July 2006

McGuire 1 Cycle 29 Core Operating Limits Report

2.0 Operating Limits

Cycle-specific parameter limits for the specifications listed in Section 1.0 are presented in the following subsections. These limits have been developed using the NRC approved methodologies specified in Section 1.1.

2.1 Reactor Core Safety Limits (TS 2.1.1)

2.1.1 The Reactor Core Safety Limits are shown in Figure 1.

2.2 Shutdown Margin - SDM (TS 3.1.1, TS 3.1.4, TS 3.1.5, TS 3.1.6 and TS 3.1.8)

2.2.1 For TS 3.1.1, SDM shall be $\geq 1.3\% \Delta K/K$ in MODE 2 with $k\text{-eff} < 1.0$ and in MODES 3 and 4.


2.2.2 For TS 3.1.1, SDM shall be $\geq 1.0\% \Delta K/K$ in MODE 5.

2.2.3 For TS 3.1.4, SDM shall be $\geq 1.3\% \Delta K/K$ in MODE 1 and MODE 2.

2.2.4 For TS 3.1.5, SDM shall be $\geq 1.3\% \Delta K/K$ in MODE 1 and MODE 2 with any control bank not fully inserted.

2.2.5 For TS 3.1.6, SDM shall be $\geq 1.3\% \Delta K/K$ in MODE 1 and MODE 2 with $K\text{-eff} \geq 1.0$.

2.2.6 For TS 3.1.8, SDM shall be $\geq 1.3\% \Delta K/K$ in MODE 2 during PHYSICS TESTS.

McGuire 1 Cycle 29 Core Operating Limits Report**Figure 1****Reactor Core Safety Limits
Four Loops in Operation**

McGuire 1 Cycle 29 Core Operating Limits Report

2.3 Moderator Temperature Coefficient - MTC (TS 3.1.3)

2.3.1 The Moderator Temperature Coefficient (MTC) Limits are:

MTC shall be less positive than the upper limits shown in Figure 2. BOC, ARO, HZP MTC shall be less positive than $0.7\text{E-}04 \Delta\text{K/K/}^{\circ}\text{F}$.

EOC, ARO, RTP MTC shall be less negative than the $-4.3\text{E-}04 \Delta\text{K/K/}^{\circ}\text{F}$ lower MTC limit.

2.3.2 300 PPM MTC Surveillance Limit is:

Measured 300 PPM ARO, equilibrium RTP MTC shall be less negative than or equal to $-3.65\text{E-}04 \Delta\text{K/K/}^{\circ}\text{F}$.

2.3.3 The Revised Predicted near-EOC 300 PPM ARO RTP MTC shall be calculated using the procedure contained in DPC-NE-1007-PA.

If the Revised Predicted MTC is less negative than or equal to the 300 PPM SR 3.1.3.2 Surveillance Limit, and all benchmark data contained in the surveillance procedure is satisfied, then a MTC measurement in accordance with SR 3.1.3.2 is not required to be performed.

2.3.4 60 PPM MTC Surveillance Limit is:

Measured 60 PPM ARO, equilibrium RTP MTC shall be less negative than or equal to $-4.125\text{E-}04 \Delta\text{K/K/}^{\circ}\text{F}$.

Where:

- BOC = Beginning of Cycle (burnup corresponding to the most positive MTC)
- EOC = End of Cycle
- ARO = All Rods Out
- HZP = Hot Zero Power
- RTP = Rated Thermal Power
- PPM = Parts per million (Boron)

2.4 Shutdown Bank Insertion Limit (TS 3.1.5)

2.4.1 Each shutdown bank shall be withdrawn to at least 222 steps. Shutdown banks are withdrawn in sequence and with no overlap.


2.5 Control Bank Insertion Limits (TS 3.1.6)

2.5.1 Control banks shall be within the insertion, sequence, and overlap limits shown in Figure 3. Control bank withdrawal and overlap limits as a function of the fully withdrawn position are shown in Table 1.

McGuire 1 Cycle 29 Core Operating Limits Report

Figure 2

Moderator Temperature Coefficient Upper Limit Versus Power Level




NOTE: Compliance with Technical Specification 3.1.3 may require rod withdrawal limits. Refer to Unit 1 Reactor Engineering Data (RED) Notebook for details.

McGuire 1 Cycle 29 Core Operating Limits Report

Figure 3

Control Bank Insertion Limits Versus Percent Rated Thermal Power



The Rod Insertion Limits (RIL) for Control Bank D (CD), Control Bank C (CC), and Control Bank B (CB) can be calculated by:

$$\text{Bank CD RIL} = 2.3(P) - 69 \quad \{30 \leq P \leq 100\}$$

$$\text{Bank CC RIL} = 2.3(P) + 47 \quad \{0 \leq P \leq 76.1\} \text{ for } \text{CC RIL} = 222 \quad \{76.1 < P \leq 100\}$$

$$\text{Bank CB RIL} = 2.3(P) + 163 \quad \{0 \leq P \leq 25.7\} \text{ for } \text{CB RIL} = 222 \quad \{25.7 < P \leq 100\}$$

where P = % Rated Thermal Power

NOTE: Compliance with Technical Specification 3.1.3 may require rod withdrawal limits. Refer to Unit 1 Reactor Engineering Data (RED) Notebook for details.

McGuire 1 Cycle 29 Core Operating Limits Report

Table 1
Control Bank Withdrawal Sequence Equation

Control Bank A	Control Bank B	Control Bank C	Control Bank D
0 Start	0	0	0
116	0 Start	0	0
CBA Stop	CBA - 116	0	0
CBA	116	0 Start	0
CBA	CBB Stop	CBB - 116	0
CBA	CBB	116	0 Start
CBA	CBB	CBC Stop	CBC - 116

Where:

CBA = Fully withdrawn position of Control Bank A

CBB = Fully withdrawn position of Control Bank B

CBC = Fully withdrawn position of Control Bank C

Allowed Control Bank Fully Withdrawn Positions Range from 222 Steps to 231 Steps for frequent RCCA Reposition Required per MCEI-0400-026, Rev. 13, "Frequent RCCA Repositioning at McGuire Unit 1"

McGuire 1 Cycle 29 Core Operating Limits Report

2.6 Heat Flux Hot Channel Factor - $F_Q(X,Y,Z)$ (TS 3.2.1)

2.6.1 $F_Q(X,Y,Z)$ steady-state limits are defined by the following relationships:

$$\begin{aligned} F_Q^{RTP} * K(Z)/P & \quad \text{for } P > 0.5 \\ F_Q^{RTP} * K(Z)/0.5 & \quad \text{for } P \leq 0.5 \end{aligned}$$

where,

$$P = (\text{Thermal Power})/(\text{Rated Power})$$

Note: The measured $F_Q(X,Y,Z)$ shall be increased by 3% to account for manufacturing tolerances and 5% to account for measurement uncertainty when comparing against the LCO limits. The manufacturing tolerance and measurement uncertainty are implicitly included in the F_Q surveillance limits as defined in Sections 2.6.5 and 2.6.6.

2.6.2 $F_Q^{RTP} = 2.70 \times K(\text{BU})$

2.6.3 $K(Z)$ is the normalized $F_Q(X,Y,Z)$ as a function of core height. The $K(Z)$ function for Westinghouse RFA fuel is provided in Figure 4.

2.6.4 $K(\text{BU})$ is the normalized $F_Q(X,Y,Z)$ as a function of burnup. F_Q^{RTP} with the $K(\text{BU})$ penalty for Westinghouse RFA fuel is analytically confirmed in cycle-specific reload calculations. $K(\text{BU})$ is set to 1.0 at all burnups.

The following parameters are required for core monitoring per the Surveillance Requirements of Technical Specification 3.2.1:

2.6.5 $F_Q^L(X,Y,Z)^{OP} = \frac{F_Q^D(X,Y,Z) * M_Q(X,Y,Z)}{UMT * MT * TILT}$

where:

$F_Q^L(X,Y,Z)^{OP}$ = Cycle dependent maximum allowable design peaking factor that ensures $F_Q(X,Y,Z)$ LOCA limit will be preserved for operation within the AFD, RIL, and QPTR limits.
 $F_Q^L(X,Y,Z)^{OP}$ includes allowances for calculation and measurement uncertainties.

$F_Q^D(X,Y,Z)$ = Design power distribution for F_Q . $F_Q^D(X,Y,Z)$ is provided in Appendix Table A-1 for normal operating conditions, and in

McGuire 1 Cycle 29 Core Operating Limits Report

Appendix Table A-4 for power escalation testing during initial startup operation.

$M_Q(X,Y,Z)$ = Margin remaining in core location X,Y,Z to the LOCA limit in the transient power distribution. $M_Q(X,Y,Z)$ is provided in Appendix Table A-1 for normal operating conditions and in Appendix Table A-4 for power escalation testing during initial startup operation.

UMT = Total Peak Measurement Uncertainty. (UMT = 1.05)

MT = Engineering Hot Channel Factor. (MT = 1.03)

TILT = Peaking penalty to account for allowable quadrant power tilt ratio of 1.02. (TILT = 1.035)

$$2.6.6 \quad F_{Q(X,Y,Z)}^L{}^{RPS} = \frac{F_Q^D(X,Y,Z) * M_C(X,Y,Z)}{UMT * MT * TILT}$$

where:

$F_{Q(X,Y,Z)}^L{}^{RPS}$ = Cycle dependent maximum allowable design peaking factor that ensures the $F_Q(X,Y,Z)$ Centerline Fuel Melt (CFM) limit is not exceeded for operation within the AFD, RIL, and QPTR limits. $F_{Q(X,Y,Z)}^L{}^{RPS}$ includes allowances for calculation and measurement uncertainties.

$F_Q^D(X,Y,Z)$ = Defined in Section 2.6.5.

$M_C(X,Y,Z)$ = Margin remaining to the CFM limit in core location X,Y,Z from the transient power distribution. $M_C(X,Y,Z)$ is provided in Appendix Table A-2 for normal operating conditions and in Appendix Table A-5 for power escalation testing during initial startup operation.

UMT = Defined in Section 2.6.5.

MT = Defined in Section 2.6.5.

TILT = Defined in Section 2.6.5.

McGuire 1 Cycle 29 Core Operating Limits Report

2.6.7 $KSLOPE = 0.0725$


where:

$KSLOPE$ = Adjustment to K_1 value from the OTΔT trip setpoint required to compensate for each 1% that $F_Q^M(X,Y,Z)$ exceeds $F_Q^L(X,Y,Z)^{RPS}$.

2.6.8 $F_Q(X,Y,Z)$ penalty factors for Technical Specification Surveillances 3.2.1.2 and 3.2.1.3 are provided in Table 2.

McGuire 1 Cycle 29 Core Operating Limits Report

Figure 4
 $K(Z)$, Normalized $F_Q(X,Y,Z)$ as a Function of
Core Height for Westinghouse RFA Fuel



McGuire 1 Cycle 29 Core Operating Limits Report**Table 2** **$F_Q(X,Y,Z)$ and $F_{\Delta H}(X,Y)$ Penalty Factors****For Technical Specification Surveillances 3.2.1.2, 3.2.1.3 and 3.2.2.2**

<u>Burnup (EFPD)</u>	<u>$F_Q(X,Y,Z)$ Penalty Factor (%)</u>	<u>$F_{\Delta H}(X,Y)$ Penalty Factor (%)</u>
4	2.00	2.00
12	3.13	2.00
25	2.52	2.00
50	2.00	2.00
75	2.00	2.00
100	2.00	2.00
125	2.00	2.00
150	2.00	2.00
175	2.00	2.00
200	2.00	2.00
225	2.00	2.00
250	2.00	2.00
275	2.00	2.00
300	2.00	2.00
325	2.00	2.00
350	2.00	2.00
375	2.00	2.00
400	2.00	2.00
425	2.00	2.00
450	2.00	2.00
460	2.00	2.00
482	2.00	2.00
485	2.00	2.00
506	2.00	2.00
516	2.00	2.00
526	2.00	2.00

Note: Linear interpolation is adequate for intermediate cycle burnups. All cycle burnups outside of the range of the table shall use a 2% penalty factor for both $F_Q(X,Y,Z)$ and $F_{\Delta H}(X,Y)$ for compliance with the Technical Specification Surveillances 3.2.1.2, 3.2.1.3 and 3.2.2.2.

McGuire 1 Cycle 29 Core Operating Limits Report

2.7 Nuclear Enthalpy Rise Hot Channel Factor - $F_{\Delta H}(X,Y)$ (TS 3.2.2)

$F_{\Delta H}$ steady-state limits referred to in Technical Specification 3.2.2 is defined by the following relationship.

$$2.7.1 \quad F_{\Delta H}^L(X,Y)^{LCO} = \text{MARP}(X,Y) * \left[1.0 + \frac{1}{\text{RRH}} * (1.0 - P) \right]$$

where:

$F_{\Delta H}^L(X,Y)^{LCO}$ is the steady-state, maximum allowed radial peak and includes allowances for calculation/measurement uncertainty.

$\text{MARP}(X,Y)$ = Cycle-specific operating limit Maximum Allowable Radial Peaks. $\text{MARP}(X,Y)$ radial peaking limits are provided in Table 3.

$$P = \frac{\text{Thermal Power}}{\text{Rated Thermal Power}}$$

RRH = Thermal Power reduction required to compensate for each 1% the measured radial peak, $F_{\Delta H}^M(X,Y)$, exceeds its limit.
($\text{RRH} = 3.34$ ($0.0 < P \leq 1.0$))

The following parameters are required for core monitoring per the surveillance requirements of Technical Specification 3.2.2.

$$2.7.2 \quad F_{\Delta H}^L(X,Y)^{SURV} = \frac{F_{\Delta H}^D(X,Y) * M_{\Delta H}(X,Y)}{\text{UMR} * \text{TILT}}$$

where:

$F_{\Delta H}^L(X,Y)^{SURV}$ = Cycle dependent maximum allowable design peaking factor that ensures the $F_{\Delta H}(X,Y)$ limit is not exceeded for operation within the AFD, RIL, and QPTR limits. $F_{\Delta H}^L(X,Y)^{SURV}$ includes allowances for calculation/measurement uncertainty.

McGuire 1 Cycle 29 Core Operating Limits Report

$F_{\Delta H}^D(X,Y)$ = Design radial power distribution for $F_{\Delta H}$. $F_{\Delta H}^D(X,Y)$ is provided in Appendix Table A-3 for normal operation and in Appendix Table A-6 for power escalation testing during initial startup operation.

$M_{\Delta H}(X,Y)$ = Margin remaining in core location X,Y relative to the Operational DNB limits in the transient power distribution. $M_{\Delta H}(X,Y)$ is provided in Appendix Table A-3 for normal operation and in Appendix Table A-6 for power escalation testing during initial startup operation.

UMR = Uncertainty value for measured radial peaks (UMR = 1.0).
UMR is set to 1.0 since a factor of 1.04 is implicitly included in the variable $M_{\Delta H}(X,Y)$.

TILT = Defined in Section 2.6.5

2.7.3 RRH is defined in Section 2.7.1.

2.7.4 TRH = 0.04

where:

TRH = Reduction in the OTΔT K_1 setpoint required to compensate for each 1% the measured radial peak, $F_{\Delta H}^M(X,Y)$ exceeds its limit.

2.7.5 $F_{\Delta H}(X,Y)$ penalty factors for Technical Specification Surveillance 3.2.2.2 are provided in Table 2.

2.8 Axial Flux Difference – AFD (TS 3.2.3)


2.8.1 The Axial Flux Difference (AFD) Limits are provided in Figure 5.

McGuire 1 Cycle 29 Core Operating Limits Report

Table 3
Maximum Allowable Radial Peaks (MARPS)

**RFA Steady State Limiting Value Between
Loss of Flow Accident (LOFA) MARPs and ΔH_{LOCA}**

Core Height (ft)	Axial Peak												
	1.05	1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	2.1	3	3.25
0.12	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.3151	1.2461
1.20	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.3007	1.2235
2.40	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.4633	1.4616
3.60	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.4675	1.3874
4.80	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.2987	1.2579
6.00	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.3293	1.2602
7.20	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.5982	1.2871	1.2195
8.40	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6010	1.5127	1.2182	1.1578
9.60	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.5808	1.5301	1.4444	1.1431	1.0914
10.80	1.6058	1.6058	1.6058	1.6058	1.6058	1.6058	1.5743	1.5573	1.5088	1.4624	1.3832	1.1009	1.0470
11.40	1.6058	1.6058	1.6058	1.6058	1.6057	1.5826	1.5289	1.5098	1.4637	1.4218	1.3458	1.0670	1.0142

McGuire 1 Cycle 29 Core Operating Limits Report**Figure 5****Percent of Rated Thermal Power Versus Percent Axial Flux Difference Limits**

NOTE: Compliance with Technical Specification 3.2.1 may require more restrictive AFD limits. Refer to PT/0/A/4150/002 A or TE-NF-PWR-0802 for details.

McGuire 1 Cycle 29 Core Operating Limits Report

2.9 Reactor Trip System Instrumentation Setpoints (TS 3.3.1) Table 3.3.1-1

2.9.1 Overtemperature ΔT Setpoint Parameter Values

<u>Parameter</u>	<u>Value</u>
Nominal T_{avg} at RTP	$T' \leq 585.1^{\circ}\text{F}$
Nominal RCS Operating Pressure	$P' = 2235 \text{ psig}$
Overtemperature ΔT reactor trip setpoint	$K_1 \leq 1.1978$
Overtemperature ΔT reactor trip heatup setpoint penalty coefficient	$K_2 = 0.0334/^{\circ}\text{F}$
Overtemperature ΔT reactor trip depressurization setpoint penalty coefficient	$K_3 = 0.001601/\text{psi}$
Time constants utilized in the lead-lag compensator for ΔT	$\tau_1 \geq 8 \text{ sec.}$ $\tau_2 \leq 3 \text{ sec.}$
Time constant utilized in the lag compensator for ΔT	$\tau_3 \leq 2 \text{ sec.}$
Time constants utilized in the lead-lag compensator for T_{avg}	$\tau_4 \geq 28 \text{ sec.}$ $\tau_5 \leq 4 \text{ sec.}$
Time constant utilized in the measured T_{avg} lag compensator	$\tau_6 \leq 2 \text{ sec.}$
$f_1(\Delta I)$ "positive" breakpoint	$= 19.0 \% \Delta I$
$f_1(\Delta I)$ "negative" breakpoint	$= \text{N/A}^*$
$f_1(\Delta I)$ "positive" slope	$= 1.769 \% \Delta T_0 / \% \Delta I$
$f_1(\Delta I)$ "negative" slope	$= \text{N/A}^*$

- * $f_1(\Delta I)$ negative breakpoints and slopes for OT ΔT are less restrictive than the OP ΔT $f_2(\Delta I)$ negative breakpoint and slope. Therefore, during a transient which challenges the negative imbalance limits, OP ΔT $f_2(\Delta I)$ limits will result in a reactor trip before OT ΔT $f_1(\Delta I)$ limits are reached. This makes implementation of an OT ΔT $f_1(\Delta I)$ negative breakpoint and slope unnecessary.

McGuire 1 Cycle 29 Core Operating Limits Report

2.9.2 Overpower ΔT Setpoint Parameter Values

<u>Parameter</u>	<u>Value</u>
Nominal T_{avg} at RTP	$T'' \leq 585.1^{\circ}\text{F}$
Overpower ΔT reactor trip setpoint	$K_4 \leq 1.0864$
Overpower ΔT reactor trip Penalty	$K_5 = 0.02 / ^{\circ}\text{F}$ for increasing T_{avg} $K_5 = 0.00 / ^{\circ}\text{F}$ for decreasing T_{avg}
Overpower ΔT reactor trip heatup setpoint penalty coefficient	$K_6 = 0.001179/^{\circ}\text{F}$ for $T > T''$ $K_6 = 0.0$ for $T \leq T''$
Time constants utilized in the lead-lag compensator for ΔT	$\tau_1 \geq 8 \text{ sec.}$ $\tau_2 \leq 3 \text{ sec.}$
Time constant utilized in the lag compensator for ΔT	$\tau_3 \leq 2 \text{ sec.}$
Time constant utilized in the measured T_{avg} lag compensator	$\tau_6 \leq 2 \text{ sec.}$
Time constant utilized in the rate-lag controller for T_{avg}	$\tau_7 \geq 5 \text{ sec.}$
$f_2(\Delta I)$ "positive" breakpoint	$= 35.0 \% \Delta I$
$f_2(\Delta I)$ "negative" breakpoint	$= -35.0 \% \Delta I$
$f_2(\Delta I)$ "positive" slope	$= 7.0 \% \Delta T_0 / \% \Delta I$
$f_2(\Delta I)$ "negative" slope	$= 7.0 \% \Delta T_0 / \% \Delta I$

McGuire 1 Cycle 29 Core Operating Limits Report

2.10 RCS Pressure, Temperature and Flow Limits for DNB (TS 3.4.1)

2.10.1 RCS pressure, temperature and flow limits for DNB are shown in Table 4.

2.11 Accumulators (TS 3.5.1)

2.11.1 Boron concentration limits during MODES 1 and 2, and MODE 3 with RCS pressure >1000 psi:

<u>Parameter</u>	<u>Applicable Burnup</u>	<u>Limit</u>
Accumulator minimum boron concentration.	0 - 200 EFPD	2,475 ppm
Accumulator minimum boron concentration.	200.1 - 300 EFPD	2,475 ppm
Accumulator minimum boron concentration.	300.1 - 400 EFPD	2,320 ppm
Accumulator minimum boron concentration.	400.1 - 516 EFPD	2,174 ppm
Accumulator minimum boron concentration.	516.1 - 526 EFPD	2,003 ppm
Accumulator maximum boron concentration.	0 - 526 EFPD	2,875 ppm

2.12 Refueling Water Storage Tank - RWST (TS 3.5.4)

2.12.1 Boron concentration limits during MODES 1, 2, 3, and 4:

<u>Parameter</u>	<u>Limit</u>
RWST minimum boron concentration.	2,675 ppm
RWST maximum boron concentration.	2,875 ppm

McGuire 1 Cycle 29 Core Operating Limits Report

Table 4

Reactor Coolant System DNB Parameters

Parameter	Indication	No. Operable Channels	Limits
1. Indicated RCS Average Temperature	meter	4	≤ 587.5 °F
	meter	3	≤ 587.3 °F
	computer	4	≤ 588.0 °F
	computer	3	≤ 587.9 °F
2. Indicated Pressurizer Pressure	meter	4	≥ 2208.1 psig
	meter	3	≥ 2210.1 psig
	computer	4	≥ 2205.4 psig
	computer	3	≥ 2207.0 psig
3. RCS Total Flow Rate			$\geq 390,000$ gpm*

***Note:** The RCS minimum coolant flow rate assumed in the licensing analyses for the M1C29 core is 388,000 gpm. However, the flow is set at 390,000 gpm, which is conservative.

McGuire 1 Cycle 29 Core Operating Limits Report

2.13 Spent Fuel Pool Boron Concentration (TS 3.7.14)

2.13.1 Minimum boron concentration limit for the spent fuel pool. Applicable when fuel assemblies are stored in the spent fuel pool.

<u>Parameter</u>	<u>Limit</u>
Spent fuel pool minimum boron concentration.	2,675 ppm

2.14 Refueling Operations - Boron Concentration (TS 3.9.1)

2.14.1 Minimum boron concentration limit for the filled portions of the Reactor Coolant System, refueling canal, and refueling cavity for MODE 6 conditions. The minimum boron concentration limit and plant refueling procedures ensure that core Keff remains within MODE 6 reactivity requirement of $K_{eff} \leq 0.95$.

<u>Parameter</u>	<u>Limit</u>
Minimum boron concentration of the Reactor Coolant System, the refueling canal, and the refueling cavity.	2,675 ppm

McGuire 1 Cycle 29 Core Operating Limits Report

2.15 Borated Water Source – Shutdown (SLC 16.9.14)

2.15.1 Volume and boron concentrations for the Boric Acid Tank (BAT) and the Refueling Water Storage Tank (RWST) during MODE 4 with any RCS cold leg temperature ≤ 300 °F and MODES 5 and 6.

<u>Parameter</u>	<u>Limit</u>
Note: When cycle burnup is > 431 EFPD, Figure 6 may be used to determine required BAT minimum level.	
BAT minimum contained borated water volume	10,599 gallons 13.6% Level
BAT minimum boron concentration	7,150 ppm
BAT minimum water volume required to maintain SDM at 7,150 ppm	2,300 gallons
RWST minimum contained borated water volume	47,700 gallons 41 inches
RWST minimum boron concentration	2,675 ppm
RWST minimum water volume required to maintain SDM at 2,675 ppm	8,200 gallons

McGuire 1 Cycle 29 Core Operating Limits Report

2.16 Borated Water Source - Operating (SLC 16.9.11)

- 2.16.1** Volume and boron concentrations for the Boric Acid Tank (BAT) and the Refueling Water Storage Tank (RWST) during MODES 1, 2, 3, and MODE 4 with all RCS cold leg temperature > 300 °F.*

***Note: The SLC 16.9.11 applicability is down to Mode 4 temperatures of > 300°F. The minimum volumes calculated support cooldown to 200°F to satisfy UFSAR Chapter 9 requirements.**

Parameter

Limit

Note: When cycle burnup is > 431 EFPD, Figure 6 may be used to determine required BAT minimum level.

BAT minimum contained borated water volume	22,049 gallons 38.0% Level
BAT minimum boron concentration	7,150 ppm
BAT minimum water volume required to maintain SDM at 7,150 ppm	13,750 gallons
RWST minimum contained borated water volume	96,607 gallons 103.6 inches
RWST minimum boron concentration	2,675 ppm
RWST maximum boron concentration (TS 3.5.4)	2,875 ppm
RWST minimum water volume required to maintain SDM at 2,675 ppm	57,107 gallons

2.17 Standby Shutdown System - (SLC-16.9.7)

- 2.17.1** Minimum boron concentration limit for the spent fuel pool required for Standby Makeup Pump Water Supply. Applicable for MODES 1, 2, and 3.

Parameter

Limit


Spent fuel pool minimum boron concentration for TR 16.9.7.2.	2,675 ppm
--	-----------

McGuire 1 Cycle 29 Core Operating Limits Report

Figure 6
Boric Acid Storage Tank Indicated Level Versus
RCS Boron Concentration

(Valid When Cycle Burnup is > 431 EFPD)

This figure includes additional volumes listed in SLC 16.9.14 and 16.9.11



McGuire 1 Cycle 29 Core Operating Limits Report**Appendix A****Power Distribution Monitoring Factors**

Appendix A contains power distribution monitoring factors used in Technical Specification Surveillance. This data was generated in the McGuire 1 Cycle 29 Maneuvering Analysis calculation file, MCC-1553.05-00-0706, Revision 1. Due to the size of the monitoring factor data, Appendix A is controlled electronically within the Duke document management system and is not included in the Duke internal copies of the COLR. The Plant Reactor Engineering section will control this information via computer file(s) and should be contacted if there is a need to access this information.

Appendix A is available to be transmitted to the NRC.

Filename	Checksum / File Size
M1C29_AppendixA.pdf	1794487726 / 1956406

ENCLOSURE 2

**McGuire Unit 1, Cycle 29, Revision 0, Core Operating Limits Report
Appendix A, Power Distribution Monitoring Factors**

Appendix A**Power Distribution Monitoring Factors**

Table	Description	Page
TABLE A-1	F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN), NORMAL OPERATION	2
TABLE A-2	M-SUB-C VALUES (F-SUB-Q RPS MARGIN), NORMAL OPERATION	254
TABLE A-3	F-DEL-H & M-DEL-H VALUES, NORMAL OPERATION	278
TABLE A-4	F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN), POWER ESCALATION	289
TABLE A-5	M-SUB-C VALUES (F-SUB-Q RPS MARGIN), POWER ESCALATION	337
TABLE A-6	F-DEL-H & M-DEL-H VALUES, POWER ESCALATION	349

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 2 of 350

* JOB/DATE PBWW/29Dec2021 CREATED BY SMARG12 COMPILED 13Mar2020 COLR FILE
/nfe/mcd/nrh/mlc29/ma/pflr/pflr_bu7_ghost.clr
TABLE A-1

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	0.4702	0.5167	0.6306	0.5572	0.6295	0.5443	0.5342	0.2986
	3.3257	3.7763	3.0640	3.3973	2.9574	3.3989	3.4307	5.5282
9	0.5167	0.5028	0.5646	0.6337	0.5462	0.5276	0.5318	0.2967
	3.7763	3.9114	3.4039	2.9899	3.4331	3.5195	3.4615	5.5729
10	0.6306	0.5647	0.5137	0.5495	0.6190	0.5284	0.5201	0.2856
	3.0640	3.4045	3.7452	3.4778	3.1105	3.6428	3.6210	5.8345
11	0.5572	0.6338	0.5497	0.6064	0.5362	0.5659	0.4891	0.2406
	3.3973	2.9897	3.4771	3.1883	3.6077	3.3815	3.9657	7.3025
12	0.6295	0.5461	0.6191	0.5363	0.4539	0.4717	0.3547	
	2.9574	3.4336	3.1098	3.6070	3.9405	3.8055	4.8160	
13	0.5443	0.5276	0.5286	0.5661	0.4719	0.3205	0.1858	
	3.3989	3.5189	3.6415	3.3802	3.8044	4.9741	8.9750	
14	0.5342	0.5319	0.5204	0.4895	0.3550	0.1868		
	3.4307	3.4606	3.6186	3.9628	4.8123	8.9025		
15	0.2986	0.2968	0.2859	0.2394	F-SUB-Q			
	5.5282	5.5713	5.8288	7.2959	M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	1.2243	1.1020	1.4235	1.1661	1.3915	1.2181	1.3045	0.6678
	1.4976	1.8046	1.3827	1.6702	1.3706	1.5535	1.4364	2.5309
9	1.1020	1.0902	1.2723	1.4170	1.1424	1.1974	1.2996	0.6664
	1.8046	1.8344	1.5491	1.3703	1.6774	1.5846	1.4482	2.5460
10	1.4235	1.2724	1.0872	1.1402	1.3752	1.1913	1.2751	0.6322
	1.3827	1.5496	1.8113	1.7173	1.4269	1.6476	1.5091	2.6962
11	1.1661	1.4170	1.1404	1.3611	1.2069	1.2842	1.2091	0.5215
	1.6702	1.3705	1.7169	1.4425	1.6313	1.5150	1.6166	3.4447
12	1.3915	1.1424	1.3755	1.2071	0.9894	1.2075	0.8165	
	1.3706	1.6774	1.4266	1.6311	1.8613	1.5560	2.1307	
13	1.2181	1.1976	1.1917	1.2848	1.2080	0.7752	0.4158	
	1.5535	1.5844	1.6470	1.5144	1.5555	2.1657	4.1042	
14	1.3045	1.2999	1.2759	1.2103	0.8173	0.4196		
	1.4364	1.4479	1.5081	1.6151	2.1289	4.0562		
15	0.6678	0.6667	0.6329	0.5275	F-SUB-Q			
	2.5309	2.5448	2.6933	3.3854	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 3 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4445	* 1.3159	* 1.4637	* 1.3408	* 1.3493	* 1.4010	* 1.3990	* 0.7646 *
	* 1.3652	* 1.5350	* 1.3592	* 1.4742	* 1.4247	* 1.3692	* 1.3604	* 2.2423 *
9	* 1.3159	* 1.3302	* 1.4827	* 1.4213	* 1.2922	* 1.4085	* 1.3978	* 0.7643 *
	* 1.5350	* 1.5263	* 1.3581	* 1.3894	* 1.5014	* 1.3666	* 1.3648	* 2.2463 *
10	* 1.4637	* 1.4827	* 1.3092	* 1.3038	* 1.3345	* 1.3711	* 1.3828	* 0.7256 *
	* 1.3592	* 1.3581	* 1.5356	* 1.5280	* 1.4880	* 1.4444	* 1.4082	* 2.3840 *
11	* 1.3408	* 1.4213	* 1.3042	* 1.3717	* 1.3684	* 1.3917	* 1.3950	* 0.6098 *
	* 1.4742	* 1.3894	* 1.5275	* 1.4463	* 1.4409	* 1.4134	* 1.4202	* 2.9912 *
12	* 1.3493	* 1.2921	* 1.3349	* 1.3688	* 1.2292	* 1.3986	* 0.9581 *	
	* 1.4247	* 1.5014	* 1.4878	* 1.4408	* 1.5789	* 1.3860	* 1.8475 *	
13	* 1.4010	* 1.4087	* 1.3718	* 1.3925	* 1.3991	* 0.9334	* 0.4971 *	
	* 1.3692	* 1.3664	* 1.4436	* 1.4129	* 1.3856	* 1.8689	* 3.5060 *	
14	* 1.3990	* 1.3980	* 1.3836	* 1.3964	* 0.9591	* 0.5023 *		
	* 1.3604	* 1.3646	* 1.4073	* 1.4189	* 1.8457	* 3.4603 *		
15	* 0.7646	* 0.7645	* 0.7265	* 0.6174	* F-SUB-Q			
	* 2.2423	* 2.2456	* 2.3812	* 2.9361	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6290	* 1.4388	* 1.6109	* 1.4303	* 1.4618	* 1.5147	* 1.5378	* 0.7938 *
	* 1.2415	* 1.4299	* 1.2660	* 1.4064	* 1.3372	* 1.2850	* 1.2554	* 2.1917 *
9	* 1.4388	* 1.4625	* 1.6290	* 1.5455	* 1.3773	* 1.5353	* 1.5368	* 0.7927 *
	* 1.4299	* 1.4118	* 1.2670	* 1.3045	* 1.4258	* 1.2720	* 1.2607	* 2.1993 *
10	* 1.6109	* 1.6291	* 1.4267	* 1.3927	* 1.4453	* 1.4810	* 1.5218	* 0.7527 *
	* 1.2660	* 1.2669	* 1.4327	* 1.4546	* 1.3882	* 1.3466	* 1.3011	* 2.3328 *
11	* 1.4303	* 1.5437	* 1.3930	* 1.4875	* 1.4824	* 1.5377	* 1.5432	* 0.6361 *
	* 1.4064	* 1.3063	* 1.4543	* 1.3556	* 1.3498	* 1.3009	* 1.3041	* 2.9121 *
12	* 1.4618	* 1.3772	* 1.4458	* 1.4825	* 1.3447	* 1.5578	* 1.0175	*
	* 1.3372	* 1.4259	* 1.3879	* 1.3496	* 1.4753	* 1.2704	* 1.7719	*
13	* 1.5147	* 1.5355	* 1.4817	* 1.5385	* 1.5585	* 1.0005	* 0.5222	*
	* 1.2850	* 1.2719	* 1.3459	* 1.3004	* 1.2699	* 1.7857	* 3.4078	*
14	* 1.5378	* 1.5371	* 1.5228	* 1.5449	* 1.0187	* 0.5289	*	
	* 1.2554	* 1.2604	* 1.3003	* 1.3027	* 1.7699	* 3.3560	*	
15	* 0.7938	* 0.7932	* 0.7537	* 0.6435	* F-SUB-Q			
	* 2.1917	* 2.1985	* 2.3298	* 2.8602	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 4 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7185	* 1.4889	* 1.6806	* 1.4696	* 1.5153	* 1.5617	* 1.6029	* 0.8129 *
	* 1.2029	* 1.4053	* 1.2403	* 1.3941	* 1.3120	* 1.2670	* 1.2239	* 2.1773 *
9	* 1.4889	* 1.5108	* 1.6871	* 1.6037	* 1.4131	* 1.5848	* 1.6022	* 0.8125 *
	* 1.4053	* 1.3928	* 1.2449	* 1.2803	* 1.4137	* 1.2526	* 1.2287	* 2.1807 *
10	* 1.6806	* 1.6871	* 1.4661	* 1.4250	* 1.5061	* 1.5316	* 1.5894	* 0.7707 *
	* 1.2403	* 1.2449	* 1.4192	* 1.4470	* 1.3614	* 1.3223	* 1.2654	* 2.3162 *
11	* 1.4696	* 1.6015	* 1.4251	* 1.5483	* 1.5336	* 1.6146	* 1.6226	* 0.6563 *
	* 1.3941	* 1.2823	* 1.4469	* 1.3278	* 1.3277	* 1.2634	* 1.2632	* 2.8674 *
12	* 1.5153	* 1.4129	* 1.5067	* 1.5337	* 1.3927	* 1.6390	* 1.0586	*
	* 1.3120	* 1.4138	* 1.3612	* 1.3273	* 1.4549	* 1.2325	* 1.7380	*
13	* 1.5617	* 1.5850	* 1.5326	* 1.6154	* 1.6397	* 1.0389	* 0.5366	*
	* 1.2670	* 1.2524	* 1.3215	* 1.2627	* 1.2319	* 1.7586	* 3.3920	*
14	* 1.6029	* 1.6025	* 1.5904	* 1.6245	* 1.0599	* 0.5436	*	
	* 1.2239	* 1.2284	* 1.2646	* 1.2617	* 1.7360	* 3.3392	*	
15	* 0.8129	* 0.8128	* 0.7717	* 0.6634	* F-SUB-Q			
	* 2.1773	* 2.1799	* 2.3131	* 2.8185	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7575	* 1.5103	* 1.7114	* 1.4886	* 1.5405	* 1.5854	* 1.6361	* 0.8265 *
	* 1.1983	* 1.4036	* 1.2430	* 1.4037	* 1.3156	* 1.2720	* 1.2216	* 2.1833 *
9	* 1.5103	* 1.5300	* 1.7111	* 1.6296	* 1.4310	* 1.6100	* 1.6356	* 0.8259 *
	* 1.4036	* 1.3949	* 1.2424	* 1.2847	* 1.4230	* 1.2561	* 1.2259	* 2.1870 *
10	* 1.7114	* 1.7111	* 1.4802	* 1.4378	* 1.5376	* 1.5604	* 1.6250	* 0.7834 *
	* 1.2430	* 1.2425	* 1.4322	* 1.4614	* 1.3621	* 1.3210	* 1.2589	* 2.3201 *
11	* 1.4886	* 1.6272	* 1.4377	* 1.5781	* 1.5622	* 1.6566	* 1.6672	* 0.6717 *
	* 1.4037	* 1.2867	* 1.4614	* 1.3252	* 1.3257	* 1.2527	* 1.2473	* 2.8461 *
12	* 1.5405	* 1.4308	* 1.5382	* 1.5627	* 1.4179	* 1.6828	* 1.0872	*
	* 1.3156	* 1.4233	* 1.3616	* 1.3254	* 1.4564	* 1.2239	* 1.7233	*
13	* 1.5854	* 1.6102	* 1.5613	* 1.6574	* 1.6836	* 1.0636	* 0.5463	*
	* 1.2720	* 1.2560	* 1.3202	* 1.2521	* 1.2234	* 1.7560	* 3.4036	*
14	* 1.6361	* 1.6359	* 1.6261	* 1.6691	* 1.0885	* 0.5537	*	
	* 1.2216	* 1.2256	* 1.2580	* 1.2459	* 1.7213	* 3.3495	*	
15	* 0.8265	* 0.8262	* 0.7845	* 0.6786	* F-SUB-Q			
	* 2.1833	* 2.1861	* 2.3169	* 2.7992	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 5 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7940	* 1.5296	* 1.7464	* 1.5078	* 1.5743	* 1.6149	* 1.6773	* 0.8320
	* 1.1941	* 1.4108	* 1.2339	* 1.4149	* 1.3156	* 1.2762	* 1.2175	* 2.2170
9	* 1.5296	* 1.5506	* 1.7384	* 1.6622	* 1.4535	* 1.6414	* 1.6768	* 0.8302
	* 1.4108	* 1.3918	* 1.2388	* 1.2856	* 1.4315	* 1.2585	* 1.2212	* 2.2233
10	* 1.7464	* 1.7383	* 1.4969	* 1.4524	* 1.5755	* 1.5953	* 1.6677	* 0.7877
	* 1.2339	* 1.2388	* 1.4393	* 1.4749	* 1.3447	* 1.3165	* 1.2494	* 2.3534
11	* 1.5078	* 1.6595	* 1.4522	* 1.6117	* 1.5960	* 1.7016	* 1.7151	* 0.6758
	* 1.4149	* 1.2878	* 1.4751	* 1.3173	* 1.3210	* 1.2384	* 1.2247	* 2.8641
12	* 1.5743	* 1.4531	* 1.5761	* 1.5964	* 1.4458	* 1.7294	* 1.0993	*
	* 1.3156	* 1.4318	* 1.3442	* 1.3206	* 1.4566	* 1.2146	* 1.7322	*
13	* 1.6149	* 1.6415	* 1.5965	* 1.7025	* 1.7302	* 1.0750	* 0.5481	*
	* 1.2762	* 1.2584	* 1.3157	* 1.2378	* 1.2140	* 1.7728	* 3.4619	*
14	* 1.6773	* 1.6772	* 1.6689	* 1.7171	* 1.1006	* 0.5558	*	*
	* 1.2175	* 1.2209	* 1.2485	* 1.2233	* 1.7301	* 3.4047	*	*
15	* 0.8320	* 0.8305	* 0.7888	* 0.6824	* F-SUB-Q			
	* 2.2170	* 2.2224	* 2.3501	* 2.8185	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8107	* 1.5372	* 1.7623	* 1.5167	* 1.5925	* 1.6321	* 1.7017	* 0.8361
	* 1.2053	* 1.4314	* 1.2482	* 1.4376	* 1.3328	* 1.2943	* 1.2299	* 2.2612
9	* 1.5372	* 1.5593	* 1.7511	* 1.6774	* 1.4658	* 1.6602	* 1.7011	* 0.8336
	* 1.4314	* 1.4127	* 1.2556	* 1.3004	* 1.4540	* 1.2744	* 1.2329	* 2.2688
10	* 1.7623	* 1.7510	* 1.5031	* 1.4575	* 1.5969	* 1.6175	* 1.6935	* 0.7911
	* 1.2482	* 1.2557	* 1.4594	* 1.4958	* 1.3503	* 1.3217	* 1.2554	* 2.3953
11	* 1.5167	* 1.6745	* 1.4572	* 1.6297	* 1.6165	* 1.7296	* 1.7450	* 0.6798
	* 1.4376	* 1.3027	* 1.4961	* 1.3242	* 1.3243	* 1.2380	* 1.2252	* 2.8859
12	* 1.5925	* 1.4654	* 1.5975	* 1.6170	* 1.4624	* 1.7578	* 1.1092	*
	* 1.3328	* 1.4544	* 1.3499	* 1.3239	* 1.4614	* 1.2121	* 1.7430	*
13	* 1.6321	* 1.6604	* 1.6188	* 1.7304	* 1.7586	* 1.0839	* 0.5496	*
	* 1.2943	* 1.2744	* 1.3208	* 1.2374	* 1.2116	* 1.7871	* 3.4987	*
14	* 1.7017	* 1.7015	* 1.6947	* 1.7470	* 1.1106	* 0.5575	*	*
	* 1.2299	* 1.2327	* 1.2545	* 1.2237	* 1.7409	* 3.4402	*	*
15	* 0.8361	* 0.8340	* 0.7922	* 0.6862	* F-SUB-Q			
	* 2.2612	* 2.2680	* 2.3921	* 2.8407	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 6 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8276	* 1.5439	* 1.7797	* 1.5245	* 1.6129	* 1.6499	* 1.7275	* 0.8377
	* 1.2350	* 1.4679	* 1.2629	* 1.4658	* 1.3530	* 1.3168	* 1.2456	* 2.3204
9	* 1.5439	* 1.5679	* 1.7645	* 1.6943	* 1.4782	* 1.6797	* 1.7268	* 0.8340
	* 1.4679	* 1.4395	* 1.2729	* 1.3190	* 1.4816	* 1.2945	* 1.2481	* 2.3329
10	* 1.7797	* 1.7644	* 1.5095	* 1.4628	* 1.6195	* 1.6387	* 1.7201	* 0.7916
	* 1.2629	* 1.2730	* 1.4863	* 1.5249	* 1.3646	* 1.3338	* 1.2637	* 2.4535
11	* 1.5245	* 1.6912	* 1.4624	* 1.6489	* 1.6362	* 1.7573	* 1.7742	* 0.6804
	* 1.4658	* 1.3214	* 1.5253	* 1.3441	* 1.3440	* 1.2509	* 1.2324	* 2.9389
12	* 1.6129	* 1.4776	* 1.6201	* 1.6367	* 1.4782	* 1.7859	* 1.1135	*
	* 1.3530	* 1.4821	* 1.3641	* 1.3436	* 1.4881	* 1.2252	* 1.7812	*
13	* 1.6499	* 1.6798	* 1.6400	* 1.7581	* 1.7867	* 1.0885	* 0.5491	*
	* 1.3168	* 1.2944	* 1.3330	* 1.2503	* 1.2246	* 1.8276	* 3.5890	*
14	* 1.7275	* 1.7272	* 1.7214	* 1.7762	* 1.1148	* 0.5571	*	*
	* 1.2456	* 1.2478	* 1.2628	* 1.2310	* 1.7791	* 3.5280	*	*
15	* 0.8377	* 0.8346	* 0.7927	* 0.6860	* F-SUB-Q			
	* 2.3204	* 2.3314	* 2.4502	* 2.8966	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8051	* 1.5314	* 1.7575	* 1.5128	* 1.5957	* 1.6395	* 1.7137	* 0.8427
	* 1.2955	* 1.5222	* 1.3156	* 1.5246	* 1.4109	* 1.3675	* 1.2954	* 2.3792
9	* 1.5314	* 1.5520	* 1.7471	* 1.6713	* 1.4674	* 1.6699	* 1.7131	* 0.8400
	* 1.5222	* 1.4946	* 1.3225	* 1.3774	* 1.5389	* 1.3427	* 1.2972	* 2.3864
10	* 1.7575	* 1.7469	* 1.4931	* 1.4512	* 1.6045	* 1.6313	* 1.7076	* 0.7967
	* 1.3156	* 1.3226	* 1.5467	* 1.5856	* 1.4098	* 1.3759	* 1.3086	* 2.5073
11	* 1.5128	* 1.6681	* 1.4498	* 1.6334	* 1.6281	* 1.7462	* 1.7640	* 0.6896
	* 1.5246	* 1.3801	* 1.5861	* 1.3941	* 1.3909	* 1.2900	* 1.2689	* 2.9739
12	* 1.5957	* 1.4668	* 1.6050	* 1.6286	* 1.4703	* 1.7749	* 1.1261	*
	* 1.4109	* 1.5395	* 1.4094	* 1.3905	* 1.5454	* 1.2715	* 1.8077	*
13	* 1.6395	* 1.6700	* 1.6326	* 1.7470	* 1.7757	* 1.0976	* 0.5540	*
	* 1.3675	* 1.3426	* 1.3748	* 1.2892	* 1.2710	* 1.8743	* 3.6639	*
14	* 1.7137	* 1.7135	* 1.7089	* 1.7660	* 1.1274	* 0.5625	*	*
	* 1.2954	* 1.2968	* 1.3077	* 1.2675	* 1.8056	* 3.5994	*	*
15	* 0.8427	* 0.8404	* 0.7978	* 0.6959	* F-SUB-Q			
	* 2.3792	* 2.3855	* 2.5039	* 2.9285	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 7 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8281	* 1.5364	* 1.7831	* 1.5197	* 1.6245	* 1.6615	* 1.7489	* 0.8374 *
	* 1.3215	* 1.5672	* 1.3423	* 1.5697	* 1.4349	* 1.3976	* 1.3142	* 2.4773 *
9	* 1.5364	* 1.5631	* 1.7650	* 1.6966	* 1.4824	* 1.6941	* 1.7482	* 0.8324 *
	* 1.5672	* 1.5358	* 1.3551	* 1.4050	* 1.5769	* 1.3701	* 1.3155	* 2.4912 *
10	* 1.7831	* 1.7649	* 1.5019	* 1.4542	* 1.6349	* 1.6567	* 1.7430	* 0.7900 *
	* 1.3423	* 1.3552	* 1.5916	* 1.6334	* 1.4274	* 1.3985	* 1.3236	* 2.6102 *
11	* 1.5197	* 1.6934	* 1.4536	* 1.6583	* 1.6510	* 1.7809	* 1.8009	* 0.6812 *
	* 1.5697	* 1.4077	* 1.6341	* 1.4151	* 1.4124	* 1.3040	* 1.2820	* 3.1051 *
12	* 1.6245	* 1.4817	* 1.6355	* 1.6515	* 1.4884	* 1.8103	* 1.1188	*
	* 1.4349	* 1.5776	* 1.4270	* 1.4120	* 1.5704	* 1.2823	* 1.8720	*
13	* 1.6615	* 1.6942	* 1.6580	* 1.7818	* 1.8110	* 1.0925	* 0.5468	*
	* 1.3976	* 1.3700	* 1.3975	* 1.3032	* 1.2818	* 1.9341	* 3.8051	*
14	* 1.7489	* 1.7486	* 1.7443	* 1.8030	* 1.1201	* 0.5548	*	
	* 1.3142	* 1.3151	* 1.3227	* 1.2805	* 1.8699	* 3.7404	*	
15	* 0.8374	* 0.8329	* 0.7911	* 0.6872	* F-SUB-Q			
	* 2.4773	* 2.4897	* 2.6067	* 3.0588	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8237	* 1.5285	* 1.7800	* 1.5134	* 1.6261	* 1.6628	* 1.7551	* 0.8352 *
	* 1.3306	* 1.5730	* 1.3484	* 1.5788	* 1.4659	* 1.4348	* 1.3586	* 2.5765 *
9	* 1.5285	* 1.5563	* 1.7601	* 1.6934	* 1.4805	* 1.6968	* 1.7543	* 0.8295 *
	* 1.5730	* 1.5435	* 1.3649	* 1.4123	* 1.6103	* 1.4078	* 1.3601	* 2.5916 *
10	* 1.7800	* 1.7600	* 1.4941	* 1.4461	* 1.6383	* 1.6613	* 1.7499	* 0.7873 *
	* 1.3484	* 1.3650	* 1.6039	* 1.6534	* 1.4675	* 1.4461	* 1.3657	* 2.7125 *
11	* 1.5134	* 1.6900	* 1.4454	* 1.6587	* 1.6540	* 1.7888	* 1.8098	* 0.6798 *
	* 1.5788	* 1.4151	* 1.6542	* 1.4534	* 1.4604	* 1.3455	* 1.3220	* 3.2174 *
12	* 1.6261	* 1.4798	* 1.6388	* 1.6544	* 1.4894	* 1.8178	* 1.1187	*
	* 1.4659	* 1.6112	* 1.4670	* 1.4600	* 1.6254	* 1.3222	* 1.9376	*
13	* 1.6628	* 1.6968	* 1.6626	* 1.7897	* 1.8186	* 1.0916	* 0.5442	*
	* 1.4348	* 1.4077	* 1.4450	* 1.3446	* 1.3217	* 2.0013	* 3.9486	*
14	* 1.7551	* 1.7547	* 1.7517	* 1.8119	* 1.1200	* 0.5522	*	
	* 1.3586	* 1.3598	* 1.3647	* 1.3205	* 1.9355	* 3.8812	*	
15	* 0.8352	* 0.8300	* 0.7883	* 0.6856	* F-SUB-Q			
	* 2.5765	* 2.5900	* 2.7089	* 3.1701	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 8 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.7933	* 1.5068	* 1.7508	* 1.4927	* 1.6035	* 1.6456	* 1.7355	* 0.8346
	* 1.3212	* 1.5578	* 1.3381	* 1.5619	* 1.4503	* 1.4145	* 1.3404	* 2.5246
9	* 1.5068	* 1.5333	* 1.7353	* 1.6643	* 1.4635	* 1.6802	* 1.7351	* 0.8302
	* 1.5578	* 1.5289	* 1.3514	* 1.4022	* 1.5892	* 1.3872	* 1.3418	* 2.5361
10	* 1.7508	* 1.7351	* 1.4710	* 1.4286	* 1.6174	* 1.6469	* 1.7323	* 0.7868
	* 1.3381	* 1.3516	* 1.5895	* 1.6334	* 1.4519	* 1.4253	* 1.3499	* 2.6623
11	* 1.4927	* 1.6608	* 1.4269	* 1.6365	* 1.6389	* 1.7710	* 1.7931	* 0.6836
	* 1.5619	* 1.4051	* 1.6353	* 1.4392	* 1.4437	* 1.3295	* 1.3104	* 3.1461
12	* 1.6035	* 1.4627	* 1.6179	* 1.6393	* 1.4748	* 1.7999	* 1.1228	*
	* 1.4503	* 1.5901	* 1.4514	* 1.4433	* 1.6089	* 1.3158	* 1.8999	*
13	* 1.6456	* 1.6802	* 1.6482	* 1.7721	* 1.8006	* 1.0928	* 0.5446	*
	* 1.4145	* 1.3871	* 1.4243	* 1.3287	* 1.3153	* 1.9773	* 3.9181	*
14	* 1.7355	* 1.7355	* 1.7340	* 1.7951	* 1.1240	* 0.5533	*	*
	* 1.3404	* 1.3415	* 1.3490	* 1.3090	* 1.8979	* 3.8465	*	*
15	* 0.8346	* 0.8306	* 0.7878	* 0.6893	* F-SUB-Q			
	* 2.5246	* 2.5352	* 2.6589	* 3.1018	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.8016	* 1.5019	* 1.7624	* 1.4900	* 1.6202	* 1.6559	* 1.7589	* 0.8243
	* 1.2867	* 1.5275	* 1.3003	* 1.5283	* 1.4030	* 1.3750	* 1.2939	* 2.4917
9	* 1.5019	* 1.5326	* 1.7391	* 1.6763	* 1.4678	* 1.6926	* 1.7581	* 0.8172
	* 1.5275	* 1.4957	* 1.3190	* 1.3606	* 1.5485	* 1.3473	* 1.2954	* 2.5125
10	* 1.7624	* 1.7389	* 1.4686	* 1.4194	* 1.6357	* 1.6610	* 1.7574	* 0.7751
	* 1.3003	* 1.3192	* 1.5558	* 1.6049	* 1.4036	* 1.3818	* 1.3029	* 2.6334
11	* 1.4900	* 1.6727	* 1.4185	* 1.6487	* 1.6497	* 1.7937	* 1.8178	* 0.6714
	* 1.5283	* 1.3635	* 1.6058	* 1.3964	* 1.4012	* 1.2827	* 1.2631	* 3.1202
12	* 1.6202	* 1.4669	* 1.6362	* 1.6502	* 1.4823	* 1.8223	* 1.1081	*
	* 1.4030	* 1.5494	* 1.4033	* 1.4009	* 1.5641	* 1.2691	* 1.8791	*
13	* 1.6559	* 1.6926	* 1.6622	* 1.7949	* 1.8230	* 1.0805	* 0.5342	*
	* 1.3750	* 1.3473	* 1.3808	* 1.2820	* 1.2686	* 1.9520	* 3.8859	*
14	* 1.7589	* 1.7585	* 1.7591	* 1.8198	* 1.1093	* 0.5422	*	
	* 1.2939	* 1.2951	* 1.3021	* 1.2618	* 1.8772	* 3.8185	*	
15	* 0.8243	* 0.8177	* 0.7761	* 0.6761	* F-SUB-Q			
	* 2.4917	* 2.5110	* 2.6302	* 3.0803	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 9 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7892	* 1.4867	* 1.7525	* 1.4767	* 1.6166	* 1.6505	* 1.7600	* 0.8159 *
	* 1.2524	* 1.4877	* 1.2608	* 1.4870	* 1.3569	* 1.3313	* 1.2478	* 2.4281 *
9	* 1.4867	* 1.5188	* 1.7266	* 1.6672	* 1.4598	* 1.6885	* 1.7593	* 0.8087 *
	* 1.4877	* 1.4552	* 1.2813	* 1.3193	* 1.5021	* 1.3032	* 1.2492	* 2.4491 *
10	* 1.7525	* 1.7263	* 1.4540	* 1.4041	* 1.6337	* 1.6592	* 1.7606	* 0.7664 *
	* 1.2608	* 1.2815	* 1.5150	* 1.5640	* 1.3553	* 1.3347	* 1.2554	* 2.5681 *
11	* 1.4767	* 1.6635	* 1.4031	* 1.6423	* 1.6458	* 1.7959	* 1.8214	* 0.6642 *
	* 1.4870	* 1.3221	* 1.5651	* 1.3519	* 1.3566	* 1.2368	* 1.2161	* 3.0392 *
12	* 1.6166	* 1.4588	* 1.6341	* 1.6462	* 1.4770	* 1.8237	* 1.0989	*
	* 1.3569	* 1.5031	* 1.3550	* 1.3563	* 1.5173	* 1.2248	* 1.8247	*
13	* 1.6505	* 1.6885	* 1.6605	* 1.7970	* 1.8244	* 1.0713	* 0.5269	*
	* 1.3313	* 1.3032	* 1.3338	* 1.2360	* 1.2244	* 1.8969	* 3.7914	*
14	* 1.7600	* 1.7597	* 1.7623	* 1.8234	* 1.1001	* 0.5349	*	*
	* 1.2478	* 1.2489	* 1.2546	* 1.2148	* 1.8228	* 3.7246	*	*
15	* 0.8159	* 0.8092	* 0.7674	* 0.6679	* F-SUB-Q			
	* 2.4281	* 2.4477	* 2.5649	* 3.0045	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7668	* 1.4657	* 1.7318	* 1.4571	* 1.6019	* 1.6365	* 1.7484	* 0.8093 *
	* 1.2258	* 1.4592	* 1.2340	* 1.4579	* 1.3252	* 1.2992	* 1.2153	* 2.3698 *
9	* 1.4657	* 1.4983	* 1.7056	* 1.6469	* 1.4446	* 1.6753	* 1.7477	* 0.8011 *
	* 1.4592	* 1.4267	* 1.2542	* 1.2921	* 1.4689	* 1.2708	* 1.2165	* 2.3921 *
10	* 1.7318	* 1.7054	* 1.4334	* 1.3842	* 1.6201	* 1.6474	* 1.7502	* 0.7597 *
	* 1.2340	* 1.2544	* 1.4866	* 1.5348	* 1.3209	* 1.2991	* 1.2210	* 2.5065 *
11	* 1.4571	* 1.6432	* 1.3831	* 1.6264	* 1.6328	* 1.7847	* 1.8109	* 0.6600 *
	* 1.4579	* 1.2950	* 1.5359	* 1.3191	* 1.3206	* 1.2020	* 1.1813	* 2.9573 *
12	* 1.6019	* 1.4436	* 1.6205	* 1.6332	* 1.4637	* 1.8120	* 1.0923	*
	* 1.3252	* 1.4699	* 1.3206	* 1.3203	* 1.4790	* 1.1899	* 1.7728	*
13	* 1.6365	* 1.6753	* 1.6486	* 1.7858	* 1.8127	* 1.0637	* 0.5221	*
	* 1.2992	* 1.2708	* 1.2983	* 1.2013	* 1.1895	* 1.8444	* 3.6954	*
14	* 1.7484	* 1.7481	* 1.7519	* 1.8129	* 1.0935	* 0.5299	*	*
	* 1.2153	* 1.2162	* 1.2199	* 1.1801	* 1.7711	* 3.6309	*	*
15	* 0.8093	* 0.8016	* 0.7607	* 0.6646	* F-SUB-Q			
	* 2.3698	* 2.3912	* 2.5035	* 2.9197	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 10 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7290	* 1.4372	* 1.6953	* 1.4302	* 1.5718	* 1.6109	* 1.7195	* 0.8044
	* 1.3097	* 1.5586	* 1.3206	* 1.5569	* 1.4161	* 1.3837	* 1.2951	* 2.5007
9	* 1.4372	* 1.4686	* 1.6730	* 1.6113	* 1.4206	* 1.6499	* 1.7192	* 0.7982
	* 1.5586	* 1.5249	* 1.3396	* 1.3842	* 1.5662	* 1.3524	* 1.2960	* 2.5179
10	* 1.6953	* 1.6728	* 1.4046	* 1.3630	* 1.5908	* 1.6237	* 1.7225	* 0.7555
	* 1.3206	* 1.3398	* 1.5899	* 1.6345	* 1.4082	* 1.3796	* 1.2984	* 2.6426
11	* 1.4302	* 1.6075	* 1.3611	* 1.5965	* 1.6087	* 1.7577	* 1.7839	* 0.6594
	* 1.5569	* 1.3874	* 1.6367	* 1.4060	* 1.4011	* 1.2765	* 1.2544	* 3.1008
12	* 1.5718	* 1.4195	* 1.5912	* 1.6091	* 1.4408	* 1.7839	* 1.0902	*
	* 1.4161	* 1.5673	* 1.4079	* 1.4008	* 1.5705	* 1.2630	* 1.8577	*
13	* 1.6109	* 1.6499	* 1.6248	* 1.7588	* 1.7845	* 1.0585	* 0.5195	*
	* 1.3837	* 1.3524	* 1.3787	* 1.2758	* 1.2626	* 1.9368	* 3.8851	*
14	* 1.7195	* 1.7196	* 1.7242	* 1.7859	* 1.0913	* 0.5279	*	*
	* 1.2951	* 1.2957	* 1.2973	* 1.2531	* 1.8560	* 3.8126	*	*
15	* 0.8043	* 0.7985	* 0.7564	* 0.6641	F-SUB-Q			
	* 2.5007	* 2.5170	* 2.6394	* 3.0607	M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7295	* 1.4265	* 1.7005	* 1.4219	* 1.5825	* 1.6137	* 1.7353	* 0.7891
	* 1.2618	* 1.5204	* 1.2753	* 1.5187	* 1.3661	* 1.3418	* 1.2469	* 2.4813
9	* 1.4265	* 1.4615	* 1.6704	* 1.6178	* 1.4183	* 1.6546	* 1.7344	* 0.7804
	* 1.5204	* 1.4848	* 1.3001	* 1.3367	* 1.5235	* 1.3098	* 1.2478	* 2.5070
10	* 1.7005	* 1.6701	* 1.3969	* 1.3476	* 1.6016	* 1.6283	* 1.7384	* 0.7391
	* 1.2753	* 1.3003	* 1.5503	* 1.6025	* 1.3549	* 1.3334	* 1.2472	* 2.6271
11	* 1.4219	* 1.6139	* 1.3465	* 1.6017	* 1.6102	* 1.7709	* 1.7985	* 0.6420
	* 1.5187	* 1.3399	* 1.6038	* 1.3558	* 1.3532	* 1.2265	* 1.2051	* 3.0941
12	* 1.5825	* 1.4172	* 1.6020	* 1.6106	* 1.4399	* 1.7961	* 1.0668	*
	* 1.3661	* 1.5248	* 1.3547	* 1.3529	* 1.5165	* 1.2121	* 1.8380	*
13	* 1.6137	* 1.6545	* 1.6295	* 1.7720	* 1.7968	* 1.0385	* 0.5054	*
	* 1.3418	* 1.3098	* 1.3326	* 1.2259	* 1.2117	* 1.9083	* 3.8745	*
14	* 1.7353	* 1.7348	* 1.7400	* 1.8004	* 1.0679	* 0.5132	*	*
	* 1.2469	* 1.2475	* 1.2462	* 1.2039	* 1.8363	* 3.8055	*	*
15	* 0.7891	* 0.7808	* 0.7400	* 0.6451	F-SUB-Q			
	* 2.4813	* 2.5056	* 2.6240	* 3.0618	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 11 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7007	* 1.4024	* 1.6771	* 1.4003	* 1.5661	* 1.5976	* 1.7199	* 0.7780 *
	* 1.2312	* 1.4902	* 1.2465	* 1.4876	* 1.3323	* 1.3079	* 1.2138	* 2.4314 *
9	* 1.4024	* 1.4391	* 1.6484	* 1.5960	* 1.4013	* 1.6390	* 1.7191	* 0.7689 *
	* 1.4902	* 1.4536	* 1.2700	* 1.3069	* 1.4883	* 1.2756	* 1.2146	* 2.4577 *
10	* 1.6771	* 1.6481	* 1.3757	* 1.3270	* 1.5840	* 1.6114	* 1.7215	* 0.7278 *
	* 1.2465	* 1.2702	* 1.5182	* 1.5698	* 1.3200	* 1.2983	* 1.2136	* 2.5763 *
11	* 1.4003	* 1.5921	* 1.3259	* 1.5819	* 1.5919	* 1.7528	* 1.7801	* 0.6319 *
	* 1.4876	* 1.3101	* 1.5712	* 1.3215	* 1.3163	* 1.1930	* 1.1725	* 3.0337 *
12	* 1.5661	* 1.4002	* 1.5843	* 1.5923	* 1.4223	* 1.7767	* 1.0510	*
	* 1.3323	* 1.4896	* 1.3198	* 1.3161	* 1.4740	* 1.1779	* 1.7967	*
13	* 1.5976	* 1.6390	* 1.6125	* 1.7538	* 1.7773	* 1.0231	* 0.4964	*
	* 1.3079	* 1.2757	* 1.2975	* 1.1923	* 1.1775	* 1.8623	* 3.8010	*
14	* 1.7199	* 1.7195	* 1.7231	* 1.7820	* 1.0520	* 0.5040	*	
	* 1.2138	* 1.2143	* 1.2126	* 1.1714	* 1.7951	* 3.7340	*	
15	* 0.7780	* 0.7694	* 0.7287	* 0.6348	* F-SUB-Q			
	* 2.4314	* 2.4563	* 2.5733	* 3.0028	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6337	* 1.3610	* 1.6181	* 1.3631	* 1.5171	* 1.5592	* 1.6665	* 0.7710 *
	* 1.2403	* 1.4881	* 1.2522	* 1.4820	* 1.3341	* 1.2997	* 1.2148	* 2.3820 *
9	* 1.3610	* 1.3980	* 1.6020	* 1.5402	* 1.3675	* 1.5996	* 1.6657	* 0.7640 *
	* 1.4881	* 1.4505	* 1.2665	* 1.3132	* 1.4794	* 1.2674	* 1.2153	* 2.4015 *
10	* 1.6181	* 1.6017	* 1.3386	* 1.2998	* 1.5318	* 1.5686	* 1.6643	* 0.7217 *
	* 1.2522	* 1.2667	* 1.5129	* 1.5548	* 1.3223	* 1.2918	* 1.2159	* 2.5217 *
11	* 1.3631	* 1.5364	* 1.2980	* 1.5323	* 1.5499	* 1.6955	* 1.7199	* 0.6290 *
	* 1.4820	* 1.3165	* 1.5570	* 1.3210	* 1.3080	* 1.1938	* 1.1748	* 2.9570 *
12	* 1.5171	* 1.3664	* 1.5321	* 1.5503	* 1.3853	* 1.7170	* 1.0410	*
	* 1.3341	* 1.4807	* 1.3221	* 1.3077	* 1.4641	* 1.1789	* 1.7567	*
13	* 1.5592	* 1.5995	* 1.5696	* 1.6964	* 1.7176	* 1.0111	* 0.4932	*
	* 1.2997	* 1.2674	* 1.2910	* 1.1932	* 1.1785	* 1.8237	* 3.7082	*
14	* 1.6665	* 1.6661	* 1.6658	* 1.7217	* 1.0420	* 0.5004	*	
	* 1.2148	* 1.2151	* 1.2149	* 1.1737	* 1.7551	* 3.6456	*	
15	* 0.7710	* 0.7643	* 0.7226	* 0.6333	* F-SUB-Q			
	* 2.3820	* 2.4006	* 2.5189	* 2.9201	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 12 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5831	* 1.3285	* 1.5883	* 1.3435	* 1.5029	* 1.5459	* 1.6477	* 0.7520 *
	* 1.2470	* 1.4863	* 1.2435	* 1.4662	* 1.3134	* 1.2782	* 1.1978	* 2.3843 *
9	* 1.3285	* 1.3702	* 1.5750	* 1.5202	* 1.3551	* 1.5852	* 1.6464	* 0.7421 *
	* 1.4863	* 1.4428	* 1.2555	* 1.2973	* 1.4560	* 1.2466	* 1.1986	* 2.4138 *
10	* 1.5883	* 1.5747	* 1.3162	* 1.2774	* 1.5137	* 1.5500	* 1.6401	* 0.7014 *
	* 1.2435	* 1.2558	* 1.5004	* 1.5425	* 1.3038	* 1.2734	* 1.2022	* 2.5326 *
11	* 1.3435	* 1.5165	* 1.2762	* 1.5105	* 1.5292	* 1.6674	* 1.6889	* 0.6057 *
	* 1.4662	* 1.3004	* 1.5439	* 1.3053	* 1.2914	* 1.1820	* 1.1651	* 2.9963 *
12	* 1.5029	* 1.3540	* 1.5140	* 1.5295	* 1.3664	* 1.6842	* 1.0030	* *
	* 1.3134	* 1.4572	* 1.3036	* 1.2911	* 1.4454	* 1.1699	* 1.7767	* *
13	* 1.5459	* 1.5852	* 1.5510	* 1.6683	* 1.6848	* 0.9768	* 0.4745	* *
	* 1.2782	* 1.2467	* 1.2727	* 1.1814	* 1.1696	* 1.8391	* 3.7599	* *
14	* 1.6477	* 1.6468	* 1.6412	* 1.6906	* 1.0040	* 0.4810	* *	* *
	* 1.1978	* 1.1984	* 1.2012	* 1.1640	* 1.7751	* 3.7000	* *	* *
15	* 0.7520	* 0.7425	* 0.7022	* 0.6093	* F-SUB-Q			
	* 2.3843	* 2.4126	* 2.5298	* 2.9612	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4625	* 1.2478	* 1.5032	* 1.2968	* 1.4327	* 1.4808	* 1.5626	* 0.7333 *
	* 1.3232	* 1.5516	* 1.2859	* 1.4893	* 1.3046	* 1.3079	* 1.2379	* 2.4002 *
9	* 1.2478	* 1.2795	* 1.4711	* 1.4501	* 1.3050	* 1.5060	* 1.5604	* 0.7222 *
	* 1.5516	* 1.5151	* 1.3177	* 1.3128	* 1.4823	* 1.2860	* 1.2394	* 2.4342 *
10	* 1.5032	* 1.4708	* 1.2382	* 1.2295	* 1.4464	* 1.4820	* 1.5542	* 0.6817 *
	* 1.2859	* 1.3180	* 1.5641	* 1.5713	* 1.2935	* 1.3048	* 1.2436	* 2.5575 *
11	* 1.2968	* 1.4466	* 1.2284	* 1.4488	* 1.4559	* 1.5801	* 1.5958	* 0.5824 *
	* 1.4893	* 1.3154	* 1.5726	* 1.3167	* 1.3289	* 1.2217	* 1.2079	* 3.0585 *
12	* 1.4327	* 1.3039	* 1.4466	* 1.4561	* 1.2966	* 1.5841	* 0.9600	* *
	* 1.3046	* 1.4835	* 1.2935	* 1.3287	* 1.4923	* 1.2183	* 1.8200	* *
13	* 1.4808	* 1.5059	* 1.4829	* 1.5809	* 1.5846	* 0.9275	* 0.4518	* *
	* 1.3079	* 1.2861	* 1.3041	* 1.2211	* 1.2179	* 1.8990	* 3.8770	* *
14	* 1.5626	* 1.5607	* 1.5551	* 1.5973	* 0.9608	* 0.4577	* *	* *
	* 1.2379	* 1.2392	* 1.2428	* 1.2068	* 1.8185	* 3.8171	* *	* *
15	* 0.7333	* 0.7225	* 0.6825	* 0.5855	* F-SUB-Q			
	* 2.4002	* 2.4330	* 2.5548	* 3.0247	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 13 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3035	* 1.0483	* 1.4637	* 1.1266	* 1.4594	* 1.2677	* 1.4577	* 0.6516
	* 1.4628	* 1.8193	* 1.3010	* 1.6903	* 1.3046	* 1.5042	* 1.3059	* 2.6663
9	* 1.0482	* 1.0383	* 1.2415	* 1.4494	* 1.1333	* 1.2628	* 1.4524	* 0.6428
	* 1.8193	* 1.8404	* 1.5358	* 1.3128	* 1.6796	* 1.5110	* 1.3106	* 2.6998
10	* 1.4637	* 1.2403	* 1.0160	* 1.0969	* 1.4713	* 1.2588	* 1.4387	* 0.6048
	* 1.3010	* 1.5373	* 1.8789	* 1.7342	* 1.2935	* 1.5127	* 1.3223	* 2.8453
11	* 1.1266	* 1.4466	* 1.0960	* 1.4457	* 1.2487	* 1.4540	* 1.3843	* 0.5097
	* 1.6903	* 1.3154	* 1.7356	* 1.3167	* 1.5246	* 1.3083	* 1.3721	* 3.4508
12	* 1.4594	* 1.1320	* 1.4713	* 1.2489	* 1.0781	* 1.3896	* 0.8402	*
	* 1.3046	* 1.6815	* 1.2935	* 1.5244	* 1.7685	* 1.3682	* 2.0512	*
13	* 1.2677	* 1.2627	* 1.2595	* 1.4545	* 1.3900	* 0.7918	* 0.3875	*
	* 1.5042	* 1.5111	* 1.5119	* 1.3079	* 1.3678	* 2.1941	* 4.4654	*
14	* 1.4577	* 1.4528	* 1.4396	* 1.3857	* 0.8409	* 0.3922	*	*
	* 1.3059	* 1.3103	* 1.3215	* 1.3709	* 2.0498	* 4.4005	*	*
15	* 0.6516	* 0.6431	* 0.6054	* 0.5128	* F-SUB-Q			
	* 2.6663	* 2.6986	* 2.8427	* 3.4105	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.5232	* 0.4584	* 0.5824	* 0.5003	* 0.5945	* 0.5163	* 0.5374	* 0.2813
	* 3.6142	* 4.1231	* 3.2406	* 3.7697	* 3.1714	* 3.6555	* 3.5129	* 6.1308
9	* 0.4584	* 0.4428	* 0.5049	* 0.5857	* 0.5023	* 0.5067	* 0.5352	* 0.2762
	* 4.1231	* 4.2736	* 3.7409	* 3.2187	* 3.7554	* 3.7292	* 3.5270	* 6.2369
10	* 0.5824	* 0.5045	* 0.4456	* 0.4912	* 0.5934	* 0.5104	* 0.5290	* 0.2646
	* 3.2406	* 3.7442	* 4.2416	* 3.8382	* 3.1769	* 3.6967	* 3.5661	* 6.4564
11	* 0.5003	* 0.5849	* 0.4911	* 0.5812	* 0.5110	* 0.5802	* 0.5017	* 0.2305
	* 3.7697	* 3.2233	* 3.8391	* 3.2437	* 3.6926	* 3.2504	* 3.7556	* 7.5763
12	* 0.5945	* 0.5019	* 0.5933	* 0.5110	* 0.4639	* 0.5077	* 0.3510	*
	* 3.1714	* 3.7590	* 3.1776	* 3.6924	* 4.0692	* 3.7141	* 4.8721	*
13	* 0.5163	* 0.5066	* 0.5105	* 0.5803	* 0.5078	* 0.3312	* 0.1710	*
	* 3.6555	* 3.7295	* 3.6962	* 3.2495	* 3.7132	* 5.2035	* 10.0503	*
14	* 0.5374	* 0.5353	* 0.5293	* 0.5022	* 0.3512	* 0.1722	*	*
	* 3.5129	* 3.5262	* 3.5641	* 3.7528	* 4.8690	* 9.9566	*	*
15	* 0.2813	* 0.2763	* 0.2648	* 0.2290	* F-SUB-Q			
	* 6.1308	* 6.2345	* 6.4514	* 7.5850	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 14 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 50 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3986	* 0.4364	* 0.5414	* 0.4804	* 0.5482	* 0.4752	* 0.4729	* 0.2653
	* 3.8403	* 4.3747	* 3.5181	* 3.8600	* 3.3511	* 3.8452	* 3.8271	* 6.1377
9	* 0.4364	* 0.4283	* 0.4850	* 0.5483	* 0.4760	* 0.4654	* 0.4711	* 0.2639
	* 4.3747	* 4.5014	* 3.9108	* 3.4038	* 3.8869	* 3.9396	* 3.8595	* 6.1809
10	* 0.5414	* 0.4850	* 0.4429	* 0.4782	* 0.5416	* 0.4638	* 0.4624	* 0.2548
	* 3.5181	* 3.9104	* 4.2877	* 3.9574	* 3.5155	* 4.0854	* 4.0282	* 6.4560
11	* 0.4804	* 0.5484	* 0.4784	* 0.5305	* 0.4683	* 0.5016	* 0.4369	* 0.2158
	* 3.8600	* 3.4037	* 3.9565	* 3.5650	* 4.0202	* 3.7373	* 4.3492	* 8.0286
12	* 0.5482	* 0.4760	* 0.5417	* 0.4684	* 0.4001	* 0.4212	* 0.3154	*
	* 3.3511	* 3.8869	* 3.5149	* 4.0197	* 4.3814	* 4.1807	* 5.2968	*
13	* 0.4752	* 0.4655	* 0.4640	* 0.5017	* 0.4213	* 0.2860	* 0.1667	*
	* 3.8452	* 3.9391	* 4.0844	* 3.7363	* 4.1798	* 5.4558	* 9.8023	*
14	* 0.4729	* 0.4712	* 0.4626	* 0.4371	* 0.3156	* 0.1676	*	*
	* 3.8271	* 3.8587	* 4.0262	* 4.3468	* 5.2938	* 9.7174	*	*
15	* 0.2653	* 0.2640	* 0.2550	* 0.2145	F-SUB-Q			
	* 6.1377	* 6.1795	* 6.4511	* 8.0317	M-SUB-Q			

AT 100% POWER, 50 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0552	* 0.9496	* 1.2473	* 1.0277	* 1.2382	* 1.0852	* 1.1717	* 0.6062
	* 1.7084	* 2.0521	* 1.5584	* 1.8578	* 1.5211	* 1.7215	* 1.5803	* 2.7494
9	* 0.9496	* 0.9448	* 1.1176	* 1.2489	* 1.0201	* 1.0742	* 1.1679	* 0.6052
	* 2.0521	* 2.0774	* 1.7404	* 1.5301	* 1.8539	* 1.7445	* 1.5924	* 2.7656
10	* 1.2473	* 1.1177	* 0.9531	* 1.0152	* 1.2270	* 1.0695	* 1.1493	* 0.5759
	* 1.5584	* 1.7403	* 2.0376	* 1.9051	* 1.5796	* 1.8128	* 1.6547	* 2.9205
11	* 1.0277	* 1.2488	* 1.0154	* 1.2148	* 1.0754	* 1.1570	* 1.0950	* 0.4779
	* 1.8578	* 1.5303	* 1.9047	* 1.5854	* 1.7837	* 1.6515	* 1.7523	* 3.7053
12	* 1.2382	* 1.0201	* 1.2272	* 1.0755	* 0.8921	* 1.0915	* 0.7386	*
	* 1.5211	* 1.8539	* 1.5794	* 1.7835	* 2.0264	* 1.6924	* 2.3087	*
13	* 1.0852	* 1.0743	* 1.0698	* 1.1573	* 1.0918	* 0.7006	* 0.3802	*
	* 1.7215	* 1.7443	* 1.8123	* 1.6510	* 1.6920	* 2.3503	* 4.4071	*
14	* 1.1717	* 1.1681	* 1.1499	* 1.0958	* 0.7391	* 0.3836	*	*
	* 1.5803	* 1.5921	* 1.6538	* 1.7511	* 2.3072	* 4.3537	*	*
15	* 0.6062	* 0.6054	* 0.5764	* 0.4824	F-SUB-Q			
	* 2.7494	* 2.7646	* 2.9181	* 3.6498	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 15 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 50 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2980	* 1.1619	* 1.3621	* 1.2274	* 1.2971	* 1.2998	* 1.3147	* 0.7197 *
	* 1.4918	* 1.7096	* 1.4504	* 1.5902	* 1.4654	* 1.4589	* 1.4314	* 2.3518 *
9	* 1.1619	* 1.1699	* 1.3347	* 1.3487	* 1.2037	* 1.3037	* 1.3105	* 0.7203 *
	* 1.7096	* 1.7070	* 1.4837	* 1.4455	* 1.5974	* 1.4596	* 1.4444	* 2.3530 *
10	* 1.3621	* 1.3346	* 1.1624	* 1.1950	* 1.2910	* 1.2821	* 1.2991	* 0.6858 *
	* 1.4504	* 1.4838	* 1.7049	* 1.6460	* 1.5243	* 1.5335	* 1.4876	* 2.4903 *
11	* 1.2274	* 1.3484	* 1.1951	* 1.3162	* 1.2793	* 1.3251	* 1.3129	* 0.5789 *
	* 1.5902	* 1.4458	* 1.6458	* 1.4816	* 1.5223	* 1.4630	* 1.4848	* 3.1066 *
12	* 1.2971	* 1.2036	* 1.2912	* 1.2796	* 1.1372	* 1.3119	* 0.8988	*
	* 1.4654	* 1.5976	* 1.5240	* 1.5220	* 1.6808	* 1.4550	* 1.9339	*
13	* 1.2998	* 1.3038	* 1.2826	* 1.3256	* 1.3123	* 0.8672	* 0.4662	*
	* 1.4589	* 1.4595	* 1.5330	* 1.4626	* 1.4546	* 1.9751	* 3.6763	*
14	* 1.3147	* 1.3108	* 1.2998	* 1.3139	* 0.8996	* 0.4712	*	
	* 1.4314	* 1.4441	* 1.4870	* 1.4837	* 1.9324	* 3.6254	*	
15	* 0.7197	* 0.7205	* 0.6865	* 0.5845	F-SUB-Q			
	* 2.3518	* 2.3524	* 2.4880	* 3.0586	M-SUB-Q			

AT 100% POWER, 50 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4906	* 1.2897	* 1.5368	* 1.3466	* 1.4500	* 1.4421	* 1.4882	* 0.7710 *
	* 1.3339	* 1.5720	* 1.3108	* 1.4746	* 1.3322	* 1.3357	* 1.2838	* 2.2303 *
9	* 1.2897	* 1.3012	* 1.4747	* 1.5113	* 1.3170	* 1.4538	* 1.4845	* 0.7704 *
	* 1.5720	* 1.5643	* 1.3664	* 1.3120	* 1.4802	* 1.3295	* 1.2951	* 2.2354 *
10	* 1.5368	* 1.4744	* 1.2852	* 1.3071	* 1.4469	* 1.4256	* 1.4754	* 0.7342 *
	* 1.3108	* 1.3667	* 1.5722	* 1.5318	* 1.3853	* 1.3966	* 1.3327	* 2.3632 *
11	* 1.3466	* 1.5107	* 1.3073	* 1.4836	* 1.4235	* 1.5127	* 1.4989	* 0.6227 *
	* 1.4746	* 1.3125	* 1.5317	* 1.3394	* 1.3948	* 1.3064	* 1.3239	* 2.9339 *
12	* 1.4500	* 1.3166	* 1.4472	* 1.4238	* 1.2727	* 1.5031	* 0.9825	*
	* 1.3322	* 1.4804	* 1.3851	* 1.3947	* 1.5384	* 1.2991	* 1.8058	*
13	* 1.4421	* 1.4539	* 1.4262	* 1.5134	* 1.5036	* 0.9516	* 0.5017	*
	* 1.3357	* 1.3294	* 1.3961	* 1.3060	* 1.2987	* 1.8465	* 3.4950	*
14	* 1.4882	* 1.4849	* 1.4763	* 1.5001	* 0.9833	* 0.5079	*	
	* 1.2838	* 1.2949	* 1.3320	* 1.3229	* 1.8043	* 3.4413	*	
15	* 0.7710	* 0.7706	* 0.7350	* 0.6278	F-SUB-Q			
	* 2.2303	* 2.2348	* 2.3609	* 2.8926	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 16 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 50 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5897	* 1.3509	* 1.6335	* 1.4102	* 1.5410	* 1.5172	* 1.5853	* 0.8078
	* 1.2811	* 1.5347	* 1.2573	* 1.4354	* 1.2768	* 1.2926	* 1.2264	* 2.1679
9	* 1.3509	* 1.3596	* 1.5454	* 1.6037	* 1.3802	* 1.5306	* 1.5818	* 0.8088
	* 1.5347	* 1.5298	* 1.3295	* 1.2596	* 1.4386	* 1.2856	* 1.2369	* 2.1684
10	* 1.6335	* 1.5453	* 1.3392	* 1.3647	* 1.5429	* 1.5048	* 1.5772	* 0.7697
	* 1.2573	* 1.3299	* 1.5370	* 1.4937	* 1.3270	* 1.3437	* 1.2689	* 2.2944
11	* 1.4102	* 1.6028	* 1.3647	* 1.5822	* 1.5028	* 1.6257	* 1.6113	* 0.6574
	* 1.4354	* 1.2603	* 1.4938	* 1.2840	* 1.3480	* 1.2428	* 1.2573	* 2.8253
12	* 1.5410	* 1.3797	* 1.5432	* 1.5032	* 1.3436	* 1.6142	* 1.0444	*
	* 1.2768	* 1.4389	* 1.3268	* 1.3478	* 1.4920	* 1.2375	* 1.7376	*
13	* 1.5172	* 1.5306	* 1.5053	* 1.6265	* 1.6148	* 1.0073	* 0.5260	*
	* 1.2926	* 1.2855	* 1.3431	* 1.2423	* 1.2371	* 1.7878	* 3.4168	*
14	* 1.5853	* 1.5821	* 1.5782	* 1.6126	* 1.0453	* 0.5328	*	*
	* 1.2264	* 1.2367	* 1.2682	* 1.2563	* 1.7361	* 3.3623	*	*
15	* 0.8078	* 0.8090	* 0.7705	* 0.6620	* F-SUB-Q			
	* 2.1679	* 2.1678	* 2.2922	* 2.7887	* M-SUB-Q			

AT 100% POWER, 50 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6393	* 1.3836	* 1.6879	* 1.4493	* 1.5965	* 1.5648	* 1.6458	* 0.8360
	* 1.2694	* 1.5281	* 1.2412	* 1.4271	* 1.2588	* 1.2798	* 1.2058	* 2.1405
9	* 1.3836	* 1.3898	* 1.5842	* 1.6573	* 1.4208	* 1.5791	* 1.6425	* 0.8372
	* 1.5281	* 1.5226	* 1.3230	* 1.2442	* 1.4273	* 1.2719	* 1.2156	* 2.1393
10	* 1.6879	* 1.5841	* 1.3675	* 1.4013	* 1.6029	* 1.5577	* 1.6429	* 0.7969
	* 1.2412	* 1.3235	* 1.5353	* 1.4841	* 1.2997	* 1.3218	* 1.2423	* 2.2606
11	* 1.4493	* 1.6562	* 1.4011	* 1.6425	* 1.5542	* 1.6981	* 1.6844	* 0.6851
	* 1.4271	* 1.2451	* 1.4843	* 1.2624	* 1.3291	* 1.2136	* 1.2243	* 2.7589
12	* 1.5965	* 1.4201	* 1.6031	* 1.5545	* 1.3889	* 1.6846	* 1.0906	*
	* 1.2588	* 1.4277	* 1.2994	* 1.3288	* 1.4756	* 1.2127	* 1.6997	*
13	* 1.5648	* 1.5791	* 1.5586	* 1.6989	* 1.6852	* 1.0475	* 0.5444	*
	* 1.2798	* 1.2719	* 1.3212	* 1.2131	* 1.2123	* 1.7626	* 3.3833	*
14	* 1.6458	* 1.6429	* 1.6440	* 1.6857	* 1.0916	* 0.5516	*	*
	* 1.2058	* 1.2153	* 1.2417	* 1.2233	* 1.6983	* 3.3283	*	*
15	* 0.8360	* 0.8375	* 0.7977	* 0.6894	* F-SUB-Q			
	* 2.1405	* 2.1387	* 2.2584	* 2.7250	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 17 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 50 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6851	* 1.4109	* 1.7415	* 1.4843	* 1.6529	* 1.6130	* 1.7097	* 0.8533 *
	* 1.2617	* 1.5217	* 1.2279	* 1.4252	* 1.2458	* 1.2719	* 1.1886	* 2.1484 *
9	* 1.4109	* 1.4182	* 1.6216	* 1.7107	* 1.4599	* 1.6287	* 1.7064	* 0.8536 *
	* 1.5217	* 1.5142	* 1.3196	* 1.2331	* 1.4221	* 1.2626	* 1.1972	* 2.1494 *
10	* 1.7415	* 1.6214	* 1.3946	* 1.4350	* 1.6628	* 1.6135	* 1.7114	* 0.8126 *
	* 1.2279	* 1.3202	* 1.5360	* 1.4804	* 1.2713	* 1.3014	* 1.2189	* 2.2663 *
11	* 1.4843	* 1.7093	* 1.4347	* 1.7028	* 1.6045	* 1.7703	* 1.7566	* 0.6989 *
	* 1.4252	* 1.2341	* 1.4807	* 1.2408	* 1.3124	* 1.1846	* 1.1903	* 2.7467 *
12	* 1.6529	* 1.4590	* 1.6630	* 1.6048	* 1.4326	* 1.7538	* 1.1178	*
	* 1.2458	* 1.4225	* 1.2711	* 1.3121	* 1.4634	* 1.1916	* 1.6910	*
13	* 1.6130	* 1.6287	* 1.6144	* 1.7711	* 1.7543	* 1.0719	* 0.5532	*
	* 1.2719	* 1.2626	* 1.3007	* 1.1841	* 1.1912	* 1.7646	* 3.4106	*
14	* 1.7097	* 1.7068	* 1.7125	* 1.7580	* 1.1188	* 0.5609	*	*
	* 1.1886	* 1.1970	* 1.2183	* 1.1894	* 1.6896	* 3.3531	*	*
15	* 0.8533	* 0.8538	* 0.8134	* 0.7030	F-SUB-Q			
	* 2.1484	* 2.1488	* 2.2642	* 2.7143	M-SUB-Q			

AT 100% POWER, 50 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7091	* 1.4256	* 1.7727	* 1.5056	* 1.6894	* 1.6454	* 1.7528	* 0.8672 *
	* 1.2713	* 1.5414	* 1.2301	* 1.4411	* 1.2533	* 1.2818	* 1.1918	* 2.1735 *
9	* 1.4256	* 1.4334	* 1.6427	* 1.7428	* 1.4851	* 1.6622	* 1.7494	* 0.8667 *
	* 1.5414	* 1.5343	* 1.3284	* 1.2415	* 1.4354	* 1.2709	* 1.1990	* 2.1756 *
10	* 1.7727	* 1.6425	* 1.4090	* 1.4557	* 1.7020	* 1.6525	* 1.7583	* 0.8253 *
	* 1.2301	* 1.3290	* 1.5502	* 1.4898	* 1.2712	* 1.2988	* 1.2124	* 2.2878 *
11	* 1.5056	* 1.7412	* 1.4553	* 1.7419	* 1.6385	* 1.8203	* 1.8069	* 0.7110 *
	* 1.4411	* 1.2427	* 1.4902	* 1.2392	* 1.3101	* 1.1773	* 1.1834	* 2.7473 *
12	* 1.6894	* 1.4841	* 1.7023	* 1.6389	* 1.4622	* 1.8011	* 1.1403	*
	* 1.2533	* 1.4360	* 1.2711	* 1.3099	* 1.4624	* 1.1831	* 1.6916	*
13	* 1.6454	* 1.6622	* 1.6534	* 1.8210	* 1.8017	* 1.0916	* 0.5605	*
	* 1.2818	* 1.2709	* 1.2981	* 1.1768	* 1.1827	* 1.7686	* 3.4260	*
14	* 1.7528	* 1.7498	* 1.7594	* 1.8083	* 1.1413	* 0.5684	*	*
	* 1.1918	* 1.1987	* 1.2117	* 1.1824	* 1.6902	* 3.3674	*	*
15	* 0.8672	* 0.8670	* 0.8261	* 0.7150	F-SUB-Q			
	* 2.1735	* 2.1750	* 2.2856	* 2.7159	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 18 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.7314	* 1.4373	* 1.8015	* 1.5228	* 1.7236	* 1.6747	* 1.7936	* 0.8764 *
	* 1.3021	* 1.5730	* 1.2421	* 1.4661	* 1.2679	* 1.2997	* 1.2017	* 2.2190 *
9	* 1.4373	* 1.4465	* 1.6614	* 1.7725	* 1.5066	* 1.6931	* 1.7904	* 0.8733 *
	* 1.5730	* 1.5565	* 1.3478	* 1.2564	* 1.4580	* 1.2867	* 1.2076	* 2.2272 *
10	* 1.8015	* 1.6612	* 1.4215	* 1.4729	* 1.7387	* 1.6872	* 1.8019	* 0.8332 *
	* 1.2421	* 1.3486	* 1.5763	* 1.5115	* 1.2720	* 1.3002	* 1.2121	* 2.3314 *
11	* 1.5228	* 1.7706	* 1.4724	* 1.7783	* 1.6684	* 1.8661	* 1.8528	* 0.7179 *
	* 1.4661	* 1.2577	* 1.5120	* 1.2522	* 1.3260	* 1.1835	* 1.1823	* 2.7854 *
12	* 1.7236	* 1.5055	* 1.7389	* 1.6687	* 1.4882	* 1.8448	* 1.1543	* 3.4116 *
	* 1.2679	* 1.4586	* 1.2719	* 1.3258	* 1.4859	* 1.1917	* 1.7221	* 2.2190 *
13	* 1.6747	* 1.6931	* 1.6881	* 1.8668	* 1.8453	* 1.1048	* 0.5645	* 2.2190 *
	* 1.2997	* 1.2867	* 1.2995	* 1.1830	* 1.1913	* 1.8032	* 3.5024	* 2.2190 *
14	* 1.7936	* 1.7908	* 1.8031	* 1.8543	* 1.1553	* 0.5726	* 2.2190	* 2.2190 *
	* 1.2017	* 1.2073	* 1.2113	* 1.1813	* 1.7208	* 3.4416	* 2.2190	* 2.2190 *
15	* 0.8764	* 0.8735	* 0.8340	* 0.7217	* F-SUB-Q			
	* 2.2190	* 2.2265	* 2.3292	* 2.7541	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.7130 *	* 1.4336 *	* 1.7877 *	* 1.5167 *	* 1.7175 *	* 1.6735 *	* 1.7905 *	* 0.8878 *
	* 1.3620 *	* 1.6224 *	* 1.2927 *	* 1.5219 *	* 1.3183 *	* 1.3475 *	* 1.2470 *	* 2.2682 *
9	* 1.4336 *	* 1.4359 *	* 1.6499 *	* 1.7602 *	* 1.5026 *	* 1.6924 *	* 1.7877 *	* 0.8873 *
	* 1.6224 *	* 1.6154 *	* 1.4018 *	* 1.3075 *	* 1.5120 *	* 1.3325 *	* 1.2514 *	* 2.2691 *
10	* 1.7877 *	* 1.6496 *	* 1.4113 *	* 1.4669 *	* 1.7344 *	* 1.6905 *	* 1.8018 *	* 0.8446 *
	* 1.2927 *	* 1.4026 *	* 1.6389 *	* 1.5668 *	* 1.3138 *	* 1.3367 *	* 1.2498 *	* 2.3751 *
11	* 1.5167 *	* 1.7582 *	* 1.4664 *	* 1.7724 *	* 1.6691 *	* 1.8667 *	* 1.8553 *	* 0.7327 *
	* 1.5219 *	* 1.3090 *	* 1.5670 *	* 1.2923 *	* 1.3656 *	* 1.2150 *	* 1.2145 *	* 2.8111 *
12	* 1.7175 *	* 1.5019 *	* 1.7345 *	* 1.6695 *	* 1.4889 *	* 1.8456 *	* 1.1754 *	
	* 1.3183 *	* 1.5126 *	* 1.3137 *	* 1.3654 *	* 1.5357 *	* 1.2298 *	* 1.7391 *	
13	* 1.6735 *	* 1.6924 *	* 1.6914 *	* 1.8674 *	* 1.8462 *	* 1.1212 *	* 0.5738 *	
	* 1.3475 *	* 1.3325 *	* 1.3360 *	* 1.2145 *	* 1.2294 *	* 1.8422 *	* 3.5577 *	
14	* 1.7905 *	* 1.7881 *	* 1.8029 *	* 1.8567 *	* 1.1763 *	* 0.5821 *		
	* 1.2470 *	* 1.2511 *	* 1.2491 *	* 1.2136 *	* 1.7378 *	* 3.4951 *		
15	* 0.8878 *	* 0.8875 *	* 0.8454 *	* 0.7365 *	F-SUB-Q			
	* 2.2682 *	* 2.2684 *	* 2.3729 *	* 2.7801 *	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 19 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 100% POWER, 50 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8	* 1.7375	* 1.4360	* 1.8184	* 1.5300	* 1.7530	* 1.7015	* 1.8354	* 0.8866
	* 1.3892	* 1.6786	* 1.3199	* 1.5658	* 1.3433	* 1.3783	* 1.2648	* 2.3595

9	* 1.4360	* 1.4470	* 1.6676	* 1.7912	* 1.5226	* 1.7223	* 1.8328	* 0.8827
	* 1.6786	* 1.6627	* 1.4397	* 1.3338	* 1.5510	* 1.3610	* 1.2684	* 2.3690

10	* 1.8184	* 1.6674	* 1.4214	* 1.4804	* 1.7720	* 1.7239	* 1.8490	* 0.8418
	* 1.3199	* 1.4406	* 1.6889	* 1.6096	* 1.3338	* 1.3593	* 1.2629	* 2.4706

11	* 1.5300	* 1.7890	* 1.4800	* 1.8101	* 1.6985	* 1.9149	* 1.9038	* 0.7276
	* 1.5658	* 1.3355	* 1.6099	* 1.3102	* 1.3882	* 1.2271	* 1.2266	* 2.9315

12	* 1.7530	* 1.5218	* 1.7721	* 1.6988	* 1.5121	* 1.8911	* 1.1739	*
	* 1.3433	* 1.5518	* 1.3337	* 1.3880	* 1.5630	* 1.2405	* 1.8003	*

13	* 1.7015	* 1.7223	* 1.7248	* 1.9157	* 1.8917	* 1.1208	* 0.5685	*
	* 1.3783	* 1.3611	* 1.3586	* 1.2266	* 1.2401	* 1.9000	* 3.6980	*

14	* 1.8354	* 1.8332	* 1.8501	* 1.9052	* 1.1748	* 0.5766	*	
	* 1.2648	* 1.2681	* 1.2621	* 1.2257	* 1.7989	* 3.6338	*	

15	* 0.8866	* 0.8830	* 0.8426	* 0.7310	* F-SUB-Q			
	* 2.3595	* 2.3683	* 2.4684	* 2.9003	* M-SUB-Q			

AT 100% POWER, 50 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8	* 1.7329	* 1.4290	* 1.8181	* 1.5265	* 1.7590	* 1.7066	* 1.8476	* 0.8875
	* 1.4034	* 1.6901	* 1.3262	* 1.5763	* 1.3658	* 1.4090	* 1.3014	* 2.4508

9	* 1.4290	* 1.4407	* 1.6630	* 1.7917	* 1.5241	* 1.7286	* 1.8452	* 0.8836
	* 1.6901	* 1.6747	* 1.4511	* 1.3438	* 1.5768	* 1.3930	* 1.3054	* 2.4602

10	* 1.8181	* 1.6628	* 1.4149	* 1.4779	* 1.7798	* 1.7341	* 1.8636	* 0.8420
	* 1.3262	* 1.4520	* 1.7028	* 1.6312	* 1.3600	* 1.3986	* 1.2992	* 2.5683

11	* 1.5265	* 1.7893	* 1.4776	* 1.8168	* 1.7061	* 1.9306	* 1.9204	* 0.7290
	* 1.5763	* 1.3456	* 1.6321	* 1.3388	* 1.4290	* 1.2613	* 1.2647	* 3.0359

12	* 1.7590	* 1.5232	* 1.7798	* 1.7063	* 1.5167	* 1.9056	* 1.1784	*
	* 1.3658	* 1.5777	* 1.3600	* 1.4288	* 1.6097	* 1.2802	* 1.8644	*

13	* 1.7066	* 1.7286	* 1.7349	* 1.9313	* 1.9062	* 1.1235	* 0.5676	*
	* 1.4090	* 1.3930	* 1.3980	* 1.2608	* 1.2798	* 1.9680	* 3.8405	*

14	* 1.8476	* 1.8457	* 1.8647	* 1.9218	* 1.1793	* 0.5758	*	
	* 1.3014	* 1.3051	* 1.2985	* 1.2638	* 1.8630	* 3.7735	*	

15	* 0.8875	* 0.8838	* 0.8428	* 0.7322	* F-SUB-Q			
	* 2.4508	* 2.4595	* 2.5659	* 3.0044	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 20 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 50 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7015	* 1.4143	* 1.7895	* 1.5067	* 1.7378	* 1.6908	* 1.8301	* 0.8890 *
	* 1.3992	* 1.6673	* 1.3162	* 1.5595	* 1.3506	* 1.3896	* 1.2837	* 2.3912 *
9	* 1.4143	* 1.4187	* 1.6381	* 1.7642	* 1.5082	* 1.7137	* 1.8283	* 0.8868 *
	* 1.6673	* 1.6611	* 1.4396	* 1.3331	* 1.5565	* 1.3728	* 1.2874	* 2.3957 *
10	* 1.7895	* 1.6379	* 1.3932	* 1.4599	* 1.7599	* 1.7227	* 1.8488	* 0.8436 *
	* 1.3162	* 1.4401	* 1.6890	* 1.6148	* 1.3447	* 1.3768	* 1.2805	* 2.5058 *
11	* 1.5067	* 1.7616	* 1.4595	* 1.7950	* 1.6940	* 1.9154	* 1.9076	* 0.7348 *
	* 1.5595	* 1.3350	* 1.6157	* 1.3255	* 1.4097	* 1.2437	* 1.2452	* 2.9520 *
12	* 1.7378	* 1.5073	* 1.7599	* 1.6942	* 1.5042	* 1.8915	* 1.1855	*
	* 1.3506	* 1.5574	* 1.3448	* 1.4095	* 1.5924	* 1.2649	* 1.8152	*
13	* 1.6908	* 1.7136	* 1.7235	* 1.9161	* 1.8920	* 1.1273	* 0.5697	*
	* 1.3896	* 1.3728	* 1.3762	* 1.2433	* 1.2646	* 1.9308	* 3.7838	*
14	* 1.8301	* 1.8287	* 1.8499	* 1.9090	* 1.1863	* 0.5783	*	*
	* 1.2837	* 1.2871	* 1.2798	* 1.2444	* 1.8140	* 3.7151	*	*
15	* 0.8890	* 0.8870	* 0.8444	* 0.7380	F-SUB-Q			
	* 2.3912	* 2.3951	* 2.5037	* 2.9223	M-SUB-Q			

AT 100% POWER, 50 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7061	* 1.4002	* 1.7986	* 1.5027	* 1.7521	* 1.6997	* 1.8549	* 0.8785 *
	* 1.3658	* 1.6438	* 1.2797	* 1.5267	* 1.3101	* 1.3525	* 1.2396	* 2.3585 *
9	* 1.4002	* 1.4141	* 1.6375	* 1.7733	* 1.5109	* 1.7244	* 1.8531	* 0.8726 *
	* 1.6438	* 1.6260	* 1.4072	* 1.2959	* 1.5187	* 1.3350	* 1.2431	* 2.3729 *
10	* 1.7986	* 1.6372	* 1.3876	* 1.4563	* 1.7760	* 1.7372	* 1.8760	* 0.8318 *
	* 1.2797	* 1.4074	* 1.6543	* 1.5816	* 1.3040	* 1.3367	* 1.2355	* 2.4771 *
11	* 1.5027	* 1.7705	* 1.4559	* 1.8106	* 1.7042	* 1.9421	* 1.9355	* 0.7223 *
	* 1.5267	* 1.2979	* 1.5826	* 1.2863	* 1.3718	* 1.2002	* 1.2010	* 2.9270 *
12	* 1.7521	* 1.5100	* 1.7760	* 1.7045	* 1.5105	* 1.9163	* 1.1714	*
	* 1.3101	* 1.5197	* 1.3040	* 1.3716	* 1.5517	* 1.2210	* 1.7957	*
13	* 1.6997	* 1.7243	* 1.7380	* 1.9428	* 1.9168	* 1.1148	* 0.5586	*
	* 1.3525	* 1.3351	* 1.3361	* 1.1998	* 1.2206	* 1.9086	* 3.7571	*
14	* 1.8549	* 1.8535	* 1.8771	* 1.9369	* 1.1722	* 0.5668	*	*
	* 1.2396	* 1.2428	* 1.2348	* 1.2002	* 1.7945	* 3.6907	*	*
15	* 0.8785	* 0.8728	* 0.8326	* 0.7250	F-SUB-Q			
	* 2.3585	* 2.3723	* 2.4750	* 2.8989	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 21 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 50 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6885	* 1.3816	* 1.7838	* 1.4860	* 1.7429	* 1.6902	* 1.8531	* 0.8687
	* 1.3270	* 1.6018	* 1.2404	* 1.4847	* 1.2672	* 1.3093	* 1.1946	* 2.2958
9	* 1.3816	* 1.3963	* 1.6195	* 1.7587	* 1.4990	* 1.7161	* 1.8517	* 0.8616
	* 1.6017	* 1.5835	* 1.3680	* 1.2564	* 1.4728	* 1.2915	* 1.1976	* 2.3132
10	* 1.7838	* 1.6193	* 1.3695	* 1.4402	* 1.7681	* 1.7329	* 1.8767	* 0.8217
	* 1.2404	* 1.3682	* 1.6119	* 1.5390	* 1.2601	* 1.2900	* 1.1886	* 2.4128
11	* 1.4860	* 1.7558	* 1.4398	* 1.8015	* 1.6973	* 1.9423	* 1.9378	* 0.7139
	* 1.4847	* 1.2585	* 1.5401	* 1.2440	* 1.3276	* 1.1563	* 1.1548	* 2.8475
12	* 1.7429	* 1.4980	* 1.7681	* 1.6975	* 1.5019	* 1.9160	* 1.1609	*
	* 1.2672	* 1.4739	* 1.2601	* 1.3274	* 1.5053	* 1.1770	* 1.7412	*
13	* 1.6902	* 1.7160	* 1.7337	* 1.9430	* 1.9165	* 1.1039	* 0.5502	*
	* 1.3093	* 1.2915	* 1.2894	* 1.1559	* 1.1767	* 1.8532	* 3.6631	*
14	* 1.8531	* 1.8521	* 1.8778	* 1.9391	* 1.1617	* 0.5584	*	*
	* 1.1946	* 1.1974	* 1.1880	* 1.1541	* 1.7401	* 3.5977	*	*
15	* 0.8687	* 0.8620	* 0.8224	* 0.7152	* F-SUB-Q			
	* 2.2958	* 2.3126	* 2.4108	* 2.8256	* M-SUB-Q			

AT 100% POWER, 50 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6587	* 1.3561	* 1.7543	* 1.4598	* 1.7193	* 1.6688	* 1.8339	* 0.8587
	* 1.3019	* 1.5733	* 1.2162	* 1.4580	* 1.2397	* 1.2799	* 1.1649	* 2.2427
9	* 1.3561	* 1.3710	* 1.5916	* 1.7299	* 1.4773	* 1.6956	* 1.8327	* 0.8522
	* 1.5733	* 1.5559	* 1.3427	* 1.2321	* 1.4428	* 1.2614	* 1.1674	* 2.2582
10	* 1.7543	* 1.5914	* 1.3440	* 1.4156	* 1.7452	* 1.7145	* 1.8595	* 0.8119
	* 1.2162	* 1.3429	* 1.5848	* 1.5113	* 1.2307	* 1.2565	* 1.1566	* 2.3567
11	* 1.4598	* 1.7269	* 1.4151	* 1.7771	* 1.6778	* 1.9236	* 1.9209	* 0.7071
	* 1.4580	* 1.2343	* 1.5121	* 1.2150	* 1.2934	* 1.1243	* 1.1220	* 2.7727
12	* 1.7193	* 1.4762	* 1.7451	* 1.6781	* 1.4827	* 1.8979	* 1.1505	*
	* 1.2397	* 1.4438	* 1.2308	* 1.2932	* 1.4689	* 1.1438	* 1.6920	*
13	* 1.6688	* 1.6955	* 1.7153	* 1.9242	* 1.8983	* 1.0925	* 0.5433	*
	* 1.2799	* 1.2615	* 1.2560	* 1.1239	* 1.1435	* 1.8029	* 3.5736	*
14	* 1.8339	* 1.8331	* 1.8606	* 1.9222	* 1.1513	* 0.5513	*	*
	* 1.1649	* 1.1672	* 1.1560	* 1.1213	* 1.6910	* 3.5101	*	*
15	* 0.8587	* 0.8525	* 0.8126	* 0.7093	* F-SUB-Q			
	* 2.2427	* 2.2576	* 2.3548	* 2.7478	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 22 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 50 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6115	* 1.3283	* 1.7056	* 1.4238	* 1.6764	* 1.6321	* 1.7924	* 0.8484 *
	* 1.3971	* 1.6777	* 1.3067	* 1.5623	* 1.3291	* 1.3680	* 1.2456	* 2.3740 *
9	* 1.3283	* 1.3353	* 1.5503	* 1.6823	* 1.4435	* 1.6593	* 1.7915	* 0.8442 *
	* 1.6777	* 1.6691	* 1.4400	* 1.3239	* 1.5438	* 1.3472	* 1.2478	* 2.3841 *
10	* 1.7056	* 1.5501	* 1.3088	* 1.3809	* 1.7024	* 1.6802	* 1.8197	* 0.8026 *
	* 1.3067	* 1.4402	* 1.7008	* 1.6183	* 1.3171	* 1.3381	* 1.2338	* 2.4920 *
11	* 1.4238	* 1.6792	* 1.3804	* 1.7323	* 1.6438	* 1.8824	* 1.8818	* 0.7023 *
	* 1.5623	* 1.3263	* 1.6189	* 1.3000	* 1.3759	* 1.1976	* 1.1944	* 2.9160 *
12	* 1.6764	* 1.4424	* 1.7023	* 1.6440	* 1.4509	* 1.8581	* 1.1418	*
	* 1.3291	* 1.5451	* 1.3172	* 1.3757	* 1.5644	* 1.2170	* 1.7777	*
13	* 1.6321	* 1.6592	* 1.6809	* 1.8830	* 1.8585	* 1.0812	* 0.5375	*
	* 1.3680	* 1.3473	* 1.3375	* 1.1973	* 1.2167	* 1.8980	* 3.7678	*
14	* 1.7924	* 1.7919	* 1.8207	* 1.8830	* 1.1425	* 0.5461	*	
	* 1.2456	* 1.2475	* 1.2332	* 1.1936	* 1.7767	* 3.6964	*	
15	* 0.8484	* 0.8444	* 0.8033	* 0.7044	* F-SUB-Q			
	* 2.3740	* 2.3835	* 2.4900	* 2.8900	* M-SUB-Q			

AT 100% POWER, 50 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5980	* 1.2987	* 1.6933	* 1.4021	* 1.6671	* 1.6183	* 1.7915	* 0.8245 *
	* 1.3501	* 1.6545	* 1.2693	* 1.5325	* 1.2920	* 1.3346	* 1.2053	* 2.3661 *
9	* 1.2987	* 1.3157	* 1.5319	* 1.6695	* 1.4265	* 1.6469	* 1.7903	* 0.8164 *
	* 1.6545	* 1.6344	* 1.4058	* 1.2874	* 1.5110	* 1.3126	* 1.2067	* 2.3876 *
10	* 1.6933	* 1.5316	* 1.2885	* 1.3587	* 1.6964	* 1.6688	* 1.8195	* 0.7779 *
	* 1.2693	* 1.4060	* 1.6682	* 1.5859	* 1.2761	* 1.2984	* 1.1895	* 2.4871 *
11	* 1.4021	* 1.6663	* 1.3581	* 1.7227	* 1.6291	* 1.8799	* 1.8801	* 0.6776 *
	* 1.5325	* 1.2899	* 1.5865	* 1.2565	* 1.3332	* 1.1531	* 1.1505	* 2.9185 *
12	* 1.6671	* 1.4253	* 1.6965	* 1.6293	* 1.4355	* 1.8542	* 1.1077	*
	* 1.2920	* 1.5122	* 1.2762	* 1.3330	* 1.5151	* 1.1702	* 1.7618	*
13	* 1.6183	* 1.6468	* 1.6695	* 1.8804	* 1.8546	* 1.0510	* 0.5181	*
	* 1.3346	* 1.3127	* 1.2980	* 1.1528	* 1.1699	* 1.8727	* 3.7650	*
14	* 1.7915	* 1.7907	* 1.8206	* 1.8813	* 1.1084	* 0.5258	*	
	* 1.2053	* 1.2064	* 1.1889	* 1.1498	* 1.7608	* 3.6971	*	
15	* 0.8245	* 0.8166	* 0.7786	* 0.6782	* F-SUB-Q			
	* 2.3661	* 2.3870	* 2.4852	* 2.8989	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 23 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 50 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5534	* 1.2618	* 1.6475	* 1.3629	* 1.6251	* 1.5803	* 1.7517	* 0.8021
	* 1.3325	* 1.6398	* 1.2563	* 1.5191	* 1.2773	* 1.3172	* 1.1877	* 2.3465
9	* 1.2618	* 1.2802	* 1.4919	* 1.6242	* 1.3901	* 1.6094	* 1.7504	* 0.7937
	* 1.6398	* 1.6183	* 1.3902	* 1.2748	* 1.4945	* 1.2943	* 1.1889	* 2.3691
10	* 1.6475	* 1.4916	* 1.2533	* 1.3204	* 1.6551	* 1.6298	* 1.7784	* 0.7559
	* 1.2563	* 1.3905	* 1.6527	* 1.5716	* 1.2589	* 1.2795	* 1.1712	* 2.4686
11	* 1.3629	* 1.6210	* 1.3198	* 1.6783	* 1.5897	* 1.8357	* 1.8371	* 0.6582
	* 1.5191	* 1.2773	* 1.5723	* 1.2402	* 1.3128	* 1.1350	* 1.1324	* 2.8962
12	* 1.6251	* 1.3889	* 1.6552	* 1.5899	* 1.3994	* 1.8107	* 1.0775	*
	* 1.2773	* 1.4958	* 1.2588	* 1.3126	* 1.4911	* 1.1510	* 1.7422	*
13	* 1.5803	* 1.6093	* 1.6304	* 1.8362	* 1.8111	* 1.0225	* 0.5023	*
	* 1.3172	* 1.2944	* 1.2790	* 1.1348	* 1.1508	* 1.8493	* 3.7391	*
14	* 1.7517	* 1.7508	* 1.7793	* 1.8382	* 1.0782	* 0.5098	*	*
	* 1.1877	* 1.1887	* 1.1706	* 1.1318	* 1.7413	* 3.6720	*	*
15	* 0.8021	* 0.7939	* 0.7565	* 0.6586	* F-SUB-Q			
	* 2.3465	* 2.3685	* 2.4667	* 2.8773	* M-SUB-Q			

AT 100% POWER, 50 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4702	* 1.2147	* 1.5617	* 1.3036	* 1.5447	* 1.5145	* 1.6658	* 0.7801
	* 1.3619	* 1.6493	* 1.2833	* 1.5381	* 1.3018	* 1.3313	* 1.2096	* 2.3396
9	* 1.2147	* 1.2258	* 1.4264	* 1.5406	* 1.3318	* 1.5427	* 1.6643	* 0.7753
	* 1.6493	* 1.6371	* 1.4081	* 1.3017	* 1.5114	* 1.3076	* 1.2109	* 2.3522
10	* 1.5617	* 1.4261	* 1.2008	* 1.2647	* 1.5703	* 1.5581	* 1.6880	* 0.7359
	* 1.2833	* 1.4083	* 1.6712	* 1.5892	* 1.2838	* 1.2945	* 1.1938	* 2.4582
11	* 1.3036	* 1.5375	* 1.2643	* 1.5930	* 1.5211	* 1.7410	* 1.7432	* 0.6430
	* 1.5381	* 1.3043	* 1.5896	* 1.2638	* 1.3262	* 1.1570	* 1.1541	* 2.8733
12	* 1.5447	* 1.3307	* 1.5704	* 1.5213	* 1.3393	* 1.7187	* 1.0485	*
	* 1.3018	* 1.5127	* 1.2838	* 1.3261	* 1.5062	* 1.1718	* 1.7324	*
13	* 1.5145	* 1.5426	* 1.5587	* 1.7415	* 1.7191	* 0.9934	* 0.4905	*
	* 1.3313	* 1.3077	* 1.2940	* 1.1567	* 1.1716	* 1.8410	* 3.7090	*
14	* 1.6658	* 1.6646	* 1.6890	* 1.7443	* 1.0491	* 0.4976	*	*
	* 1.2096	* 1.2107	* 1.1932	* 1.1534	* 1.7315	* 3.6445	*	*
15	* 0.7801	* 0.7755	* 0.7365	* 0.6447	* F-SUB-Q			
	* 2.3396	* 2.3516	* 2.4564	* 2.8491	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 24 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 50 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4004	* 1.1560	* 1.4971	* 1.2542	* 1.4852	* 1.4642	* 1.6057	* 0.7412
	* 1.3925	* 1.6891	* 1.3039	* 1.5587	* 1.3190	* 1.3412	* 1.2222	* 2.4017
9	* 1.1560	* 1.1794	* 1.3743	* 1.4793	* 1.2858	* 1.4915	* 1.6034	* 0.7333
	* 1.6891	* 1.6580	* 1.4236	* 1.3205	* 1.5252	* 1.3171	* 1.2240	* 2.4254
10	* 1.4971	* 1.3741	* 1.1568	* 1.2164	* 1.5104	* 1.5004	* 1.6213	* 0.6962
	* 1.3039	* 1.4238	* 1.6906	* 1.6090	* 1.2992	* 1.3085	* 1.2098	* 2.5337
11	* 1.2542	* 1.4764	* 1.2158	* 1.5297	* 1.4631	* 1.6681	* 1.6684	* 0.6033
	* 1.5587	* 1.3231	* 1.6097	* 1.2808	* 1.3414	* 1.1751	* 1.1733	* 2.9856
12	* 1.4852	* 1.2847	* 1.5104	* 1.4633	* 1.2890	* 1.6441	* 0.9855	*
	* 1.3190	* 1.5265	* 1.2992	* 1.3413	* 1.5230	* 1.1916	* 1.7947	*
13	* 1.4642	* 1.4914	* 1.5010	* 1.6686	* 1.6445	* 0.9374	* 0.4607	*
	* 1.3412	* 1.3173	* 1.3081	* 1.1748	* 1.1913	* 1.8995	* 3.8500	*
14	* 1.6057	* 1.6036	* 1.6221	* 1.6694	* 0.9860	* 0.4668	*	*
	* 1.2222	* 1.2238	* 1.2093	* 1.1727	* 1.7938	* 3.7872	*	*
15	* 0.7412	* 0.7335	* 0.6968	* 0.6049	* F-SUB-Q			
	* 2.4017	* 2.4248	* 2.5318	* 2.9602	* M-SUB-Q			

AT 100% POWER, 50 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2612	* 1.0617	* 1.3708	* 1.1697	* 1.3734	* 1.3581	* 1.4696	* 0.6964
	* 1.5155	* 1.8021	* 1.3951	* 1.6375	* 1.3971	* 1.4163	* 1.3079	* 2.5077
9	* 1.0617	* 1.0801	* 1.2716	* 1.3638	* 1.1970	* 1.3747	* 1.4665	* 0.6871
	* 1.8021	* 1.7743	* 1.5075	* 1.4031	* 1.6045	* 1.3993	* 1.3105	* 2.5391
10	* 1.3708	* 1.2703	* 1.0655	* 1.1397	* 1.3897	* 1.3856	* 1.4798	* 0.6518
	* 1.3951	* 1.5090	* 1.7985	* 1.6819	* 1.3808	* 1.3871	* 1.2979	* 2.6547
11	* 1.1697	* 1.3613	* 1.1393	* 1.4064	* 1.3478	* 1.5199	* 1.5175	* 0.5595
	* 1.6375	* 1.4059	* 1.6827	* 1.3639	* 1.4252	* 1.2625	* 1.2629	* 3.1581
12	* 1.3734	* 1.1960	* 1.3895	* 1.3479	* 1.1872	* 1.4928	* 0.9100	*
	* 1.3971	* 1.6059	* 1.3810	* 1.4251	* 1.6190	* 1.2846	* 1.9046	*
13	* 1.3581	* 1.3746	* 1.3860	* 1.5203	* 1.4931	* 0.8634	* 0.4258	*
	* 1.4163	* 1.3995	* 1.3867	* 1.2622	* 1.2844	* 2.0211	* 4.0883	*
14	* 1.4696	* 1.4667	* 1.4804	* 1.5184	* 0.9105	* 0.4313	*	*
	* 1.3079	* 1.3104	* 1.2973	* 1.2622	* 1.9036	* 4.0231	*	*
15	* 0.6964	* 0.6872	* 0.6523	* 0.5608	* F-SUB-Q			
	* 2.5077	* 2.5385	* 2.6528	* 3.1324	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 25 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 50 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0669	* 0.8702	* 1.2538	* 0.9785	* 1.2961	* 1.1209	* 1.3081	* 0.5934 *
	* 1.7662	* 2.1672	* 1.5038	* 1.9288	* 1.4582	* 1.6889	* 1.4465	* 2.9038 *
9	* 0.8702	* 0.8623	* 1.0577	* 1.2696	* 1.0026	* 1.1156	* 1.3048	* 0.5858 *
	* 2.1672	* 2.1910	* 1.7853	* 1.4855	* 1.8838	* 1.6983	* 1.4501	* 2.9380 *
10	* 1.2538	* 1.0567	* 0.8657	* 0.9688	* 1.3207	* 1.1323	* 1.2996	* 0.5536 *
	* 1.5038	* 1.7870	* 2.1818	* 1.9496	* 1.4309	* 1.6717	* 1.4552	* 3.0841 *
11	* 0.9785	* 1.2677	* 0.9685	* 1.2895	* 1.1137	* 1.3080	* 1.2597	* 0.4695 *
	* 1.9288	* 1.4878	* 1.9501	* 1.4654	* 1.6986	* 1.4449	* 1.4992	* 3.7147 *
12	* 1.2961	* 1.0015	* 1.3205	* 1.1137	* 0.9592	* 1.2532	* 0.7614	*
	* 1.4582	* 1.8860	* 1.4311	* 1.6985	* 1.9734	* 1.5075	* 2.2449	*
13	* 1.1209	* 1.1155	* 1.1326	* 1.3082	* 1.2534	* 0.7118	* 0.3541	*
	* 1.6889	* 1.6985	* 1.6713	* 1.4447	* 1.5073	* 2.4176	* 4.8550	*
14	* 1.3081	* 1.3050	* 1.3001	* 1.2604	* 0.7617	* 0.3583	*	*
	* 1.4465	* 1.4499	* 1.4547	* 1.4984	* 2.2439	* 4.7822	*	*
15	* 0.5934	* 0.5860	* 0.5539	* 0.4714	* F-SUB-Q			
	* 2.9038	* 2.9370	* 3.0822	* 3.6791	* M-SUB-Q			

AT 100% POWER, 50 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.4231	* 0.3751	* 0.4892	* 0.4292	* 0.5155	* 0.4462	* 0.4745	* 0.2501 *
	* 4.4194	* 4.9859	* 3.8214	* 4.3581	* 3.6313	* 4.2012	* 3.9527	* 6.8388 *
9	* 0.3751	* 0.3642	* 0.4232	* 0.5036	* 0.4334	* 0.4402	* 0.4731	* 0.2459 *
	* 4.9859	* 5.1415	* 4.4198	* 3.7135	* 4.3194	* 4.2615	* 3.9642	* 6.9498 *
10	* 0.4892	* 0.4228	* 0.3762	* 0.4246	* 0.5199	* 0.4468	* 0.4698	* 0.2362 *
	* 3.8214	* 4.4245	* 4.9750	* 4.4089	* 3.6024	* 4.1952	* 3.9900	* 7.1759 *
11	* 0.4292	* 0.5029	* 0.4245	* 0.5067	* 0.4467	* 0.5125	* 0.4476	* 0.2070 *
	* 4.3581	* 3.7186	* 4.4100	* 3.6953	* 4.1952	* 3.6556	* 4.1846	* 8.3677 *
12	* 0.5155	* 0.4330	* 0.5198	* 0.4466	* 0.4046	* 0.4498	* 0.3111	*
	* 3.6313	* 4.3235	* 3.6030	* 4.1954	* 4.6344	* 4.1649	* 5.4526	*
13	* 0.4462	* 0.4402	* 0.4468	* 0.5125	* 0.4499	* 0.2924	* 0.1531	*
	* 4.2012	* 4.2620	* 4.1952	* 3.6551	* 4.1643	* 5.8400	* 11.1550	*
14	* 0.4745	* 0.4732	* 0.4700	* 0.4478	* 0.3112	* 0.1541	*	*
	* 3.9527	* 3.9638	* 3.9887	* 4.1827	* 5.4505	* 11.0458	*	*
15	* 0.2501	* 0.2460	* 0.2363	* 0.2054	* F-SUB-Q			
	* 6.8388	* 6.9479	* 7.1722	* 8.3852	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 26 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3672	* 0.3992	* 0.5028	* 0.4488	* 0.5138	* 0.4466	* 0.4509	* 0.2537
	* 4.0855	* 4.6690	* 3.7257	* 4.0690	* 3.5263	* 4.0329	* 3.9615	* 6.3209
9	* 0.3992	* 0.3951	* 0.4496	* 0.5117	* 0.4463	* 0.4408	* 0.4494	* 0.2525
	* 4.6690	* 4.7767	* 4.1542	* 3.5870	* 4.0844	* 4.1024	* 3.9931	* 6.3614
10	* 0.5028	* 0.4496	* 0.4129	* 0.4480	* 0.5092	* 0.4391	* 0.4420	* 0.2441
	* 3.7257	* 4.1539	* 4.5320	* 4.1653	* 3.6832	* 4.2589	* 4.1583	* 6.6334
11	* 0.4488	* 0.5117	* 0.4481	* 0.4988	* 0.4419	* 0.4780	* 0.4180	* 0.2075
	* 4.0690	* 3.5871	* 4.1646	* 3.7134	* 4.1749	* 3.8448	* 4.4566	* 8.2081
12	* 0.5138	* 0.4463	* 0.5093	* 0.4419	* 0.3777	* 0.4035	* 0.3001	*
	* 3.5263	* 4.0844	* 3.6826	* 4.1744	* 4.5090	* 4.2798	* 5.4450	*
13	* 0.4466	* 0.4409	* 0.4392	* 0.4782	* 0.4036	* 0.2732	* 0.1610	*
	* 4.0329	* 4.1021	* 4.2579	* 3.8438	* 4.2790	* 5.5812	* 9.9418	*
14	* 0.4509	* 0.4495	* 0.4422	* 0.4182	* 0.3003	* 0.1619	*	*
	* 3.9615	* 3.9924	* 4.1564	* 4.4544	* 5.4423	* 9.8495	*	*
15	* 0.2537	* 0.2525	* 0.2443	* 0.2063	F-SUB-Q			
	* 6.3209	* 6.3602	* 6.6289	* 8.2060	M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9651	* 0.8708	* 1.1550	* 0.9592	* 1.1610	* 1.0261	* 1.1101	* 0.5819
	* 1.8343	* 2.1916	* 1.6581	* 1.9491	* 1.6000	* 1.7966	* 1.6468	* 2.8210
9	* 0.8708	* 0.8696	* 1.0375	* 1.1620	* 0.9619	* 1.0174	* 1.1070	* 0.5809
	* 2.1916	* 2.2118	* 1.8451	* 1.6137	* 1.9383	* 1.8178	* 1.6586	* 2.8371
10	* 1.1550	* 1.0375	* 0.8871	* 0.9541	* 1.1534	* 1.0156	* 1.0918	* 0.5538
	* 1.6581	* 1.8450	* 2.1569	* 1.9990	* 1.6499	* 1.8734	* 1.7191	* 2.9908
11	* 0.9592	* 1.1619	* 0.9542	* 1.1428	* 1.0186	* 1.0974	* 1.0438	* 0.4614
	* 1.9491	* 1.6138	* 1.9987	* 1.6533	* 1.8486	* 1.7093	* 1.8042	* 3.7726
12	* 1.1610	* 0.9619	* 1.1535	* 1.0188	* 0.8483	* 1.0384	* 0.7033	*
	* 1.6000	* 1.9383	* 1.6497	* 1.8484	* 2.0909	* 1.7468	* 2.3741	*
13	* 1.0261	* 1.0175	* 1.0159	* 1.0977	* 1.0387	* 0.6675	* 0.3679	*
	* 1.7966	* 1.8176	* 1.8730	* 1.7089	* 1.7464	* 2.4150	* 4.4678	*
14	* 1.1101	* 1.1072	* 1.0922	* 1.0445	* 0.7038	* 0.3712	*	*
	* 1.6468	* 1.6583	* 1.7183	* 1.8030	* 2.3727	* 4.4109	*	*
15	* 0.5819	* 0.5811	* 0.5543	* 0.4655	F-SUB-Q			
	* 2.8210	* 2.8362	* 2.9886	* 3.7172	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 27 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2100	* 1.0744	* 1.3147	* 1.1660	* 1.2783	* 1.2500	* 1.2776	* 0.7044 *
	* 1.5676	* 1.8128	* 1.4848	* 1.6425	* 1.4680	* 1.4973	* 1.4540	* 2.3672 *
9	* 1.0744	* 1.0790	* 1.2551	* 1.3151	* 1.1603	* 1.2513	* 1.2739	* 0.7056 *
	* 1.8128	* 1.8153	* 1.5534	* 1.4546	* 1.6340	* 1.5010	* 1.4680	* 2.3660 *
10	* 1.3147	* 1.2550	* 1.0867	* 1.1483	* 1.2774	* 1.2389	* 1.2658	* 0.6731 *
	* 1.4848	* 1.5536	* 1.7905	* 1.6891	* 1.5124	* 1.5591	* 1.5142	* 2.4992 *
11	* 1.1660	* 1.3149	* 1.1485	* 1.2975	* 1.2357	* 1.2966	* 1.2742	* 0.5693 *
	* 1.6425	* 1.4549	* 1.6890	* 1.4758	* 1.5490	* 1.4698	* 1.5029	* 3.1049 *
12	* 1.2783	* 1.1601	* 1.2776	* 1.2359	* 1.0911	* 1.2683	* 0.8713 *	
	* 1.4680	* 1.6342	* 1.5121	* 1.5488	* 1.7216	* 1.4791	* 1.9547 *	
13	* 1.2500	* 1.2513	* 1.2392	* 1.2970	* 1.2686	* 0.8365	* 0.4560 *	
	* 1.4973	* 1.5010	* 1.5586	* 1.4694	* 1.4788	* 2.0057	* 3.6893 *	
14	* 1.2776	* 1.2741	* 1.2664	* 1.2750	* 0.8719	* 0.4609 *		
	* 1.4540	* 1.4677	* 1.5136	* 1.5019	* 1.9534	* 3.6356 *		
15	* 0.7044	* 0.7058	* 0.6736	* 0.5742	F-SUB-Q			
	* 2.3672	* 2.3654	* 2.4971	* 3.0597	M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3951	* 1.1969	* 1.5029	* 1.2954	* 1.4591	* 1.4022	* 1.4648	* 0.7659 *
	* 1.3969	* 1.6625	* 1.3208	* 1.5059	* 1.3065	* 1.3559	* 1.2873	* 2.2115 *
9	* 1.1969	* 1.2025	* 1.3984	* 1.4991	* 1.2887	* 1.4085	* 1.4613	* 0.7658 *
	* 1.6625	* 1.6617	* 1.4187	* 1.2983	* 1.4958	* 1.3546	* 1.2989	* 2.2146 *
10	* 1.5029	* 1.3981	* 1.2045	* 1.2727	* 1.4671	* 1.3922	* 1.4561	* 0.7312 *
	* 1.3208	* 1.4190	* 1.6432	* 1.5495	* 1.3419	* 1.4136	* 1.3375	* 2.3365 *
11	* 1.2954	* 1.4985	* 1.2728	* 1.4874	* 1.3892	* 1.5009	* 1.4723	* 0.6205 *
	* 1.5059	* 1.2988	* 1.5494	* 1.3130	* 1.4063	* 1.2952	* 1.3248	* 2.8925 *
12	* 1.4591	* 1.2884	* 1.4674	* 1.3894	* 1.2301	* 1.4679	* 0.9632 *	
	* 1.3065	* 1.4962	* 1.3417	* 1.4060	* 1.5653	* 1.3076	* 1.8056 *	
13	* 1.4022	* 1.4085	* 1.3926	* 1.5014	* 1.4684	* 0.9254	* 0.4952 *	
	* 1.3559	* 1.3545	* 1.4132	* 1.2948	* 1.3072	* 1.8606	* 3.4777 *	
14	* 1.4648	* 1.4615	* 1.4568	* 1.4733	* 0.9639	* 0.5010 *		
	* 1.2873	* 1.2987	* 1.3369	* 1.3240	* 1.8043	* 3.4235 *		
15	* 0.7659	* 0.7660	* 0.7318	* 0.6247	F-SUB-Q			
	* 2.2115	* 2.2141	* 2.3345	* 2.8549	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 28 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4871	* 1.2563	* 1.6058	* 1.3654	* 1.5661	* 1.4848	* 1.5705	* 0.8093
	* 1.3430	* 1.6207	* 1.2587	* 1.4538	* 1.2395	* 1.3035	* 1.2217	* 2.1312
9	* 1.2563	* 1.2587	* 1.4709	* 1.6032	* 1.3620	* 1.4916	* 1.5672	* 0.8112
	* 1.6207	* 1.6236	* 1.3732	* 1.2348	* 1.4416	* 1.3020	* 1.2319	* 2.1289
10	* 1.6058	* 1.4705	* 1.2611	* 1.3414	* 1.5808	* 1.4784	* 1.5667	* 0.7731
	* 1.2587	* 1.3737	* 1.5985	* 1.4971	* 1.2727	* 1.3518	* 1.2636	* 2.2488
11	* 1.3654	* 1.6023	* 1.3413	* 1.5986	* 1.4753	* 1.6214	* 1.5912	* 0.6600
	* 1.4538	* 1.2355	* 1.4972	* 1.2498	* 1.3543	* 1.2258	* 1.2522	* 2.7640
12	* 1.5661	* 1.3615	* 1.5811	* 1.4755	* 1.3047	* 1.5851	* 1.0298	*
	* 1.2395	* 1.4421	* 1.2725	* 1.3540	* 1.5119	* 1.2393	* 1.7283	*
13	* 1.4848	* 1.4917	* 1.4788	* 1.6220	* 1.5856	* 0.9840	* 0.5220	*
	* 1.3035	* 1.3019	* 1.3513	* 1.2254	* 1.2389	* 1.7942	* 3.3828	*
14	* 1.5705	* 1.5675	* 1.5676	* 1.5923	* 1.0305	* 0.5287	*	*
	* 1.2217	* 1.2317	* 1.2630	* 1.2514	* 1.7271	* 3.3272	*	*
15	* 0.8093	* 0.8113	* 0.7738	* 0.6636	* F-SUB-Q			
	* 2.1312	* 2.1284	* 2.2469	* 2.7315	* M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5324	* 1.2902	* 1.6641	* 1.4075	* 1.6320	* 1.5369	* 1.6368	* 0.8414
	* 1.3337	* 1.6130	* 1.2388	* 1.4382	* 1.2149	* 1.2861	* 1.1967	* 2.0941
9	* 1.2902	* 1.2879	* 1.5119	* 1.6642	* 1.4088	* 1.5441	* 1.6337	* 0.8440
	* 1.6130	* 1.6166	* 1.3627	* 1.2124	* 1.4237	* 1.2840	* 1.2033	* 2.0897
10	* 1.6641	* 1.5114	* 1.2928	* 1.3833	* 1.6521	* 1.5354	* 1.6383	* 0.8043
	* 1.2388	* 1.3632	* 1.5909	* 1.4809	* 1.2416	* 1.3256	* 1.2312	* 2.2049
11	* 1.4075	* 1.6631	* 1.3831	* 1.6666	* 1.5303	* 1.6980	* 1.6676	* 0.6906
	* 1.4382	* 1.2132	* 1.4811	* 1.2251	* 1.3334	* 1.1956	* 1.2180	* 2.6880
12	* 1.6320	* 1.4081	* 1.6523	* 1.5306	* 1.3523	* 1.6593	* 1.0777	*
	* 1.2149	* 1.4243	* 1.2414	* 1.3332	* 1.4937	* 1.2122	* 1.6896	*
13	* 1.5369	* 1.5441	* 1.5361	* 1.6986	* 1.6598	* 1.0260	* 0.5421	*
	* 1.2861	* 1.2840	* 1.3252	* 1.1952	* 1.2118	* 1.7672	* 3.3444	*
14	* 1.6368	* 1.6340	* 1.6391	* 1.6687	* 1.0784	* 0.5494	*	*
	* 1.1967	* 1.2031	* 1.2306	* 1.2172	* 1.6884	* 3.2869	*	*
15	* 0.8414	* 0.8442	* 0.8050	* 0.6940	* F-SUB-Q			
	* 2.0941	* 2.0892	* 2.2031	* 2.6579	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 29 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5745	* 1.3140	* 1.7204	* 1.4452	* 1.6972	* 1.5867	* 1.7046	* 0.8617 *
	* 1.3286	* 1.6089	* 1.2236	* 1.4327	* 1.1974	* 1.2767	* 1.1753	* 2.0960 *
9	* 1.3140	* 1.3142	* 1.5503	* 1.7239	* 1.4516	* 1.5949	* 1.7023	* 0.8633 *
	* 1.6089	* 1.6094	* 1.3577	* 1.1968	* 1.4156	* 1.2732	* 1.1807	* 2.0937 *
10	* 1.7204	* 1.5497	* 1.3209	* 1.4209	* 1.7219	* 1.5919	* 1.7092	* 0.8228 *
	* 1.2236	* 1.3583	* 1.5913	* 1.4741	* 1.2100	* 1.3014	* 1.2029	* 2.2047 *
11	* 1.4452	* 1.7226	* 1.4209	* 1.7331	* 1.5820	* 1.7728	* 1.7410	* 0.7064 *
	* 1.4327	* 1.1978	* 1.4745	* 1.2022	* 1.3147	* 1.1664	* 1.1848	* 2.6716 *
12	* 1.6972	* 1.4508	* 1.7221	* 1.5822	* 1.3960	* 1.7300	* 1.1068	*
	* 1.1974	* 1.4164	* 1.2098	* 1.3145	* 1.4822	* 1.1905	* 1.6800	*
13	* 1.5867	* 1.5949	* 1.5925	* 1.7734	* 1.7305	* 1.0510	* 0.5519	*
	* 1.2767	* 1.2732	* 1.3009	* 1.1660	* 1.1902	* 1.7693	* 3.3696	*
14	* 1.7046	* 1.7026	* 1.7101	* 1.7420	* 1.1076	* 0.5593	*	*
	* 1.1753	* 1.1805	* 1.2023	* 1.1841	* 1.6789	* 3.3115	*	*
15	* 0.8617	* 0.8635	* 0.8234	* 0.7095	F-SUB-Q			
	* 2.0960	* 2.0932	* 2.2029	* 2.6436	M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5963	* 1.3286	* 1.7542	* 1.4685	* 1.7401	* 1.6203	* 1.7527	* 0.8779 *
	* 1.3402	* 1.6313	* 1.2250	* 1.4477	* 1.2019	* 1.2865	* 1.1757	* 2.1173 *
9	* 1.3286	* 1.3281	* 1.5726	* 1.7633	* 1.4796	* 1.6292	* 1.7505	* 0.8788 *
	* 1.6313	* 1.6328	* 1.3671	* 1.2025	* 1.4281	* 1.2815	* 1.1801	* 2.1156 *
10	* 1.7542	* 1.5719	* 1.3370	* 1.4457	* 1.7684	* 1.6312	* 1.7579	* 0.8375 *
	* 1.2250	* 1.3678	* 1.6073	* 1.4829	* 1.2074	* 1.2982	* 1.1965	* 2.2226 *
11	* 1.4685	* 1.7617	* 1.4455	* 1.7765	* 1.6168	* 1.8243	* 1.7921	* 0.7200 *
	* 1.4477	* 1.2035	* 1.4834	* 1.2002	* 1.3165	* 1.1601	* 1.1787	* 2.6710 *
12	* 1.7401	* 1.4787	* 1.7685	* 1.6170	* 1.4253	* 1.7786	* 1.1305	*
	* 1.2019	* 1.4289	* 1.2073	* 1.3163	* 1.4832	* 1.1828	* 1.6812	*
13	* 1.6203	* 1.6292	* 1.6318	* 1.8249	* 1.7791	* 1.0711	* 0.5598	*
	* 1.2865	* 1.2816	* 1.2977	* 1.1597	* 1.1825	* 1.7754	* 3.3875	*
14	* 1.7527	* 1.7508	* 1.7588	* 1.7931	* 1.1312	* 0.5674	*	*
	* 1.1757	* 1.1800	* 1.1959	* 1.1781	* 1.6801	* 3.3287	*	*
15	* 0.8779	* 0.8790	* 0.8382	* 0.7228	F-SUB-Q			
	* 2.1173	* 2.1152	* 2.2209	* 2.6441	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 30 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6171	* 1.3389	* 1.7856	* 1.4880	* 1.7803	* 1.6503	* 1.7979	* 0.8889 *
	* 1.3742	* 1.6645	* 1.2367	* 1.4733	* 1.2141	* 1.3053	* 1.1840	* 2.1606 *
9	* 1.3389	* 1.3404	* 1.5921	* 1.7998	* 1.5035	* 1.6605	* 1.7958	* 0.8870 *
	* 1.6645	* 1.6569	* 1.3878	* 1.2157	* 1.4511	* 1.2984	* 1.1876	* 2.1651 *
10	* 1.7856	* 1.5913	* 1.3506	* 1.4663	* 1.8116	* 1.6658	* 1.8030	* 0.8469 *
	* 1.2367	* 1.3885	* 1.6356	* 1.5034	* 1.2080	* 1.3022	* 1.1981	* 2.2646 *
11	* 1.4880	* 1.7980	* 1.4661	* 1.8170	* 1.6471	* 1.8717	* 1.8384	* 0.7280 *
	* 1.4733	* 1.2169	* 1.5036	* 1.2128	* 1.3342	* 1.1661	* 1.1783	* 2.7088 *
12	* 1.7803	* 1.5024	* 1.8117	* 1.6473	* 1.4509	* 1.8229	* 1.1445	*
	* 1.2141	* 1.4521	* 1.2079	* 1.3341	* 1.5094	* 1.1927	* 1.7143	*
13	* 1.6503	* 1.6604	* 1.6665	* 1.8722	* 1.8233	* 1.0846	* 0.5643	*
	* 1.3053	* 1.2984	* 1.3016	* 1.1658	* 1.1924	* 1.8124	* 3.4662	*
14	* 1.7979	* 1.7961	* 1.8038	* 1.8395	* 1.1453	* 0.5721	*	
	* 1.1840	* 1.1874	* 1.1976	* 1.1776	* 1.7133	* 3.4055	*	
15	* 0.8889	* 0.8872	* 0.8475	* 0.7306	* F-SUB-Q			
	* 2.1606	* 2.1646	* 2.2629	* 2.6825	* M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6007	* 1.3405	* 1.7748	* 1.4838	* 1.7772	* 1.6516	* 1.7998	* 0.9025 *
	* 1.4369	* 1.7129	* 1.2873	* 1.5308	* 1.2627	* 1.3539	* 1.2274	* 2.2081 *
9	* 1.3405	* 1.3320	* 1.5833	* 1.7929	* 1.5027	* 1.6620	* 1.7978	* 0.9035 *
	* 1.7129	* 1.7202	* 1.4436	* 1.2650	* 1.5060	* 1.3456	* 1.2302	* 2.2047 *
10	* 1.7748	* 1.5824	* 1.3474	* 1.4652	* 1.8103	* 1.6712	* 1.8059	* 0.8606 *
	* 1.2873	* 1.4444	* 1.6975	* 1.5538	* 1.2476	* 1.3404	* 1.2361	* 2.3063 *
11	* 1.4838	* 1.7910	* 1.4650	* 1.8137	* 1.6494	* 1.8740	* 1.8437	* 0.7442 *
	* 1.5308	* 1.2663	* 1.5540	* 1.2512	* 1.3704	* 1.1989	* 1.2113	* 2.7358 *
12	* 1.7772	* 1.5015	* 1.8104	* 1.6495	* 1.4528	* 1.8264	* 1.1667	*
	* 1.2627	* 1.5071	* 1.2476	* 1.3703	* 1.5602	* 1.2304	* 1.7317	*
13	* 1.6516	* 1.6619	* 1.6718	* 1.8746	* 1.8268	* 1.1020	* 0.5746	*
	* 1.3539	* 1.3456	* 1.3399	* 1.1986	* 1.2301	* 1.8514	* 3.5194	*
14	* 1.7998	* 1.7981	* 1.8067	* 1.8447	* 1.1674	* 0.5828	*	
	* 1.2274	* 1.2301	* 1.2356	* 1.2107	* 1.7307	* 3.4557	*	
15	* 0.9025	* 0.9037	* 0.8613	* 0.7470	* F-SUB-Q			
	* 2.2081	* 2.2042	* 2.3046	* 2.7090	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 31 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6257	* 1.3424	* 1.8099	* 1.5027	* 1.8205	* 1.6809	* 1.8493	* 0.9033
	* 1.4656	* 1.7770	* 1.3126	* 1.5748	* 1.2855	* 1.3871	* 1.2452	* 2.2978
9	* 1.3424	* 1.3431	* 1.6028	* 1.8322	* 1.5244	* 1.6928	* 1.8473	* 0.9009
	* 1.7770	* 1.7726	* 1.4823	* 1.2894	* 1.5470	* 1.3767	* 1.2473	* 2.3028
10	* 1.8099	* 1.6018	* 1.3557	* 1.4825	* 1.8566	* 1.7052	* 1.8554	* 0.8593
	* 1.3126	* 1.4832	* 1.7525	* 1.5973	* 1.2651	* 1.3656	* 1.2491	* 2.4011
11	* 1.5027	* 1.8301	* 1.4822	* 1.8569	* 1.6779	* 1.9258	* 1.8936	* 0.7406
	* 1.5748	* 1.2909	* 1.5976	* 1.2692	* 1.3994	* 1.2121	* 1.2255	* 2.8527
12	* 1.8205	* 1.5231	* 1.8566	* 1.6780	* 1.4763	* 1.8736	* 1.1674	*
	* 1.2855	* 1.5482	* 1.2651	* 1.3993	* 1.5913	* 1.2433	* 1.7942	*
13	* 1.6809	* 1.6927	* 1.7058	* 1.9263	* 1.8740	* 1.1027	* 0.5698	*
	* 1.3871	* 1.3767	* 1.3651	* 1.2118	* 1.2430	* 1.9127	* 3.6647	*
14	* 1.8493	* 1.8476	* 1.8562	* 1.8946	* 1.1681	* 0.5777	*	*
	* 1.2452	* 1.2471	* 1.2486	* 1.2249	* 1.7932	* 3.6004	*	*
15	* 0.9033	* 0.9011	* 0.8600	* 0.7428	* F-SUB-Q			
	* 2.2978	* 2.3023	* 2.3993	* 2.8268	* M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6243	* 1.3397	* 1.8148	* 1.5048	* 1.8324	* 1.6892	* 1.8669	* 0.9069
	* 1.4984	* 1.8017	* 1.3301	* 1.5998	* 1.3151	* 1.4270	* 1.2897	* 2.3909
9	* 1.3397	* 1.3396	* 1.6017	* 1.8404	* 1.5285	* 1.7020	* 1.8651	* 0.9044
	* 1.8017	* 1.8005	* 1.5063	* 1.3105	* 1.5762	* 1.4178	* 1.2914	* 2.3958
10	* 1.8148	* 1.6007	* 1.3530	* 1.4844	* 1.8707	* 1.7180	* 1.8743	* 0.8620
	* 1.3301	* 1.5073	* 1.7815	* 1.6316	* 1.2987	* 1.4130	* 1.2904	* 2.4972
11	* 1.5048	* 1.8382	* 1.4841	* 1.8688	* 1.6864	* 1.9455	* 1.9139	* 0.7440
	* 1.5998	* 1.3120	* 1.6320	* 1.3049	* 1.4457	* 1.2534	* 1.2655	* 2.9563
12	* 1.8324	* 1.5271	* 1.8707	* 1.6865	* 1.4831	* 1.8917	* 1.1747	*
	* 1.3151	* 1.5776	* 1.2988	* 1.4456	* 1.6491	* 1.2848	* 1.8594	*
13	* 1.6892	* 1.7019	* 1.7186	* 1.9460	* 1.8921	* 1.1076	* 0.5702	*
	* 1.4270	* 1.4179	* 1.4125	* 1.2531	* 1.2845	* 1.9834	* 3.8097	*
14	* 1.8669	* 1.8653	* 1.8751	* 1.9149	* 1.1754	* 0.5781	*	*
	* 1.2897	* 1.2912	* 1.2898	* 1.2648	* 1.8584	* 3.7424	*	*
15	* 0.9069	* 0.9046	* 0.8626	* 0.7460	* F-SUB-Q			
	* 2.3909	* 2.3953	* 2.4954	* 2.9301	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 32 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5990	* 1.3313	* 1.7922	* 1.4909	* 1.8156	* 1.6784	* 1.8564	* 0.9116 *
	* 1.4874	* 1.7710	* 1.3159	* 1.5772	* 1.2967	* 1.4033	* 1.2697	* 2.3333 *
9	* 1.3313	* 1.3228	* 1.5825	* 1.8203	* 1.5160	* 1.6918	* 1.8546	* 0.9110 *
	* 1.7710	* 1.7809	* 1.4894	* 1.2944	* 1.5521	* 1.3937	* 1.2720	* 2.3330 *
10	* 1.7922	* 1.5814	* 1.3427	* 1.4716	* 1.8556	* 1.7116	* 1.8657	* 0.8669 *
	* 1.3159	* 1.4905	* 1.7538	* 1.6078	* 1.2804	* 1.3888	* 1.2728	* 2.4401 *
11	* 1.4909	* 1.8179	* 1.4713	* 1.8523	* 1.6773	* 1.9354	* 1.9074	* 0.7522 *
	* 1.5772	* 1.2960	* 1.6087	* 1.2879	* 1.4219	* 1.2340	* 1.2490	* 2.8820 *
12	* 1.8156	* 1.5145	* 1.8555	* 1.6774	* 1.4744	* 1.8833	* 1.1846	*
	* 1.2967	* 1.5535	* 1.2804	* 1.4218	* 1.6269	* 1.2729	* 1.8160	*
13	* 1.6784	* 1.6917	* 1.7121	* 1.9358	* 1.8837	* 1.1144	* 0.5742	*
	* 1.4033	* 1.3938	* 1.3884	* 1.2338	* 1.2726	* 1.9502	* 3.7581	*
14	* 1.8564	* 1.8549	* 1.8665	* 1.9083	* 1.1852	* 0.5825	*	
	* 1.2697	* 1.2719	* 1.2723	* 1.2484	* 1.8151	* 3.6897	*	
15	* 0.9116	* 0.9112	* 0.8675	* 0.7543	* F-SUB-Q			
	* 2.3333	* 2.3325	* 2.4385	* 2.8567	* M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6090	* 1.3214	* 1.8093	* 1.4952	* 1.8393	* 1.6915	* 1.8882	* 0.9042 *
	* 1.4466	* 1.7414	* 1.2749	* 1.5378	* 1.2533	* 1.3636	* 1.2231	* 2.2976 *
9	* 1.3214	* 1.3220	* 1.5864	* 1.8400	* 1.5227	* 1.7065	* 1.8865	* 0.8997 *
	* 1.7414	* 1.7388	* 1.4523	* 1.2530	* 1.5118	* 1.3533	* 1.2253	* 2.3073 *
10	* 1.8093	* 1.5852	* 1.3360	* 1.4739	* 1.8822	* 1.7303	* 1.8990	* 0.8577 *
	* 1.2749	* 1.4534	* 1.7206	* 1.5717	* 1.2363	* 1.3452	* 1.2249	* 2.4090 *
11	* 1.4952	* 1.8374	* 1.4734	* 1.8762	* 1.6894	* 1.9696	* 1.9409	* 0.7421 *
	* 1.5378	* 1.2547	* 1.5721	* 1.2448	* 1.3821	* 1.1867	* 1.2013	* 2.8526 *
12	* 1.8393	* 1.5212	* 1.8821	* 1.6895	* 1.4843	* 1.9139	* 1.1751	*
	* 1.2533	* 1.5132	* 1.2364	* 1.3821	* 1.5819	* 1.2252	* 1.7910	*
13	* 1.6915	* 1.7064	* 1.7309	* 1.9700	* 1.9142	* 1.1054	* 0.5645	*
	* 1.3636	* 1.3534	* 1.3448	* 1.1865	* 1.2250	* 1.9227	* 3.7284	*
14	* 1.8882	* 1.8867	* 1.8997	* 1.9418	* 1.1757	* 0.5725	*	
	* 1.2231	* 1.2252	* 1.2245	* 1.2008	* 1.7901	* 3.6620	*	
15	* 0.9042	* 0.8999	* 0.8583	* 0.7436	* F-SUB-Q			
	* 2.2976	* 2.3068	* 2.4075	* 2.8295	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 33 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5985	* 1.3077	* 1.8026	* 1.4861	* 1.8376	* 1.6876	* 1.8940	* 0.8979 *
	* 1.4030	* 1.6958	* 1.2330	* 1.4915	* 1.2101	* 1.3189	* 1.1768	* 2.2315 *
9	* 1.3077	* 1.3098	* 1.5747	* 1.8351	* 1.5154	* 1.7036	* 1.8924	* 0.8919 *
	* 1.6958	* 1.6917	* 1.4102	* 1.2111	* 1.4645	* 1.3081	* 1.1788	* 2.2445 *
10	* 1.8026	* 1.5734	* 1.3236	* 1.4640	* 1.8827	* 1.7320	* 1.9071	* 0.8507 *
	* 1.2330	* 1.4113	* 1.6741	* 1.5249	* 1.1926	* 1.2976	* 1.1775	* 2.3415 *
11	* 1.4861	* 1.8324	* 1.4636	* 1.8750	* 1.6860	* 1.9776	* 1.9505	* 0.7363 *
	* 1.4915	* 1.2129	* 1.5254	* 1.2025	* 1.3373	* 1.1424	* 1.1545	* 2.7696 *
12	* 1.8376	* 1.5138	* 1.8826	* 1.6860	* 1.4805	* 1.9209	* 1.1691	*
	* 1.2101	* 1.4661	* 1.1927	* 1.3373	* 1.5339	* 1.1803	* 1.7348	*
13	* 1.6876	* 1.7035	* 1.7325	* 1.9780	* 1.9212	* 1.0985	* 0.5580	*
	* 1.3189	* 1.3082	* 1.2972	* 1.1422	* 1.1801	* 1.8659	* 3.6298	*
14	* 1.8940	* 1.8926	* 1.9078	* 1.9514	* 1.1696	* 0.5660	*	*
	* 1.1768	* 1.1787	* 1.1771	* 1.1540	* 1.7340	* 3.5643	*	*
15	* 0.8979	* 0.8921	* 0.8512	* 0.7371	F-SUB-Q			
	* 2.2315	* 2.2440	* 2.3400	* 2.7498	M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5768	* 1.2910	* 1.7809	* 1.4670	* 1.8197	* 1.6722	* 1.8821	* 0.8910 *
	* 1.3744	* 1.6608	* 1.2064	* 1.4614	* 1.1817	* 1.2874	* 1.1449	* 2.1756 *
9	* 1.2910	* 1.2909	* 1.5529	* 1.8143	* 1.4977	* 1.6893	* 1.8807	* 0.8859 *
	* 1.6608	* 1.6600	* 1.3828	* 1.1844	* 1.4333	* 1.2759	* 1.1467	* 2.1861 *
10	* 1.7809	* 1.5516	* 1.3045	* 1.4453	* 1.8660	* 1.7202	* 1.8971	* 0.8440 *
	* 1.2064	* 1.3839	* 1.6428	* 1.4929	* 1.1622	* 1.2619	* 1.1434	* 2.2823 *
11	* 1.4670	* 1.8114	* 1.4448	* 1.8575	* 1.6708	* 1.9665	* 1.9417	* 0.7321 *
	* 1.4614	* 1.1862	* 1.4934	* 1.1720	* 1.3030	* 1.1087	* 1.1195	* 2.6920 *
12	* 1.8197	* 1.4961	* 1.8658	* 1.6708	* 1.4667	* 1.9105	* 1.1638	*
	* 1.1817	* 1.4348	* 1.1623	* 1.3030	* 1.4949	* 1.1448	* 1.6820	*
13	* 1.6722	* 1.6891	* 1.7207	* 1.9668	* 1.9108	* 1.0913	* 0.5531	*
	* 1.2874	* 1.2760	* 1.2616	* 1.1085	* 1.1447	* 1.8123	* 3.5355	*
14	* 1.8821	* 1.8809	* 1.8978	* 1.9425	* 1.1643	* 0.5609	*	*
	* 1.1449	* 1.1465	* 1.1430	* 1.1190	* 1.6813	* 3.4721	*	*
15	* 0.8910	* 0.8861	* 0.8445	* 0.7332	F-SUB-Q			
	* 2.1756	* 2.1856	* 2.2809	* 2.6718	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 34 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5379	* 1.2702	* 1.7385	* 1.4362	* 1.7792	* 1.6414	* 1.8463	* 0.8835 *
	* 1.4731	* 1.7676	* 1.2939	* 1.5641	* 1.2660	* 1.3740	* 1.2221	* 2.2992 *
9	* 1.2702	* 1.2624	* 1.5179	* 1.7720	* 1.4676	* 1.6590	* 1.8450	* 0.8808 *
	* 1.7676	* 1.7782	* 1.4818	* 1.2699	* 1.5325	* 1.3609	* 1.2237	* 2.3041 *
10	* 1.7385	* 1.5165	* 1.2829	* 1.4180	* 1.8257	* 1.6923	* 1.8638	* 0.8377 *
	* 1.2939	* 1.4831	* 1.7508	* 1.5939	* 1.2425	* 1.3416	* 1.2172	* 2.4085 *
11	* 1.4362	* 1.7691	* 1.4177	* 1.8172	* 1.6413	* 1.9315	* 1.9104	* 0.7297 *
	* 1.5641	* 1.2719	* 1.5952	* 1.2523	* 1.3867	* 1.1793	* 1.1891	* 2.8273 *
12	* 1.7792	* 1.4658	* 1.8255	* 1.6414	* 1.4405	* 1.8782	* 1.1586	*
	* 1.2660	* 1.5343	* 1.2426	* 1.3867	* 1.5902	* 1.2159	* 1.7656	*
13	* 1.6414	* 1.6588	* 1.6928	* 1.9319	* 1.8784	* 1.0841	* 0.5495	*
	* 1.3740	* 1.3610	* 1.3413	* 1.1791	* 1.2157	* 1.9052	* 3.7202	*
14	* 1.8463	* 1.8452	* 1.8645	* 1.9112	* 1.1591	* 0.5577	*	*
	* 1.2221	* 1.2236	* 1.2168	* 1.1886	* 1.7649	* 3.6508	*	*
15	* 0.8835	* 0.8810	* 0.8382	* 0.7308	F-SUB-Q			
	* 2.2992	* 2.3036	* 2.4070	* 2.8056	M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5307	* 1.2446	* 1.7324	* 1.4196	* 1.7750	* 1.6305	* 1.8489	* 0.8608 *
	* 1.4225	* 1.7427	* 1.2549	* 1.5321	* 1.2288	* 1.3404	* 1.1819	* 2.2889 *
9	* 1.2446	* 1.2470	* 1.5027	* 1.7654	* 1.4524	* 1.6495	* 1.8476	* 0.8537 *
	* 1.7427	* 1.7408	* 1.4475	* 1.2330	* 1.4997	* 1.3260	* 1.1830	* 2.3057 *
10	* 1.7324	* 1.5013	* 1.2583	* 1.3971	* 1.8226	* 1.6850	* 1.8681	* 0.8137 *
	* 1.2549	* 1.4489	* 1.7264	* 1.5620	* 1.2014	* 1.3019	* 1.1732	* 2.4024 *
11	* 1.4196	* 1.7623	* 1.3965	* 1.8135	* 1.6293	* 1.9357	* 1.9143	* 0.7061 *
	* 1.5321	* 1.2351	* 1.5626	* 1.2092	* 1.3480	* 1.1344	* 1.1448	* 2.8267 *
12	* 1.7750	* 1.4506	* 1.8224	* 1.6294	* 1.4285	* 1.8799	* 1.1280	*
	* 1.2288	* 1.5015	* 1.2016	* 1.3481	* 1.5410	* 1.1687	* 1.7478	*
13	* 1.6305	* 1.6494	* 1.6854	* 1.9360	* 1.8802	* 1.0569	* 0.5306	*
	* 1.3404	* 1.3262	* 1.3016	* 1.1342	* 1.1686	* 1.8797	* 3.7192	*
14	* 1.8489	* 1.8478	* 1.8687	* 1.9151	* 1.1285	* 0.5383	*	*
	* 1.1819	* 1.1829	* 1.1728	* 1.1443	* 1.7471	* 3.6515	*	*
15	* 0.8608	* 0.8539	* 0.8142	* 0.7062	F-SUB-Q			
	* 2.2889	* 2.3052	* 2.4009	* 2.8094	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 35 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4921	* 1.2120	* 1.6887	* 1.3818	* 1.7307	* 1.5933	* 1.8081	* 0.8379 *
	* 1.4031	* 1.7268	* 1.2421	* 1.5197	* 1.2164	* 1.3242	* 1.1661	* 2.2718 *
9	* 1.2120	* 1.2154	* 1.4644	* 1.7198	* 1.4148	* 1.6132	* 1.8068	* 0.8305 *
	* 1.7268	* 1.7242	* 1.4337	* 1.2213	* 1.4864	* 1.3088	* 1.1672	* 2.2896 *
10	* 1.6887	* 1.4630	* 1.2252	* 1.3594	* 1.7771	* 1.6480	* 1.8284	* 0.7913 *
	* 1.2421	* 1.4350	* 1.7118	* 1.5486	* 1.1877	* 1.2832	* 1.1554	* 2.3859 *
11	* 1.3818	* 1.7167	* 1.3588	* 1.7690	* 1.5922	* 1.8939	* 1.8742	* 0.6866 *
	* 1.5197	* 1.2235	* 1.5492	* 1.1938	* 1.3292	* 1.1162	* 1.1263	* 2.8063 *
12	* 1.7307	* 1.4130	* 1.7768	* 1.5923	* 1.3943	* 1.8392	* 1.0994	*
	* 1.2164	* 1.4882	* 1.1879	* 1.3291	* 1.5173	* 1.1492	* 1.7278	*
13	* 1.5933	* 1.6130	* 1.6484	* 1.8942	* 1.8394	* 1.0299	* 0.5151	*
	* 1.3242	* 1.3090	* 1.2829	* 1.1160	* 1.1491	* 1.8561	* 3.6946	*
14	* 1.8081	* 1.8070	* 1.8290	* 1.8749	* 1.0998	* 0.5225	*	
	* 1.1661	* 1.1671	* 1.1551	* 1.1259	* 1.7272	* 3.6275	*	
15	* 0.8379	* 0.8307	* 0.7918	* 0.6865	* F-SUB-Q			
	* 2.2718	* 2.2891	* 2.3845	* 2.7897	* M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4137	* 1.1686	* 1.5991	* 1.3183	* 1.6382	* 1.5248	* 1.7143	* 0.8130 *
	* 1.4349	* 1.7377	* 1.2721	* 1.5457	* 1.2466	* 1.3423	* 1.1928	* 2.2737 *
9	* 1.1686	* 1.1642	* 1.3985	* 1.6271	* 1.3506	* 1.5440	* 1.7129	* 0.8094 *
	* 1.7377	* 1.7468	* 1.4565	* 1.2521	* 1.5112	* 1.3265	* 1.1938	* 2.2813 *
10	* 1.5991	* 1.3971	* 1.1793	* 1.3034	* 1.6803	* 1.5747	* 1.7344	* 0.7688 *
	* 1.2721	* 1.4579	* 1.7259	* 1.5668	* 1.2172	* 1.3012	* 1.1802	* 2.3839 *
11	* 1.3183	* 1.6242	* 1.3030	* 1.6754	* 1.5227	* 1.7950	* 1.7785	* 0.6695 *
	* 1.5457	* 1.2544	* 1.5672	* 1.2208	* 1.3457	* 1.1402	* 1.1495	* 2.7932 *
12	* 1.6382	* 1.3494	* 1.6801	* 1.5228	* 1.3332	* 1.7450	* 1.0689	*
	* 1.2466	* 1.5131	* 1.2174	* 1.3456	* 1.5365	* 1.1722	* 1.7217	*
13	* 1.5248	* 1.5438	* 1.5751	* 1.7952	* 1.7452	* 1.0001	* 0.5025	*
	* 1.3423	* 1.3266	* 1.3009	* 1.1400	* 1.1721	* 1.8512	* 3.6738	*
14	* 1.7143	* 1.7131	* 1.7350	* 1.7793	* 1.0693	* 0.5098	*	
	* 1.1928	* 1.1937	* 1.1798	* 1.1490	* 1.7211	* 3.6067	*	
15	* 0.8130	* 0.8096	* 0.7693	* 0.6703	* F-SUB-Q			
	* 2.2737	* 2.2808	* 2.3825	* 2.7728	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 36 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3455	* 1.1081	* 1.5253	* 1.2602	* 1.5622	* 1.4642	* 1.6369	* 0.7663
	* 1.4704	* 1.7881	* 1.3007	* 1.5776	* 1.2749	* 1.3632	* 1.2179	* 2.3552
9	* 1.1081	* 1.1166	* 1.3417	* 1.5516	* 1.2933	* 1.4828	* 1.6352	* 0.7595
	* 1.7881	* 1.7772	* 1.4810	* 1.2805	* 1.5411	* 1.3468	* 1.2192	* 2.3737
10	* 1.5253	* 1.3404	* 1.1242	* 1.2401	* 1.6000	* 1.5073	* 1.6553	* 0.7218
	* 1.3007	* 1.4824	* 1.7667	* 1.6051	* 1.2458	* 1.3245	* 1.2049	* 2.4786
11	* 1.2602	* 1.5487	* 1.2396	* 1.5982	* 1.4563	* 1.7107	* 1.6932	* 0.6239
	* 1.5776	* 1.2828	* 1.6058	* 1.2469	* 1.3706	* 1.1651	* 1.1761	* 2.9253
12	* 1.5622	* 1.2922	* 1.5997	* 1.4564	* 1.2755	* 1.6604	* 1.0001	*
	* 1.2749	* 1.5424	* 1.2460	* 1.3705	* 1.5649	* 1.1997	* 1.7938	*
13	* 1.4642	* 1.4826	* 1.5077	* 1.7109	* 1.6607	* 0.9392	* 0.4693	*
	* 1.3632	* 1.3470	* 1.3242	* 1.1650	* 1.1995	* 1.9212	* 3.8388	*
14	* 1.6369	* 1.6354	* 1.6559	* 1.6939	* 1.0005	* 0.4754	*	*
	* 1.2179	* 1.2191	* 1.2045	* 1.1757	* 1.7931	* 3.7743	*	*
15	* 0.7663	* 0.7596	* 0.7222	* 0.6246	* F-SUB-Q			
	* 2.3552	* 2.3733	* 2.4771	* 2.9042	* M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2037	* 1.0100	* 1.3751	* 1.1591	* 1.4115	* 1.3404	* 1.4755	* 0.7080
	* 1.6125	* 1.9248	* 1.4147	* 1.6819	* 1.3833	* 1.4599	* 1.3258	* 2.5024
9	* 1.0100	* 1.0183	* 1.2318	* 1.4053	* 1.1880	* 1.3513	* 1.4718	* 0.6993
	* 1.9248	* 1.9120	* 1.5820	* 1.3862	* 1.6430	* 1.4485	* 1.3281	* 2.5309
10	* 1.3751	* 1.2306	* 1.0293	* 1.1418	* 1.4434	* 1.3735	* 1.4878	* 0.6642
	* 1.4147	* 1.5836	* 1.8931	* 1.7090	* 1.3532	* 1.4242	* 1.3132	* 2.6439
11	* 1.1591	* 1.4028	* 1.1414	* 1.4428	* 1.3306	* 1.5342	* 1.5181	* 0.5698
	* 1.6819	* 1.3886	* 1.7097	* 1.3534	* 1.4698	* 1.2727	* 1.2854	* 3.1445
12	* 1.4115	* 1.1865	* 1.4431	* 1.3305	* 1.1628	* 1.4875	* 0.9106	*
	* 1.3833	* 1.6450	* 1.3534	* 1.4699	* 1.6823	* 1.3121	* 1.9320	*
13	* 1.3404	* 1.3511	* 1.3738	* 1.5345	* 1.4877	* 0.8558	* 0.4290	*
	* 1.4599	* 1.4487	* 1.4239	* 1.2725	* 1.3120	* 2.0681	* 4.1242	*
14	* 1.4755	* 1.4720	* 1.4883	* 1.5188	* 0.9110	* 0.4344	*	*
	* 1.3258	* 1.3280	* 1.3128	* 1.2849	* 1.9313	* 4.0569	*	*
15	* 0.7080	* 0.6994	* 0.6646	* 0.5711	* F-SUB-Q			
	* 2.5024	* 2.5304	* 2.6423	* 3.1183	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 37 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 100 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9914	* 0.8166	* 1.1975	* 0.9528	* 1.2604	* 1.0872	* 1.2776	* 0.5893
	* 1.9316	* 2.3482	* 1.6023	* 2.0168	* 1.5270	* 1.7728	* 1.5076	* 2.9681
9	* 0.8166	* 0.8109	* 1.0093	* 1.2340	* 0.9771	* 1.0815	* 1.2747	* 0.5818
	* 2.3482	* 2.3683	* 1.9035	* 1.5565	* 1.9682	* 1.7834	* 1.5110	* 3.0024
10	* 1.1975	* 1.0083	* 0.8294	* 0.9428	* 1.2865	* 1.1025	* 1.2713	* 0.5504
	* 1.6023	* 1.9052	* 2.3166	* 2.0400	* 1.4963	* 1.7483	* 1.5147	* 3.1494
11	* 0.9528	* 1.2322	* 0.9425	* 1.2518	* 1.0819	* 1.2695	* 1.2318	* 0.4675
	* 2.0168	* 1.5588	* 2.0408	* 1.5376	* 1.7807	* 1.5165	* 1.5612	* 3.7839
12	* 1.2604	* 0.9760	* 1.2863	* 1.0819	* 0.9300	* 1.2181	* 0.7445	*
	* 1.5270	* 1.9704	* 1.4966	* 1.7808	* 2.0723	* 1.5792	* 2.3314	*
13	* 1.0872	* 1.0813	* 1.1027	* 1.2696	* 1.2182	* 0.6942	* 0.3518	*
	* 1.7728	* 1.7837	* 1.7479	* 1.5164	* 1.5791	* 2.5152	* 4.9680	*
14	* 1.2776	* 1.2748	* 1.2716	* 1.2323	* 0.7447	* 0.3559	*	*
	* 1.5076	* 1.5109	* 1.5143	* 1.5605	* 2.3306	* 4.8905	*	*
15	* 0.5893	* 0.5819	* 0.5507	* 0.4693	* F-SUB-Q			
	* 2.9681	* 3.0016	* 3.1478	* 3.7475	* M-SUB-Q			

AT 100% POWER, 100 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3963	* 0.3528	* 0.4682	* 0.4150	* 0.5008	* 0.4324	* 0.4651	* 0.2467
	* 4.7949	* 5.3913	* 4.0638	* 4.5898	* 3.8063	* 4.4155	* 4.1059	* 7.0379
9	* 0.3528	* 0.3445	* 0.4041	* 0.4881	* 0.4198	* 0.4272	* 0.4638	* 0.2426
	* 5.3913	* 5.5268	* 4.7106	* 3.9011	* 4.5406	* 4.4710	* 4.1169	* 7.1489
10	* 0.4682	* 0.4037	* 0.3611	* 0.4108	* 0.5059	* 0.4334	* 0.4611	* 0.2332
	* 4.0638	* 4.7154	* 5.2745	* 4.6402	* 3.7703	* 4.4045	* 4.1399	* 7.3796
11	* 0.4150	* 0.4875	* 0.4107	* 0.4921	* 0.4329	* 0.4995	* 0.4398	* 0.2046
	* 4.5898	* 3.9062	* 4.6419	* 3.8747	* 4.4078	* 3.8195	* 4.3379	* 8.5850
12	* 0.5008	* 0.4194	* 0.5058	* 0.4329	* 0.3925	* 0.4399	* 0.3034	*
	* 3.8063	* 4.5448	* 3.7710	* 4.4081	* 4.8642	* 4.3376	* 5.6775	*
13	* 0.4324	* 0.4271	* 0.4334	* 0.4996	* 0.4399	* 0.2850	* 0.1515	*
	* 4.4155	* 4.4716	* 4.4046	* 3.8193	* 4.3372	* 6.0797	* 11.4562	*
14	* 0.4651	* 0.4638	* 0.4612	* 0.4399	* 0.3035	* 0.1525	*	*
	* 4.1059	* 4.1166	* 4.1389	* 4.3364	* 5.6759	* 11.3373	*	*
15	* 0.2467	* 0.2426	* 0.2333	* 0.2031	* F-SUB-Q			
	* 7.0379	* 7.1473	* 7.3765	* 8.5972	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 38 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 150 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8	* 0.3641	* 0.3938	* 0.4991	* 0.4476	* 0.5120	* 0.4476	* 0.4560	* 0.2579
	* 4.0964	* 4.6891	* 3.7285	* 4.0313	* 3.5205	* 3.9841	* 3.8979	* 6.1692

9	* 0.3938	* 0.3916	* 0.4458	* 0.5099	* 0.4459	* 0.4437	* 0.4546	* 0.2567
	* 4.6891	* 4.7867	* 4.1382	* 3.5764	* 4.0518	* 4.0342	* 3.9269	* 6.2070

10	* 0.4991	* 0.4458	* 0.4117	* 0.4473	* 0.5083	* 0.4411	* 0.4477	* 0.2485
	* 3.7285	* 4.1381	* 4.4997	* 4.1272	* 3.6604	* 4.1759	* 4.0809	* 6.4482

11	* 0.4476	* 0.5099	* 0.4474	* 0.4984	* 0.4428	* 0.4826	* 0.4238	* 0.2119
	* 4.0313	* 3.5764	* 4.1266	* 3.6990	* 4.1117	* 3.7946	* 4.3801	* 7.9546

12	* 0.5120	* 0.4458	* 0.5084	* 0.4428	* 0.3780	* 0.4094	* 0.3031	*
	* 3.5205	* 4.0513	* 3.6600	* 4.1113	* 4.4379	* 4.2004	* 5.3580	*

13	* 0.4476	* 0.4437	* 0.4412	* 0.4827	* 0.4094	* 0.2770	* 0.1656	*
	* 3.9841	* 4.0340	* 4.1752	* 3.7938	* 4.1997	* 5.4596	* 9.6067	*

14	* 0.4560	* 0.4547	* 0.4479	* 0.4240	* 0.3032	* 0.1665	*	*
	* 3.8979	* 3.9263	* 4.0794	* 4.3783	* 5.3557	* 9.5298	*	*

15	* 0.2579	* 0.2567	* 0.2487	* 0.2108	F-SUB-Q			
	* 6.1692	* 6.2060	* 6.4445	* 7.9416	M-SUB-Q			

AT 100% POWER, 150 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8	* 0.9375	* 0.8480	* 1.1277	* 0.9465	* 1.1427	* 1.0172	* 1.1022	* 0.5862
	* 1.8783	* 2.2273	* 1.6880	* 1.9504	* 1.6173	* 1.7951	* 1.6511	* 2.7801

9	* 0.8480	* 0.8488	* 1.0163	* 1.1415	* 0.9522	* 1.0107	* 1.0995	* 0.5851
	* 2.2273	* 2.2501	* 1.8610	* 1.6336	* 1.9410	* 1.8128	* 1.6620	* 2.7957

10	* 1.1277	* 1.0163	* 0.8726	* 0.9439	* 1.1378	* 1.0097	* 1.0863	* 0.5584
	* 1.6880	* 1.8611	* 2.1724	* 2.0023	* 1.6635	* 1.8592	* 1.7185	* 2.9370

11	* 0.9465	* 1.1414	* 0.9440	* 1.1273	* 1.0106	* 1.0890	* 1.0416	* 0.4670
	* 1.9504	* 1.6339	* 2.0021	* 1.6685	* 1.8401	* 1.7160	* 1.8009	* 3.6914

12	* 1.1427	* 0.9522	* 1.1379	* 1.0107	* 0.8448	* 1.0343	* 0.7021	*
	* 1.6173	* 1.9409	* 1.6633	* 1.8400	* 2.0880	* 1.7466	* 2.3631	*

13	* 1.0172	* 1.0108	* 1.0099	* 1.0893	* 1.0345	* 0.6673	* 0.3742	*
	* 1.7951	* 1.8128	* 1.8588	* 1.7156	* 1.7463	* 2.3985	* 4.3643	*

14	* 1.1022	* 1.0997	* 1.0867	* 1.0422	* 0.7025	* 0.3775	*	*
	* 1.6511	* 1.6618	* 1.7179	* 1.8000	* 2.3619	* 4.3141	*	*

15	* 0.5862	* 0.5852	* 0.5588	* 0.4711	F-SUB-Q			
	* 2.7801	* 2.7950	* 2.9352	* 3.6336	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 39 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 150 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1827	* 1.0444	* 1.3143	* 1.1516	* 1.3070	* 1.2443	* 1.2879	* 0.7143 *
	* 1.5929	* 1.8464	* 1.4723	* 1.6319	* 1.4286	* 1.4901	* 1.4344	* 2.3172 *
9	* 1.0444	* 1.0468	* 1.2302	* 1.3250	* 1.1565	* 1.2441	* 1.2853	* 0.7158 *
	* 1.8464	* 1.8569	* 1.5644	* 1.4303	* 1.6247	* 1.4955	* 1.4435	* 2.3146 *
10	* 1.3143	* 1.2301	* 1.0656	* 1.1426	* 1.3114	* 1.2361	* 1.2739	* 0.6838 *
	* 1.4723	* 1.5647	* 1.8089	* 1.6786	* 1.4653	* 1.5407	* 1.4886	* 2.4352 *
11	* 1.1516	* 1.3247	* 1.1427	* 1.3150	* 1.2325	* 1.3047	* 1.2757	* 0.5796 *
	* 1.6319	* 1.4306	* 1.6785	* 1.4498	* 1.5337	* 1.4541	* 1.4942	* 3.0188 *
12	* 1.3070	* 1.1564	* 1.3117	* 1.2327	* 1.0847	* 1.2688	* 0.8740	*
	* 1.4286	* 1.6247	* 1.4651	* 1.5335	* 1.7234	* 1.4726	* 1.9348	*
13	* 1.2443	* 1.2442	* 1.2364	* 1.3051	* 1.2691	* 0.8377	* 0.4642	*
	* 1.4901	* 1.4955	* 1.5403	* 1.4537	* 1.4722	* 1.9880	* 3.5987	*
14	* 1.2879	* 1.2854	* 1.2744	* 1.2764	* 0.8746	* 0.4693	*	
	* 1.4344	* 1.4433	* 1.4880	* 1.4935	* 1.9337	* 3.5504	*	
15	* 0.7143	* 0.7159	* 0.6843	* 0.5840	* F-SUB-Q			
	* 2.3172	* 2.3142	* 2.4335	* 2.9745	* M-SUB-Q			

AT 100% POWER, 150 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3565	* 1.1592	* 1.5064	* 1.2813	* 1.5010	* 1.3954	* 1.4853	* 0.7794 *
	* 1.4257	* 1.6980	* 1.3054	* 1.4905	* 1.2627	* 1.3490	* 1.2615	* 2.1558 *
9	* 1.1592	* 1.1609	* 1.3698	* 1.5148	* 1.2883	* 1.3989	* 1.4827	* 0.7793 *
	* 1.6980	* 1.7068	* 1.4283	* 1.2708	* 1.4819	* 1.3505	* 1.2690	* 2.1582 *
10	* 1.5064	* 1.3696	* 1.1783	* 1.2692	* 1.5124	* 1.3882	* 1.4734	* 0.7449 *
	* 1.3054	* 1.4287	* 1.6631	* 1.5361	* 1.2935	* 1.3960	* 1.3051	* 2.2690 *
11	* 1.2813	* 1.5143	* 1.2692	* 1.5095	* 1.3840	* 1.5105	* 1.4719	* 0.6330 *
	* 1.4905	* 1.2713	* 1.5361	* 1.2859	* 1.3921	* 1.2798	* 1.3167	* 2.8050 *
12	* 1.5010	* 1.2880	* 1.5126	* 1.3843	* 1.2199	* 1.4668	* 0.9663	*
	* 1.2627	* 1.4821	* 1.2933	* 1.3919	* 1.5692	* 1.3015	* 1.7850	*
13	* 1.3954	* 1.3989	* 1.3885	* 1.5109	* 1.4672	* 0.9253	* 0.5036	*
	* 1.3490	* 1.3505	* 1.3955	* 1.2795	* 1.3012	* 1.8453	* 3.3924	*
14	* 1.4853	* 1.4829	* 1.4740	* 1.4727	* 0.9670	* 0.5094	*	
	* 1.2615	* 1.2688	* 1.3045	* 1.3160	* 1.7839	* 3.3448	*	
15	* 0.7794	* 0.7795	* 0.7454	* 0.6366	* F-SUB-Q			
	* 2.1558	* 2.1578	* 2.2674	* 2.7686	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 40 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.4369	* 1.2108	* 1.6055	* 1.3488	* 1.6085	* 1.4727	* 1.5948	* 0.8223 *
	* 1.3780	* 1.6618	* 1.2462	* 1.4404	* 1.1990	* 1.3004	* 1.1940	* 2.0791 *
9	* 1.2108	* 1.2094	* 1.4365	* 1.6202	* 1.3593	* 1.4764	* 1.5923	* 0.8250 *
	* 1.6618	* 1.6739	* 1.3859	* 1.2084	* 1.4296	* 1.3015	* 1.2007	* 2.0744 *
10	* 1.6055	* 1.4361	* 1.2297	* 1.3351	* 1.6260	* 1.4689	* 1.5856	* 0.7864 *
	* 1.2462	* 1.3864	* 1.6221	* 1.4866	* 1.2280	* 1.3388	* 1.2312	* 2.1854 *
11	* 1.3488	* 1.6193	* 1.3351	* 1.6178	* 1.4645	* 1.6240	* 1.5837	* 0.6718 *
	* 1.4404	* 1.2090	* 1.4867	* 1.2270	* 1.3438	* 1.2155	* 1.2482	* 2.6842 *
12	* 1.6085	* 1.3588	* 1.6262	* 1.4647	* 1.2891	* 1.5769	* 1.0291	*
	* 1.1990	* 1.4299	* 1.2279	* 1.3436	* 1.5198	* 1.2374	* 1.7131	*
13	* 1.4727	* 1.4764	* 1.4692	* 1.6245	* 1.5773	* 0.9800	* 0.5293	*
	* 1.3004	* 1.3016	* 1.3384	* 1.2152	* 1.2371	* 1.7843	* 3.3065	*
14	* 1.5948	* 1.5925	* 1.5863	* 1.5845	* 1.0297	* 0.5359	*	
	* 1.1940	* 1.2006	* 1.2308	* 1.2475	* 1.7121	* 3.2567	*	
15	* 0.8223	* 0.8251	* 0.7870	* 0.6748	* F-SUB-Q			
	* 2.0791	* 2.0740	* 2.1838	* 2.6528	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.4724	* 1.2377	* 1.6575	* 1.3876	* 1.6696	* 1.5180	* 1.6596	* 0.8522
	* 1.3751	* 1.6597	* 1.2302	* 1.4290	* 1.1789	* 1.2877	* 1.1698	* 2.0476
9	* 1.2377	* 1.2317	* 1.4697	* 1.6793	* 1.4005	* 1.5214	* 1.6571	* 0.8557
	* 1.6597	* 1.6734	* 1.3805	* 1.1892	* 1.4161	* 1.2884	* 1.1759	* 2.0407
10	* 1.6575	* 1.4692	* 1.2586	* 1.3737	* 1.6913	* 1.5178	* 1.6528	* 0.8156
	* 1.2302	* 1.3811	* 1.6128	* 1.4745	* 1.2024	* 1.3186	* 1.2019	* 2.1479
11	* 1.3876	* 1.6782	* 1.3737	* 1.6786	* 1.5115	* 1.6901	* 1.6509	* 0.7002
	* 1.4290	* 1.1900	* 1.4747	* 1.2067	* 1.3285	* 1.1915	* 1.2197	* 2.6188
12	* 1.6696	* 1.3999	* 1.6915	* 1.5117	* 1.3289	* 1.6413	* 1.0711	*
	* 1.1789	* 1.4165	* 1.2023	* 1.3284	* 1.5080	* 1.2161	* 1.6821	*
13	* 1.5180	* 1.5213	* 1.5183	* 1.6905	* 1.6417	* 1.0166	* 0.5472	*
	* 1.2877	* 1.2884	* 1.3182	* 1.1912	* 1.2159	* 1.7647	* 3.2802	*
14	* 1.6596	* 1.6573	* 1.6534	* 1.6517	* 1.0718	* 0.5546	*	*
	* 1.1698	* 1.1758	* 1.2014	* 1.2191	* 1.6812	* 3.2271	*	*
15	* 0.8522	* 0.8559	* 0.8161	* 0.7028	* F-SUB-Q			
	* 2.0476	* 2.0403	* 2.1464	* 2.5900	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 41 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 100% POWER, 150 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5054	* 1.2545	* 1.7076	* 1.4210	* 1.7287	* 1.5599	* 1.7234	* 0.8693
	* 1.3758	* 1.6624	* 1.2193	* 1.4288	* 1.1661	* 1.2835	* 1.1521	* 2.0558
9	* 1.2545	* 1.2509	* 1.4998	* 1.7360	* 1.4365	* 1.5632	* 1.7209	* 0.8719
	* 1.6624	* 1.6713	* 1.3813	* 1.1770	* 1.4135	* 1.2833	* 1.1576	* 2.0509
10	* 1.7076	* 1.4992	* 1.2779	* 1.4058	* 1.7540	* 1.5645	* 1.7181	* 0.8306
	* 1.2193	* 1.3820	* 1.6229	* 1.4707	* 1.1764	* 1.3000	* 1.1793	* 2.1556
11	* 1.4210	* 1.7348	* 1.4057	* 1.7369	* 1.5537	* 1.7534	* 1.7142	* 0.7132
	* 1.4288	* 1.1779	* 1.4708	* 1.1881	* 1.3158	* 1.1686	* 1.1909	* 2.6136
12	* 1.7287	* 1.4357	* 1.7541	* 1.5539	* 1.3638	* 1.7008	* 1.0942	*
	* 1.1661	* 1.4140	* 1.1763	* 1.3157	* 1.5038	* 1.2007	* 1.6802	*
13	* 1.5599	* 1.5632	* 1.5650	* 1.7538	* 1.7011	* 1.0358	* 0.5544	*
	* 1.2835	* 1.2834	* 1.2996	* 1.1683	* 1.2004	* 1.7741	* 3.3170	*
14	* 1.7234	* 1.7211	* 1.7188	* 1.7151	* 1.0948	* 0.5615	*	*
	* 1.1521	* 1.1575	* 1.1788	* 1.1903	* 1.6793	* 3.2655	*	*
15	* 0.8693	* 0.8720	* 0.8311	* 0.7152	* F-SUB-Q			
	* 2.0558	* 2.0505	* 2.1542	* 2.5871	* M-SUB-Q			

AT 100% POWER, 150 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5202	* 1.2637	* 1.7357	* 1.4406	* 1.7653	* 1.5861	* 1.7653	* 0.8824
	* 1.3911	* 1.6894	* 1.2243	* 1.4483	* 1.1743	* 1.2983	* 1.1559	* 2.0827
9	* 1.2637	* 1.2592	* 1.5153	* 1.7701	* 1.4584	* 1.5892	* 1.7625	* 0.8844
	* 1.6894	* 1.7002	* 1.3965	* 1.1855	* 1.4308	* 1.2970	* 1.1606	* 2.0784
10	* 1.7357	* 1.5146	* 1.2898	* 1.4247	* 1.7934	* 1.5948	* 1.7606	* 0.8422
	* 1.2243	* 1.3972	* 1.6445	* 1.4850	* 1.1777	* 1.3021	* 1.1778	* 2.1804
11	* 1.4406	* 1.7687	* 1.4245	* 1.7727	* 1.5799	* 1.7941	* 1.7565	* 0.7238
	* 1.4483	* 1.1865	* 1.4853	* 1.1893	* 1.3226	* 1.1673	* 1.1886	* 2.6226
12	* 1.7653	* 1.4575	* 1.7934	* 1.5800	* 1.3853	* 1.7390	* 1.1121	*
	* 1.1743	* 1.4314	* 1.1776	* 1.3225	* 1.5107	* 1.1978	* 1.6873	*
13	* 1.5861	* 1.5892	* 1.5953	* 1.7945	* 1.7393	* 1.0506	* 0.5598	*
	* 1.2983	* 1.2971	* 1.3017	* 1.1671	* 1.1975	* 1.7871	* 3.3472	*
14	* 1.7653	* 1.7628	* 1.7611	* 1.7574	* 1.1127	* 0.5672	*	*
	* 1.1559	* 1.1604	* 1.1773	* 1.1880	* 1.6864	* 3.2947	*	*
15	* 0.8824	* 0.8846	* 0.8427	* 0.7256	* F-SUB-Q			
	* 2.0827	* 2.0780	* 2.1791	* 2.5972	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 42 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 150 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5356	* 1.2694	* 1.7625	* 1.4571	* 1.8004	* 1.6095	* 1.8053	* 0.8908
	* 1.4285	* 1.7293	* 1.2386	* 1.4780	* 1.1896	* 1.3217	* 1.1671	* 2.1308
9	* 1.2694	* 1.2669	* 1.5292	* 1.8025	* 1.4770	* 1.6132	* 1.8025	* 0.8895
	* 1.7293	* 1.7314	* 1.4213	* 1.2010	* 1.4581	* 1.3188	* 1.1710	* 2.1339
10	* 1.7625	* 1.5284	* 1.2979	* 1.4401	* 1.8304	* 1.6218	* 1.8005	* 0.8488
	* 1.2386	* 1.4221	* 1.6788	* 1.5076	* 1.1836	* 1.3113	* 1.1837	* 2.2285
11	* 1.4571	* 1.8009	* 1.4399	* 1.8071	* 1.6026	* 1.8321	* 1.7954	* 0.7293
	* 1.4780	* 1.2020	* 1.5078	* 1.2047	* 1.3455	* 1.1795	* 1.1919	* 2.6682
12	* 1.8004	* 1.4760	* 1.8304	* 1.6027	* 1.4039	* 1.7740	* 1.1219	*
	* 1.1896	* 1.4589	* 1.1836	* 1.3455	* 1.5422	* 1.2120	* 1.7250	*
13	* 1.6095	* 1.6131	* 1.6222	* 1.8324	* 1.7743	* 1.0594	* 0.5622	*
	* 1.3217	* 1.3189	* 1.3109	* 1.1792	* 1.2118	* 1.8297	* 3.4345	*
14	* 1.8053	* 1.8027	* 1.8010	* 1.7963	* 1.1224	* 0.5697	*	*
	* 1.1671	* 1.1709	* 1.1833	* 1.1913	* 1.7242	* 3.3801	*	*
15	* 0.8908	* 0.8897	* 0.8493	* 0.7308	* F-SUB-Q			
	* 2.1308	* 2.1335	* 2.2272	* 2.6433	* M-SUB-Q			

AT 100% POWER, 150 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5178	* 1.2701	* 1.7495	* 1.4528	* 1.7939	* 1.6082	* 1.8032	* 0.9024
	* 1.4967	* 1.7801	* 1.2908	* 1.5375	* 1.2393	* 1.3729	* 1.2125	* 2.1830
9	* 1.2701	* 1.2572	* 1.5187	* 1.7930	* 1.4739	* 1.6109	* 1.8004	* 0.9047
	* 1.7801	* 1.7992	* 1.4799	* 1.2515	* 1.5155	* 1.3697	* 1.2157	* 2.1763
10	* 1.7495	* 1.5179	* 1.3026	* 1.4366	* 1.8249	* 1.6224	* 1.7989	* 0.8617
	* 1.2908	* 1.4808	* 1.7318	* 1.5605	* 1.2251	* 1.3533	* 1.2243	* 2.2717
11	* 1.4528	* 1.7913	* 1.4364	* 1.7997	* 1.5999	* 1.8285	* 1.7944	* 0.7438
	* 1.5375	* 1.2527	* 1.5608	* 1.2475	* 1.3876	* 1.2163	* 1.2293	* 2.7012
12	* 1.7939	* 1.4728	* 1.8249	* 1.5999	* 1.4020	* 1.7725	* 1.1400	*
	* 1.2393	* 1.5163	* 1.2251	* 1.3876	* 1.5996	* 1.2550	* 1.7495	*
13	* 1.6082	* 1.6108	* 1.6228	* 1.8288	* 1.7728	* 1.0737	* 0.5711	*
	* 1.3729	* 1.3698	* 1.3529	* 1.2161	* 1.2548	* 1.8748	* 3.4956	*
14	* 1.8032	* 1.8006	* 1.7994	* 1.7953	* 1.1405	* 0.5793	*	*
	* 1.2125	* 1.2156	* 1.2239	* 1.2287	* 1.7487	* 3.4365	*	*
15	* 0.9024	* 0.9048	* 0.8622	* 0.7453	* F-SUB-Q			
	* 2.1830	* 2.1759	* 2.2704	* 2.6758	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 43 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 150 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5409	* 1.2709	* 1.7842	* 1.4701	* 1.8361	* 1.6331	* 1.8508	* 0.9025 *
	* 1.5267	* 1.8481	* 1.3168	* 1.5838	* 1.2631	* 1.4100	* 1.2316	* 2.2742 *
9	* 1.2709	* 1.2664	* 1.5358	* 1.8323	* 1.4933	* 1.6374	* 1.8479	* 0.9009 *
	* 1.8481	* 1.8557	* 1.5221	* 1.2761	* 1.5592	* 1.4045	* 1.2343	* 2.2768 *
10	* 1.7842	* 1.5349	* 1.3027	* 1.4516	* 1.8690	* 1.6519	* 1.8466	* 0.8585 *
	* 1.3168	* 1.5231	* 1.8016	* 1.6069	* 1.2444	* 1.3823	* 1.2397	* 2.3716 *
11	* 1.4701	* 1.8304	* 1.4514	* 1.8407	* 1.6246	* 1.8747	* 1.8413	* 0.7393 *
	* 1.5838	* 1.2774	* 1.6071	* 1.2669	* 1.4195	* 1.2327	* 1.2449	* 2.8222 *
12	* 1.8361	* 1.4922	* 1.8689	* 1.6246	* 1.4212	* 1.8137	* 1.1398	*
	* 1.2631	* 1.5601	* 1.2444	* 1.4194	* 1.6358	* 1.2715	* 1.8143	*
13	* 1.6331	* 1.6373	* 1.6523	* 1.8749	* 1.8139	* 1.0723	* 0.5654	*
	* 1.4100	* 1.4046	* 1.3820	* 1.2325	* 1.2713	* 1.9409	* 3.6476	*
14	* 1.8508	* 1.8481	* 1.8471	* 1.8421	* 1.1402	* 0.5729	*	
	* 1.2316	* 1.2341	* 1.2393	* 1.2444	* 1.8135	* 3.5897	*	
15	* 0.9025	* 0.9011	* 0.8590	* 0.7403	* F-SUB-Q			
	* 2.2742	* 2.2764	* 2.3703	* 2.7979	* M-SUB-Q			

AT 100% POWER, 150 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5413	* 1.2698	* 1.7915	* 1.4736	* 1.8494	* 1.6413	* 1.8690	* 0.9065 *
	* 1.5712	* 1.8855	* 1.3427	* 1.6186	* 1.3004	* 1.4580	* 1.2764	* 2.3676 *
9	* 1.2698	* 1.2641	* 1.5361	* 1.8429	* 1.4984	* 1.6459	* 1.8661	* 0.9050 *
	* 1.8855	* 1.8966	* 1.5556	* 1.3053	* 1.5978	* 1.4552	* 1.2786	* 2.3696 *
10	* 1.7915	* 1.5352	* 1.3029	* 1.4543	* 1.8838	* 1.6634	* 1.8652	* 0.8614 *
	* 1.3427	* 1.5566	* 1.8376	* 1.6519	* 1.2869	* 1.4331	* 1.2818	* 2.4683 *
11	* 1.4736	* 1.8409	* 1.4540	* 1.8532	* 1.6321	* 1.8924	* 1.8604	* 0.7426 *
	* 1.6186	* 1.3067	* 1.6523	* 1.3121	* 1.4764	* 1.2765	* 1.2870	* 2.9274 *
12	* 1.8494	* 1.4971	* 1.8837	* 1.6321	* 1.4269	* 1.8300	* 1.1459	*
	* 1.3004	* 1.5988	* 1.2870	* 1.4763	* 1.7009	* 1.3156	* 1.8832	*
13	* 1.6413	* 1.6458	* 1.6638	* 1.8927	* 1.8302	* 1.0769	* 0.5658	*
	* 1.4580	* 1.4553	* 1.4327	* 1.2763	* 1.3154	* 2.0144	* 3.7950	*
14	* 1.8690	* 1.8663	* 1.8657	* 1.8612	* 1.1464	* 0.5734	*	
	* 1.2764	* 1.2785	* 1.2814	* 1.2864	* 1.8824	* 3.7341	*	
15	* 0.9065	* 0.9051	* 0.8619	* 0.7435	* F-SUB-Q			
	* 2.3676	* 2.3692	* 2.4669	* 2.9027	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 44 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 150 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5216	* 1.2656	* 1.7742	* 1.4644	* 1.8371	* 1.6345	* 1.8619	* 0.9129 *
	* 1.5547	* 1.8473	* 1.3241	* 1.5901	* 1.2784	* 1.4297	* 1.2626	* 2.3168 *
9	* 1.2656	* 1.2515	* 1.5218	* 1.8282	* 1.4902	* 1.6385	* 1.8590	* 0.9135 *
	* 1.8473	* 1.8704	* 1.5335	* 1.2850	* 1.5685	* 1.4276	* 1.2657	* 2.3130 *
10	* 1.7742	* 1.5208	* 1.3017	* 1.4455	* 1.8725	* 1.6593	* 1.8588	* 0.8690 *
	* 1.3241	* 1.5345	* 1.7959	* 1.6205	* 1.2655	* 1.4142	* 1.2709	* 2.4151 *
11	* 1.4644	* 1.8260	* 1.4451	* 1.8403	* 1.6242	* 1.8845	* 1.8554	* 0.7520 *
	* 1.5901	* 1.2865	* 1.6214	* 1.2923	* 1.4510	* 1.2630	* 1.2796	* 2.8627 *
12	* 1.8371	* 1.4889	* 1.8724	* 1.6242	* 1.4205	* 1.8243	* 1.1566 *	
	* 1.2784	* 1.5696	* 1.2656	* 1.4510	* 1.6803	* 1.3094	* 1.8483 *	
13	* 1.6345	* 1.6384	* 1.6596	* 1.8848	* 1.8245	* 1.0850	* 0.5709 *	
	* 1.4297	* 1.4278	* 1.4139	* 1.2628	* 1.3092	* 1.9884	* 3.7537 *	
14	* 1.8619	* 1.8592	* 1.8592	* 1.8561	* 1.1570	* 0.5790 *		
	* 1.2626	* 1.2655	* 1.2706	* 1.2791	* 1.8476	* 3.6911 *		
15	* 0.9129	* 0.9136	* 0.8695	* 0.7529	* F-SUB-Q			
	* 2.3168	* 2.3126	* 2.4139	* 2.8387	* M-SUB-Q			

AT 100% POWER, 150 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5373	* 1.2609	* 1.7992	* 1.4740	* 1.8682	* 1.6508	* 1.9001	* 0.9086 *
	* 1.5061	* 1.8116	* 1.2782	* 1.5464	* 1.2324	* 1.3876	* 1.2126	* 2.2768 *
9	* 1.2609	* 1.2549	* 1.5310	* 1.8564	* 1.5018	* 1.6566	* 1.8973	* 0.9049 *
	* 1.8116	* 1.8220	* 1.4912	* 1.2399	* 1.5242	* 1.3842	* 1.2153	* 2.2838 *
10	* 1.7992	* 1.5299	* 1.2952	* 1.4524	* 1.9059	* 1.6810	* 1.8975	* 0.8616 *
	* 1.2782	* 1.4923	* 1.7650	* 1.5827	* 1.2173	* 1.3667	* 1.2191	* 2.3826 *
11	* 1.4740	* 1.8541	* 1.4520	* 1.8708	* 1.6405	* 1.9222	* 1.8946	* 0.7441 *
	* 1.5464	* 1.2413	* 1.5831	* 1.2443	* 1.4060	* 1.2114	* 1.2261	* 2.8282 *
12	* 1.8682	* 1.5004	* 1.9057	* 1.6405	* 1.4328	* 1.8575	* 1.1515	*
	* 1.2324	* 1.5254	* 1.2174	* 1.4060	* 1.6304	* 1.2575	* 1.8154	*
13	* 1.6508	* 1.6565	* 1.6813	* 1.9224	* 1.8577	* 1.0788	* 0.5625	*
	* 1.3876	* 1.3844	* 1.3664	* 1.2112	* 1.2574	* 1.9551	* 3.7190	*
14	* 1.9001	* 1.8974	* 1.8982	* 1.8953	* 1.1519	* 0.5701	*	
	* 1.2126	* 1.2152	* 1.2188	* 1.2257	* 1.8148	* 3.6590	*	
15	* 0.9086	* 0.9051	* 0.8620	* 0.7445	* F-SUB-Q			
	* 2.2768	* 2.2835	* 2.3814	* 2.8063	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 45 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 150 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5357	* 1.2546	* 1.8030	* 1.4730	* 1.8768	* 1.6540	* 1.9152	* 0.9066 *
	* 1.4576	* 1.7601	* 1.2332	* 1.4966	* 1.1868	* 1.3400	* 1.1651	* 2.2068 *
9	* 1.2546	* 1.2493	* 1.5278	* 1.8626	* 1.5023	* 1.6606	* 1.9123	* 0.9011 *
	* 1.7601	* 1.7694	* 1.4450	* 1.1950	* 1.4738	* 1.3362	* 1.1677	* 2.2181 *
10	* 1.8030	* 1.5266	* 1.2886	* 1.4501	* 1.9162	* 1.6889	* 1.9147	* 0.8585 *
	* 1.2332	* 1.4461	* 1.7152	* 1.5324	* 1.1729	* 1.3181	* 1.1714	* 2.3117 *
11	* 1.4730	* 1.8602	* 1.4497	* 1.8791	* 1.6438	* 1.9377	* 1.9122	* 0.7416 *
	* 1.4966	* 1.1965	* 1.5329	* 1.2006	* 1.3597	* 1.1654	* 1.1775	* 2.7418 *
12	* 1.8768	* 1.5008	* 1.9160	* 1.6438	* 1.4346	* 1.8716	* 1.1494	*
	* 1.1868	* 1.4750	* 1.1730	* 1.3598	* 1.5795	* 1.2106	* 1.7594	*
13	* 1.6540	* 1.6604	* 1.6892	* 1.9379	* 1.8718	* 1.0764	* 0.5583	*
	* 1.3400	* 1.3363	* 1.3179	* 1.1653	* 1.2105	* 1.8962	* 3.6157	*
14	* 1.9152	* 1.9125	* 1.9153	* 1.9129	* 1.1497	* 0.5660	*	*
	* 1.1651	* 1.1676	* 1.1711	* 1.1771	* 1.7589	* 3.5566	*	*
15	* 0.9066	* 0.9013	* 0.8589	* 0.7417	* F-SUB-Q			
	* 2.2068	* 2.2178	* 2.3106	* 2.7218	* M-SUB-Q			

AT 100% POWER, 150 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5251	* 1.2470	* 1.7940	* 1.4642	* 1.8714	* 1.6488	* 1.9148	* 0.9049 *
	* 1.4234	* 1.7182	* 1.2022	* 1.4610	* 1.1546	* 1.3042	* 1.1300	* 2.1455 *
9	* 1.2470	* 1.2393	* 1.5167	* 1.8547	* 1.4946	* 1.6559	* 1.9121	* 0.9008 *
	* 1.7182	* 1.7312	* 1.4123	* 1.1639	* 1.4374	* 1.3001	* 1.1324	* 2.1529 *
10	* 1.7940	* 1.5155	* 1.2822	* 1.4411	* 1.9121	* 1.6866	* 1.9158	* 0.8569 *
	* 1.2022	* 1.4134	* 1.6728	* 1.4952	* 1.1390	* 1.2790	* 1.1349	* 2.2465 *
11	* 1.4642	* 1.8521	* 1.4406	* 1.8738	* 1.6378	* 1.9377	* 1.9143	* 0.7416 *
	* 1.4610	* 1.1655	* 1.4957	* 1.1663	* 1.3222	* 1.1284	* 1.1390	* 2.6578 *
12	* 1.8714	* 1.4931	* 1.9119	* 1.6377	* 1.4292	* 1.8720	* 1.1511	*
	* 1.1546	* 1.4386	* 1.1391	* 1.3223	* 1.5360	* 1.1715	* 1.7010	*
13	* 1.6488	* 1.6557	* 1.6869	* 1.9379	* 1.8722	* 1.0753	* 0.5565	*
	* 1.3042	* 1.3002	* 1.2788	* 1.1283	* 1.1714	* 1.8376	* 3.5132	*
14	* 1.9148	* 1.9122	* 1.9164	* 1.9149	* 1.1515	* 0.5641	*	*
	* 1.1300	* 1.1323	* 1.1347	* 1.1387	* 1.7005	* 3.4560	*	*
15	* 0.9049	* 0.9010	* 0.8573	* 0.7415	* F-SUB-Q			
	* 2.1455	* 2.1526	* 2.2454	* 2.6388	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 46 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 150 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4990	* 1.2368	* 1.7652	* 1.4455	* 1.8446	* 1.6309	* 1.8923	* 0.9038 *
	* 1.5200	* 1.8210	* 1.2841	* 1.5563	* 1.2312	* 1.3862	* 1.2013	* 2.2586 *
9	* 1.2368	* 1.2212	* 1.4944	* 1.8262	* 1.4764	* 1.6377	* 1.8896	* 0.9022 *
	* 1.8210	* 1.8475	* 1.5070	* 1.2424	* 1.5296	* 1.3819	* 1.2037	* 2.2599 *
10	* 1.7652	* 1.4932	* 1.2738	* 1.4245	* 1.8862	* 1.6710	* 1.8948	* 0.8576 *
	* 1.2841	* 1.5083	* 1.7706	* 1.5854	* 1.2119	* 1.3551	* 1.2052	* 2.3587 *
11	* 1.4455	* 1.8235	* 1.4241	* 1.8474	* 1.6196	* 1.9169	* 1.8955	* 0.7443 *
	* 1.5563	* 1.2442	* 1.5865	* 1.2410	* 1.4027	* 1.1960	* 1.2065	* 2.7811 *
12	* 1.8446	* 1.4749	* 1.8859	* 1.6196	* 1.4137	* 1.8540	* 1.1533	*
	* 1.2312	* 1.5310	* 1.2121	* 1.4028	* 1.6282	* 1.2396	* 1.7805	*
13	* 1.6309	* 1.6375	* 1.6712	* 1.9171	* 1.8541	* 1.0757	* 0.5569	*
	* 1.3862	* 1.3821	* 1.3549	* 1.1960	* 1.2396	* 1.9252	* 3.6823	*
14	* 1.8923	* 1.8898	* 1.8953	* 1.8961	* 1.1536	* 0.5648	*	
	* 1.2013	* 1.2036	* 1.2049	* 1.2061	* 1.7801	* 3.6208	*	
15	* 0.9038	* 0.9024	* 0.8580	* 0.7443	* F-SUB-Q			
	* 2.2586	* 2.2596	* 2.3576	* 2.7610	* M-SUB-Q			

AT 100% POWER, 150 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5047	* 1.2216	* 1.7747	* 1.4404	* 1.8565	* 1.6310	* 1.9105	* 0.8875 *
	* 1.4637	* 1.7887	* 1.2392	* 1.5171	* 1.1883	* 1.3473	* 1.1562	* 2.2379 *
9	* 1.2216	* 1.2154	* 1.4914	* 1.8361	* 1.4727	* 1.6401	* 1.9079	* 0.8810 *
	* 1.7887	* 1.8025	* 1.4659	* 1.1996	* 1.4902	* 1.3412	* 1.1582	* 2.2519 *
10	* 1.7747	* 1.4901	* 1.2542	* 1.4157	* 1.8997	* 1.6757	* 1.9146	* 0.8386 *
	* 1.2392	* 1.4672	* 1.7458	* 1.5511	* 1.1666	* 1.3111	* 1.1569	* 2.3455 *
11	* 1.4404	* 1.8332	* 1.4152	* 1.8595	* 1.6197	* 1.9363	* 1.9160	* 0.7259 *
	* 1.5171	* 1.2014	* 1.5517	* 1.1938	* 1.3598	* 1.1469	* 1.1570	* 2.7707 *
12	* 1.8565	* 1.4710	* 1.8995	* 1.6196	* 1.4118	* 1.8696	* 1.1321	*
	* 1.1883	* 1.4916	* 1.1668	* 1.3598	* 1.5759	* 1.1894	* 1.7575	*
13	* 1.6310	* 1.6399	* 1.6759	* 1.9364	* 1.8697	* 1.0565	* 0.5415	*
	* 1.3473	* 1.3414	* 1.3110	* 1.1469	* 1.1893	* 1.8968	* 3.6764	*
14	* 1.9105	* 1.9080	* 1.9152	* 1.9166	* 1.1324	* 0.5491	*	
	* 1.1562	* 1.1581	* 1.1566	* 1.1567	* 1.7570	* 3.6155	*	
15	* 0.8875	* 0.8811	* 0.8390	* 0.7254	* F-SUB-Q			
	* 2.2379	* 2.2516	* 2.3445	* 2.7527	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 47 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 150 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4796	* 1.1999	* 1.7449	* 1.4143	* 1.8265	* 1.6062	* 1.8840	* 0.8708
	* 1.4347	* 1.7620	* 1.2193	* 1.4959	* 1.1688	* 1.3242	* 1.1341	* 2.2090
9	* 1.1999	* 1.1943	* 1.4659	* 1.8045	* 1.4469	* 1.6163	* 1.8813	* 0.8640
	* 1.7620	* 1.7757	* 1.4435	* 1.1808	* 1.4683	* 1.3173	* 1.1360	* 2.2237
10	* 1.7449	* 1.4646	* 1.2309	* 1.3895	* 1.8694	* 1.6523	* 1.8885	* 0.8221
	* 1.2193	* 1.4448	* 1.7221	* 1.5284	* 1.1455	* 1.2851	* 1.1332	* 2.3161
11	* 1.4143	* 1.8016	* 1.3890	* 1.8297	* 1.5941	* 1.9114	* 1.8919	* 0.7116
	* 1.4959	* 1.1827	* 1.5290	* 1.1712	* 1.3343	* 1.1215	* 1.1315	* 2.7350
12	* 1.8265	* 1.4452	* 1.8691	* 1.5940	* 1.3892	* 1.8453	* 1.1128	*
	* 1.1688	* 1.4698	* 1.1457	* 1.3343	* 1.5429	* 1.1620	* 1.7266	*
13	* 1.6062	* 1.6161	* 1.6525	* 1.9115	* 1.8454	* 1.0380	* 0.5298	*
	* 1.3242	* 1.3174	* 1.2850	* 1.1214	* 1.1619	* 1.8618	* 3.6311	*
14	* 1.8840	* 1.8814	* 1.8891	* 1.8925	* 1.1130	* 0.5372	*	*
	* 1.1341	* 1.1359	* 1.1329	* 1.1312	* 1.7262	* 3.5711	*	*
15	* 0.8708	* 0.8641	* 0.8225	* 0.7110	* F-SUB-Q			
	* 2.2090	* 2.2234	* 2.3151	* 2.7174	* M-SUB-Q			

AT 100% POWER, 150 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4144	* 1.1671	* 1.6646	* 1.3605	* 1.7428	* 1.5492	* 1.7986	* 0.8507
	* 1.4574	* 1.7619	* 1.2425	* 1.5127	* 1.1909	* 1.3353	* 1.1546	* 2.2003
9	* 1.1671	* 1.1533	* 1.4114	* 1.7196	* 1.3921	* 1.5591	* 1.7959	* 0.8482
	* 1.7619	* 1.7885	* 1.4582	* 1.2048	* 1.4842	* 1.3280	* 1.1564	* 2.2041
10	* 1.6646	* 1.4101	* 1.1996	* 1.3426	* 1.7827	* 1.5919	* 1.8021	* 0.8052
	* 1.2425	* 1.4596	* 1.7190	* 1.5374	* 1.1665	* 1.2954	* 1.1532	* 2.3007
11	* 1.3605	* 1.7168	* 1.3423	* 1.7462	* 1.5357	* 1.8283	* 1.8087	* 0.6987
	* 1.5127	* 1.2067	* 1.5386	* 1.1912	* 1.3444	* 1.1376	* 1.1487	* 2.7088
12	* 1.7428	* 1.3905	* 1.7824	* 1.5356	* 1.3395	* 1.7673	* 1.0907	*
	* 1.1909	* 1.4856	* 1.1667	* 1.3444	* 1.5527	* 1.1766	* 1.7103	*
13	* 1.5492	* 1.5589	* 1.5922	* 1.8284	* 1.7675	* 1.0162	* 0.5207	*
	* 1.3353	* 1.3283	* 1.2952	* 1.1375	* 1.1765	* 1.8454	* 3.5908	*
14	* 1.7986	* 1.7961	* 1.8026	* 1.8093	* 1.0910	* 0.5283	*	*
	* 1.1546	* 1.1564	* 1.1529	* 1.1483	* 1.7099	* 3.5292	*	*
15	* 0.8507	* 0.8484	* 0.8056	* 0.6987	* F-SUB-Q			
	* 2.2003	* 2.2038	* 2.2996	* 2.6890	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 48 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 150 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3576	* 1.1138	* 1.5962	* 1.3058	* 1.6699	* 1.4922	* 1.7247	* 0.8049
	* 1.4839	* 1.8050	* 1.2662	* 1.5409	* 1.2145	* 1.3549	* 1.1762	* 2.2746
9	* 1.1138	* 1.1130	* 1.3615	* 1.6462	* 1.3368	* 1.5043	* 1.7219	* 0.7986
	* 1.8050	* 1.8127	* 1.4776	* 1.2297	* 1.5111	* 1.3451	* 1.1782	* 2.2897
10	* 1.5962	* 1.3603	* 1.1422	* 1.2831	* 1.7072	* 1.5318	* 1.7253	* 0.7583
	* 1.2662	* 1.4791	* 1.7651	* 1.5718	* 1.1892	* 1.3144	* 1.1758	* 2.3890
11	* 1.3058	* 1.6435	* 1.2826	* 1.6743	* 1.4775	* 1.7550	* 1.7331	* 0.6540
	* 1.5409	* 1.2317	* 1.5724	* 1.2127	* 1.3646	* 1.1564	* 1.1699	* 2.8291
12	* 1.6699	* 1.3352	* 1.7069	* 1.4774	* 1.2884	* 1.6931	* 1.0277	*
	* 1.2145	* 1.5128	* 1.1895	* 1.3647	* 1.5761	* 1.1982	* 1.7723	*
13	* 1.4922	* 1.5041	* 1.5321	* 1.7551	* 1.6932	* 0.9599	* 0.4887	*
	* 1.3549	* 1.3453	* 1.3142	* 1.1563	* 1.1981	* 1.9074	* 3.7393	*
14	* 1.7247	* 1.7220	* 1.7258	* 1.7337	* 1.0279	* 0.4950	*	*
	* 1.1762	* 1.1781	* 1.1755	* 1.1695	* 1.7719	* 3.6815	*	*
15	* 0.8049	* 0.7987	* 0.7586	* 0.6540	* F-SUB-Q			
	* 2.2746	* 2.2893	* 2.3879	* 2.8084	* M-SUB-Q			

AT 100% POWER, 150 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2211	* 1.0184	* 1.4356	* 1.1974	* 1.5026	* 1.3664	* 1.5487	* 0.7413
	* 1.6209	* 1.9396	* 1.3825	* 1.6505	* 1.3251	* 1.4531	* 1.2859	* 2.4277
9	* 1.0184	* 1.0203	* 1.2514	* 1.4816	* 1.2255	* 1.3735	* 1.5456	* 0.7324
	* 1.9396	* 1.9430	* 1.5792	* 1.3418	* 1.6189	* 1.4463	* 1.2885	* 2.4540
10	* 1.4356	* 1.2503	* 1.0449	* 1.1779	* 1.5344	* 1.3977	* 1.5463	* 0.6955
	* 1.3825	* 1.5807	* 1.8959	* 1.6813	* 1.2984	* 1.4134	* 1.2879	* 2.5598
11	* 1.1974	* 1.4791	* 1.1774	* 1.5055	* 1.3538	* 1.5759	* 1.5540	* 0.5963
	* 1.6505	* 1.3440	* 1.6819	* 1.3230	* 1.4614	* 1.2634	* 1.2802	* 3.0498
12	* 1.5026	* 1.2241	* 1.5341	* 1.3537	* 1.1766	* 1.5189	* 0.9351	*
	* 1.3251	* 1.6205	* 1.2986	* 1.4615	* 1.6939	* 1.3103	* 1.9125	*
13	* 1.3664	* 1.3733	* 1.3979	* 1.5760	* 1.5190	* 0.8760	* 0.4472	*
	* 1.4531	* 1.4465	* 1.4132	* 1.2634	* 1.3102	* 2.0525	* 4.0171	*
14	* 1.5487	* 1.5457	* 1.5467	* 1.5545	* 0.9354	* 0.4526	*	*
	* 1.2859	* 1.2884	* 1.2877	* 1.2798	* 1.9120	* 3.9581	*	*
15	* 0.7413	* 0.7326	* 0.6959	* 0.5971	* F-SUB-Q			
	* 2.4277	* 2.4536	* 2.5587	* 3.0236	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 49 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 150 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9952	* 0.8224	* 1.2122	* 0.9755	* 1.2816	* 1.1048	* 1.3002	* 0.6113
	* 1.9634	* 2.3707	* 1.6161	* 1.9984	* 1.5329	* 1.7718	* 1.5109	* 2.9082
9	* 0.8224	* 0.8183	* 1.0238	* 1.2583	* 0.9996	* 1.0991	* 1.2971	* 0.6033
	* 2.3707	* 2.3911	* 1.9046	* 1.5587	* 1.9576	* 1.7821	* 1.5146	* 2.9422
10	* 1.2122	* 1.0228	* 0.8454	* 0.9637	* 1.3050	* 1.1182	* 1.2928	* 0.5709
	* 1.6161	* 1.9065	* 2.3140	* 2.0272	* 1.5059	* 1.7423	* 1.5193	* 3.0803
11	* 0.9755	* 1.2566	* 0.9633	* 1.2681	* 1.0972	* 1.2820	* 1.2519	* 0.4853
	* 1.9984	* 1.5608	* 2.0279	* 1.5496	* 1.7779	* 1.5328	* 1.5672	* 3.7022
12	* 1.2816	* 0.9986	* 1.3048	* 1.0971	* 0.9433	* 1.2339	* 0.7588	*
	* 1.5329	* 1.9595	* 1.5062	* 1.7781	* 2.0833	* 1.5908	* 2.3265	*
13	* 1.1048	* 1.0990	* 1.1183	* 1.2820	* 1.2340	* 0.7083	* 0.3660	*
	* 1.7718	* 1.7824	* 1.7421	* 1.5328	* 1.5907	* 2.5054	* 4.8515	*
14	* 1.3002	* 1.2972	* 1.2931	* 1.2523	* 0.7590	* 0.3703	*	*
	* 1.5109	* 1.5145	* 1.5190	* 1.5667	* 2.3260	* 4.7818	*	*
15	* 0.6113	* 0.6034	* 0.5711	* 0.4870	* F-SUB-Q			
	* 2.9082	* 2.9415	* 3.0791	* 3.6630	* M-SUB-Q			

AT 100% POWER, 150 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.4054	* 0.3599	* 0.4815	* 0.4279	* 0.5161	* 0.4449	* 0.4816	* 0.2574
	* 4.7825	* 5.3732	* 4.0331	* 4.5156	* 3.7703	* 4.3589	* 4.0440	* 6.8540
9	* 0.3599	* 0.3532	* 0.4147	* 0.5036	* 0.4327	* 0.4399	* 0.4802	* 0.2531
	* 5.3732	* 5.4917	* 4.6589	* 3.8601	* 4.4813	* 4.4086	* 4.0551	* 6.9613
10	* 0.4815	* 0.4143	* 0.3720	* 0.4231	* 0.5201	* 0.4452	* 0.4772	* 0.2433
	* 4.0331	* 4.6636	* 5.2108	* 4.5760	* 3.7434	* 4.3345	* 4.0804	* 7.1747
11	* 0.4279	* 0.5030	* 0.4229	* 0.5060	* 0.4441	* 0.5136	* 0.4550	* 0.2136
	* 4.5156	* 3.8650	* 4.5775	* 3.8462	* 4.3492	* 3.7912	* 4.2769	* 8.3508
12	* 0.5161	* 0.4323	* 0.5200	* 0.4440	* 0.4037	* 0.4539	* 0.3124	*
	* 3.7703	* 4.4847	* 3.7441	* 4.3496	* 4.8227	* 4.2883	* 5.6068	*
13	* 0.4449	* 0.4399	* 0.4452	* 0.5136	* 0.4540	* 0.2940	* 0.1589	*
	* 4.3589	* 4.4093	* 4.3346	* 3.7912	* 4.2881	* 5.9878	* 11.0963	*
14	* 0.4816	* 0.4803	* 0.4772	* 0.4551	* 0.3125	* 0.1599	*	*
	* 4.0440	* 4.0549	* 4.0797	* 4.2758	* 5.6056	* 10.9948	*	*
15	* 0.2574	* 0.2532	* 0.2434	* 0.2121	* F-SUB-Q			
	* 6.8540	* 6.9601	* 7.1723	* 8.3512	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 50 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 225 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3900	* 0.4189	* 0.5298	* 0.4780	* 0.5462	* 0.4810	* 0.4931	* 0.2831
	* 3.8540	* 4.3853	* 3.5615	* 3.7650	* 3.3516	* 3.6963	* 3.6650	* 5.6885
9	* 0.4189	* 0.4186	* 0.4742	* 0.5429	* 0.4773	* 0.4784	* 0.4919	* 0.2814
	* 4.3853	* 4.4655	* 3.8756	* 3.4083	* 3.7745	* 3.7291	* 3.6904	* 5.7271
10	* 0.5298	* 0.4742	* 0.4413	* 0.4783	* 0.5434	* 0.4746	* 0.4858	* 0.2730
	* 3.5615	* 3.8756	* 4.1936	* 3.8515	* 3.4808	* 3.8612	* 3.8211	* 5.8914
11	* 0.4780	* 0.5429	* 0.4784	* 0.5326	* 0.4746	* 0.5200	* 0.4610	* 0.2341
	* 3.7650	* 3.4084	* 3.8511	* 3.4967	* 3.8059	* 3.5704	* 4.0795	* 7.2589
12	* 0.5462	* 0.4773	* 0.5434	* 0.4747	* 0.4037	* 0.4454	* 0.3290	*
	* 3.3516	* 3.7742	* 3.4805	* 3.8057	* 4.0675	* 3.9060	* 4.9486	*
13	* 0.4810	* 0.4785	* 0.4747	* 0.5201	* 0.4454	* 0.3026	* 0.1856	*
	* 3.6963	* 3.7290	* 3.8607	* 3.5699	* 3.9056	* 5.0230	* 8.6465	*
14	* 0.4931	* 0.4919	* 0.4859	* 0.4612	* 0.3291	* 0.1865	*	*
	* 3.6650	* 3.6900	* 3.8201	* 4.0780	* 4.9471	* 8.5983	*	*
15	* 0.2831	* 0.2815	* 0.2732	* 0.2329	F-SUB-Q			
	* 5.6885	* 5.7263	* 5.8886	* 7.2419	M-SUB-Q			

AT 100% POWER, 225 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9598	* 0.8718	* 1.1519	* 0.9807	* 1.1749	* 1.0572	* 1.1485	* 0.6247
	* 1.8521	* 2.1566	* 1.6737	* 1.8761	* 1.5936	* 1.7205	* 1.6093	* 2.6385
9	* 0.8718	* 0.8735	* 1.0447	* 1.1718	* 0.9880	* 1.0528	* 1.1461	* 0.6231
	* 2.1566	* 2.1772	* 1.8017	* 1.6126	* 1.8641	* 1.7342	* 1.6192	* 2.6536
10	* 1.1519	* 1.0447	* 0.9031	* 0.9792	* 1.1727	* 1.0517	* 1.1344	* 0.5953
	* 1.6737	* 1.8018	* 2.0957	* 1.9251	* 1.6326	* 1.7740	* 1.6705	* 2.7638
11	* 0.9807	* 1.1717	* 0.9793	* 1.1615	* 1.0501	* 1.1307	* 1.0905	* 0.5008
	* 1.8761	* 1.6127	* 1.9250	* 1.6379	* 1.7591	* 1.6741	* 1.7437	* 3.4673
12	* 1.1749	* 0.9879	* 1.1728	* 1.0501	* 0.8824	* 1.0806	* 0.7378	*
	* 1.5936	* 1.8641	* 1.6324	* 1.7590	* 1.9871	* 1.6927	* 2.2528	*
13	* 1.0572	* 1.0528	* 1.0519	* 1.1309	* 1.0808	* 0.7034	* 0.4063	*
	* 1.7205	* 1.7342	* 1.7737	* 1.6738	* 1.6925	* 2.2900	* 4.0517	*
14	* 1.1485	* 1.1463	* 1.1347	* 1.0910	* 0.7381	* 0.4098	*	*
	* 1.6093	* 1.6190	* 1.6701	* 1.7430	* 2.2520	* 4.0143	*	*
15	* 0.6247	* 0.6232	* 0.5956	* 0.5052	F-SUB-Q			
	* 2.6385	* 2.6530	* 2.7623	* 3.4117	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 51 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 225 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2058	* 1.0582	* 1.3689	* 1.1846	* 1.3851	* 1.2818	* 1.3647	* 0.7584 *
	* 1.5755	* 1.8119	* 1.4297	* 1.5761	* 1.3674	* 1.4385	* 1.3710	* 2.2037 *
9	* 1.0582	* 1.0582	* 1.2503	* 1.3920	* 1.1930	* 1.2809	* 1.3621	* 0.7602 *
	* 1.8119	* 1.8268	* 1.5280	* 1.3763	* 1.5665	* 1.4451	* 1.3794	* 2.1996 *
10	* 1.3689	* 1.2502	* 1.0864	* 1.1781	* 1.3914	* 1.2754	* 1.3518	* 0.7272 *
	* 1.4297	* 1.5283	* 1.7687	* 1.6212	* 1.3966	* 1.4819	* 1.4209	* 2.2934 *
11	* 1.1846	* 1.3917	* 1.1782	* 1.3861	* 1.2714	* 1.3691	* 1.3256	* 0.6196 *
	* 1.5761	* 1.3767	* 1.6212	* 1.3947	* 1.4766	* 1.4056	* 1.4552	* 2.8403 *
12	* 1.3851	* 1.1928	* 1.3915	* 1.2715	* 1.1177	* 1.3165	* 0.9139 *	
	* 1.3674	* 1.5666	* 1.3965	* 1.4765	* 1.6647	* 1.4321	* 1.8514 *	
13	* 1.2818	* 1.2810	* 1.2756	* 1.3694	* 1.3167	* 0.8763	* 0.4994 *	
	* 1.4385	* 1.4451	* 1.4817	* 1.4054	* 1.4319	* 1.9123	* 3.3682 *	
14	* 1.3647	* 1.3622	* 1.3522	* 1.3263	* 0.9143	* 0.5045 *		
	* 1.3710	* 1.3793	* 1.4205	* 1.4545	* 1.8506	* 3.3326 *		
15	* 0.7584	* 0.7603	* 0.7276	* 0.6237	* F-SUB-Q			
	* 2.2037	* 2.1993	* 2.2921	* 2.8002	* M-SUB-Q			

AT 100% POWER, 225 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3632	* 1.1587	* 1.5518	* 1.3063	* 1.5767	* 1.4201	* 1.5598	* 0.8220 *
	* 1.4285	* 1.6859	* 1.2788	* 1.4490	* 1.2165	* 1.3152	* 1.2138	* 2.0588 *
9	* 1.1587	* 1.1567	* 1.3765	* 1.5809	* 1.3169	* 1.4218	* 1.5571	* 0.8224 *
	* 1.6859	* 1.7001	* 1.4075	* 1.2281	* 1.4384	* 1.3186	* 1.2208	* 2.0593 *
10	* 1.5518	* 1.3762	* 1.1866	* 1.2965	* 1.5895	* 1.4160	* 1.5479	* 0.7866 *
	* 1.2788	* 1.4079	* 1.6425	* 1.4943	* 1.2419	* 1.3556	* 1.2554	* 2.1466 *
11	* 1.3063	* 1.5803	* 1.2965	* 1.5779	* 1.4111	* 1.5680	* 1.5190	* 0.6714 *
	* 1.4490	* 1.2286	* 1.4944	* 1.2457	* 1.3533	* 1.2481	* 1.2876	* 2.6534 *
12	* 1.5767	* 1.3165	* 1.5896	* 1.4112	* 1.2411	* 1.5126	* 1.0007 *	
	* 1.2165	* 1.4386	* 1.2418	* 1.3532	* 1.5329	* 1.2713	* 1.7211 *	
13	* 1.4201	* 1.4218	* 1.4162	* 1.5683	* 1.5128	* 0.9572	* 0.5362 *	
	* 1.3152	* 1.3187	* 1.3553	* 1.2479	* 1.2711	* 1.7922	* 3.2024 *	
14	* 1.5598	* 1.5572	* 1.5484	* 1.5198	* 1.0012	* 0.5422 *		
	* 1.2138	* 1.2207	* 1.2550	* 1.2869	* 1.7204	* 3.1657 *		
15	* 0.8220	* 0.8225	* 0.7871	* 0.6741	* F-SUB-Q			
	* 2.0588	* 2.0589	* 2.1455	* 2.6226	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 52 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 100% POWER, 225 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4234	* 1.1955	* 1.6312	* 1.3595	* 1.6671	* 1.4812	* 1.6550	* 0.8582 *
	* 1.3979	* 1.6665	* 1.2343	* 1.4132	* 1.1676	* 1.2797	* 1.1592	* 2.0005 *
9	* 1.1955	* 1.1900	* 1.4249	* 1.6679	* 1.3721	* 1.4826	* 1.6523	* 0.8614 *
	* 1.6665	* 1.6842	* 1.3796	* 1.1811	* 1.4010	* 1.2824	* 1.1656	* 1.9941 *
10	* 1.6312	* 1.4245	* 1.2240	* 1.3483	* 1.6839	* 1.4786	* 1.6432	* 0.8214 *
	* 1.2343	* 1.3801	* 1.6130	* 1.4591	* 1.1935	* 1.3137	* 1.1960	* 2.0842 *
11	* 1.3595	* 1.6671	* 1.3483	* 1.6660	* 1.4727	* 1.6609	* 1.6157	* 0.7046 *
	* 1.4132	* 1.1817	* 1.4592	* 1.2021	* 1.3212	* 1.2000	* 1.2318	* 2.5608 *
12	* 1.6671	* 1.3716	* 1.6840	* 1.4728	* 1.2933	* 1.6053	* 1.0505	*
	* 1.1676	* 1.4013	* 1.1934	* 1.3211	* 1.5020	* 1.2217	* 1.6716	*
13	* 1.4812	* 1.4825	* 1.4789	* 1.6611	* 1.6055	* 1.0008	* 0.5568	*
	* 1.2797	* 1.2825	* 1.3134	* 1.1998	* 1.2216	* 1.7514	* 3.1514	*
14	* 1.6550	* 1.6524	* 1.6437	* 1.6165	* 1.0510	* 0.5634	*	
	* 1.1592	* 1.1655	* 1.1956	* 1.2312	* 1.6709	* 3.1129	*	
15	* 0.8582	* 0.8616	* 0.8218	* 0.7062	* F-SUB-Q			
	* 2.0005	* 1.9937	* 2.0831	* 2.5352	* M-SUB-Q			

AT 100% POWER, 225 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4407	* 1.2075	* 1.6618	* 1.3816	* 1.7078	* 1.5079	* 1.7011	* 0.8792 *
	* 1.4084	* 1.6791	* 1.2308	* 1.4149	* 1.1592	* 1.2783	* 1.1458	* 1.9859 *
9	* 1.2075	* 1.1984	* 1.4404	* 1.7055	* 1.3959	* 1.5084	* 1.6984	* 0.8832 *
	* 1.6791	* 1.6983	* 1.3863	* 1.1744	* 1.4003	* 1.2812	* 1.1519	* 1.9780 *
10	* 1.6618	* 1.4400	* 1.2438	* 1.3694	* 1.7269	* 1.5097	* 1.6906	* 0.8422 *
	* 1.2308	* 1.3869	* 1.6128	* 1.4607	* 1.1819	* 1.3069	* 1.1789	* 2.0648 *
11	* 1.3816	* 1.7046	* 1.3694	* 1.7041	* 1.4989	* 1.7031	* 1.6626	* 0.7252 *
	* 1.4149	* 1.1751	* 1.4609	* 1.1962	* 1.3207	* 1.1900	* 1.2156	* 2.5218 *
12	* 1.7078	* 1.3953	* 1.7269	* 1.4990	* 1.3155	* 1.6483	* 1.0787	*
	* 1.1592	* 1.4007	* 1.1819	* 1.3206	* 1.5064	* 1.2144	* 1.6592	*
13	* 1.5079	* 1.5084	* 1.5100	* 1.7033	* 1.6485	* 1.0247	* 0.5686	*
	* 1.2783	* 1.2813	* 1.3067	* 1.1898	* 1.2143	* 1.7501	* 3.1566	*
14	* 1.7011	* 1.6985	* 1.6911	* 1.6634	* 1.0792	* 0.5762	*	
	* 1.1458	* 1.1518	* 1.1786	* 1.2151	* 1.6586	* 3.1136	*	
15	* 0.8792	* 0.8833	* 0.8427	* 0.7265	* F-SUB-Q			
	* 1.9859	* 1.9777	* 2.0637	* 2.4982	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 53 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 225 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4579	* 1.2119	* 1.6912	* 1.3983	* 1.7449	* 1.5298	* 1.7446	* 0.8871
	* 1.4196	* 1.6925	* 1.2295	* 1.4261	* 1.1573	* 1.2855	* 1.1391	* 2.0084
9	* 1.2119	* 1.2045	* 1.4537	* 1.7404	* 1.4144	* 1.5307	* 1.7418	* 0.8896
	* 1.6925	* 1.7075	* 1.3976	* 1.1733	* 1.4099	* 1.2873	* 1.1445	* 2.0033
10	* 1.6912	* 1.4531	* 1.2487	* 1.3843	* 1.7661	* 1.5361	* 1.7352	* 0.8471
	* 1.2295	* 1.3983	* 1.6351	* 1.4677	* 1.1689	* 1.3000	* 1.1675	* 2.0906
11	* 1.3983	* 1.7394	* 1.3842	* 1.7392	* 1.5204	* 1.7422	* 1.7065	* 0.7299
	* 1.4261	* 1.1740	* 1.4678	* 1.1895	* 1.3212	* 1.1793	* 1.1977	* 2.5385
12	* 1.7449	* 1.4137	* 1.7661	* 1.5204	* 1.3324	* 1.6879	* 1.0879	*
	* 1.1573	* 1.4104	* 1.1689	* 1.3212	* 1.5171	* 1.2101	* 1.6734	*
13	* 1.5298	* 1.5307	* 1.5364	* 1.7424	* 1.6881	* 1.0313	* 0.5693	*
	* 1.2855	* 1.2874	* 1.2998	* 1.1792	* 1.2099	* 1.7750	* 3.2189	*
14	* 1.7446	* 1.7420	* 1.7356	* 1.7071	* 1.0883	* 0.5762	*	*
	* 1.1391	* 1.1444	* 1.1672	* 1.1973	* 1.6728	* 3.1786	*	*
15	* 0.8871	* 0.8897	* 0.8475	* 0.7307	F-SUB-Q			
	* 2.0084	* 2.0030	* 2.0896	* 2.5164	M-SUB-Q			

AT 100% POWER, 225 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4604	* 1.2105	* 1.7023	* 1.4037	* 1.7617	* 1.5387	* 1.7670	* 0.8916
	* 1.4409	* 1.7275	* 1.2416	* 1.4545	* 1.1738	* 1.3091	* 1.1515	* 2.0471
9	* 1.2105	* 1.2023	* 1.4553	* 1.7556	* 1.4213	* 1.5395	* 1.7641	* 0.8936
	* 1.7275	* 1.7453	* 1.4196	* 1.1899	* 1.4364	* 1.3101	* 1.1562	* 2.0423
10	* 1.7023	* 1.4546	* 1.2488	* 1.3884	* 1.7844	* 1.5482	* 1.7581	* 0.8503
	* 1.2416	* 1.4204	* 1.6645	* 1.4900	* 1.1796	* 1.3121	* 1.1748	* 2.1281
11	* 1.4037	* 1.7544	* 1.3882	* 1.7542	* 1.5283	* 1.7610	* 1.7287	* 0.7332
	* 1.4545	* 1.1907	* 1.4903	* 1.2013	* 1.3381	* 1.1882	* 1.2044	* 2.5639
12	* 1.7617	* 1.4205	* 1.7844	* 1.5283	* 1.3385	* 1.7068	* 1.0937	*
	* 1.1738	* 1.4370	* 1.1796	* 1.3381	* 1.5349	* 1.2156	* 1.6924	*
13	* 1.5387	* 1.5394	* 1.5485	* 1.7612	* 1.7070	* 1.0350	* 0.5691	*
	* 1.3091	* 1.3102	* 1.3119	* 1.1881	* 1.2155	* 1.8003	* 3.2695	*
14	* 1.7670	* 1.7642	* 1.7584	* 1.7293	* 1.0941	* 0.5761	*	*
	* 1.1515	* 1.1561	* 1.1746	* 1.2039	* 1.6919	* 3.2280	*	*
15	* 0.8916	* 0.8937	* 0.8507	* 0.7337	F-SUB-Q			
	* 2.0471	* 2.0420	* 2.1272	* 2.5426	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 54 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 225 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4661	* 1.2093	* 1.7152	* 1.4084	* 1.7795	* 1.5472	* 1.7896	* 0.8925 *
	* 1.4829	* 1.7724	* 1.2607	* 1.4907	* 1.1955	* 1.3397	* 1.1695	* 2.1041 *
9	* 1.2093	* 1.2016	* 1.4578	* 1.7720	* 1.4273	* 1.5485	* 1.7866	* 0.8910 *
	* 1.7724	* 1.7824	* 1.4504	* 1.2113	* 1.4708	* 1.3392	* 1.1735	* 2.1071 *
10	* 1.7152	* 1.4570	* 1.2466	* 1.3914	* 1.8033	* 1.5590	* 1.7807	* 0.8496 *
	* 1.2607	* 1.4512	* 1.7073	* 1.5207	* 1.1922	* 1.3290	* 1.1873	* 2.1857 *
11	* 1.4084	* 1.7707	* 1.3913	* 1.7703	* 1.5354	* 1.7799	* 1.7503	* 0.7323 *
	* 1.4907	* 1.2122	* 1.5210	* 1.2222	* 1.3693	* 1.2063	* 1.2149	* 2.6211 *
12	* 1.7795	* 1.4265	* 1.8032	* 1.5354	* 1.3436	* 1.7258	* 1.0941	*
	* 1.1955	* 1.4714	* 1.1923	* 1.3693	* 1.5751	* 1.2362	* 1.7379	*
13	* 1.5472	* 1.5484	* 1.5593	* 1.7801	* 1.7259	* 1.0345	* 0.5665	*
	* 1.3397	* 1.3393	* 1.3288	* 1.2062	* 1.2361	* 1.8522	* 3.3712	*
14	* 1.7896	* 1.7867	* 1.7811	* 1.7508	* 1.0945	* 0.5736	*	*
	* 1.1695	* 1.1734	* 1.1870	* 1.2145	* 1.7374	* 3.3277	*	*
15	* 0.8925	* 0.8911	* 0.8500	* 0.7326	F-SUB-Q			
	* 2.1041	* 2.1068	* 2.1847	* 2.6004	M-SUB-Q			

AT 100% POWER, 225 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4441	* 1.2042	* 1.6947	* 1.3971	* 1.7617	* 1.5363	* 1.7756	* 0.8983 *
	* 1.5532	* 1.8264	* 1.3151	* 1.5526	* 1.2485	* 1.3953	* 1.2185	* 2.1617 *
9	* 1.2042	* 1.1907	* 1.4411	* 1.7533	* 1.4175	* 1.5363	* 1.7725	* 0.9010 *
	* 1.8264	* 1.8512	* 1.5122	* 1.2643	* 1.5306	* 1.3949	* 1.2219	* 2.1537 *
10	* 1.6947	* 1.4403	* 1.2466	* 1.3799	* 1.7859	* 1.5487	* 1.7668	* 0.8590 *
	* 1.3151	* 1.5131	* 1.7599	* 1.5778	* 1.2375	* 1.3760	* 1.2324	* 2.2297 *
11	* 1.3971	* 1.7519	* 1.3798	* 1.7514	* 1.5223	* 1.7637	* 1.7364	* 0.7419 *
	* 1.5526	* 1.2653	* 1.5780	* 1.2677	* 1.4155	* 1.2485	* 1.2570	* 2.6618 *
12	* 1.7617	* 1.4167	* 1.7858	* 1.5222	* 1.3343	* 1.7102	* 1.1034	*
	* 1.2485	* 1.5313	* 1.2376	* 1.4155	* 1.6365	* 1.2860	* 1.7686	*
13	* 1.5363	* 1.5362	* 1.5490	* 1.7638	* 1.7103	* 1.0418	* 0.5722	*
	* 1.3953	* 1.3951	* 1.3758	* 1.2484	* 1.2859	* 1.9022	* 3.4389	*
14	* 1.7756	* 1.7726	* 1.7672	* 1.7370	* 1.1037	* 0.5797	*	*
	* 1.2185	* 1.2219	* 1.2322	* 1.2566	* 1.7681	* 3.3925	*	*
15	* 0.8983	* 0.9011	* 0.8593	* 0.7423	F-SUB-Q			
	* 2.1617	* 2.1534	* 2.2288	* 2.6401	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 55 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.4625	* 1.2013	* 1.7218	* 1.4072	* 1.7930	* 1.5514	* 1.8120	* 0.8947
	* 1.5835	* 1.8961	* 1.3436	* 1.6024	* 1.2754	* 1.4366	* 1.2409	* 2.2551
9	* 1.2013	* 1.1923	* 1.4518	* 1.7835	* 1.4281	* 1.5527	* 1.8088	* 0.8930
	* 1.8961	* 1.9122	* 1.5577	* 1.2912	* 1.5788	* 1.4341	* 1.2438	* 2.2572
10	* 1.7218	* 1.4510	* 1.2412	* 1.3878	* 1.8183	* 1.5670	* 1.8034	* 0.8499
	* 1.3436	* 1.5586	* 1.8337	* 1.6272	* 1.2602	* 1.4096	* 1.2510	* 2.3366
11	* 1.4072	* 1.7820	* 1.3876	* 1.7809	* 1.5365	* 1.7960	* 1.7718	* 0.7340
	* 1.6024	* 1.2923	* 1.6274	* 1.2916	* 1.4516	* 1.2698	* 1.2756	* 2.7861
12	* 1.7930	* 1.4271	* 1.8182	* 1.5365	* 1.3437	* 1.7423	* 1.0971	*
	* 1.2754	* 1.5796	* 1.2602	* 1.4516	* 1.6782	* 1.3033	* 1.8380	*
13	* 1.5514	* 1.5526	* 1.5672	* 1.7961	* 1.7424	* 1.0351	* 0.5635	*
	* 1.4366	* 1.4342	* 1.4094	* 1.2697	* 1.3032	* 1.9728	* 3.5958	*
14	* 1.8120	* 1.8089	* 1.8037	* 1.7723	* 1.0974	* 0.5705	*	*
	* 1.2409	* 1.2438	* 1.2508	* 1.2752	* 1.8375	* 3.5492	*	*
15	* 0.8947	* 0.8931	* 0.8503	* 0.7338	* F-SUB-Q			
	* 2.2551	* 2.2569	* 2.3357	* 2.7659	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.4628	* 1.1997	* 1.7269	* 1.4081	* 1.8011	* 1.5547	* 1.8240	* 0.8965
	* 1.6349	* 1.9427	* 1.3772	* 1.6470	* 1.3213	* 1.4949	* 1.2870	* 2.3484
9	* 1.1997	* 1.1892	* 1.4504	* 1.7908	* 1.4301	* 1.5559	* 1.8207	* 0.8952
	* 1.9427	* 1.9618	* 1.5995	* 1.3291	* 1.6273	* 1.4939	* 1.2896	* 2.3490
10	* 1.7269	* 1.4496	* 1.2399	* 1.3874	* 1.8270	* 1.5722	* 1.8155	* 0.8506
	* 1.3772	* 1.6006	* 1.8805	* 1.6827	* 1.3082	* 1.4636	* 1.2947	* 2.4326
11	* 1.4081	* 1.7892	* 1.3871	* 1.7875	* 1.5383	* 1.8056	* 1.7837	* 0.7353
	* 1.6470	* 1.3303	* 1.6832	* 1.3419	* 1.5111	* 1.3168	* 1.3203	* 2.8914
12	* 1.8011	* 1.4291	* 1.8269	* 1.5383	* 1.3449	* 1.7519	* 1.0996	*
	* 1.3213	* 1.6282	* 1.3083	* 1.5111	* 1.7462	* 1.3493	* 1.9087	*
13	* 1.5547	* 1.5558	* 1.5723	* 1.8057	* 1.7520	* 1.0366	* 0.5625	*
	* 1.4949	* 1.4941	* 1.4634	* 1.3168	* 1.3492	* 2.0478	* 3.7414	*
14	* 1.8240	* 1.8208	* 1.8158	* 1.7842	* 1.0999	* 0.5696	*	*
	* 1.2870	* 1.2896	* 1.2944	* 1.3199	* 1.9083	* 3.6924	*	*
15	* 0.8965	* 0.8954	* 0.8510	* 0.7350	* F-SUB-Q			
	* 2.3484	* 2.3487	* 2.4317	* 2.8709	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 56 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 100% POWER, 225 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4476	* 1.1984	* 1.7133	* 1.4014	* 1.7894	* 1.5479	* 1.8161	* 0.9024
	* 1.6134	* 1.8986	* 1.3555	* 1.6153	* 1.2983	* 1.4656	* 1.2814	* 2.3084
9	* 1.1984	* 1.1852	* 1.4388	* 1.7786	* 1.4246	* 1.5483	* 1.8127	* 0.9035
	* 1.8986	* 1.9229	* 1.5742	* 1.3065	* 1.5944	* 1.4666	* 1.2848	* 2.3028
10	* 1.7133	* 1.4379	* 1.2413	* 1.3805	* 1.8158	* 1.5665	* 1.8078	* 0.8599
	* 1.3555	* 1.5753	* 1.8337	* 1.6477	* 1.2913	* 1.4534	* 1.2932	* 2.3852
11	* 1.4014	* 1.7769	* 1.3798	* 1.7748	* 1.5297	* 1.7958	* 1.7764	* 0.7440
	* 1.6153	* 1.3078	* 1.6484	* 1.3214	* 1.4936	* 1.3097	* 1.3220	* 2.8405
12	* 1.7894	* 1.4235	* 1.8156	* 1.5297	* 1.3391	* 1.7426	* 1.1092	
	* 1.2983	* 1.5954	* 1.2914	* 1.4937	* 1.7328	* 1.3562	* 1.8842	
13	* 1.5479	* 1.5482	* 1.5667	* 1.7958	* 1.7427	* 1.0440	* 0.5675	
	* 1.4656	* 1.4668	* 1.4533	* 1.3097	* 1.3561	* 2.0318	* 3.7117	
14	* 1.8161	* 1.8128	* 1.8080	* 1.7768	* 1.1094	* 0.5753		
	* 1.2814	* 1.2848	* 1.2930	* 1.3217	* 1.8838	* 3.6594		
15	* 0.9024	* 0.9036	* 0.8602	* 0.7437	* F-SUB-Q			
	* 2.3084	* 2.3025	* 2.3843	* 2.8200	* M-SUB-Q			

AT 100% POWER, 225 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4680	* 1.1976	* 1.7424	* 1.4129	* 1.8223	* 1.5644	* 1.8547	* 0.8998
	* 1.5593	* 1.8591	* 1.3069	* 1.5710	* 1.2501	* 1.4219	* 1.2298	* 2.2696
9	* 1.1976	* 1.1859	* 1.4514	* 1.8104	* 1.4369	* 1.5661	* 1.8513	* 0.8963
	* 1.8591	* 1.8783	* 1.5296	* 1.2584	* 1.5500	* 1.4216	* 1.2329	* 2.2755
10	* 1.7424	* 1.4504	* 1.2377	* 1.3889	* 1.8499	* 1.5869	* 1.8468	* 0.8520
	* 1.3069	* 1.5306	* 1.8015	* 1.6083	* 1.2412	* 1.4049	* 1.2397	* 2.3589
11	* 1.4129	* 1.8085	* 1.3885	* 1.8058	* 1.5456	* 1.8305	* 1.8149	* 0.7373
	* 1.5710	* 1.2597	* 1.6090	* 1.2717	* 1.4472	* 1.2574	* 1.2661	* 2.8063
12	* 1.8223	* 1.4358	* 1.8497	* 1.5455	* 1.3503	* 1.7773	* 1.1050	*
	* 1.2501	* 1.5510	* 1.2413	* 1.4473	* 1.6818	* 1.3002	* 1.8496	*
13	* 1.5644	* 1.5660	* 1.5870	* 1.8305	* 1.7774	* 1.0389	* 0.5597	*
	* 1.4219	* 1.4218	* 1.4047	* 1.2574	* 1.3002	* 1.9958	* 3.6776	*
14	* 1.8547	* 1.8514	* 1.8471	* 1.8153	* 1.1052	* 0.5669	*	
	* 1.2298	* 1.2329	* 1.2395	* 1.2658	* 1.8493	* 3.6290	*	
15	* 0.8998	* 0.8964	* 0.8523	* 0.7364	F-SUB-Q			
	* 2.2696	* 2.2752	* 2.3581	* 2.7881	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 57 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 225 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4757	* 1.1984	* 1.7562	* 1.4192	* 1.8390	* 1.5733	* 1.8761	* 0.9016 *
	* 1.5036	* 1.8011	* 1.2574	* 1.5166	* 1.2031	* 1.3732	* 1.1823	* 2.1952 *
9	* 1.1984	* 1.1871	* 1.4560	* 1.8264	* 1.4440	* 1.5752	* 1.8726	* 0.8958 *
	* 1.8011	* 1.8194	* 1.4781	* 1.2109	* 1.4963	* 1.3727	* 1.1854	* 2.2066 *
10	* 1.7562	* 1.4550	* 1.2377	* 1.3932	* 1.8674	* 1.5988	* 1.8687	* 0.8523 *
	* 1.2574	* 1.4791	* 1.7461	* 1.5554	* 1.1958	* 1.3560	* 1.1918	* 2.2853 *
11	* 1.4192	* 1.8245	* 1.3929	* 1.8211	* 1.5538	* 1.8494	* 1.8372	* 0.7376 *
	* 1.5166	* 1.2122	* 1.5561	* 1.2258	* 1.3997	* 1.2111	* 1.2167	* 2.7172 *
12	* 1.8390	* 1.4429	* 1.8672	* 1.5537	* 1.3562	* 1.7962	* 1.1080	*
	* 1.2031	* 1.4973	* 1.1960	* 1.3998	* 1.6290	* 1.2521	* 1.7908	*
13	* 1.5733	* 1.5751	* 1.5990	* 1.8493	* 1.7963	* 1.0402	* 0.5577	*
	* 1.3732	* 1.3728	* 1.3559	* 1.2111	* 1.2520	* 1.9352	* 3.5702	*
14	* 1.8761	* 1.8726	* 1.8689	* 1.8376	* 1.1082	* 0.5650	*	*
	* 1.1823	* 1.1854	* 1.1917	* 1.2164	* 1.7905	* 3.5221	*	*
15	* 0.9016	* 0.8959	* 0.8526	* 0.7364	* F-SUB-Q			
	* 2.1952	* 2.2063	* 2.2845	* 2.7008	* M-SUB-Q			

AT 100% POWER, 225 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4781	* 1.2011	* 1.7626	* 1.4220	* 1.8478	* 1.5786	* 1.8879	* 0.9060 *
	* 1.4614	* 1.7503	* 1.2198	* 1.4742	* 1.1660	* 1.3323	* 1.1431	* 2.1266 *
9	* 1.2011	* 1.1868	* 1.4570	* 1.8343	* 1.4481	* 1.5806	* 1.8844	* 0.9022 *
	* 1.7503	* 1.7728	* 1.4386	* 1.1738	* 1.4530	* 1.3318	* 1.1459	* 2.1327 *
10	* 1.7626	* 1.4560	* 1.2418	* 1.3949	* 1.8766	* 1.6057	* 1.8808	* 0.8564 *
	* 1.2198	* 1.4396	* 1.6952	* 1.5120	* 1.1572	* 1.3128	* 1.1513	* 2.2130 *
11	* 1.4220	* 1.8322	* 1.3945	* 1.8285	* 1.5575	* 1.8596	* 1.8495	* 0.7422 *
	* 1.4742	* 1.1751	* 1.5128	* 1.1873	* 1.3578	* 1.1705	* 1.1744	* 2.6260 *
12	* 1.8478	* 1.4469	* 1.8763	* 1.5574	* 1.3597	* 1.8064	* 1.1149	*
	* 1.1660	* 1.4541	* 1.1573	* 1.3579	* 1.5797	* 1.2093	* 1.7291	*
13	* 1.5786	* 1.5805	* 1.6058	* 1.8596	* 1.8065	* 1.0456	* 0.5593	*
	* 1.3323	* 1.3319	* 1.3128	* 1.1706	* 1.2093	* 1.8701	* 3.4582	*
14	* 1.8879	* 1.8845	* 1.8811	* 1.8499	* 1.1151	* 0.5666	*	*
	* 1.1431	* 1.1459	* 1.1512	* 1.1742	* 1.7289	* 3.4120	*	*
15	* 0.9060	* 0.9023	* 0.8566	* 0.7410	* F-SUB-Q			
	* 2.1266	* 2.1325	* 2.2123	* 2.6105	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 58 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 225 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4692	* 1.2045	* 1.7552	* 1.4206	* 1.8417	* 1.5767	* 1.8837	* 0.9130
	* 1.5501	* 1.8428	* 1.2931	* 1.5586	* 1.2350	* 1.4081	* 1.2084	* 2.2268
9	* 1.2045	* 1.1909	* 1.4511	* 1.8277	* 1.4472	* 1.5780	* 1.8801	* 0.9122
	* 1.8428	* 1.8671	* 1.5254	* 1.2434	* 1.5353	* 1.4080	* 1.2113	* 2.2259
10	* 1.7552	* 1.4500	* 1.2477	* 1.3976	* 1.8706	* 1.6048	* 1.8769	* 0.8670
	* 1.2931	* 1.5265	* 1.7817	* 1.5903	* 1.2237	* 1.3845	* 1.2161	* 2.3057
11	* 1.4206	* 1.8256	* 1.3967	* 1.8215	* 1.5541	* 1.8557	* 1.8467	* 0.7516
	* 1.5586	* 1.2448	* 1.5913	* 1.2563	* 1.4342	* 1.2356	* 1.2387	* 2.7338
12	* 1.8417	* 1.4459	* 1.8704	* 1.5540	* 1.3583	* 1.8021	* 1.1272	*
	* 1.2350	* 1.5364	* 1.2238	* 1.4343	* 1.6654	* 1.2755	* 1.8010	*
13	* 1.5767	* 1.5779	* 1.6049	* 1.8557	* 1.8021	* 1.0555	* 0.5651	*
	* 1.4081	* 1.4082	* 1.3844	* 1.2356	* 1.2755	* 1.9496	* 3.6038	*
14	* 1.8837	* 1.8802	* 1.8771	* 1.8471	* 1.1273	* 0.5729	*	*
	* 1.2084	* 1.2113	* 1.2160	* 1.2385	* 1.8008	* 3.5534	*	*
15	* 0.9130	* 0.9123	* 0.8673	* 0.7505	* F-SUB-Q			
	* 2.2268	* 2.2256	* 2.3050	* 2.7172	* M-SUB-Q			

AT 100% POWER, 225 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4935	* 1.2041	* 1.7878	* 1.4321	* 1.8769	* 1.5941	* 1.9236	* 0.9076
	* 1.4844	* 1.7988	* 1.2383	* 1.5086	* 1.1826	* 1.3599	* 1.1556	* 2.1905
9	* 1.2041	* 1.1900	* 1.4660	* 1.8621	* 1.4597	* 1.5971	* 1.9199	* 0.9006
	* 1.7988	* 1.8233	* 1.4733	* 1.1905	* 1.4855	* 1.3585	* 1.1582	* 2.2044
10	* 1.7878	* 1.4649	* 1.2431	* 1.4020	* 1.9071	* 1.6261	* 1.9173	* 0.8559
	* 1.2383	* 1.4745	* 1.7452	* 1.5493	* 1.1705	* 1.3335	* 1.1620	* 2.2835
11	* 1.4321	* 1.8598	* 1.4016	* 1.8554	* 1.5717	* 1.8933	* 1.8873	* 0.7417
	* 1.5086	* 1.1920	* 1.5497	* 1.2024	* 1.3831	* 1.1808	* 1.1825	* 2.7083
12	* 1.8769	* 1.4583	* 1.9069	* 1.5716	* 1.3698	* 1.8391	* 1.1201	*
	* 1.1826	* 1.4867	* 1.1706	* 1.3832	* 1.6076	* 1.2180	* 1.7685	*
13	* 1.5941	* 1.5969	* 1.6262	* 1.8933	* 1.8391	* 1.0481	* 0.5554	*
	* 1.3599	* 1.3586	* 1.3334	* 1.1809	* 1.2180	* 1.9145	* 3.5862	*
14	* 1.9236	* 1.9200	* 1.9175	* 1.8876	* 1.1202	* 0.5628	*	*
	* 1.1556	* 1.1582	* 1.1619	* 1.1823	* 1.7683	* 3.5372	*	*
15	* 0.9076	* 0.9007	* 0.8561	* 0.7399	* F-SUB-Q			
	* 2.1905	* 2.2041	* 2.2828	* 2.6944	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 59 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.4914	* 1.2001	* 1.7870	* 1.4279	* 1.8764	* 1.5922	* 1.9250	* 0.9033
	* 1.4366	* 1.7516	* 1.2024	* 1.4693	* 1.1482	* 1.3219	* 1.1202	* 2.1377
9	* 1.2001	* 1.1860	* 1.4624	* 1.8610	* 1.4560	* 1.5958	* 1.9213	* 0.8959
	* 1.7516	* 1.7767	* 1.4340	* 1.1561	* 1.4462	* 1.3200	* 1.1228	* 2.1521
10	* 1.7870	* 1.4613	* 1.2383	* 1.3971	* 1.9071	* 1.6257	* 1.9189	* 0.8511
	* 1.2024	* 1.4351	* 1.7015	* 1.5081	* 1.1343	* 1.2931	* 1.1257	* 2.2291
11	* 1.4279	* 1.8586	* 1.3967	* 1.8544	* 1.5691	* 1.8952	* 1.8898	* 0.7373
	* 1.4693	* 1.1575	* 1.5085	* 1.1655	* 1.3420	* 1.1423	* 1.1438	* 2.6433
12	* 1.8764	* 1.4545	* 1.9068	* 1.5690	* 1.3667	* 1.8402	* 1.1168	*
	* 1.1482	* 1.4474	* 1.1345	* 1.3421	* 1.5567	* 1.1768	* 1.7176	*
13	* 1.5922	* 1.5957	* 1.6258	* 1.8951	* 1.8402	* 1.0443	* 0.5510	*
	* 1.3219	* 1.3202	* 1.2930	* 1.1423	* 1.1769	* 1.8579	* 3.5021	*
14	* 1.9250	* 1.9214	* 1.9191	* 1.8901	* 1.1169	* 0.5583	*	*
	* 1.1202	* 1.1227	* 1.1256	* 1.1437	* 1.7175	* 3.4544	*	*
15	* 0.9033	* 0.8960	* 0.8514	* 0.7354	* F-SUB-Q			
	* 2.1377	* 2.1518	* 2.2284	* 2.6300	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.4509	* 1.1870	* 1.7381	* 1.3989	* 1.8249	* 1.5616	* 1.8714	* 0.8959 *
	* 1.4374	* 1.7272	* 1.2051	* 1.4632	* 1.1513	* 1.3147	* 1.1230	* 2.1026 *
9	* 1.1870	* 1.1735	* 1.4319	* 1.8083	* 1.4270	* 1.5646	* 1.8677	* 0.8940 *
	* 1.7272	* 1.7510	* 1.4285	* 1.1599	* 1.4393	* 1.3132	* 1.1253	* 2.1037 *
10	* 1.7381	* 1.4308	* 1.2276	* 1.3773	* 1.8545	* 1.5930	* 1.8649	* 0.8489 *
	* 1.2051	* 1.4296	* 1.6743	* 1.4896	* 1.1357	* 1.2850	* 1.1279	* 2.1794 *
11	* 1.3989	* 1.8059	* 1.3764	* 1.8039	* 1.5370	* 1.8451	* 1.8369	* 0.7356 *
	* 1.4632	* 1.1614	* 1.4905	* 1.1671	* 1.3340	* 1.1415	* 1.1450	* 2.5826 *
12	* 1.8249	* 1.4256	* 1.8542	* 1.5368	* 1.3411	* 1.7894	* 1.1119	*
	* 1.1513	* 1.4405	* 1.1359	* 1.3341	* 1.5434	* 1.1764	* 1.6788	*
13	* 1.5616	* 1.5644	* 1.5931	* 1.8450	* 1.7894	* 1.0392	* 0.5502	*
	* 1.3147	* 1.3133	* 1.2850	* 1.1416	* 1.1764	* 1.8158	* 3.4150	*
14	* 1.8714	* 1.8678	* 1.8651	* 1.8372	* 1.1121	* 0.5576	*	
	* 1.1230	* 1.1253	* 1.1278	* 1.1448	* 1.6786	* 3.3680	*	
15	* 0.8959	* 0.8942	* 0.8492	* 0.7342	* F-SUB-Q			
	* 2.1026	* 2.1034	* 2.1787	* 2.5678	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 60 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.4178	* 1.1504	* 1.6965	* 1.3625	* 1.7798	* 1.5273	* 1.8257	* 0.8601
	* 1.4403	* 1.7462	* 1.2091	* 1.4719	* 1.1560	* 1.3168	* 1.1266	* 2.1460
9	* 1.1504	* 1.1406	* 1.4031	* 1.7622	* 1.3894	* 1.5324	* 1.8220	* 0.8538
	* 1.7462	* 1.7667	* 1.4282	* 1.1654	* 1.4483	* 1.3135	* 1.1290	* 2.1585
10	* 1.6965	* 1.4020	* 1.1860	* 1.3335	* 1.8091	* 1.5574	* 1.8181	* 0.8097
	* 1.2091	* 1.4294	* 1.6984	* 1.5080	* 1.1389	* 1.2860	* 1.1318	* 2.2384
11	* 1.3625	* 1.7598	* 1.3330	* 1.7610	* 1.5035	* 1.8017	* 1.7896	* 0.6988
	* 1.4719	* 1.1670	* 1.5084	* 1.1697	* 1.3342	* 1.1430	* 1.1489	* 2.6621
12	* 1.7798	* 1.3880	* 1.8088	* 1.5034	* 1.3090	* 1.7443	* 1.0649	*
	* 1.1560	* 1.4496	* 1.1391	* 1.3343	* 1.5470	* 1.1794	* 1.7144	*
13	* 1.5273	* 1.5322	* 1.5575	* 1.8017	* 1.7444	* 0.9972	* 0.5240	*
	* 1.3168	* 1.3136	* 1.2859	* 1.1431	* 1.1794	* 1.8506	* 3.5109	*
14	* 1.8257	* 1.8220	* 1.8183	* 1.7900	* 1.0651	* 0.5305	*	*
	* 1.1266	* 1.1290	* 1.1317	* 1.1487	* 1.7143	* 3.4657	*	*
15	* 0.8601	* 0.8539	* 0.8100	* 0.6976	* F-SUB-Q			
	* 2.1460	* 2.1582	* 2.2377	* 2.6464	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.2964 *	* 1.0670 *	* 1.5472 *	* 1.2632 *	* 1.6216 *	* 1.4166 *	* 1.6592 *	* 0.7986 *
	* 1.5496 *	* 1.8525 *	* 1.3036 *	* 1.5621 *	* 1.2474 *	* 1.3963 *	* 1.2182 *	* 2.2743 *
9	* 1.0670 *	* 1.0629 *	* 1.3074 *	* 1.6050 *	* 1.2883 *	* 1.4183 *	* 1.6555 *	* 0.7892 *
	* 1.8525 *	* 1.8655 *	* 1.5081 *	* 1.2581 *	* 1.5369 *	* 1.3956 *	* 1.2210 *	* 2.2979 *
10	* 1.5472 *	* 1.3063 *	* 1.0982 *	* 1.2375 *	* 1.6472 *	* 1.4408 *	* 1.6501 *	* 0.7493 *
	* 1.3036 *	* 1.5093 *	* 1.8046 *	* 1.5978 *	* 1.2290 *	* 1.3658 *	* 1.2250 *	* 2.3800 *
11	* 1.2632 *	* 1.6028 *	* 1.2371 *	* 1.6051 *	* 1.3960 *	* 1.6399 *	* 1.6211 *	* 0.6435 *
	* 1.5621 *	* 1.2599 *	* 1.5983 *	* 1.2607 *	* 1.4121 *	* 1.2334 *	* 1.2457 *	* 2.8444 *
12	* 1.6216 *	* 1.2870 *	* 1.6470 *	* 1.3959 *	* 1.2141 *	* 1.5828 *	* 0.9819 *	
	* 1.2474 *	* 1.5382 *	* 1.2291 *	* 1.4122 *	* 1.6394 *	* 1.2764 *	* 1.8275 *	
13	* 1.4166 *	* 1.4182 *	* 1.4409 *	* 1.6399 *	* 1.5828 *	* 0.9217 *	* 0.4853 *	
	* 1.3963 *	* 1.3958 *	* 1.3657 *	* 1.2335 *	* 1.2764 *	* 1.9680 *	* 3.7298 *	
14	* 1.6592 *	* 1.6555 *	* 1.6503 *	* 1.6214 *	* 0.9821 *	* 0.4908 *		
	* 1.2182 *	* 1.2210 *	* 1.2248 *	* 1.2454 *	* 1.8272 *	* 3.6863 *		
15	* 0.7986 *	* 0.7893 *	* 0.7495 *	* 0.6434 *	F-SUB-Q			
	* 2.2743 *	* 2.2976 *	* 2.3792 *	* 2.8232 *	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 61 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 225 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0579	* 0.8744	* 1.2768	* 1.0338	* 1.3414	* 1.1578	* 1.3627	* 0.6598 *
	* 1.8756	* 2.2320	* 1.5590	* 1.8839	* 1.4874	* 1.6856	* 1.4637	* 2.7197 *
9	* 0.8744	* 0.8701	* 1.0825	* 1.3251	* 1.0569	* 1.1513	* 1.3593	* 0.6508 *
	* 2.2320	* 2.2501	* 1.7980	* 1.5039	* 1.8488	* 1.6963	* 1.4675	* 2.7521 *
10	* 1.2768	* 1.0816	* 0.8985	* 1.0173	* 1.3599	* 1.1676	* 1.3533	* 0.6160 *
	* 1.5590	* 1.7996	* 2.1777	* 1.9184	* 1.4679	* 1.6626	* 1.4738	* 2.8592 *
11	* 1.0338	* 1.3235	* 1.0170	* 1.3226	* 1.1456	* 1.3282	* 1.3089	* 0.5252 *
	* 1.8839	* 1.5058	* 1.9189	* 1.5087	* 1.6972	* 1.5024	* 1.5219	* 3.4433 *
12	* 1.3414	* 1.0559	* 1.3597	* 1.1455	* 0.9893	* 1.2887	* 0.8008	*
	* 1.4874	* 1.8504	* 1.4681	* 1.6973	* 1.9849	* 1.5467	* 2.2119	*
13	* 1.1578	* 1.1511	* 1.1676	* 1.3282	* 1.2887	* 0.7520	* 0.4007	*
	* 1.6856	* 1.6966	* 1.6625	* 1.5024	* 1.5467	* 2.3810	* 4.4652	*
14	* 1.3627	* 1.3593	* 1.3534	* 1.3091	* 0.8009	* 0.4053	*	
	* 1.4637	* 1.4674	* 1.4737	* 1.5217	* 2.2117	* 4.4116	*	
15	* 0.6598	* 0.6509	* 0.6162	* 0.5269	F-SUB-Q			
	* 2.7197	* 2.7516	* 2.8584	* 3.4065	M-SUB-Q			

AT 100% POWER, 225 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.4480	* 0.3942	* 0.5261	* 0.4660	* 0.5589	* 0.4816	* 0.5242	* 0.2846 *
	* 4.3908	* 4.9063	* 3.7490	* 4.1399	* 3.5348	* 4.0107	* 3.7683	* 6.2533 *
9	* 0.3942	* 0.3888	* 0.4525	* 0.5483	* 0.4705	* 0.4774	* 0.5227	* 0.2798 *
	* 4.9063	* 4.9889	* 4.2587	* 3.6009	* 4.1126	* 4.0479	* 3.7792	* 6.3501 *
10	* 0.5261	* 0.4521	* 0.4081	* 0.4593	* 0.5611	* 0.4801	* 0.5189	* 0.2688 *
	* 3.7490	* 4.2625	* 4.7496	* 4.2071	* 3.5231	* 4.0025	* 3.8062	* 6.4985 *
11	* 0.4660	* 0.5477	* 0.4592	* 0.5472	* 0.4790	* 0.5536	* 0.4953	* 0.2365 *
	* 4.1399	* 3.6048	* 4.2091	* 3.6116	* 4.0163	* 3.5699	* 3.9850	* 7.5846 *
12	* 0.5589	* 0.4701	* 0.5610	* 0.4790	* 0.4378	* 0.4937	* 0.3395	*
	* 3.5348	* 4.1155	* 3.5237	* 4.0167	* 4.4401	* 3.9995	* 5.1730	*
13	* 0.4816	* 0.4773	* 0.4801	* 0.5535	* 0.4937	* 0.3216	* 0.1784	*
	* 4.0106	* 4.0485	* 4.0028	* 3.5700	* 3.9995	* 5.5201	* 9.9540	*
14	* 0.5242	* 0.5227	* 0.5189	* 0.4954	* 0.3395	* 0.1795	*	
	* 3.7683	* 3.7791	* 3.8059	* 3.9845	* 5.1726	* 9.8864	*	
15	* 0.2846	* 0.2798	* 0.2689	* 0.2349	F-SUB-Q			
	* 6.2533	* 6.3492	* 6.4969	* 7.5809	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 62 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 325 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.4508	* 0.4807	* 0.6023	* 0.5432	* 0.6188	* 0.5490	* 0.5678	* 0.3330
	* 3.3575	* 3.8140	* 3.1840	* 3.2952	* 3.0122	* 3.2165	* 3.2434	* 4.8515
9	* 0.4807	* 0.4816	* 0.5396	* 0.6166	* 0.5430	* 0.5478	* 0.5666	* 0.3309
	* 3.8140	* 3.8802	* 3.3847	* 3.0523	* 3.2987	* 3.2348	* 3.2640	* 4.8469
10	* 0.6023	* 0.5397	* 0.5059	* 0.5444	* 0.6162	* 0.5425	* 0.5606	* 0.3214
	* 3.1840	* 3.3848	* 3.6447	* 3.3656	* 3.1125	* 3.3482	* 3.3705	* 4.9958
11	* 0.5432	* 0.6165	* 0.5444	* 0.6061	* 0.5405	* 0.5962	* 0.5326	* 0.2780
	* 3.2952	* 3.0524	* 3.3653	* 3.1401	* 3.3225	* 3.1808	* 3.6009	* 6.1488
12	* 0.6188	* 0.5429	* 0.6162	* 0.5406	* 0.4565	* 0.5152	* 0.3816	*
	* 3.0122	* 3.2986	* 3.1125	* 3.3225	* 3.4958	* 3.4344	* 4.2818	*
13	* 0.5490	* 0.5478	* 0.5425	* 0.5963	* 0.5152	* 0.3539	* 0.2258	*
	* 3.2165	* 3.2349	* 3.3480	* 3.1806	* 3.4343	* 4.2618	* 7.1067	*
14	* 0.5678	* 0.5667	* 0.5607	* 0.5328	* 0.3817	* 0.2270	*	*
	* 3.2434	* 3.2638	* 3.3699	* 3.6001	* 4.2811	* 7.0887	*	*
15	* 0.3330	* 0.3309	* 0.3216	* 0.2766	* F-SUB-Q			
	* 4.8515	* 4.8464	* 4.9941	* 6.0492	* M-SUB-Q			

AT 100% POWER, 325 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0303	* 0.9380	* 1.2227	* 1.0502	* 1.2501	* 1.1338	* 1.2357	* 0.6933
	* 1.7484	* 1.9993	* 1.6050	* 1.7442	* 1.5264	* 1.5955	* 1.5262	* 2.3882
9	* 0.9380	* 0.9407	* 1.1146	* 1.2460	* 1.0589	* 1.1312	* 1.2338	* 0.6914
	* 1.9993	* 2.0185	* 1.6782	* 1.5449	* 1.7311	* 1.6052	* 1.5346	* 2.3780
10	* 1.2227	* 1.1145	* 0.9721	* 1.0505	* 1.2495	* 1.1296	* 1.2237	* 0.6614
	* 1.6050	* 1.6784	* 1.9418	* 1.7855	* 1.5648	* 1.6446	* 1.5785	* 2.4867
11	* 1.0502	* 1.2458	* 1.0506	* 1.2366	* 1.1249	* 1.2105	* 1.1811	* 0.5617
	* 1.7442	* 1.5451	* 1.7854	* 1.5685	* 1.6333	* 1.5970	* 1.6460	* 3.1143
12	* 1.2501	* 1.0588	* 1.2495	* 1.1250	* 0.9532	* 1.1681	* 0.8058	*
	* 1.5264	* 1.7311	* 1.5648	* 1.6332	* 1.8297	* 1.5960	* 2.0687	*
13	* 1.1338	* 1.1312	* 1.1297	* 1.2106	* 1.1682	* 0.7724	* 0.4655	*
	* 1.5955	* 1.6053	* 1.6445	* 1.5969	* 1.5959	* 2.0766	* 3.5356	*
14	* 1.2357	* 1.2338	* 1.2240	* 1.1815	* 0.8061	* 0.4696	*	*
	* 1.5262	* 1.5345	* 1.5783	* 1.6455	* 2.0683	* 3.5134	*	*
15	* 0.6933	* 0.6916	* 0.6616	* 0.5666	* F-SUB-Q			
	* 2.3882	* 2.3776	* 2.4857	* 3.0223	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 63 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.2682	* 1.1061	* 1.4457	* 1.2385	* 1.4791	* 1.3383	* 1.4687	* 0.8271
	* 1.5207	* 1.7276	* 1.3774	* 1.4997	* 1.3060	* 1.3693	* 1.2995	* 2.0286
9	* 1.1061	* 1.1033	* 1.2991	* 1.4760	* 1.2481	* 1.3387	* 1.4665	* 0.8291
	* 1.7276	* 1.7469	* 1.4604	* 1.3216	* 1.4891	* 1.3743	* 1.3066	* 2.0048
10	* 1.4457	* 1.2990	* 1.1356	* 1.2331	* 1.4864	* 1.3344	* 1.4561	* 0.7961
	* 1.3774	* 1.4607	* 1.6887	* 1.5418	* 1.3337	* 1.4092	* 1.3428	* 2.0929
11	* 1.2385	* 1.4756	* 1.2331	* 1.4714	* 1.3290	* 1.4547	* 1.4188	* 0.6833
	* 1.4997	* 1.3219	* 1.5418	* 1.3404	* 1.4049	* 1.3503	* 1.3869	* 2.5939
12	* 1.4791	* 1.2478	* 1.4865	* 1.3291	* 1.1735	* 1.4127	* 0.9790	*
	* 1.3060	* 1.4892	* 1.3337	* 1.4049	* 1.5815	* 1.3601	* 1.7323	*
13	* 1.3383	* 1.3387	* 1.3344	* 1.4548	* 1.4128	* 0.9431	* 0.5599	*
	* 1.3693	* 1.3743	* 1.4092	* 1.3503	* 1.3600	* 1.7716	* 3.0029	*
14	* 1.4687	* 1.4666	* 1.4564	* 1.4194	* 0.9793	* 0.5649	*	*
	* 1.2995	* 1.3065	* 1.3425	* 1.3865	* 1.7319	* 2.9840	*	*
15	* 0.8271	* 0.8291	* 0.7965	* 0.6871	* F-SUB-Q			
	* 2.0286	* 2.0045	* 2.0920	* 2.5243	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.4025 *	* 1.1852 *	* 1.5984 *	* 1.3366 *	* 1.6424 *	* 1.4503 *	* 1.6403 *	* 0.8810 *
	* 1.4087 *	* 1.6395 *	* 1.2612 *	* 1.4062 *	* 1.1897 *	* 1.2781 *	* 1.1756 *	* 1.9256 *
9	* 1.1852 *	* 1.1790 *	* 1.3976 *	* 1.6369 *	* 1.3479 *	* 1.4526 *	* 1.6381 *	* 0.8814 *
	* 1.6395 *	* 1.6593 *	* 1.3744 *	* 1.2058 *	* 1.3949 *	* 1.2803 *	* 1.1818 *	* 1.9067 *
10	* 1.5984 *	* 1.3974 *	* 1.2144 *	* 1.3287 *	* 1.6545 *	* 1.4498 *	* 1.6294 *	* 0.8438 *
	* 1.2612 *	* 1.3748 *	* 1.5999 *	* 1.4496 *	* 1.2145 *	* 1.3098 *	* 1.2123 *	* 1.9966 *
11	* 1.3366 *	* 1.6363 *	* 1.3287 *	* 1.6345 *	* 1.4416 *	* 1.6218 *	* 1.5908 *	* 0.7273 *
	* 1.4062 *	* 1.2062 *	* 1.4497 *	* 1.2256 *	* 1.3152 *	* 1.2294 *	* 1.2531 *	* 2.4635 *
12	* 1.6424 *	* 1.3476 *	* 1.6545 *	* 1.4416 *	* 1.2727 *	* 1.5829 *	* 1.0497 *	
	* 1.1897 *	* 1.3952 *	* 1.2145 *	* 1.3152 *	* 1.4893 *	* 1.2374 *	* 1.6419 *	
13	* 1.4503 *	* 1.4526 *	* 1.4501 *	* 1.6219 *	* 1.5830 *	* 1.0093 *	* 0.5896 *	
	* 1.2781 *	* 1.2804 *	* 1.3097 *	* 1.2293 *	* 1.2373 *	* 1.6929 *	* 2.9070 *	
14	* 1.6403 *	* 1.6381 *	* 1.6297 *	* 1.5913 *	* 1.0501 *	* 0.5959 *		
	* 1.1756 *	* 1.1817 *	* 1.2121 *	* 1.2528 *	* 1.6414 *	* 2.8836 *		
15	* 0.8810 *	* 0.8815 *	* 0.8441 *	* 0.7294 *	F-SUB-Q			
	* 1.9256 *	* 1.9065 *	* 1.9959 *	* 2.4040 *	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 64 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 325 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4387	* 1.2015	* 1.6443	* 1.3647	* 1.6971	* 1.4831	* 1.7020	* 0.9038 *
	* 1.4004	* 1.6450	* 1.2410	* 1.3946	* 1.1653	* 1.2645	* 1.1452	* 1.8994 *
9	* 1.2015	* 1.1924	* 1.4195	* 1.6889	* 1.3771	* 1.4843	* 1.6999	* 0.9070 *
	* 1.6450	* 1.6674	* 1.3700	* 1.1828	* 1.3823	* 1.2674	* 1.1511	* 1.8751 *
10	* 1.6443	* 1.4192	* 1.2308	* 1.3550	* 1.7112	* 1.4879	* 1.6929	* 0.8653 *
	* 1.2410	* 1.3705	* 1.5936	* 1.4395	* 1.1919	* 1.2923	* 1.1788	* 1.9693 *
11	* 1.3647	* 1.6883	* 1.3550	* 1.6871	* 1.4735	* 1.6780	* 1.6535	* 0.7494 *
	* 1.3946	* 1.1833	* 1.4396	* 1.2065	* 1.3073	* 1.2067	* 1.2234	* 2.4162 *
12	* 1.6971	* 1.3767	* 1.7111	* 1.4735	* 1.3004	* 1.6416	* 1.0804	*
	* 1.1653	* 1.3826	* 1.1920	* 1.3073	* 1.4846	* 1.2140	* 1.6223	*
13	* 1.4831	* 1.4843	* 1.4880	* 1.6781	* 1.6417	* 1.0357	* 0.6014	*
	* 1.2645	* 1.2675	* 1.2922	* 1.2066	* 1.2139	* 1.6817	* 2.9051	*
14	* 1.7020	* 1.6999	* 1.6931	* 1.6540	* 1.0807	* 0.6080	*	
	* 1.1452	* 1.1510	* 1.1787	* 1.2231	* 1.6219	* 2.8809	*	
15	* 0.9038	* 0.9070	* 0.8656	* 0.7506	F-SUB-Q			
	* 1.8994	* 1.8750	* 1.9685	* 2.3611	M-SUB-Q			

AT 100% POWER, 325 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4378	* 1.1958	* 1.6478	* 1.3644	* 1.7056	* 1.4846	* 1.7160	* 0.9109 *
	* 1.4239	* 1.6744	* 1.2543	* 1.4146	* 1.1755	* 1.2807	* 1.1505	* 1.9107 *
9	* 1.1958	* 1.1846	* 1.4135	* 1.6960	* 1.3778	* 1.4851	* 1.7138	* 0.9151 *
	* 1.6744	* 1.6976	* 1.3939	* 1.1939	* 1.4003	* 1.2838	* 1.1561	* 1.8841 *
10	* 1.6478	* 1.4130	* 1.2325	* 1.3538	* 1.7205	* 1.4926	* 1.7078	* 0.8751 *
	* 1.2543	* 1.3944	* 1.6113	* 1.4600	* 1.1988	* 1.3032	* 1.1817	* 1.9721 *
11	* 1.3644	* 1.6952	* 1.3537	* 1.6937	* 1.4739	* 1.6879	* 1.6691	* 0.7589 *
	* 1.4146	* 1.1945	* 1.4602	* 1.2175	* 1.3244	* 1.2149	* 1.2258	* 2.4122 *
12	* 1.7056	* 1.3773	* 1.7205	* 1.4739	* 1.3009	* 1.6540	* 1.0909	*
	* 1.1755	* 1.4007	* 1.1989	* 1.3244	* 1.5086	* 1.2255	* 1.6316	*
13	* 1.4846	* 1.4850	* 1.4927	* 1.6879	* 1.6541	* 1.0437	* 0.6049	*
	* 1.2807	* 1.2840	* 1.3031	* 1.2149	* 1.2255	* 1.7020	* 2.9447	*
14	* 1.7160	* 1.7138	* 1.7079	* 1.6695	* 1.0912	* 0.6122	*	
	* 1.1505	* 1.1561	* 1.1816	* 1.2255	* 1.6313	* 2.9170	*	
15	* 0.9109	* 0.9151	* 0.8754	* 0.7597	F-SUB-Q			
	* 1.9107	* 1.8840	* 1.9715	* 2.3583	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 65 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.4406	* 1.1889	* 1.6552	* 1.3628	* 1.7166	* 1.4848	* 1.7327	* 0.9062
	* 1.4445	* 1.6982	* 1.2635	* 1.4398	* 1.1872	* 1.3018	* 1.1575	* 1.9525
9	* 1.1889	* 1.1782	* 1.4094	* 1.7058	* 1.3770	* 1.4860	* 1.7304	* 0.9091
	* 1.6982	* 1.7180	* 1.4159	* 1.2058	* 1.4244	* 1.3036	* 1.1626	* 1.9276
10	* 1.6552	* 1.4089	* 1.2224	* 1.3499	* 1.7321	* 1.4961	* 1.7248	* 0.8670
	* 1.2635	* 1.4165	* 1.6471	* 1.4786	* 1.1992	* 1.3106	* 1.1852	* 2.0201
11	* 1.3628	* 1.7050	* 1.3498	* 1.7028	* 1.4740	* 1.6994	* 1.6859	* 0.7534
	* 1.4398	* 1.2064	* 1.4787	* 1.2225	* 1.3378	* 1.2181	* 1.2220	* 2.4534
12	* 1.7166	* 1.3764	* 1.7320	* 1.4740	* 1.2995	* 1.6677	* 1.0847	*
	* 1.1872	* 1.4248	* 1.1993	* 1.3378	* 1.5341	* 1.2346	* 1.6622	*
13	* 1.4848	* 1.4859	* 1.4962	* 1.6994	* 1.6677	* 1.0365	* 0.5973	*
	* 1.3018	* 1.3038	* 1.3105	* 1.2181	* 1.2346	* 1.7415	* 3.0313	*
14	* 1.7327	* 1.7304	* 1.7249	* 1.6862	* 1.0849	* 0.6041	*	*
	* 1.1575	* 1.1626	* 1.1851	* 1.2218	* 1.6619	* 3.0047	*	*
15	* 0.9062	* 0.9092	* 0.8673	* 0.7538	F-SUB-Q			
	* 1.9525	* 1.9275	* 2.0195	* 2.4000	M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.4336	* 1.1785	* 1.6508	* 1.3548	* 1.7142	* 1.4775	* 1.7343	* 0.9013
	* 1.4685	* 1.7381	* 1.2823	* 1.4769	* 1.2129	* 1.3347	* 1.1791	* 2.0031
9	* 1.1785	* 1.1675	* 1.3990	* 1.7027	* 1.3698	* 1.4788	* 1.7319	* 0.9037
	* 1.7381	* 1.7606	* 1.4444	* 1.2308	* 1.4600	* 1.3357	* 1.1837	* 1.9779
10	* 1.6508	* 1.3984	* 1.2121	* 1.3403	* 1.7296	* 1.4909	* 1.7265	* 0.8610
	* 1.2823	* 1.4451	* 1.6834	* 1.5106	* 1.2186	* 1.3340	* 1.2019	* 2.0705
11	* 1.3548	* 1.7018	* 1.3402	* 1.6986	* 1.4658	* 1.6972	* 1.6877	* 0.7489
	* 1.4769	* 1.2315	* 1.5109	* 1.2427	* 1.3633	* 1.2360	* 1.2374	* 2.4943
12	* 1.7142	* 1.3692	* 1.7295	* 1.4658	* 1.2918	* 1.6671	* 1.0789	
	* 1.2129	* 1.4605	* 1.2187	* 1.3633	* 1.5601	* 1.2487	* 1.6905	
13	* 1.4775	* 1.4787	* 1.4910	* 1.6972	* 1.6672	* 1.0298	* 0.5912	
	* 1.3347	* 1.3358	* 1.3339	* 1.2360	* 1.2487	* 1.7756	* 3.0948	
14	* 1.7343	* 1.7319	* 1.7266	* 1.6880	* 1.0791	* 0.5980		
	* 1.1791	* 1.1837	* 1.2018	* 1.2372	* 1.6902	* 3.0670		
15	* 0.9013	* 0.9038	* 0.8613	* 0.7490	F-SUB-Q			
	* 2.0031	* 1.9777	* 2.0699	* 2.4408	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 66 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 325 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4327	* 1.1715	* 1.6523	* 1.3495	* 1.7172	* 1.4736	* 1.7404	* 0.8950 *
	* 1.5110	* 1.7902	* 1.3050	* 1.5180	* 1.2407	* 1.3713	* 1.2034	* 2.0668 *
9	* 1.1715	* 1.1609	* 1.3929	* 1.7051	* 1.3653	* 1.4752	* 1.7378	* 0.8937 *
	* 1.7902	* 1.8041	* 1.4782	* 1.2574	* 1.5002	* 1.3709	* 1.2073	* 2.0487 *
10	* 1.6523	* 1.3923	* 1.2022	* 1.3331	* 1.7321	* 1.4881	* 1.7324	* 0.8518 *
	* 1.3050	* 1.4789	* 1.7302	* 1.5466	* 1.2397	* 1.3571	* 1.2204	* 2.1387 *
11	* 1.3495	* 1.7041	* 1.3330	* 1.6997	* 1.4606	* 1.6995	* 1.6932	* 0.7420 *
	* 1.5180	* 1.2582	* 1.5469	* 1.2710	* 1.3999	* 1.2627	* 1.2560	* 2.5595 *
12	* 1.7172	* 1.3646	* 1.7320	* 1.4606	* 1.2866	* 1.6708	* 1.0706	*
	* 1.2407	* 1.5008	* 1.2398	* 1.4000	* 1.6055	* 1.2747	* 1.7414	*
13	* 1.4736	* 1.4751	* 1.4882	* 1.6994	* 1.6708	* 1.0214	* 0.5841	*
	* 1.3713	* 1.3710	* 1.3570	* 1.2627	* 1.2747	* 1.8316	* 3.1999	*
14	* 1.7404	* 1.7378	* 1.7325	* 1.6934	* 1.0708	* 0.5910	*	*
	* 1.2034	* 1.2073	* 1.2204	* 1.2559	* 1.7412	* 3.1702	*	*
15	* 0.8950	* 0.8938	* 0.8521	* 0.7419	* F-SUB-Q			
	* 2.0668	* 2.0485	* 2.1381	* 2.5057	* M-SUB-Q			

AT 100% POWER, 325 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4109	* 1.1631	* 1.6274	* 1.3334	* 1.6923	* 1.4561	* 1.7171	* 0.8964 *
	* 1.5805	* 1.8415	* 1.3598	* 1.5804	* 1.2963	* 1.4289	* 1.2553	* 2.1245 *
9	* 1.1631	* 1.1528	* 1.3723	* 1.6800	* 1.3501	* 1.4562	* 1.7145	* 0.8997 *
	* 1.8415	* 1.8622	* 1.5399	* 1.3121	* 1.5610	* 1.4290	* 1.2586	* 2.0944 *
10	* 1.6274	* 1.3717	* 1.1993	* 1.3164	* 1.7065	* 1.4701	* 1.7091	* 0.8597 *
	* 1.3598	* 1.5407	* 1.7805	* 1.6061	* 1.2877	* 1.4066	* 1.2690	* 2.1761 *
11	* 1.3334	* 1.6790	* 1.3162	* 1.6736	* 1.4403	* 1.6745	* 1.6701	* 0.7478 *
	* 1.5804	* 1.3130	* 1.6063	* 1.3189	* 1.4509	* 1.3086	* 1.3011	* 2.6011 *
12	* 1.6923	* 1.3494	* 1.7064	* 1.4402	* 1.2713	* 1.6469	* 1.0746	*
	* 1.2963	* 1.5616	* 1.2878	* 1.4509	* 1.6719	* 1.3295	* 1.7755	*
13	* 1.4561	* 1.4561	* 1.4701	* 1.6745	* 1.6469	* 1.0242	* 0.5878	*
	* 1.4289	* 1.4291	* 1.4066	* 1.3087	* 1.3295	* 1.8836	* 3.2655	*
14	* 1.7171	* 1.7145	* 1.7092	* 1.6703	* 1.0747	* 0.5944	*	*
	* 1.2553	* 1.2586	* 1.2690	* 1.3010	* 1.7753	* 3.2371	*	*
15	* 0.8964	* 0.8997	* 0.8599	* 0.7479	* F-SUB-Q			
	* 2.1245	* 2.0943	* 2.1755	* 2.5458	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 67 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 325 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4261	* 1.1586	* 1.6479	* 1.3379	* 1.7142	* 1.4633	* 1.7424	* 0.8890
	* 1.6083	* 1.9070	* 1.3884	* 1.6305	* 1.3254	* 1.4721	* 1.2801	* 2.2164
9	* 1.1586	* 1.1475	* 1.3790	* 1.7013	* 1.3547	* 1.4646	* 1.7396	* 0.8880
	* 1.9070	* 1.9283	* 1.5842	* 1.3403	* 1.6100	* 1.4699	* 1.2829	* 2.1950
10	* 1.6479	* 1.3785	* 1.1900	* 1.3186	* 1.7279	* 1.4794	* 1.7341	* 0.8441
	* 1.3884	* 1.5850	* 1.8554	* 1.6560	* 1.3128	* 1.4424	* 1.2905	* 2.2884
11	* 1.3379	* 1.7001	* 1.3184	* 1.6933	* 1.4472	* 1.6949	* 1.6944	* 0.7369
	* 1.6305	* 1.3412	* 1.6562	* 1.3447	* 1.4885	* 1.3329	* 1.3219	* 2.7229
12	* 1.7142	* 1.3540	* 1.7277	* 1.4471	* 1.2744	* 1.6689	* 1.0632	*
	* 1.3254	* 1.6107	* 1.3129	* 1.4886	* 1.7147	* 1.3484	* 1.8459	*
13	* 1.4633	* 1.4645	* 1.4795	* 1.6949	* 1.6689	* 1.0133	* 0.5761	*
	* 1.4721	* 1.4701	* 1.4423	* 1.3329	* 1.3484	* 1.9529	* 3.4162	*
14	* 1.7424	* 1.7396	* 1.7342	* 1.6946	* 1.0634	* 0.5830	*	*
	* 1.2801	* 1.2829	* 1.2905	* 1.3218	* 1.8457	* 3.3842	*	*
15	* 0.8890	* 0.8880	* 0.8443	* 0.7363	* F-SUB-Q			
	* 2.2164	* 2.1948	* 2.2878	* 2.6672	* M-SUB-Q			

AT 100% POWER, 325 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4270	* 1.1564	* 1.6509	* 1.3364	* 1.7178	* 1.4623	* 1.7477	* 0.8885
	* 1.6679	* 1.9848	* 1.4407	* 1.6983	* 1.3767	* 1.5325	* 1.3269	* 2.3050
9	* 1.1564	* 1.1450	* 1.3765	* 1.7045	* 1.3538	* 1.4635	* 1.7449	* 0.8882
	* 1.9848	* 2.0078	* 1.6494	* 1.3912	* 1.6762	* 1.5297	* 1.3294	* 2.2806
10	* 1.6509	* 1.3759	* 1.1877	* 1.3155	* 1.7307	* 1.4792	* 1.7394	* 0.8438
	* 1.4407	* 1.6502	* 1.9322	* 1.7255	* 1.3619	* 1.4979	* 1.3349	* 2.3760
11	* 1.3364	* 1.7034	* 1.3153	* 1.6950	* 1.4447	* 1.6976	* 1.6996	* 0.7362
	* 1.6983	* 1.3922	* 1.7257	* 1.3955	* 1.5482	* 1.3818	* 1.3676	* 2.8239
12	* 1.7178	* 1.3530	* 1.7305	* 1.4446	* 1.2723	* 1.6726	* 1.0631	*
	* 1.3767	* 1.6770	* 1.3620	* 1.5483	* 1.7819	* 1.3948	* 1.9139	*
13	* 1.4623	* 1.4634	* 1.4792	* 1.6975	* 1.6726	* 1.0125	* 0.5739	*
	* 1.5325	* 1.5299	* 1.4978	* 1.3819	* 1.3948	* 2.0238	* 3.5481	*
14	* 1.7477	* 1.7449	* 1.7395	* 1.6997	* 1.0632	* 0.5808	*	*
	* 1.3269	* 1.3294	* 1.3349	* 1.3675	* 1.9138	* 3.5147	*	*
15	* 0.8885	* 0.8882	* 0.8440	* 0.7355	* F-SUB-Q			
	* 2.3050	* 2.2805	* 2.3754	* 2.7664	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 68 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.4168	* 1.1572	* 1.6393	* 1.3302	* 1.7062	* 1.4546	* 1.7376	* 0.8935
	* 1.6521	* 1.9267	* 1.4203	* 1.6668	* 1.3672	* 1.5269	* 1.3481	* 2.3003
9	* 1.1572	* 1.1471	* 1.3661	* 1.6928	* 1.3478	* 1.4546	* 1.7346	* 0.8953
	* 1.9267	* 1.9462	* 1.6205	* 1.3783	* 1.6507	* 1.5285	* 1.3517	* 2.2705
10	* 1.6393	* 1.3655	* 1.1908	* 1.3106	* 1.7182	* 1.4713	* 1.7292	* 0.8541
	* 1.4203	* 1.6213	* 1.8743	* 1.7014	* 1.3731	* 1.5176	* 1.3618	* 2.3609
11	* 1.3302	* 1.6916	* 1.3102	* 1.6820	* 1.4346	* 1.6857	* 1.6895	* 0.7439
	* 1.6668	* 1.3793	* 1.7020	* 1.4023	* 1.5608	* 1.4044	* 1.3993	* 2.8178
12	* 1.7062	* 1.3470	* 1.7180	* 1.4345	* 1.2661	* 1.6614	* 1.0714	*
	* 1.3672	* 1.6515	* 1.3732	* 1.5609	* 1.7997	* 1.4321	* 1.9245	*
13	* 1.4546	* 1.4545	* 1.4713	* 1.6856	* 1.6614	* 1.0193	* 0.5792	*
	* 1.5269	* 1.5286	* 1.5176	* 1.4045	* 1.4321	* 2.0435	* 3.5624	*
14	* 1.7376	* 1.7346	* 1.7292	* 1.6897	* 1.0715	* 0.5862	*	*
	* 1.3481	* 1.3517	* 1.3618	* 1.3993	* 1.9245	* 3.5291	*	*
15	* 0.8935	* 0.8954	* 0.8543	* 0.7434	* F-SUB-Q			
	* 2.3003	* 2.2703	* 2.3603	* 2.7597	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.4388 *	* 1.1579 *	* 1.6676 *	* 1.3408 *	* 1.7359 *	* 1.4681 *	* 1.7710 *	* 0.8905 *
	* 1.5694 *	* 1.8572 *	* 1.3468 *	* 1.5949 *	* 1.2963 *	* 1.4595 *	* 1.2758 *	* 2.2268 *
9	* 1.1579 *	* 1.1461 *	* 1.3794 *	* 1.7219 *	* 1.3591 *	* 1.4693 *	* 1.7679 *	* 0.8875 *
	* 1.8572 *	* 1.8779 *	* 1.5485 *	* 1.3070 *	* 1.5793 *	* 1.4597 *	* 1.2790 *	* 2.2097 *
10	* 1.6676 *	* 1.3787 *	* 1.1873 *	* 1.3160 *	* 1.7474 *	* 1.4875 *	* 1.7627 *	* 0.8429 *
	* 1.3468 *	* 1.5493 *	* 1.8133 *	* 1.6338 *	* 1.3010 *	* 1.4464 *	* 1.2875 *	* 2.3064 *
11	* 1.3408 *	* 1.7206 *	* 1.3158 *	* 1.7093 *	* 1.4477 *	* 1.7136 *	* 1.7224 *	* 0.7368 *
	* 1.5949 *	* 1.3080 *	* 1.6343 *	* 1.3298 *	* 1.4903 *	* 1.3312 *	* 1.3225 *	* 2.7407 *
12	* 1.7359 *	* 1.3582 *	* 1.7473 *	* 1.4476 *	* 1.2748 *	* 1.6915 *	* 1.0658 *	
	* 1.2963 *	* 1.5801 *	* 1.3011 *	* 1.4903 *	* 1.7259 *	* 1.3553 *	* 1.8633 *	
13	* 1.4681 *	* 1.4692 *	* 1.4875 *	* 1.7135 *	* 1.6914 *	* 1.0134 *	* 0.5707 *	
	* 1.4595 *	* 1.4599 *	* 1.4464 *	* 1.3313 *	* 1.3554 *	* 1.9797 *	* 3.4805 *	
14	* 1.7710 *	* 1.7679 *	* 1.7627 *	* 1.7225 *	* 1.0659 *	* 0.5776 *		
	* 1.2758 *	* 1.2790 *	* 1.2875 *	* 1.3225 *	* 1.8633 *	* 3.4472 *		
15	* 0.8905 *	* 0.8876 *	* 0.8431 *	* 0.7357 *	F-SUB-Q			
	* 2.2268 *	* 2.2095 *	* 2.3059 *	* 2.6864 *	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 69 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 325 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4516	* 1.1636	* 1.6850	* 1.3493	* 1.7543	* 1.4776	* 1.7917	* 0.8935 *
	* 1.5105	* 1.7945	* 1.2938	* 1.5384	* 1.2446	* 1.4072	* 1.2230	* 2.1532 *
9	* 1.1636	* 1.1513	* 1.3874	* 1.7399	* 1.3679	* 1.4789	* 1.7886	* 0.8875 *
	* 1.7945	* 1.8154	* 1.4948	* 1.2552	* 1.5229	* 1.4072	* 1.2260	* 2.1439 *
10	* 1.6850	* 1.3867	* 1.1906	* 1.3223	* 1.7649	* 1.4988	* 1.7835	* 0.8440 *
	* 1.2938	* 1.4956	* 1.7554	* 1.5775	* 1.2485	* 1.3913	* 1.2333	* 2.2340 *
11	* 1.3493	* 1.7385	* 1.3220	* 1.7256	* 1.4562	* 1.7308	* 1.7433	* 0.7381 *
	* 1.5384	* 1.2562	* 1.5780	* 1.2770	* 1.4360	* 1.2768	* 1.2656	* 2.6517 *
12	* 1.7543	* 1.3670	* 1.7648	* 1.4561	* 1.2816	* 1.7101	* 1.0696	*
	* 1.2446	* 1.5237	* 1.2486	* 1.4361	* 1.6639	* 1.2981	* 1.7981	*
13	* 1.4776	* 1.4788	* 1.4987	* 1.7307	* 1.7100	* 1.0161	* 0.5696	*
	* 1.4072	* 1.4073	* 1.3913	* 1.2769	* 1.2981	* 1.9119	* 3.3757	*
14	* 1.7917	* 1.7885	* 1.7835	* 1.7434	* 1.0697	* 0.5767	*	*
	* 1.2230	* 1.2260	* 1.2333	* 1.2655	* 1.7981	* 3.3425	*	*
15	* 0.8935	* 0.8876	* 0.8442	* 0.7367	F-SUB-Q			
	* 2.1532	* 2.1437	* 2.2335	* 2.6004	M-SUB-Q			

AT 100% POWER, 325 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4625	* 1.1707	* 1.6986	* 1.3574	* 1.7687	* 1.4869	* 1.8078	* 0.9008 *
	* 1.4638	* 1.7428	* 1.2530	* 1.4936	* 1.2049	* 1.3648	* 1.1821	* 2.0837 *
9	* 1.1707	* 1.1572	* 1.3943	* 1.7541	* 1.3766	* 1.4880	* 1.8045	* 0.8978 *
	* 1.7428	* 1.7642	* 1.4525	* 1.2153	* 1.4774	* 1.3648	* 1.1849	* 2.0675 *
10	* 1.6986	* 1.3936	* 1.1997	* 1.3288	* 1.7789	* 1.5085	* 1.7995	* 0.8521 *
	* 1.2530	* 1.4533	* 1.7013	* 1.5317	* 1.2075	* 1.3472	* 1.1913	* 2.1578 *
11	* 1.3574	* 1.7526	* 1.3285	* 1.7384	* 1.4635	* 1.7442	* 1.7589	* 0.7450 *
	* 1.4936	* 1.2162	* 1.5322	* 1.2359	* 1.3927	* 1.2343	* 1.2217	* 2.5603 *
12	* 1.7687	* 1.3756	* 1.7787	* 1.4634	* 1.2886	* 1.7242	* 1.0795	*
	* 1.2049	* 1.4782	* 1.2076	* 1.3928	* 1.6128	* 1.2534	* 1.7349	*
13	* 1.4869	* 1.4879	* 1.5085	* 1.7441	* 1.7241	* 1.0248	* 0.5734	*
	* 1.3648	* 1.3649	* 1.3472	* 1.2344	* 1.2534	* 1.8455	* 3.2649	*
14	* 1.8078	* 1.8045	* 1.7995	* 1.7590	* 1.0795	* 0.5804	*	*
	* 1.1821	* 1.1849	* 1.1913	* 1.2217	* 1.7350	* 3.2333	*	*
15	* 0.9008	* 0.8979	* 0.8523	* 0.7436	F-SUB-Q			
	* 2.0837	* 2.0673	* 2.1574	* 2.5108	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 70 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 325 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4661	* 1.1834	* 1.7041	* 1.3652	* 1.7748	* 1.4939	* 1.8143	* 0.9134
	* 1.5454	* 1.8271	* 1.3235	* 1.5741	* 1.2721	* 1.4389	* 1.2465	* 2.1756
9	* 1.1834	* 1.1727	* 1.3981	* 1.7601	* 1.3844	* 1.4939	* 1.8109	* 0.9135
	* 1.8271	* 1.8467	* 1.5355	* 1.2831	* 1.5568	* 1.4397	* 1.2493	* 2.1512
10	* 1.7041	* 1.3973	* 1.2148	* 1.3431	* 1.7842	* 1.5166	* 1.8059	* 0.8700
	* 1.3235	* 1.5364	* 1.7809	* 1.6059	* 1.2735	* 1.4170	* 1.2554	* 2.2366
11	* 1.3652	* 1.7586	* 1.3425	* 1.7432	* 1.4683	* 1.7502	* 1.7655	* 0.7589
	* 1.5741	* 1.2841	* 1.6065	* 1.3038	* 1.4681	* 1.3001	* 1.2861	* 2.6581
12	* 1.7748	* 1.3834	* 1.7841	* 1.4682	* 1.2969	* 1.7296	* 1.0979	*
	* 1.2721	* 1.5577	* 1.2736	* 1.4682	* 1.6910	* 1.3190	* 1.8022	*
13	* 1.4939	* 1.4938	* 1.5165	* 1.7501	* 1.7296	* 1.0411	* 0.5832	*
	* 1.4389	* 1.4399	* 1.4170	* 1.3002	* 1.3191	* 1.9177	* 3.3900	*
14	* 1.8143	* 1.8109	* 1.8059	* 1.7655	* 1.0979	* 0.5909	*	*
	* 1.2465	* 1.2493	* 1.2554	* 1.2861	* 1.8022	* 3.3541	*	*
15	* 0.9134	* 0.9135	* 0.8701	* 0.7576	* F-SUB-Q			
	* 2.1756	* 2.1510	* 2.2362	* 2.6060	* M-SUB-Q			

AT 100% POWER, 325 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5031	* 1.1933	* 1.7507	* 1.3876	* 1.8232	* 1.5213	* 1.8659	* 0.9158
	* 1.4763	* 1.7782	* 1.2643	* 1.5202	* 1.2155	* 1.3876	* 1.1906	* 2.1341
9	* 1.1933	* 1.1798	* 1.4250	* 1.8078	* 1.4078	* 1.5228	* 1.8625	* 0.9087
	* 1.7782	* 1.8011	* 1.4790	* 1.2261	* 1.5030	* 1.3872	* 1.1932	* 2.1268
10	* 1.7507	* 1.4242	* 1.2205	* 1.3556	* 1.8326	* 1.5464	* 1.8578	* 0.8630
	* 1.2643	* 1.4799	* 1.7401	* 1.5612	* 1.2165	* 1.3644	* 1.1985	* 2.2173
11	* 1.3876	* 1.8062	* 1.3550	* 1.7893	* 1.4957	* 1.7970	* 1.8168	* 0.7555
	* 1.5202	* 1.2271	* 1.5618	* 1.2460	* 1.4141	* 1.2424	* 1.2270	* 2.6253
12	* 1.8232	* 1.4067	* 1.8325	* 1.4956	* 1.3155	* 1.7779	* 1.0992	*
	* 1.2155	* 1.5039	* 1.2166	* 1.4142	* 1.6353	* 1.2585	* 1.7675	*
13	* 1.5213	* 1.5227	* 1.5464	* 1.7969	* 1.7778	* 1.0419	* 0.5780	*
	* 1.3876	* 1.3873	* 1.3644	* 1.2425	* 1.2586	* 1.8786	* 3.3570	*
14	* 1.8659	* 1.8625	* 1.8577	* 1.8168	* 1.0992	* 0.5854	*	*
	* 1.1906	* 1.1932	* 1.1985	* 1.2270	* 1.7675	* 3.3233	*	*
15	* 0.9158	* 0.9087	* 0.8631	* 0.7534	* F-SUB-Q			
	* 2.1341	* 2.1267	* 2.2169	* 2.5765	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 71 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 325 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5211	* 1.2047	* 1.7738	* 1.4016	* 1.8469	* 1.5378	* 1.8912	* 0.9232 *
	* 1.4137	* 1.7148	* 1.2151	* 1.4663	* 1.1684	* 1.3370	* 1.1432	* 2.0621 *
9	* 1.2047	* 1.1910	* 1.4399	* 1.8314	* 1.4221	* 1.5395	* 1.8876	* 0.9157 *
	* 1.7148	* 1.7376	* 1.4258	* 1.1785	* 1.4494	* 1.3363	* 1.1457	* 2.0557 *
10	* 1.7738	* 1.4391	* 1.2317	* 1.3684	* 1.8565	* 1.5644	* 1.8830	* 0.8694 *
	* 1.2151	* 1.4267	* 1.6799	* 1.5058	* 1.1674	* 1.3114	* 1.1499	* 2.1427 *
11	* 1.4016	* 1.8298	* 1.3678	* 1.8122	* 1.5111	* 1.8208	* 1.8416	* 0.7608 *
	* 1.4663	* 1.1795	* 1.5064	* 1.1958	* 1.3601	* 1.1911	* 1.1761	* 2.5374 *
12	* 1.8469	* 1.4210	* 1.8563	* 1.5110	* 1.3283	* 1.8013	* 1.1096	*
	* 1.1684	* 1.4503	* 1.1675	* 1.3602	* 1.5693	* 1.2046	* 1.7005	*
13	* 1.5378	* 1.5394	* 1.5643	* 1.8207	* 1.8012	* 1.0512	* 0.5809	*
	* 1.3370	* 1.3364	* 1.3115	* 1.1912	* 1.2046	* 1.8071	* 3.2527	*
14	* 1.8912	* 1.8876	* 1.8830	* 1.8416	* 1.1096	* 0.5882	*	
	* 1.1432	* 1.1457	* 1.1499	* 1.1761	* 1.7006	* 3.2203	*	
15	* 0.9232	* 0.9157	* 0.8696	* 0.7585	* F-SUB-Q			
	* 2.0621	* 2.0555	* 2.1423	* 2.4906	* M-SUB-Q			

AT 100% POWER, 325 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5091	* 1.2138	* 1.7596	* 1.3992	* 1.8306	* 1.5346	* 1.8739	* 0.9322 *
	* 1.3908	* 1.6655	* 1.1980	* 1.4374	* 1.1530	* 1.3107	* 1.1276	* 1.9975 *
9	* 1.2138	* 1.2027	* 1.4350	* 1.8161	* 1.4194	* 1.5352	* 1.8704	* 0.9309 *
	* 1.6655	* 1.6842	* 1.3997	* 1.1622	* 1.4208	* 1.3108	* 1.1298	* 1.9776 *
10	* 1.7596	* 1.4342	* 1.2432	* 1.3775	* 1.8410	* 1.5608	* 1.8656	* 0.8861 *
	* 1.1980	* 1.4006	* 1.6289	* 1.4633	* 1.1497	* 1.2838	* 1.1335	* 2.0556 *
11	* 1.3992	* 1.8144	* 1.3768	* 1.7973	* 1.5061	* 1.8072	* 1.8241	* 0.7722 *
	* 1.4374	* 1.1633	* 1.4639	* 1.1774	* 1.3327	* 1.1712	* 1.1586	* 2.4430 *
12	* 1.8306	* 1.4183	* 1.8409	* 1.5060	* 1.3308	* 1.7847	* 1.1253	*
	* 1.1530	* 1.4218	* 1.1498	* 1.3328	* 1.5292	* 1.1850	* 1.6363	*
13	* 1.5346	* 1.5351	* 1.5607	* 1.8071	* 1.7846	* 1.0651	* 0.5910	*
	* 1.3107	* 1.3109	* 1.2838	* 1.1712	* 1.1851	* 1.7390	* 3.1207	*
14	* 1.8739	* 1.8703	* 1.8656	* 1.8241	* 1.1253	* 0.5977	*	
	* 1.1276	* 1.1298	* 1.1335	* 1.1586	* 1.6364	* 3.0937	*	
15	* 0.9322	* 0.9310	* 0.8862	* 0.7704	* F-SUB-Q			
	* 1.9975	* 1.9774	* 2.0553	* 2.3963	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 72 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 325 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5060	* 1.2000	* 1.7585	* 1.3902	* 1.8258	* 1.5309	* 1.8693	* 0.9133 *
	* 1.3675	* 1.6546	* 1.1770	* 1.4210	* 1.1350	* 1.2902	* 1.1088	* 2.0018 *
9	* 1.2000	* 1.1869	* 1.4357	* 1.8125	* 1.4108	* 1.5331	* 1.8657	* 0.9066 *
	* 1.6546	* 1.6758	* 1.3741	* 1.1432	* 1.4042	* 1.2890	* 1.1111	* 1.9937 *
10	* 1.7585	* 1.4348	* 1.2239	* 1.3580	* 1.8380	* 1.5561	* 1.8605	* 0.8597 *
	* 1.1770	* 1.3750	* 1.6255	* 1.4570	* 1.1294	* 1.2632	* 1.1144	* 2.0796 *
11	* 1.3902	* 1.8107	* 1.3575	* 1.7949	* 1.5033	* 1.8046	* 1.8177	* 0.7486 *
	* 1.4210	* 1.1443	* 1.4576	* 1.1563	* 1.3096	* 1.1497	* 1.1393	* 2.4725 *
12	* 1.8258	* 1.4096	* 1.8378	* 1.5032	* 1.3199	* 1.7797	* 1.1003	*
	* 1.1350	* 1.4052	* 1.1295	* 1.3097	* 1.5107	* 1.1640	* 1.6402	*
13	* 1.5309	* 1.5330	* 1.5561	* 1.8045	* 1.7797	* 1.0427	* 0.5734	*
	* 1.2902	* 1.2891	* 1.2632	* 1.1497	* 1.1640	* 1.7407	* 3.1543	*
14	* 1.8693	* 1.8656	* 1.8605	* 1.8178	* 1.1003	* 0.5802	*	*
	* 1.1088	* 1.1111	* 1.1144	* 1.1393	* 1.6402	* 3.1257	*	*
15	* 0.9133	* 0.9067	* 0.8599	* 0.7470	F-SUB-Q			
	* 2.0018	* 1.9935	* 2.0792	* 2.4251	M-SUB-Q			

AT 100% POWER, 325 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4105	* 1.1402	* 1.6475	* 1.3180	* 1.7060	* 1.4538	* 1.7456	* 0.8638 *
	* 1.4376	* 1.7152	* 1.2372	* 1.4769	* 1.1964	* 1.3384	* 1.1683	* 2.0846 *
9	* 1.1402	* 1.1317	* 1.3697	* 1.6959	* 1.3376	* 1.4552	* 1.7420	* 0.8538 *
	* 1.7152	* 1.7320	* 1.4188	* 1.2031	* 1.4592	* 1.3378	* 1.1708	* 2.0852 *
10	* 1.6475	* 1.3689	* 1.1598	* 1.2884	* 1.7206	* 1.4755	* 1.7360	* 0.8115 *
	* 1.2372	* 1.4198	* 1.6905	* 1.5129	* 1.1874	* 1.3110	* 1.1747	* 2.1694 *
11	* 1.3180	* 1.6942	* 1.2879	* 1.6815	* 1.4298	* 1.6908	* 1.6929	* 0.7031 *
	* 1.4769	* 1.2043	* 1.5135	* 1.2146	* 1.3555	* 1.2070	* 1.2030	* 2.5921 *
12	* 1.7060	* 1.3365	* 1.7204	* 1.4297	* 1.2548	* 1.6610	* 1.0382	*
	* 1.1964	* 1.4603	* 1.1875	* 1.3556	* 1.5642	* 1.2262	* 1.7100	*
13	* 1.4538	* 1.4551	* 1.4755	* 1.6907	* 1.6609	* 0.9854	* 0.5423	*
	* 1.3384	* 1.3379	* 1.3110	* 1.2071	* 1.2262	* 1.8119	* 3.2841	*
14	* 1.7456	* 1.7420	* 1.7360	* 1.6930	* 1.0383	* 0.5481	*	*
	* 1.1683	* 1.1708	* 1.1747	* 1.2029	* 1.7100	* 3.2581	*	*
15	* 0.8638	* 0.8538	* 0.8117	* 0.7023	F-SUB-Q			
	* 2.0846	* 2.0850	* 2.1690	* 2.5398	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 73 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 325 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1741	* 0.9635	* 1.3678	* 1.1078	* 1.4134	* 1.2237	* 1.4400	* 0.7267 *
	* 1.7047	* 2.0041	* 1.4699	* 1.7348	* 1.4245	* 1.5692	* 1.3964	* 2.4470 *
9	* 0.9635	* 0.9579	* 1.1688	* 1.4044	* 1.1270	* 1.2189	* 1.4367	* 0.7163 *
	* 2.0041	* 2.0213	* 1.6413	* 1.4333	* 1.7097	* 1.5764	* 1.3996	* 2.4533 *
10	* 1.3678	* 1.1681	* 0.9783	* 1.0867	* 1.4239	* 1.2333	* 1.4305	* 0.6790 *
	* 1.4699	* 1.6424	* 1.9775	* 1.7708	* 1.4148	* 1.5468	* 1.4053	* 2.5599 *
11	* 1.1078	* 1.4030	* 1.0862	* 1.3937	* 1.2104	* 1.3903	* 1.3876	* 0.5837 *
	* 1.7348	* 1.4346	* 1.7715	* 1.4451	* 1.5794	* 1.4476	* 1.4468	* 3.0831 *
12	* 1.4134	* 1.1261	* 1.4237	* 1.2103	* 1.0568	* 1.3705	* 0.8646 *	
	* 1.4245	* 1.7108	* 1.4150	* 1.5795	* 1.8325	* 1.4655	* 2.0259 *	
13	* 1.2237	* 1.2187	* 1.2333	* 1.3903	* 1.3704	* 0.8220	* 0.4577 *	
	* 1.5692	* 1.5765	* 1.5468	* 1.4476	* 1.4655	* 2.1434	* 3.8449 *	
14	* 1.4400	* 1.4367	* 1.4306	* 1.3876	* 0.8646	* 0.4630 *		
	* 1.3964	* 1.3996	* 1.4052	* 1.4467	* 2.0259	* 3.8106 *		
15	* 0.7267	* 0.7164	* 0.6791	* 0.5855	F-SUB-Q			
	* 2.4470	* 2.4530	* 2.5593	* 3.0087	M-SUB-Q			

AT 100% POWER, 325 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.5288	* 0.4587	* 0.6002	* 0.5268	* 0.6249	* 0.5398	* 0.5903	* 0.3290 *
	* 3.7475	* 4.1658	* 3.3135	* 3.6073	* 3.1858	* 3.5156	* 3.3680	* 5.3526 *
9	* 0.4587	* 0.4533	* 0.5166	* 0.6180	* 0.5299	* 0.5369	* 0.5887	* 0.3233 *
	* 4.1658	* 4.2260	* 3.6711	* 3.2212	* 3.5952	* 3.5353	* 3.3768	* 5.3827 *
10	* 0.6002	* 0.5162	* 0.4696	* 0.5179	* 0.6256	* 0.5375	* 0.5847	* 0.3109 *
	* 3.3135	* 3.6737	* 4.0761	* 3.6738	* 3.1833	* 3.5059	* 3.3989	* 5.5361 *
11	* 0.5268	* 0.6174	* 0.5177	* 0.6130	* 0.5361	* 0.6186	* 0.5608	* 0.2752 *
	* 3.6073	* 3.2242	* 3.6753	* 3.2486	* 3.5228	* 3.2164	* 3.5399	* 6.4785 *
12	* 0.6249	* 0.5295	* 0.6255	* 0.5360	* 0.4955	* 0.5606	* 0.3863 *	
	* 3.1858	* 3.5973	* 3.1836	* 3.5231	* 3.8634	* 3.5428	* 4.4872 *	
13	* 0.5398	* 0.5369	* 0.5375	* 0.6185	* 0.5605	* 0.3703	* 0.2134 *	
	* 3.5156	* 3.5357	* 3.5060	* 3.2165	* 3.5429	* 4.7094	* 8.1737 *	
14	* 0.5903	* 0.5887	* 0.5847	* 0.5608	* 0.3863	* 0.2147 *		
	* 3.3680	* 3.3768	* 3.3989	* 3.5397	* 4.4872	* 8.1433 *		
15	* 0.3290	* 0.3233	* 0.3110	* 0.2733	F-SUB-Q			
	* 5.3526	* 5.3822	* 5.5352	* 6.3851	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 74 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 450 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.5447	* 0.5757	* 0.7085	* 0.6378	* 0.7237	* 0.6463	* 0.6741	* 0.4085
	* 2.7433	* 3.0953	* 2.7241	* 2.7434	* 2.5959	* 2.6673	* 2.7593	* 3.8506
9	* 0.5757	* 0.5786	* 0.6366	* 0.7217	* 0.6377	* 0.6477	* 0.6730	* 0.4059
	* 3.0953	* 3.1715	* 2.8008	* 2.6263	* 2.7473	* 2.6746	* 2.7751	* 3.7926
10	* 0.7085	* 0.6366	* 0.6056	* 0.6395	* 0.7209	* 0.6386	* 0.6670	* 0.3946
	* 2.7241	* 2.8010	* 2.9866	* 2.7992	* 2.6780	* 2.7691	* 2.8571	* 3.9331
11	* 0.6378	* 0.7217	* 0.6396	* 0.7096	* 0.6345	* 0.7025	* 0.6376	* 0.3454
	* 2.7434	* 2.6265	* 2.7991	* 2.7025	* 2.7527	* 2.7290	* 3.0501	* 4.7840
12	* 0.7237	* 0.6377	* 0.7209	* 0.6345	* 0.5307	* 0.6149	* 0.4599	*
	* 2.5959	* 2.7474	* 2.6780	* 2.7527	* 2.8438	* 2.8866	* 3.4835	*
13	* 0.6463	* 0.6477	* 0.6387	* 0.7026	* 0.6149	* 0.4307	* 0.2904	*
	* 2.6673	* 2.6747	* 2.7691	* 2.7290	* 2.8866	* 3.3494	* 5.4000	*
14	* 0.6741	* 0.6730	* 0.6671	* 0.6377	* 0.4600	* 0.2918	*	*
	* 2.7593	* 2.7751	* 2.8570	* 3.0499	* 3.4831	* 5.3905	*	*
15	* 0.4085	* 0.4060	* 0.3947	* 0.3439	* F-SUB-Q			
	* 3.8506	* 3.7923	* 3.9323	* 4.6842	* M-SUB-Q			

AT 100% POWER, 450 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1197	* 1.0207	* 1.3032	* 1.1218	* 1.3280	* 1.2132	* 1.3273	* 0.7752
	* 1.6086	* 1.8017	* 1.5202	* 1.6021	* 1.4531	* 1.4615	* 1.4391	* 2.0861
9	* 1.0207	* 1.0243	* 1.1936	* 1.3240	* 1.1328	* 1.2126	* 1.3258	* 0.7720
	* 1.8017	* 1.8188	* 1.5343	* 1.4687	* 1.5874	* 1.4681	* 1.4462	* 2.0469
10	* 1.3032	* 1.1935	* 1.0503	* 1.1232	* 1.3276	* 1.2092	* 1.3178	* 0.7406
	* 1.5202	* 1.5345	* 1.7671	* 1.6372	* 1.4910	* 1.5061	* 1.4833	* 2.1577
11	* 1.1218	* 1.3239	* 1.1232	* 1.3140	* 1.2010	* 1.2923	* 1.2782	* 0.6372
	* 1.6021	* 1.4689	* 1.6372	* 1.4898	* 1.4949	* 1.5134	* 1.5417	* 2.6624
12	* 1.3280	* 1.1327	* 1.3276	* 1.2010	* 1.0269	* 1.2618	* 0.8849	*
	* 1.4531	* 1.5876	* 1.4910	* 1.4949	* 1.6562	* 1.4862	* 1.8487	*
13	* 1.2132	* 1.2125	* 1.2093	* 1.2923	* 1.2618	* 0.8536	* 0.5441	*
	* 1.4615	* 1.4682	* 1.5061	* 1.5134	* 1.4862	* 1.8087	* 2.9589	*
14	* 1.3273	* 1.3259	* 1.3179	* 1.2784	* 0.8851	* 0.5489	*	*
	* 1.4391	* 1.4462	* 1.4833	* 1.5415	* 1.8484	* 2.9423	*	*
15	* 0.7752	* 0.7720	* 0.7409	* 0.6412	* F-SUB-Q			
	* 2.0861	* 2.0467	* 2.1571	* 2.5796	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 75 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 450 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3376	* 1.1532	* 1.4915	* 1.2691	* 1.5261	* 1.3700	* 1.5332	* 0.8928 *
	* 1.4538	* 1.6278	* 1.3474	* 1.4352	* 1.2799	* 1.3109	* 1.2606	* 1.8346 *
9	* 1.1532	* 1.1477	* 1.3312	* 1.5197	* 1.2783	* 1.3732	* 1.5317	* 0.8952 *
	* 1.6278	* 1.6456	* 1.3956	* 1.2965	* 1.4253	* 1.3126	* 1.2666	* 1.7839 *
10	* 1.4915	* 1.3311	* 1.1756	* 1.2652	* 1.5325	* 1.3695	* 1.5245	* 0.8633 *
	* 1.3474	* 1.3959	* 1.6043	* 1.4743	* 1.3080	* 1.3418	* 1.2979	* 1.8712 *
11	* 1.2691	* 1.5194	* 1.2652	* 1.5154	* 1.3594	* 1.5002	* 1.4865	* 0.7504 *
	* 1.4352	* 1.2968	* 1.4743	* 1.3149	* 1.3443	* 1.3244	* 1.3407	* 2.2912 *
12	* 1.5261	* 1.2781	* 1.5325	* 1.3594	* 1.2123	* 1.4802	* 1.0386	*
	* 1.2799	* 1.4256	* 1.3081	* 1.3443	* 1.5033	* 1.3114	* 1.6023	*
13	* 1.3700	* 1.3731	* 1.3696	* 1.5002	* 1.4802	* 1.0091	* 0.6313	*
	* 1.3109	* 1.3127	* 1.3418	* 1.3244	* 1.3114	* 1.5994	* 2.6068	*
14	* 1.5332	* 1.5317	* 1.5246	* 1.4867	* 1.0388	* 0.6362	*	
	* 1.2606	* 1.2666	* 1.2979	* 1.3405	* 1.6020	* 2.5951	*	
15	* 0.8928	* 0.8953	* 0.8636	* 0.7539	F-SUB-Q			
	* 1.8346	* 1.7838	* 1.8707	* 2.2230	M-SUB-Q			

AT 100% POWER, 450 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4342	* 1.2033	* 1.5959	* 1.3329	* 1.6401	* 1.4415	* 1.6574	* 0.9269 *
	* 1.3895	* 1.5848	* 1.2736	* 1.3808	* 1.2033	* 1.2577	* 1.1759	* 1.7838 *
9	* 1.2033	* 1.1943	* 1.3928	* 1.6302	* 1.3440	* 1.4467	* 1.6560	* 0.9277 *
	* 1.5848	* 1.6030	* 1.3495	* 1.2209	* 1.3696	* 1.2575	* 1.1815	* 1.7381 *
10	* 1.5959	* 1.3926	* 1.2230	* 1.3254	* 1.6496	* 1.4493	* 1.6505	* 0.8908 *
	* 1.2736	* 1.3498	* 1.5614	* 1.4220	* 1.2300	* 1.2826	* 1.2094	* 1.8309 *
11	* 1.3329	* 1.6298	* 1.3254	* 1.6276	* 1.4336	* 1.6152	* 1.6120	* 0.7789 *
	* 1.3808	* 1.2212	* 1.4221	* 1.2425	* 1.2930	* 1.2471	* 1.2505	* 2.2292 *
12	* 1.6401	* 1.3437	* 1.6496	* 1.4335	* 1.2795	* 1.6047	* 1.0831	*
	* 1.2033	* 1.3699	* 1.2301	* 1.2930	* 1.4550	* 1.2321	* 1.5600	*
13	* 1.4415	* 1.4466	* 1.4494	* 1.6152	* 1.6047	* 1.0517	* 0.6481	*
	* 1.2577	* 1.2576	* 1.2826	* 1.2472	* 1.2321	* 1.5697	* 2.5875	*
14	* 1.6574	* 1.6560	* 1.6506	* 1.6122	* 1.0833	* 0.6545	*	
	* 1.1759	* 1.1815	* 1.2093	* 1.2503	* 1.5597	* 2.5706	*	
15	* 0.9269	* 0.9277	* 0.8911	* 0.7806	F-SUB-Q			
	* 1.7838	* 1.7380	* 1.8305	* 2.1685	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 76 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 450 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4432	* 1.2001	* 1.6080	* 1.3353	* 1.6568	* 1.4448	* 1.6798	* 0.9325 *
	* 1.4048	* 1.6137	* 1.2775	* 1.3930	* 1.2034	* 1.2670	* 1.1702	* 1.7901 *
9	* 1.2001	* 1.1894	* 1.3892	* 1.6455	* 1.3473	* 1.4491	* 1.6783	* 0.9357 *
	* 1.6137	* 1.6342	* 1.3677	* 1.2219	* 1.3805	* 1.2675	* 1.1756	* 1.7396 *
10	* 1.6080	* 1.3890	* 1.2188	* 1.3266	* 1.6670	* 1.4572	* 1.6739	* 0.8963 *
	* 1.2775	* 1.3681	* 1.5766	* 1.4366	* 1.2331	* 1.2878	* 1.2024	* 1.8369 *
11	* 1.3353	* 1.6449	* 1.3266	* 1.6425	* 1.4355	* 1.6327	* 1.6361	* 0.7874 *
	* 1.3930	* 1.2223	* 1.4368	* 1.2486	* 1.3098	* 1.2508	* 1.2478	* 2.2249 *
12	* 1.6568	* 1.3469	* 1.6670	* 1.4354	* 1.2833	* 1.6278	* 1.0930	*
	* 1.2034	* 1.3809	* 1.2332	* 1.3098	* 1.4757	* 1.2343	* 1.5694	*
13	* 1.4448	* 1.4490	* 1.4572	* 1.6327	* 1.6278	* 1.0595	* 0.6489	*
	* 1.2670	* 1.2677	* 1.2878	* 1.2508	* 1.2343	* 1.5864	* 2.6313	*
14	* 1.6798	* 1.6783	* 1.6739	* 1.6362	* 1.0932	* 0.6556	*	
	* 1.1702	* 1.1757	* 1.2024	* 1.2477	* 1.5692	* 2.6129	*	
15	* 0.9325	* 0.9358	* 0.8965	* 0.7881	* F-SUB-Q			
	* 1.7901	* 1.7395	* 1.8364	* 2.1673	* M-SUB-Q			

AT 100% POWER, 450 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4287	* 1.1829	* 1.5919	* 1.3187	* 1.6418	* 1.4276	* 1.6682	* 0.9275 *
	* 1.4377	* 1.6526	* 1.3040	* 1.4275	* 1.2285	* 1.2969	* 1.1905	* 1.8201 *
9	* 1.1829	* 1.1720	* 1.3681	* 1.6299	* 1.3311	* 1.4307	* 1.6667	* 0.9320 *
	* 1.6526	* 1.6737	* 1.4041	* 1.2476	* 1.4138	* 1.2982	* 1.1959	* 1.7662 *
10	* 1.5919	* 1.3678	* 1.2088	* 1.3090	* 1.6514	* 1.4414	* 1.6628	* 0.8956 *
	* 1.3040	* 1.4046	* 1.6075	* 1.4718	* 1.2545	* 1.3139	* 1.2214	* 1.8575 *
11	* 1.3187	* 1.6293	* 1.3090	* 1.6261	* 1.4163	* 1.6180	* 1.6257	* 0.7867 *
	* 1.4275	* 1.2480	* 1.4720	* 1.2732	* 1.3413	* 1.2743	* 1.2659	* 2.2469 *
12	* 1.6418	* 1.3306	* 1.6513	* 1.4162	* 1.2675	* 1.6163	* 1.0897	*
	* 1.2285	* 1.4142	* 1.2546	* 1.3413	* 1.5143	* 1.2614	* 1.5941	*
13	* 1.4276	* 1.4306	* 1.4414	* 1.6179	* 1.6163	* 1.0551	* 0.6450	*
	* 1.2969	* 1.2983	* 1.3139	* 1.2743	* 1.2614	* 1.6211	* 2.6928	*
14	* 1.6682	* 1.6666	* 1.6628	* 1.6258	* 1.0899	* 0.6525	*	
	* 1.1905	* 1.1959	* 1.2214	* 1.2659	* 1.5939	* 2.6700	*	
15	* 0.9275	* 0.9320	* 0.8958	* 0.7869	* F-SUB-Q			
	* 1.8201	* 1.7661	* 1.8571	* 2.1899	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 77 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 450 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4243	* 1.1705	* 1.5876	* 1.3074	* 1.6375	* 1.4156	* 1.6675	* 0.9146 *
	* 1.4618	* 1.6796	* 1.3156	* 1.4599	* 1.2489	* 1.3263	* 1.2067	* 1.8715 *
9	* 1.1705	* 1.1599	* 1.3562	* 1.6254	* 1.3199	* 1.4194	* 1.6659	* 0.9173 *
	* 1.6796	* 1.6990	* 1.4273	* 1.2676	* 1.4455	* 1.3263	* 1.2117	* 1.8190 *
10	* 1.5876	* 1.3559	* 1.1904	* 1.2952	* 1.6464	* 1.4316	* 1.6623	* 0.8771 *
	* 1.3156	* 1.4278	* 1.6486	* 1.4968	* 1.2630	* 1.3290	* 1.2344	* 1.9198 *
11	* 1.3074	* 1.6247	* 1.2951	* 1.6202	* 1.4036	* 1.6128	* 1.6253	* 0.7741 *
	* 1.4599	* 1.2681	* 1.4970	* 1.2857	* 1.3629	* 1.2862	* 1.2708	* 2.2988 *
12	* 1.6375	* 1.3194	* 1.6463	* 1.4035	* 1.2566	* 1.6154	* 1.0741	*
	* 1.2490	* 1.4460	* 1.2631	* 1.3629	* 1.5470	* 1.2773	* 1.6331	*
13	* 1.4156	* 1.4193	* 1.4316	* 1.6127	* 1.6154	* 1.0393	* 0.6311	*
	* 1.3263	* 1.3264	* 1.3290	* 1.2863	* 1.2774	* 1.6661	* 2.7869	*
14	* 1.6675	* 1.6659	* 1.6623	* 1.6254	* 1.0742	* 0.6380	*	
	* 1.2067	* 1.2117	* 1.2344	* 1.2708	* 1.6329	* 2.7657	*	
15	* 0.9146	* 0.9174	* 0.8773	* 0.7736	* F-SUB-Q			
	* 1.8715	* 1.8189	* 1.9194	* 2.2426	* M-SUB-Q			

AT 100% POWER, 450 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4165	* 1.1592	* 1.5790	* 1.2955	* 1.6280	* 1.4027	* 1.6598	* 0.9055 *
	* 1.4819	* 1.7153	* 1.3373	* 1.4984	* 1.2780	* 1.3620	* 1.2328	* 1.9233 *
9	* 1.1592	* 1.1487	* 1.3435	* 1.6160	* 1.3080	* 1.4064	* 1.6581	* 0.9077 *
	* 1.7153	* 1.7359	* 1.4563	* 1.2953	* 1.4833	* 1.3610	* 1.2371	* 1.8698 *
10	* 1.5790	* 1.3431	* 1.1776	* 1.2815	* 1.6358	* 1.4198	* 1.6547	* 0.8671 *
	* 1.3373	* 1.4569	* 1.6837	* 1.5301	* 1.2855	* 1.3558	* 1.2538	* 1.9713 *
11	* 1.2955	* 1.6153	* 1.2814	* 1.6094	* 1.3899	* 1.6025	* 1.6181	* 0.7660 *
	* 1.4984	* 1.2959	* 1.5303	* 1.3079	* 1.3898	* 1.3071	* 1.2895	* 2.3403 *
12	* 1.6280	* 1.3075	* 1.6357	* 1.3898	* 1.2446	* 1.6072	* 1.0641	*
	* 1.2780	* 1.4839	* 1.2856	* 1.3898	* 1.5732	* 1.2941	* 1.6613	*
13	* 1.4027	* 1.4063	* 1.4197	* 1.6024	* 1.6071	* 1.0290	* 0.6224	*
	* 1.3620	* 1.3612	* 1.3559	* 1.3072	* 1.2941	* 1.6992	* 2.8466	*
14	* 1.6598	* 1.6581	* 1.6547	* 1.6181	* 1.0642	* 0.6293	*	
	* 1.2328	* 1.2372	* 1.2538	* 1.2895	* 1.6612	* 2.8242	*	
15	* 0.9055	* 0.9077	* 0.8672	* 0.7652	* F-SUB-Q			
	* 1.9233	* 1.8697	* 1.9710	* 2.2840	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 78 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 450 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4170	* 1.1532	* 1.5793	* 1.2891	* 1.6272	* 1.3957	* 1.6602	* 0.8971 *
	* 1.5183	* 1.7615	* 1.3580	* 1.5368	* 1.3062	* 1.3987	* 1.2587	* 1.9836 *
9	* 1.1532	* 1.1430	* 1.3376	* 1.6153	* 1.3015	* 1.4001	* 1.6585	* 0.8959 *
	* 1.7615	* 1.7813	* 1.4859	* 1.3204	* 1.5220	* 1.3960	* 1.2623	* 1.9351 *
10	* 1.5793	* 1.3372	* 1.1673	* 1.2730	* 1.6337	* 1.4137	* 1.6551	* 0.8566 *
	* 1.3580	* 1.4864	* 1.7267	* 1.5636	* 1.3093	* 1.3792	* 1.2732	* 2.0333 *
11	* 1.2891	* 1.6146	* 1.2729	* 1.6072	* 1.3823	* 1.6001	* 1.6184	* 0.7575 *
	* 1.5368	* 1.3210	* 1.5639	* 1.3364	* 1.4254	* 1.3349	* 1.3106	* 2.3986 *
12	* 1.6272	* 1.3010	* 1.6336	* 1.3822	* 1.2378	* 1.6071	* 1.0539	*
	* 1.3062	* 1.5226	* 1.3094	* 1.4255	* 1.6156	* 1.3194	* 1.7089	*
13	* 1.3957	* 1.4000	* 1.4136	* 1.5999	* 1.6070	* 1.0192	* 0.6140	*
	* 1.3987	* 1.3961	* 1.3792	* 1.3350	* 1.3195	* 1.7491	* 2.9377	*
14	* 1.6602	* 1.6584	* 1.6551	* 1.6184	* 1.0540	* 0.6210	*	
	* 1.2587	* 1.2624	* 1.2733	* 1.3107	* 1.7088	* 2.9137	*	
15	* 0.8971	* 0.8959	* 0.8568	* 0.7563	* F-SUB-Q			
	* 1.9836	* 1.9350	* 2.0329	* 2.3424	* M-SUB-Q			

AT 100% POWER, 450 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4011	* 1.1460	* 1.5587	* 1.2749	* 1.6049	* 1.3802	* 1.6375	* 0.8992 *
	* 1.5810	* 1.8081	* 1.4085	* 1.5942	* 1.3595	* 1.4523	* 1.3097	* 2.0315 *
9	* 1.1460	* 1.1392	* 1.3203	* 1.5936	* 1.2879	* 1.3823	* 1.6358	* 0.9027 *
	* 1.8081	* 1.8234	* 1.5408	* 1.3726	* 1.5781	* 1.4508	* 1.3126	* 1.9709 *
10	* 1.5586	* 1.3199	* 1.1688	* 1.2602	* 1.6104	* 1.3964	* 1.6324	* 0.8655 *
	* 1.4085	* 1.5414	* 1.7659	* 1.6160	* 1.3551	* 1.4246	* 1.3204	* 2.0608 *
11	* 1.2749	* 1.5929	* 1.2600	* 1.5843	* 1.3640	* 1.5774	* 1.5966	* 0.7639 *
	* 1.5942	* 1.3732	* 1.6164	* 1.3830	* 1.4741	* 1.3805	* 1.3532	* 2.4289 *
12	* 1.6049	* 1.2874	* 1.6103	* 1.3639	* 1.2234	* 1.5842	* 1.0598	*
	* 1.3595	* 1.5787	* 1.3552	* 1.4742	* 1.6797	* 1.3744	* 1.7363	*
13	* 1.3802	* 1.3823	* 1.3964	* 1.5773	* 1.5841	* 1.0243	* 0.6188	*
	* 1.4523	* 1.4509	* 1.4247	* 1.3806	* 1.3744	* 1.7898	* 2.9894	*
14	* 1.6375	* 1.6357	* 1.6323	* 1.5965	* 1.0599	* 0.6255	*	
	* 1.3097	* 1.3127	* 1.3205	* 1.3533	* 1.7362	* 2.9666	*	
15	* 0.8992	* 0.9028	* 0.8656	* 0.7633	* F-SUB-Q			
	* 2.0315	* 1.9708	* 2.0604	* 2.3699	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 79 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 450 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4191	* 1.1464	* 1.5792	* 1.2804	* 1.6245	* 1.3861	* 1.6592	* 0.8914
	* 1.6023	* 1.8610	* 1.4340	* 1.6397	* 1.3869	* 1.4931	* 1.3336	* 2.1144
9	* 1.1464	* 1.1363	* 1.3289	* 1.6133	* 1.2927	* 1.3901	* 1.6574	* 0.8911
	* 1.8610	* 1.8808	* 1.5787	* 1.3998	* 1.6230	* 1.4884	* 1.3360	* 2.0594
10	* 1.5792	* 1.3285	* 1.1597	* 1.2618	* 1.6288	* 1.4046	* 1.6541	* 0.8499
	* 1.4340	* 1.5793	* 1.8358	* 1.6642	* 1.3793	* 1.4581	* 1.3420	* 2.1606
11	* 1.2804	* 1.6125	* 1.2616	* 1.6023	* 1.3703	* 1.5945	* 1.6176	* 0.7528
	* 1.6397	* 1.4005	* 1.6643	* 1.4069	* 1.5083	* 1.4037	* 1.3726	* 2.5350
12	* 1.6245	* 1.2920	* 1.6287	* 1.3702	* 1.2275	* 1.6051	* 1.0484	*
	* 1.3869	* 1.6237	* 1.3793	* 1.5083	* 1.7158	* 1.3895	* 1.8001	*
13	* 1.3861	* 1.3900	* 1.4045	* 1.5944	* 1.6050	* 1.0136	* 0.6070	*
	* 1.4931	* 1.4886	* 1.4582	* 1.4038	* 1.3896	* 1.8521	* 3.1151	*
14	* 1.6592	* 1.6573	* 1.6540	* 1.6176	* 1.0484	* 0.6141	*	*
	* 1.3336	* 1.3360	* 1.3421	* 1.3727	* 1.8001	* 3.0892	*	*
15	* 0.8914	* 0.8912	* 0.8500	* 0.7513	* F-SUB-Q			
	* 2.1144	* 2.0593	* 2.1603	* 2.4765	* M-SUB-Q			

AT 100% POWER, 450 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4244	* 1.1470	* 1.5844	* 1.2804	* 1.6285	* 1.3857	* 1.6635	* 0.8915
	* 1.6540	* 1.9126	* 1.4825	* 1.6962	* 1.4362	* 1.5498	* 1.3794	* 2.1920
9	* 1.1470	* 1.1370	* 1.3290	* 1.6176	* 1.2929	* 1.3896	* 1.6616	* 0.8915
	* 1.9126	* 1.9313	* 1.6304	* 1.4491	* 1.6841	* 1.5444	* 1.3814	* 2.1337
10	* 1.5844	* 1.3286	* 1.1600	* 1.2606	* 1.6314	* 1.4044	* 1.6584	* 0.8496
	* 1.4825	* 1.6311	* 1.8918	* 1.7281	* 1.4272	* 1.5106	* 1.3856	* 2.2375
11	* 1.2804	* 1.6168	* 1.2603	* 1.6050	* 1.3687	* 1.5969	* 1.6220	* 0.7527
	* 1.6962	* 1.4499	* 1.7282	* 1.4558	* 1.5639	* 1.4515	* 1.4168	* 2.6230
12	* 1.6285	* 1.2923	* 1.6313	* 1.3687	* 1.2265	* 1.6090	* 1.0494	*
	* 1.4362	* 1.6848	* 1.4273	* 1.5640	* 1.7768	* 1.4329	* 1.8595	*
13	* 1.3857	* 1.3895	* 1.4044	* 1.5968	* 1.6089	* 1.0144	* 0.6057	*
	* 1.5498	* 1.5445	* 1.5106	* 1.4516	* 1.4330	* 1.9114	* 3.2222	*
14	* 1.6635	* 1.6616	* 1.6583	* 1.6220	* 1.0494	* 0.6127	*	*
	* 1.3794	* 1.3814	* 1.3857	* 1.4169	* 1.8594	* 3.1952	*	*
15	* 0.8915	* 0.8915	* 0.8497	* 0.7511	* F-SUB-Q			
	* 2.1920	* 2.1335	* 2.2372	* 2.5627	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 80 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 450 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4196	* 1.1490	* 1.5763	* 1.2756	* 1.6190	* 1.3796	* 1.6538	* 0.8974
	* 1.6078	* 1.8388	* 1.4342	* 1.6379	* 1.3977	* 1.5133	* 1.3740	* 2.1424
9	* 1.1490	* 1.1424	* 1.3214	* 1.6086	* 1.2887	* 1.3818	* 1.6519	* 0.8997
	* 1.8388	* 1.8521	* 1.5782	* 1.4071	* 1.6262	* 1.5129	* 1.3771	* 2.0807
10	* 1.5763	* 1.3210	* 1.1671	* 1.2595	* 1.6208	* 1.3979	* 1.6487	* 0.8614
	* 1.4342	* 1.5788	* 1.8091	* 1.6690	* 1.4133	* 1.5021	* 1.3863	* 2.1764
11	* 1.2756	* 1.6078	* 1.2592	* 1.5947	* 1.3602	* 1.5866	* 1.6130	* 0.7612
	* 1.6379	* 1.4078	* 1.6695	* 1.4363	* 1.5487	* 1.4491	* 1.4238	* 2.5651
12	* 1.6190	* 1.2880	* 1.6207	* 1.3602	* 1.2223	* 1.5989	* 1.0597	*
	* 1.3977	* 1.6269	* 1.4134	* 1.5488	* 1.7638	* 1.4481	* 1.8350	*
13	* 1.3796	* 1.3818	* 1.3979	* 1.5865	* 1.5988	* 1.0235	* 0.6128	*
	* 1.5133	* 1.5130	* 1.5022	* 1.4492	* 1.4481	* 1.8950	* 3.1706	*
14	* 1.6538	* 1.6518	* 1.6486	* 1.6129	* 1.0596	* 0.6195	*	*
	* 1.3740	* 1.3772	* 1.3864	* 1.4239	* 1.8350	* 3.1461	*	*
15	* 0.8974	* 0.8997	* 0.8615	* 0.7602	* F-SUB-Q			
	* 2.1424	* 2.0806	* 2.1761	* 2.5042	* M-SUB-Q			

AT 100% POWER, 450 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4433	* 1.1529	* 1.6031	* 1.2860	* 1.6447	* 1.3907	* 1.6822	* 0.8935
	* 1.5299	* 1.7719	* 1.3637	* 1.5706	* 1.3300	* 1.4513	* 1.3054	* 2.0801
9	* 1.1529	* 1.1428	* 1.3352	* 1.6345	* 1.2987	* 1.3947	* 1.6802	* 0.8913
	* 1.7719	* 1.7892	* 1.5107	* 1.3386	* 1.5600	* 1.4489	* 1.3081	* 2.0301
10	* 1.6031	* 1.3347	* 1.1630	* 1.2632	* 1.6454	* 1.4108	* 1.6772	* 0.8498
	* 1.3637	* 1.5113	* 1.7554	* 1.6080	* 1.3443	* 1.4366	* 1.3157	* 2.1316
11	* 1.2860	* 1.6337	* 1.2629	* 1.6188	* 1.3716	* 1.6099	* 1.6409	* 0.7539
	* 1.5706	* 1.3393	* 1.6083	* 1.3663	* 1.4830	* 1.3790	* 1.3512	* 2.5004
12	* 1.6447	* 1.2980	* 1.6453	* 1.3715	* 1.2300	* 1.6264	* 1.0530	*
	* 1.3300	* 1.5608	* 1.3444	* 1.4831	* 1.6976	* 1.3750	* 1.7825	*
13	* 1.3907	* 1.3947	* 1.4107	* 1.6098	* 1.6263	* 1.0171	* 0.6037	*
	* 1.4513	* 1.4490	* 1.4367	* 1.3791	* 1.3751	* 1.8411	* 3.1040	*
14	* 1.6822	* 1.6801	* 1.6771	* 1.6408	* 1.0529	* 0.6108	*	*
	* 1.3054	* 1.3081	* 1.3158	* 1.3513	* 1.7825	* 3.0776	*	*
15	* 0.8935	* 0.8914	* 0.8499	* 0.7518	* F-SUB-Q			
	* 2.0801	* 2.0300	* 2.1313	* 2.4442	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 81 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 100% POWER, 450 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4588	* 1.1602	* 1.6200	* 1.2943	* 1.6607	* 1.3988	* 1.6995	* 0.8963
	* 1.4767	* 1.7173	* 1.3155	* 1.5210	* 1.2834	* 1.4057	* 1.2580	* 2.0192
9	* 1.1602	* 1.1499	* 1.3439	* 1.6508	* 1.3070	* 1.4032	* 1.6974	* 0.8902
	* 1.7173	* 1.7343	* 1.4634	* 1.2915	* 1.5107	* 1.4028	* 1.2605	* 1.9793
10	* 1.6200	* 1.3435	* 1.1669	* 1.2694	* 1.6600	* 1.4202	* 1.6945	* 0.8503
	* 1.3155	* 1.4640	* 1.7053	* 1.5587	* 1.2968	* 1.3885	* 1.2671	* 2.0737
11	* 1.2943	* 1.6499	* 1.2691	* 1.6334	* 1.3789	* 1.6240	* 1.6583	* 0.7553
	* 1.5210	* 1.2922	* 1.5590	* 1.3181	* 1.4355	* 1.3296	* 1.3000	* 2.4279
12	* 1.6607	* 1.3062	* 1.6599	* 1.3789	* 1.2368	* 1.6430	* 1.0564	*
	* 1.2834	* 1.5114	* 1.2968	* 1.4356	* 1.6427	* 1.3230	* 1.7272	*
13	* 1.3988	* 1.4032	* 1.4201	* 1.6239	* 1.6429	* 1.0202	* 0.6032	*
	* 1.4057	* 1.4029	* 1.3886	* 1.3297	* 1.3231	* 1.7842	* 3.0184	*
14	* 1.6995	* 1.6973	* 1.6944	* 1.6582	* 1.0564	* 0.6105	*	*
	* 1.2580	* 1.2605	* 1.2672	* 1.3001	* 1.7272	* 2.9917	*	*
15	* 0.8963	* 0.8903	* 0.8504	* 0.7528	* F-SUB-Q			
	* 2.0192	* 1.9792	* 2.0734	* 2.3746	* M-SUB-Q			

AT 100% POWER, 450 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4726	* 1.1677	* 1.6338	* 1.3019	* 1.6736	* 1.4071	* 1.7130	* 0.9039
	* 1.4365	* 1.6759	* 1.2805	* 1.4843	* 1.2494	* 1.3706	* 1.2228	* 1.9624
9	* 1.1677	* 1.1574	* 1.3516	* 1.6640	* 1.3154	* 1.4111	* 1.7108	* 0.9021
	* 1.6759	* 1.6924	* 1.4288	* 1.2571	* 1.4729	* 1.3679	* 1.2251	* 1.9142
10	* 1.6338	* 1.3511	* 1.1775	* 1.2764	* 1.6719	* 1.4290	* 1.7080	* 0.8586
	* 1.2805	* 1.4294	* 1.6592	* 1.5206	* 1.2613	* 1.3513	* 1.2309	* 2.0118
11	* 1.3019	* 1.6631	* 1.2761	* 1.6452	* 1.3855	* 1.6351	* 1.6715	* 0.7627
	* 1.4843	* 1.2578	* 1.5210	* 1.2823	* 1.3993	* 1.2927	* 1.2619	* 2.3537
12	* 1.6736	* 1.3146	* 1.6718	* 1.3855	* 1.2431	* 1.6556	* 1.0669	*
	* 1.2494	* 1.4737	* 1.2613	* 1.3994	* 1.6003	* 1.2842	* 1.6730	*
13	* 1.4071	* 1.4111	* 1.4289	* 1.6350	* 1.6555	* 1.0301	* 0.6079	*
	* 1.3706	* 1.3680	* 1.3514	* 1.2928	* 1.2842	* 1.7281	* 2.9287	*
14	* 1.7130	* 1.7108	* 1.7078	* 1.6714	* 1.0668	* 0.6152	*	*
	* 1.2228	* 1.2252	* 1.2310	* 1.2621	* 1.6731	* 2.9034	*	*
15	* 0.9039	* 0.9021	* 0.8586	* 0.7603	* F-SUB-Q			
	* 1.9624	* 1.9141	* 2.0116	* 2.3019	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 82 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 450 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4813	* 1.1830	* 1.6419	* 1.3111	* 1.6813	* 1.4155	* 1.7201	* 0.9185 *
	* 1.5225	* 1.7668	* 1.3601	* 1.5736	* 1.3269	* 1.4529	* 1.2970	* 2.0571 *
9	* 1.1830	* 1.1762	* 1.3577	* 1.6720	* 1.3248	* 1.4180	* 1.7178	* 0.9193 *
	* 1.7668	* 1.7801	* 1.5187	* 1.3350	* 1.5607	* 1.4513	* 1.2993	* 2.0009 *
10	* 1.6419	* 1.3572	* 1.1965	* 1.2931	* 1.6785	* 1.4378	* 1.7149	* 0.8791 *
	* 1.3601	* 1.5193	* 1.7432	* 1.6014	* 1.3378	* 1.4294	* 1.3047	* 2.0919 *
11	* 1.3111	* 1.6710	* 1.2927	* 1.6519	* 1.3916	* 1.6418	* 1.6789	* 0.7783 *
	* 1.5736	* 1.3358	* 1.6019	* 1.3602	* 1.4832	* 1.3696	* 1.3359	* 2.4542 *
12	* 1.6813	* 1.3240	* 1.6784	* 1.3915	* 1.2548	* 1.6620	* 1.0878	*
	* 1.3269	* 1.5616	* 1.3378	* 1.4832	* 1.6842	* 1.3588	* 1.7440	*
13	* 1.4155	* 1.4180	* 1.4377	* 1.6416	* 1.6619	* 1.0496	* 0.6210	*
	* 1.4529	* 1.4514	* 1.4295	* 1.3697	* 1.3589	* 1.8012	* 3.0457	*
14	* 1.7201	* 1.7178	* 1.7148	* 1.6787	* 1.0877	* 0.6280	*	*
	* 1.2970	* 1.2994	* 1.3048	* 1.3361	* 1.7441	* 3.0212	*	*
15	* 0.9185	* 0.9193	* 0.8792	* 0.7764	* F-SUB-Q			
	* 2.0571	* 2.0008	* 2.0917	* 2.3983	* M-SUB-Q			

AT 100% POWER, 450 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5226	* 1.1978	* 1.6893	* 1.3355	* 1.7284	* 1.4431	* 1.7703	* 0.9229 *
	* 1.4649	* 1.7310	* 1.3120	* 1.5337	* 1.2816	* 1.4151	* 1.2496	* 2.0303 *
9	* 1.1978	* 1.1869	* 1.3870	* 1.7192	* 1.3496	* 1.4478	* 1.7680	* 0.9161 *
	* 1.7310	* 1.7489	* 1.4756	* 1.2889	* 1.5213	* 1.4111	* 1.2517	* 1.9908 *
10	* 1.6893	* 1.3865	* 1.2035	* 1.3067	* 1.7247	* 1.4676	* 1.7654	* 0.8740 *
	* 1.3120	* 1.4763	* 1.7202	* 1.5726	* 1.2907	* 1.3873	* 1.2557	* 2.0854 *
11	* 1.3355	* 1.7181	* 1.3064	* 1.6974	* 1.4194	* 1.6861	* 1.7284	* 0.7772 *
	* 1.5337	* 1.2897	* 1.5730	* 1.3124	* 1.4406	* 1.3206	* 1.2845	* 2.4339 *
12	* 1.7284	* 1.3487	* 1.7246	* 1.4193	* 1.2736	* 1.7111	* 1.0903	*
	* 1.2816	* 1.5222	* 1.2908	* 1.4407	* 1.6395	* 1.3039	* 1.7212	*
13	* 1.4431	* 1.4478	* 1.4675	* 1.6860	* 1.7110	* 1.0524	* 0.6168	*
	* 1.4151	* 1.4112	* 1.3874	* 1.3207	* 1.3040	* 1.7735	* 3.0305	*
14	* 1.7703	* 1.7680	* 1.7653	* 1.7282	* 1.0902	* 0.6244	*	*
	* 1.2496	* 1.2517	* 1.2558	* 1.2846	* 1.7213	* 3.0029	*	*
15	* 0.9229	* 0.9161	* 0.8741	* 0.7741	* F-SUB-Q			
	* 2.0303	* 1.9907	* 2.0851	* 2.3823	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 83 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.5517	* 1.2173	* 1.7216	* 1.3568	* 1.7606	* 1.4668	* 1.8040	* 0.9369 *
	* 1.3994	* 1.6670	* 1.2603	* 1.4786	* 1.2317	* 1.3634	* 1.2018	* 1.9634 *
9	* 1.2173	* 1.2060	* 1.4099	* 1.7515	* 1.3712	* 1.4717	* 1.8017	* 0.9296 *
	* 1.6670	* 1.6848	* 1.4215	* 1.2384	* 1.4661	* 1.3596	* 1.2038	* 1.9258 *
10	* 1.7216	* 1.4094	* 1.2224	* 1.3270	* 1.7566	* 1.4927	* 1.7993	* 0.8868 *
	* 1.2603	* 1.4222	* 1.6585	* 1.5155	* 1.2393	* 1.3357	* 1.2072	* 2.0172 *
11	* 1.3568	* 1.7504	* 1.3266	* 1.7288	* 1.4419	* 1.7171	* 1.7617	* 0.7883 *
	* 1.4786	* 1.2392	* 1.5159	* 1.2593	* 1.3866	* 1.2683	* 1.2340	* 2.3552 *
12	* 1.7606	* 1.3703	* 1.7565	* 1.4418	* 1.2935	* 1.7436	* 1.1079	*
	* 1.2317	* 1.4671	* 1.2394	* 1.3866	* 1.5747	* 1.2507	* 1.6585	*
13	* 1.4668	* 1.4717	* 1.4926	* 1.7169	* 1.7435	* 1.0692	* 0.6247	*
	* 1.3634	* 1.3597	* 1.3358	* 1.2684	* 1.2507	* 1.7070	* 2.9360	*
14	* 1.8040	* 1.8016	* 1.7991	* 1.7615	* 1.1078	* 0.6324	*	
	* 1.2018	* 1.2038	* 1.2073	* 1.2341	* 1.6586	* 2.9097	*	
15	* 0.9369	* 0.9297	* 0.8869	* 0.7851	* F-SUB-Q			
	* 1.9634	* 1.9257	* 2.0170	* 2.3054	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.5607	* 1.2399	* 1.7296	* 1.3706	* 1.7680	* 1.4819	* 1.8105	* 0.9588 *
	* 1.3647	* 1.6092	* 1.2333	* 1.4398	* 1.2059	* 1.3266	* 1.1759	* 1.8847 *
9	* 1.2399	* 1.2334	* 1.4213	* 1.7590	* 1.3847	* 1.4843	* 1.8083	* 0.9587 *
	* 1.6092	* 1.6212	* 1.3869	* 1.2125	* 1.4278	* 1.3249	* 1.1775	* 1.8346 *
10	* 1.7296	* 1.4207	* 1.2515	* 1.3539	* 1.7647	* 1.5075	* 1.8058	* 0.9165 *
	* 1.2333	* 1.3876	* 1.5936	* 1.4604	* 1.2105	* 1.2976	* 1.1801	* 1.9167 *
11	* 1.3706	* 1.7578	* 1.3535	* 1.7364	* 1.4541	* 1.7257	* 1.7684	* 0.8105 *
	* 1.4398	* 1.2132	* 1.4608	* 1.2305	* 1.3489	* 1.2374	* 1.2050	* 2.2479 *
12	* 1.7680	* 1.3837	* 1.7646	* 1.4540	* 1.3156	* 1.7495	* 1.1391	* 1.5807 *
	* 1.2059	* 1.4287	* 1.2106	* 1.3490	* 1.5181	* 1.2202	* 1.5807	* 1.8847 *
13	* 1.4819	* 1.4843	* 1.5074	* 1.7255	* 1.7494	* 1.0983	* 0.6445	* 1.8847 *
	* 1.3266	* 1.3250	* 1.2977	* 1.2375	* 1.2203	* 1.6268	* 2.7884	* 1.8346 *
14	* 1.8105	* 1.8082	* 1.8057	* 1.7682	* 1.1391	* 0.6514	* 1.8058	* 0.9587 *
	* 1.1759	* 1.1776	* 1.1802	* 1.2051	* 1.5808	* 2.7675	* 1.8058	* 0.9587 *
15	* 0.9588	* 0.9587	* 0.9166	* 0.8087	* F-SUB-Q			
	* 1.8847	* 1.8345	* 1.9165	* 2.1963	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 84 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 450 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5867	* 1.2467	* 1.7604	* 1.3850	* 1.7968	* 1.5033	* 1.8405	* 0.9559 *
	* 1.3228	* 1.5781	* 1.1950	* 1.4058	* 1.1701	* 1.2896	* 1.1394	* 1.8631 *
9	* 1.2467	* 1.2367	* 1.4461	* 1.7880	* 1.3998	* 1.5073	* 1.8382	* 0.9505 *
	* 1.5781	* 1.5939	* 1.3448	* 1.1762	* 1.3933	* 1.2865	* 1.1409	* 1.8234 *
10	* 1.7604	* 1.4455	* 1.2516	* 1.3557	* 1.7950	* 1.5291	* 1.8359	* 0.9054 *
	* 1.1950	* 1.3454	* 1.5723	* 1.4379	* 1.1721	* 1.2596	* 1.1427	* 1.9115 *
11	* 1.3850	* 1.7867	* 1.3553	* 1.7660	* 1.4765	* 1.7549	* 1.7971	* 0.8003 *
	* 1.4058	* 1.1770	* 1.4383	* 1.1916	* 1.3080	* 1.1976	* 1.1664	* 2.2417 *
12	* 1.7968	* 1.3988	* 1.7949	* 1.4764	* 1.3222	* 1.7795	* 1.1329	*
	* 1.1701	* 1.3943	* 1.1721	* 1.3081	* 1.4858	* 1.1794	* 1.5635	*
13	* 1.5033	* 1.5073	* 1.5290	* 1.7547	* 1.7794	* 1.0935	* 0.6370	*
	* 1.2896	* 1.2866	* 1.2597	* 1.1977	* 1.1795	* 1.6067	* 2.7751	*
14	* 1.8405	* 1.8381	* 1.8357	* 1.7970	* 1.1328	* 0.6440	*	*
	* 1.1394	* 1.1410	* 1.1428	* 1.1665	* 1.5635	* 2.7539	*	*
15	* 0.9559	* 0.9506	* 0.9055	* 0.7984	* F-SUB-Q			
	* 1.8631	* 1.8233	* 1.9112	* 2.1903	* M-SUB-Q			

AT 100% POWER, 450 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5329	* 1.2183	* 1.7015	* 1.3476	* 1.7318	* 1.4660	* 1.7716	* 0.9268 *
	* 1.3522	* 1.5962	* 1.2215	* 1.4283	* 1.1993	* 1.3066	* 1.1682	* 1.8973 *
9	* 1.2183	* 1.2105	* 1.4171	* 1.7241	* 1.3615	* 1.4701	* 1.7692	* 0.9157 *
	* 1.5962	* 1.6097	* 1.3563	* 1.2054	* 1.4160	* 1.3032	* 1.1698	* 1.8688 *
10	* 1.7015	* 1.4165	* 1.2163	* 1.3201	* 1.7334	* 1.4885	* 1.7666	* 0.8738 *
	* 1.2215	* 1.3570	* 1.5995	* 1.4593	* 1.1979	* 1.2770	* 1.1714	* 1.9550 *
11	* 1.3476	* 1.7227	* 1.3197	* 1.7049	* 1.4445	* 1.6960	* 1.7283	* 0.7699 *
	* 1.4283	* 1.2063	* 1.4597	* 1.2187	* 1.3200	* 1.2224	* 1.1957	* 2.2992 *
12	* 1.7318	* 1.3605	* 1.7334	* 1.4444	* 1.2896	* 1.7126	* 1.0965	*
	* 1.1993	* 1.4169	* 1.1979	* 1.3200	* 1.5036	* 1.2080	* 1.5930	*
13	* 1.4660	* 1.4700	* 1.4884	* 1.6959	* 1.7125	* 1.0596	* 0.6178	*
	* 1.3066	* 1.3033	* 1.2771	* 1.2224	* 1.2081	* 1.6351	* 2.8228	*
14	* 1.7716	* 1.7692	* 1.7665	* 1.7282	* 1.0965	* 0.6243	*	*
	* 1.1682	* 1.1698	* 1.1715	* 1.1958	* 1.5930	* 2.8026	*	*
15	* 0.9268	* 0.9158	* 0.8739	* 0.7688	* F-SUB-Q			
	* 1.8973	* 1.8687	* 1.9547	* 2.2447	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 85 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 100% POWER, 450 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3181	* 1.0735	* 1.4608	* 1.1807	* 1.4794	* 1.2873	* 1.5098	* 0.8056 *
	* 1.5534	* 1.7911	* 1.4059	* 1.6121	* 1.3872	* 1.4703	* 1.3534	* 2.1567 *
9	* 1.0735	* 1.0688	* 1.2619	* 1.4769	* 1.1958	* 1.2880	* 1.5074	* 0.7936 *
	* 1.7911	* 1.8022	* 1.5051	* 1.3901	* 1.5936	* 1.4700	* 1.3554	* 2.1295 *
10	* 1.4608	* 1.2613	* 1.0715	* 1.1593	* 1.4825	* 1.3015	* 1.5041	* 0.7555 *
	* 1.4059	* 1.5059	* 1.7938	* 1.6425	* 1.3831	* 1.4422	* 1.3580	* 2.2323 *
11	* 1.1807	* 1.4758	* 1.1590	* 1.4626	* 1.2754	* 1.4507	* 1.4688	* 0.6589 *
	* 1.6121	* 1.3911	* 1.6429	* 1.4027	* 1.4766	* 1.4112	* 1.3883	* 2.6540 *
12	* 1.4794	* 1.1950	* 1.4824	* 1.2753	* 1.1360	* 1.4624	* 0.9436 *	
	* 1.3872	* 1.5946	* 1.3832	* 1.4767	* 1.6861	* 1.3958	* 1.8275 *	
13	* 1.2873	* 1.2880	* 1.3015	* 1.4506	* 1.4624	* 0.9129	* 0.5388 *	
	* 1.4703	* 1.4701	* 1.4422	* 1.4113	* 1.3958	* 1.8737	* 3.1992 *	
14	* 1.5098	* 1.5074	* 1.5041	* 1.4688	* 0.9436	* 0.5449 *		
	* 1.3534	* 1.3555	* 1.3581	* 1.3883	* 1.8276	* 3.1731 *		
15	* 0.8056	* 0.7937	* 0.7556	* 0.6592	F-SUB-Q			
	* 2.1567	* 2.1293	* 2.2318	* 2.5865	M-SUB-Q			

AT 100% POWER, 450 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.6434	* 0.5511	* 0.6971	* 0.6056	* 0.7080	* 0.6159	* 0.6751	* 0.3913 *
	* 3.1450	* 3.4474	* 2.9086	* 3.1036	* 2.8605	* 3.0329	* 2.9859	* 4.3891 *
9	* 0.5511	* 0.5450	* 0.6036	* 0.7059	* 0.6069	* 0.6141	* 0.6738	* 0.3847 *
	* 3.4474	* 3.4921	* 3.1063	* 2.8715	* 3.1005	* 3.0424	* 2.9914	* 4.3440 *
10	* 0.6971	* 0.6034	* 0.5543	* 0.5965	* 0.7087	* 0.6151	* 0.6707	* 0.3711 *
	* 2.9086	* 3.1079	* 3.4264	* 3.1524	* 2.8550	* 3.0105	* 3.0038	* 4.4957 *
11	* 0.6056	* 0.7053	* 0.5964	* 0.6992	* 0.6127	* 0.7038	* 0.6478	* 0.3322 *
	* 3.1036	* 2.8736	* 3.1533	* 2.8958	* 3.0328	* 2.8692	* 3.1073	* 5.2075 *
12	* 0.7080	* 0.6066	* 0.7086	* 0.6127	* 0.5758	* 0.6514	* 0.4546 *	
	* 2.8605	* 3.1022	* 2.8551	* 3.0329	* 3.2839	* 3.0914	* 3.7474 *	
13	* 0.6159	* 0.6141	* 0.6150	* 0.7038	* 0.6514	* 0.4428	* 0.2689 *	
	* 3.0329	* 3.0427	* 3.0107	* 2.8694	* 3.0916	* 3.8167	* 6.3448 *	
14	* 0.6751	* 0.6737	* 0.6707	* 0.6477	* 0.4546	* 0.2705 *		
	* 2.9859	* 2.9915	* 3.0039	* 3.1075	* 3.7475	* 6.3274 *		
15	* 0.3913	* 0.3847	* 0.3711	* 0.3300	F-SUB-Q			
	* 4.3891	* 4.3438	* 4.4952	* 5.1100	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 86 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3638	* 0.4631	* 0.6005	* 0.5357	* 0.6206	* 0.5405	* 0.5402	* 0.2953
	* 3.8635	* 4.2596	* 3.2894	* 3.6720	* 3.1709	* 3.6616	* 3.7041	* 6.1314
9	* 0.4631	* 0.4602	* 0.5373	* 0.6131	* 0.5304	* 0.5235	* 0.5347	* 0.2926
	* 4.2596	* 4.3499	* 3.6868	* 3.2147	* 3.7059	* 3.7766	* 3.7382	* 6.1827
10	* 0.6005	* 0.5372	* 0.4843	* 0.5215	* 0.5861	* 0.5011	* 0.5081	* 0.2759
	* 3.2894	* 3.6876	* 4.1529	* 3.7698	* 3.3332	* 3.8896	* 3.8399	* 6.3944
11	* 0.5357	* 0.6131	* 0.5216	* 0.5502	* 0.4827	* 0.5096	* 0.4566	* 0.2234
	* 3.6720	* 3.2148	* 3.7691	* 3.5729	* 4.0342	* 3.7717	* 4.2196	* 7.9452
12	* 0.6206	* 0.5303	* 0.5862	* 0.4828	* 0.3596	* 0.3869	* 0.3008	*
	* 3.1709	* 3.7059	* 3.3324	* 4.0334	* 4.5601	* 4.3549	* 5.6065	*
13	* 0.5405	* 0.5235	* 0.5014	* 0.5099	* 0.3871	* 0.2304	* 0.1432	*
	* 3.6616	* 3.7760	* 3.8880	* 3.7695	* 4.3534	* 5.8094	* 10.6635	*
14	* 0.5402	* 0.5349	* 0.5085	* 0.4570	* 0.3011	* 0.1440	*	*
	* 3.7041	* 3.7371	* 3.8370	* 4.2156	* 5.6016	* 10.5770	*	*
15	* 0.2953	* 0.2927	* 0.2763	* 0.2223	* F-SUB-Q			
	* 6.1314	* 6.1807	* 6.3876	* 7.9364	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.8244	* 1.0165	* 1.4033	* 1.1520	* 1.4096	* 1.2488	* 1.3596	* 0.6777
	* 1.6986	* 2.0006	* 1.4516	* 1.7684	* 1.4421	* 1.6334	* 1.5196	* 2.7605
9	* 1.0165	* 1.0313	* 1.2494	* 1.4117	* 1.1445	* 1.2297	* 1.3467	* 0.6724
	* 2.0006	* 1.9856	* 1.6366	* 1.4434	* 1.7737	* 1.6575	* 1.5212	* 2.7608
10	* 1.4033	* 1.2494	* 1.0555	* 1.1123	* 1.3449	* 1.1656	* 1.2845	* 0.6271
	* 1.4516	* 1.6366	* 1.9573	* 1.8230	* 1.5007	* 1.7298	* 1.5669	* 2.8971
11	* 1.1520	* 1.4115	* 1.1125	* 1.2722	* 1.1161	* 1.1875	* 1.1582	* 0.4970
	* 1.7684	* 1.4437	* 1.8227	* 1.5888	* 1.7993	* 1.6707	* 1.7198	* 3.6924
12	* 1.4096	* 1.1445	* 1.3452	* 1.1164	* 0.7684	* 0.9876	* 0.7107	*
	* 1.4421	* 1.7738	* 1.5004	* 1.7989	* 2.1005	* 1.7400	* 2.4276	*
13	* 1.2488	* 1.2299	* 1.1661	* 1.1882	* 0.9883	* 0.5501	* 0.3265	*
	* 1.6334	* 1.6572	* 1.7291	* 1.6697	* 1.7394	* 2.4758	* 4.7967	*
14	* 1.3596	* 1.3472	* 1.2855	* 1.1594	* 0.7116	* 0.3295	*	*
	* 1.5196	* 1.5208	* 1.5657	* 1.7180	* 2.4253	* 4.7403	*	*
15	* 0.6777	* 0.6726	* 0.6279	* 0.5029	* F-SUB-Q			
	* 2.7605	* 2.7594	* 2.8937	* 3.6279	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 87 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9799	* 1.2212	* 1.4542	* 1.3358	* 1.3850	* 1.4552	* 1.4627	* 0.7806 *
	* 1.5503	* 1.7146	* 1.4385	* 1.5665	* 1.5046	* 1.4355	* 1.4279	* 2.4233 *
9	* 1.2212	* 1.2703	* 1.4600	* 1.4182	* 1.3119	* 1.4585	* 1.4563	* 0.7784 *
	* 1.7146	* 1.6526	* 1.4365	* 1.4740	* 1.5878	* 1.4297	* 1.4317	* 2.4258 *
10	* 1.4542	* 1.4599	* 1.2821	* 1.2811	* 1.3228	* 1.3748	* 1.4058	* 0.7247 *
	* 1.4385	* 1.4366	* 1.6386	* 1.6311	* 1.5690	* 1.5060	* 1.4720	* 2.5661 *
11	* 1.3358	* 1.4182	* 1.2816	* 1.2791	* 1.2652	* 1.3050	* 1.3388	* 0.5857 *
	* 1.5665	* 1.4741	* 1.6306	* 1.6222	* 1.6200	* 1.5684	* 1.5295	* 3.2233 *
12	* 1.3850	* 1.3119	* 1.3231	* 1.2658	* 0.9168	* 1.1422	* 0.8393	*
	* 1.5046	* 1.5878	* 1.5686	* 1.6198	* 1.7820	* 1.5550	* 2.1080	*
13	* 1.4552	* 1.4588	* 1.3757	* 1.3059	* 1.1431	* 0.6575	* 0.3938	*
	* 1.4355	* 1.4295	* 1.5051	* 1.5673	* 1.5544	* 2.1372	* 4.0987	*
14	* 1.4627	* 1.4566	* 1.4067	* 1.3405	* 0.8405	* 0.3981	*	
	* 1.4279	* 1.4314	* 1.4710	* 1.5276	* 2.1057	* 4.0449	*	
15	* 0.7806	* 0.7787	* 0.7256	* 0.5933	* F-SUB-Q			
	* 2.4233	* 2.4249	* 2.5628	* 3.1634	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1291	* 1.3357	* 1.5949	* 1.4296	* 1.5066	* 1.5773	* 1.6109	* 0.8125 *
	* 1.4211	* 1.6327	* 1.3586	* 1.5151	* 1.4272	* 1.3627	* 1.3297	* 2.3856 *
9	* 1.3357	* 1.4079	* 1.6057	* 1.5457	* 1.4088	* 1.5951	* 1.6045	* 0.8091 *
	* 1.6327	* 1.5474	* 1.3546	* 1.4027	* 1.5258	* 1.3461	* 1.3346	* 2.3938 *
10	* 1.5949	* 1.6058	* 1.4062	* 1.3757	* 1.4485	* 1.5032	* 1.5511	* 0.7548 *
	* 1.3586	* 1.3545	* 1.5452	* 1.5725	* 1.4830	* 1.4235	* 1.3773	* 2.5408 *
11	* 1.4296	* 1.5438	* 1.3760	* 1.3997	* 1.3582	* 1.4514	* 1.4915	* 0.6154 *
	* 1.5151	* 1.4048	* 1.5722	* 1.5443	* 1.5285	* 1.4688	* 1.4276	* 3.1843 *
12	* 1.5066	* 1.4087	* 1.4488	* 1.3589	* 0.9992	* 1.2844	* 0.9030	*
	* 1.4272	* 1.5259	* 1.4826	* 1.5280	* 1.6786	* 1.4380	* 2.0388	*
13	* 1.5773	* 1.5953	* 1.5041	* 1.4525	* 1.2856	* 0.7189	* 0.4222	*
	* 1.3627	* 1.3459	* 1.4226	* 1.4677	* 1.4374	* 2.0583	* 4.0119	*
14	* 1.6109	* 1.6049	* 1.5523	* 1.4935	* 0.9043	* 0.4278	*	
	* 1.3297	* 1.3343	* 1.3763	* 1.4257	* 2.0363	* 3.9500	*	
15	* 0.8125	* 0.8094	* 0.7559	* 0.6227	* F-SUB-Q			
	* 2.3856	* 2.3929	* 2.5373	* 3.1273	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 88 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.2373	* 1.4099	* 1.6698	* 1.4772	* 1.5672	* 1.6306	* 1.6828	* 0.8345
	* 1.3935	* 1.6333	* 1.3560	* 1.5298	* 1.4265	* 1.3689	* 1.3191	* 2.4074
9	* 1.4099	* 1.4735	* 1.6792	* 1.6149	* 1.4515	* 1.6518	* 1.6773	* 0.8327
	* 1.6333	* 1.5552	* 1.3584	* 1.4022	* 1.5398	* 1.3511	* 1.3244	* 2.4121
10	* 1.6698	* 1.6792	* 1.4578	* 1.4189	* 1.5124	* 1.5652	* 1.6298	* 0.7774
	* 1.3560	* 1.3584	* 1.5617	* 1.5941	* 1.4796	* 1.4229	* 1.3645	* 2.5700
11	* 1.4772	* 1.6125	* 1.4190	* 1.4634	* 1.4321	* 1.5481	* 1.5892	* 0.6419
	* 1.5298	* 1.4044	* 1.5940	* 1.5330	* 1.5206	* 1.4450	* 1.4014	* 3.1793
12	* 1.5672	* 1.4513	* 1.5128	* 1.4329	* 1.0782	* 1.3999	* 0.9644	*
	* 1.4265	* 1.5400	* 1.4792	* 1.5201	* 1.6758	* 1.4123	* 2.0228	*
13	* 1.6306	* 1.6520	* 1.5663	* 1.5492	* 1.4010	* 0.7916	* 0.4515	*
	* 1.3689	* 1.3509	* 1.4220	* 1.4442	* 1.4116	* 2.0501	* 4.0346	*
14	* 1.6828	* 1.6777	* 1.6310	* 1.5914	* 0.9658	* 0.4576	*	*
	* 1.3191	* 1.3241	* 1.3634	* 1.3995	* 2.0202	* 3.9710	*	*
15	* 0.8345	* 0.8331	* 0.7786	* 0.6489	* F-SUB-Q			
	* 2.4074	* 2.4111	* 2.5663	* 3.1249	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.4250	* 1.4723	* 1.7223	* 1.5097	* 1.6005	* 1.6613	* 1.7227	* 0.8519
	* 1.4088	* 1.6601	* 1.3846	* 1.5683	* 1.4515	* 1.3946	* 1.3376	* 2.4499
9	* 1.4723	* 1.5199	* 1.7265	* 1.6563	* 1.4781	* 1.6852	* 1.7184	* 0.8502
	* 1.6601	* 1.5952	* 1.3901	* 1.4323	* 1.5744	* 1.3754	* 1.3424	* 2.4543
10	* 1.7223	* 1.7264	* 1.4894	* 1.4480	* 1.5529	* 1.6077	* 1.6797	* 0.7962
	* 1.3846	* 1.3902	* 1.6038	* 1.6393	* 1.5095	* 1.4489	* 1.3818	* 2.6095
11	* 1.5097	* 1.6536	* 1.4470	* 1.5207	* 1.5038	* 1.6292	* 1.6634	* 0.6662
	* 1.5683	* 1.4347	* 1.6394	* 1.5526	* 1.5413	* 1.4543	* 1.4204	* 3.2239
12	* 1.6005	* 1.4778	* 1.5532	* 1.5046	* 1.2185	* 1.5291	* 1.0278	*
	* 1.4515	* 1.5747	* 1.5092	* 1.5408	* 1.7025	* 1.4237	* 2.0341	*
13	* 1.6613	* 1.6854	* 1.6087	* 1.6306	* 1.5302	* 0.9054	* 0.4861	*
	* 1.3946	* 1.3752	* 1.4479	* 1.4535	* 1.4230	* 2.0768	* 4.1037	*
14	* 1.7227	* 1.7189	* 1.6810	* 1.6657	* 1.0293	* 0.4927	*	*
	* 1.3376	* 1.3420	* 1.3807	* 1.4184	* 2.0315	* 4.0378	*	*
15	* 0.8519	* 0.8505	* 0.7974	* 0.6731	* F-SUB-Q			
	* 2.4499	* 2.4533	* 2.6056	* 3.1707	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 89 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7172	* 1.5290	* 1.7832	* 1.5443	* 1.6437	* 1.6988	* 1.7722	* 0.8611
	* 1.4276	* 1.6933	* 1.4242	* 1.6244	* 1.4848	* 1.4302	* 1.3599	* 2.5316
9	* 1.5290	* 1.5701	* 1.7793	* 1.7062	* 1.5101	* 1.7260	* 1.7687	* 0.8585
	* 1.6933	* 1.6543	* 1.4374	* 1.4732	* 1.6219	* 1.4098	* 1.3656	* 2.5407
10	* 1.7832	* 1.7792	* 1.5251	* 1.4784	* 1.6037	* 1.6583	* 1.7387	* 0.8068
	* 1.4242	* 1.4375	* 1.6649	* 1.7030	* 1.5474	* 1.4859	* 1.4086	* 2.7086
11	* 1.5443	* 1.7032	* 1.4782	* 1.5965	* 1.5845	* 1.7184	* 1.7448	* 0.6798
	* 1.6244	* 1.4759	* 1.7033	* 1.5689	* 1.5619	* 1.4617	* 1.4457	* 3.3572
12	* 1.6437	* 1.5097	* 1.6039	* 1.5850	* 1.3849	* 1.6837	* 1.0783	*
	* 1.4848	* 1.6223	* 1.5471	* 1.5614	* 1.7317	* 1.4368	* 2.0774	*
13	* 1.6988	* 1.7262	* 1.6595	* 1.7198	* 1.6846	* 1.0083	* 0.5149	*
	* 1.4302	* 1.4097	* 1.4848	* 1.4608	* 1.4361	* 2.1300	* 4.2367	*
14	* 1.7722	* 1.7691	* 1.7400	* 1.7471	* 1.0798	* 0.5223	*	
	* 1.3599	* 1.3652	* 1.4075	* 1.4439	* 2.0747	* 4.1661	*	
15	* 0.8611	* 0.8588	* 0.8080	* 0.6865	* F-SUB-Q			
	* 2.5316	* 2.5397	* 2.7046	* 3.3033	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8263	* 1.5689	* 1.8217	* 1.5659	* 1.6696	* 1.7223	* 1.8027	* 0.8685
	* 1.4681	* 1.7510	* 1.4958	* 1.7117	* 1.5495	* 1.4930	* 1.4119	* 2.6484
9	* 1.5689	* 1.6022	* 1.8130	* 1.7361	* 1.5305	* 1.7523	* 1.8000	* 0.8654
	* 1.7510	* 1.7215	* 1.5151	* 1.5472	* 1.6989	* 1.4713	* 1.4185	* 2.6607
10	* 1.8217	* 1.8128	* 1.5473	* 1.4979	* 1.6445	* 1.6934	* 1.7778	* 0.8157
	* 1.4958	* 1.5153	* 1.7593	* 1.7992	* 1.6181	* 1.5510	* 1.4656	* 2.8421
11	* 1.5659	* 1.7329	* 1.4975	* 1.6588	* 1.6450	* 1.7819	* 1.8041	* 0.6923
	* 1.7117	* 1.5501	* 1.7996	* 1.6058	* 1.5946	* 1.4884	* 1.4732	* 3.5266
12	* 1.6696	* 1.5300	* 1.6452	* 1.6456	* 1.4729	* 1.7815	* 1.1186	*
	* 1.5495	* 1.6994	* 1.6178	* 1.5941	* 1.7687	* 1.4601	* 2.1271	*
13	* 1.7223	* 1.7525	* 1.6946	* 1.7833	* 1.7824	* 1.0730	* 0.5373	*
	* 1.4930	* 1.4711	* 1.5498	* 1.4875	* 1.4594	* 2.1862	* 4.3563	*
14	* 1.8027	* 1.8004	* 1.7791	* 1.8065	* 1.1201	* 0.5451	*	*
	* 1.4119	* 1.4181	* 1.4644	* 1.4713	* 2.1244	* 4.2827	*	*
15	* 0.8685	* 0.8657	* 0.8169	* 0.6988	* F-SUB-Q			
	* 2.6484	* 2.6596	* 2.8379	* 3.4711	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 90 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8821	* 1.5943	* 1.8541	* 1.5828	* 1.6955	* 1.7444	* 1.8327	* 0.8723 *
	* 1.5363	* 1.8310	* 1.5652	* 1.8193	* 1.6278	* 1.5707	* 1.4771	* 2.8017 *
9	* 1.5943	* 1.6258	* 1.8403	* 1.7634	* 1.5485	* 1.7770	* 1.8306	* 0.8672 *
	* 1.8310	* 1.7908	* 1.5755	* 1.6364	* 1.7937	* 1.5472	* 1.4846	* 2.8234 *
10	* 1.8541	* 1.8402	* 1.5650	* 1.5135	* 1.6866	* 1.7239	* 1.8141	* 0.8202 *
	* 1.5652	* 1.5756	* 1.8515	* 1.9038	* 1.6828	* 1.6317	* 1.5363	* 3.0153 *
11	* 1.5828	* 1.7600	* 1.5131	* 1.7040	* 1.6963	* 1.8330	* 1.8537	* 0.6990 *
	* 1.8193	* 1.6395	* 1.9044	* 1.6631	* 1.6517	* 1.5349	* 1.5137	* 3.6946 *
12	* 1.6955	* 1.5480	* 1.6873	* 1.6968	* 1.5223	* 1.8470	* 1.1423	*
	* 1.6278	* 1.7944	* 1.6821	* 1.6512	* 1.8378	* 1.5063	* 2.2167	*
13	* 1.7444	* 1.7771	* 1.7250	* 1.8344	* 1.8479	* 1.1064	* 0.5500	*
	* 1.5707	* 1.5471	* 1.6305	* 1.5341	* 1.5056	* 2.2798	* 4.5517	*
14	* 1.8327	* 1.8310	* 1.8155	* 1.8560	* 1.1437	* 0.5581	*	*
	* 1.4771	* 1.4842	* 1.5351	* 1.5118	* 2.2139	* 4.4736	*	*
15	* 0.8723	* 0.8677	* 0.8214	* 0.7047	F-SUB-Q			
	* 2.8017	* 2.8222	* 3.0110	* 3.6416	M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8735	* 1.5870	* 1.8369	* 1.5742	* 1.6785	* 1.7334	* 1.8174	* 0.8782 *
	* 1.6501	* 1.9417	* 1.6673	* 1.9424	* 1.7602	* 1.6916	* 1.5917	* 2.9701 *
9	* 1.5870	* 1.6159	* 1.8280	* 1.7437	* 1.5390	* 1.7671	* 1.8160	* 0.8753 *
	* 1.9417	* 1.9009	* 1.6740	* 1.7500	* 1.9353	* 1.6661	* 1.5999	* 2.9853 *
10	* 1.8369	* 1.8278	* 1.5530	* 1.5078	* 1.6800	* 1.7191	* 1.8044	* 0.8275 *
	* 1.6673	* 1.6741	* 1.9696	* 2.0232	* 1.7766	* 1.7231	* 1.6379	* 3.1985 *
11	* 1.5742	* 1.7402	* 1.5063	* 1.7005	* 1.7017	* 1.8322	* 1.8525	* 0.7121 *
	* 1.9424	* 1.7535	* 2.0239	* 1.7654	* 1.7513	* 1.6184	* 1.5933	* 3.8162 *
12	* 1.6785	* 1.5384	* 1.6806	* 1.7023	* 1.5291	* 1.8530	* 1.1656	*
	* 1.7602	* 1.9360	* 1.7759	* 1.7507	* 1.9547	* 1.6014	* 2.3021	*
13	* 1.7334	* 1.7672	* 1.7205	* 1.8336	* 1.8539	* 1.1300	* 0.5624	*
	* 1.6916	* 1.6660	* 1.7216	* 1.6172	* 1.6006	* 2.3893	* 4.7537	*
14	* 1.8174	* 1.8165	* 1.8058	* 1.8548	* 1.1670	* 0.5711	*	*
	* 1.5917	* 1.5995	* 1.6366	* 1.5913	* 2.2993	* 4.6692	*	*
15	* 0.8782	* 0.8756	* 0.8287	* 0.7186	F-SUB-Q			
	* 2.9701	* 2.9841	* 3.1939	* 3.7582	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 91 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.9008	* 1.5961	* 1.8637	* 1.5812	* 1.7066	* 1.7536	* 1.8512	* 0.8718 *
	* 1.7235	* 2.0470	* 1.7423	* 2.0478	* 1.8540	* 1.7930	* 1.6734	* 3.1991 *
9	* 1.5961	* 1.6281	* 1.8464	* 1.7697	* 1.5531	* 1.7898	* 1.8498	* 0.8659 *
	* 2.0470	* 2.0004	* 1.7572	* 1.8277	* 2.0433	* 1.7593	* 1.6825	* 3.2271 *
10	* 1.8637	* 1.8462	* 1.5625	* 1.5101	* 1.7140	* 1.7466	* 1.8407	* 0.8206 *
	* 1.7423	* 1.7574	* 2.0755	* 2.1337	* 1.8412	* 1.7936	* 1.6982	* 3.4193 *
11	* 1.5812	* 1.7661	* 1.5094	* 1.7306	* 1.7308	* 1.8720	* 1.8935	* 0.7045 *
	* 2.0478	* 1.8314	* 2.1346	* 1.8337	* 1.8195	* 1.6751	* 1.6481	* 4.0748 *
12	* 1.7066	* 1.5524	* 1.7147	* 1.7313	* 1.5531	* 1.8959	* 1.1619	*
	* 1.8540	* 2.0442	* 1.8405	* 1.8190	* 2.0325	* 1.6529	* 2.4386	*
13	* 1.7536	* 1.7899	* 1.7481	* 1.8734	* 1.8968	* 1.1303	* 0.5584	*
	* 1.7930	* 1.7592	* 1.7921	* 1.6739	* 1.6521	* 2.5268	* 5.0458	*
14	* 1.8512	* 1.8503	* 1.8421	* 1.8959	* 1.1634	* 0.5666	*	
	* 1.6734	* 1.6820	* 1.6969	* 1.6460	* 2.4357	* 4.9592	*	
15	* 0.8718	* 0.8665	* 0.8218	* 0.7107	* F-SUB-Q			
	* 3.1991	* 3.2258	* 3.4145	* 4.0143	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8923	* 1.5844	* 1.8554	* 1.5706	* 1.7030	* 1.7488	* 1.8508	* 0.8673 *
	* 1.7336	* 2.0534	* 1.7494	* 2.0601	* 1.8955	* 1.8464	* 1.7443	* 3.3901 *
9	* 1.5844	* 1.6171	* 1.8363	* 1.7617	* 1.5467	* 1.7862	* 1.8497	* 0.8614 *
	* 2.0534	* 2.0097	* 1.7692	* 1.8377	* 2.0880	* 1.8100	* 1.7469	* 3.4111 *
10	* 1.8554	* 1.8361	* 1.5506	* 1.4984	* 1.7145	* 1.7472	* 1.8424	* 0.8163 *
	* 1.7494	* 1.7694	* 2.0920	* 2.1618	* 1.8976	* 1.8607	* 1.7593	* 3.5836 *
11	* 1.5706	* 1.7581	* 1.4976	* 1.7287	* 1.7316	* 1.8772	* 1.8992	* 0.7024 *
	* 2.0601	* 1.8415	* 2.1629	* 1.8874	* 1.8909	* 1.7354	* 1.7139	* 4.2736 *
12	* 1.7030	* 1.5459	* 1.7151	* 1.7321	* 1.5529	* 1.9019	* 1.1614	*
	* 1.8955	* 2.0891	* 1.8970	* 1.8904	* 2.1155	* 1.7229	* 2.5516	*
13	* 1.7488	* 1.7863	* 1.7487	* 1.8786	* 1.9028	* 1.1299	* 0.5565	*
	* 1.8464	* 1.8099	* 1.8592	* 1.7342	* 1.7221	* 2.6553	* 5.3461	*
14	* 1.8508	* 1.8502	* 1.8438	* 1.9016	* 1.1628	* 0.5648	*	
	* 1.7443	* 1.7464	* 1.7580	* 1.7119	* 2.5487	* 5.2537	*	
15	* 0.8673	* 0.8617	* 0.8174	* 0.7084	* F-SUB-Q			
	* 3.3901	* 3.4098	* 3.5788	* 4.2128	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 92 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8527	* 1.5547	* 1.8166	* 1.5426	* 1.6715	* 1.7220	* 1.8208	* 0.8633
	* 1.7421	* 2.0574	* 1.7569	* 2.0617	* 1.8982	* 1.8432	* 1.7432	* 3.3461
9	* 1.5547	* 1.5863	* 1.8017	* 1.7239	* 1.5219	* 1.7599	* 1.8201	* 0.8588
	* 2.0574	* 2.0142	* 1.7730	* 1.8459	* 2.0853	* 1.8055	* 1.7451	* 3.3630
10	* 1.8166	* 1.8015	* 1.5202	* 1.4752	* 1.6859	* 1.7244	* 1.8144	* 0.8128
	* 1.7569	* 1.7732	* 2.0974	* 2.1590	* 1.9003	* 1.8562	* 1.7575	* 3.5365
11	* 1.5426	* 1.7201	* 1.4735	* 1.6992	* 1.7088	* 1.8509	* 1.8736	* 0.7043
	* 2.0617	* 1.8499	* 2.1615	* 1.8917	* 1.8889	* 1.7340	* 1.7112	* 4.1925
12	* 1.6715	* 1.5211	* 1.6864	* 1.7093	* 1.5323	* 1.8761	* 1.1620	*
	* 1.8982	* 2.0865	* 1.8997	* 1.8884	* 2.1137	* 1.7226	* 2.5135	*
13	* 1.7220	* 1.7599	* 1.7258	* 1.8522	* 1.8770	* 1.1282	* 0.5561	*
	* 1.8432	* 1.8055	* 1.8548	* 1.7328	* 1.7219	* 2.6233	* 5.2743	*
14	* 1.8208	* 1.8206	* 1.8158	* 1.8759	* 1.1633	* 0.5650	*	
	* 1.7432	* 1.7447	* 1.7562	* 1.7092	* 2.5106	* 5.1772	*	
15	* 0.8633	* 0.8592	* 0.8140	* 0.7101	* F-SUB-Q			
	* 3.3461	* 3.3616	* 3.5318	* 4.1338	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8500	* 1.5411	* 1.8175	* 1.5308	* 1.6789	* 1.7219	* 1.8337	* 0.8480
	* 1.7017	* 2.0117	* 1.7047	* 2.0058	* 1.8279	* 1.7880	* 1.6796	* 3.2593
9	* 1.5411	* 1.5759	* 1.7947	* 1.7263	* 1.5174	* 1.7616	* 1.8328	* 0.8405
	* 2.0117	* 1.9657	* 1.7294	* 1.7828	* 2.0211	* 1.7517	* 1.6820	* 3.2870
10	* 1.8175	* 1.7945	* 1.5087	* 1.4566	* 1.6954	* 1.7286	* 1.8288	* 0.7967
	* 1.7047	* 1.7296	* 2.0440	* 2.1078	* 1.8304	* 1.8005	* 1.6948	* 3.4500
11	* 1.5308	* 1.7224	* 1.4557	* 1.7026	* 1.7107	* 1.8637	* 1.8885	* 0.6884
	* 2.0058	* 1.7867	* 2.1091	* 1.8243	* 1.8291	* 1.6728	* 1.6467	* 4.0964
12	* 1.6789	* 1.5165	* 1.6960	* 1.7112	* 1.5318	* 1.8891	* 1.1412	*
	* 1.8279	* 2.0223	* 1.8300	* 1.8286	* 2.0496	* 1.6564	* 2.4549	*
13	* 1.7219	* 1.7616	* 1.7300	* 1.8650	* 1.8899	* 1.1103	* 0.5433	*
	* 1.7880	* 1.7517	* 1.7992	* 1.6718	* 1.6558	* 2.5532	* 5.1093	*
14	* 1.8337	* 1.8333	* 1.8308	* 1.8908	* 1.1425	* 0.5515	*	*
	* 1.6796	* 1.6816	* 1.6937	* 1.6450	* 2.4524	* 5.0203	*	*
15	* 0.8480	* 0.8411	* 0.7978	* 0.6932	* F-SUB-Q			
	* 3.2593	* 3.2858	* 3.4457	* 4.0452	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 93 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.8242	* 1.5149	* 1.7945	* 1.5067	* 1.6634	* 1.7038	* 1.8215	* 0.8343
	* 1.5731	* 1.8656	* 1.5763	* 1.8630	* 1.6919	* 1.6574	* 1.5519	* 3.0416
9	* 1.5149	* 1.5508	* 1.7686	* 1.7051	* 1.4987	* 1.7445	* 1.8206	* 0.8265
	* 1.8656	* 1.8228	* 1.6019	* 1.6503	* 1.8756	* 1.6219	* 1.5536	* 3.0717
10	* 1.7945	* 1.7684	* 1.4835	* 1.4314	* 1.6816	* 1.7144	* 1.8191	* 0.7829
	* 1.5763	* 1.6022	* 1.8987	* 1.9605	* 1.6899	* 1.6617	* 1.5621	* 3.2217
11	* 1.5067	* 1.7011	* 1.4304	* 1.6847	* 1.6947	* 1.8526	* 1.8788	* 0.6769
	* 1.8630	* 1.6540	* 1.9619	* 1.6869	* 1.6888	* 1.5400	* 1.5154	* 3.8193
12	* 1.6634	* 1.4976	* 1.6821	* 1.6951	* 1.5160	* 1.8774	* 1.1246	*
	* 1.6919	* 1.8768	* 1.6895	* 1.6884	* 1.8945	* 1.5244	* 2.2807	*
13	* 1.7038	* 1.7445	* 1.7157	* 1.8538	* 1.8782	* 1.0941	* 0.5330	*
	* 1.6574	* 1.6219	* 1.6605	* 1.5391	* 1.5238	* 2.3714	* 4.7732	*
14	* 1.8215	* 1.8210	* 1.8210	* 1.8810	* 1.1259	* 0.5412	*	*
	* 1.5519	* 1.5533	* 1.5611	* 1.5138	* 2.2785	* 4.6889	*	*
15	* 0.8343	* 0.8271	* 0.7840	* 0.6807	* F-SUB-Q			
	* 3.0416	* 3.0699	* 3.2177	* 3.7765	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.7873	* 1.4822	* 1.7595	* 1.4758	* 1.6359	* 1.6762	* 1.7951	* 0.8218
	* 1.4744	* 1.7547	* 1.4808	* 1.7538	* 1.5870	* 1.5524	* 1.4504	* 2.8445
9	* 1.4822	* 1.5182	* 1.7336	* 1.6717	* 1.4721	* 1.7171	* 1.7943	* 0.8137
	* 1.7547	* 1.7146	* 1.5052	* 1.5520	* 1.7629	* 1.5201	* 1.4537	* 2.8728
10	* 1.7595	* 1.7334	* 1.4515	* 1.4012	* 1.6551	* 1.6886	* 1.7942	* 0.7710
	* 1.4808	* 1.5054	* 1.7882	* 1.8470	* 1.5823	* 1.5551	* 1.4627	* 3.0261
11	* 1.4758	* 1.6678	* 1.3998	* 1.6560	* 1.6681	* 1.8266	* 1.8535	* 0.6683
	* 1.7538	* 1.5556	* 1.8484	* 1.5813	* 1.5801	* 1.4390	* 1.4154	* 3.5730
12	* 1.6359	* 1.4710	* 1.6555	* 1.6686	* 1.4912	* 1.8511	* 1.1100	*
	* 1.5870	* 1.7642	* 1.5820	* 1.5798	* 1.7740	* 1.4237	* 2.1308	*
13	* 1.6762	* 1.7171	* 1.6899	* 1.8278	* 1.8519	* 1.0789	* 0.5249	*
	* 1.5524	* 1.5201	* 1.5541	* 1.4382	* 1.4232	* 2.2163	* 4.4748	*
14	* 1.7951	* 1.7948	* 1.7960	* 1.8557	* 1.1112	* 0.5329	*	*
	* 1.4504	* 1.4534	* 1.4618	* 1.4140	* 2.1287	* 4.3964	*	*
15	* 0.8218	* 0.8140	* 0.7720	* 0.6729	* F-SUB-Q			
	* 2.8445	* 2.8717	* 3.0224	* 3.5283	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 94 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7348	* 1.4418	* 1.7082	* 1.4371	* 1.5922	* 1.6362	* 1.7506	* 0.8109 *
	* 1.5185	* 1.8071	* 1.5279	* 1.8005	* 1.6299	* 1.5903	* 1.4880	* 2.8895 *
9	* 1.4418	* 1.4761	* 1.6862	* 1.6225	* 1.4361	* 1.6768	* 1.7501	* 0.8048 *
	* 1.8071	* 1.7668	* 1.5502	* 1.5999	* 1.8052	* 1.5553	* 1.4902	* 2.9102 *
10	* 1.7082	* 1.6859	* 1.4111	* 1.3695	* 1.6119	* 1.6503	* 1.7509	* 0.7610 *
	* 1.5279	* 1.5504	* 1.8424	* 1.8933	* 1.6302	* 1.5969	* 1.5020	* 3.0660 *
11	* 1.4371	* 1.6186	* 1.3676	* 1.6126	* 1.6299	* 1.7837	* 1.8104	* 0.6629 *
	* 1.8005	* 1.6037	* 1.8959	* 1.6278	* 1.6199	* 1.4770	* 1.4531	* 3.6195 *
12	* 1.5922	* 1.4350	* 1.6123	* 1.6303	* 1.4561	* 1.8071	* 1.0993	*
	* 1.6299	* 1.8065	* 1.6299	* 1.6195	* 1.8190	* 1.4603	* 2.1581	*
13	* 1.6362	* 1.6768	* 1.6515	* 1.7849	* 1.8079	* 1.0655	* 0.5187	*
	* 1.5903	* 1.5554	* 1.5959	* 1.4762	* 1.4598	* 2.2487	* 4.5486	*
14	* 1.7506	* 1.7505	* 1.7527	* 1.8125	* 1.1005	* 0.5273	*	
	* 1.4880	* 1.4899	* 1.5011	* 1.4516	* 2.1560	* 4.4635	*	
15	* 0.8109	* 0.8051	* 0.7620	* 0.6676	* F-SUB-Q			
	* 2.8895	* 2.9092	* 3.0624	* 3.5733	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7204	* 1.4190	* 1.6988	* 1.4169	* 1.5895	* 1.6248	* 1.7511	* 0.7892 *
	* 1.4171	* 1.7052	* 1.4275	* 1.7000	* 1.5242	* 1.4954	* 1.3894	* 2.7772 *
9	* 1.4190	* 1.4563	* 1.6689	* 1.6154	* 1.4218	* 1.6667	* 1.7501	* 0.7804 *
	* 1.7052	* 1.6635	* 1.4550	* 1.4957	* 1.7014	* 1.4601	* 1.3911	* 2.8081 *
10	* 1.6988	* 1.6686	* 1.3914	* 1.3423	* 1.6091	* 1.6403	* 1.7515	* 0.7388 *
	* 1.4275	* 1.4553	* 1.7368	* 1.7964	* 1.5208	* 1.4942	* 1.3980	* 2.9483 *
11	* 1.4169	* 1.6114	* 1.3411	* 1.6043	* 1.6171	* 1.7813	* 1.8093	* 0.6404 *
	* 1.7000	* 1.4992	* 1.7980	* 1.5253	* 1.5230	* 1.3775	* 1.3538	* 3.4868 *
12	* 1.5895	* 1.4206	* 1.6095	* 1.6175	* 1.4428	* 1.8038	* 1.0670	*
	* 1.5242	* 1.7028	* 1.5204	* 1.5226	* 1.7079	* 1.3654	* 2.0766	*
13	* 1.6248	* 1.6667	* 1.6415	* 1.7824	* 1.8045	* 1.0370	* 0.5010	*
	* 1.4954	* 1.4602	* 1.4932	* 1.3768	* 1.3649	* 2.1582	* 4.4049	*
14	* 1.7511	* 1.7506	* 1.7532	* 1.8113	* 1.0682	* 0.5087	*	
	* 1.3894	* 1.3908	* 1.3968	* 1.3524	* 2.0747	* 4.3263	*	
15	* 0.7892	* 0.7808	* 0.7397	* 0.6434	* F-SUB-Q			
	* 2.7772	* 2.8065	* 2.9448	* 3.4507	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 95 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6773	* 1.3833	* 1.6610	* 1.3837	* 1.5596	* 1.5943	* 1.7202	* 0.7720 *
	* 1.3568	* 1.6417	* 1.3715	* 1.6377	* 1.4640	* 1.4361	* 1.3329	* 2.6806 *
9	* 1.3833	* 1.4219	* 1.6324	* 1.5803	* 1.3927	* 1.6364	* 1.7192	* 0.7629 *
	* 1.6417	* 1.6004	* 1.3973	* 1.4382	* 1.6364	* 1.4008	* 1.3342	* 2.7109 *
10	* 1.6610	* 1.6321	* 1.3589	* 1.3110	* 1.5776	* 1.6087	* 1.7191	* 0.7218 *
	* 1.3715	* 1.3975	* 1.6719	* 1.7298	* 1.4552	* 1.4301	* 1.3373	* 2.8450 *
11	* 1.3837	* 1.5763	* 1.3098	* 1.5711	* 1.5847	* 1.7473	* 1.7748	* 0.6255 *
	* 1.6377	* 1.4417	* 1.7314	* 1.4584	* 1.4533	* 1.3157	* 1.2938	* 3.3588 *
12	* 1.5596	* 1.3916	* 1.5780	* 1.5851	* 1.4129	* 1.7685	* 1.0425	*
	* 1.4640	* 1.6377	* 1.4549	* 1.4530	* 1.6284	* 1.3020	* 1.9901	*
13	* 1.5943	* 1.6364	* 1.6099	* 1.7484	* 1.7691	* 1.0133	* 0.4884	*
	* 1.4361	* 1.4008	* 1.4292	* 1.3150	* 1.3016	* 2.0658	* 4.2330	*
14	* 1.7202	* 1.7196	* 1.7207	* 1.7767	* 1.0436	* 0.4959	*	*
	* 1.3329	* 1.3339	* 1.3362	* 1.2926	* 1.9883	* 4.1582	*	*
15	* 0.7720	* 0.7633	* 0.7227	* 0.6282	* F-SUB-Q			
	* 2.6806	* 2.7095	* 2.8417	* 3.3247	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5974	* 1.3313	* 1.5888	* 1.3359	* 1.4979	* 1.5425	* 1.6519	* 0.7591 *
	* 1.3500	* 1.6195	* 1.3616	* 1.6124	* 1.4499	* 1.4118	* 1.3201	* 2.5977 *
9	* 1.3313	* 1.3696	* 1.5728	* 1.5122	* 1.3477	* 1.5828	* 1.6511	* 0.7524 *
	* 1.6195	* 1.5779	* 1.3769	* 1.4283	* 1.6085	* 1.3768	* 1.3209	* 2.6189 *
10	* 1.5888	* 1.5725	* 1.3113	* 1.2743	* 1.5125	* 1.5520	* 1.6471	* 0.7102 *
	* 1.3616	* 1.3772	* 1.6462	* 1.6922	* 1.4398	* 1.4062	* 1.3242	* 2.7528 *
11	* 1.3359	* 1.5084	* 1.2725	* 1.5089	* 1.5294	* 1.6750	* 1.6996	* 0.6178 *
	* 1.6124	* 1.4318	* 1.6946	* 1.4393	* 1.4256	* 1.3006	* 1.2807	* 3.2336 *
12	* 1.4979	* 1.3466	* 1.5129	* 1.5297	* 1.3644	* 1.6941	* 1.0243	*
	* 1.4499	* 1.6099	* 1.4396	* 1.4253	* 1.5963	* 1.2861	* 1.9201	*
13	* 1.5425	* 1.5827	* 1.5531	* 1.6760	* 1.6947	* 0.9934	* 0.4817	*
	* 1.4118	* 1.3769	* 1.4053	* 1.2999	* 1.2857	* 1.9949	* 4.0700	*
14	* 1.6519	* 1.6514	* 1.6486	* 1.7014	* 1.0253	* 0.4888	*	*
	* 1.3201	* 1.3207	* 1.3231	* 1.2795	* 1.9183	* 4.0012	*	*
15	* 0.7591	* 0.7527	* 0.7111	* 0.6219	* F-SUB-Q			
	* 2.5977	* 2.6180	* 2.7497	* 3.1934	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 96 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5352	* 1.2887	* 1.5463	* 1.3057	* 1.4711	* 1.5158	* 1.6188	* 0.7346 *
	* 1.3467	* 1.6051	* 1.3418	* 1.5830	* 1.4171	* 1.3786	* 1.2927	* 2.5812 *
9	* 1.2887	* 1.3311	* 1.5330	* 1.4801	* 1.3241	* 1.5547	* 1.6174	* 0.7250 *
	* 1.6051	* 1.5576	* 1.3548	* 1.4001	* 1.5715	* 1.3447	* 1.2937	* 2.6132 *
10	* 1.5463	* 1.5327	* 1.2786	* 1.2414	* 1.4817	* 1.5200	* 1.6102	* 0.6848 *
	* 1.3418	* 1.3550	* 1.6200	* 1.6661	* 1.4085	* 1.3757	* 1.2992	* 2.7437 *
11	* 1.3057	* 1.4764	* 1.2403	* 1.4749	* 1.4961	* 1.6327	* 1.6542	* 0.5903 *
	* 1.5830	* 1.4035	* 1.6676	* 1.4106	* 1.3961	* 1.2777	* 1.2603	* 3.2502 *
12	* 1.4711	* 1.3230	* 1.4820	* 1.4963	* 1.3343	* 1.6471	* 0.9788	*
	* 1.4171	* 1.5728	* 1.4083	* 1.3958	* 1.5630	* 1.2660	* 1.9257	*
13	* 1.5158	* 1.5547	* 1.5210	* 1.6336	* 1.6477	* 0.9520	* 0.4601	*
	* 1.3786	* 1.3447	* 1.3749	* 1.2770	* 1.2656	* 1.9944	* 4.0894	*
14	* 1.6188	* 1.6178	* 1.6112	* 1.6559	* 0.9797	* 0.4663	*	*
	* 1.2927	* 1.2935	* 1.2983	* 1.2591	* 1.9241	* 4.0242	*	*
15	* 0.7346	* 0.7253	* 0.6856	* 0.5937	F-SUB-Q			
	* 2.5812	* 2.6122	* 2.7407	* 3.2123	M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4061	* 1.2005	* 1.4505	* 1.2505	* 1.3903	* 1.4392	* 1.5216	* 0.7108 *
	* 1.4231	* 1.6685	* 1.3819	* 1.6010	* 1.4002	* 1.4053	* 1.3309	* 2.5877 *
9	* 1.2005	* 1.2325	* 1.4197	* 1.4000	* 1.2642	* 1.4637	* 1.5195	* 0.6999 *
	* 1.6685	* 1.6289	* 1.4161	* 1.4090	* 1.5933	* 1.3819	* 1.3327	* 2.6247 *
10	* 1.4505	* 1.4194	* 1.1929	* 1.1853	* 1.4036	* 1.4405	* 1.5124	* 0.6605 *
	* 1.3819	* 1.4164	* 1.6818	* 1.6899	* 1.3893	* 1.4039	* 1.3382	* 2.7586 *
11	* 1.2505	* 1.3966	* 1.1844	* 1.4022	* 1.4119	* 1.5334	* 1.5493	* 0.5633 *
	* 1.6010	* 1.4118	* 1.6913	* 1.4145	* 1.4303	* 1.3150	* 1.3011	* 3.3027 *
12	* 1.3903	* 1.2632	* 1.4038	* 1.4121	* 1.2552	* 1.5359	* 0.9294	*
	* 1.4002	* 1.5947	* 1.3893	* 1.4301	* 1.6068	* 1.3125	* 1.9636	*
13	* 1.4392	* 1.4636	* 1.4413	* 1.5342	* 1.5364	* 0.8969	* 0.4349	*
	* 1.4053	* 1.3820	* 1.4031	* 1.3144	* 1.3121	* 2.0496	* 4.1956	*
14	* 1.5216	* 1.5198	* 1.5133	* 1.5508	* 0.9302	* 0.4407	*	*
	* 1.3309	* 1.3325	* 1.3375	* 1.2999	* 1.9620	* 4.1306	*	*
15	* 0.7108	* 0.7002	* 0.6613	* 0.5663	F-SUB-Q			
	* 2.5877	* 2.6235	* 2.7558	* 3.2663	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 97 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2422	* 1.0006	* 1.3997	* 1.0766	* 1.4021	* 1.2197	* 1.4063	* 0.6266
	* 1.5711	* 1.9533	* 1.3962	* 1.8144	* 1.4002	* 1.6147	* 1.4030	* 2.8703
9	* 1.0006	* 0.9914	* 1.1873	* 1.3867	* 1.0854	* 1.2155	* 1.4010	* 0.6180
	* 1.9533	* 1.9762	* 1.6484	* 1.4090	* 1.8031	* 1.6222	* 1.4082	* 2.9068
10	* 1.3997	* 1.1862	* 0.9702	* 1.0505	* 1.4134	* 1.2119	* 1.3867	* 0.5813
	* 1.3962	* 1.6499	* 2.0178	* 1.8620	* 1.3893	* 1.6259	* 1.4215	* 3.0644
11	* 1.0766	* 1.3840	* 1.0497	* 1.3871	* 1.2005	* 1.3975	* 1.3320	* 0.4892
	* 1.8144	* 1.4118	* 1.8635	* 1.4145	* 1.6379	* 1.4062	* 1.4763	* 3.7199
12	* 1.4021	* 1.0842	* 1.4134	* 1.2007	* 1.0343	* 1.3351	* 0.8067	*
	* 1.4002	* 1.8052	* 1.3893	* 1.6377	* 1.9015	* 1.4722	* 2.2096	*
13	* 1.2197	* 1.2155	* 1.2125	* 1.3980	* 1.3355	* 0.7594	* 0.3704	*
	* 1.6147	* 1.6223	* 1.6251	* 1.4058	* 1.4718	* 2.3643	* 4.8225	*
14	* 1.4063	* 1.4013	* 1.3877	* 1.3334	* 0.8073	* 0.3749	*	*
	* 1.4030	* 1.4079	* 1.4206	* 1.4749	* 2.2080	* 4.7524	*	*
15	* 0.6266	* 0.6183	* 0.5819	* 0.4923	F-SUB-Q			
	* 2.8703	* 2.9055	* 3.0617	* 3.6765	M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.4921	* 0.4321	* 0.5494	* 0.4726	* 0.5627	* 0.4898	* 0.5110	* 0.2673
	* 3.8856	* 4.4312	* 3.4819	* 4.0510	* 3.4080	* 3.9287	* 3.7788	* 6.6037
9	* 0.4321	* 0.4174	* 0.4765	* 0.5528	* 0.4751	* 0.4810	* 0.5089	* 0.2624
	* 4.4312	* 4.5938	* 4.0198	* 3.4589	* 4.0360	* 4.0090	* 3.7943	* 6.7189
10	* 0.5494	* 0.4761	* 0.4204	* 0.4648	* 0.5616	* 0.4841	* 0.5027	* 0.2513
	* 3.4819	* 4.0233	* 4.5597	* 4.1268	* 3.4158	* 3.9764	* 3.8381	* 6.9574
11	* 0.4726	* 0.5520	* 0.4647	* 0.5495	* 0.4842	* 0.5501	* 0.4762	* 0.2187
	* 4.0510	* 3.4637	* 4.1277	* 3.4882	* 3.9721	* 3.4977	* 4.0451	* 8.1705
12	* 0.5627	* 0.4746	* 0.5614	* 0.4842	* 0.4395	* 0.4811	* 0.3327	*
	* 3.4080	* 4.0399	* 3.4165	* 3.9720	* 4.3779	* 4.0008	* 5.2518	*
13	* 0.4898	* 0.4809	* 0.4842	* 0.5503	* 0.4813	* 0.3137	* 0.1617	*
	* 3.9287	* 4.0094	* 3.9758	* 3.4967	* 3.9998	* 5.6109	* 10.8548	*
14	* 0.5110	* 0.5090	* 0.5030	* 0.4766	* 0.3330	* 0.1627	*	*
	* 3.7788	* 3.7935	* 3.8360	* 4.0420	* 5.2485	* 10.7537	*	*
15	* 0.2673	* 0.2625	* 0.2515	* 0.2172	F-SUB-Q			
	* 6.6037	* 6.7163	* 6.9520	* 8.1801	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 98 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 50 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3022	* 0.3855	* 0.5113	* 0.4629	* 0.5395	* 0.4700	* 0.4772	* 0.2621
	* 4.5261	* 5.0491	* 3.8146	* 4.1999	* 3.6067	* 4.1630	* 4.1467	* 6.8274
9	* 0.3855	* 0.3865	* 0.4569	* 0.5292	* 0.4604	* 0.4597	* 0.4727	* 0.2600
	* 5.0491	* 5.1122	* 4.2910	* 3.6806	* 4.2192	* 4.2530	* 4.1824	* 6.8759
10	* 0.5113	* 0.4570	* 0.4137	* 0.4495	* 0.5112	* 0.4400	* 0.4507	* 0.2459
	* 3.8146	* 4.2908	* 4.8024	* 4.3241	* 3.7803	* 4.3841	* 4.2837	* 7.0906
11	* 0.4629	* 0.5292	* 0.4495	* 0.4784	* 0.4191	* 0.4510	* 0.4075	* 0.2003
	* 4.1999	* 3.6807	* 4.3235	* 4.0572	* 4.5988	* 4.2199	* 4.6861	* 8.7591
12	* 0.5395	* 0.4604	* 0.5113	* 0.4191	* 0.3158	* 0.3448	* 0.2675	*
	* 3.6067	* 4.2193	* 3.7797	* 4.5981	* 5.0669	* 4.7719	* 6.1434	*
13	* 0.4700	* 0.4598	* 0.4401	* 0.4512	* 0.3450	* 0.2054	* 0.1284	*
	* 4.1630	* 4.2525	* 4.3828	* 4.2181	* 4.7706	* 6.3564	* 11.6113	*
14	* 0.4772	* 0.4728	* 0.4510	* 0.4078	* 0.2677	* 0.1291	*	*
	* 4.1467	* 4.1815	* 4.2812	* 4.6827	* 6.1394	* 11.5105	*	*
15	* 0.2621	* 0.2601	* 0.2462	* 0.1991	F-SUB-Q			
	* 6.8274	* 6.8743	* 7.0847	* 8.7610	M-SUB-Q			

AT 75% POWER, 50 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.6978	* 0.8615	* 1.2179	* 1.0140	* 1.2540	* 1.1123	* 1.2204	* 0.6149
	* 1.9669	* 2.3286	* 1.6511	* 1.9799	* 1.6034	* 1.8139	* 1.6750	* 3.0046
9	* 0.8615	* 0.8784	* 1.0861	* 1.2410	* 1.0187	* 1.0984	* 1.2097	* 0.6104
	* 2.3286	* 2.2984	* 1.8580	* 1.6182	* 1.9695	* 1.8341	* 1.6744	* 3.0008
10	* 1.2179	* 1.0861	* 0.9159	* 0.9844	* 1.1984	* 1.0464	* 1.1580	* 0.5712
	* 1.6511	* 1.8581	* 2.2238	* 2.0359	* 1.6646	* 1.9055	* 1.7200	* 3.1416
11	* 1.0140	* 1.2408	* 0.9846	* 1.1268	* 0.9888	* 1.0703	* 1.0485	* 0.4556
	* 1.9799	* 1.6185	* 2.0356	* 1.7704	* 2.0083	* 1.8347	* 1.8816	* 3.9782
12	* 1.2540	* 1.0186	* 1.1986	* 0.9890	* 0.6920	* 0.8930	* 0.6435	*
	* 1.6034	* 1.9696	* 1.6643	* 2.0080	* 2.2864	* 1.8865	* 2.6195	*
13	* 1.1123	* 1.0985	* 1.0468	* 1.0708	* 0.8935	* 0.4971	* 0.2984	*
	* 1.8139	* 1.8339	* 1.9049	* 1.8339	* 1.8860	* 2.6799	* 5.1341	*
14	* 1.2204	* 1.2100	* 1.1588	* 1.0494	* 0.6441	* 0.3011	*	*
	* 1.6750	* 1.6740	* 1.7190	* 1.8801	* 2.6175	* 5.0717	*	*
15	* 0.6149	* 0.6106	* 0.5717	* 0.4600	F-SUB-Q			
	* 3.0046	* 2.9996	* 3.1387	* 3.9180	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 99 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 50 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.8429	* 1.0615	* 1.3356	* 1.2146	* 1.3316	* 1.3455	* 1.3740	* 0.7354 *
	* 1.7182	* 1.9441	* 1.5464	* 1.7011	* 1.5483	* 1.5354	* 1.5040	* 2.5409 *
9	* 1.0615	* 1.0978	* 1.3063	* 1.3413	* 1.2130	* 1.3451	* 1.3613	* 0.7341 *
	* 1.9441	* 1.8847	* 1.5846	* 1.5392	* 1.6984	* 1.5333	* 1.5148	* 2.5403 *
10	* 1.3356	* 1.3061	* 1.1242	* 1.1680	* 1.2637	* 1.2764	* 1.3170	* 0.6855 *
	* 1.5464	* 1.5848	* 1.8400	* 1.7614	* 1.6215	* 1.6046	* 1.5550	* 2.6804 *
11	* 1.2146	* 1.3410	* 1.1681	* 1.2226	* 1.1783	* 1.2451	* 1.2632	* 0.5567 *
	* 1.7011	* 1.5396	* 1.7612	* 1.6674	* 1.7064	* 1.6260	* 1.6041	* 3.3488 *
12	* 1.3316	* 1.2130	* 1.2639	* 1.1787	* 0.8553	* 1.0814	* 0.7890	*
	* 1.5483	* 1.6985	* 1.6212	* 1.7060	* 1.8952	* 1.6255	* 2.1952	*
13	* 1.3455	* 1.3453	* 1.2770	* 1.2458	* 1.0820	* 0.6117	* 0.3692	*
	* 1.5354	* 1.5332	* 1.6039	* 1.6252	* 1.6250	* 2.2513	* 4.2814	*
14	* 1.3740	* 1.3616	* 1.3177	* 1.2644	* 0.7898	* 0.3733	*	
	* 1.5040	* 1.5145	* 1.5542	* 1.6027	* 2.1934	* 4.2217	*	
15	* 0.7354	* 0.7343	* 0.6863	* 0.5622	* F-SUB-Q			
	* 2.5409	* 2.5395	* 2.6778	* 3.2967	* M-SUB-Q			

AT 75% POWER, 50 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9803	* 1.1804	* 1.5116	* 1.3391	* 1.4939	* 1.4979	* 1.5601	* 0.7904 *
	* 1.5470	* 1.8168	* 1.4144	* 1.5965	* 1.4236	* 1.4202	* 1.3597	* 2.4242 *
9	* 1.1804	* 1.2303	* 1.4514	* 1.5102	* 1.3388	* 1.5060	* 1.5465	* 0.7880 *
	* 1.8168	* 1.7432	* 1.4762	* 1.4140	* 1.5889	* 1.4112	* 1.3707	* 2.4297 *
10	* 1.5116	* 1.4510	* 1.2497	* 1.2829	* 1.4196	* 1.4315	* 1.4994	* 0.7376 *
	* 1.4144	* 1.4766	* 1.7137	* 1.6614	* 1.4957	* 1.4782	* 1.4096	* 2.5702 *
11	* 1.3391	* 1.5095	* 1.2830	* 1.3804	* 1.3068	* 1.4309	* 1.4520	* 0.6034 *
	* 1.5965	* 1.4147	* 1.6614	* 1.5197	* 1.5749	* 1.4670	* 1.4494	* 3.2041 *
12	* 1.4939	* 1.3386	* 1.4198	* 1.3072	* 0.9562	* 1.2525	* 0.8729	*
	* 1.4236	* 1.5891	* 1.4953	* 1.5745	* 1.7473	* 1.4628	* 2.0652	*
13	* 1.4979	* 1.5061	* 1.4322	* 1.4317	* 1.2533	* 0.6825	* 0.4045	*
	* 1.4202	* 1.4111	* 1.4774	* 1.4664	* 1.4623	* 2.1196	* 4.0960	*
14	* 1.5601	* 1.5468	* 1.5003	* 1.4534	* 0.8739	* 0.4096	*	
	* 1.3597	* 1.3705	* 1.4088	* 1.4480	* 2.0633	* 4.0322	*	
15	* 0.7904	* 0.7883	* 0.7384	* 0.6084	* F-SUB-Q			
	* 2.4242	* 2.4290	* 2.5676	* 3.1590	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 100 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 50 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0715	* 1.2582	* 1.6199	* 1.4112	* 1.5936	* 1.5812	* 1.6666	* 0.8314
	* 1.5024	* 1.7951	* 1.3802	* 1.5804	* 1.3883	* 1.3982	* 1.3200	* 2.3907
9	* 1.2582	* 1.3012	* 1.5317	* 1.6128	* 1.4096	* 1.5914	* 1.6529	* 0.8307
	* 1.7951	* 1.7318	* 1.4627	* 1.3815	* 1.5700	* 1.3889	* 1.3314	* 2.3921
10	* 1.6199	* 1.5312	* 1.3139	* 1.3524	* 1.5253	* 1.5234	* 1.6116	* 0.7781
	* 1.3802	* 1.4632	* 1.7075	* 1.6455	* 1.4523	* 1.4459	* 1.3656	* 2.5385
11	* 1.4112	* 1.6118	* 1.3523	* 1.4842	* 1.4053	* 1.5579	* 1.5801	* 0.6440
	* 1.5804	* 1.3824	* 1.6456	* 1.4744	* 1.5387	* 1.4124	* 1.3911	* 3.1274
12	* 1.5936	* 1.4094	* 1.5256	* 1.4058	* 1.0418	* 1.3851	* 0.9494	*
	* 1.3883	* 1.5703	* 1.4520	* 1.5383	* 1.7144	* 1.4099	* 2.0089	*
13	* 1.5812	* 1.5915	* 1.5242	* 1.5589	* 1.3860	* 0.7550	* 0.4389	*
	* 1.3982	* 1.3888	* 1.4452	* 1.4118	* 1.4094	* 2.0744	* 4.0436	*
14	* 1.6666	* 1.6533	* 1.6125	* 1.5816	* 0.9504	* 0.4447	*	*
	* 1.3200	* 1.3311	* 1.3648	* 1.3897	* 2.0070	* 3.9784	*	*
15	* 0.8314	* 0.8310	* 0.7789	* 0.6485	* F-SUB-Q			
	* 2.3907	* 2.3914	* 2.5359	* 3.0870	* M-SUB-Q			

AT 75% POWER, 50 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2066	* 1.3247	* 1.6932	* 1.4621	* 1.6587	* 1.6373	* 1.7359	* 0.8640
	* 1.5100	* 1.8160	* 1.3876	* 1.5981	* 1.3882	* 1.4044	* 1.3181	* 2.3949
9	* 1.3247	* 1.3545	* 1.5877	* 1.6811	* 1.4596	* 1.6497	* 1.7233	* 0.8641
	* 1.8160	* 1.7593	* 1.4815	* 1.3879	* 1.5812	* 1.3943	* 1.3289	* 2.3939
10	* 1.6932	* 1.5871	* 1.3581	* 1.4041	* 1.6042	* 1.5921	* 1.6908	* 0.8118
	* 1.3876	* 1.4821	* 1.7342	* 1.6650	* 1.4550	* 1.4491	* 1.3608	* 2.5352
11	* 1.4621	* 1.6797	* 1.4039	* 1.5721	* 1.4953	* 1.6653	* 1.6809	* 0.6802
	* 1.5981	* 1.3890	* 1.6653	* 1.4708	* 1.5396	* 1.3997	* 1.3860	* 3.1167
12	* 1.6587	* 1.4592	* 1.6044	* 1.4958	* 1.1674	* 1.5168	* 1.0257	*
	* 1.3882	* 1.5816	* 1.4548	* 1.5393	* 1.7204	* 1.4022	* 1.9927	*
13	* 1.6373	* 1.6497	* 1.5929	* 1.6663	* 1.5177	* 0.8595	* 0.4782	*
	* 1.4044	* 1.3943	* 1.4483	* 1.3990	* 1.4017	* 2.0745	* 4.0583	*
14	* 1.7359	* 1.7237	* 1.6918	* 1.6825	* 1.0267	* 0.4846	*	*
	* 1.3181	* 1.3286	* 1.3600	* 1.3846	* 1.9909	* 3.9917	*	*
15	* 0.8640	* 0.8643	* 0.8126	* 0.6845	* F-SUB-Q			
	* 2.3949	* 2.3932	* 2.5326	* 3.0784	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 101 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 75% POWER, 50 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5031	* 1.3874	* 1.7696	* 1.5126	* 1.7259	* 1.6950	* 1.8097	* 0.8858 *
	* 1.5253	* 1.8429	* 1.4128	* 1.6372	* 1.4040	* 1.4254	* 1.3247	* 2.4448 *
9	* 1.3874	* 1.4108	* 1.6460	* 1.7516	* 1.5098	* 1.7101	* 1.7991	* 0.8851 *
	* 1.8429	* 1.8116	* 1.5192	* 1.4113	* 1.6115	* 1.4149	* 1.3365	* 2.4480 *
10	* 1.7696	* 1.6452	* 1.4035	* 1.4556	* 1.6899	* 1.6634	* 1.7761	* 0.8344 *
	* 1.4128	* 1.5200	* 1.7852	* 1.7076	* 1.4743	* 1.4691	* 1.3706	* 2.5986 *
11	* 1.5126	* 1.7499	* 1.4553	* 1.6770	* 1.5922	* 1.7821	* 1.7874	* 0.7040 *
	* 1.6372	* 1.4126	* 1.7080	* 1.4697	* 1.5464	* 1.3887	* 1.3958	* 3.2032 *
12	* 1.7259	* 1.5093	* 1.6902	* 1.5926	* 1.3225	* 1.6885	* 1.0916	*
	* 1.4040	* 1.6120	* 1.4741	* 1.5460	* 1.7350	* 1.4014	* 2.0145	*
13	* 1.6950	* 1.7102	* 1.6642	* 1.7831	* 1.6892	* 0.9797	* 0.5140	*
	* 1.4254	* 1.4148	* 1.4683	* 1.3880	* 1.4009	* 2.1098	* 4.1521	*
14	* 1.8097	* 1.7995	* 1.7773	* 1.7890	* 1.0927	* 0.5212	*	*
	* 1.3247	* 1.3363	* 1.3698	* 1.3946	* 2.0127	* 4.0815	*	*
15	* 0.8858	* 0.8854	* 0.8353	* 0.7081	* F-SUB-Q			
	* 2.4448	* 2.4472	* 2.5959	* 3.1653	* M-SUB-Q			

AT 75% POWER, 50 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6784	* 1.4343	* 1.8214	* 1.5475	* 1.7712	* 1.7351	* 1.8602	* 0.9035 *
	* 1.5653	* 1.9010	* 1.4735	* 1.7113	* 1.4531	* 1.4769	* 1.3637	* 2.5348 *
9	* 1.4343	* 1.4508	* 1.6860	* 1.7990	* 1.5452	* 1.7527	* 1.8518	* 0.9024 *
	* 1.9010	* 1.8878	* 1.5908	* 1.4692	* 1.6752	* 1.4658	* 1.3767	* 2.5406 *
10	* 1.8214	* 1.6851	* 1.4348	* 1.4925	* 1.7569	* 1.7199	* 1.8403	* 0.8533 *
	* 1.4735	* 1.5917	* 1.8732	* 1.7860	* 1.5289	* 1.5209	* 1.4134	* 2.7011 *
11	* 1.5475	* 1.7971	* 1.4920	* 1.7665	* 1.6733	* 1.8722	* 1.8700	* 0.7254 *
	* 1.7113	* 1.4708	* 1.7866	* 1.4949	* 1.5719	* 1.4062	* 1.4138	* 3.3321 *
12	* 1.7712	* 1.5446	* 1.7571	* 1.6737	* 1.4590	* 1.8163	* 1.1480	*
	* 1.4531	* 1.6758	* 1.5288	* 1.5716	* 1.7652	* 1.4172	* 2.0510	*
13	* 1.7351	* 1.7527	* 1.7210	* 1.8732	* 1.8170	* 1.0705	* 0.5446	*
	* 1.4769	* 1.4658	* 1.5202	* 1.4055	* 1.4167	* 2.1532	* 4.2437	*
14	* 1.8602	* 1.8523	* 1.8415	* 1.8716	* 1.1490	* 0.5523	*	*
	* 1.3637	* 1.3765	* 1.4126	* 1.4126	* 2.0492	* 4.1705	*	*
15	* 0.9035	* 0.9027	* 0.8542	* 0.7293	* F-SUB-Q			
	* 2.5348	* 2.5398	* 2.6983	* 3.2938	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 102 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 75% POWER, 50 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7518	* 1.4653	* 1.8653	* 1.5752	* 1.8123	* 1.7701	* 1.9066	* 0.9154
	* 1.6374	* 1.9780	* 1.5442	* 1.8087	* 1.5191	* 1.5467	* 1.4187	* 2.6654
9	* 1.4653	* 1.4812	* 1.7183	* 1.8405	* 1.5749	* 1.7902	* 1.8999	* 0.9118
	* 1.9780	* 1.9520	* 1.6770	* 1.5432	* 1.7604	* 1.5344	* 1.4330	* 2.6798
10	* 1.8653	* 1.7173	* 1.4600	* 1.5219	* 1.8135	* 1.7729	* 1.8985	* 0.8658
	* 1.5442	* 1.6780	* 1.9744	* 1.8819	* 1.5626	* 1.5840	* 1.4729	* 2.8475
11	* 1.5752	* 1.8383	* 1.5213	* 1.8381	* 1.7330	* 1.9477	* 1.9401	* 0.7393
	* 1.8087	* 1.5448	* 1.8826	* 1.5419	* 1.6243	* 1.4437	* 1.4419	* 3.4780
12	* 1.8123	* 1.5742	* 1.8137	* 1.7334	* 1.5271	* 1.9070	* 1.1850	*
	* 1.5191	* 1.7611	* 1.5624	* 1.6239	* 1.8308	* 1.4573	* 2.1301	*
13	* 1.7701	* 1.7902	* 1.7739	* 1.9486	* 1.9076	* 1.1197	* 0.5643	*
	* 1.5467	* 1.5344	* 1.5831	* 1.4430	* 1.4568	* 2.2393	* 4.4200	*
14	* 1.9066	* 1.9004	* 1.8998	* 1.9417	* 1.1861	* 0.5725	*	*
	* 1.4187	* 1.4327	* 1.4721	* 1.4407	* 2.1283	* 4.3428	*	*
15	* 0.9154	* 0.9121	* 0.8667	* 0.7431	* F-SUB-Q			
	* 2.6654	* 2.6789	* 2.8446	* 3.4393	* M-SUB-Q			

AT 75% POWER, 50 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7543	* 1.4748	* 1.8579	* 1.5730	* 1.8071	* 1.7694	* 1.9027	* 0.9281
	* 1.7509	* 2.0825	* 1.6438	* 1.9417	* 1.6371	* 1.6612	* 1.5238	* 2.8150
9	* 1.4748	* 1.4792	* 1.7126	* 1.8328	* 1.5748	* 1.7907	* 1.8979	* 0.9274
	* 2.0825	* 2.0707	* 1.7835	* 1.6613	* 1.8938	* 1.6478	* 1.5391	* 2.8215
10	* 1.8579	* 1.7115	* 1.4562	* 1.5220	* 1.8183	* 1.7847	* 1.9051	* 0.8801
	* 1.6438	* 1.7846	* 2.0982	* 1.9897	* 1.6500	* 1.6655	* 1.5565	* 3.0079
11	* 1.5730	* 1.8305	* 1.5213	* 1.8482	* 1.7480	* 1.9629	* 1.9542	* 0.7588
	* 1.9417	* 1.6634	* 1.9900	* 1.6272	* 1.7115	* 1.5158	* 1.5149	* 3.5840
12	* 1.8071	* 1.5741	* 1.8185	* 1.7484	* 1.5470	* 1.9297	* 1.2193	*
	* 1.6371	* 1.8947	* 1.6498	* 1.7112	* 1.9360	* 1.5396	* 2.2000	*
13	* 1.7694	* 1.7907	* 1.7857	* 1.9638	* 1.9304	* 1.1542	* 0.5826	*
	* 1.6612	* 1.6478	* 1.6646	* 1.5152	* 1.5390	* 2.3418	* 4.5927	*
14	* 1.9027	* 1.8984	* 1.9064	* 1.9558	* 1.2203	* 0.5912	*	*
	* 1.5238	* 1.5388	* 1.5554	* 1.5137	* 2.1982	* 4.5112	*	*
15	* 0.9281	* 0.9277	* 0.8810	* 0.7627	* F-SUB-Q			
	* 2.8150	* 2.8206	* 3.0050	* 3.5447	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 103 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 50 EFDP, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7864	* 1.4783	* 1.8907	* 1.5878	* 1.8423	* 1.7962	* 1.9466	* 0.9260 *
	* 1.8291	* 2.2092	* 1.7198	* 2.0457	* 1.7295	* 1.7612	* 1.6007	* 3.0280 *
9	* 1.4783	* 1.4931	* 1.7319	* 1.8654	* 1.5946	* 1.8198	* 1.9425	* 0.9219 *
	* 2.2092	* 2.1827	* 1.8770	* 1.7366	* 2.0052	* 1.7440	* 1.6175	* 3.0467 *
10	* 1.8907	* 1.7308	* 1.4684	* 1.5385	* 1.8601	* 1.8215	* 1.9558	* 0.8773 *
	* 1.7198	* 1.8782	* 2.2143	* 2.0930	* 1.7156	* 1.7354	* 1.6118	* 3.2165 *
11	* 1.5878	* 1.8629	* 1.5382	* 1.8932	* 1.7822	* 2.0182	* 2.0083	* 0.7549 *
	* 2.0457	* 1.7389	* 2.0933	* 1.6895	* 1.7819	* 1.5686	* 1.5676	* 3.8255 *
12	* 1.8423	* 1.5937	* 1.8602	* 1.7826	* 1.5780	* 1.9854	* 1.2228	*
	* 1.7295	* 2.0062	* 1.7155	* 1.7815	* 2.0171	* 1.5904	* 2.3310	*
13	* 1.7962	* 1.8197	* 1.8225	* 2.0190	* 1.9860	* 1.1610	* 0.5814	*
	* 1.7612	* 1.7440	* 1.7344	* 1.5679	* 1.5899	* 2.4708	* 4.8794	*
14	* 1.9466	* 1.9430	* 1.9571	* 2.0100	* 1.2238	* 0.5898	*	
	* 1.6007	* 1.6172	* 1.6107	* 1.5663	* 2.3291	* 4.7940	*	
15	* 0.9260	* 0.9221	* 0.8782	* 0.7584	* F-SUB-Q			
	* 3.0280	* 3.0458	* 3.2134	* 3.7852	* M-SUB-Q			

AT 75% POWER, 50 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7803	* 1.4702	* 1.8861	* 1.5805	* 1.8427	* 1.7954	* 1.9520	* 0.9244 *
	* 1.8544	* 2.2264	* 1.7309	* 2.0611	* 1.7634	* 1.8111	* 1.6657	* 3.1981 *
9	* 1.4702	* 1.4844	* 1.7231	* 1.8613	* 1.5918	* 1.8202	* 1.9488	* 0.9204 *
	* 2.2264	* 2.2033	* 1.8952	* 1.7512	* 2.0429	* 1.7884	* 1.6717	* 3.2103 *
10	* 1.8861	* 1.7219	* 1.4592	* 1.5339	* 1.8645	* 1.8279	* 1.9663	* 0.8759 *
	* 1.7309	* 1.8966	* 2.2379	* 2.1317	* 1.7553	* 1.7926	* 1.6647	* 3.3583 *
11	* 1.5805	* 1.8587	* 1.5336	* 1.8981	* 1.7886	* 2.0312	* 2.0220	* 0.7557 *
	* 2.0611	* 1.7537	* 2.1329	* 1.7320	* 1.8415	* 1.6180	* 1.6229	* 3.9940 *
12	* 1.8427	* 1.5908	* 1.8646	* 1.7889	* 1.5824	* 1.9993	* 1.2272	*
	* 1.7634	* 2.0441	* 1.7553	* 1.8412	* 2.0911	* 1.6512	* 2.4283	*
13	* 1.7954	* 1.8201	* 1.8289	* 2.0321	* 2.0000	* 1.1650	* 0.5817	*
	* 1.8111	* 1.7885	* 1.7917	* 1.6174	* 1.6507	* 2.5864	* 5.1501	*
14	* 1.9520	* 1.9493	* 1.9675	* 2.0236	* 1.2282	* 0.5901	*	
	* 1.6657	* 1.6713	* 1.6636	* 1.6217	* 2.4264	* 5.0595	*	
15	* 0.9244	* 0.9206	* 0.8767	* 0.7590	* F-SUB-Q			
	* 3.1981	* 3.2094	* 3.3552	* 3.9536	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 104 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 50 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7418	* 1.4506	* 1.8483	* 1.5531	* 1.8116	* 1.7697	* 1.9233	* 0.9222 *
	* 1.8676	* 2.2216	* 1.7388	* 2.0652	* 1.7670	* 1.8100	* 1.6648	* 3.1518 *
9	* 1.4506	* 1.4564	* 1.6895	* 1.8247	* 1.5683	* 1.7953	* 1.9209	* 0.9199 *
	* 2.2216	* 2.2108	* 1.9028	* 1.7587	* 2.0426	* 1.7861	* 1.6707	* 3.1592 *
10	* 1.8483	* 1.6892	* 1.4315	* 1.5097	* 1.8359	* 1.8076	* 1.9415	* 0.8742 *
	* 1.7388	* 1.9042	* 2.2455	* 2.1350	* 1.7574	* 1.7876	* 1.6621	* 3.3143 *
11	* 1.5531	* 1.8219	* 1.5093	* 1.8682	* 1.7693	* 2.0065	* 1.9997	* 0.7594 *
	* 2.0652	* 1.7614	* 2.1356	* 1.7364	* 1.8397	* 1.6166	* 1.6190	* 3.9159 *
12	* 1.8116	* 1.5673	* 1.8359	* 1.7696	* 1.5641	* 1.9769	* 1.2307	*
	* 1.7670	* 2.0438	* 1.7574	* 1.8394	* 2.0888	* 1.6496	* 2.3904	*
13	* 1.7697	* 1.7952	* 1.8085	* 2.0072	* 1.9775	* 1.1660	* 0.5829	*
	* 1.8100	* 1.7862	* 1.7867	* 1.6160	* 1.6491	* 2.5535	* 5.0748	*
14	* 1.9233	* 1.9214	* 1.9427	* 2.0012	* 1.2316	* 0.5918	*	
	* 1.6648	* 1.6704	* 1.6611	* 1.6178	* 2.3886	* 4.9820	*	
15	* 0.9222	* 0.9201	* 0.8750	* 0.7625	F-SUB-Q			
	* 3.1518	* 3.1583	* 3.3112	* 3.8769	M-SUB-Q			

AT 75% POWER, 50 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7370	* 1.4275	* 1.8467	* 1.5407	* 1.8153	* 1.7676	* 1.9365	* 0.9061 *
	* 1.8055	* 2.1615	* 1.6732	* 1.9971	* 1.6998	* 1.7512	* 1.6010	* 3.0712 *
9	* 1.4275	* 1.4436	* 1.6790	* 1.8233	* 1.5619	* 1.7949	* 1.9344	* 0.9001 *
	* 2.1615	* 2.1358	* 1.8398	* 1.6915	* 1.9746	* 1.7280	* 1.6064	* 3.0899 *
10	* 1.8467	* 1.6787	* 1.4179	* 1.4976	* 1.8417	* 1.8114	* 1.9577	* 0.8574 *
	* 1.6732	* 1.8413	* 2.1705	* 2.0673	* 1.6947	* 1.7328	* 1.5994	* 3.2290 *
11	* 1.5407	* 1.8204	* 1.4972	* 1.8737	* 1.7697	* 2.0220	* 2.0166	* 0.7427 *
	* 1.9971	* 1.6942	* 2.0687	* 1.6764	* 1.7868	* 1.5604	* 1.5597	* 3.8264 *
12	* 1.8153	* 1.5609	* 1.8417	* 1.7700	* 1.5621	* 1.9914	* 1.2098	*
	* 1.6998	* 1.9759	* 1.6948	* 1.7866	* 2.0300	* 1.5888	* 2.3419	*
13	* 1.7676	* 1.7948	* 1.8123	* 2.0227	* 1.9920	* 1.1476	* 0.5693	*
	* 1.7512	* 1.7281	* 1.7320	* 1.5599	* 1.5884	* 2.4945	* 4.9456	*
14	* 1.9365	* 1.9349	* 1.9589	* 2.0181	* 1.2107	* 0.5777	*	
	* 1.6010	* 1.6061	* 1.5985	* 1.5587	* 2.3403	* 4.8578	*	
15	* 0.9061	* 0.9004	* 0.8582	* 0.7454	F-SUB-Q			
	* 3.0712	* 3.0890	* 3.2263	* 3.7901	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 105 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.6648	* 1.3640	* 1.7744	* 1.4753	* 1.7544	* 1.7085	* 1.8842	* 0.8735
	* 1.5765	* 1.8947	* 1.4586	* 1.7490	* 1.4761	* 1.5214	* 1.3818	* 2.6742
9	* 1.3640	* 1.3800	* 1.6081	* 1.7525	* 1.5048	* 1.7373	* 1.8828	* 0.8670
	* 1.8947	* 1.8728	* 1.6125	* 1.4757	* 1.7222	* 1.5006	* 1.3880	* 2.6938
10	* 1.7744	* 1.6078	* 1.3542	* 1.4351	* 1.7833	* 1.7596	* 1.9096	* 0.8255
	* 1.4586	* 1.6135	* 1.9056	* 1.8136	* 1.4724	* 1.5011	* 1.3803	* 2.8252
11	* 1.4753	* 1.7494	* 1.4346	* 1.8116	* 1.7158	* 1.9711	* 1.9698	* 0.7174
	* 1.7490	* 1.4783	* 1.8150	* 1.4584	* 1.5547	* 1.3474	* 1.3429	* 3.3367
12	* 1.7544	* 1.5036	* 1.7835	* 1.7160	* 1.5110	* 1.9421	* 1.1715	*
	* 1.4761	* 1.7235	* 1.4726	* 1.5545	* 1.7707	* 1.3749	* 2.0387	*
13	* 1.7085	* 1.7371	* 1.7604	* 1.9717	* 1.9426	* 1.1095	* 0.5471	*
	* 1.5214	* 1.5007	* 1.5004	* 1.3469	* 1.3746	* 2.1837	* 4.3560	*
14	* 1.8842	* 1.8833	* 1.9108	* 1.9712	* 1.1723	* 0.5552	*	*
	* 1.3818	* 1.3878	* 1.3796	* 1.3420	* 2.0375	* 4.2784	*	*
15	* 0.8735	* 0.8673	* 0.8262	* 0.7196	* F-SUB-Q			
	* 2.6742	* 2.6931	* 2.8229	* 3.3070	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 106 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 50 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6044	* 1.3255	* 1.7108	* 1.4266	* 1.6961	* 1.6565	* 1.8253	* 0.8563 *
	* 1.6166	* 1.9386	* 1.5054	* 1.7997	* 1.5227	* 1.5658	* 1.4239	* 2.7277 *
9	* 1.3255	* 1.3334	* 1.5535	* 1.6902	* 1.4581	* 1.6852	* 1.8242	* 0.8522 *
	* 1.9386	* 1.9291	* 1.6614	* 1.5232	* 1.7718	* 1.5424	* 1.4283	* 2.7398 *
10	* 1.7108	* 1.5532	* 1.3083	* 1.3908	* 1.7254	* 1.7089	* 1.8521	* 0.8098 *
	* 1.5054	* 1.6617	* 1.9644	* 1.8669	* 1.5153	* 1.5383	* 1.4179	* 2.8717 *
11	* 1.4266	* 1.6870	* 1.3904	* 1.7509	* 1.6663	* 1.9115	* 1.9124	* 0.7071 *
	* 1.7997	* 1.5260	* 1.8676	* 1.4963	* 1.5831	* 1.3773	* 1.3740	* 3.3766 *
12	* 1.6961	* 1.4569	* 1.7256	* 1.6665	* 1.4662	* 1.8845	* 1.1531	*
	* 1.5227	* 1.7732	* 1.5154	* 1.5829	* 1.8040	* 1.4010	* 2.0532	*
13	* 1.6565	* 1.6851	* 1.7097	* 1.9121	* 1.8850	* 1.0893	* 0.5374	*
	* 1.5658	* 1.5426	* 1.5378	* 1.3769	* 1.4007	* 2.1959	* 4.3906	*
14	* 1.8253	* 1.8246	* 1.8532	* 1.9137	* 1.1539	* 0.5460	*	*
	* 1.4239	* 1.4281	* 1.4172	* 1.3731	* 2.0520	* 4.3072	*	*
15	* 0.8563	* 0.8524	* 0.8105	* 0.7092	* F-SUB-Q			
	* 2.7277	* 2.7391	* 2.8695	* 3.3469	* M-SUB-Q			

AT 75% POWER, 50 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5776	* 1.2843	* 1.6836	* 1.3934	* 1.6718	* 1.6275	* 1.8074	* 0.8253 *
	* 1.5173	* 1.8555	* 1.4194	* 1.7134	* 1.4391	* 1.4850	* 1.3402	* 2.6421 *
9	* 1.2843	* 1.3027	* 1.5217	* 1.6628	* 1.4282	* 1.6573	* 1.8062	* 0.8173 *
	* 1.8555	* 1.8315	* 1.5731	* 1.4386	* 1.6845	* 1.4607	* 1.3431	* 2.6666 *
10	* 1.6836	* 1.5214	* 1.2771	* 1.3546	* 1.7051	* 1.6814	* 1.8346	* 0.7783 *
	* 1.4194	* 1.5734	* 1.8682	* 1.7764	* 1.4269	* 1.4505	* 1.3287	* 2.7836 *
11	* 1.3934	* 1.6595	* 1.3541	* 1.7257	* 1.6363	* 1.8910	* 1.8929	* 0.6767 *
	* 1.7134	* 1.4414	* 1.7772	* 1.4086	* 1.4953	* 1.2914	* 1.2878	* 3.2784 *
12	* 1.6718	* 1.4270	* 1.7052	* 1.6365	* 1.4377	* 1.8633	* 1.1090	*
	* 1.4391	* 1.6859	* 1.4270	* 1.4952	* 1.7012	* 1.3136	* 1.9824	*
13	* 1.6275	* 1.6571	* 1.6821	* 1.8916	* 1.8638	* 1.0499	* 0.5139	*
	* 1.4850	* 1.4609	* 1.4500	* 1.2911	* 1.3133	* 2.1104	* 4.2658	*
14	* 1.8074	* 1.8066	* 1.8357	* 1.8942	* 1.1097	* 0.5217	*	*
	* 1.3402	* 1.3429	* 1.3280	* 1.2871	* 1.9813	* 4.1887	*	*
15	* 0.8253	* 0.8175	* 0.7790	* 0.6772	* F-SUB-Q			
	* 2.6421	* 2.6659	* 2.7814	* 3.2564	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 107 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 50 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5205	* 1.2373	* 1.6237	* 1.3428	* 1.6150	* 1.5746	* 1.7508	* 0.7962
	* 1.4686	* 1.8060	* 1.3811	* 1.6703	* 1.4010	* 1.4436	* 1.3015	* 2.5811
9	* 1.2373	* 1.2568	* 1.4690	* 1.6034	* 1.3794	* 1.6045	* 1.7494	* 0.7880
	* 1.8060	* 1.7812	* 1.5287	* 1.4009	* 1.6402	* 1.4186	* 1.3035	* 2.6062
10	* 1.6237	* 1.4687	* 1.2316	* 1.3051	* 1.6482	* 1.6267	* 1.7762	* 0.7500
	* 1.3811	* 1.5290	* 1.8188	* 1.7294	* 1.3836	* 1.4054	* 1.2870	* 2.7190
11	* 1.3428	* 1.6002	* 1.3045	* 1.6660	* 1.5819	* 1.8291	* 1.8321	* 0.6519
	* 1.6703	* 1.4037	* 1.7301	* 1.3645	* 1.4447	* 1.2483	* 1.2456	* 3.1972
12	* 1.6150	* 1.3781	* 1.6483	* 1.5821	* 1.3890	* 1.8026	* 1.0694	*
	* 1.4010	* 1.6416	* 1.3836	* 1.4446	* 1.6423	* 1.2678	* 1.9230	*
13	* 1.5746	* 1.6044	* 1.6274	* 1.8296	* 1.8030	* 1.0127	* 0.4944	*
	* 1.4436	* 1.4187	* 1.4049	* 1.2480	* 1.2676	* 2.0443	* 4.1505	*
14	* 1.7508	* 1.7497	* 1.7772	* 1.8333	* 1.0700	* 0.5018	*	*
	* 1.3015	* 1.3033	* 1.2864	* 1.2449	* 1.9219	* 4.0760	*	*
15	* 0.7962	* 0.7882	* 0.7506	* 0.6522	* F-SUB-Q			
	* 2.5811	* 2.6056	* 2.7170	* 3.1765	* M-SUB-Q			

AT 75% POWER, 50 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4270	* 1.1822	* 1.5258	* 1.2729	* 1.5214	* 1.4954	* 1.6495	* 0.7680
	* 1.4819	* 1.7933	* 1.3940	* 1.6710	* 1.4122	* 1.4434	* 1.3116	* 2.5458
9	* 1.1822	* 1.1934	* 1.3923	* 1.5076	* 1.3100	* 1.5239	* 1.6478	* 0.7633
	* 1.7933	* 1.7798	* 1.5297	* 1.4136	* 1.6400	* 1.4177	* 1.3135	* 2.5595
10	* 1.5258	* 1.3921	* 1.1702	* 1.2418	* 1.5496	* 1.5406	* 1.6701	* 0.7242
	* 1.3940	* 1.5300	* 1.8168	* 1.7269	* 1.3941	* 1.4057	* 1.2967	* 2.6770
11	* 1.2729	* 1.5045	* 1.2415	* 1.5671	* 1.4997	* 1.7187	* 1.7222	* 0.6317
	* 1.6710	* 1.4165	* 1.7274	* 1.3731	* 1.4413	* 1.2570	* 1.2544	* 3.1337
12	* 1.5214	* 1.3089	* 1.5497	* 1.4999	* 1.3175	* 1.6952	* 1.0316	*
	* 1.4122	* 1.6415	* 1.3941	* 1.4412	* 1.6377	* 1.2745	* 1.8877	*
13	* 1.4954	* 1.5237	* 1.5412	* 1.7192	* 1.6956	* 0.9756	* 0.4791	*
	* 1.4434	* 1.4179	* 1.4052	* 1.2567	* 1.2742	* 2.0078	* 4.0597	*
14	* 1.6495	* 1.6481	* 1.6711	* 1.7233	* 1.0322	* 0.4860	*	*
	* 1.3116	* 1.3133	* 1.2961	* 1.2537	* 1.8867	* 3.9890	*	*
15	* 0.7680	* 0.7635	* 0.7248	* 0.6332	* F-SUB-Q			
	* 2.5458	* 2.5589	* 2.6750	* 3.1075	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 108 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 75% POWER, 50 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3482	* 1.1152	* 1.4501	* 1.2148	* 1.4499	* 1.4325	* 1.5753	* 0.7236 *
	* 1.5032	* 1.8227	* 1.4053	* 1.6799	* 1.4203	* 1.4438	* 1.3161	* 2.5945 *
9	* 1.1152	* 1.1387	* 1.3300	* 1.4352	* 1.2535	* 1.4597	* 1.5729	* 0.7160 *
	* 1.8227	* 1.7884	* 1.5346	* 1.4230	* 1.6428	* 1.4179	* 1.3183	* 2.6201 *
10	* 1.4501	* 1.3298	* 1.1180	* 1.1817	* 1.4769	* 1.4697	* 1.5896	* 0.6794 *
	* 1.4053	* 1.5348	* 1.8233	* 1.7348	* 1.3999	* 1.4101	* 1.3040	* 2.7387 *
11	* 1.2148	* 1.4323	* 1.1812	* 1.4914	* 1.4293	* 1.6321	* 1.6331	* 0.5878 *
	* 1.6799	* 1.4258	* 1.7355	* 1.3806	* 1.4463	* 1.2669	* 1.2657	* 3.2308 *
12	* 1.4499	* 1.2524	* 1.4769	* 1.4295	* 1.2567	* 1.6068	* 0.9612 *	
	* 1.4203	* 1.6442	* 1.3999	* 1.4462	* 1.6427	* 1.2857	* 1.9398 *	
13	* 1.4325	* 1.4595	* 1.4703	* 1.6326	* 1.6071	* 0.9128	* 0.4465 *	
	* 1.4438	* 1.4181	* 1.4096	* 1.2666	* 1.2855	* 2.0543	* 4.1773 *	
14	* 1.5753	* 1.5732	* 1.5904	* 1.6341	* 0.9618	* 0.4524 *		
	* 1.3161	* 1.3181	* 1.3034	* 1.2649	* 1.9388	* 4.1090 *		
15	* 0.7236	* 0.7162	* 0.6800	* 0.5893	* F-SUB-Q			
	* 2.5945	* 2.6195	* 2.7367	* 3.2034	* M-SUB-Q			

AT 75% POWER, 50 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2044	* 1.0165	* 1.3164	* 1.1235	* 1.3288	* 1.3167	* 1.4287	* 0.6744 *
	* 1.6291	* 1.9358	* 1.4973	* 1.7573	* 1.4983	* 1.5187	* 1.4032	* 2.6982 *
9	* 1.0165	* 1.0344	* 1.2217	* 1.3132	* 1.1566	* 1.3331	* 1.4257	* 0.6655 *
	* 1.9358	* 1.9060	* 1.6178	* 1.5057	* 1.7212	* 1.5007	* 1.4062	* 2.7320 *
10	* 1.3164	* 1.2205	* 1.0220	* 1.0980	* 1.3451	* 1.3448	* 1.4375	* 0.6310 *
	* 1.4973	* 1.6194	* 1.9315	* 1.8055	* 1.4816	* 1.4889	* 1.3934	* 2.8576 *
11	* 1.1235	* 1.3108	* 1.0975	* 1.3590	* 1.3048	* 1.4733	* 1.4721	* 0.5408 *
	* 1.7573	* 1.5085	* 1.8062	* 1.4637	* 1.5303	* 1.3555	* 1.3568	* 3.4028 *
12	* 1.3288	* 1.1557	* 1.3449	* 1.3049	* 1.1473	* 1.4459	* 0.8803 *	
	* 1.4983	* 1.7227	* 1.4818	* 1.5302	* 1.7388	* 1.3804	* 2.0497 *	
13	* 1.3167	* 1.3330	* 1.3453	* 1.4738	* 1.4462	* 0.8340	* 0.4095 *	
	* 1.5187	* 1.5009	* 1.4884	* 1.3551	* 1.3802	* 2.1761	* 4.4149 *	
14	* 1.4287	* 1.4259	* 1.4382	* 1.4729	* 0.8807	* 0.4149 *		
	* 1.4032	* 1.4061	* 1.3928	* 1.3561	* 2.0487	* 4.3443 *		
15	* 0.6744	* 0.6657	* 0.6314	* 0.5420	* F-SUB-Q			
	* 2.6982	* 2.7314	* 2.8556	* 3.3752	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 109 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 75% POWER, 50 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0103	* 0.8261	* 1.1937	* 0.9331	* 1.2421	* 1.0760	* 1.2600	* 0.5699 *
	* 1.8962	* 2.3251	* 1.6119	* 2.0671	* 1.5621	* 1.8094	* 1.5508	* 3.1205 *
9	* 0.8261	* 0.8188	* 1.0072	* 1.2118	* 0.9577	* 1.0715	* 1.2567	* 0.5626 *
	* 2.3251	* 2.3510	* 1.9139	* 1.5917	* 2.0188	* 1.8197	* 1.5548	* 3.1576 *
10	* 1.1937	* 1.0062	* 0.8234	* 0.9268	* 1.2663	* 1.0885	* 1.2512	* 0.5315 *
	* 1.6119	* 1.9157	* 2.3404	* 2.0895	* 1.5335	* 1.7926	* 1.5608	* 3.3155 *
11	* 0.9331	* 1.2098	* 0.9266	* 1.2346	* 1.0682	* 1.2553	* 1.2108	* 0.4502 *
	* 2.0671	* 1.5942	* 2.0900	* 1.5708	* 1.8210	* 1.5494	* 1.6092	* 3.9968 *
12	* 1.2421	* 0.9566	* 1.2662	* 1.0682	* 0.9186	* 1.2026	* 0.7303 *	
	* 1.5621	* 2.0210	* 1.5337	* 1.8210	* 2.1172	* 1.6183	* 2.4127 *	
13	* 1.0760	* 1.0714	* 1.0888	* 1.2555	* 1.2028	* 0.6818	* 0.3381 *	
	* 1.8094	* 1.8199	* 1.7921	* 1.5492	* 1.6181	* 2.5995	* 5.2336 *	
14	* 1.2600	* 1.2569	* 1.2517	* 1.2115	* 0.7306	* 0.3421 *		
	* 1.5508	* 1.5546	* 1.5603	* 1.6083	* 2.4116	* 5.1552 *		
15	* 0.5699	* 0.5628	* 0.5318	* 0.4520	* F-SUB-Q			
	* 3.1205	* 3.1566	* 3.3135	* 3.9585	* M-SUB-Q			

AT 75% POWER, 50 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3956	* 0.3518	* 0.4596	* 0.4043	* 0.4868	* 0.4225	* 0.4505	* 0.2373 *
	* 4.7513	* 5.3563	* 4.1025	* 4.6771	* 3.8962	* 4.5083	* 4.2452	* 7.3565 *
9	* 0.3518	* 0.3416	* 0.3979	* 0.4742	* 0.4088	* 0.4170	* 0.4491	* 0.2333 *
	* 5.3563	* 5.5244	* 4.7451	* 3.9852	* 4.6354	* 4.5741	* 4.2579	* 7.4765 *
10	* 0.4596	* 0.3975	* 0.3539	* 0.4010	* 0.4915	* 0.4231	* 0.4458	* 0.2241 *
	* 4.1025	* 4.7502	* 5.3416	* 4.7322	* 3.8667	* 4.5042	* 4.2870	* 7.7215 *
11	* 0.4043	* 0.4736	* 0.4009	* 0.4784	* 0.4226	* 0.4852	* 0.4243	* 0.1962 *
	* 4.6771	* 3.9907	* 4.7334	* 3.9669	* 4.5043	* 3.9262	* 4.4988	* 9.0104 *
12	* 0.4868	* 0.4084	* 0.4915	* 0.4225	* 0.3826	* 0.4257	* 0.2947 *	
	* 3.8962	* 4.6398	* 3.8673	* 4.5045	* 4.9766	* 4.4779	* 5.8670 *	
13	* 0.4225	* 0.4170	* 0.4231	* 0.4853	* 0.4258	* 0.2766	* 0.1445 *	
	* 4.5083	* 4.5747	* 4.5042	* 3.9257	* 4.4773	* 6.2863	* 12.0303 *	
14	* 0.4505	* 0.4492	* 0.4460	* 0.4245	* 0.2948	* 0.1455 *		
	* 4.2452	* 4.2575	* 4.2856	* 4.4967	* 5.8648	* 11.9125 *		
15	* 0.2373	* 0.2333	* 0.2242	* 0.1946	* F-SUB-Q			
	* 7.3565	* 7.4745	* 7.7175	* 9.0292	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 110 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 100 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.2769	* 0.3516	* 0.4755	* 0.4340	* 0.5081	* 0.4437	* 0.4571	* 0.2518 *
	* 4.8795	* 5.4948	* 4.0766	* 4.4568	* 3.8128	* 4.3934	* 4.3076	* 7.0549 *
9	* 0.3516	* 0.3554	* 0.4235	* 0.4965	* 0.4334	* 0.4366	* 0.4530	* 0.2499 *
	* 5.4948	* 5.5186	* 4.6007	* 3.8991	* 4.4610	* 4.4584	* 4.3424	* 7.1003 *
10	* 0.4755	* 0.4235	* 0.3848	* 0.4219	* 0.4830	* 0.4176	* 0.4328	* 0.2368 *
	* 4.0766	* 4.6006	* 5.1259	* 4.5932	* 3.9826	* 4.5972	* 4.4411	* 7.3158 *
11	* 0.4340	* 0.4965	* 0.4220	* 0.4509	* 0.3933	* 0.4316	* 0.3917	* 0.1934 *
	* 4.4568	* 3.8993	* 4.5925	* 4.2759	* 4.8424	* 4.3868	* 4.8514	* 8.9940 *
12	* 0.5081	* 0.4334	* 0.4831	* 0.3934	* 0.2990	* 0.3309	* 0.2557	*
	* 3.8128	* 4.4612	* 3.9821	* 4.8418	* 5.2419	* 4.9058	* 6.3376	*
13	* 0.4437	* 0.4366	* 0.4177	* 0.4318	* 0.3310	* 0.1970	* 0.1245	*
	* 4.3934	* 4.4579	* 4.5961	* 4.3852	* 4.9047	* 6.5328	* 11.8335	*
14	* 0.4571	* 0.4531	* 0.4331	* 0.3920	* 0.2559	* 0.1252	*	*
	* 4.3076	* 4.3416	* 4.4388	* 4.8484	* 6.3340	* 11.7232	*	*
15	* 0.2518	* 0.2500	* 0.2370	* 0.1924	* F-SUB-Q			
	* 7.0549	* 7.0988	* 7.3104	* 8.9904	* M-SUB-Q			

AT 75% POWER, 100 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.6370	* 0.7854	* 1.1286	* 0.9559	* 1.1848	* 1.0554	* 1.1625	* 0.5934 *
	* 2.1396	* 2.5347	* 1.7704	* 2.0889	* 1.6897	* 1.9031	* 1.7493	* 3.0896 *
9	* 0.7854	* 0.8050	* 1.0086	* 1.1655	* 0.9643	* 1.0433	* 1.1528	* 0.5890 *
	* 2.5347	* 2.4883	* 1.9875	* 1.7137	* 2.0695	* 1.9219	* 1.7489	* 3.0869 *
10	* 1.1286	* 1.0085	* 0.8516	* 0.9277	* 1.1330	* 0.9957	* 1.1060	* 0.5522 *
	* 1.7704	* 1.9876	* 2.3743	* 2.1475	* 1.7504	* 1.9919	* 1.7920	* 3.2267 *
11	* 0.9559	* 1.1653	* 0.9278	* 1.0611	* 0.9293	* 1.0201	* 1.0030	* 0.4421 *
	* 2.0889	* 1.7141	* 2.1473	* 1.8595	* 2.0877	* 1.9039	* 1.9553	* 4.0636 *
12	* 1.1848	* 0.9642	* 1.1331	* 0.9294	* 0.6590	* 0.8524	* 0.6158	*
	* 1.6897	* 2.0696	* 1.7501	* 2.0875	* 2.3700	* 1.9528	* 2.6996	*
13	* 1.0554	* 1.0433	* 0.9960	* 1.0205	* 0.8528	* 0.4755	* 0.2898	*
	* 1.9031	* 1.9217	* 1.9914	* 1.9033	* 1.9523	* 2.7636	* 5.2237	*
14	* 1.1625	* 1.1530	* 1.1067	* 1.0037	* 0.6163	* 0.2924	*	*
	* 1.7493	* 1.7486	* 1.7911	* 1.9537	* 2.6979	* 5.1571	*	*
15	* 0.5934	* 0.5891	* 0.5527	* 0.4461	* F-SUB-Q			
	* 3.0896	* 3.0857	* 3.2241	* 4.0033	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 111 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 100 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.7714	* 0.9776	* 1.2883	* 1.1632	* 1.3200	* 1.2982	* 1.3428	* 0.7240
	* 1.8261	* 2.0918	* 1.5910	* 1.7630	* 1.5538	* 1.5828	* 1.5318	* 2.5620
9	* 0.9776	* 1.0076	* 1.2286	* 1.3212	* 1.1726	* 1.2948	* 1.3274	* 0.7234
	* 2.0918	* 2.0350	* 1.6718	* 1.5504	* 1.7470	* 1.5845	* 1.5435	* 2.5586
10	* 1.2883	* 1.2285	* 1.0535	* 1.1258	* 1.2580	* 1.2342	* 1.2835	* 0.6766
	* 1.5910	* 1.6721	* 1.9477	* 1.8147	* 1.6180	* 1.6481	* 1.5855	* 2.6948
11	* 1.1632	* 1.3209	* 1.1259	* 1.2080	* 1.1381	* 1.2240	* 1.2306	* 0.5503
	* 1.7630	* 1.5509	* 1.8145	* 1.6611	* 1.7397	* 1.6375	* 1.6349	* 3.3538
12	* 1.3200	* 1.1724	* 1.2582	* 1.1385	* 0.8282	* 1.0572	* 0.7685	*
	* 1.5538	* 1.7473	* 1.6177	* 1.7394	* 1.9480	* 1.6551	* 2.2210	*
13	* 1.2982	* 1.2949	* 1.2348	* 1.2245	* 1.0578	* 0.5920	* 0.3621	*
	* 1.5828	* 1.5844	* 1.6474	* 1.6369	* 1.6546	* 2.2920	* 4.3080	*
14	* 1.3428	* 1.3277	* 1.2841	* 1.2316	* 0.7693	* 0.3661	*	*
	* 1.5318	* 1.5432	* 1.5848	* 1.6337	* 2.2194	* 4.2448	*	*
15	* 0.7240	* 0.7236	* 0.6773	* 0.5551	* F-SUB-Q			
	* 2.5620	* 2.5580	* 2.6924	* 3.3048	* M-SUB-Q			

AT 75% POWER, 100 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.8987	* 1.0904	* 1.4801	* 1.2956	* 1.5121	* 1.4612	* 1.5437	* 0.7900
	* 1.6364	* 1.9438	* 1.4310	* 1.6340	* 1.3971	* 1.4468	* 1.3661	* 2.4057
9	* 1.0904	* 1.1300	* 1.3750	* 1.5110	* 1.3082	* 1.4630	* 1.5276	* 0.7880
	* 1.9438	* 1.8764	* 1.5430	* 1.3993	* 1.6149	* 1.4435	* 1.3778	* 2.4091
10	* 1.4801	* 1.3746	* 1.1744	* 1.2547	* 1.4473	* 1.3987	* 1.4797	* 0.7386
	* 1.4310	* 1.5434	* 1.8034	* 1.6832	* 1.4536	* 1.5004	* 1.4167	* 2.5430
11	* 1.2956	* 1.5103	* 1.2547	* 1.3862	* 1.2778	* 1.4229	* 1.4291	* 0.6041
	* 1.6340	* 1.4000	* 1.6832	* 1.4884	* 1.5905	* 1.4534	* 1.4576	* 3.1616
12	* 1.5121	* 1.3080	* 1.4475	* 1.2781	* 0.9338	* 1.2354	* 0.8582	*
	* 1.3971	* 1.6152	* 1.4535	* 1.5902	* 1.7827	* 1.4732	* 2.0647	*
13	* 1.4612	* 1.4631	* 1.3993	* 1.4236	* 1.2361	* 0.6635	* 0.3989	*
	* 1.4468	* 1.4434	* 1.4998	* 1.4528	* 1.4727	* 2.1393	* 4.0829	*
14	* 1.5437	* 1.5279	* 1.4805	* 1.4302	* 0.8590	* 0.4037	*	*
	* 1.3661	* 1.3775	* 1.4160	* 1.4565	* 2.0631	* 4.0185	*	*
15	* 0.7900	* 0.7882	* 0.7393	* 0.6082	* F-SUB-Q			
	* 2.4057	* 2.4085	* 2.5407	* 3.1206	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 112 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 100 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9750	* 1.1623	* 1.5923	* 1.3739	* 1.6283	* 1.5518	* 1.6594	* 0.8377
	* 1.5896	* 1.9129	* 1.3875	* 1.6019	* 1.3476	* 1.4138	* 1.3163	* 2.3502
9	* 1.1623	* 1.1948	* 1.4562	* 1.6259	* 1.3886	* 1.5546	* 1.6447	* 0.8379
	* 1.9129	* 1.8591	* 1.5199	* 1.3524	* 1.5819	* 1.4109	* 1.3259	* 2.3483
10	* 1.5923	* 1.4557	* 1.2388	* 1.3319	* 1.5665	* 1.4962	* 1.6016	* 0.7854
	* 1.3875	* 1.5204	* 1.7855	* 1.6521	* 1.3969	* 1.4577	* 1.3603	* 2.4873
11	* 1.3739	* 1.6249	* 1.3318	* 1.5001	* 1.3786	* 1.5528	* 1.5603	* 0.6486
	* 1.6019	* 1.3532	* 1.6522	* 1.4327	* 1.5487	* 1.3911	* 1.3894	* 3.0605
12	* 1.6283	* 1.3881	* 1.5667	* 1.3790	* 1.0156	* 1.3639	* 0.9349	*
	* 1.3476	* 1.5823	* 1.3967	* 1.5484	* 1.7406	* 1.4114	* 1.9964	*
13	* 1.5518	* 1.5546	* 1.4969	* 1.5535	* 1.3646	* 0.7290	* 0.4325	*
	* 1.4138	* 1.4108	* 1.4571	* 1.3906	* 1.4109	* 2.0836	* 4.0073	*
14	* 1.6594	* 1.6450	* 1.6024	* 1.5616	* 0.9358	* 0.4382	*	*
	* 1.3163	* 1.3256	* 1.3596	* 1.3883	* 1.9949	* 3.9409	*	*
15	* 0.8377	* 0.8381	* 0.7862	* 0.6522	* F-SUB-Q			
	* 2.3502	* 2.3477	* 2.4850	* 3.0246	* M-SUB-Q			

AT 75% POWER, 100 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0592	* 1.2212	* 1.6667	* 1.4276	* 1.7035	* 1.6119	* 1.7343	* 0.8743
	* 1.5996	* 1.9302	* 1.3896	* 1.6093	* 1.3394	* 1.4147	* 1.3073	* 2.3424
9	* 1.2212	* 1.2423	* 1.5116	* 1.7015	* 1.4447	* 1.6159	* 1.7247	* 0.8756
	* 1.9302	* 1.8848	* 1.5338	* 1.3495	* 1.5858	* 1.4114	* 1.3145	* 2.3378
10	* 1.6667	* 1.5110	* 1.2834	* 1.3872	* 1.6514	* 1.5669	* 1.6872	* 0.8228
	* 1.3896	* 1.5345	* 1.8055	* 1.6634	* 1.3910	* 1.4555	* 1.3474	* 2.4717
11	* 1.4276	* 1.7002	* 1.3869	* 1.5965	* 1.4662	* 1.6574	* 1.6620	* 0.6871
	* 1.6093	* 1.3505	* 1.6637	* 1.4242	* 1.5461	* 1.3757	* 1.3793	* 3.0353
12	* 1.7035	* 1.4440	* 1.6515	* 1.4666	* 1.1111	* 1.4849	* 1.0076	*
	* 1.3394	* 1.5862	* 1.3909	* 1.5458	* 1.7434	* 1.4000	* 1.9776	*
13	* 1.6119	* 1.6159	* 1.5676	* 1.6582	* 1.4856	* 0.8134	* 0.4697	*
	* 1.4147	* 1.4114	* 1.4549	* 1.3752	* 1.3996	* 2.0798	* 4.0115	*
14	* 1.7343	* 1.7250	* 1.6881	* 1.6632	* 1.0084	* 0.4761	*	*
	* 1.3073	* 1.3142	* 1.3466	* 1.3782	* 1.9761	* 3.9420	*	*
15	* 0.8743	* 0.8758	* 0.8235	* 0.6905	* F-SUB-Q			
	* 2.3424	* 2.3372	* 2.4695	* 3.0014	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 113 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.2412	* 1.2780	* 1.7440	* 1.4785	* 1.7793	* 1.6705	* 1.8139	* 0.8987 *
	* 1.6184	* 1.9577	* 1.4096	* 1.6403	* 1.3486	* 1.4334	* 1.3081	* 2.3839 *
9	* 1.2780	* 1.2931	* 1.5683	* 1.7778	* 1.4982	* 1.6768	* 1.8061	* 0.8993 *
	* 1.9577	* 1.9391	* 1.5692	* 1.3645	* 1.6121	* 1.4298	* 1.3160	* 2.3830 *
10	* 1.7440	* 1.5675	* 1.3265	* 1.4405	* 1.7436	* 1.6383	* 1.7772	* 0.8478 *
	* 1.4096	* 1.5701	* 1.8541	* 1.7011	* 1.4030	* 1.4730	* 1.3507	* 2.5253 *
11	* 1.4785	* 1.7762	* 1.4401	* 1.7059	* 1.5582	* 1.7744	* 1.7692	* 0.7124 *
	* 1.6403	* 1.3657	* 1.7015	* 1.4203	* 1.5489	* 1.3641	* 1.3854	* 3.1100 *
12	* 1.7793	* 1.4973	* 1.7438	* 1.5584	* 1.2637	* 1.6380	* 1.0729	*
	* 1.3486	* 1.6127	* 1.4029	* 1.5486	* 1.7583	* 1.3979	* 1.9975	*
13	* 1.6705	* 1.6768	* 1.6389	* 1.7752	* 1.6386	* 0.9305	* 0.5050	*
	* 1.4334	* 1.4298	* 1.4724	* 1.3636	* 1.3974	* 2.1145	* 4.1005	*
14	* 1.8139	* 1.8065	* 1.7781	* 1.7705	* 1.0738	* 0.5119	*	
	* 1.3081	* 1.3158	* 1.3499	* 1.3844	* 1.9960	* 4.0293	*	
15	* 0.8987	* 0.8995	* 0.8485	* 0.7155	* F-SUB-Q			
	* 2.3839	* 2.3824	* 2.5231	* 3.0774	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.5182	* 1.3249	* 1.7983	* 1.5141	* 1.8309	* 1.7113	* 1.8692	* 0.9185
	* 1.6618	* 2.0199	* 1.4660	* 1.7072	* 1.3918	* 1.4839	* 1.3428	* 2.4663
9	* 1.3249	* 1.3314	* 1.6083	* 1.8302	* 1.5360	* 1.7196	* 1.8630	* 0.9188
	* 2.0199	* 2.0210	* 1.6403	* 1.4142	* 1.6734	* 1.4800	* 1.3515	* 2.4676
10	* 1.7983	* 1.6075	* 1.3576	* 1.4798	* 1.8226	* 1.6976	* 1.8437	* 0.8687
	* 1.4660	* 1.6413	* 1.9428	* 1.7756	* 1.4482	* 1.5238	* 1.3887	* 2.6193
11	* 1.5141	* 1.8285	* 1.4794	* 1.7924	* 1.6421	* 1.8688	* 1.8539	* 0.7353
	* 1.7072	* 1.4156	* 1.7762	* 1.4440	* 1.5793	* 1.3821	* 1.4040	* 3.2292
12	* 1.8309	* 1.5351	* 1.8228	* 1.6424	* 1.3974	* 1.7778	* 1.1322	*
	* 1.3918	* 1.6741	* 1.4481	* 1.5790	* 1.7908	* 1.4143	* 2.0340	*
13	* 1.7113	* 1.7196	* 1.6984	* 1.8694	* 1.7783	* 1.0320	* 0.5380	*
	* 1.4839	* 1.4800	* 1.5232	* 1.3816	* 1.4139	* 2.1600	* 4.1932	*
14	* 1.8692	* 1.8633	* 1.8446	* 1.8551	* 1.1330	* 0.5454	*	*
	* 1.3428	* 1.3512	* 1.3879	* 1.4031	* 2.0326	* 4.1198	*	*
15	* 0.9185	* 0.9190	* 0.8694	* 0.7381	* F-SUB-Q			
	* 2.4663	* 2.4670	* 2.6172	* 3.1967	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 114 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 100 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6123	* 1.3574	* 1.8457	* 1.5435	* 1.8781	* 1.7469	* 1.9198	* 0.9321 *
	* 1.7389	* 2.1011	* 1.5395	* 1.7979	* 1.4521	* 1.5538	* 1.3943	* 2.5903 *
9	* 1.3574	* 1.3621	* 1.6418	* 1.8772	* 1.5678	* 1.7575	* 1.9149	* 0.9296 *
	* 2.1011	* 2.0905	* 1.7320	* 1.4816	* 1.7574	* 1.5491	* 1.4039	* 2.6003 *
10	* 1.8457	* 1.6408	* 1.3834	* 1.5120	* 1.8908	* 1.7511	* 1.9036	* 0.8828 *
	* 1.5395	* 1.7330	* 2.0537	* 1.8659	* 1.4785	* 1.5838	* 1.4443	* 2.7587 *
11	* 1.5435	* 1.8753	* 1.5115	* 1.8753	* 1.7071	* 1.9520	* 1.9266	* 0.7508 *
	* 1.7979	* 1.4832	* 1.8661	* 1.4893	* 1.6344	* 1.4195	* 1.4332	* 3.3742 *
12	* 1.8781	* 1.5667	* 1.8909	* 1.7073	* 1.4790	* 1.8781	* 1.1725	*
	* 1.4521	* 1.7582	* 1.4784	* 1.6342	* 1.8596	* 1.4557	* 2.1156	*
13	* 1.7469	* 1.7575	* 1.7519	* 1.9527	* 1.8786	* 1.0914	* 0.5609	*
	* 1.5538	* 1.5491	* 1.5831	* 1.4190	* 1.4553	* 2.2486	* 4.3707	*
14	* 1.9198	* 1.9153	* 1.9045	* 1.9278	* 1.1733	* 0.5687	*	*
	* 1.3943	* 1.4037	* 1.4435	* 1.4322	* 2.1142	* 4.2936	*	*
15	* 0.9321	* 0.9299	* 0.8835	* 0.7535	F-SUB-Q			
	* 2.5903	* 2.5997	* 2.7564	* 3.3418	M-SUB-Q			

AT 75% POWER, 100 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6251	* 1.3717	* 1.8425	* 1.5444	* 1.8758	* 1.7487	* 1.9206	* 0.9469 *
	* 1.8592	* 2.2090	* 1.6390	* 1.9383	* 1.5644	* 1.6683	* 1.4954	* 2.7340 *
9	* 1.3717	* 1.3639	* 1.6402	* 1.8743	* 1.5702	* 1.7603	* 1.9169	* 0.9478 *
	* 2.2090	* 2.2175	* 1.8419	* 1.6019	* 1.8895	* 1.6632	* 1.5061	* 2.7348 *
10	* 1.8425	* 1.6392	* 1.3914	* 1.5212	* 1.9018	* 1.7658	* 1.9130	* 0.8996 *
	* 1.6390	* 1.8431	* 2.1725	* 1.9706	* 1.5615	* 1.6675	* 1.5363	* 2.9111 *
11	* 1.5444	* 1.8722	* 1.5209	* 1.8924	* 1.7270	* 1.9724	* 1.9455	* 0.7722 *
	* 1.9383	* 1.6037	* 1.9710	* 1.5722	* 1.7162	* 1.4927	* 1.5071	* 3.4801 *
12	* 1.8758	* 1.5690	* 1.9019	* 1.7272	* 1.5056	* 1.9086	* 1.2103	*
	* 1.5644	* 1.8904	* 1.5614	* 1.7159	* 1.9672	* 1.5379	* 2.1864	*
13	* 1.7487	* 1.7602	* 1.7665	* 1.9730	* 1.9091	* 1.1314	* 0.5820	*
	* 1.6683	* 1.6633	* 1.6667	* 1.4922	* 1.5375	* 2.3515	* 4.5396	*
14	* 1.9206	* 1.9172	* 1.9140	* 1.9467	* 1.2111	* 0.5905	*	*
	* 1.4954	* 1.5058	* 1.5356	* 1.5061	* 2.1850	* 4.4569	*	*
15	* 0.9469	* 0.9480	* 0.9003	* 0.7750	F-SUB-Q			
	* 2.7340	* 2.7341	* 2.9087	* 3.4464	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 115 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 100 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6610	* 1.3780	* 1.8807	* 1.5640	* 1.9188	* 1.7767	* 1.9689	* 0.9466 *
	* 1.9414	* 2.3464	* 1.7139	* 2.0530	* 1.6505	* 1.7704	* 1.5705	* 2.9403 *
9	* 1.3780	* 1.3790	* 1.6621	* 1.9150	* 1.5923	* 1.7904	* 1.9659	* 0.9439 *
	* 2.3464	* 2.3395	* 1.9393	* 1.6733	* 2.0054	* 1.7637	* 1.5819	* 2.9532 *
10	* 1.8807	* 1.6609	* 1.3980	* 1.5426	* 1.9542	* 1.8043	* 1.9670	* 0.8983 *
	* 1.7139	* 1.9406	* 2.3038	* 2.0745	* 1.6222	* 1.7408	* 1.5911	* 3.1183 *
11	* 1.5640	* 1.9126	* 1.5423	* 1.9451	* 1.7627	* 2.0330	* 2.0025	* 0.7701 *
	* 2.0530	* 1.6754	* 2.0749	* 1.6334	* 1.7951	* 1.5465	* 1.5624	* 3.7174 *
12	* 1.9188	* 1.5910	* 1.9542	* 1.7628	* 1.5392	* 1.9687	* 1.2173	*
	* 1.6505	* 2.0064	* 1.6221	* 1.7949	* 2.0541	* 1.5918	* 2.3191	*
13	* 1.7767	* 1.7903	* 1.8050	* 2.0336	* 1.9692	* 1.1417	* 0.5824	*
	* 1.7704	* 1.7637	* 1.7401	* 1.5460	* 1.5914	* 2.4857	* 4.8323	*
14	* 1.9689	* 1.9662	* 1.9680	* 2.0036	* 1.2181	* 0.5905	*	
	* 1.5705	* 1.5816	* 1.5903	* 1.5615	* 2.3177	* 4.7470	*	
15	* 0.9466	* 0.9441	* 0.8990	* 0.7724	* F-SUB-Q			
	* 2.9403	* 2.9525	* 3.1159	* 3.6840	* M-SUB-Q			

AT 75% POWER, 100 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6603	* 1.3743	* 1.8818	* 1.5622	* 1.9245	* 1.7790	* 1.9794	* 0.9474 *
	* 1.9881	* 2.3824	* 1.7365	* 2.0845	* 1.6915	* 1.8306	* 1.6460	* 3.1186 *
9	* 1.3743	* 1.3743	* 1.6579	* 1.9183	* 1.5924	* 1.7938	* 1.9769	* 0.9448 *
	* 2.3824	* 2.3804	* 1.9709	* 1.6999	* 2.0452	* 1.8173	* 1.6497	* 3.1249 *
10	* 1.8818	* 1.6567	* 1.3935	* 1.5427	* 1.9655	* 1.8140	* 1.9822	* 0.8991 *
	* 1.7365	* 1.9723	* 2.3440	* 2.1228	* 1.6681	* 1.8077	* 1.6535	* 3.2692 *
11	* 1.5622	* 1.9158	* 1.5423	* 1.9559	* 1.7702	* 2.0510	* 2.0204	* 0.7729 *
	* 2.0845	* 1.7020	* 2.1233	* 1.6822	* 1.8582	* 1.6038	* 1.6261	* 3.8960 *
12	* 1.9245	* 1.5909	* 1.9655	* 1.7703	* 1.5469	* 1.9875	* 1.2253	*
	* 1.6915	* 2.0471	* 1.6682	* 1.8580	* 2.1392	* 1.6615	* 2.4269	*
13	* 1.7790	* 1.7937	* 1.8147	* 2.0515	* 1.9879	* 1.1488	* 0.5844	*
	* 1.8306	* 1.8174	* 1.8070	* 1.6034	* 1.6611	* 2.6144	* 5.1224	*
14	* 1.9794	* 1.9772	* 1.9831	* 2.0215	* 1.2260	* 0.5926	*	
	* 1.6460	* 1.6495	* 1.6528	* 1.6252	* 2.4255	* 5.0313	*	
15	* 0.9474	* 0.9450	* 0.8998	* 0.7750	* F-SUB-Q			
	* 3.1186	* 3.1242	* 3.2669	* 3.8625	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 116 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.6297	* 1.3611	* 1.8502	* 1.5409	* 1.8970	* 1.7582	* 1.9568	* 0.9480
	* 1.9987	* 2.3713	* 1.7407	* 2.0836	* 1.6924	* 1.8258	* 1.6411	* 3.0667
9	* 1.3611	* 1.3526	* 1.6312	* 1.8883	* 1.5724	* 1.7737	* 1.9546	* 0.9474
	* 2.3713	* 2.3838	* 1.9742	* 1.7024	* 2.0422	* 1.8124	* 1.6455	* 3.0676
10	* 1.8502	* 1.6300	* 1.3811	* 1.5256	* 1.9410	* 1.7988	* 1.9635	* 0.9006
	* 1.7407	* 1.9757	* 2.3312	* 2.1189	* 1.6676	* 1.7996	* 1.6480	* 3.2185
11	* 1.5409	* 1.8857	* 1.5254	* 1.9311	* 1.7536	* 2.0313	* 2.0043	* 0.7789
	* 2.0836	* 1.7048	* 2.1203	* 1.6834	* 1.8531	* 1.6002	* 1.6192	* 3.8141
12	* 1.8970	* 1.5709	* 1.9409	* 1.7537	* 1.5332	* 1.9713	* 1.2318	*
	* 1.6924	* 2.0442	* 1.6676	* 1.8529	* 2.1340	* 1.6570	* 2.3866	*
13	* 1.7582	* 1.7735	* 1.7995	* 2.0318	* 1.9718	* 1.1534	* 0.5879	*
	* 1.8258	* 1.8126	* 1.7990	* 1.5998	* 1.6567	* 2.5768	* 5.0365	*
14	* 1.9568	* 1.9549	* 1.9644	* 2.0054	* 1.2325	* 0.5965	*	*
	* 1.6411	* 1.6453	* 1.6473	* 1.6184	* 2.3853	* 4.9442	*	*
15	* 0.9480	* 0.9476	* 0.9012	* 0.7810	* F-SUB-Q			
	* 3.0667	* 3.0669	* 3.2162	* 3.7810	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.6313	* 1.3437	* 1.8565	* 1.5359	* 1.9089	* 1.7601	* 1.9762	* 0.9346
	* 1.9226	* 2.3011	* 1.6733	* 2.0158	* 1.6310	* 1.7701	* 1.5802	* 2.9996
9	* 1.3437	* 1.3445	* 1.6256	* 1.8968	* 1.5695	* 1.7770	* 1.9743	* 0.9300
	* 2.3011	* 2.2968	* 1.9075	* 1.6394	* 1.9772	* 1.7566	* 1.5844	* 3.0122
10	* 1.8565	* 1.6243	* 1.3635	* 1.5171	* 1.9563	* 1.8069	* 1.9854	* 0.8859
	* 1.6733	* 1.9090	* 2.2668	* 2.0609	* 1.6131	* 1.7505	* 1.5910	* 3.1485
11	* 1.5359	* 1.8939	* 1.5167	* 1.9443	* 1.7555	* 2.0539	* 2.0265	* 0.7643
	* 2.0158	* 1.6417	* 2.0615	* 1.6299	* 1.8067	* 1.5498	* 1.5664	* 3.7395
12	* 1.9089	* 1.5679	* 1.9562	* 1.7556	* 1.5348	* 1.9915	* 1.2153	*
	* 1.6310	* 1.9792	* 1.6132	* 1.8066	* 2.0800	* 1.6014	* 2.3451	*
13	* 1.7601	* 1.7769	* 1.8075	* 2.0544	* 1.9919	* 1.1385	* 0.5756	*
	* 1.7701	* 1.7567	* 1.7500	* 1.5495	* 1.6011	* 2.5250	* 4.9256	*
14	* 1.9762	* 1.9745	* 1.9862	* 2.0275	* 1.2160	* 0.5837	*	
	* 1.5802	* 1.5842	* 1.5904	* 1.5657	* 2.3440	* 4.8375	*	
15	* 0.9346	* 0.9302	* 0.8865	* 0.7659	* F-SUB-Q			
	* 2.9996	* 3.0116	* 3.1465	* 3.7096	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 117 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 100 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6099	* 1.3209	* 1.8360	* 1.5154	* 1.8922	* 1.7421	* 1.9660	* 0.9215
	* 1.7842	* 2.1500	* 1.5534	* 1.8715	* 1.5083	* 1.6404	* 1.4580	* 2.7796
9	* 1.3209	* 1.3232	* 1.6020	* 1.8774	* 1.5506	* 1.7600	* 1.9643	* 0.9155
	* 2.1500	* 2.1451	* 1.7771	* 1.5181	* 1.8341	* 1.6283	* 1.4635	* 2.7976
10	* 1.8360	* 1.6006	* 1.3415	* 1.4963	* 1.9418	* 1.7943	* 1.9780	* 0.8725
	* 1.5534	* 1.7786	* 2.1151	* 1.9205	* 1.4934	* 1.6214	* 1.4698	* 2.9339
11	* 1.5154	* 1.8744	* 1.4958	* 1.9285	* 1.7386	* 2.0458	* 2.0204	* 0.7533
	* 1.8715	* 1.5204	* 1.9211	* 1.5078	* 1.6746	* 1.4283	* 1.4431	* 3.4944
12	* 1.8922	* 1.5489	* 1.9416	* 1.7387	* 1.5199	* 1.9836	* 1.2006	*
	* 1.5083	* 1.8360	* 1.4935	* 1.6746	* 1.9289	* 1.4772	* 2.1804	*
13	* 1.7421	* 1.7598	* 1.7949	* 2.0462	* 1.9839	* 1.1239	* 0.5656	*
	* 1.6404	* 1.6285	* 1.6209	* 1.4281	* 1.4770	* 2.3512	* 4.6084	*
14	* 1.9660	* 1.9645	* 1.9788	* 2.0213	* 1.2012	* 0.5738	*	*
	* 1.4580	* 1.4633	* 1.4693	* 1.4425	* 2.1794	* 4.5250	*	*
15	* 0.9215	* 0.9157	* 0.8731	* 0.7541	* F-SUB-Q			
	* 2.7796	* 2.7970	* 2.9320	* 3.4698	* M-SUB-Q			

AT 75% POWER, 100 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5761	* 1.2944	* 1.7992	* 1.4842	* 1.8579	* 1.7116	* 1.9363	* 0.9073
	* 1.6692	* 2.0045	* 1.4488	* 1.7522	* 1.4084	* 1.5322	* 1.3591	* 2.5958
9	* 1.2944	* 1.2945	* 1.5674	* 1.8408	* 1.5202	* 1.7303	* 1.9347	* 0.9023
	* 2.0045	* 2.0029	* 1.6614	* 1.4188	* 1.7157	* 1.5196	* 1.3629	* 2.6093
10	* 1.7992	* 1.5660	* 1.3127	* 1.4655	* 1.9081	* 1.7666	* 1.9503	* 0.8590
	* 1.4488	* 1.6628	* 1.9782	* 1.7942	* 1.3918	* 1.5086	* 1.3659	* 2.7370
11	* 1.4842	* 1.8378	* 1.4649	* 1.8946	* 1.7085	* 2.0164	* 1.9936	* 0.7434
	* 1.7522	* 1.4211	* 1.7948	* 1.4077	* 1.5635	* 1.3293	* 1.3406	* 3.2413
12	* 1.8579	* 1.5184	* 1.9079	* 1.7085	* 1.4938	* 1.9560	* 1.1857	*
	* 1.4084	* 1.7176	* 1.3919	* 1.5635	* 1.8041	* 1.3770	* 2.0277	*
13	* 1.7116	* 1.7301	* 1.7671	* 2.0168	* 1.9563	* 1.1082	* 0.5569	*
	* 1.5322	* 1.5197	* 1.5082	* 1.3290	* 1.3768	* 2.1965	* 4.3117	*
14	* 1.9363	* 1.9350	* 1.9511	* 1.9945	* 1.1863	* 0.5648	*	*
	* 1.3591	* 1.3627	* 1.3655	* 1.3400	* 2.0268	* 4.2342	*	*
15	* 0.9073	* 0.9025	* 0.8595	* 0.7445	* F-SUB-Q			
	* 2.5958	* 2.6088	* 2.7353	* 3.2172	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 118 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 100 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5248	* 1.2634	* 1.7411	* 1.4407	* 1.8001	* 1.6648	* 1.8815	* 0.8922 *
	* 1.7079	* 2.0451	* 1.4911	* 1.7990	* 1.4506	* 1.5732	* 1.3968	* 2.6413 *
9	* 1.2634	* 1.2558	* 1.5191	* 1.7821	* 1.4768	* 1.6838	* 1.8801	* 0.8896 *
	* 2.0451	* 2.0583	* 1.7083	* 1.4597	* 1.7611	* 1.5586	* 1.3996	* 2.6472 *
10	* 1.7411	* 1.5177	* 1.2828	* 1.4292	* 1.8498	* 1.7216	* 1.8980	* 0.8455 *
	* 1.4911	* 1.7098	* 2.0200	* 1.8354	* 1.4291	* 1.5423	* 1.3987	* 2.7745 *
11	* 1.4407	* 1.7790	* 1.4288	* 1.8367	* 1.6631	* 1.9617	* 1.9428	* 0.7349 *
	* 1.7990	* 1.4621	* 1.8370	* 1.4413	* 1.5956	* 1.3563	* 1.3676	* 3.2729 *
12	* 1.8001	* 1.4753	* 1.8496	* 1.6632	* 1.4543	* 1.9050	* 1.1702	*
	* 1.4506	* 1.7631	* 1.4292	* 1.5956	* 1.8346	* 1.3996	* 2.0387	*
13	* 1.6648	* 1.6837	* 1.7221	* 1.9621	* 1.9053	* 1.0917	* 0.5491	*
	* 1.5732	* 1.5588	* 1.5419	* 1.3561	* 1.3994	* 2.2043	* 4.3349	*
14	* 1.8815	* 1.8804	* 1.8987	* 1.9437	* 1.1708	* 0.5574	*	*
	* 1.3968	* 1.3995	* 1.3982	* 1.3671	* 2.0379	* 4.2538	*	*
15	* 0.8922	* 0.8898	* 0.8461	* 0.7360	F-SUB-Q			
	* 2.6413	* 2.6467	* 2.7728	* 3.2481	M-SUB-Q			

AT 75% POWER, 100 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5047	* 1.2273	* 1.7192	* 1.4112	* 1.7789	* 1.6380	* 1.8656	* 0.8616 *
	* 1.5999	* 1.9549	* 1.4032	* 1.7110	* 1.3684	* 1.4916	* 1.3138	* 2.5552 *
9	* 1.2273	* 1.2298	* 1.4904	* 1.7590	* 1.4486	* 1.6582	* 1.8643	* 0.8546 *
	* 1.9549	* 1.9523	* 1.6190	* 1.3763	* 1.6734	* 1.4757	* 1.3157	* 2.5742 *
10	* 1.7192	* 1.4889	* 1.2448	* 1.3918	* 1.8290	* 1.6973	* 1.8836	* 0.8141 *
	* 1.4032	* 1.6205	* 1.9336	* 1.7484	* 1.3423	* 1.4531	* 1.3090	* 2.6871 *
11	* 1.4112	* 1.7559	* 1.3912	* 1.8156	* 1.6350	* 1.9464	* 1.9276	* 0.7050 *
	* 1.7110	* 1.3787	* 1.7491	* 1.3538	* 1.5084	* 1.2689	* 1.2799	* 3.1725 *
12	* 1.7789	* 1.4474	* 1.8288	* 1.6351	* 1.4288	* 1.8883	* 1.1290	*
	* 1.3684	* 1.6755	* 1.3425	* 1.5085	* 1.7288	* 1.3104	* 1.9640	*
13	* 1.6380	* 1.6580	* 1.6977	* 1.9468	* 1.8886	* 1.0549	* 0.5259	*
	* 1.4916	* 1.4759	* 1.4527	* 1.2687	* 1.3102	* 2.1158	* 4.2099	*
14	* 1.8656	* 1.8645	* 1.8843	* 1.9284	* 1.1295	* 0.5336	*	*
	* 1.3138	* 1.3156	* 1.3085	* 1.2794	* 1.9633	* 4.1330	*	*
15	* 0.8616	* 0.8548	* 0.8146	* 0.7050	F-SUB-Q			
	* 2.5552	* 2.5736	* 2.6855	* 3.1532	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 119 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 100 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4541	* 1.1849	* 1.6605	* 1.3612	* 1.7180	* 1.5853	* 1.8064	* 0.8313 *
	* 1.5472	* 1.9018	* 1.3650	* 1.6693	* 1.3335	* 1.4510	* 1.2772	* 2.4978 *
9	* 1.1849	* 1.1884	* 1.4393	* 1.6977	* 1.3993	* 1.6060	* 1.8050	* 0.8241 *
	* 1.9018	* 1.8987	* 1.5760	* 1.3409	* 1.6318	* 1.4341	* 1.2787	* 2.5174 *
10	* 1.6605	* 1.4379	* 1.2015	* 1.3419	* 1.7661	* 1.6436	* 1.8253	* 0.7847 *
	* 1.3650	* 1.5775	* 1.8838	* 1.7027	* 1.3040	* 1.4082	* 1.2679	* 2.6262 *
11	* 1.3612	* 1.6946	* 1.3413	* 1.7542	* 1.5824	* 1.8855	* 1.8684	* 0.6795 *
	* 1.6693	* 1.3433	* 1.7034	* 1.3119	* 1.4618	* 1.2263	* 1.2374	* 3.0954 *
12	* 1.7180	* 1.3981	* 1.7658	* 1.5825	* 1.3815	* 1.8293	* 1.0902	*
	* 1.3335	* 1.6339	* 1.3042	* 1.4618	* 1.6696	* 1.2643	* 1.9048	*
13	* 1.5853	* 1.6058	* 1.6440	* 1.8858	* 1.8296	* 1.0187	* 0.5063	*
	* 1.4510	* 1.4343	* 1.4079	* 1.2262	* 1.2642	* 2.0494	* 4.0974	*
14	* 1.8064	* 1.8053	* 1.8260	* 1.8692	* 1.0906	* 0.5137	*	
	* 1.2772	* 1.2786	* 1.2675	* 1.2370	* 1.9041	* 4.0230	*	
15	* 0.8313	* 0.8243	* 0.7852	* 0.6794	F-SUB-Q			
	* 2.4978	* 2.5169	* 2.6247	* 3.0772	M-SUB-Q			

AT 75% POWER, 100 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3660	* 1.1329	* 1.5582	* 1.2872	* 1.6109	* 1.5028	* 1.6960	* 0.7995 *
	* 1.5620	* 1.8897	* 1.3813	* 1.6779	* 1.3514	* 1.4547	* 1.2925	* 2.4726 *
9	* 1.1329	* 1.1287	* 1.3624	* 1.5915	* 1.3255	* 1.5224	* 1.6945	* 0.7962 *
	* 1.8897	* 1.8996	* 1.5817	* 1.3587	* 1.6407	* 1.4375	* 1.2939	* 2.4809 *
10	* 1.5582	* 1.3611	* 1.1487	* 1.2780	* 1.6540	* 1.5551	* 1.7144	* 0.7558 *
	* 1.3813	* 1.5833	* 1.8750	* 1.7009	* 1.3205	* 1.4114	* 1.2803	* 2.5942 *
11	* 1.2872	* 1.5886	* 1.2777	* 1.6457	* 1.4989	* 1.7694	* 1.7557	* 0.6569 *
	* 1.6779	* 1.3611	* 1.7013	* 1.3250	* 1.4610	* 1.2375	* 1.2479	* 3.0439 *
12	* 1.6109	* 1.3243	* 1.6537	* 1.4989	* 1.3089	* 1.7188	* 1.0504	*
	* 1.3514	* 1.6420	* 1.3207	* 1.4610	* 1.6692	* 1.2735	* 1.8740	*
13	* 1.5028	* 1.5222	* 1.5555	* 1.7697	* 1.7191	* 0.9806	* 0.4899	*
	* 1.4547	* 1.4376	* 1.4111	* 1.2373	* 1.2734	* 2.0168	* 4.0184	*
14	* 1.6960	* 1.6947	* 1.7150	* 1.7565	* 1.0508	* 0.4971	*	
	* 1.2925	* 1.2937	* 1.2799	* 1.2474	* 1.8733	* 3.9450	*	
15	* 0.7995	* 0.7963	* 0.7563	* 0.6577	F-SUB-Q			
	* 2.4726	* 2.4804	* 2.5927	* 3.0219	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 120 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 100 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2894	* 1.0652	* 1.4731	* 1.2194	* 1.5220	* 1.4293	* 1.6038	* 0.7470 *
	* 1.5879	* 1.9292	* 1.4014	* 1.6993	* 1.3718	* 1.4668	* 1.3107	* 2.5430 *
9	* 1.0652	* 1.0736	* 1.2955	* 1.5038	* 1.2576	* 1.4482	* 1.6021	* 0.7405 *
	* 1.9292	* 1.9174	* 1.5958	* 1.3788	* 1.6592	* 1.4490	* 1.3122	* 2.5630 *
10	* 1.4731	* 1.2942	* 1.0837	* 1.2023	* 1.5601	* 1.4740	* 1.6203	* 0.7034 *
	* 1.4014	* 1.5974	* 1.9051	* 1.7294	* 1.3411	* 1.4262	* 1.2976	* 2.6775 *
11	* 1.2194	* 1.5010	* 1.2018	* 1.5553	* 1.4199	* 1.6699	* 1.6554	* 0.6070 *
	* 1.6993	* 1.3814	* 1.7301	* 1.3427	* 1.4765	* 1.2550	* 1.2674	* 3.1636 *
12	* 1.5220	* 1.2566	* 1.5598	* 1.4200	* 1.2407	* 1.6200	* 0.9739	*
	* 1.3718	* 1.6606	* 1.3413	* 1.4764	* 1.6866	* 1.2933	* 1.9371	*
13	* 1.4293	* 1.4480	* 1.4744	* 1.6702	* 1.6202	* 0.9129	* 0.4539	*
	* 1.4668	* 1.4492	* 1.4258	* 1.2548	* 1.2931	* 2.0761	* 4.1635	*
14	* 1.6038	* 1.6022	* 1.6209	* 1.6561	* 0.9743	* 0.4599	*	
	* 1.3107	* 1.3121	* 1.2972	* 1.2669	* 1.9363	* 4.0933	*	
15	* 0.7470	* 0.7407	* 0.7038	* 0.6076	* F-SUB-Q			
	* 2.5430	* 2.5625	* 2.6759	* 3.1409	* M-SUB-Q			

AT 75% POWER, 100 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1441	* 0.9629	* 1.3163	* 1.1118	* 1.3624	* 1.2963	* 1.4319	* 0.6845 *
	* 1.7343	* 2.0681	* 1.5180	* 1.8041	* 1.4828	* 1.5648	* 1.4215	* 2.6917 *
9	* 0.9629	* 0.9710	* 1.1793	* 1.3498	* 1.1440	* 1.3073	* 1.4282	* 0.6761 *
	* 2.0681	* 2.0546	* 1.6977	* 1.4865	* 1.7619	* 1.5527	* 1.4243	* 2.7223 *
10	* 1.3163	* 1.1781	* 0.9839	* 1.0973	* 1.3943	* 1.3305	* 1.4423	* 0.6419 *
	* 1.5180	* 1.6993	* 2.0330	* 1.8335	* 1.4508	* 1.5278	* 1.4091	* 2.8449 *
11	* 1.1118	* 1.3474	* 1.0969	* 1.3911	* 1.2854	* 1.4835	* 1.4703	* 0.5497 *
	* 1.8041	* 1.4892	* 1.8342	* 1.4515	* 1.5764	* 1.3654	* 1.3799	* 3.3869 *
12	* 1.3624	* 1.1430	* 1.3941	* 1.2854	* 1.1210	* 1.4378	* 0.8792	*
	* 1.4828	* 1.7641	* 1.4511	* 1.5764	* 1.8057	* 1.4090	* 2.0778	*
13	* 1.2963	* 1.3071	* 1.3308	* 1.4838	* 1.4380	* 0.8248	* 0.4117	*
	* 1.5648	* 1.5529	* 1.5274	* 1.3653	* 1.4088	* 2.2256	* 4.4531	*
14	* 1.4319	* 1.4283	* 1.4428	* 1.4710	* 0.8795	* 0.4169	*	
	* 1.4215	* 1.4241	* 1.4087	* 1.3793	* 2.0771	* 4.3803	*	
15	* 0.6845	* 0.6763	* 0.6423	* 0.5510	* F-SUB-Q			
	* 2.6917	* 2.7217	* 2.8433	* 3.3589	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 121 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 100 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9343	* 0.7719	* 1.1360	* 0.9059	* 1.2048	* 1.0409	* 1.2278	* 0.5648 *
	* 2.0757	* 2.5208	* 1.7177	* 2.1611	* 1.6353	* 1.8988	* 1.6160	* 3.1896 *
9	* 0.7719	* 0.7667	* 0.9576	* 1.1744	* 0.9308	* 1.0361	* 1.2249	* 0.5575 *
	* 2.5208	* 2.5429	* 2.0409	* 1.6675	* 2.1088	* 1.9104	* 1.6197	* 3.2270 *
10	* 1.1360	* 0.9566	* 0.7874	* 0.8979	* 1.2307	* 1.0573	* 1.2211	* 0.5274 *
	* 1.7177	* 2.0429	* 2.4841	* 2.1864	* 1.6029	* 1.8740	* 1.6241	* 3.3856 *
11	* 0.9059	* 1.1726	* 0.8975	* 1.1955	* 1.0350	* 1.2156	* 1.1812	* 0.4474 *
	* 2.1611	* 1.6700	* 2.1873	* 1.6474	* 1.9083	* 1.6254	* 1.6753	* 4.0713 *
12	* 1.2048	* 0.9297	* 1.2305	* 1.0350	* 0.8881	* 1.1659	* 0.7125 *	
	* 1.6353	* 2.1111	* 1.6031	* 1.9084	* 2.2226	* 1.6948	* 2.5051 *	
13	* 1.0409	* 1.0359	* 1.0576	* 1.2157	* 1.1660	* 0.6633	* 0.3351 *	
	* 1.8988	* 1.9107	* 1.8736	* 1.6253	* 1.6947	* 2.7041	* 5.3568 *	
14	* 1.2278	* 1.2250	* 1.2214	* 1.1818	* 0.7127	* 0.3390 *		
	* 1.6160	* 1.6196	* 1.6237	* 1.6746	* 2.5043	* 5.2732 *		
15	* 0.5648	* 0.5576	* 0.5276	* 0.4491	* F-SUB-Q			
	* 3.1896	* 3.2261	* 3.3839	* 4.0321	* M-SUB-Q			

AT 75% POWER, 100 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3688	* 0.3294	* 0.4382	* 0.3896	* 0.4716	* 0.4083	* 0.4404	* 0.2335 *
	* 5.1625	* 5.7981	* 4.3658	* 4.9279	* 4.0851	* 4.7398	* 4.4111	* 7.5751 *
9	* 0.3294	* 0.3217	* 0.3784	* 0.4582	* 0.3948	* 0.4035	* 0.4392	* 0.2296 *
	* 5.7981	* 5.9451	* 5.0609	* 4.1882	* 4.8746	* 4.8005	* 4.4233	* 7.6951 *
10	* 0.4382	* 0.3780	* 0.3385	* 0.3863	* 0.4770	* 0.4092	* 0.4364	* 0.2207 *
	* 4.3658	* 5.0661	* 5.6668	* 4.9828	* 4.0475	* 4.7297	* 4.4493	* 7.9449 *
11	* 0.3896	* 0.4576	* 0.3862	* 0.4633	* 0.4084	* 0.4717	* 0.4158	* 0.1934 *
	* 4.9279	* 4.1937	* 4.9846	* 4.1604	* 4.7333	* 4.1028	* 4.6648	* 9.2495 *
12	* 0.4716	* 0.3944	* 0.4769	* 0.4084	* 0.3701	* 0.4152	* 0.2866 *	
	* 4.0851	* 4.8791	* 4.0483	* 4.7337	* 5.2271	* 4.6647	* 6.1111 *	
13	* 0.4083	* 0.4034	* 0.4093	* 0.4718	* 0.4152	* 0.2688	* 0.1427 *	
	* 4.7398	* 4.8012	* 4.7299	* 4.1025	* 4.6643	* 6.5472	* 12.3646 *	
14	* 0.4404	* 0.4392	* 0.4365	* 0.4160	* 0.2867	* 0.1436 *		
	* 4.4111	* 4.4230	* 4.4482	* 4.6631	* 6.1093	* 12.2363 *		
15	* 0.2335	* 0.2296	* 0.2208	* 0.1920	* F-SUB-Q			
	* 7.5751	* 7.6934	* 7.9416	* 9.2627	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 122 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 150 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.2756	* 0.3476	* 0.4750	* 0.4359	* 0.5109	* 0.4484	* 0.4664	* 0.2582
	* 4.9385	* 5.5611	* 4.1028	* 4.4364	* 3.8174	* 4.3578	* 4.2448	* 6.8949
9	* 0.3476	* 0.3537	* 0.4225	* 0.4992	* 0.4364	* 0.4427	* 0.4623	* 0.2563
	* 5.5611	* 5.5610	* 4.6102	* 3.9008	* 4.4429	* 4.4037	* 4.2767	* 6.9371
10	* 0.4750	* 0.4225	* 0.3853	* 0.4241	* 0.4873	* 0.4227	* 0.4421	* 0.2431
	* 4.1028	* 4.6103	* 5.1120	* 4.5697	* 3.9689	* 4.5208	* 4.3702	* 7.1309
11	* 0.4359	* 0.4992	* 0.4241	* 0.4541	* 0.3966	* 0.4390	* 0.4003	* 0.1991
	* 4.4364	* 3.9010	* 4.5692	* 4.2534	* 4.7884	* 4.3287	* 4.7655	* 8.7388
12	* 0.5109	* 0.4363	* 0.4873	* 0.3966	* 0.3013	* 0.3377	* 0.2602	*
	* 3.8174	* 4.4426	* 3.9685	* 4.7879	* 5.1884	* 4.8394	* 6.2650	*
13	* 0.4484	* 0.4427	* 0.4228	* 0.4392	* 0.3378	* 0.2012	* 0.1288	*
	* 4.3578	* 4.4035	* 4.5199	* 4.3274	* 4.8385	* 6.4254	* 11.5035	*
14	* 0.4664	* 0.4624	* 0.4423	* 0.4006	* 0.2604	* 0.1295	*	*
	* 4.2448	* 4.2760	* 4.3683	* 4.7629	* 6.2620	* 11.4112	*	*
15	* 0.2582	* 0.2564	* 0.2433	* 0.1981	F-SUB-Q			
	* 6.8949	* 6.9358	* 7.1263	* 8.7233	M-SUB-Q			

AT 75% POWER, 150 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.6220	* 0.7654	* 1.1090	* 0.9517	* 1.1786	* 1.0552	* 1.1644	* 0.6034
	* 2.2098	* 2.6014	* 1.8108	* 2.0973	* 1.7096	* 1.9074	* 1.7549	* 3.0461
9	* 0.7654	* 0.7881	* 0.9936	* 1.1551	* 0.9624	* 1.0439	* 1.1550	* 0.5984
	* 2.6014	* 2.5475	* 2.0155	* 1.7387	* 2.0787	* 1.9235	* 1.7560	* 3.0470
10	* 1.1090	* 0.9936	* 0.8419	* 0.9230	* 1.1275	* 0.9966	* 1.1097	* 0.5617
	* 1.8108	* 2.0157	* 2.4039	* 2.1577	* 1.7661	* 1.9810	* 1.7944	* 3.1737
11	* 0.9517	* 1.1549	* 0.9231	* 1.0534	* 0.9280	* 1.0200	* 1.0055	* 0.4510
	* 2.0973	* 1.7390	* 2.1575	* 1.8790	* 2.0827	* 1.9173	* 1.9501	* 3.9824
12	* 1.1786	* 0.9623	* 1.1277	* 0.9281	* 0.6587	* 0.8538	* 0.6191	*
	* 1.7096	* 2.0787	* 1.7659	* 2.0824	* 2.3776	* 1.9603	* 2.6960	*
13	* 1.0552	* 1.0440	* 0.9970	* 1.0203	* 0.8541	* 0.4781	* 0.2965	*
	* 1.9074	* 1.9235	* 1.9803	* 1.9169	* 1.9599	* 2.7563	* 5.1261	*
14	* 1.1644	* 1.1552	* 1.1102	* 1.0061	* 0.6195	* 0.2991	*	*
	* 1.7549	* 1.7557	* 1.7937	* 1.9488	* 2.6945	* 5.0670	*	*
15	* 0.6034	* 0.5985	* 0.5621	* 0.4551	F-SUB-Q			
	* 3.0461	* 3.0460	* 3.1715	* 3.9195	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 123 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 150 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.7596	* 0.9517	* 1.2997	* 1.1662	* 1.3619	* 1.3015	* 1.3678	* 0.7410 *
	* 1.8695	* 2.1451	* 1.5825	* 1.7556	* 1.5132	* 1.5798	* 1.5099	* 2.5101 *
9	* 0.9517	* 0.9800	* 1.2116	* 1.3476	* 1.1784	* 1.2961	* 1.3573	* 0.7405 *
	* 2.1451	* 2.0947	* 1.6914	* 1.5265	* 1.7408	* 1.5836	* 1.5172	* 2.5053 *
10	* 1.2997	* 1.2114	* 1.0375	* 1.1283	* 1.3021	* 1.2397	* 1.3080	* 0.6933 *
	* 1.5825	* 1.6918	* 1.9771	* 1.8073	* 1.5675	* 1.6308	* 1.5581	* 2.6279 *
11	* 1.1662	* 1.3472	* 1.1284	* 1.2309	* 1.1382	* 1.2370	* 1.2399	* 0.5644 *
	* 1.7556	* 1.5270	* 1.8072	* 1.6339	* 1.7270	* 1.6233	* 1.6247	* 3.2635 *
12	* 1.3619	* 1.1782	* 1.3023	* 1.1385	* 0.8298	* 1.0664	* 0.7754	*
	* 1.5132	* 1.7410	* 1.5674	* 1.7268	* 1.9574	* 1.6514	* 2.2033	*
13	* 1.3015	* 1.2962	* 1.2402	* 1.2375	* 1.0668	* 0.5950	* 0.3699	*
	* 1.5798	* 1.5836	* 1.6302	* 1.6229	* 1.6510	* 2.2794	* 4.2179	*
14	* 1.3678	* 1.3575	* 1.3086	* 1.2407	* 0.7761	* 0.3740	*	
	* 1.5099	* 1.5169	* 1.5574	* 1.6237	* 2.2019	* 4.1607	*	
15	* 0.7410	* 0.7407	* 0.6939	* 0.5687	F-SUB-Q			
	* 2.5101	* 2.5047	* 2.6259	* 3.2155	M-SUB-Q			

AT 75% POWER, 150 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.8752	* 1.0565	* 1.4951	* 1.3016	* 1.5690	* 1.4633	* 1.5808	* 0.8108 *
	* 1.6820	* 1.9963	* 1.4178	* 1.6202	* 1.3504	* 1.4430	* 1.3366	* 2.3463 *
9	* 1.0565	* 1.0908	* 1.3533	* 1.5463	* 1.3167	* 1.4614	* 1.5694	* 0.8087 *
	* 1.9963	* 1.9399	* 1.5600	* 1.3700	* 1.6043	* 1.4431	* 1.3442	* 2.3486 *
10	* 1.4951	* 1.3530	* 1.1522	* 1.2579	* 1.5025	* 1.4021	* 1.5177	* 0.7582 *
	* 1.4178	* 1.5605	* 1.8332	* 1.6714	* 1.4004	* 1.4841	* 1.3808	* 2.4702 *
11	* 1.3016	* 1.5457	* 1.2578	* 1.4155	* 1.2800	* 1.4341	* 1.4385	* 0.6198 *
	* 1.6202	* 1.3707	* 1.6715	* 1.4585	* 1.5773	* 1.4381	* 1.4418	* 3.0668 *
12	* 1.5690	* 1.3163	* 1.5026	* 1.2802	* 0.9311	* 1.2402	* 0.8632	*
	* 1.3504	* 1.6046	* 1.4004	* 1.5771	* 1.7931	* 1.4685	* 2.0442	*
13	* 1.4633	* 1.4615	* 1.4026	* 1.4346	* 1.2408	* 0.6622	* 0.4052	*
	* 1.4429	* 1.4431	* 1.4836	* 1.4377	* 1.4681	* 2.1276	* 3.9951	*
14	* 1.5808	* 1.5697	* 1.5184	* 1.4396	* 0.8639	* 0.4100	*	
	* 1.3366	* 1.3440	* 1.3802	* 1.4407	* 2.0429	* 3.9383	*	
15	* 0.8108	* 0.8089	* 0.7588	* 0.6233	F-SUB-Q			
	* 2.3463	* 2.3481	* 2.4683	* 3.0273	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 124 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 150 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9369	* 1.1163	* 1.6005	* 1.3756	* 1.6845	* 1.5470	* 1.6993	* 0.8575 *
	* 1.6418	* 1.9719	* 1.3765	* 1.5892	* 1.3034	* 1.4135	* 1.2844	* 2.2933 *
9	* 1.1163	* 1.1442	* 1.4256	* 1.6600	* 1.3935	* 1.5456	* 1.6881	* 0.8584 *
	* 1.9719	* 1.9293	* 1.5395	* 1.3231	* 1.5710	* 1.4139	* 1.2921	* 2.2885 *
10	* 1.6005	* 1.4251	* 1.2120	* 1.3290	* 1.6189	* 1.4911	* 1.6393	* 0.8038 *
	* 1.3765	* 1.5401	* 1.8160	* 1.6426	* 1.3469	* 1.4457	* 1.3241	* 2.4169 *
11	* 1.3756	* 1.6591	* 1.3288	* 1.5288	* 1.3674	* 1.5522	* 1.5605	* 0.6625 *
	* 1.5892	* 1.3238	* 1.6428	* 1.4059	* 1.5387	* 1.3805	* 1.3776	* 2.9716 *
12	* 1.6845	* 1.3929	* 1.6189	* 1.3676	* 1.0018	* 1.3530	* 0.9315	*
	* 1.3034	* 1.5715	* 1.3469	* 1.5385	* 1.7546	* 1.4109	* 1.9810	*
13	* 1.5470	* 1.5455	* 1.4916	* 1.5528	* 1.3536	* 0.7172	* 0.4346	*
	* 1.4135	* 1.4140	* 1.4452	* 1.3801	* 1.4105	* 2.0770	* 3.9272	*
14	* 1.6993	* 1.6884	* 1.6401	* 1.5617	* 0.9322	* 0.4401	*	
	* 1.2844	* 1.2919	* 1.3235	* 1.3766	* 1.9797	* 3.8676	*	
15	* 0.8575	* 0.8585	* 0.8044	* 0.6654	F-SUB-Q			
	* 2.2933	* 2.2880	* 2.4151	* 2.9368	M-SUB-Q			

AT 75% POWER, 150 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9906	* 1.1611	* 1.6642	* 1.4216	* 1.7528	* 1.5977	* 1.7708	* 0.8909 *
	* 1.6593	* 1.9964	* 1.3827	* 1.6013	* 1.2998	* 1.4196	* 1.2780	* 2.2912 *
9	* 1.1611	* 1.1797	* 1.4694	* 1.7283	* 1.4418	* 1.5970	* 1.7605	* 0.8930 *
	* 1.9964	* 1.9626	* 1.5594	* 1.3234	* 1.5803	* 1.4198	* 1.2850	* 2.2835 *
10	* 1.6642	* 1.4688	* 1.2553	* 1.3765	* 1.6945	* 1.5504	* 1.7180	* 0.8379 *
	* 1.3827	* 1.5602	* 1.8305	* 1.6582	* 1.3461	* 1.4498	* 1.3153	* 2.4075 *
11	* 1.4216	* 1.7271	* 1.3762	* 1.6097	* 1.4378	* 1.6392	* 1.6468	* 0.6974 *
	* 1.6013	* 1.3244	* 1.6586	* 1.4016	* 1.5418	* 1.3718	* 1.3731	* 2.9564 *
12	* 1.7528	* 1.4411	* 1.6946	* 1.4380	* 1.0703	* 1.4481	* 0.9917	*
	* 1.2998	* 1.5809	* 1.3461	* 1.5416	* 1.7643	* 1.4057	* 1.9701	*
13	* 1.5977	* 1.5970	* 1.5508	* 1.6397	* 1.4486	* 0.7785	* 0.4653	*
	* 1.4196	* 1.4198	* 1.4493	* 1.3714	* 1.4054	* 2.0807	* 3.9426	*
14	* 1.7708	* 1.7608	* 1.7188	* 1.6479	* 0.9925	* 0.4717	*	
	* 1.2780	* 1.2848	* 1.3147	* 1.3721	* 1.9689	* 3.8783	*	
15	* 0.8909	* 0.8932	* 0.8385	* 0.6999	F-SUB-Q			
	* 2.2912	* 2.2830	* 2.4058	* 2.9241	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 125 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.1049	* 1.2047	* 1.7313	* 1.4637	* 1.8207	* 1.6460	* 1.8432	* 0.9113
	* 1.6851	* 2.0285	* 1.4075	* 1.6383	* 1.3136	* 1.4444	* 1.2825	* 2.3394
9	* 1.2047	* 1.2193	* 1.5142	* 1.7969	* 1.4865	* 1.6467	* 1.8337	* 0.9127
	* 2.0285	* 2.0269	* 1.6018	* 1.3417	* 1.6140	* 1.4449	* 1.2904	* 2.3352
10	* 1.7313	* 1.5134	* 1.2869	* 1.4209	* 1.7739	* 1.6094	* 1.7988	* 0.8585
	* 1.4075	* 1.6027	* 1.8904	* 1.7018	* 1.3633	* 1.4746	* 1.3242	* 2.4691
11	* 1.4637	* 1.7955	* 1.4205	* 1.7036	* 1.5150	* 1.7381	* 1.7395	* 0.7187
	* 1.6383	* 1.3428	* 1.7022	* 1.4022	* 1.5510	* 1.3669	* 1.3872	* 3.0408
12	* 1.8207	* 1.4857	* 1.7738	* 1.5151	* 1.1809	* 1.5694	* 1.0460	*
	* 1.3136	* 1.6147	* 1.3634	* 1.5508	* 1.7875	* 1.4103	* 1.9980	*
13	* 1.6460	* 1.6466	* 1.6099	* 1.7387	* 1.5699	* 0.8674	* 0.4951	*
	* 1.4444	* 1.4450	* 1.4742	* 1.3666	* 1.4100	* 2.1234	* 4.0437	*
14	* 1.8432	* 1.8340	* 1.7995	* 1.7406	* 1.0467	* 0.5016	*	*
	* 1.2825	* 1.2902	* 1.3237	* 1.3863	* 1.9969	* 3.9804	*	*
15	* 0.9113	* 0.9129	* 0.8591	* 0.7207	* F-SUB-Q			
	* 2.3394	* 2.3348	* 2.4674	* 3.0102	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	1.3567	1.2464	1.7782	1.4921	1.8647	1.6777	1.8909	0.9273
	1.7336	2.0974	1.4678	1.7106	1.3604	1.5012	1.3206	2.4276
9	1.2464	1.2513	1.5456	1.8426	1.5169	1.6797	1.8830	0.9284
	2.0974	2.1122	1.6796	1.3940	1.6826	1.5018	1.3293	2.4255
10	1.7782	1.5447	1.3120	1.4540	1.8422	1.6562	1.8565	0.8757
	1.4678	1.6807	1.9849	1.7819	1.4097	1.5323	1.3671	2.5699
11	1.4921	1.8410	1.4536	1.7861	1.5881	1.8231	1.8128	0.7384
	1.7106	1.3952	1.7824	1.4291	1.5871	1.3907	1.4138	3.1694
12	1.8647	1.5160	1.8423	1.5882	1.3114	1.7010	1.1005	
	1.3604	1.6834	1.4097	1.5869	1.8270	1.4323	2.0414	
13	1.6777	1.6796	1.6568	1.8235	1.7014	0.9752	0.5271	
	1.5012	1.5019	1.5319	1.3904	1.4320	2.1767	4.1492	
14	1.8909	1.8832	1.8572	1.8138	1.1011	0.5341		
	1.3206	1.3291	1.3665	1.4129	2.0403	4.0837		
15	0.9273	0.9286	0.8762	0.7401	F-SUB-Q			
	2.4276	2.4250	2.5683	3.1388	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 126 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 150 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5018	* 1.2785	* 1.8214	* 1.5162	* 1.9060	* 1.7058	* 1.9351	* 0.9377 *
	* 1.8155	* 2.1906	* 1.5433	* 1.8062	* 1.4233	* 1.5771	* 1.3750	* 2.5566 *
9	* 1.2785	* 1.2794	* 1.5734	* 1.8851	* 1.5429	* 1.7096	* 1.9286	* 0.9357 *
	* 2.1906	* 2.1941	* 1.7783	* 1.4631	* 1.7739	* 1.5774	* 1.3847	* 2.5644 *
10	* 1.8214	* 1.5724	* 1.3312	* 1.4837	* 1.9077	* 1.7027	* 1.9098	* 0.8868 *
	* 1.5433	* 1.7795	* 2.1088	* 1.8719	* 1.4473	* 1.5962	* 1.4265	* 2.7152 *
11	* 1.5162	* 1.8833	* 1.4832	* 1.8594	* 1.6502	* 1.9011	* 1.8791	* 0.7518 *
	* 1.8062	* 1.4646	* 1.8721	* 1.4771	* 1.6473	* 1.4345	* 1.4487	* 3.3239 *
12	* 1.9060	* 1.5419	* 1.9077	* 1.6503	* 1.4111	* 1.8084	* 1.1408	*
	* 1.4233	* 1.7749	* 1.4473	* 1.6472	* 1.9022	* 1.4791	* 2.1283	*
13	* 1.7058	* 1.7095	* 1.7033	* 1.9014	* 1.8088	* 1.0490	* 0.5517	*
	* 1.5771	* 1.5775	* 1.5957	* 1.4342	* 1.4788	* 2.2718	* 4.3359	*
14	* 1.9351	* 1.9289	* 1.9105	* 1.8801	* 1.1414	* 0.5591	*	*
	* 1.3750	* 1.3845	* 1.4259	* 1.4479	* 2.1272	* 4.2668	*	*
15	* 0.9377	* 0.9359	* 0.8874	* 0.7533	F-SUB-Q			
	* 2.5566	* 2.5639	* 2.7134	* 3.2932	M-SUB-Q			

AT 75% POWER, 150 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5275	* 1.2949	* 1.8173	* 1.5155	* 1.9000	* 1.7050	* 1.9313	* 0.9502 *
	* 1.9462	* 2.3034	* 1.6446	* 1.9487	* 1.5360	* 1.6966	* 1.4777	* 2.7050 *
9	* 1.2949	* 1.2824	* 1.5714	* 1.8799	* 1.5433	* 1.7085	* 1.9260	* 0.9523 *
	* 2.3034	* 2.3288	* 1.8928	* 1.5837	* 1.9118	* 1.6970	* 1.4886	* 2.7015 *
10	* 1.8173	* 1.5704	* 1.3443	* 1.4939	* 1.9180	* 1.7146	* 1.9140	* 0.9029 *
	* 1.6446	* 1.8941	* 2.2195	* 1.9800	* 1.5320	* 1.6849	* 1.5213	* 2.8680 *
11	* 1.5155	* 1.8779	* 1.4932	* 1.8739	* 1.6703	* 1.9200	* 1.8940	* 0.7721 *
	* 1.9487	* 1.5854	* 1.9803	* 1.5670	* 1.7397	* 1.5155	* 1.5286	* 3.4368 *
12	* 1.9000	* 1.5422	* 1.9180	* 1.6704	* 1.4442	* 1.8442	* 1.1786	*
	* 1.5360	* 1.9129	* 1.5320	* 1.7395	* 2.0207	* 1.5697	* 2.2101	*
13	* 1.7050	* 1.7084	* 1.7151	* 1.9204	* 1.8446	* 1.0947	* 0.5748	*
	* 1.6966	* 1.6972	* 1.6844	* 1.5152	* 1.5694	* 2.3823	* 4.5161	*
14	* 1.9313	* 1.9263	* 1.9147	* 1.8950	* 1.1792	* 0.5831	*	*
	* 1.4777	* 1.4884	* 1.5207	* 1.5278	* 2.2091	* 4.4392	*	*
15	* 0.9502	* 0.9525	* 0.9035	* 0.7736	F-SUB-Q			
	* 2.7050	* 2.7010	* 2.8663	* 3.4048	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 127 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 150 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5678	* 1.3024	* 1.8565	* 1.5336	* 1.9421	* 1.7288	* 1.9776	* 0.9489 *
	* 2.0313	* 2.4475	* 1.7195	* 2.0650	* 1.6221	* 1.8037	* 1.5539	* 2.9119 *
9	* 1.3024	* 1.2975	* 1.5921	* 1.9211	* 1.5634	* 1.7345	* 1.9731	* 0.9472 *
	* 2.4475	* 2.4581	* 1.9947	* 1.6545	* 2.0245	* 1.8014	* 1.5656	* 2.9221 *
10	* 1.8565	* 1.5911	* 1.3473	* 1.5116	* 1.9707	* 1.7497	* 1.9653	* 0.8998 *
	* 1.7195	* 1.9961	* 2.3618	* 2.0872	* 1.5940	* 1.7632	* 1.5788	* 3.0795 *
11	* 1.5336	* 1.9190	* 1.5113	* 1.9289	* 1.7058	* 1.9787	* 1.9503	* 0.7698 *
	* 2.0650	* 1.6563	* 2.0876	* 1.6296	* 1.8223	* 1.5737	* 1.5861	* 3.6767 *
12	* 1.9421	* 1.5622	* 1.9707	* 1.7058	* 1.4783	* 1.9036	* 1.1877	*
	* 1.6221	* 2.0258	* 1.5940	* 1.8222	* 2.1151	* 1.6287	* 2.3463	*
13	* 1.7288	* 1.7344	* 1.7502	* 1.9790	* 1.9039	* 1.1073	* 0.5764	*
	* 1.8037	* 1.8016	* 1.7627	* 1.5734	* 1.6284	* 2.5254	* 4.8172	*
14	* 1.9776	* 1.9734	* 1.9659	* 1.9512	* 1.1882	* 0.5841	*	
	* 1.5539	* 1.5654	* 1.5783	* 1.5853	* 2.3452	* 4.7403	*	
15	* 0.9489	* 0.9473	* 0.9003	* 0.7707	F-SUB-Q			
	* 2.9119	* 2.9215	* 3.0777	* 3.6454	M-SUB-Q			

AT 75% POWER, 150 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5721	* 1.3018	* 1.8610	* 1.5336	* 1.9493	* 1.7314	* 1.9884	* 0.9502 *
	* 2.0891	* 2.4949	* 1.7487	* 2.1030	* 1.6655	* 1.8664	* 1.6340	* 3.0924 *
9	* 1.3018	* 1.2954	* 1.5905	* 1.9273	* 1.5648	* 1.7377	* 1.9846	* 0.9486 *
	* 2.4949	* 2.5109	* 2.0346	* 1.6865	* 2.0679	* 1.8613	* 1.6385	* 3.0946 *
10	* 1.8610	* 1.5895	* 1.3463	* 1.5137	* 1.9842	* 1.7593	* 1.9797	* 0.9011 *
	* 1.7487	* 2.0360	* 2.4093	* 2.1433	* 1.6456	* 1.8387	* 1.6468	* 3.2364 *
11	* 1.5336	* 1.9251	* 1.5134	* 1.9429	* 1.7142	* 1.9970	* 1.9687	* 0.7731 *
	* 2.1030	* 1.6884	* 2.1437	* 1.6858	* 1.8937	* 1.6393	* 1.6609	* 3.8656 *
12	* 1.9493	* 1.5634	* 1.9841	* 1.7142	* 1.4875	* 1.9238	* 1.1962	*
	* 1.6655	* 2.0693	* 1.6457	* 1.8937	* 2.2111	* 1.7075	* 2.4665	*
13	* 1.7314	* 1.7376	* 1.7597	* 1.9973	* 1.9240	* 1.1165	* 0.5796	*
	* 1.8664	* 1.8615	* 1.8382	* 1.6391	* 1.7072	* 2.6657	* 5.1211	*
14	* 1.9884	* 1.9848	* 1.9803	* 1.9696	* 1.1967	* 0.5875	*	
	* 1.6340	* 1.6384	* 1.6463	* 1.6602	* 2.4655	* 5.0385	*	
15	* 0.9502	* 0.9488	* 0.9016	* 0.7739	F-SUB-Q			
	* 3.0924	* 3.0940	* 3.2346	* 3.8337	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 128 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 150 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5489	* 1.2940	* 1.8355	* 1.5174	* 1.9260	* 1.7151	* 1.9690	* 0.9525 *
	* 2.0971	* 2.4792	* 1.7506	* 2.0984	* 1.6642	* 1.8603	* 1.6288	* 3.0409 *
9	* 1.2940	* 1.2790	* 1.5698	* 1.9029	* 1.5493	* 1.7210	* 1.9655	* 0.9531 *
	* 2.4792	* 2.5112	* 2.0351	* 1.6862	* 2.0618	* 1.8554	* 1.6333	* 3.0370 *
10	* 1.8355	* 1.5687	* 1.3406	* 1.5007	* 1.9643	* 1.7472	* 1.9628	* 0.9054 *
	* 1.7506	* 2.0367	* 2.3886	* 2.1326	* 1.6441	* 1.8308	* 1.6412	* 3.1799 *
11	* 1.5174	* 1.9005	* 1.5005	* 1.9231	* 1.7002	* 1.9811	* 1.9552	* 0.7804 *
	* 2.0984	* 1.6882	* 2.1338	* 1.6862	* 1.8899	* 1.6361	* 1.6553	* 3.7842 *
12	* 1.9260	* 1.5479	* 1.9641	* 1.7002	* 1.4777	* 1.9124	* 1.2045	*
	* 1.6642	* 2.0634	* 1.6442	* 1.8899	* 2.2050	* 1.7029	* 2.4268	*
13	* 1.7151	* 1.7209	* 1.7477	* 1.9814	* 1.9127	* 1.1238	* 0.5848	*
	* 1.8603	* 1.8557	* 1.8303	* 1.6359	* 1.7026	* 2.6274	* 5.0326	*
14	* 1.9690	* 1.9657	* 1.9633	* 1.9560	* 1.2050	* 0.5931	*	
	* 1.6288	* 1.6332	* 1.6408	* 1.6545	* 2.4259	* 4.9482	*	
15	* 0.9525	* 0.9532	* 0.9059	* 0.7813	* F-SUB-Q			
	* 3.0409	* 3.0365	* 3.1782	* 3.7529	* M-SUB-Q			

AT 75% POWER, 150 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5575	* 1.2826	* 1.8501	* 1.5178	* 1.9452	* 1.7203	* 1.9947	* 0.9418 *
	* 2.0131	* 2.4061	* 1.6874	* 2.0364	* 1.6062	* 1.8066	* 1.5710	* 2.9786 *
9	* 1.2826	* 1.2759	* 1.5702	* 1.9197	* 1.5514	* 1.7281	* 1.9914	* 0.9382 *
	* 2.4061	* 2.4197	* 1.9706	* 1.6277	* 2.0016	* 1.8017	* 1.5760	* 2.9925 *
10	* 1.8501	* 1.5690	* 1.3268	* 1.4980	* 1.9867	* 1.7586	* 1.9900	* 0.8923 *
	* 1.6874	* 1.9721	* 2.3344	* 2.0894	* 1.5982	* 1.7884	* 1.5884	* 3.1334 *
11	* 1.5178	* 1.9172	* 1.4976	* 1.9435	* 1.7072	* 2.0081	* 1.9839	* 0.7681 *
	* 2.0364	* 1.6298	* 2.0899	* 1.6411	* 1.8518	* 1.5929	* 1.6078	* 3.7304 *
12	* 1.9452	* 1.5499	* 1.9865	* 1.7071	* 1.4827	* 1.9363	* 1.1931	*
	* 1.6062	* 2.0032	* 1.5984	* 1.8518	* 2.1599	* 1.6562	* 2.3951	*
13	* 1.7203	* 1.7279	* 1.7590	* 2.0083	* 1.9366	* 1.1124	* 0.5741	*
	* 1.8066	* 1.8019	* 1.7880	* 1.5927	* 1.6561	* 2.5866	* 4.9425	*
14	* 1.9947	* 1.9916	* 1.9905	* 1.9847	* 1.1935	* 0.5819	*	
	* 1.5710	* 1.5759	* 1.5880	* 1.6072	* 2.3943	* 4.8624	*	
15	* 0.9418	* 0.9384	* 0.8928	* 0.7685	* F-SUB-Q			
	* 2.9786	* 2.9920	* 3.1318	* 3.7020	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 129 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 75% POWER, 150 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5458	* 1.2677	* 1.8401	* 1.5055	* 1.9382	* 1.7098	* 1.9934	* 0.9328 *
	* 1.8465	* 2.2218	* 1.5497	* 1.8811	* 1.4843	* 1.6750	* 1.4501	* 2.7612 *
9	* 1.2677	* 1.2620	* 1.5555	* 1.9111	* 1.5402	* 1.7183	* 1.9902	* 0.9274 *
	* 2.2218	* 2.2344	* 1.8177	* 1.4988	* 1.8498	* 1.6693	* 1.4556	* 2.7776 *
10	* 1.8401	* 1.5543	* 1.3105	* 1.4848	* 1.9818	* 1.7528	* 1.9904	* 0.8827 *
	* 1.5497	* 1.8192	* 2.1594	* 1.9235	* 1.4649	* 1.6441	* 1.4603	* 2.9023 *
11	* 1.5055	* 1.9085	* 1.4844	* 1.9372	* 1.6976	* 2.0080	* 1.9862	* 0.7603 *
	* 1.8811	* 1.5007	* 1.9241	* 1.5013	* 1.6989	* 1.4549	* 1.4688	* 3.4474 *
12	* 1.9382	* 1.5386	* 1.9816	* 1.6975	* 1.4740	* 1.9362	* 1.1825	*
	* 1.4843	* 1.8514	* 1.4650	* 1.6990	* 1.9823	* 1.5121	* 2.2053	*
13	* 1.7098	* 1.7181	* 1.7532	* 2.0082	* 1.9364	* 1.1027	* 0.5666	*
	* 1.6750	* 1.6695	* 1.6439	* 1.4547	* 1.5120	* 2.3825	* 4.5727	*
14	* 1.9934	* 1.9904	* 1.9911	* 1.9869	* 1.1829	* 0.5744	*	
	* 1.4501	* 1.4555	* 1.4600	* 1.4683	* 2.2047	* 4.4977	*	
15	* 0.9328	* 0.9275	* 0.8831	* 0.7603	* F-SUB-Q			
	* 2.7612	* 2.7772	* 2.9009	* 3.4226	* M-SUB-Q			

AT 75% POWER, 150 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5237	* 1.2506	* 1.8157	* 1.4843	* 1.9155	* 1.6896	* 1.9746	* 0.9236 *
	* 1.7225	* 2.0746	* 1.4467	* 1.7567	* 1.3803	* 1.5578	* 1.3460	* 2.5684 *
9	* 1.2506	* 1.2426	* 1.5320	* 1.8868	* 1.5196	* 1.6985	* 1.9716	* 0.9195 *
	* 2.0746	* 2.0916	* 1.7012	* 1.3990	* 1.7263	* 1.5537	* 1.3506	* 2.5785 *
10	* 1.8157	* 1.5307	* 1.2940	* 1.4636	* 1.9600	* 1.7348	* 1.9733	* 0.8740 *
	* 1.4467	* 1.7026	* 2.0162	* 1.7971	* 1.3632	* 1.5302	* 1.3579	* 2.7040 *
11	* 1.4843	* 1.8840	* 1.4631	* 1.9151	* 1.6769	* 1.9899	* 1.9702	* 0.7544 *
	* 1.7567	* 1.4009	* 1.7976	* 1.3961	* 1.5824	* 1.3495	* 1.3623	* 3.2046 *
12	* 1.9155	* 1.5180	* 1.9597	* 1.6769	* 1.4566	* 1.9198	* 1.1747	*
	* 1.3803	* 1.7278	* 1.3634	* 1.5825	* 1.8439	* 1.4009	* 2.0416	*
13	* 1.6896	* 1.6983	* 1.7351	* 1.9901	* 1.9200	* 1.0932	* 0.5608	*
	* 1.5578	* 1.5540	* 1.5299	* 1.3494	* 1.4008	* 2.2083	* 4.2513	*
14	* 1.9746	* 1.9717	* 1.9740	* 1.9709	* 1.1751	* 0.5685	*	
	* 1.3460	* 1.3506	* 1.3576	* 1.3619	* 2.0410	* 4.1820	*	
15	* 0.9236	* 0.9197	* 0.8744	* 0.7543	* F-SUB-Q			
	* 2.5684	* 2.5781	* 2.7027	* 3.1819	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 130 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.4855	* 1.2304	* 1.7705	* 1.4525	* 1.8703	* 1.6557	* 1.9321	* 0.9143
	* 1.7690	* 2.1131	* 1.4825	* 1.7929	* 1.4130	* 1.5904	* 1.3760	* 2.5999
9	* 1.2304	* 1.2147	* 1.4965	* 1.8407	* 1.4879	* 1.6642	* 1.9292	* 0.9129
	* 2.1131	* 2.1447	* 1.7414	* 1.4303	* 1.7607	* 1.5858	* 1.3798	* 2.6018
10	* 1.7705	* 1.4952	* 1.2748	* 1.4380	* 1.9150	* 1.7021	* 1.9325	* 0.8672
	* 1.4825	* 1.7429	* 2.0472	* 1.8291	* 1.3977	* 1.5625	* 1.3864	* 2.7234
11	* 1.4525	* 1.8379	* 1.4377	* 1.8705	* 1.6429	* 1.9494	* 1.9317	* 0.7508
	* 1.7929	* 1.4324	* 1.8305	* 1.4312	* 1.6182	* 1.3790	* 1.3918	* 3.2289
12	* 1.8703	* 1.4863	* 1.9147	* 1.6429	* 1.4281	* 1.8831	* 1.1664	*
	* 1.4130	* 1.7623	* 1.3979	* 1.6183	* 1.8817	* 1.4285	* 2.0596	*
13	* 1.6557	* 1.6640	* 1.7024	* 1.9495	* 1.8832	* 1.0842	* 0.5569	*
	* 1.5904	* 1.5860	* 1.5623	* 1.3789	* 1.4284	* 2.2285	* 4.2942	*
14	* 1.9321	* 1.9294	* 1.9331	* 1.9323	* 1.1668	* 0.5649	*	
	* 1.3760	* 1.3797	* 1.3862	* 1.3913	* 2.0591	* 4.2222	*	
15	* 0.9143	* 0.9131	* 0.8676	* 0.7507	* F-SUB-Q			
	* 2.5999	* 2.6014	* 2.7222	* 3.2058	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.4782 *	* 1.2046 *	* 1.7633 *	* 1.4338 *	* 1.8638 *	* 1.6395 *	* 1.9307 *	* 0.8896 *
	* 1.6480 *	* 2.0083 *	* 1.3863 *	* 1.6953 *	* 1.3240 *	* 1.5007 *	* 1.2863 *	* 2.5000 *
9	* 1.2046 *	* 1.1984 *	* 1.4797 *	* 1.8328 *	* 1.4700 *	* 1.6501 *	* 1.9279 *	* 0.8832 *
	* 2.0083 *	* 2.0236 *	* 1.6409 *	* 1.3395 *	* 1.6641 *	* 1.4940 *	* 1.2890 *	* 2.5160 *
10	* 1.7633 *	* 1.4784 *	* 1.2439 *	* 1.4119 *	* 1.9095 *	* 1.6897 *	* 1.9327 *	* 0.8402 *
	* 1.3863 *	* 1.6424 *	* 1.9555 *	* 1.7371 *	* 1.3038 *	* 1.4644 *	* 1.2917 *	* 2.6252 *
11	* 1.4338 *	* 1.8299 *	* 1.4114 *	* 1.8643 *	* 1.6268 *	* 1.9490 *	* 1.9325 *	* 0.7256 *
	* 1.6953 *	* 1.3416 *	* 1.7377 *	* 1.3369 *	* 1.5221 *	* 1.2836 *	* 1.2940 *	* 3.1115 *
12	* 1.8638 *	* 1.4683 *	* 1.9092 *	* 1.6268 *	* 1.4126 *	* 1.8800 *	* 1.1341 *	
	* 1.3240 *	* 1.6657 *	* 1.3040 *	* 1.5222 *	* 1.7690 *	* 1.3340 *	* 1.9757 *	
13	* 1.6395 *	* 1.6499 *	* 1.6899 *	* 1.9491 *	* 1.8802 *	* 1.0551 *	* 0.5370 *	
	* 1.5007 *	* 1.4942 *	* 1.4642 *	* 1.2836 *	* 1.3339 *	* 2.1361 *	* 4.1640 *	
14	* 1.9307 *	* 1.9280 *	* 1.9333 *	* 1.9332 *	* 1.1345 *	* 0.5445 *		
	* 1.2863 *	* 1.2890 *	* 1.2914 *	* 1.2937 *	* 1.9752 *	* 4.0950 *		
15	* 0.8896 *	* 0.8833 *	* 0.8406 *	* 0.7250 *	F-SUB-Q			
	* 2.5000 *	* 2.5156 *	* 2.6241 *	* 3.0914 *	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 131 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.4410	* 1.1729	* 1.7173	* 1.3947	* 1.8154	* 1.5988	* 1.8844	* 0.8649
	* 1.5829	* 1.9414	* 1.3401	* 1.6435	* 1.2815	* 1.4517	* 1.2425	* 2.4294
9	* 1.1729	* 1.1674	* 1.4410	* 1.7838	* 1.4306	* 1.6102	* 1.8815	* 0.8582
	* 1.9414	* 1.9566	* 1.5874	* 1.2964	* 1.6125	* 1.4440	* 1.2448	* 2.4457
10	* 1.7173	* 1.4397	* 1.2099	* 1.3728	* 1.8601	* 1.6492	* 1.8867	* 0.8161
	* 1.3401	* 1.5889	* 1.8945	* 1.6807	* 1.2576	* 1.4107	* 1.2440	* 2.5500
11	* 1.3947	* 1.7809	* 1.3722	* 1.8164	* 1.5854	* 1.9041	* 1.8885	* 0.7048
	* 1.6435	* 1.2985	* 1.6813	* 1.2870	* 1.4662	* 1.2322	* 1.2432	* 3.0174
12	* 1.8154	* 1.4288	* 1.8598	* 1.5853	* 1.3768	* 1.8369	* 1.1042	*
	* 1.2815	* 1.6141	* 1.2578	* 1.4663	* 1.6981	* 1.2784	* 1.9036	*
13	* 1.5988	* 1.6101	* 1.6495	* 1.9043	* 1.8370	* 1.0272	* 0.5209	*
	* 1.4517	* 1.4442	* 1.4105	* 1.2322	* 1.2783	* 2.0559	* 4.0284	*
14	* 1.8844	* 1.8817	* 1.8873	* 1.8892	* 1.1045	* 0.5282	*	
	* 1.2425	* 1.2448	* 1.2436	* 1.2428	* 1.9031	* 3.9618	*	
15	* 0.8649	* 0.8583	* 0.8165	* 0.7042	* F-SUB-Q			
	* 2.4294	* 2.4453	* 2.5489	* 2.9982	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.3658	* 1.1311	* 1.6230	* 1.3294	* 1.7153	* 1.5272	* 1.7808	* 0.8373
	* 1.5869	* 1.9162	* 1.3489	* 1.6419	* 1.2908	* 1.4471	* 1.2512	* 2.3929
9	* 1.1311	* 1.1178	* 1.3751	* 1.6838	* 1.3637	* 1.5381	* 1.7780	* 0.8350
	* 1.9162	* 1.9452	* 1.5836	* 1.3069	* 1.6104	* 1.4392	* 1.2534	* 2.3969
10	* 1.6230	* 1.3738	* 1.1689	* 1.3174	* 1.7562	* 1.5730	* 1.7821	* 0.7922
	* 1.3489	* 1.5851	* 1.8674	* 1.6684	* 1.2650	* 1.4051	* 1.2511	* 2.5035
11	* 1.3294	* 1.6810	* 1.3171	* 1.7166	* 1.5124	* 1.8030	* 1.7871	* 0.6860
	* 1.6419	* 1.3090	* 1.6697	* 1.2924	* 1.4588	* 1.2345	* 1.2469	* 2.9520
12	* 1.7153	* 1.3621	* 1.7559	* 1.5123	* 1.3152	* 1.7418	* 1.0722	
	* 1.2908	* 1.6120	* 1.2652	* 1.4589	* 1.6868	* 1.2780	* 1.8612	
13	* 1.5272	* 1.5379	* 1.5733	* 1.8031	* 1.7419	* 0.9966	* 0.5077	
	* 1.4471	* 1.4394	* 1.4049	* 1.2345	* 1.2779	* 2.0103	* 3.9283	
14	* 1.7808	* 1.7781	* 1.7827	* 1.7877	* 1.0725	* 0.5152		
	* 1.2512	* 1.2533	* 1.2507	* 1.2465	* 1.8608	* 3.8609		
15	* 0.8373	* 0.8352	* 0.7926	* 0.6860	F-SUB-Q			
	* 2.3929	* 2.3965	* 2.5024	* 2.9305	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 132 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.3000	* 1.0703	* 1.5419	* 1.2642	* 1.6277	* 1.4568	* 1.6907	* 0.7851
	* 1.6025	* 1.9471	* 1.3637	* 1.6593	* 1.3064	* 1.4575	* 1.2656	* 2.4556
9	* 1.0703	* 1.0696	* 1.3145	* 1.5968	* 1.2973	* 1.4697	* 1.6878	* 0.7791
	* 1.9471	* 1.9557	* 1.5919	* 1.3234	* 1.6269	* 1.4468	* 1.2678	* 2.4718
10	* 1.5419	* 1.3133	* 1.1031	* 1.2445	* 1.6653	* 1.4986	* 1.6892	* 0.7393
	* 1.3637	* 1.5934	* 1.9020	* 1.6929	* 1.2796	* 1.4149	* 1.2663	* 2.5802
11	* 1.2642	* 1.5941	* 1.2440	* 1.6302	* 1.4410	* 1.7135	* 1.6954	* 0.6365
	* 1.6593	* 1.3257	* 1.6936	* 1.3052	* 1.4690	* 1.2452	* 1.2604	* 3.0592
12	* 1.6277	* 1.2958	* 1.6651	* 1.4409	* 1.2532	* 1.6523	* 1.0010	
	* 1.3064	* 1.6286	* 1.2799	* 1.4691	* 1.6983	* 1.2912	* 1.9134	
13	* 1.4568	* 1.4695	* 1.4988	* 1.7136	* 1.6525	* 0.9330	* 0.4727	
	* 1.4575	* 1.4471	* 1.4147	* 1.2451	* 1.2911	* 2.0608	* 4.0560	
14	* 1.6907	* 1.6879	* 1.6898	* 1.6960	* 1.0013	* 0.4788		
	* 1.2656	* 1.2678	* 1.2658	* 1.2600	* 1.9129	* 3.9932		
15	* 0.7851	* 0.7793	* 0.7397	* 0.6365	* F-SUB-Q			
	* 2.4556	* 2.4714	* 2.5791	* 3.0370	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.1596	* 0.9705	* 1.3743	* 1.1489	* 1.4506	* 1.3216	* 1.5035	* 0.7169
	* 1.7433	* 2.0836	* 1.4829	* 1.7697	* 1.4198	* 1.5571	* 1.3787	* 2.6110
9	* 0.9705	* 0.9723	* 1.1977	* 1.4239	* 1.1786	* 1.3289	* 1.5004	* 0.7084
	* 2.0836	* 2.0877	* 1.6942	* 1.4381	* 1.7355	* 1.5498	* 1.3815	* 2.6392
10	* 1.3743	* 1.1966	* 0.9998	* 1.1321	* 1.4823	* 1.3541	* 1.5003	* 0.6723
	* 1.4829	* 1.6958	* 2.0352	* 1.8031	* 1.3915	* 1.5158	* 1.3813	* 2.7541
11	* 1.1489	* 1.4215	* 1.1316	* 1.4516	* 1.3078	* 1.5238	* 1.5055	* 0.5754
	* 1.7697	* 1.4405	* 1.8038	* 1.4182	* 1.5668	* 1.3551	* 1.3741	* 3.2848
12	* 1.4506	* 1.1772	* 1.4821	* 1.3077	* 1.1341	* 1.4683	* 0.9029	*
	* 1.4198	* 1.7373	* 1.3918	* 1.5669	* 1.8178	* 1.4065	* 2.0565	*
13	* 1.3216	* 1.3288	* 1.3543	* 1.5239	* 1.4684	* 0.8441	* 0.4291	*
	* 1.5571	* 1.5500	* 1.5156	* 1.3550	* 1.4064	* 2.2085	* 4.3383	*
14	* 1.5035	* 1.5005	* 1.5006	* 1.5061	* 0.9031	* 0.4344	*	*
	* 1.3787	* 1.3814	* 1.3810	* 1.3737	* 2.0559	* 4.2744	*	*
15	* 0.7169	* 0.7086	* 0.6727	* 0.5762	* F-SUB-Q			
	* 2.6110	* 2.6388	* 2.7529	* 3.2567	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 133 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 150 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9368	* 0.7768	* 1.1496	* 0.9274	* 1.2250	* 1.0576	* 1.2494	* 0.5859
	* 2.1102	* 2.5448	* 1.7321	* 2.1408	* 1.6411	* 1.8974	* 1.6193	* 3.1255
9	* 0.7768	* 0.7730	* 0.9710	* 1.1974	* 0.9520	* 1.0528	* 1.2464	* 0.5782
	* 2.5448	* 2.5675	* 2.0417	* 1.6693	* 2.0969	* 1.9086	* 1.6232	* 3.1624
10	* 1.1496	* 0.9700	* 0.8033	* 0.9175	* 1.2482	* 1.0724	* 1.2417	* 0.5470
	* 1.7321	* 2.0438	* 2.4805	* 2.1720	* 1.6126	* 1.8673	* 1.6288	* 3.3116
11	* 0.9274	* 1.1958	* 0.9171	* 1.2109	* 1.0493	* 1.2273	* 1.2005	* 0.4644
	* 2.1408	* 1.6716	* 2.1728	* 1.6597	* 1.9046	* 1.6424	* 1.6814	* 3.9839
12	* 1.2250	* 0.9509	* 1.2480	* 1.0493	* 0.9005	* 1.1808	* 0.7261	*
	* 1.6411	* 2.0989	* 1.6129	* 1.9047	* 2.2341	* 1.7069	* 2.4998	*
13	* 1.0576	* 1.0527	* 1.0726	* 1.2273	* 1.1808	* 0.6766	* 0.3484	*
	* 1.8974	* 1.9089	* 1.8671	* 1.6424	* 1.7068	* 2.6937	* 5.2333	*
14	* 1.2494	* 1.2464	* 1.2419	* 1.2009	* 0.7263	* 0.3525	*	*
	* 1.6193	* 1.6232	* 1.6285	* 1.6809	* 2.4992	* 5.1581	*	*
15	* 0.5859	* 0.5783	* 0.5472	* 0.4660	* F-SUB-Q			
	* 3.1255	* 3.1618	* 3.3103	* 3.9418	* M-SUB-Q			

AT 75% POWER, 150 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3767 *	* 0.3357 *	* 0.4503 *	* 0.4015 *	* 0.4857 *	* 0.4198 *	* 0.4559 *	* 0.2436 *
	* 5.1521 *	* 5.7808 *	* 4.3337 *	* 4.8487 *	* 4.0467 *	* 4.6799 *	* 4.3457 *	* 7.3808 *
9	* 0.3357 *	* 0.3295 *	* 0.3880 *	* 0.4726 *	* 0.4066 *	* 0.4153 *	* 0.4546 *	* 0.2395 *
	* 5.7808 *	* 5.9097 *	* 5.0064 *	* 4.1445 *	* 4.8116 *	* 4.7343 *	* 4.3579 *	* 7.4968 *
10	* 0.4503 *	* 0.3876 *	* 0.3485 *	* 0.3975 *	* 0.4901 *	* 0.4202 *	* 0.4515 *	* 0.2301 *
	* 4.3337 *	* 5.0115 *	* 5.6012 *	* 4.9144 *	* 4.0190 *	* 4.6558 *	* 4.3864 *	* 7.7280 *
11	* 0.4015 *	* 0.4720 *	* 0.3974 *	* 0.4760 *	* 0.4186 *	* 0.4847 *	* 0.4301 *	* 0.2018 *
	* 4.8487 *	* 4.1497 *	* 4.9160 *	* 4.1303 *	* 4.6711 *	* 4.0730 *	* 4.6004 *	* 9.0023 *
12	* 0.4857 *	* 0.4063 *	* 0.4900 *	* 0.4186 *	* 0.3802 *	* 0.4282 *	* 0.2950 *	
	* 4.0467 *	* 4.8153 *	* 4.0197 *	* 4.6715 *	* 5.1843 *	* 4.6131 *	* 6.0373 *	
13	* 0.4198 *	* 0.4152 *	* 0.4202 *	* 0.4847 *	* 0.4283 *	* 0.2772 *	* 0.1495 *	
	* 4.6799 *	* 4.7351 *	* 4.6561 *	* 4.0730 *	* 4.6129 *	* 6.4512 *	* 11.9857 *	
14	* 0.4559 *	* 0.4546 *	* 0.4516 *	* 0.4302 *	* 0.2951 *	* 0.1505 *		
	* 4.3457 *	* 4.3578 *	* 4.3857 *	* 4.5992 *	* 6.0361 *	* 11.8762 *		
15	* 0.2436 *	* 0.2395 *	* 0.2302 *	* 0.2004 *	F-SUB-Q			
	* 7.3808 *	* 7.4955 *	* 7.7254 *	* 9.0027 *	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 134 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 225 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.2994	* 0.3733	* 0.5118	* 0.4730	* 0.5541	* 0.4895	* 0.5127	* 0.2883
	* 4.6983	* 5.2938	* 3.9538	* 4.1759	* 3.6619	* 4.0757	* 4.0099	* 6.3880
9	* 0.3733	* 0.3829	* 0.4559	* 0.5403	* 0.4746	* 0.4848	* 0.5084	* 0.2858
	* 5.2938	* 5.2528	* 4.3578	* 3.7450	* 4.1704	* 4.1046	* 4.0380	* 6.4310
10	* 0.5118	* 0.4559	* 0.4189	* 0.4603	* 0.5288	* 0.4624	* 0.4874	* 0.2716
	* 3.9538	* 4.3581	* 4.7987	* 4.2971	* 3.7947	* 4.2112	* 4.1209	* 6.5594
11	* 0.4730	* 0.5403	* 0.4604	* 0.4933	* 0.4318	* 0.4806	* 0.4425	* 0.2235
	* 4.1759	* 3.7454	* 4.2968	* 4.0661	* 4.4724	* 4.1042	* 4.4753	* 8.0265
12	* 0.5541	* 0.4746	* 0.5288	* 0.4319	* 0.3268	* 0.3731	* 0.2870	*
	* 3.6619	* 4.1702	* 3.7945	* 4.4721	* 4.8012	* 4.5432	* 5.8364	*
13	* 0.4895	* 0.4848	* 0.4625	* 0.4807	* 0.3732	* 0.2235	* 0.1466	*
	* 4.0757	* 4.1045	* 4.2107	* 4.1034	* 4.5426	* 5.9690	* 10.4690	*
14	* 0.5127	* 0.5085	* 0.4876	* 0.4427	* 0.2872	* 0.1473	*	*
	* 4.0099	* 4.0375	* 4.1197	* 4.4735	* 5.8344	* 10.4105	*	*
15	* 0.2883	* 0.2859	* 0.2718	* 0.2224	* F-SUB-Q			
	* 6.3880	* 6.4300	* 6.5560	* 8.0067	* M-SUB-Q			

AT 75% POWER, 225 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.6490	* 0.7939	* 1.1492	* 1.0021	* 1.2333	* 1.1139	* 1.2339	* 0.6542
	* 2.1977	* 2.5539	* 1.8081	* 2.0287	* 1.6930	* 1.8393	* 1.7151	* 2.8985
9	* 0.7939	* 0.8212	* 1.0361	* 1.2054	* 1.0148	* 1.1039	* 1.2244	* 0.6483
	* 2.5539	* 2.4927	* 1.9655	* 1.7253	* 2.0075	* 1.8516	* 1.7188	* 2.9055
10	* 1.1492	* 1.0360	* 0.8837	* 0.9714	* 1.1816	* 1.0572	* 1.1781	* 0.6090
	* 1.8081	* 1.9657	* 2.3372	* 2.0870	* 1.7449	* 1.8985	* 1.7517	* 2.9994
11	* 1.0021	* 1.2052	* 0.9714	* 1.1018	* 0.9784	* 1.0748	* 1.0682	* 0.4916
	* 2.0287	* 1.7256	* 2.0869	* 1.8557	* 2.0004	* 1.8825	* 1.8983	* 3.7568
12	* 1.2333	* 1.0147	* 1.1817	* 0.9784	* 0.6948	* 0.9050	* 0.6607	*
	* 1.6930	* 2.0075	* 1.7449	* 2.0002	* 2.2796	* 1.9123	* 2.5860	*
13	* 1.1139	* 1.1039	* 1.0574	* 1.0751	* 0.9052	* 0.5114	* 0.3265	*
	* 1.8393	* 1.8516	* 1.8980	* 1.8822	* 1.9121	* 2.6505	* 4.7980	*
14	* 1.2339	* 1.2245	* 1.1786	* 1.0688	* 0.6610	* 0.3294	*	*
	* 1.7151	* 1.7186	* 1.7512	* 1.8973	* 2.5850	* 4.7537	*	*
15	* 0.6542	* 0.6485	* 0.6094	* 0.4960	* F-SUB-Q			
	* 2.8985	* 2.9048	* 2.9977	* 3.6961	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 135 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 0.7885	* 0.9738	* 1.3738	* 1.2199	* 1.4668	* 1.3605	* 1.4743	* 0.8000
	* 1.8630	* 2.1286	* 1.5438	* 1.7029	* 1.4519	* 1.5326	* 1.4473	* 2.3945
9	* 0.9738	* 1.0011	* 1.2486	* 1.4410	* 1.2348	* 1.3537	* 1.4630	* 0.7998
	* 2.1286	* 2.0818	* 1.6621	* 1.4725	* 1.6856	* 1.5380	* 1.4537	* 2.3880
10	* 1.3738	* 1.2484	* 1.0756	* 1.1796	* 1.4043	* 1.3006	* 1.4097	* 0.7494
	* 1.5438	* 1.6625	* 1.9397	* 1.7528	* 1.4998	* 1.5739	* 1.4914	* 2.4818
11	* 1.2199	* 1.4405	* 1.1796	* 1.3162	* 1.1890	* 1.3044	* 1.3112	* 0.6126
	* 1.7029	* 1.4730	* 1.7528	* 1.5765	* 1.6706	* 1.5776	* 1.5808	* 3.0797
12	* 1.4668	* 1.2345	* 1.4044	* 1.1891	* 0.8663	* 1.1231	* 0.8217	*
	* 1.4519	* 1.6857	* 1.4998	* 1.6704	* 1.9026	* 1.6147	* 2.1181	*
13	* 1.3605	* 1.3537	* 1.3009	* 1.3048	* 1.1234	* 0.6295	* 0.4025	*
	* 1.5326	* 1.5381	* 1.5736	* 1.5773	* 1.6144	* 2.2053	* 3.9747	*
14	* 1.4743	* 1.4632	* 1.4102	* 1.3120	* 0.8222	* 0.4067	*	*
	* 1.4473	* 1.4536	* 1.4909	* 1.5799	* 2.1171	* 3.9318	*	*
15	* 0.8000	* 0.7999	* 0.7499	* 0.6166	* F-SUB-Q			
	* 2.3945	* 2.3876	* 2.4803	* 3.0363	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	0.8884	1.0634	1.5591	1.3468	1.6717	1.5090	1.6864	0.8684
	1.6968	2.0004	1.3941	1.5805	1.3031	1.4125	1.2882	2.2453
9	1.0634	1.0950	1.3759	1.6383	1.3646	1.5041	1.6740	0.8666
	2.0004	1.9504	1.5454	1.3268	1.5625	1.4153	1.2952	2.2453
10	1.5591	1.3755	1.1742	1.2993	1.6017	1.4491	1.6162	0.8123
	1.3941	1.5459	1.8197	1.6313	1.3478	1.4462	1.3302	2.3412
11	1.3468	1.6376	1.2992	1.4978	1.3199	1.4948	1.5026	0.6657
	1.5805	1.3273	1.6314	1.4156	1.5391	1.4078	1.4126	2.9071
12	1.6717	1.3642	1.6017	1.3200	0.9551	1.2836	0.9020	
	1.3031	1.5628	1.3478	1.5389	1.7612	1.4410	1.9782	
13	1.5090	1.5041	1.4495	1.4951	1.2840	0.6882	0.4338	
	1.4125	1.4154	1.4459	1.4076	1.4407	2.0767	3.7936	
14	1.6864	1.6742	1.6168	1.5035	0.9026	0.4388		
	1.2882	1.2950	1.3298	1.4119	1.9773	3.7495		
15	0.8684	0.8668	0.8128	0.6683	F-SUB-Q			
	2.2453	2.2450	2.3398	2.8735	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 136 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 225 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9296	* 1.1042	* 1.6403	* 1.4022	* 1.7658	* 1.5717	* 1.7877	* 0.9069
	* 1.6760	* 1.9943	* 1.3677	* 1.5638	* 1.2707	* 1.3963	* 1.2480	* 2.2098
9	* 1.1042	* 1.1293	* 1.4258	* 1.7286	* 1.4223	* 1.5674	* 1.7751	* 0.9083
	* 1.9943	* 1.9576	* 1.5396	* 1.2953	* 1.5437	* 1.3986	* 1.2554	* 2.2028
10	* 1.6403	* 1.4253	* 1.2208	* 1.3518	* 1.6950	* 1.5157	* 1.7185	* 0.8494
	* 1.3677	* 1.5402	* 1.8085	* 1.6161	* 1.3102	* 1.4223	* 1.2870	* 2.3077
11	* 1.4022	* 1.7277	* 1.3516	* 1.5845	* 1.3833	* 1.5908	* 1.5987	* 0.7009
	* 1.5638	* 1.2960	* 1.6163	* 1.3799	* 1.5172	* 1.3671	* 1.3652	* 2.8375
12	* 1.7658	* 1.4217	* 1.6949	* 1.3834	* 1.0058	* 1.3682	* 0.9527	*
	* 1.2707	* 1.5441	* 1.3102	* 1.5171	* 1.7424	* 1.3986	* 1.9385	*
13	* 1.5717	* 1.5674	* 1.5160	* 1.5914	* 1.3686	* 0.7276	* 0.4554	*
	* 1.3963	* 1.3987	* 1.4220	* 1.3669	* 1.3984	* 2.0475	* 3.7624	*
14	* 1.7877	* 1.7753	* 1.7191	* 1.5996	* 0.9533	* 0.4609	*	*
	* 1.2480	* 1.2552	* 1.2865	* 1.3645	* 1.9376	* 3.7160	*	*
15	* 0.9069	* 0.9084	* 0.8499	* 0.7025	* F-SUB-Q			
	* 2.2098	* 2.2024	* 2.3065	* 2.8093	* M-SUB-Q			

AT 75% POWER, 225 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9549	* 1.1275	* 1.6760	* 1.4277	* 1.8082	* 1.5995	* 1.8357	* 0.9294
	* 1.7091	* 2.0263	* 1.3871	* 1.5882	* 1.2790	* 1.4138	* 1.2527	* 2.2242
9	* 1.1275	* 1.1449	* 1.4462	* 1.7696	* 1.4498	* 1.5948	* 1.8237	* 0.9317
	* 2.0263	* 2.0062	* 1.5724	* 1.3086	* 1.5659	* 1.4166	* 1.2593	* 2.2151
10	* 1.6760	* 1.4456	* 1.2454	* 1.3801	* 1.7418	* 1.5492	* 1.7713	* 0.8730
	* 1.3871	* 1.5732	* 1.8364	* 1.6430	* 1.3224	* 1.4399	* 1.2900	* 2.3155
11	* 1.4277	* 1.7685	* 1.3798	* 1.6322	* 1.4211	* 1.6464	* 1.6542	* 0.7255
	* 1.5882	* 1.3094	* 1.6433	* 1.3910	* 1.5359	* 1.3732	* 1.3746	* 2.8481
12	* 1.8082	* 1.4491	* 1.7417	* 1.4212	* 1.0449	* 1.4246	* 0.9913	*
	* 1.2790	* 1.5664	* 1.3225	* 1.5359	* 1.7697	* 1.4083	* 1.9474	*
13	* 1.5995	* 1.5948	* 1.5495	* 1.6469	* 1.4249	* 0.7634	* 0.4752	*
	* 1.4138	* 1.4167	* 1.4396	* 1.3730	* 1.4081	* 2.0710	* 3.8111	*
14	* 1.8357	* 1.8238	* 1.7719	* 1.6550	* 0.9919	* 0.4816	*	*
	* 1.2527	* 1.2592	* 1.2896	* 1.3739	* 1.9466	* 3.7588	*	*
15	* 0.9294	* 0.9318	* 0.8735	* 0.7267	* F-SUB-Q			
	* 2.2242	* 2.2147	* 2.3142	* 2.8216	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 137 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.0048	* 1.1490	* 1.7159	* 1.4486	* 1.8491	* 1.6236	* 1.8819	* 0.9382
	* 1.7477	* 2.0725	* 1.4235	* 1.6374	* 1.3042	* 1.4508	* 1.2684	* 2.2866
9	* 1.1490	* 1.1642	* 1.4684	* 1.8108	* 1.4723	* 1.6201	* 1.8710	* 0.9393
	* 2.0725	* 2.0856	* 1.6267	* 1.3386	* 1.6123	* 1.4536	* 1.2761	* 2.2818
10	* 1.7159	* 1.4677	* 1.2582	* 1.3995	* 1.7912	* 1.5824	* 1.8253	* 0.8810
	* 1.4235	* 1.6276	* 1.9101	* 1.7023	* 1.3520	* 1.4772	* 1.3099	* 2.3947
11	* 1.4486	* 1.8095	* 1.3991	* 1.6908	* 1.4659	* 1.7096	* 1.7179	* 0.7362
	* 1.6374	* 1.3395	* 1.7027	* 1.4061	* 1.5599	* 1.3816	* 1.4006	* 2.9528
12	* 1.8491	* 1.4715	* 1.7911	* 1.4660	* 1.0919	* 1.5013	* 1.0230	*
	* 1.3042	* 1.6129	* 1.3521	* 1.5598	* 1.8094	* 1.4248	* 1.9928	*
13	* 1.6236	* 1.6200	* 1.5826	* 1.7100	* 1.5016	* 0.8089	* 0.4935	*
	* 1.4508	* 1.4537	* 1.4770	* 1.3815	* 1.4246	* 2.1309	* 3.9393	*
14	* 1.8819	* 1.8711	* 1.8258	* 1.7187	* 1.0235	* 0.4995	*	*
	* 1.2684	* 1.2760	* 1.3096	* 1.4000	* 1.9921	* 3.8896	*	*
15	* 0.9382	* 0.9394	* 0.8814	* 0.7370	* F-SUB-Q			
	* 2.2866	* 2.2814	* 2.3934	* 2.9272	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.1214	* 1.1753	* 1.7414	* 1.4593	* 1.8694	* 1.6345	* 1.9056	* 0.9436 *
	* 1.8035	* 2.1508	* 1.4928	* 1.7190	* 1.3598	* 1.5175	* 1.3152	* 2.3863 *
9	* 1.1753	* 1.1820	* 1.4821	* 1.8334	* 1.4842	* 1.6321	* 1.8960	* 0.9446 *
	* 2.1508	* 2.1748	* 1.7144	* 1.3998	* 1.6908	* 1.5207	* 1.3239	* 2.3832 *
10	* 1.7414	* 1.4814	* 1.2684	* 1.4153	* 1.8246	* 1.6038	* 1.8588	* 0.8879 *
	* 1.4928	* 1.7154	* 2.0154	* 1.7906	* 1.4095	* 1.5450	* 1.3617	* 2.5073 *
11	* 1.4593	* 1.8320	* 1.4149	* 1.7432	* 1.5122	* 1.7655	* 1.7674	* 0.7471 *
	* 1.7190	* 1.4008	* 1.7912	* 1.4433	* 1.6071	* 1.4166	* 1.4333	* 3.0969 *
12	* 1.8694	* 1.4833	* 1.8245	* 1.5122	* 1.2006	* 1.5891	* 1.0613	*
	* 1.3598	* 1.6915	* 1.4095	* 1.6070	* 1.8609	* 1.4564	* 2.0490	*
13	* 1.6345	* 1.6320	* 1.6041	* 1.7657	* 1.5894	* 0.8975	* 0.5183	*
	* 1.5175	* 1.5208	* 1.5447	* 1.4165	* 1.4562	* 2.1973	* 4.0650	*
14	* 1.9056	* 1.8962	* 1.8593	* 1.7681	* 1.0618	* 0.5248	*	
	* 1.3152	* 1.3238	* 1.3613	* 1.4327	* 2.0483	* 4.0130	*	
15	* 0.9436	* 0.9447	* 0.8884	* 0.7476	* F-SUB-Q			
	* 2.3863	* 2.3828	* 2.5060	* 3.0714	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 138 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 225 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3573	* 1.2023	* 1.7700	* 1.4691	* 1.8910	* 1.6452	* 1.9294	* 0.9452 *
	* 1.8904	* 2.2534	* 1.5712	* 1.8223	* 1.4298	* 1.6020	* 1.3767	* 2.5238 *
9	* 1.2023	* 1.2026	* 1.4975	* 1.8579	* 1.4950	* 1.6445	* 1.9214	* 0.9427 *
	* 2.2534	* 2.2665	* 1.8168	* 1.4759	* 1.7904	* 1.6050	* 1.3864	* 2.5311 *
10	* 1.7700	* 1.4967	* 1.2769	* 1.4321	* 1.8704	* 1.6305	* 1.8928	* 0.8908 *
	* 1.5712	* 1.8180	* 2.1424	* 1.8886	* 1.4559	* 1.6187	* 1.4286	* 2.6609 *
11	* 1.4691	* 1.8564	* 1.4317	* 1.8041	* 1.5612	* 1.8278	* 1.8179	* 0.7539 *
	* 1.8223	* 1.4771	* 1.8889	* 1.4994	* 1.6763	* 1.4691	* 1.4777	* 3.2654 *
12	* 1.8910	* 1.4941	* 1.8704	* 1.5612	* 1.3029	* 1.7038	* 1.0960	*
	* 1.4298	* 1.7913	* 1.4559	* 1.6762	* 1.9452	* 1.5099	* 2.1440	*
13	* 1.6452	* 1.6444	* 1.6308	* 1.8280	* 1.7040	* 0.9848	* 0.5421	*
	* 1.6020	* 1.6051	* 1.6184	* 1.4690	* 1.5098	* 2.3023	* 4.2655	*
14	* 1.9294	* 1.9215	* 1.8932	* 1.8186	* 1.0964	* 0.5489	*	*
	* 1.3767	* 1.3863	* 1.4283	* 1.4772	* 2.1433	* 4.2101	*	*
15	* 0.9452	* 0.9429	* 0.8912	* 0.7541	* F-SUB-Q			
	* 2.5238	* 2.5307	* 2.6596	* 3.2399	* M-SUB-Q			

AT 75% POWER, 225 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4263	* 1.2200	* 1.7600	* 1.4621	* 1.8729	* 1.6337	* 1.9117	* 0.9511 *
	* 2.0264	* 2.3678	* 1.6750	* 1.9664	* 1.5461	* 1.7261	* 1.4833	* 2.6760 *
9	* 1.2200	* 1.2067	* 1.4900	* 1.8431	* 1.4885	* 1.6327	* 1.9052	* 0.9534 *
	* 2.3678	* 2.4013	* 1.9351	* 1.5978	* 1.9305	* 1.7307	* 1.4943	* 2.6713 *
10	* 1.7600	* 1.4891	* 1.2854	* 1.4379	* 1.8735	* 1.6335	* 1.8845	* 0.9031 *
	* 1.6750	* 1.9363	* 2.2522	* 2.0007	* 1.5445	* 1.7129	* 1.5275	* 2.8118 *
11	* 1.4621	* 1.8415	* 1.4374	* 1.8164	* 1.5787	* 1.8421	* 1.8248	* 0.7699 *
	* 1.9664	* 1.5992	* 2.0010	* 1.5936	* 1.7752	* 1.5558	* 1.5633	* 3.3854 *
12	* 1.8729	* 1.4875	* 1.8734	* 1.5787	* 1.3588	* 1.7535	* 1.1313	*
	* 1.5461	* 1.9315	* 1.5446	* 1.7752	* 2.0700	* 1.6104	* 2.2344	*
13	* 1.6337	* 1.6326	* 1.6337	* 1.8422	* 1.7537	* 1.0441	* 0.5675	*
	* 1.7261	* 1.7308	* 1.7126	* 1.5557	* 1.6102	* 2.4186	* 4.4516	*
14	* 1.9117	* 1.9053	* 1.8849	* 1.8255	* 1.1317	* 0.5750	*	*
	* 1.4833	* 1.4942	* 1.5272	* 1.5627	* 2.2337	* 4.3911	*	*
15	* 0.9511	* 0.9536	* 0.9035	* 0.7703	* F-SUB-Q			
	* 2.6760	* 2.6709	* 2.8105	* 3.3582	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 139 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 225 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4775	* 1.2280	* 1.7937	* 1.4723	* 1.9040	* 1.6474	* 1.9462	* 0.9456 *
	* 2.1120	* 2.5144	* 1.7515	* 2.0857	* 1.6351	* 1.8392	* 1.5629	* 2.8845 *
9	* 1.2280	* 1.2184	* 1.5060	* 1.8758	* 1.4996	* 1.6484	* 1.9406	* 0.9436 *
	* 2.5144	* 2.5379	* 2.0395	* 1.6707	* 2.0476	* 1.8392	* 1.5748	* 2.8935 *
10	* 1.7937	* 1.5051	* 1.2842	* 1.4449	* 1.9185	* 1.6598	* 1.9255	* 0.8941 *
	* 1.7515	* 2.0409	* 2.3992	* 2.1107	* 1.6101	* 1.7965	* 1.5899	* 3.0298 *
11	* 1.4723	* 1.8740	* 1.4446	* 1.8634	* 1.6091	* 1.8923	* 1.8741	* 0.7652 *
	* 2.0857	* 1.6723	* 2.1111	* 1.6606	* 1.8629	* 1.6198	* 1.6243	* 3.6253 *
12	* 1.9040	* 1.4986	* 1.9184	* 1.6091	* 1.3898	* 1.8173	* 1.1395	*
	* 1.6351	* 2.0487	* 1.6101	* 1.8629	* 2.1713	* 1.6701	* 2.3756	*
13	* 1.6474	* 1.6483	* 1.6600	* 1.8924	* 1.8175	* 1.0612	* 0.5704	*
	* 1.8392	* 1.8394	* 1.7962	* 1.6197	* 1.6700	* 2.5680	* 4.7559	*
14	* 1.9462	* 1.9407	* 1.9259	* 1.8747	* 1.1398	* 0.5776	*	
	* 1.5629	* 1.5747	* 1.5895	* 1.6237	* 2.3749	* 4.6939	*	
15	* 0.9456	* 0.9438	* 0.8945	* 0.7649	* F-SUB-Q			
	* 2.8845	* 2.8930	* 3.0285	* 3.5994	* M-SUB-Q			

AT 75% POWER, 225 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4885	* 1.2297	* 1.7980	* 1.4705	* 1.9064	* 1.6453	* 1.9506	* 0.9444
	* 2.1720	* 2.5657	* 1.7856	* 2.1297	* 1.6829	* 1.9051	* 1.6464	* 3.0624
9	* 1.2297	* 1.2178	* 1.5043	* 1.8796	* 1.4985	* 1.6468	* 1.9457	* 0.9431
	* 2.5657	* 2.5945	* 2.0844	* 1.7072	* 2.0961	* 1.9048	* 1.6513	* 3.0627
10	* 1.7980	* 1.5033	* 1.2834	* 1.4462	* 1.9290	* 1.6652	* 1.9346	* 0.8934
	* 1.7856	* 2.0859	* 2.4569	* 2.1740	* 1.6686	* 1.8789	* 1.6627	* 3.1853
11	* 1.4705	* 1.8778	* 1.4459	* 1.8745	* 1.6154	* 1.9064	* 1.8890	* 0.7672
	* 2.1297	* 1.7089	* 2.1745	* 1.7180	* 1.9412	* 1.6904	* 1.7055	* 3.8139
12	* 1.9064	* 1.4974	* 1.9288	* 1.6154	* 1.3998	* 1.8382	* 1.1478	
	* 1.6829	* 2.0974	* 1.6687	* 1.9413	* 2.2741	* 1.7584	* 2.5016	
13	* 1.6453	* 1.6467	* 1.6654	* 1.9065	* 1.8383	* 1.0725	* 0.5748	
	* 1.9051	* 1.9050	* 1.8786	* 1.6904	* 1.7583	* 2.7133	* 5.0507	
14	* 1.9506	* 1.9458	* 1.9349	* 1.8895	* 1.1481	* 0.5822		
	* 1.6464	* 1.6513	* 1.6624	* 1.7050	* 2.5010	* 4.9844		
15	* 0.9444	* 0.9432	* 0.8938	* 0.7668	* F-SUB-Q			
	* 3.0624	* 3.0623	* 3.1840	* 3.7874	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 140 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 225 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4733	* 1.2264	* 1.7776	* 1.4580	* 1.8845	* 1.6296	* 1.9303	* 0.9460 *
	* 2.1810	* 2.5506	* 1.7892	* 2.1256	* 1.6843	* 1.9028	* 1.6456	* 3.0220 *
9	* 1.2264	* 1.2126	* 1.4875	* 1.8584	* 1.4862	* 1.6306	* 1.9259	* 0.9472 *
	* 2.5506	* 2.5848	* 2.0877	* 1.7090	* 2.0911	* 1.9032	* 1.6504	* 3.0158 *
10	* 1.7776	* 1.4865	* 1.2813	* 1.4387	* 1.9111	* 1.6536	* 1.9173	* 0.8997 *
	* 1.7892	* 2.0892	* 2.4374	* 2.1624	* 1.6714	* 1.8771	* 1.6625	* 3.1299 *
11	* 1.4580	* 1.8565	* 1.4380	* 1.8568	* 1.6032	* 1.8914	* 1.8758	* 0.7745 *
	* 2.1256	* 1.7108	* 2.1635	* 1.7224	* 1.9431	* 1.6929	* 1.7059	* 3.7455 *
12	* 1.8845	* 1.4851	* 1.9109	* 1.6031	* 1.3936	* 1.8275	* 1.1571	*
	* 1.6843	* 2.0924	* 1.6716	* 1.9432	* 2.2699	* 1.7617	* 2.4686	*
13	* 1.6296	* 1.6305	* 1.6538	* 1.8914	* 1.8276	* 1.0818	* 0.5813	*
	* 1.9028	* 1.9034	* 1.8768	* 1.6929	* 1.7616	* 2.6817	* 4.9761	*
14	* 1.9303	* 1.9260	* 1.9177	* 1.8763	* 1.1574	* 0.5894	*	
	* 1.6456	* 1.6503	* 1.6622	* 1.7055	* 2.4680	* 4.9056	*	
15	* 0.9460	* 0.9473	* 0.9000	* 0.7742	* F-SUB-Q			
	* 3.0220	* 3.0153	* 3.1287	* 3.7189	* M-SUB-Q			

AT 75% POWER, 225 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4882	* 1.2199	* 1.7972	* 1.4604	* 1.9057	* 1.6355	* 1.9566	* 0.9370 *
	* 2.1039	* 2.4939	* 1.7328	* 2.0752	* 1.6342	* 1.8588	* 1.5945	* 2.9746 *
9	* 1.2199	* 1.2068	* 1.4922	* 1.8796	* 1.4896	* 1.6379	* 1.9524	* 0.9336 *
	* 2.4939	* 2.5198	* 2.0329	* 1.6587	* 2.0430	* 1.8587	* 1.6001	* 2.9871 *
10	* 1.7972	* 1.4911	* 1.2712	* 1.4365	* 1.9354	* 1.6648	* 1.9456	* 0.8860 *
	* 1.7328	* 2.0344	* 2.3985	* 2.1321	* 1.6319	* 1.8422	* 1.6158	* 3.1120 *
11	* 1.4604	* 1.8775	* 1.4361	* 1.8791	* 1.6115	* 1.9170	* 1.9056	* 0.7636 *
	* 2.0752	* 1.6604	* 2.1330	* 1.6840	* 1.9134	* 1.6546	* 1.6631	* 3.7294 *
12	* 1.9057	* 1.4884	* 1.9352	* 1.6115	* 1.3991	* 1.8554	* 1.1478	*
	* 1.6342	* 2.0444	* 1.6321	* 1.9135	* 2.2428	* 1.7203	* 2.4613	*
13	* 1.6355	* 1.6378	* 1.6650	* 1.9171	* 1.8555	* 1.0730	* 0.5719	*
	* 1.8588	* 1.8589	* 1.8420	* 1.6546	* 1.7202	* 2.6702	* 4.9341	*
14	* 1.9566	* 1.9525	* 1.9459	* 1.9061	* 1.1481	* 0.5793	*	
	* 1.5945	* 1.6000	* 1.6156	* 1.6627	* 2.4609	* 4.8687	*	
15	* 0.9370	* 0.9337	* 0.8864	* 0.7627	* F-SUB-Q			
	* 2.9746	* 2.9867	* 3.1109	* 3.7056	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 141 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.4865	* 1.2126	* 1.7976	* 1.4554	* 1.9070	* 1.6310	* 1.9615	* 0.9315
	* 1.9252	* 2.2939	* 1.5917	* 1.9194	* 1.5152	* 1.7267	* 1.4794	* 2.7630
9	* 1.2126	* 1.2002	* 1.4860	* 1.8809	* 1.4852	* 1.6339	* 1.9575	* 0.9257
	* 2.2939	* 2.3184	* 1.8739	* 1.5290	* 1.8909	* 1.7277	* 1.4867	* 2.7797
10	* 1.7976	* 1.4849	* 1.2616	* 1.4305	* 1.9383	* 1.6640	* 1.9520	* 0.8797
	* 1.5917	* 1.8754	* 2.2157	* 1.9688	* 1.5053	* 1.7059	* 1.4967	* 2.8914
11	* 1.4554	* 1.8787	* 1.4301	* 1.8805	* 1.6080	* 1.9216	* 1.9137	* 0.7587
	* 1.9194	* 1.5306	* 1.9697	* 1.5473	* 1.7655	* 1.5255	* 1.5316	* 3.4475
12	* 1.9070	* 1.4839	* 1.9380	* 1.6079	* 1.3957	* 1.8616	* 1.1431	*
	* 1.5152	* 1.8923	* 1.5055	* 1.7656	* 2.0657	* 1.5816	* 2.2678	*
13	* 1.6310	* 1.6337	* 1.6642	* 1.9216	* 1.8616	* 1.0677	* 0.5668	*
	* 1.7267	* 1.7279	* 1.7057	* 1.5255	* 1.5815	* 2.4577	* 4.5652	*
14	* 1.9615	* 1.9576	* 1.9522	* 1.9142	* 1.1433	* 0.5743	*	*
	* 1.4794	* 1.4866	* 1.4965	* 1.5313	* 2.2675	* 4.5036	*	*
15	* 0.9315	* 0.9259	* 0.8800	* 0.7574	* F-SUB-Q			
	* 2.7630	* 2.7794	* 2.8905	* 3.4270	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.4775	* 1.2060	* 1.7885	* 1.4462	* 1.8982	* 1.6216	* 1.9546	* 0.9278 *
	* 1.7846	* 2.1285	* 1.4763	* 1.7803	* 1.4002	* 1.5990	* 1.3675	* 2.5584 *
9	* 1.2060	* 1.1907	* 1.4747	* 1.8719	* 1.4764	* 1.6245	* 1.9506	* 0.9242 *
	* 2.1285	* 2.1575	* 1.7435	* 1.4173	* 1.7527	* 1.5998	* 1.3729	* 2.5670 *
10	* 1.7885	* 1.4736	* 1.2556	* 1.4202	* 1.9299	* 1.6558	* 1.9458	* 0.8764 *
	* 1.4763	* 1.7449	* 2.0558	* 1.8301	* 1.3939	* 1.5817	* 1.3858	* 2.6781 *
11	* 1.4462	* 1.8697	* 1.4198	* 1.8719	* 1.5979	* 1.9145	* 1.9086	* 0.7572 *
	* 1.7803	* 1.4189	* 1.8310	* 1.4327	* 1.6378	* 1.4104	* 1.4153	* 3.1902 *
12	* 1.8982	* 1.4751	* 1.9297	* 1.5978	* 1.3879	* 1.8556	* 1.1407	*
	* 1.4002	* 1.7540	* 1.3940	* 1.6380	* 1.9132	* 1.4599	* 2.0935	*
13	* 1.6216	* 1.6244	* 1.6559	* 1.9145	* 1.8557	* 1.0650	* 0.5645	*
	* 1.5990	* 1.6000	* 1.5816	* 1.4105	* 1.4599	* 2.2704	* 4.2278	*
14	* 1.9546	* 1.9507	* 1.9461	* 1.9090	* 1.1409	* 0.5719	*	
	* 1.3675	* 1.3729	* 1.3857	* 1.4150	* 2.0932	* 4.1713	*	
15	* 0.9278	* 0.9243	* 0.8767	* 0.7559	* F-SUB-Q			
	* 2.5584	* 2.5667	* 2.6772	* 3.1716	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 142 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 225 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4561	* 1.1991	* 1.7640	* 1.4311	* 1.8728	* 1.6037	* 1.9295	* 0.9262 *
	* 1.8164	* 2.1490	* 1.4984	* 1.8006	* 1.4216	* 1.6209	* 1.3885	* 2.5725 *
9	* 1.1991	* 1.1854	* 1.4553	* 1.8468	* 1.4614	* 1.6060	* 1.9256	* 0.9256 *
	* 2.1490	* 2.1774	* 1.7692	* 1.4359	* 1.7726	* 1.6218	* 1.3930	* 2.5720 *
10	* 1.7640	* 1.4541	* 1.2504	* 1.4112	* 1.9044	* 1.6383	* 1.9214	* 0.8790 *
	* 1.4984	* 1.7707	* 2.0681	* 1.8408	* 1.4171	* 1.6040	* 1.4042	* 2.6732 *
11	* 1.4311	* 1.8445	* 1.4103	* 1.8468	* 1.5789	* 1.8911	* 1.8861	* 0.7599 *
	* 1.8006	* 1.4375	* 1.8419	* 1.4575	* 1.6638	* 1.4324	* 1.4370	* 3.1898 *
12	* 1.8728	* 1.4601	* 1.9042	* 1.5788	* 1.3737	* 1.8328	* 1.1424	*
	* 1.4216	* 1.7739	* 1.4173	* 1.6640	* 1.9346	* 1.4807	* 2.0971	*
13	* 1.6037	* 1.6058	* 1.6384	* 1.8910	* 1.8329	* 1.0654	* 0.5658	*
	* 1.6209	* 1.6220	* 1.6039	* 1.4324	* 1.4807	* 2.2746	* 4.2364	*
14	* 1.9295	* 1.9257	* 1.9216	* 1.8865	* 1.1426	* 0.5736	*	
	* 1.3885	* 1.3930	* 1.4040	* 1.4367	* 2.0968	* 4.1770	*	
15	* 0.9262	* 0.9258	* 0.8793	* 0.7586	* F-SUB-Q			
	* 2.5725	* 2.5717	* 2.6724	* 3.1706	* M-SUB-Q			

AT 75% POWER, 225 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4665	* 1.1874	* 1.7787	* 1.4280	* 1.8882	* 1.6044	* 1.9487	* 0.9114 *
	* 1.6751	* 2.0235	* 1.3871	* 1.6881	* 1.3194	* 1.5172	* 1.2870	* 2.4506 *
9	* 1.1874	* 1.1729	* 1.4558	* 1.8620	* 1.4590	* 1.6082	* 1.9448	* 0.9047 *
	* 2.0235	* 2.0515	* 1.6520	* 1.3309	* 1.6611	* 1.5160	* 1.2906	* 2.4664 *
10	* 1.7787	* 1.4545	* 1.2338	* 1.3999	* 1.9208	* 1.6421	* 1.9411	* 0.8590 *
	* 1.3871	* 1.6533	* 1.9579	* 1.7363	* 1.3093	* 1.4916	* 1.2973	* 2.5594 *
11	* 1.4280	* 1.8596	* 1.3994	* 1.8620	* 1.5801	* 1.9085	* 1.9066	* 0.7424 *
	* 1.6881	* 1.3325	* 1.7372	* 1.3474	* 1.5505	* 1.3226	* 1.3244	* 3.0461 *
12	* 1.8882	* 1.4576	* 1.9205	* 1.5800	* 1.3713	* 1.8506	* 1.1237	*
	* 1.3194	* 1.6625	* 1.3095	* 1.5507	* 1.8074	* 1.3685	* 1.9909	*
13	* 1.6044	* 1.6080	* 1.6422	* 1.9084	* 1.8506	* 1.0476	* 0.5510	*
	* 1.5172	* 1.5162	* 1.4915	* 1.3227	* 1.3685	* 2.1599	* 4.0702	*
14	* 1.9487	* 1.9448	* 1.9414	* 1.9070	* 1.1239	* 0.5583	*	
	* 1.2870	* 1.2905	* 1.2972	* 1.3242	* 1.9907	* 4.0145	*	
15	* 0.9114	* 0.9048	* 0.8593	* 0.7406	* F-SUB-Q			
	* 2.4506	* 2.4661	* 2.5586	* 3.0306	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 143 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.4507	* 1.1724	* 1.7597	* 1.4093	* 1.8675	* 1.5855	* 1.9284	* 0.8979
	* 1.5879	* 1.9328	* 1.3229	* 1.6163	* 1.2604	* 1.4513	* 1.2286	* 2.3539
9	* 1.1724	* 1.1581	* 1.4377	* 1.8412	* 1.4405	* 1.5901	* 1.9245	* 0.8909
	* 1.9328	* 1.9611	* 1.5791	* 1.2705	* 1.5900	* 1.4493	* 1.2317	* 2.3698
10	* 1.7597	* 1.4365	* 1.2172	* 1.3809	* 1.8999	* 1.6239	* 1.9211	* 0.8457
	* 1.3229	* 1.5803	* 1.8743	* 1.6603	* 1.2463	* 1.4212	* 1.2360	* 2.4571
11	* 1.4093	* 1.8388	* 1.3804	* 1.8418	* 1.5608	* 1.8893	* 1.8879	* 0.7307
	* 1.6163	* 1.2721	* 1.6608	* 1.2818	* 1.4766	* 1.2561	* 1.2582	* 2.9201
12	* 1.8675	* 1.4390	* 1.8996	* 1.5607	* 1.3543	* 1.8318	* 1.1089	
	* 1.2604	* 1.5914	* 1.2465	* 1.4767	* 1.7157	* 1.2966	* 1.8958	
13	* 1.5855	* 1.5899	* 1.6240	* 1.8893	* 1.8318	* 1.0334	* 0.5416	
	* 1.4513	* 1.4495	* 1.4211	* 1.2561	* 1.2966	* 2.0546	* 3.8920	
14	* 1.9284	* 1.9245	* 1.9213	* 1.8883	* 1.1090	* 0.5488		
	* 1.2286	* 1.2316	* 1.2359	* 1.2580	* 1.8957	* 3.8390		
15	* 0.8979	* 0.8910	* 0.8460	* 0.7288	* F-SUB-Q			
	* 2.3539	* 2.3695	* 2.4564	* 2.9055	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.3983	* 1.1490	* 1.6941	* 1.3672	* 1.7968	* 1.5389	* 1.8538	* 0.8818
	* 1.5673	* 1.8808	* 1.3093	* 1.5897	* 1.2489	* 1.4266	* 1.2181	* 2.2892
9	* 1.1490	* 1.1360	* 1.3941	* 1.7705	* 1.3976	* 1.5428	* 1.8500	* 0.8803
	* 1.8808	* 1.9068	* 1.5531	* 1.2593	* 1.5634	* 1.4251	* 1.2208	* 2.2903
10	* 1.6941	* 1.3929	* 1.1953	* 1.3490	* 1.8275	* 1.5740	* 1.8462	* 0.8352
	* 1.3093	* 1.5544	* 1.8209	* 1.6178	* 1.2326	* 1.3954	* 1.2243	* 2.3743
11	* 1.3672	* 1.7681	* 1.3480	* 1.7727	* 1.5130	* 1.8192	* 1.8147	* 0.7220
	* 1.5897	* 1.2609	* 1.6189	* 1.2674	* 1.4491	* 1.2397	* 1.2441	* 2.8180
12	* 1.7968	* 1.3962	* 1.8272	* 1.5129	* 1.3164	* 1.7621	* 1.0929	*
	* 1.2489	* 1.5648	* 1.2328	* 1.4492	* 1.6788	* 1.2794	* 1.8289	*
13	* 1.5389	* 1.5426	* 1.5741	* 1.8192	* 1.7621	* 1.0184	* 0.5360	*
	* 1.4266	* 1.4253	* 1.3953	* 1.2398	* 1.2794	* 1.9807	* 3.7422	*
14	* 1.8538	* 1.8500	* 1.8464	* 1.8151	* 1.0930	* 0.5433	*	*
	* 1.2181	* 1.2208	* 1.2241	* 1.2439	* 1.8287	* 3.6906	*	*
15	* 0.8818	* 0.8804	* 0.8355	* 0.7206	* F-SUB-Q			
	* 2.2892	* 2.2900	* 2.3735	* 2.8019	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 144 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 225 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3541	* 1.1033	* 1.6370	* 1.3176	* 1.7339	* 1.4895	* 1.7888	* 0.8383 *
	* 1.5574	* 1.8857	* 1.3033	* 1.5868	* 1.2445	* 1.4182	* 1.2135	* 2.3196 *
9	* 1.1033	* 1.0937	* 1.3525	* 1.7074	* 1.3471	* 1.4954	* 1.7850	* 0.8324 *
	* 1.8857	* 1.9085	* 1.5404	* 1.2554	* 1.5609	* 1.4147	* 1.2162	* 2.3330 *
10	* 1.6370	* 1.3513	* 1.1438	* 1.2917	* 1.7638	* 1.5224	* 1.7803	* 0.7888 *
	* 1.3033	* 1.5417	* 1.8320	* 1.6259	* 1.2265	* 1.3859	* 1.2196	* 2.4205 *
11	* 1.3176	* 1.7049	* 1.2913	* 1.7124	* 1.4646	* 1.7573	* 1.7489	* 0.6794 *
	* 1.5868	* 1.2572	* 1.6264	* 1.2602	* 1.4379	* 1.2318	* 1.2391	* 2.8824 *
12	* 1.7339	* 1.3457	* 1.7635	* 1.4645	* 1.2712	* 1.6996	* 1.0361	*
	* 1.2445	* 1.5623	* 1.2267	* 1.4381	* 1.6693	* 1.2726	* 1.8530	*
13	* 1.4895	* 1.4952	* 1.5225	* 1.7572	* 1.6996	* 0.9677	* 0.5059	*
	* 1.4182	* 1.4149	* 1.3859	* 1.2319	* 1.2726	* 2.0022	* 3.8148	*
14	* 1.7888	* 1.7850	* 1.7805	* 1.7493	* 1.0363	* 0.5123	*	*
	* 1.2135	* 1.2162	* 1.2195	* 1.2389	* 1.8528	* 3.7656	*	*
15	* 0.8383	* 0.8325	* 0.7891	* 0.6782	* F-SUB-Q			
	* 2.3196	* 2.3327	* 2.4197	* 2.8655	* M-SUB-Q			

AT 75% POWER, 225 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2272	* 1.0141	* 1.4781	* 1.2096	* 1.5632	* 1.3674	* 1.6084	* 0.7711 *
	* 1.6687	* 1.9922	* 1.3995	* 1.6768	* 1.3378	* 1.4981	* 1.3077	* 2.4495 *
9	* 1.0141	* 1.0101	* 1.2484	* 1.5392	* 1.2364	* 1.3700	* 1.6045	* 0.7622 *
	* 1.9922	* 2.0070	* 1.6197	* 1.3499	* 1.6495	* 1.4975	* 1.3108	* 2.4747 *
10	* 1.4781	* 1.2473	* 1.0491	* 1.1870	* 1.5890	* 1.3935	* 1.5985	* 0.7231 *
	* 1.3995	* 1.6210	* 1.9385	* 1.7155	* 1.3184	* 1.4666	* 1.3155	* 2.5643 *
11	* 1.2096	* 1.5370	* 1.1866	* 1.5447	* 1.3460	* 1.5825	* 1.5676	* 0.6199 *
	* 1.6768	* 1.3518	* 1.7160	* 1.3529	* 1.5159	* 1.3242	* 1.3387	* 3.0683 *
12	* 1.5632	* 1.2351	* 1.5888	* 1.3459	* 1.1676	* 1.5265	* 0.9462	*
	* 1.3378	* 1.6510	* 1.3186	* 1.5160	* 1.7618	* 1.3722	* 1.9677	*
13	* 1.3674	* 1.3698	* 1.3936	* 1.5825	* 1.5265	* 0.8862	* 0.4645	*
	* 1.4981	* 1.4977	* 1.4665	* 1.3243	* 1.3722	* 2.1208	* 4.0360	*
14	* 1.6084	* 1.6046	* 1.5987	* 1.5679	* 0.9464	* 0.4699	*	*
	* 1.3077	* 1.3107	* 1.3153	* 1.3385	* 1.9675	* 3.9887	*	*
15	* 0.7711	* 0.7623	* 0.7234	* 0.6197	* F-SUB-Q			
	* 2.4495	* 2.4744	* 2.5635	* 3.0456	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 145 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 0.9922	* 0.8225	* 1.2068	* 0.9801	* 1.2785	* 1.1054	* 1.3066	* 0.6309 *
	* 2.0185	* 2.3997	* 1.6730	* 2.0208	* 1.5947	* 1.8076	* 1.5710	* 2.9281 *
9	* 0.8225	* 0.8191	* 1.0235	* 1.2572	* 1.0036	* 1.0998	* 1.3032	* 0.6222 *
	* 2.3997	* 2.4194	* 1.9299	* 1.6127	* 1.9831	* 1.8194	* 1.5751	* 2.9634 *
10	* 1.2068	* 1.0226	* 0.8492	* 0.9657	* 1.2967	* 1.1169	* 1.2968	* 0.5888 *
	* 1.6730	* 1.9316	* 2.3390	* 2.0583	* 1.5742	* 1.7847	* 1.5824	* 3.0795 *
11	* 0.9801	* 1.2556	* 0.9654	* 1.2583	* 1.0924	* 1.2679	* 1.2521	* 0.5012 *
	* 2.0208	* 1.6147	* 2.0589	* 1.6182	* 1.8208	* 1.6123	* 1.6355	* 3.7125 *
12	* 1.2785	* 1.0027	* 1.2965	* 1.0924	* 0.9415	* 1.2298	* 0.7640 *	
	* 1.5947	* 1.9847	* 1.5744	* 1.8210	* 2.1320	* 1.6623	* 2.3809 *	
13	* 1.1054	* 1.0997	* 1.1170	* 1.2679	* 1.2298	* 0.7162	* 0.3803 *	
	* 1.8076	* 1.8197	* 1.7846	* 1.6124	* 1.6623	* 2.5648	* 4.8277 *	
14	* 1.3066	* 1.3032	* 1.2969	* 1.2523	* 0.7642	* 0.3847 *		
	* 1.5710	* 1.5751	* 1.5823	* 1.6352	* 2.3806	* 4.7697 *		
15	* 0.6309	* 0.6223	* 0.5890	* 0.5029	* F-SUB-Q			
	* 2.9281	* 2.9629	* 3.0785	* 3.6728	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 0.4145	* 0.3659	* 0.4900	* 0.4355	* 0.5241	* 0.4528	* 0.4946	* 0.2683
	* 4.7388	* 5.2893	* 4.0352	* 4.4531	* 3.8009	* 4.3146	* 4.0579	* 6.7499
9	* 0.3659	* 0.3611	* 0.4216	* 0.5126	* 0.4404	* 0.4489	* 0.4931	* 0.2638
	* 5.2893	* 5.3787	* 4.5844	* 3.8727	* 4.4240	* 4.3558	* 4.0699	* 6.8550
10	* 0.4900	* 0.4212	* 0.3805	* 0.4299	* 0.5268	* 0.4514	* 0.4893	* 0.2534
	* 4.0352	* 4.5886	* 5.1156	* 4.5264	* 3.7897	* 4.3080	* 4.1003	* 7.0167
11	* 0.4355	* 0.5120	* 0.4298	* 0.5128	* 0.4497	* 0.5206	* 0.4665	* 0.2227
	* 4.4531	* 3.8770	* 4.5287	* 3.8858	* 4.3228	* 3.8431	* 4.2960	* 8.1971
12	* 0.5241	* 0.4400	* 0.5267	* 0.4497	* 0.4107	* 0.4640	* 0.3193	*
	* 3.8009	* 4.4271	* 3.7904	* 4.3231	* 4.7832	* 4.3121	* 5.5835	*
13	* 0.4528	* 0.4489	* 0.4514	* 0.5206	* 0.4640	* 0.3020	* 0.1672	*
	* 4.3146	* 4.3564	* 4.3083	* 3.8432	* 4.3121	* 5.9619	* 10.7830	*
14	* 0.4946	* 0.4931	* 0.4893	* 0.4665	* 0.3194	* 0.1682	*	*
	* 4.0579	* 4.0698	* 4.1000	* 4.2954	* 5.5830	* 10.7097	*	*
15	* 0.2683	* 0.2638	* 0.2535	* 0.2212	* F-SUB-Q			
	* 6.7499	* 6.8540	* 7.0150	* 8.1931	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 146 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 325 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3557	* 0.4372	* 0.5958	* 0.5509	* 0.6438	* 0.5726	* 0.6048	* 0.3479
	* 4.1271	* 4.6532	* 3.5726	* 3.6897	* 3.3221	* 3.5843	* 3.5767	* 5.4882
9	* 0.4372	* 0.4508	* 0.5306	* 0.6286	* 0.5535	* 0.5688	* 0.6001	* 0.3442
	* 4.6532	* 4.5967	* 3.8481	* 3.3882	* 3.6797	* 3.5989	* 3.5995	* 5.4822
10	* 0.5958	* 0.5306	* 0.4919	* 0.5365	* 0.6161	* 0.5423	* 0.5768	* 0.3281
	* 3.5726	* 3.8485	* 4.2066	* 3.7939	* 3.4258	* 3.6868	* 3.6683	* 5.6164
11	* 0.5509	* 0.6286	* 0.5365	* 0.5759	* 0.5039	* 0.5651	* 0.5241	* 0.2724
	* 3.6897	* 3.3886	* 3.7938	* 3.6654	* 3.9310	* 3.6707	* 3.9744	* 6.8599
12	* 0.6438	* 0.5534	* 0.6161	* 0.5039	* 0.3792	* 0.4430	* 0.3419	*
	* 3.3221	* 3.6797	* 3.4258	* 3.9309	* 4.1645	* 4.0307	* 5.0913	*
13	* 0.5726	* 0.5688	* 0.5423	* 0.5651	* 0.4431	* 0.2690	* 0.1831	*
	* 3.5843	* 3.5990	* 3.6866	* 3.6704	* 4.0305	* 5.1114	* 8.7034	*
14	* 0.6048	* 0.6001	* 0.5769	* 0.5243	* 0.3420	* 0.1840	*	*
	* 3.5767	* 3.5993	* 3.6676	* 3.9735	* 5.0903	* 8.6812	*	*
15	* 0.3479	* 0.3442	* 0.3282	* 0.2711	* F-SUB-Q			
	* 5.4882	* 5.4817	* 5.6143	* 6.7481	* M-SUB-Q			

AT 75% POWER, 325 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.7200	* 0.8731	* 1.2499	* 1.1004	* 1.3454	* 1.2240	* 1.3611	* 0.7454
	* 2.0815	* 2.3802	* 1.7442	* 1.8967	* 1.6314	* 1.7171	* 1.6327	* 2.6320
9	* 0.8731	* 0.9053	* 1.1324	* 1.3139	* 1.1152	* 1.2152	* 1.3512	* 0.7385
	* 2.3802	* 2.3258	* 1.8425	* 1.6622	* 1.8752	* 1.7255	* 1.6396	* 2.6197
10	* 1.2499	* 1.1323	* 0.9748	* 1.0680	* 1.2909	* 1.1687	* 1.3033	* 0.6946
	* 1.7442	* 1.8428	* 2.1812	* 1.9470	* 1.6772	* 1.7589	* 1.6642	* 2.7129
11	* 1.1004	* 1.3136	* 1.0681	* 1.2037	* 1.0733	* 1.1788	* 1.1865	* 0.5659
	* 1.8967	* 1.6626	* 1.9470	* 1.7849	* 1.8635	* 1.8032	* 1.7928	* 3.3911
12	* 1.3454	* 1.1150	* 1.2909	* 1.0733	* 0.7630	* 1.0040	* 0.7405	*
	* 1.6314	* 1.8753	* 1.6772	* 1.8634	* 2.1109	* 1.8120	* 2.3851	*
13	* 1.2240	* 1.2152	* 1.1688	* 1.1790	* 1.0042	* 0.5762	* 0.3840	*
	* 1.7171	* 1.7255	* 1.7587	* 1.8031	* 1.8119	* 2.4159	* 4.2155	*
14	* 1.3611	* 1.3513	* 1.3035	* 1.1870	* 0.7408	* 0.3874	*	*
	* 1.6327	* 1.6396	* 1.6639	* 1.7922	* 2.3845	* 4.1889	*	*
15	* 0.7454	* 0.7386	* 0.6949	* 0.5709	* F-SUB-Q			
	* 2.6320	* 2.6192	* 2.7118	* 3.2905	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 147 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 0.8551	* 1.0377	* 1.4853	* 1.3060	* 1.6035	* 1.4541	* 1.6269	* 0.8950
	* 1.8026	* 2.0446	* 1.4924	* 1.6264	* 1.3911	* 1.4655	* 1.3760	* 2.2122
9	* 1.0377	* 1.0660	* 1.3268	* 1.5652	* 1.3230	* 1.4475	* 1.6151	* 0.8948
	* 2.0446	* 2.0014	* 1.5958	* 1.4186	* 1.6085	* 1.4698	* 1.3811	* 2.1837
10	* 1.4853	* 1.3265	* 1.1515	* 1.2627	* 1.5373	* 1.3974	* 1.5585	* 0.8415
	* 1.4924	* 1.5961	* 1.8564	* 1.6732	* 1.4332	* 1.4948	* 1.4125	* 2.2714
11	* 1.3060	* 1.5647	* 1.2627	* 1.4304	* 1.2716	* 1.4200	* 1.4299	* 0.6924
	* 1.6264	* 1.4190	* 1.6732	* 1.5187	* 1.5941	* 1.5194	* 1.5135	* 2.8205
12	* 1.6035	* 1.3227	* 1.5373	* 1.2717	* 0.9252	* 1.2155	* 0.9010	*
	* 1.3911	* 1.6087	* 1.4332	* 1.5941	* 1.8154	* 1.5386	* 1.9868	*
13	* 1.4541	* 1.4474	* 1.3976	* 1.4204	* 1.2158	* 0.6922	* 0.4614	*
	* 1.4655	* 1.4699	* 1.4946	* 1.5193	* 1.5385	* 2.0503	* 3.5616	*
14	* 1.6269	* 1.6152	* 1.5588	* 1.4304	* 0.9014	* 0.4657	*	
	* 1.3760	* 1.3810	* 1.4122	* 1.5129	* 1.9862	* 3.5381	*	
15	* 0.8950	* 0.8949	* 0.8419	* 0.6962	* F-SUB-Q			
	* 2.2122	* 2.1834	* 2.2704	* 2.7452	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 0.9338	* 1.1049	* 1.6386	* 1.4076	* 1.7769	* 1.5729	* 1.8148	* 0.9528 *
	* 1.6767	* 1.9479	* 1.3784	* 1.5380	* 1.2774	* 1.3777	* 1.2498	* 2.1042 *
9	* 1.1049	* 1.1355	* 1.4246	* 1.7335	* 1.4269	* 1.5680	* 1.8018	* 0.9511 *
	* 1.9479	* 1.9137	* 1.5141	* 1.3052	* 1.5196	* 1.3798	* 1.2557	* 2.0826 *
10	* 1.6386	* 1.4242	* 1.2254	* 1.3571	* 1.7032	* 1.5174	* 1.7414	* 0.8916 *
	* 1.3784	* 1.5146	* 1.7760	* 1.5867	* 1.3181	* 1.4017	* 1.2862	* 2.1808 *
11	* 1.4076	* 1.7328	* 1.3570	* 1.5824	* 1.3734	* 1.5831	* 1.5996	* 0.7366 *
	* 1.5380	* 1.3057	* 1.5868	* 1.3950	* 1.4996	* 1.3885	* 1.3750	* 2.7033 *
12	* 1.7769	* 1.4265	* 1.7032	* 1.3734	* 0.9913	* 1.3489	* 0.9635	*
	* 1.2774	* 1.5199	* 1.3182	* 1.4995	* 1.7179	* 1.4063	* 1.8905	*
13	* 1.5729	* 1.5679	* 1.5176	* 1.5835	* 1.3492	* 0.7361	* 0.4846	*
	* 1.3777	* 1.3799	* 1.4016	* 1.3883	* 1.4061	* 1.9674	* 3.4587	*
14	* 1.8148	* 1.8019	* 1.7417	* 1.6002	* 0.9640	* 0.4899	*	
	* 1.2498	* 1.2557	* 1.2860	* 1.3745	* 1.8899	* 3.4304	*	
15	* 0.9528	* 0.9512	* 0.8919	* 0.7387	* F-SUB-Q			
	* 2.1042	* 2.0824	* 2.1799	* 2.6384	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 148 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 325 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8	* 0.9503	* 1.1203	* 1.6791	* 1.4329	* 1.8276	* 1.6016	* 1.8755	* 0.9748 *
	* 1.6826	* 1.9717	* 1.3780	* 1.5459	* 1.2706	* 1.3838	* 1.2343	* 2.1004 *

9	* 1.1203	* 1.1444	* 1.4419	* 1.7817	* 1.4530	* 1.5957	* 1.8623	* 0.9761 *
	* 1.9717	* 1.9492	* 1.5330	* 1.2989	* 1.5264	* 1.3871	* 1.2408	* 2.0731 *

10	* 1.6791	* 1.4414	* 1.2454	* 1.3786	* 1.7524	* 1.5489	* 1.8024	* 0.9123 *
	* 1.3780	* 1.5336	* 1.7912	* 1.5971	* 1.3072	* 1.4010	* 1.2687	* 2.1815 *

11	* 1.4329	* 1.7809	* 1.3785	* 1.6263	* 1.3999	* 1.6365	* 1.6572	* 0.7579 *
	* 1.5459	* 1.2995	* 1.5973	* 1.3869	* 1.5051	* 1.3711	* 1.3540	* 2.6768 *

12	* 1.8276	* 1.4525	* 1.7523	* 1.3999	* 1.0142	* 1.3945	* 0.9900	*
	* 1.2706	* 1.5268	* 1.3072	* 1.5051	* 1.7288	* 1.3931	* 1.8842	*

13	* 1.6016	* 1.5957	* 1.5491	* 1.6367	* 1.3947	* 0.7549	* 0.4946	*
	* 1.3838	* 1.3872	* 1.4009	* 1.3709	* 1.3930	* 1.9715	* 3.4829	*

14	* 1.8755	* 1.8624	* 1.8028	* 1.6578	* 0.9904	* 0.5001	*	
	* 1.2343	* 1.2408	* 1.2686	* 1.3536	* 1.8837	* 3.4535	*	

15	* 0.9748	* 0.9762	* 0.9126	* 0.7590	F-SUB-Q			
	* 2.1004	* 2.0729	* 2.1807	* 2.6159	M-SUB-Q			

AT 75% POWER, 325 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8	* 0.9496	* 1.1189	* 1.6774	* 1.4289	* 1.8284	* 1.5964	* 1.8821	* 0.9794 *
	* 1.7322	* 2.0243	* 1.4161	* 1.5898	* 1.2988	* 1.4196	* 1.2583	* 2.1406 *

9	* 1.1189	* 1.1367	* 1.4321	* 1.7826	* 1.4502	* 1.5900	* 1.8693	* 0.9817 *
	* 2.0243	* 2.0176	* 1.5844	* 1.3314	* 1.5682	* 1.4232	* 1.2642	* 2.1099 *

10	* 1.6774	* 1.4315	* 1.2455	* 1.3782	* 1.7552	* 1.5491	* 1.8122	* 0.9205 *
	* 1.4161	* 1.5851	* 1.8383	* 1.6436	* 1.3411	* 1.4366	* 1.2926	* 2.2105 *

11	* 1.4289	* 1.7816	* 1.3779	* 1.6297	* 1.4000	* 1.6465	* 1.6708	* 0.7671 *
	* 1.5898	* 1.3321	* 1.6439	* 1.4193	* 1.5448	* 1.4049	* 1.3854	* 2.7224 *

12	* 1.8284	* 1.4496	* 1.7551	* 1.4000	* 1.0227	* 1.4079	* 1.0018	*
	* 1.2988	* 1.5687	* 1.3412	* 1.5448	* 1.7792	* 1.4249	* 1.9184	*

13	* 1.5964	* 1.5899	* 1.5492	* 1.6467	* 1.4081	* 0.7658	* 0.5010	*
	* 1.4196	* 1.4233	* 1.4365	* 1.4049	* 1.4249	* 2.0200	* 3.5702	*

14	* 1.8821	* 1.8693	* 1.8124	* 1.6713	* 1.0021	* 0.5071	*	
	* 1.2583	* 1.2642	* 1.2925	* 1.3850	* 1.9180	* 3.5363	*	

15	* 0.9794	* 0.9818	* 0.9209	* 0.7679	F-SUB-Q			
	* 2.1406	* 2.1097	* 2.2097	* 2.6618	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 149 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 325 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9598	* 1.1150	* 1.6844	* 1.4236	* 1.8337	* 1.5910	* 1.8926	* 0.9713
	* 1.7828	* 2.0851	* 1.4670	* 1.6551	* 1.3394	* 1.4719	* 1.2887	* 2.2223
9	* 1.1150	* 1.1336	* 1.4280	* 1.7891	* 1.4458	* 1.5860	* 1.8805	* 0.9725
	* 2.0851	* 2.1101	* 1.6530	* 1.3765	* 1.6308	* 1.4752	* 1.2959	* 2.1944
10	* 1.6844	* 1.4274	* 1.2355	* 1.3702	* 1.7652	* 1.5503	* 1.8277	* 0.9109
	* 1.4670	* 1.6537	* 1.9285	* 1.7201	* 1.3877	* 1.4901	* 1.3289	* 2.3118
11	* 1.4236	* 1.7881	* 1.3698	* 1.6443	* 1.4060	* 1.6658	* 1.6928	* 0.7631
	* 1.6551	* 1.3773	* 1.7205	* 1.4467	* 1.5836	* 1.4295	* 1.4300	* 2.8514
12	* 1.8337	* 1.4451	* 1.7650	* 1.4060	* 1.0283	* 1.4328	* 1.0052	*
	* 1.3394	* 1.6313	* 1.3878	* 1.5837	* 1.8362	* 1.4574	* 1.9823	*
13	* 1.5910	* 1.5859	* 1.5504	* 1.6660	* 1.4329	* 0.7750	* 0.5032	*
	* 1.4719	* 1.4753	* 1.4900	* 1.4295	* 1.4573	* 2.0966	* 3.7249	*
14	* 1.8926	* 1.8805	* 1.8278	* 1.6932	* 1.0055	* 0.5090	*	*
	* 1.2887	* 1.2959	* 1.3287	* 1.4297	* 1.9819	* 3.6920	*	*
15	* 0.9713	* 0.9726	* 0.9112	* 0.7634	* F-SUB-Q			
	* 2.2223	* 2.1942	* 2.3111	* 2.7896	* M-SUB-Q			

AT 75% POWER, 325 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9896	* 1.1198	* 1.6849	* 1.4147	* 1.8265	* 1.5793	* 1.8877	* 0.9635
	* 1.8419	* 2.1696	* 1.5467	* 1.7474	* 1.4063	* 1.5493	* 1.3460	* 2.3334
9	* 1.1198	* 1.1333	* 1.4219	* 1.7853	* 1.4373	* 1.5753	* 1.8768	* 0.9646
	* 2.1696	* 2.1986	* 1.7502	* 1.4485	* 1.7203	* 1.5531	* 1.3544	* 2.3059
10	* 1.6849	* 1.4213	* 1.2291	* 1.3649	* 1.7671	* 1.5469	* 1.8307	* 0.9047
	* 1.5467	* 1.7511	* 2.0445	* 1.8199	* 1.4573	* 1.5696	* 1.3923	* 2.4365
11	* 1.4147	* 1.7842	* 1.3645	* 1.6593	* 1.4176	* 1.6821	* 1.7087	* 0.7623
	* 1.7474	* 1.4494	* 1.8204	* 1.4959	* 1.6410	* 1.4757	* 1.4736	* 3.0108
12	* 1.8265	* 1.4366	* 1.7669	* 1.4175	* 1.0530	* 1.4696	* 1.0192	*
	* 1.4063	* 1.7209	* 1.4573	* 1.6410	* 1.8976	* 1.4988	* 2.0493	*
13	* 1.5793	* 1.5752	* 1.5470	* 1.6823	* 1.4697	* 0.8064	* 0.5145	*
	* 1.5493	* 1.5532	* 1.5695	* 1.4757	* 1.4988	* 2.1723	* 3.8626	*
14	* 1.8877	* 1.8768	* 1.8309	* 1.7091	* 1.0195	* 0.5205	*	*
	* 1.3460	* 1.3544	* 1.3922	* 1.4733	* 2.0490	* 3.8276	*	*
15	* 0.9635	* 0.9647	* 0.9050	* 0.7624	* F-SUB-Q			
	* 2.3334	* 2.3057	* 2.4357	* 2.9466	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 150 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.1008	* 1.1364	* 1.6970	* 1.4105	* 1.8274	* 1.5730	* 1.8893	* 0.9550 *
	* 1.9286	* 2.2783	* 1.6242	* 1.8574	* 1.4846	* 1.6413	* 1.4151	* 2.4763 *
9	* 1.1364	* 1.1440	* 1.4244	* 1.7905	* 1.4334	* 1.5706	* 1.8799	* 0.9525 *
	* 2.2783	* 2.2960	* 1.8501	* 1.5323	* 1.8271	* 1.6451	* 1.4247	* 2.4577 *
10	* 1.6970	* 1.4238	* 1.2264	* 1.3659	* 1.7808	* 1.5495	* 1.8420	* 0.8964 *
	* 1.6242	* 1.8511	* 2.1720	* 1.9202	* 1.5128	* 1.6526	* 1.4677	* 2.5998 *
11	* 1.4105	* 1.7893	* 1.3656	* 1.6938	* 1.4460	* 1.7129	* 1.7368	* 0.7610 *
	* 1.8574	* 1.5333	* 1.9206	* 1.5592	* 1.7168	* 1.5367	* 1.5268	* 3.1874 *
12	* 1.8274	* 1.4326	* 1.7806	* 1.4460	* 1.1442	* 1.5410	* 1.0412	*
	* 1.4846	* 1.8279	* 1.5129	* 1.7168	* 1.9874	* 1.5590	* 2.1504	*
13	* 1.5730	* 1.5705	* 1.5496	* 1.7130	* 1.5410	* 0.8818	* 0.5327	*
	* 1.6413	* 1.6453	* 1.6525	* 1.5367	* 1.5589	* 2.2808	* 4.0630	*
14	* 1.8893	* 1.8799	* 1.8422	* 1.7371	* 1.0414	* 0.5390	*	
	* 1.4151	* 1.4247	* 1.4676	* 1.5265	* 2.1501	* 4.0252	*	
15	* 0.9550	* 0.9526	* 0.8966	* 0.7608	* F-SUB-Q			
	* 2.4763	* 2.4575	* 2.5991	* 3.1207	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.3040	* 1.1589	* 1.6830	* 1.3969	* 1.7989	* 1.5525	* 1.8589	* 0.9548 *
	* 2.0608	* 2.3856	* 1.7284	* 2.0027	* 1.6051	* 1.7682	* 1.5253	* 2.6258 *
9	* 1.1589	* 1.1507	* 1.4130	* 1.7674	* 1.4193	* 1.5498	* 1.8512	* 0.9575 *
	* 2.3856	* 2.4138	* 1.9675	* 1.6513	* 1.9693	* 1.7742	* 1.5363	* 2.5931 *
10	* 1.6830	* 1.4123	* 1.2317	* 1.3689	* 1.7712	* 1.5392	* 1.8225	* 0.9062 *
	* 1.7284	* 1.9685	* 2.2802	* 2.0296	* 1.6047	* 1.7493	* 1.5675	* 2.7391 *
11	* 1.3969	* 1.7661	* 1.3684	* 1.7066	* 1.4646	* 1.7190	* 1.7368	* 0.7732 *
	* 2.0027	* 1.6525	* 2.0303	* 1.6546	* 1.8194	* 1.6290	* 1.6157	* 3.3052 *
12	* 1.7989	* 1.4185	* 1.7711	* 1.4645	* 1.2451	* 1.6216	* 1.0773	*
	* 1.6051	* 1.9702	* 1.6048	* 1.8195	* 2.1141	* 1.6639	* 2.2415	*
13	* 1.5525	* 1.5496	* 1.5392	* 1.7190	* 1.6216	* 0.9724	* 0.5625	*
	* 1.7682	* 1.7743	* 1.7492	* 1.6290	* 1.6639	* 2.3937	* 4.2366	*
14	* 1.8589	* 1.8512	* 1.8226	* 1.7371	* 1.0775	* 0.5689	*	
	* 1.5253	* 1.5363	* 1.5674	* 1.6155	* 2.2412	* 4.1995	*	
15	* 0.9548	* 0.9576	* 0.9064	* 0.7732	* F-SUB-Q			
	* 2.6258	* 2.5929	* 2.7383	* 3.2353	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 151 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 325 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4069	* 1.1729	* 1.7128	* 1.4015	* 1.8187	* 1.5572	* 1.8804	* 0.9445
	* 2.1421	* 2.5280	* 1.8050	* 2.1162	* 1.6951	* 1.8838	* 1.6080	* 2.8287
9	* 1.1729	* 1.1639	* 1.4269	* 1.7914	* 1.4243	* 1.5569	* 1.8740	* 0.9430
	* 2.5280	* 2.5576	* 2.0694	* 1.7264	* 2.0824	* 1.8829	* 1.6199	* 2.8070
10	* 1.7128	* 1.4262	* 1.2279	* 1.3697	* 1.8116	* 1.5597	* 1.8527	* 0.8903
	* 1.8050	* 2.0706	* 2.4276	* 2.1432	* 1.6735	* 1.8352	* 1.6330	* 2.9606
11	* 1.4015	* 1.7901	* 1.3693	* 1.7559	* 1.4984	* 1.7683	* 1.7809	* 0.7664
	* 2.1162	* 1.7276	* 2.1435	* 1.7249	* 1.9084	* 1.6970	* 1.6795	* 3.5376
12	* 1.8187	* 1.4235	* 1.8115	* 1.4983	* 1.2911	* 1.7081	* 1.0900	*
	* 1.6951	* 2.0834	* 1.6736	* 1.9085	* 2.2170	* 1.7253	* 2.3822	*
13	* 1.5572	* 1.5568	* 1.5598	* 1.7683	* 1.7081	* 1.0140	* 0.5710	*
	* 1.8838	* 1.8830	* 1.8351	* 1.6971	* 1.7253	* 2.5404	* 4.5255	*
14	* 1.8804	* 1.8740	* 1.8527	* 1.7811	* 1.0902	* 0.5779	*	*
	* 1.6080	* 1.6199	* 1.6330	* 1.6793	* 2.3820	* 4.4828	*	*
15	* 0.9445	* 0.9431	* 0.8905	* 0.7658	F-SUB-Q			
	* 2.8287	* 2.8068	* 2.9597	* 3.4656	M-SUB-Q			

AT 75% POWER, 325 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4405	* 1.1809	* 1.7186	* 1.3982	* 1.8163	* 1.5511	* 1.8778	* 0.9407
	* 2.2444	* 2.6259	* 1.8818	* 2.2101	* 1.7873	* 1.9948	* 1.7211	* 3.0356
9	* 1.1809	* 1.1681	* 1.4268	* 1.7928	* 1.4210	* 1.5514	* 1.8725	* 0.9401
	* 2.6259	* 2.6589	* 2.1594	* 1.8080	* 2.1812	* 1.9953	* 1.7250	* 3.0099
10	* 1.7187	* 1.4261	* 1.2281	* 1.3697	* 1.8224	* 1.5638	* 1.8569	* 0.8890
	* 1.8818	* 2.1607	* 2.5313	* 2.2588	* 1.7793	* 1.9539	* 1.7345	* 3.1494
11	* 1.3982	* 1.7914	* 1.3693	* 1.7713	* 1.5091	* 1.7845	* 1.7953	* 0.7680
	* 2.2101	* 1.8094	* 2.2595	* 1.8322	* 2.0334	* 1.8034	* 1.7818	* 3.7638
12	* 1.8163	* 1.4201	* 1.8223	* 1.5090	* 1.3126	* 1.7405	* 1.1030	*
	* 1.7873	* 2.1823	* 1.7795	* 2.0335	* 2.3589	* 1.8290	* 2.5304	*
13	* 1.5511	* 1.5513	* 1.5638	* 1.7845	* 1.7405	* 1.0364	* 0.5804	*
	* 1.9948	* 1.9954	* 1.9539	* 1.8034	* 1.8290	* 2.6954	* 4.8094	*
14	* 1.8778	* 1.8725	* 1.8569	* 1.7955	* 1.1032	* 0.5873	*	*
	* 1.7211	* 1.7249	* 1.7344	* 1.7815	* 2.5301	* 4.7638	*	*
15	* 0.9407	* 0.9402	* 0.8892	* 0.7673	F-SUB-Q			
	* 3.0356	* 3.0096	* 3.1485	* 3.6875	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 152 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 325 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4396	* 1.1842	* 1.7033	* 1.3871	* 1.7958	* 1.5353	* 1.8556	* 0.9411
	* 2.2125	* 2.5651	* 1.8550	* 2.1713	* 1.7609	* 1.9629	* 1.7095	* 2.9799
9	* 1.1842	* 1.1735	* 1.4139	* 1.7740	* 1.4095	* 1.5350	* 1.8510	* 0.9431
	* 2.5651	* 2.5929	* 2.1287	* 1.7823	* 2.1433	* 1.9651	* 1.7146	* 2.9404
10	* 1.7033	* 1.4131	* 1.2298	* 1.3678	* 1.8081	* 1.5535	* 1.8393	* 0.8968
	* 1.8550	* 2.1300	* 2.4691	* 2.2107	* 1.7601	* 1.9413	* 1.7294	* 3.0633
11	* 1.3871	* 1.7726	* 1.3673	* 1.7594	* 1.5009	* 1.7737	* 1.7844	* 0.7755
	* 2.1713	* 1.7837	* 2.2115	* 1.8094	* 2.0138	* 1.7989	* 1.7875	* 3.6780
12	* 1.7958	* 1.4086	* 1.8079	* 1.5008	* 1.3168	* 1.7377	* 1.1159	*
	* 1.7609	* 2.1444	* 1.7603	* 2.0139	* 2.3371	* 1.8447	* 2.4989	*
13	* 1.5353	* 1.5349	* 1.5535	* 1.7737	* 1.7377	* 1.0521	* 0.5908	*
	* 1.9629	* 1.9653	* 1.9412	* 1.7990	* 1.8448	* 2.6769	* 4.7455	*
14	* 1.8556	* 1.8510	* 1.8393	* 1.7846	* 1.1160	* 0.5979	*	*
	* 1.7095	* 1.7146	* 1.7294	* 1.7873	* 2.4987	* 4.7010	*	*
15	* 0.9411	* 0.9432	* 0.8970	* 0.7750	* F-SUB-Q			
	* 2.9799	* 2.9401	* 3.0626	* 3.6026	* M-SUB-Q			

AT 75% POWER, 325 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4603	* 1.1808	* 1.7241	* 1.3898	* 1.8140	* 1.5390	* 1.8770	* 0.9315
	* 2.1368	* 2.5084	* 1.7881	* 2.1088	* 1.6957	* 1.9036	* 1.6429	* 2.9113
9	* 1.1808	* 1.1663	* 1.4208	* 1.7938	* 1.4126	* 1.5401	* 1.8728	* 0.9287
	* 2.5084	* 2.5388	* 2.0642	* 1.7172	* 2.0808	* 1.9049	* 1.6485	* 2.8929
10	* 1.7241	* 1.4200	* 1.2208	* 1.3630	* 1.8304	* 1.5627	* 1.8635	* 0.8800
	* 1.7881	* 2.0655	* 2.4225	* 2.1665	* 1.7016	* 1.8880	* 1.6661	* 3.0387
11	* 1.3898	* 1.7923	* 1.3627	* 1.7814	* 1.5095	* 1.7963	* 1.8116	* 0.7650
	* 2.1088	* 1.7186	* 2.1672	* 1.7500	* 1.9609	* 1.7390	* 1.7232	* 3.6436
12	* 1.8140	* 1.4117	* 1.8302	* 1.5094	* 1.3204	* 1.7662	* 1.1081	*
	* 1.6957	* 2.0819	* 1.7017	* 1.9610	* 2.2901	* 1.7790	* 2.4658	*
13	* 1.5390	* 1.5400	* 1.5627	* 1.7962	* 1.7662	* 1.0463	* 0.5826	*
	* 1.9036	* 1.9051	* 1.8880	* 1.7391	* 1.7790	* 2.6409	* 4.7158	*
14	* 1.8770	* 1.8728	* 1.8636	* 1.8118	* 1.1081	* 0.5897	*	*
	* 1.6429	* 1.6486	* 1.6661	* 1.7231	* 2.4657	* 4.6705	*	*
15	* 0.9315	* 0.9287	* 0.8802	* 0.7639	* F-SUB-Q			
	* 2.9113	* 2.8927	* 3.0380	* 3.5717	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 153 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 325 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4654	* 1.1781	* 1.7292	* 1.3876	* 1.8176	* 1.5357	* 1.8815	* 0.9270
	* 1.9563	* 2.3124	* 1.6545	* 1.9661	* 1.5844	* 1.7842	* 1.5411	* 2.7305
9	* 1.1781	* 1.1646	* 1.4189	* 1.7979	* 1.4106	* 1.5372	* 1.8776	* 0.9211
	* 2.3124	* 2.3401	* 1.9146	* 1.5998	* 1.9436	* 1.7875	* 1.5486	* 2.7208
10	* 1.7292	* 1.4181	* 1.2158	* 1.3602	* 1.8350	* 1.5628	* 1.8699	* 0.8745
	* 1.6545	* 1.9156	* 2.2510	* 2.0178	* 1.5894	* 1.7698	* 1.5639	* 2.8545
11	* 1.3876	* 1.7964	* 1.3599	* 1.7860	* 1.5083	* 1.8016	* 1.8204	* 0.7613
	* 1.9661	* 1.6010	* 2.0185	* 1.6294	* 1.8329	* 1.6269	* 1.6111	* 3.4014
12	* 1.8176	* 1.4096	* 1.8349	* 1.5082	* 1.3199	* 1.7750	* 1.1056	*
	* 1.5844	* 1.9447	* 1.5896	* 1.8331	* 2.1367	* 1.6601	* 2.3045	*
13	* 1.5357	* 1.5371	* 1.5628	* 1.8015	* 1.7750	* 1.0441	* 0.5793	*
	* 1.7842	* 1.7876	* 1.7698	* 1.6270	* 1.6602	* 2.4623	* 4.3785	*
14	* 1.8815	* 1.8776	* 1.8699	* 1.8205	* 1.1057	* 0.5866	*	*
	* 1.5411	* 1.5486	* 1.5639	* 1.6110	* 2.3045	* 4.3354	*	*
15	* 0.9270	* 0.9211	* 0.8747	* 0.7598	* F-SUB-Q			
	* 2.7305	* 2.7205	* 2.8539	* 3.3357	* M-SUB-Q			

AT 75% POWER, 325 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4652	* 1.1776	* 1.7278	* 1.3838	* 1.8157	* 1.5308	* 1.8790	* 0.9259
	* 1.8052	* 2.1387	* 1.5297	* 1.8169	* 1.4604	* 1.6498	* 1.4232	* 2.5238
9	* 1.1776	* 1.1616	* 1.4139	* 1.7958	* 1.4067	* 1.5320	* 1.8752	* 0.9232
	* 2.1387	* 2.1679	* 1.7759	* 1.4777	* 1.7953	* 1.6520	* 1.4289	* 2.5054
10	* 1.7278	* 1.4131	* 1.2151	* 1.3553	* 1.8326	* 1.5590	* 1.8682	* 0.8751
	* 1.5297	* 1.7769	* 2.0818	* 1.8708	* 1.4690	* 1.6390	* 1.4464	* 2.6302
11	* 1.3838	* 1.7942	* 1.3550	* 1.7835	* 1.5030	* 1.7993	* 1.8198	* 0.7622
	* 1.8169	* 1.4789	* 1.8714	* 1.5056	* 1.6976	* 1.5026	* 1.4872	* 3.1408
12	* 1.8157	* 1.4057	* 1.8324	* 1.5029	* 1.3167	* 1.7747	* 1.1069	*
	* 1.4604	* 1.7964	* 1.4691	* 1.6978	* 1.9755	* 1.5302	* 2.1233	*
13	* 1.5308	* 1.5319	* 1.5590	* 1.7992	* 1.7746	* 1.0455	* 0.5794	*
	* 1.6498	* 1.6521	* 1.6390	* 1.5027	* 1.5303	* 2.2668	* 4.0396	*
14	* 1.8790	* 1.8752	* 1.8683	* 1.8199	* 1.1070	* 0.5865	*	*
	* 1.4232	* 1.4289	* 1.4465	* 1.4871	* 2.1233	* 4.0004	*	*
15	* 0.9259	* 0.9232	* 0.8752	* 0.7606	* F-SUB-Q			
	* 2.5238	* 2.5052	* 2.6297	* 3.0803	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 154 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 75% POWER, 325 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4556	* 1.1797	* 1.7160	* 1.3779	* 1.8034	* 1.5219	* 1.8647	* 0.9293
	* 1.8240	* 2.1447	* 1.5427	* 1.8285	* 1.4739	* 1.6655	* 1.4394	* 2.5270
9	* 1.1797	* 1.1689	* 1.4040	* 1.7831	* 1.4005	* 1.5222	* 1.8609	* 0.9298
	* 2.1447	* 2.1677	* 1.7921	* 1.4895	* 1.8074	* 1.6681	* 1.4442	* 2.4991
10	* 1.7160	* 1.4032	* 1.2190	* 1.3585	* 1.8190	* 1.5510	* 1.8544	* 0.8845
	* 1.5427	* 1.7931	* 2.0798	* 1.8697	* 1.4854	* 1.6530	* 1.4579	* 2.6083
11	* 1.3779	* 1.7815	* 1.3579	* 1.7702	* 1.4929	* 1.7866	* 1.8072	* 0.7690
	* 1.8285	* 1.4907	* 1.8705	* 1.5232	* 1.7170	* 1.5194	* 1.5034	* 3.1224
12	* 1.8034	* 1.3994	* 1.8188	* 1.4927	* 1.3148	* 1.7623	* 1.1149	*
	* 1.4739	* 1.8085	* 1.4856	* 1.7171	* 1.9808	* 1.5451	* 2.1166	*
13	* 1.5219	* 1.5221	* 1.5510	* 1.7865	* 1.7622	* 1.0525	* 0.5845	*
	* 1.6655	* 1.6682	* 1.6530	* 1.5195	* 1.5452	* 2.2587	* 4.0237	*
14	* 1.8647	* 1.8609	* 1.8544	* 1.8073	* 1.1150	* 0.5922	*	*
	* 1.4394	* 1.4442	* 1.4579	* 1.5034	* 2.1166	* 3.9812	*	*
15	* 0.9293	* 0.9298	* 0.8847	* 0.7676	* F-SUB-Q			
	* 2.5270	* 2.4989	* 2.6078	* 3.0614	* M-SUB-Q			

AT 75% POWER, 325 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4772	* 1.1771	* 1.7437	* 1.3852	* 1.8303	* 1.5323	* 1.8951	* 0.9215
	* 1.6701	* 2.0057	* 1.4186	* 1.7035	* 1.3591	* 1.5508	* 1.3277	* 2.3913
9	* 1.1771	* 1.1621	* 1.4160	* 1.8111	* 1.4085	* 1.5341	* 1.8913	* 0.9148
	* 2.0057	* 2.0323	* 1.6614	* 1.3724	* 1.6833	* 1.5511	* 1.3313	* 2.3833
10	* 1.7437	* 1.4152	* 1.2120	* 1.3542	* 1.8470	* 1.5634	* 1.8853	* 0.8679
	* 1.4186	* 1.6624	* 1.9560	* 1.7529	* 1.3640	* 1.5297	* 1.3402	* 2.4899
11	* 1.3852	* 1.8094	* 1.3539	* 1.7970	* 1.5039	* 1.8134	* 1.8383	* 0.7574
	* 1.7035	* 1.3736	* 1.7535	* 1.3992	* 1.5894	* 1.3953	* 1.3778	* 2.9611
12	* 1.8303	* 1.4074	* 1.8468	* 1.5038	* 1.3172	* 1.7913	* 1.1043	*
	* 1.3591	* 1.6843	* 1.3641	* 1.5896	* 1.8448	* 1.4187	* 1.9958	*
13	* 1.5323	* 1.5340	* 1.5634	* 1.8133	* 1.7912	* 1.0424	* 0.5737	*
	* 1.5508	* 1.5512	* 1.5298	* 1.3954	* 1.4188	* 2.1292	* 3.8351	*
14	* 1.8951	* 1.8913	* 1.8853	* 1.8384	* 1.1043	* 0.5809	*	*
	* 1.3277	* 1.3313	* 1.3403	* 1.3778	* 1.9959	* 3.7965	*	*
15	* 0.9215	* 0.9148	* 0.8681	* 0.7552	* F-SUB-Q			
	* 2.3913	* 2.3831	* 2.4894	* 2.9062	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 155 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 325 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4796	* 1.1765	* 1.7471	* 1.3838	* 1.8327	* 1.5313	* 1.8976	* 0.9187 *
	* 1.5639	* 1.8943	* 1.3375	* 1.6135	* 1.2836	* 1.4689	* 1.2543	* 2.2724 *
9	* 1.1765	* 1.1612	* 1.4154	* 1.8138	* 1.4071	* 1.5334	* 1.8939	* 0.9116 *
	* 1.8943	* 1.9205	* 1.5710	* 1.2953	* 1.5944	* 1.4686	* 1.2574	* 2.2653 *
10	* 1.7471	* 1.4146	* 1.2102	* 1.3520	* 1.8494	* 1.5632	* 1.8881	* 0.8648 *
	* 1.3375	* 1.5720	* 1.8521	* 1.6587	* 1.2842	* 1.4433	* 1.2636	* 2.3642 *
11	* 1.3838	* 1.8120	* 1.3517	* 1.7991	* 1.5023	* 1.8160	* 1.8414	* 0.7545 *
	* 1.6135	* 1.2965	* 1.6593	* 1.3164	* 1.4986	* 1.3115	* 1.2954	* 2.8074 *
12	* 1.8327	* 1.4060	* 1.8492	* 1.5022	* 1.3156	* 1.7938	* 1.1024	* *
	* 1.2836	* 1.5954	* 1.2843	* 1.4987	* 1.7328	* 1.3296	* 1.8803	* *
13	* 1.5313	* 1.5333	* 1.5632	* 1.8159	* 1.7937	* 1.0403	* 0.5708	* *
	* 1.4689	* 1.4687	* 1.4434	* 1.3116	* 1.3297	* 2.0028	* 3.6247	* *
14	* 1.8976	* 1.8939	* 1.8881	* 1.8414	* 1.1024	* 0.5780	* *	
	* 1.2543	* 1.2574	* 1.2636	* 1.2954	* 1.8804	* 3.5886	* *	
15	* 0.9187	* 0.9117	* 0.8650	* 0.7522	* F-SUB-Q			
	* 2.2724	* 2.2651	* 2.3638	* 2.7558	* M-SUB-Q			

AT 75% POWER, 325 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4528	* 1.1735	* 1.7140	* 1.3665	* 1.7973	* 1.5111	* 1.8577	* 0.9177 *
	* 1.5160	* 1.8130	* 1.3009	* 1.5610	* 1.2506	* 1.4222	* 1.2228	* 2.1749 *
9	* 1.1735	* 1.1629	* 1.3957	* 1.7781	* 1.3891	* 1.5122	* 1.8539	* 0.9168 *
	* 1.8130	* 1.8336	* 1.5213	* 1.2610	* 1.5428	* 1.4227	* 1.2254	* 2.1531 *
10	* 1.7140	* 1.3949	* 1.2091	* 1.3482	* 1.8128	* 1.5415	* 1.8481	* 0.8718 *
	* 1.3009	* 1.5223	* 1.7711	* 1.5888	* 1.2480	* 1.3947	* 1.2303	* 2.2401 *
11	* 1.3665	* 1.7764	* 1.3475	* 1.7640	* 1.4807	* 1.7813	* 1.8021	* 0.7577 *
	* 1.5610	* 1.2622	* 1.5896	* 1.2785	* 1.4484	* 1.2723	* 1.2596	* 2.6676 *
12	* 1.7973	* 1.3880	* 1.8126	* 1.4806	* 1.3059	* 1.7567	* 1.1056	*
	* 1.2506	* 1.5438	* 1.2481	* 1.4485	* 1.6629	* 1.2898	* 1.7841	*
13	* 1.5111	* 1.5121	* 1.5415	* 1.7812	* 1.7566	* 1.0429	* 0.5750	*
	* 1.4222	* 1.4228	* 1.3947	* 1.2724	* 1.2899	* 1.8991	* 3.4256	*
14	* 1.8577	* 1.8539	* 1.8481	* 1.8022	* 1.1056	* 0.5815	*	
	* 1.2227	* 1.2254	* 1.2303	* 1.2596	* 1.7842	* 3.3959	*	
15	* 0.9177	* 0.9169	* 0.8720	* 0.7560	F-SUB-Q			
	* 2.1749	* 2.1529	* 2.2396	* 2.6167	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 156 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 325 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4350	* 1.1483	* 1.6940	* 1.3427	* 1.7707	* 1.4904	* 1.8310	* 0.8893
	* 1.4768	* 1.7850	* 1.2666	* 1.5303	* 1.2210	* 1.3888	* 1.1935	* 2.1631
9	* 1.1483	* 1.1343	* 1.3813	* 1.7542	* 1.3654	* 1.4931	* 1.8272	* 0.8831
	* 1.7850	* 1.8093	* 1.4805	* 1.2300	* 1.5120	* 1.3878	* 1.1961	* 2.1542
10	* 1.6940	* 1.3804	* 1.1778	* 1.3125	* 1.7888	* 1.5189	* 1.8211	* 0.8367
	* 1.2666	* 1.4814	* 1.7519	* 1.5698	* 1.2155	* 1.3612	* 1.2003	* 2.2485
11	* 1.3427	* 1.7524	* 1.3122	* 1.7413	* 1.4612	* 1.7579	* 1.7747	* 0.7267
	* 1.5303	* 1.2312	* 1.5704	* 1.2442	* 1.4111	* 1.2385	* 1.2286	* 2.6779
12	* 1.7707	* 1.3642	* 1.7887	* 1.4611	* 1.2790	* 1.7315	* 1.0691	*
	* 1.2210	* 1.5130	* 1.2157	* 1.4112	* 1.6304	* 1.2556	* 1.7731	*
13	* 1.4904	* 1.4930	* 1.5189	* 1.7578	* 1.7315	* 1.0101	* 0.5524	*
	* 1.3888	* 1.3880	* 1.3612	* 1.2386	* 1.2556	* 1.8841	* 3.4312	*
14	* 1.8310	* 1.8272	* 1.8211	* 1.7748	* 1.0692	* 0.5589	*	*
	* 1.1935	* 1.1961	* 1.2003	* 1.2286	* 1.7731	* 3.4000	*	*
15	* 0.8893	* 0.8832	* 0.8369	* 0.7251	* F-SUB-Q			
	* 2.1631	* 2.1540	* 2.2481	* 2.6267	* M-SUB-Q			

AT 75% POWER, 325 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3303	* 1.0789	* 1.5695	* 1.2584	* 1.6357	* 1.3994	* 1.6894	* 0.8323
	* 1.5449	* 1.8422	* 1.3239	* 1.5829	* 1.2803	* 1.4348	* 1.2531	* 2.2445
9	* 1.0789	* 1.0709	* 1.3037	* 1.6224	* 1.2802	* 1.4015	* 1.6856	* 0.8228
	* 1.8422	* 1.8615	* 1.5204	* 1.2873	* 1.5640	* 1.4345	* 1.2559	* 2.2450
10	* 1.5695	* 1.3029	* 1.1046	* 1.2318	* 1.6552	* 1.4238	* 1.6788	* 0.7815
	* 1.3239	* 1.5215	* 1.8125	* 1.6218	* 1.2710	* 1.4069	* 1.2606	* 2.3371
11	* 1.2584	* 1.6207	* 1.2315	* 1.6125	* 1.3744	* 1.6278	* 1.6335	* 0.6756
	* 1.5829	* 1.2886	* 1.6225	* 1.2999	* 1.4530	* 1.2938	* 1.2920	* 2.7968
12	* 1.6357	* 1.2792	* 1.6550	* 1.3743	* 1.2028	* 1.5975	* 0.9979	*
	* 1.2803	* 1.5652	* 1.2711	* 1.4531	* 1.6802	* 1.3171	* 1.8414	*
13	* 1.3994	* 1.4014	* 1.4238	* 1.6277	* 1.5975	* 0.9447	* 0.5175	*
	* 1.4348	* 1.4347	* 1.4069	* 1.2939	* 1.3171	* 1.9532	* 3.5570	*
14	* 1.6894	* 1.6856	* 1.6789	* 1.6336	* 0.9980	* 0.5231	*	*
	* 1.2531	* 1.2559	* 1.2606	* 1.2919	* 1.8414	* 3.5288	*	*
15	* 0.8323	* 0.8229	* 0.7817	* 0.6748	* F-SUB-Q			
	* 2.2445	* 2.2448	* 2.3366	* 2.7405	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 157 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.0954	* 0.9020	* 1.2872	* 1.0453	* 1.3380	* 1.1636	* 1.3757	* 0.6924
	* 1.8329	* 2.1525	* 1.5744	* 1.8592	* 1.5251	* 1.6818	* 1.4982	* 2.6348
9	* 0.9020	* 0.8973	* 1.0998	* 1.3268	* 1.0657	* 1.1598	* 1.3724	* 0.6824
	* 2.1525	* 2.1715	* 1.7597	* 1.5344	* 1.8323	* 1.6900	* 1.5018	* 2.6420
10	* 1.2872	* 1.0991	* 0.9196	* 1.0268	* 1.3522	* 1.1753	* 1.3658	* 0.6467
	* 1.5744	* 1.7609	* 2.1226	* 1.8984	* 1.5157	* 1.6602	* 1.5086	* 2.7577
11	* 1.0453	* 1.3255	* 1.0265	* 1.3199	* 1.1493	* 1.3219	* 1.3223	* 0.5550
	* 1.8592	* 1.5359	* 1.8992	* 1.5479	* 1.6940	* 1.5531	* 1.5549	* 3.3262
12	* 1.3380	* 1.0649	* 1.3521	* 1.1493	* 1.0014	* 1.3025	* 0.8217	
	* 1.5251	* 1.8336	* 1.5159	* 1.6941	* 1.9684	* 1.5754	* 2.1815	
13	* 1.1636	* 1.1597	* 1.1753	* 1.3219	* 1.3025	* 0.7796	* 0.4326	
	* 1.6818	* 1.6902	* 1.6602	* 1.5532	* 1.5754	* 2.3102	* 4.1621	
14	* 1.3757	* 1.3724	* 1.3658	* 1.3224	* 0.8218	* 0.4375		
	* 1.4982	* 1.5018	* 1.5086	* 1.5548	* 2.1815	* 4.1250		
15	* 0.6924	* 0.6825	* 0.6468	* 0.5567	* F-SUB-Q			
	* 2.6348	* 2.6417	* 2.7572	* 3.2459	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 0.4860	* 0.4228	* 0.5557	* 0.4891	* 0.5823	* 0.5045	* 0.5541	* 0.3085
	* 4.0430	* 4.4896	* 3.5649	* 3.8799	* 3.4252	* 3.7827	* 3.6283	* 5.7829
9	* 0.4228	* 0.4181	* 0.4781	* 0.5743	* 0.4930	* 0.5020	* 0.5526	* 0.3032
	* 4.4896	* 4.5554	* 3.9513	* 3.4635	* 3.8671	* 3.8052	* 3.6381	* 5.8163
10	* 0.5557	* 0.4778	* 0.4346	* 0.4816	* 0.5842	* 0.5031	* 0.5485	* 0.2915
	* 3.5649	* 3.9542	* 4.3900	* 3.9527	* 3.4253	* 3.7783	* 3.6638	* 5.9839
11	* 0.4891	* 0.5738	* 0.4814	* 0.5710	* 0.5004	* 0.5785	* 0.5253	* 0.2577
	* 3.8799	* 3.4667	* 3.9543	* 3.4954	* 3.7934	* 3.4644	* 3.8196	* 7.0112
12	* 0.5823	* 0.4927	* 0.5841	* 0.5003	* 0.4620	* 0.5238	* 0.3614	*
	* 3.4252	* 3.8694	* 3.4256	* 3.7937	* 4.1650	* 3.8234	* 4.8490	*
13	* 0.5045	* 0.5019	* 0.5031	* 0.5784	* 0.5238	* 0.3457	* 0.1988	*
	* 3.7827	* 3.8057	* 3.7784	* 3.4645	* 3.8235	* 5.0931	* 8.8714	*
14	* 0.5541	* 0.5526	* 0.5485	* 0.5253	* 0.3614	* 0.2001	*	*
	* 3.6283	* 3.6381	* 3.6637	* 3.8194	* 4.8490	* 8.8385	*	*
15	* 0.3085	* 0.3032	* 0.2916	* 0.2560	* F-SUB-Q			
	* 5.7829	* 5.8157	* 5.9829	* 6.9102	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 158 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 450 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.4525	* 0.5470	* 0.7309	* 0.6739	* 0.7829	* 0.7016	* 0.7466	* 0.4442 *
	* 3.3915	* 3.8514	* 3.0940	* 3.1125	* 2.9033	* 3.0206	* 3.0773	* 4.4063 *
9	* 0.5470	* 0.5654	* 0.6525	* 0.7664	* 0.6771	* 0.6996	* 0.7413	* 0.4382 *
	* 3.8514	* 3.7884	* 3.2291	* 2.9531	* 3.1037	* 3.0194	* 3.0948	* 4.3403 *
10	* 0.7309	* 0.6525	* 0.6116	* 0.6577	* 0.7519	* 0.6682	* 0.7148	* 0.4198 *
	* 3.0940	* 3.2295	* 3.4937	* 3.1998	* 2.9837	* 3.0903	* 3.1515	* 4.4847 *
11	* 0.6739	* 0.7664	* 0.6578	* 0.7066	* 0.6170	* 0.6960	* 0.6515	* 0.3532 *
	* 3.1125	* 2.9535	* 3.1998	* 3.1894	* 3.2994	* 3.1708	* 3.4004	* 5.4041 *
12	* 0.7829	* 0.6770	* 0.7519	* 0.6170	* 0.4620	* 0.5558	* 0.4320 *	
	* 2.9033	* 3.1039	* 2.9838	* 3.2994	* 3.4247	* 3.4237	* 4.1828 *	
13	* 0.7016	* 0.6996	* 0.6682	* 0.6960	* 0.5559	* 0.3468	* 0.2473 *	
	* 3.0206	* 3.0195	* 3.0903	* 3.1708	* 3.4237	* 4.0593	* 6.7007 *	
14	* 0.7466	* 0.7413	* 0.7149	* 0.6516	* 0.4321	* 0.2485 *		
	* 3.0773	* 3.0948	* 3.1513	* 3.4000	* 4.1823	* 6.6889 *		
15	* 0.4442	* 0.4383	* 0.4199	* 0.3518	F-SUB-Q			
	* 4.4063	* 4.3399	* 4.4836	* 5.2908	M-SUB-Q			

AT 75% POWER, 450 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.8267	* 0.9913	* 1.3894	* 1.2248	* 1.4864	* 1.3619	* 1.5198	* 0.8679 *
	* 1.9136	* 2.1477	* 1.6603	* 1.7514	* 1.5636	* 1.5845	* 1.5469	* 2.3088 *
9	* 0.9913	* 1.0295	* 1.2647	* 1.4544	* 1.2426	* 1.3548	* 1.5101	* 0.8588 *
	* 2.1477	* 2.1114	* 1.6937	* 1.5895	* 1.7296	* 1.5894	* 1.5547	* 2.2662 *
10	* 1.3894	* 1.2646	* 1.0995	* 1.1918	* 1.4302	* 1.3098	* 1.4620	* 0.8095 *
	* 1.6603	* 1.6940	* 1.9917	* 1.7961	* 1.6041	* 1.6114	* 1.5735	* 2.3688 *
11	* 1.2248	* 1.4541	* 1.1918	* 1.3395	* 1.1946	* 1.3176	* 1.3410	* 0.6704 *
	* 1.7514	* 1.5899	* 1.7961	* 1.7025	* 1.7122	* 1.7124	* 1.6827	* 2.9145 *
12	* 1.4864	* 1.2424	* 1.4301	* 1.1946	* 0.8519	* 1.1384	* 0.8519 *	
	* 1.5636	* 1.7298	* 1.6042	* 1.7122	* 1.9196	* 1.6947	* 2.1383 *	
13	* 1.3619	* 1.3548	* 1.3099	* 1.3177	* 1.1385	* 0.6690	* 0.4712 *	
	* 1.5845	* 1.5895	* 1.6113	* 1.7123	* 1.6947	* 2.1115	* 3.5477 *	
14	* 1.5198	* 1.5101	* 1.4621	* 1.3413	* 0.8521	* 0.4754 *		
	* 1.5469	* 1.5547	* 1.5734	* 1.6825	* 2.1379	* 3.5278 *		
15	* 0.8679	* 0.8589	* 0.8097	* 0.6749	F-SUB-Q			
	* 2.3088	* 2.2660	* 2.3681	* 2.8233	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 159 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 450 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9445	* 1.1253	* 1.5946	* 1.3919	* 1.7162	* 1.5444	* 1.7637	* 1.0047
	* 1.7176	* 1.9223	* 1.4623	* 1.5603	* 1.3685	* 1.4087	* 1.3404	* 2.0089
9	* 1.1253	* 1.1544	* 1.4145	* 1.6767	* 1.4088	* 1.5411	* 1.7524	* 1.0052
	* 1.9223	* 1.8960	* 1.5279	* 1.3946	* 1.5441	* 1.4099	* 1.3439	* 1.9504
10	* 1.5946	* 1.4143	* 1.2413	* 1.3479	* 1.6494	* 1.4950	* 1.6975	* 0.9501
	* 1.4623	* 1.5283	* 1.7666	* 1.6040	* 1.4075	* 1.4277	* 1.3692	* 2.0363
11	* 1.3919	* 1.6762	* 1.3478	* 1.5375	* 1.3534	* 1.5345	* 1.5608	* 0.7926
	* 1.5603	* 1.3950	* 1.6041	* 1.4923	* 1.5291	* 1.4888	* 1.4638	* 2.4970
12	* 1.7162	* 1.4085	* 1.6493	* 1.3534	* 0.9879	* 1.3186	* 0.9978	*
	* 1.3685	* 1.5444	* 1.4076	* 1.5291	* 1.7306	* 1.4861	* 1.8398	*
13	* 1.5444	* 1.5410	* 1.4951	* 1.5346	* 1.3187	* 0.7733	* 0.5438	*
	* 1.4087	* 1.4100	* 1.4277	* 1.4887	* 1.4861	* 1.8536	* 3.1018	*
14	* 1.7637	* 1.7524	* 1.6977	* 1.5612	* 0.9981	* 0.5483	*	
	* 1.3404	* 1.3440	* 1.3691	* 1.4635	* 1.8394	* 3.0870	*	
15	* 1.0047	* 1.0053	* 0.9504	* 0.7962	* F-SUB-Q			
	* 2.0089	* 1.9503	* 2.0356	* 2.4230	* M-SUB-Q			

AT 75% POWER, 450 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9927	* 1.1595	* 1.6950	* 1.4543	* 1.8341	* 1.6170	* 1.8982	* 1.0396 *
	* 1.6479	* 1.8778	* 1.3920	* 1.5114	* 1.2946	* 1.3590	* 1.2527	* 1.9525 *
9	* 1.1595	* 1.1911	* 1.4706	* 1.7886	* 1.4736	* 1.6154	* 1.8859	* 1.0382 *
	* 1.8778	* 1.8583	* 1.4866	* 1.3226	* 1.4939	* 1.3587	* 1.2579	* 1.9009 *
10	* 1.6950	* 1.4703	* 1.2804	* 1.4043	* 1.7605	* 1.5698	* 1.8277	* 0.9768 *
	* 1.3920	* 1.4871	* 1.7305	* 1.5576	* 1.3346	* 1.3745	* 1.2849	* 2.0015 *
11	* 1.4543	* 1.7880	* 1.4042	* 1.6330	* 1.4117	* 1.6424	* 1.6805	* 0.8187 *
	* 1.5114	* 1.3231	* 1.5578	* 1.4163	* 1.4774	* 1.4022	* 1.3708	* 2.4463 *
12	* 1.8341	* 1.4732	* 1.7604	* 1.4117	* 1.0216	* 1.4116	* 1.0313	*
	* 1.2946	* 1.4943	* 1.3347	* 1.4775	* 1.6823	* 1.4015	* 1.7974	*
13	* 1.6170	* 1.6153	* 1.5698	* 1.6425	* 1.4117	* 0.7942	* 0.5527	*
	* 1.3590	* 1.3588	* 1.3745	* 1.4021	* 1.4014	* 1.8259	* 3.0864	*
14	* 1.8982	* 1.8859	* 1.8278	* 1.6808	* 1.0316	* 0.5582	*	
	* 1.2527	* 1.2579	* 1.2849	* 1.3706	* 1.7970	* 3.0660	*	
15	* 1.0396	* 1.0383	* 0.9770	* 0.8204	* F-SUB-Q			
	* 1.9525	* 1.9008	* 2.0009	* 2.3799	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 160 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 450 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9834	* 1.1471	* 1.6901	* 1.4443	* 1.8349	* 1.6065	* 1.9074	* 1.0385 *
	* 1.6820	* 1.9291	* 1.4176	* 1.5441	* 1.3133	* 1.3881	* 1.2623	* 1.9802 *
9	* 1.1471	* 1.1734	* 1.4522	* 1.7878	* 1.4639	* 1.6038	* 1.8948	* 1.0398 *
	* 1.9291	* 1.9187	* 1.5292	* 1.3417	* 1.5246	* 1.3890	* 1.2683	* 1.9235 *
10	* 1.6901	* 1.4519	* 1.2707	* 1.3908	* 1.7591	* 1.5623	* 1.8359	* 0.9754 *
	* 1.4176	* 1.5298	* 1.7712	* 1.5932	* 1.3500	* 1.3965	* 1.2940	* 2.0338 *
11	* 1.4443	* 1.7871	* 1.3906	* 1.6270	* 1.3975	* 1.6441	* 1.6872	* 0.8210 *
	* 1.5441	* 1.3422	* 1.5934	* 1.4374	* 1.5109	* 1.4150	* 1.3789	* 2.4612 *
12	* 1.8349	* 1.4634	* 1.7589	* 1.3975	* 1.0151	* 1.4130	* 1.0292	*
	* 1.3133	* 1.5251	* 1.3501	* 1.5109	* 1.7224	* 1.4177	* 1.8240	*
13	* 1.6065	* 1.6037	* 1.5623	* 1.6441	* 1.4131	* 0.7897	* 0.5474	*
	* 1.3881	* 1.3891	* 1.3965	* 1.4150	* 1.4177	* 1.8616	* 3.1623	*
14	* 1.9074	* 1.8948	* 1.8359	* 1.6875	* 1.0294	* 0.5531	*	*
	* 1.2623	* 1.2684	* 1.2940	* 1.3787	* 1.8237	* 3.1400	*	*
15	* 1.0385	* 1.0399	* 0.9756	* 0.8217	* F-SUB-Q			
	* 1.9802	* 1.9234	* 2.0333	* 2.3977	* M-SUB-Q			

AT 75% POWER, 450 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9592	* 1.1230	* 1.6539	* 1.4126	* 1.7983	* 1.5710	* 1.8747	* 1.0238 *
	* 1.7432	* 1.9964	* 1.4696	* 1.6016	* 1.3564	* 1.4369	* 1.3013	* 2.0368 *
9	* 1.1230	* 1.1430	* 1.4143	* 1.7512	* 1.4323	* 1.5670	* 1.8620	* 1.0264 *
	* 1.9964	* 1.9983	* 1.5926	* 1.3892	* 1.5811	* 1.4384	* 1.3067	* 1.9752 *
10	* 1.6539	* 1.4139	* 1.2468	* 1.3624	* 1.7222	* 1.5289	* 1.8037	* 0.9656 *
	* 1.4696	* 1.5932	* 1.8303	* 1.6531	* 1.4004	* 1.4469	* 1.3340	* 2.0778 *
11	* 1.4126	* 1.7505	* 1.3621	* 1.5903	* 1.3632	* 1.6118	* 1.6572	* 0.8126 *
	* 1.6016	* 1.3898	* 1.6533	* 1.4857	* 1.5668	* 1.4700	* 1.4293	* 2.5293 *
12	* 1.7983	* 1.4318	* 1.7220	* 1.3632	* 0.9960	* 1.3850	* 1.0145	*
	* 1.3564	* 1.5816	* 1.4006	* 1.5669	* 1.7896	* 1.4676	* 1.8751	*
13	* 1.5710	* 1.5669	* 1.5289	* 1.6118	* 1.3850	* 0.7769	* 0.5387	*
	* 1.4369	* 1.4385	* 1.4469	* 1.4701	* 1.4676	* 1.9253	* 3.2723	*
14	* 1.8747	* 1.8619	* 1.8037	* 1.6574	* 1.0147	* 0.5450	*	*
	* 1.3013	* 1.3068	* 1.3340	* 1.4292	* 1.8748	* 3.2446	*	*
15	* 1.0238	* 1.0265	* 0.9658	* 0.8128	* F-SUB-Q			
	* 2.0368	* 1.9750	* 2.0773	* 2.4654	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 161 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 450 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8	* 0.9414	* 1.0965	* 1.6315	* 1.3852	* 1.7737	* 1.5414	* 1.8541	* 1.0000
	* 1.7985	* 2.0611	* 1.5290	* 1.6744	* 1.4070	* 1.4971	* 1.3409	* 2.1248

9	* 1.0965	* 1.1191	* 1.3871	* 1.7274	* 1.4053	* 1.5383	* 1.8414	* 1.0007
	* 2.0611	* 2.0853	* 1.6665	* 1.4438	* 1.6515	* 1.4983	* 1.3478	* 2.0652

10	* 1.6315	* 1.3866	* 1.2153	* 1.3293	* 1.6977	* 1.5020	* 1.7841	* 0.9369
	* 1.5290	* 1.6672	* 1.9279	* 1.7385	* 1.4581	* 1.5092	* 1.3807	* 2.1905

11	* 1.3852	* 1.7266	* 1.3291	* 1.5665	* 1.3358	* 1.5908	* 1.6404	* 0.7924
	* 1.6744	* 1.4445	* 1.7388	* 1.5231	* 1.6159	* 1.5117	* 1.4855	* 2.6646

12	* 1.7737	* 1.4048	* 1.6975	* 1.3357	* 0.9709	* 1.3683	* 0.9904	*
	* 1.4070	* 1.6521	* 1.4582	* 1.6160	* 1.8555	* 1.5088	* 1.9490	*

13	* 1.5414	* 1.5382	* 1.5019	* 1.5908	* 1.3683	* 0.7576	* 0.5232	*
	* 1.4971	* 1.4985	* 1.5093	* 1.5118	* 1.5089	* 2.0076	* 3.4331	*

14	* 1.8541	* 1.8414	* 1.7840	* 1.6406	* 0.9905	* 0.5289	*	*
	* 1.3409	* 1.3479	* 1.3808	* 1.4854	* 1.9488	* 3.4069	*	*

15	* 1.0000	* 1.0008	* 0.9370	* 0.7919	* F-SUB-Q			
	* 2.1248	* 2.0651	* 2.1900	* 2.5997	* M-SUB-Q			

AT 75% POWER, 450 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8	* 0.9278	* 1.0778	* 1.6080	* 1.3600	* 1.7451	* 1.5125	* 1.8268	* 0.9811
	* 1.8514	* 2.1386	* 1.6122	* 1.7684	* 1.4794	* 1.5772	* 1.4034	* 2.2331

9	* 1.0778	* 1.0994	* 1.3621	* 1.7011	* 1.3801	* 1.5096	* 1.8145	* 0.9814
	* 2.1386	* 2.1648	* 1.7636	* 1.5207	* 1.7430	* 1.5789	* 1.4116	* 2.1724

10	* 1.6080	* 1.3617	* 1.1923	* 1.3047	* 1.6710	* 1.4759	* 1.7593	* 0.9184
	* 1.6122	* 1.7643	* 2.0431	* 1.8415	* 1.5381	* 1.5922	* 1.4500	* 2.3114

11	* 1.3600	* 1.7002	* 1.3044	* 1.5429	* 1.3124	* 1.5690	* 1.6204	* 0.7786
	* 1.7684	* 1.5214	* 1.8419	* 1.5752	* 1.6746	* 1.5620	* 1.5360	* 2.8180

12	* 1.7451	* 1.3795	* 1.6708	* 1.3123	* 0.9541	* 1.3526	* 0.9755	*
	* 1.4793	* 1.7437	* 1.5382	* 1.6747	* 1.9163	* 1.5537	* 2.0145	*

13	* 1.5125	* 1.5095	* 1.4758	* 1.5690	* 1.3526	* 0.7474	* 0.5149	*
	* 1.5772	* 1.5791	* 1.5922	* 1.5621	* 1.5538	* 2.0797	* 3.5600	*

14	* 1.8268	* 1.8145	* 1.7593	* 1.6205	* 0.9756	* 0.5206	*	*
	* 1.4034	* 1.4116	* 1.4501	* 1.5359	* 2.0143	* 3.5320	*	*

15	* 0.9811	* 0.9814	* 0.9186	* 0.7778	* F-SUB-Q			
	* 2.2331	* 2.1723	* 2.3110	* 2.7504	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 162 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 450 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9289	* 1.0683	* 1.5996	* 1.3437	* 1.7296	* 1.4932	* 1.8115	* 0.9645
	* 1.9278	* 2.2347	* 1.6862	* 1.8766	* 1.5608	* 1.6693	* 1.4751	* 2.3672
9	* 1.0683	* 1.0907	* 1.3491	* 1.6886	* 1.3637	* 1.4914	* 1.7999	* 0.9612
	* 2.2347	* 2.2613	* 1.8563	* 1.6069	* 1.8485	* 1.6704	* 1.4846	* 2.3122
10	* 1.5996	* 1.3486	* 1.1763	* 1.2889	* 1.6594	* 1.4602	* 1.7482	* 0.9017
	* 1.6862	* 1.8571	* 2.1642	* 1.9396	* 1.5975	* 1.6801	* 1.5285	* 2.4618
11	* 1.3436	* 1.6878	* 1.2887	* 1.5365	* 1.3022	* 1.5629	* 1.6156	* 0.7672
	* 1.8766	* 1.6077	* 1.9399	* 1.6388	* 1.7483	* 1.6245	* 1.5924	* 2.9863
12	* 1.7296	* 1.3631	* 1.6592	* 1.3022	* 0.9478	* 1.3550	* 0.9676	*
	* 1.5608	* 1.8493	* 1.5976	* 1.7484	* 2.0004	* 1.6125	* 2.1091	*
13	* 1.4932	* 1.4913	* 1.4601	* 1.5628	* 1.3550	* 0.7463	* 0.5119	*
	* 1.6693	* 1.6705	* 1.6802	* 1.6246	* 1.6126	* 2.1769	* 3.7351	*
14	* 1.8115	* 1.7998	* 1.7482	* 1.6156	* 0.9676	* 0.5178	*	
	* 1.4751	* 1.4846	* 1.5286	* 1.5924	* 2.1089	* 3.7045	*	
15	* 0.9645	* 0.9613	* 0.9018	* 0.7659	* F-SUB-Q			
	* 2.3672	* 2.3121	* 2.4614	* 2.9166	* M-SUB-Q			

AT 75% POWER, 450 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9397	* 1.0748	* 1.5770	* 1.3252	* 1.6959	* 1.4678	* 1.7739	* 0.9608 *
	* 2.0497	* 2.3338	* 1.7847	* 2.0145	* 1.6811	* 1.7913	* 1.5850	* 2.4998 *
9	* 1.0748	* 1.0841	* 1.3306	* 1.6593	* 1.3442	* 1.4648	* 1.7635	* 0.9628 *
	* 2.3338	* 2.3542	* 1.9638	* 1.7232	* 1.9843	* 1.7950	* 1.5959	* 2.4292 *
10	* 1.5770	* 1.3301	* 1.1771	* 1.2870	* 1.6332	* 1.4403	* 1.7180	* 0.9075 *
	* 1.7847	* 1.9647	* 2.2565	* 2.0379	* 1.6871	* 1.7701	* 1.6291	* 2.5826 *
11	* 1.3252	* 1.6584	* 1.2866	* 1.5229	* 1.2961	* 1.5479	* 1.5968	* 0.7739 *
	* 2.0145	* 1.7241	* 2.0384	* 1.7334	* 1.8475	* 1.7159	* 1.6786	* 3.0845 *
12	* 1.6959	* 1.3436	* 1.6330	* 1.2960	* 0.9660	* 1.3584	* 0.9844	*
	* 1.6811	* 1.9852	* 1.6872	* 1.8477	* 2.1117	* 1.7156	* 2.1898	*
13	* 1.4678	* 1.4647	* 1.4402	* 1.5478	* 1.3583	* 0.7730	* 0.5278	*
	* 1.7913	* 1.7951	* 1.7702	* 1.7161	* 1.7156	* 2.2702	* 3.8782	*
14	* 1.7739	* 1.7634	* 1.7180	* 1.5968	* 0.9845	* 0.5335	*	
	* 1.5850	* 1.5960	* 1.6291	* 1.6786	* 2.1897	* 3.8485	*	
15	* 0.9608	* 0.9629	* 0.9076	* 0.7733	* F-SUB-Q			
	* 2.4998	* 2.4290	* 2.5821	* 3.0099	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 163 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 450 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0260	* 1.0900	* 1.6031	* 1.3269	* 1.7083	* 1.4676	* 1.7873	* 0.9475 *
	* 2.1205	* 2.4605	* 1.8569	* 2.1200	* 1.7724	* 1.9037	* 1.6679	* 2.6855 *
9	* 1.0900	* 1.1000	* 1.3433	* 1.6774	* 1.3460	* 1.4675	* 1.7782	* 0.9459 *
	* 2.4605	* 2.4871	* 2.0559	* 1.7963	* 2.0909	* 1.9016	* 1.6797	* 2.6208 *
10	* 1.6031	* 1.3428	* 1.1712	* 1.2802	* 1.6569	* 1.4481	* 1.7401	* 0.8894 *
	* 1.8569	* 2.0567	* 2.3964	* 2.1492	* 1.7550	* 1.8530	* 1.6937	* 2.7876 *
11	* 1.3269	* 1.6765	* 1.2799	* 1.5641	* 1.3248	* 1.5845	* 1.6334	* 0.7657 *
	* 2.1200	* 1.7973	* 2.1494	* 1.8014	* 1.9310	* 1.7828	* 1.7408	* 3.2899 *
12	* 1.7083	* 1.3454	* 1.6567	* 1.3247	* 1.0231	* 1.4268	* 0.9971	*
	* 1.7724	* 2.0919	* 1.7551	* 1.9311	* 2.2154	* 1.7740	* 2.3193	*
13	* 1.4676	* 1.4674	* 1.4480	* 1.5844	* 1.4267	* 0.8240	* 0.5387	*
	* 1.9037	* 1.9017	* 1.8531	* 1.7829	* 1.7741	* 2.4047	* 4.1282	*
14	* 1.7873	* 1.7782	* 1.7400	* 1.6334	* 0.9971	* 0.5450	*	
	* 1.6679	* 1.6797	* 1.6938	* 1.7409	* 2.3192	* 4.0939	*	
15	* 0.9475	* 0.9459	* 0.8895	* 0.7641	* F-SUB-Q			
	* 2.6855	* 2.6207	* 2.7871	* 3.2143	* M-SUB-Q			

AT 75% POWER, 450 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2250	* 1.1190	* 1.6176	* 1.3264	* 1.7078	* 1.4624	* 1.7832	* 0.9435 *
	* 2.1494	* 2.4717	* 1.8723	* 2.1423	* 1.8013	* 1.9508	* 1.7408	* 2.8127 *
9	* 1.1190	* 1.1180	* 1.3507	* 1.6820	* 1.3450	* 1.4633	* 1.7757	* 0.9426 *
	* 2.4717	* 2.4973	* 2.0738	* 1.8203	* 2.1196	* 1.9479	* 1.7449	* 2.7372 *
10	* 1.6176	* 1.3502	* 1.1774	* 1.2857	* 1.6690	* 1.4515	* 1.7463	* 0.8884 *
	* 1.8723	* 2.0746	* 2.4148	* 2.1885	* 1.8089	* 1.9228	* 1.7575	* 2.8817 *
11	* 1.3264	* 1.6811	* 1.2854	* 1.6006	* 1.3583	* 1.6133	* 1.6580	* 0.7700 *
	* 2.1423	* 1.8212	* 2.1889	* 1.8513	* 1.9974	* 1.8526	* 1.8147	* 3.4081 *
12	* 1.7078	* 1.3444	* 1.6687	* 1.3582	* 1.1309	* 1.5220	* 1.0287	* *
	* 1.8013	* 2.1206	* 1.8091	* 1.9975	* 2.3095	* 1.8586	* 2.4163	* *
13	* 1.4624	* 1.4632	* 1.4514	* 1.6132	* 1.5219	* 0.9172	* 0.5644	* *
	* 1.9508	* 1.9481	* 1.9229	* 1.8528	* 1.8587	* 2.5152	* 4.3047	* *
14	* 1.7832	* 1.7756	* 1.7462	* 1.6580	* 1.0287	* 0.5710	* *	* *
	* 1.7408	* 1.7449	* 1.7577	* 1.8148	* 2.4163	* 4.2689	* *	* *
15	* 0.9435	* 0.9427	* 0.8885	* 0.7684	F-SUB-Q			
	* 2.8127	* 2.7371	* 2.8813	* 3.3300	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 164 of 350

	H	G	F	E	D	C	B	A
8	* 1.4359 *	* 1.1604 *	* 1.6479 *	* 1.3288 *	* 1.7153 *	* 1.4566 *	* 1.7843 *	* 0.9368 *
	* 2.0772 *	* 2.4042 *	* 1.8100 *	* 2.0790 *	* 1.7401 *	* 1.8939 *	* 1.6774 *	* 2.7139 *
9	* 1.1604 *	* 1.1508 *	* 1.3667 *	* 1.6966 *	* 1.3465 *	* 1.4596 *	* 1.7796 *	* 0.9343 *
	* 2.4042 *	* 2.4294 *	* 2.0170 *	* 1.7592 *	* 2.0566 *	* 1.8918 *	* 1.6845 *	* 2.6524 *
10	* 1.6479 *	* 1.3662 *	* 1.1882 *	* 1.2984 *	* 1.7045 *	* 1.4692 *	* 1.7650 *	* 0.8859 *
	* 1.8100 *	* 2.0179 *	* 2.3510 *	* 2.1339 *	* 1.7553 *	* 1.8721 *	* 1.7013 *	* 2.8072 *
11	* 1.3288 *	* 1.6956 *	* 1.2981 *	* 1.6631 *	* 1.4082 *	* 1.6637 *	* 1.7059 *	* 0.7772 *
	* 2.0790 *	* 1.7602 *	* 2.1344 *	* 1.7959 *	* 1.9492 *	* 1.7981 *	* 1.7558 *	* 3.3240 *
12	* 1.7153 *	* 1.3458 *	* 1.7044 *	* 1.4081 *	* 1.2442 *	* 1.6598 *	* 1.0747 *	
	* 1.7401 *	* 2.0576 *	* 1.7554 *	* 1.9493 *	* 2.2504 *	* 1.7991 *	* 2.3535 *	
13	* 1.4566 *	* 1.4596 *	* 1.4691 *	* 1.6636 *	* 1.6597 *	* 1.0219 *	* 0.6004 *	
	* 1.8939 *	* 1.8919 *	* 1.8722 *	* 1.7983 *	* 1.7992 *	* 2.4500 *	* 4.2104 *	
14	* 1.7843 *	* 1.7796 *	* 1.7649 *	* 1.7058 *	* 1.0747 *	* 0.6075 *		
	* 1.6774 *	* 1.6846 *	* 1.7014 *	* 1.7559 *	* 2.3535 *	* 4.1745 *		
15	* 0.9368 *	* 0.9344 *	* 0.8860 *	* 0.7751 *	F-SUB-Q			
	* 2.7139 *	* 2.6523 *	* 2.8068 *	* 3.2497 *	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 165 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 450 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4663	* 1.1716	* 1.6623	* 1.3316	* 1.7232	* 1.4565	* 1.7901	* 0.9339
	* 1.9473	* 2.2574	* 1.7167	* 1.9841	* 1.6623	* 1.8117	* 1.6084	* 2.6015
9	* 1.1716	* 1.1608	* 1.3737	* 1.7065	* 1.3490	* 1.4606	* 1.7862	* 0.9275
	* 2.2574	* 2.2796	* 1.9125	* 1.6811	* 1.9653	* 1.8117	* 1.6160	* 2.5522
10	* 1.6623	* 1.3732	* 1.1904	* 1.3028	* 1.7194	* 1.4773	* 1.7762	* 0.8826
	* 1.7167	* 1.9134	* 2.2320	* 2.0357	* 1.6855	* 1.8034	* 1.6386	* 2.6998
11	* 1.3316	* 1.7055	* 1.3025	* 1.6816	* 1.4199	* 1.6812	* 1.7248	* 0.7778
	* 1.9841	* 1.6820	* 2.0361	* 1.7175	* 1.8706	* 1.7293	* 1.6889	* 3.1784
12	* 1.7232	* 1.3483	* 1.7193	* 1.4198	* 1.2619	* 1.6903	* 1.0841	*
	* 1.6623	* 1.9663	* 1.6856	* 1.8707	* 2.1534	* 1.7260	* 2.2584	*
13	* 1.4565	* 1.4605	* 1.4772	* 1.6811	* 1.6902	* 1.0370	* 0.6066	*
	* 1.8117	* 1.8119	* 1.8035	* 1.7295	* 1.7261	* 2.3431	* 3.9951	*
14	* 1.7901	* 1.7862	* 1.7761	* 1.7247	* 1.0840	* 0.6139	*	
	* 1.6084	* 1.6160	* 1.6387	* 1.6890	* 2.2585	* 3.9599	*	
15	* 0.9339	* 0.9276	* 0.8827	* 0.7753	* F-SUB-Q			
	* 2.6015	* 2.5521	* 2.6995	* 3.1088	* M-SUB-Q			

AT 75% POWER, 450 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4803	* 1.1772	* 1.6682	* 1.3320	* 1.7248	* 1.4546	* 1.7894	* 0.9347
	* 1.7974	* 2.0921	* 1.5901	* 1.8345	* 1.5378	* 1.6825	* 1.4949	* 2.4127
9	* 1.1772	* 1.1657	* 1.3754	* 1.7097	* 1.3492	* 1.4586	* 1.7862	* 0.9330
	* 2.0921	* 2.1132	* 1.7765	* 1.5527	* 1.8178	* 1.6815	* 1.5002	* 2.3545
10	* 1.6682	* 1.3749	* 1.1962	* 1.3042	* 1.7245	* 1.4794	* 1.7789	* 0.8857
	* 1.5901	* 1.7773	* 2.0657	* 1.8905	* 1.5621	* 1.6740	* 1.5190	* 2.4895
11	* 1.3320	* 1.7087	* 1.3038	* 1.6887	* 1.4231	* 1.6875	* 1.7318	* 0.7823
	* 1.8345	* 1.5536	* 1.8910	* 1.5904	* 1.7363	* 1.6020	* 1.5637	* 2.9395
12	* 1.7248	* 1.3484	* 1.7244	* 1.4230	* 1.2684	* 1.7028	* 1.0937	*
	* 1.5378	* 1.8188	* 1.5622	* 1.7364	* 1.9948	* 1.5949	* 2.0836	*
13	* 1.4546	* 1.4585	* 1.4793	* 1.6873	* 1.7027	* 1.0490	* 0.6128	*
	* 1.6825	* 1.6816	* 1.6742	* 1.6021	* 1.5950	* 2.1588	* 3.6877	*
14	* 1.7894	* 1.7861	* 1.7787	* 1.7316	* 1.0937	* 0.6202	*	*
	* 1.4949	* 1.5002	* 1.5191	* 1.5639	* 2.0836	* 3.6559	*	*
15	* 0.9347	* 0.9330	* 0.8858	* 0.7798	* F-SUB-Q			
	* 2.4127	* 2.3544	* 2.4892	* 2.8749	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 166 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 450 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4816	* 1.1869	* 1.6640	* 1.3313	* 1.7179	* 1.4505	* 1.7794	* 0.9415 *
	* 1.8135	* 2.0959	* 1.6023	* 1.8482	* 1.5547	* 1.7009	* 1.5153	* 2.4171 *
9	* 1.1869	* 1.1802	* 1.3719	* 1.7037	* 1.3478	* 1.4533	* 1.7765	* 0.9425 *
	* 2.0959	* 2.1112	* 1.7912	* 1.5672	* 1.8324	* 1.7004	* 1.5197	* 2.3515 *
10	* 1.6640	* 1.3714	* 1.2074	* 1.3148	* 1.7189	* 1.4773	* 1.7708	* 0.8997 *
	* 1.6023	* 1.7920	* 2.0578	* 1.8857	* 1.5784	* 1.6873	* 1.5332	* 2.4681 *
11	* 1.3313	* 1.7027	* 1.3144	* 1.6844	* 1.4203	* 1.6829	* 1.7268	* 0.7930 *
	* 1.8482	* 1.5682	* 1.8862	* 1.6092	* 1.7567	* 1.6213	* 1.5821	* 2.9175 *
12	* 1.7178	* 1.3471	* 1.7188	* 1.4202	* 1.2795	* 1.7002	* 1.1092	*
	* 1.5547	* 1.8334	* 1.5785	* 1.7568	* 1.9981	* 1.6123	* 2.0755	*
13	* 1.4505	* 1.4532	* 1.4772	* 1.6828	* 1.7001	* 1.0647	* 0.6241	*
	* 1.7009	* 1.7005	* 1.6875	* 1.6214	* 1.6124	* 2.1482	* 3.6632	*
14	* 1.7794	* 1.7764	* 1.7706	* 1.7267	* 1.1092	* 0.6312	*	
	* 1.5153	* 1.5197	* 1.5333	* 1.5822	* 2.0756	* 3.6339	*	
15	* 0.9415	* 0.9425	* 0.8998	* 0.7910	* F-SUB-Q			
	* 2.4171	* 2.3514	* 2.4678	* 2.8513	* M-SUB-Q			

AT 75% POWER, 450 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5106 *	* 1.1903 *	* 1.6958 *	* 1.3421 *	* 1.7479 *	* 1.4635 *	* 1.8114 *	* 0.9363 *
	* 1.6593 *	* 1.9564 *	* 1.4753 *	* 1.7232 *	* 1.4366 *	* 1.5864 *	* 1.4005 *	* 2.2889 *
9	* 1.1903 *	* 1.1785 *	* 1.3888 *	* 1.7344 *	* 1.3594 *	* 1.4684 *	* 1.8086 *	* 0.9297 *
	* 1.9564 *	* 1.9772 *	* 1.6612 *	* 1.4465 *	* 1.7084 *	* 1.5834 *	* 1.4037 *	* 2.2445 *
10	* 1.6958 *	* 1.3882 *	* 1.2035 *	* 1.3135 *	* 1.7494 *	* 1.4933 *	* 1.8041 *	* 0.8858 *
	* 1.4753 *	* 1.6620 *	* 1.9384 *	* 1.7705 *	* 1.4530 *	* 1.5640 *	* 1.4122 *	* 2.3570 *
11	* 1.3421 *	* 1.7334 *	* 1.3132 *	* 1.7150 *	* 1.4357 *	* 1.7129 *	* 1.7608 *	* 0.7847 *
	* 1.7232 *	* 1.4474 *	* 1.7709 *	* 1.4791 *	* 1.6265 *	* 1.4907 *	* 1.4514 *	* 2.7651 *
12	* 1.7479 *	* 1.3586 *	* 1.7493 *	* 1.4357 *	* 1.2823 *	* 1.7354 *	* 1.1024 *	
	* 1.4366 *	* 1.7094 *	* 1.4531 *	* 1.6266 *	* 1.8611 *	* 1.4802 *	* 1.9573 *	
13	* 1.4635 *	* 1.4684 *	* 1.4932 *	* 1.7128 *	* 1.7353 *	* 1.0595 *	* 0.6157 *	
	* 1.5864 *	* 1.5834 *	* 1.5641 *	* 1.4909 *	* 1.4803 *	* 2.0238 *	* 3.4883 *	
14	* 1.8114 *	* 1.8085 *	* 1.8039 *	* 1.7607 *	* 1.1024 *	* 0.6233 *		
	* 1.4005 *	* 1.4037 *	* 1.4123 *	* 1.4516 *	* 1.9574 *	* 3.4567 *		
15	* 0.9363 *	* 0.9297 *	* 0.8859 *	* 0.7816 *	F-SUB-Q			
	* 2.2889 *	* 2.2444 *	* 2.3568 *	* 2.7066 *	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 167 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 450 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5248	* 1.1982	* 1.7102	* 1.3495	* 1.7610	* 1.4714	* 1.8245	* 0.9403
	* 1.5374	* 1.8371	* 1.3868	* 1.6273	* 1.3533	* 1.4986	* 1.3196	* 2.1655
9	* 1.1982	* 1.1862	* 1.3975	* 1.7480	* 1.3666	* 1.4766	* 1.8219	* 0.9334
	* 1.8371	* 1.8587	* 1.5659	* 1.3615	* 1.6133	* 1.4951	* 1.3222	* 2.1240
10	* 1.7102	* 1.3969	* 1.2105	* 1.3203	* 1.7628	* 1.5025	* 1.8180	* 0.8894
	* 1.3868	* 1.5666	* 1.8285	* 1.6699	* 1.3641	* 1.4714	* 1.3277	* 2.2279
11	* 1.3495	* 1.7469	* 1.3199	* 1.7285	* 1.4436	* 1.7263	* 1.7754	* 0.7881
	* 1.6273	* 1.3623	* 1.6703	* 1.3857	* 1.5280	* 1.3971	* 1.3605	* 2.6089
12	* 1.7610	* 1.3658	* 1.7627	* 1.4436	* 1.2899	* 1.7504	* 1.1092	*
	* 1.3533	* 1.6142	* 1.3642	* 1.5281	* 1.7365	* 1.3763	* 1.8324	*
13	* 1.4714	* 1.4766	* 1.5024	* 1.7261	* 1.7503	* 1.0664	* 0.6183	*
	* 1.4986	* 1.4952	* 1.4715	* 1.3972	* 1.3764	* 1.8856	* 3.2746	*
14	* 1.8245	* 1.8218	* 1.8179	* 1.7753	* 1.1091	* 0.6259	*	*
	* 1.3196	* 1.3222	* 1.3278	* 1.3607	* 1.8325	* 3.2453	*	*
15	* 0.9403	* 0.9334	* 0.8895	* 0.7849	F-SUB-Q			
	* 2.1655	* 2.1239	* 2.2277	* 2.5537	M-SUB-Q			

AT 75% POWER, 450 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5179	* 1.2095	* 1.6994	* 1.3492	* 1.7492	* 1.4702	* 1.8096	* 0.9520
	* 1.4610	* 1.7258	* 1.3212	* 1.5485	* 1.2955	* 1.4293	* 1.2669	* 2.0446
9	* 1.2095	* 1.2034	* 1.3942	* 1.7359	* 1.3652	* 1.4731	* 1.8071	* 0.9522
	* 1.7258	* 1.7390	* 1.4881	* 1.3012	* 1.5364	* 1.4275	* 1.2685	* 1.9895
10	* 1.6994	* 1.3936	* 1.2267	* 1.3351	* 1.7511	* 1.5005	* 1.8034	* 0.9095
	* 1.3212	* 1.4887	* 1.7124	* 1.5688	* 1.2997	* 1.3973	* 1.2703	* 2.0783
11	* 1.3492	* 1.7348	* 1.3347	* 1.7172	* 1.4403	* 1.7152	* 1.7618	* 0.8019
	* 1.5485	* 1.3021	* 1.5693	* 1.3201	* 1.4502	* 1.3298	* 1.2967	* 2.4403
12	* 1.7492	* 1.3643	* 1.7510	* 1.4402	* 1.3033	* 1.7369	* 1.1285	*
	* 1.2955	* 1.5374	* 1.2998	* 1.4502	* 1.6319	* 1.3115	* 1.7052	*
13	* 1.4702	* 1.4730	* 1.5004	* 1.7151	* 1.7368	* 1.0844	* 0.6320	*
	* 1.4293	* 1.4277	* 1.3974	* 1.3299	* 1.3116	* 1.7557	* 3.0391	*
14	* 1.8096	* 1.8070	* 1.8033	* 1.7616	* 1.1284	* 0.6388	*	*
	* 1.2669	* 1.2685	* 1.2704	* 1.2968	* 1.7053	* 3.0164	*	*
15	* 0.9520	* 0.9523	* 0.9096	* 0.8001	F-SUB-Q			
	* 2.0446	* 1.9893	* 2.0780	* 2.3844	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 168 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 75% POWER, 450 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5268	* 1.2023	* 1.7101	* 1.3481	* 1.7561	* 1.4744	* 1.8175	* 0.9386
	* 1.3897	* 1.6615	* 1.2556	* 1.4830	* 1.2329	* 1.3634	* 1.2055	* 1.9856
9	* 1.2023	* 1.1920	* 1.4030	* 1.7441	* 1.3645	* 1.4787	* 1.8150	* 0.9337
	* 1.6615	* 1.6794	* 1.4151	* 1.2381	* 1.4707	* 1.3610	* 1.2071	* 1.9426
10	* 1.7101	* 1.4024	* 1.2137	* 1.3198	* 1.7604	* 1.5043	* 1.8116	* 0.8885
	* 1.2556	* 1.4158	* 1.6571	* 1.5174	* 1.2357	* 1.3325	* 1.2086	* 2.0367
11	* 1.3481	* 1.7430	* 1.3195	* 1.7264	* 1.4458	* 1.7231	* 1.7693	* 0.7832
	* 1.4830	* 1.2390	* 1.5178	* 1.2551	* 1.3814	* 1.2645	* 1.2338	* 2.3925
12	* 1.7561	* 1.3637	* 1.7603	* 1.4458	* 1.2909	* 1.7465	* 1.1099	*
	* 1.2329	* 1.4718	* 1.2358	* 1.3815	* 1.5717	* 1.2465	* 1.6584	*
13	* 1.4744	* 1.4787	* 1.5042	* 1.7230	* 1.7464	* 1.0681	* 0.6185	*
	* 1.3634	* 1.3611	* 1.3326	* 1.2646	* 1.2466	* 1.7056	* 2.9766	*
14	* 1.8175	* 1.8149	* 1.8115	* 1.7691	* 1.1098	* 0.6253	*	*
	* 1.2055	* 1.2071	* 1.2087	* 1.2339	* 1.6584	* 2.9538	*	*
15	* 0.9386	* 0.9337	* 0.8886	* 0.7814	* F-SUB-Q			
	* 1.9856	* 1.9425	* 2.0365	* 2.3378	* M-SUB-Q			

AT 75% POWER, 450 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4589	* 1.1619	* 1.6337	* 1.2960	* 1.6724	* 1.4212	* 1.7283	* 0.9000
	* 1.4049	* 1.6616	* 1.2684	* 1.4888	* 1.2489	* 1.3656	* 1.2231	* 2.0022
9	* 1.1619	* 1.1545	* 1.3596	* 1.6619	* 1.3120	* 1.4256	* 1.7258	* 0.8896
	* 1.6616	* 1.6767	* 1.4106	* 1.2538	* 1.4769	* 1.3631	* 1.2247	* 1.9716
10	* 1.6337	* 1.3590	* 1.1668	* 1.2707	* 1.6797	* 1.4470	* 1.7221	* 0.8482
	* 1.2684	* 1.4113	* 1.6661	* 1.5222	* 1.2491	* 1.3369	* 1.2264	* 2.0633
11	* 1.2960	* 1.6608	* 1.2703	* 1.6473	* 1.3982	* 1.6454	* 1.6810	* 0.7456
	* 1.4888	* 1.2548	* 1.5226	* 1.2694	* 1.3789	* 1.2771	* 1.2526	* 2.4316
12	* 1.6724	* 1.3112	* 1.6796	* 1.3982	* 1.2450	* 1.6611	* 1.0623	*
	* 1.2489	* 1.4779	* 1.2491	* 1.3790	* 1.5739	* 1.2646	* 1.6741	*
13	* 1.4212	* 1.4255	* 1.4469	* 1.6453	* 1.6610	* 1.0238	* 0.5940	*
	* 1.3656	* 1.3631	* 1.3370	* 1.2772	* 1.2647	* 1.7201	* 3.0023	*
14	* 1.7283	* 1.7257	* 1.7221	* 1.6810	* 1.0623	* 0.6003	*	*
	* 1.2231	* 1.2247	* 1.2265	* 1.2527	* 1.6741	* 2.9805	*	*
15	* 0.9000	* 0.8896	* 0.8483	* 0.7444	* F-SUB-Q			
	* 2.0022	* 1.9715	* 2.0630	* 2.3741	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 169 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 75% POWER, 450 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2390	* 1.0114	* 1.3845	* 1.1211	* 1.4096	* 1.2322	* 1.4530	* 0.7731
	* 1.6103	* 1.8590	* 1.4553	* 1.6739	* 1.4397	* 1.5323	* 1.4140	* 2.2726
9	* 1.0114	* 1.0070	* 1.1954	* 1.4046	* 1.1377	* 1.2332	* 1.4506	* 0.7613
	* 1.8590	* 1.8720	* 1.5603	* 1.4412	* 1.6567	* 1.5328	* 1.4162	* 2.2442
10	* 1.3845	* 1.1948	* 1.0135	* 1.1018	* 1.4174	* 1.2485	* 1.4466	* 0.7240
	* 1.4553	* 1.5611	* 1.8653	* 1.7077	* 1.4383	* 1.5062	* 1.4192	* 2.3545
11	* 1.1211	* 1.4036	* 1.1015	* 1.3943	* 1.2187	* 1.3891	* 1.4099	* 0.6307
	* 1.6739	* 1.4423	* 1.7082	* 1.4570	* 1.5380	* 1.4708	* 1.4522	* 2.8039
12	* 1.4096	* 1.1370	* 1.4173	* 1.2187	* 1.0833	* 1.4000	* 0.9032	*
	* 1.4397	* 1.6578	* 1.4384	* 1.5381	* 1.7605	* 1.4593	* 1.9182	*
13	* 1.2322	* 1.2332	* 1.2485	* 1.3890	* 1.3999	* 0.8718	* 0.5126	*
	* 1.5323	* 1.5329	* 1.5063	* 1.4709	* 1.4594	* 1.9688	* 3.3992	*
14	* 1.4530	* 1.4506	* 1.4466	* 1.4099	* 0.9032	* 0.5184	*	*
	* 1.4140	* 1.4163	* 1.4193	* 1.4523	* 1.9183	* 3.3716	*	*
15	* 0.7731	* 0.7614	* 0.7242	* 0.6311	* F-SUB-Q			
	* 2.2726	* 2.2441	* 2.3540	* 2.7326	* M-SUB-Q			

AT 75% POWER, 450 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.5946	* 0.5106	* 0.6487	* 0.5651	* 0.6630	* 0.5785	* 0.6369	* 0.3690
	* 3.2879	* 3.6061	* 3.0368	* 3.2481	* 2.9951	* 3.1876	* 3.1486	* 4.6627
9	* 0.5106	* 0.5053	* 0.5615	* 0.6591	* 0.5673	* 0.5769	* 0.6356	* 0.3627
	* 3.6061	* 3.6567	* 3.2472	* 3.0023	* 3.2487	* 3.1992	* 3.1547	* 4.6152
10	* 0.6487	* 0.5612	* 0.5155	* 0.5570	* 0.6649	* 0.5788	* 0.6324	* 0.3498
	* 3.0368	* 3.2489	* 3.5909	* 3.3032	* 2.9950	* 3.1720	* 3.1687	* 4.7773
11	* 0.5651	* 0.6586	* 0.5568	* 0.6544	* 0.5747	* 0.6615	* 0.6102	* 0.3127
	* 3.2481	* 3.0047	* 3.3042	* 3.0344	* 3.1864	* 3.0171	* 3.2806	* 5.5455
12	* 0.6630	* 0.5670	* 0.6649	* 0.5747	* 0.5395	* 0.6121	* 0.4275	*
	* 2.9951	* 3.2505	* 2.9953	* 3.1866	* 3.4574	* 3.2623	* 3.9680	*
13	* 0.5785	* 0.5769	* 0.5788	* 0.6614	* 0.6121	* 0.4155	* 0.2518	*
	* 3.1876	* 3.1995	* 3.1722	* 3.0172	* 3.2624	* 4.0452	* 6.7918	*
14	* 0.6369	* 0.6356	* 0.6324	* 0.6102	* 0.4275	* 0.2533	*	*
	* 3.1486	* 3.1547	* 3.1688	* 3.2808	* 3.9681	* 6.7733	*	*
15	* 0.3690	* 0.3627	* 0.3498	* 0.3107	* F-SUB-Q			
	* 4.6627	* 4.6150	* 4.7769	* 5.4417	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 170 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3740	* 0.4783	* 0.6293	* 0.5587	* 0.6535	* 0.5712	* 0.5790	* 0.3093
	* 4.4359	* 5.0615	* 3.8504	* 4.3266	* 3.7019	* 4.2665	* 4.2375	* 7.2035
9	* 0.4783	* 0.4758	* 0.5600	* 0.6427	* 0.5543	* 0.5555	* 0.5724	* 0.3063
	* 5.0615	* 5.1600	* 4.3423	* 3.7639	* 4.3579	* 4.3841	* 4.2793	* 7.2656
10	* 0.6293	* 0.5600	* 0.5015	* 0.5423	* 0.6138	* 0.5272	* 0.5410	* 0.2874
	* 3.8504	* 4.3435	* 4.8881	* 4.4495	* 3.9042	* 4.5424	* 4.4364	* 7.5825
11	* 0.5587	* 0.6427	* 0.5424	* 0.5725	* 0.5011	* 0.5368	* 0.4821	* 0.2303
	* 4.3266	* 3.7641	* 4.4487	* 4.1735	* 4.7455	* 4.3310	* 4.9043	* 9.4831
12	* 0.6535	* 0.5543	* 0.6140	* 0.5012	* 0.3715	* 0.4024	* 0.3094	*
	* 3.7019	* 4.3580	* 3.9032	* 4.7444	* 5.1792	* 4.8837	* 6.3852	*
13	* 0.5712	* 0.5556	* 0.5275	* 0.5371	* 0.4028	* 0.2332	* 0.1429	*
	* 4.2665	* 4.3833	* 4.5403	* 4.3287	* 4.8817	* 6.6243	* 12.3373	*
14	* 0.5790	* 0.5726	* 0.5415	* 0.4826	* 0.3098	* 0.1437	*	*
	* 4.2375	* 4.2778	* 4.4325	* 4.8990	* 6.3791	* 12.2368	*	*
15	* 0.3093	* 0.3064	* 0.2878	* 0.2293	* F-SUB-Q			
	* 7.2035	* 7.2631	* 7.5736	* 9.4709	* M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.8666	* 1.0780	* 1.5112	* 1.2315	* 1.5312	* 1.3591	* 1.4975	* 0.7265
	* 1.9136	* 2.3207	* 1.6589	* 2.0359	* 1.6406	* 1.8560	* 1.6984	* 3.1806
9	* 1.0780	* 1.0963	* 1.3411	* 1.5185	* 1.2283	* 1.3434	* 1.4813	* 0.7202
	* 2.3207	* 2.2970	* 1.8764	* 1.6518	* 2.0373	* 1.8739	* 1.7109	* 3.2029
10	* 1.5112	* 1.3411	* 1.1204	* 1.1865	* 1.4434	* 1.2623	* 1.4039	* 0.6679
	* 1.6589	* 1.8765	* 2.2653	* 2.1032	* 1.7186	* 1.9677	* 1.7689	* 3.3703
11	* 1.2315	* 1.5181	* 1.1867	* 1.3560	* 1.1879	* 1.2817	* 1.2535	* 0.5231
	* 2.0359	* 1.6522	* 2.1029	* 1.8081	* 2.0539	* 1.8625	* 1.9548	* 4.3274
12	* 1.5312	* 1.2283	* 1.4439	* 1.1882	* 0.8128	* 1.0501	* 0.7473	*
	* 1.6406	* 2.0375	* 1.7180	* 2.0535	* 2.3356	* 1.9175	* 2.7216	*
13	* 1.3591	* 1.3437	* 1.2630	* 1.2826	* 1.0510	* 0.5678	* 0.3307	*
	* 1.8560	* 1.8735	* 1.9668	* 1.8615	* 1.9167	* 2.7795	* 5.4897	*
14	* 1.4975	* 1.4818	* 1.4052	* 1.2551	* 0.7484	* 0.3338	*	*
	* 1.6984	* 1.7103	* 1.7673	* 1.9525	* 2.7187	* 5.4250	*	*
15	* 0.7265	* 0.7205	* 0.6688	* 0.5295	* F-SUB-Q			
	* 3.1806	* 3.2010	* 3.3661	* 4.2507	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 171 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0226	* 1.2900	* 1.5564	* 1.4255	* 1.5004	* 1.5908	* 1.6069	* 0.8367
	* 1.7571	* 1.9910	* 1.6543	* 1.8069	* 1.7199	* 1.6254	* 1.6123	* 2.8160
9	* 1.2900	* 1.3479	* 1.5631	* 1.5161	* 1.4158	* 1.5950	* 1.5987	* 0.8336
	* 1.9910	* 1.9111	* 1.6501	* 1.6975	* 1.8174	* 1.6172	* 1.6176	* 2.8199
10	* 1.5564	* 1.5629	* 1.3615	* 1.3591	* 1.4246	* 1.4975	* 1.5331	* 0.7707
	* 1.6543	* 1.6503	* 1.8949	* 1.8895	* 1.7953	* 1.7049	* 1.6682	* 2.9924
11	* 1.4255	* 1.5158	* 1.3595	* 1.3521	* 1.3492	* 1.4001	* 1.4390	* 0.6146
	* 1.8069	* 1.6977	* 1.8890	* 1.8370	* 1.8066	* 1.7553	* 1.7451	* 3.7854
12	* 1.5004	* 1.4158	* 1.4251	* 1.3499	* 0.9609	* 1.2006	* 0.8753	*
	* 1.7199	* 1.8174	* 1.7948	* 1.8063	* 1.9894	* 1.7264	* 2.3768	*
13	* 1.5908	* 1.5953	* 1.4986	* 1.4013	* 1.2018	* 0.6696	* 0.3946	*
	* 1.6254	* 1.6169	* 1.7038	* 1.7543	* 1.7256	* 2.4101	* 4.7122	*
14	* 1.6069	* 1.5991	* 1.5343	* 1.4411	* 0.8767	* 0.3989	*	*
	* 1.6123	* 1.6173	* 1.6669	* 1.7427	* 2.3739	* 4.6499	*	*
15	* 0.8367	* 0.8339	* 0.7718	* 0.6226	* F-SUB-Q			
	* 2.8160	* 2.8188	* 2.9883	* 3.7144	* M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1488 *	* 1.3870 *	* 1.6853 *	* 1.5075 *	* 1.6197 *	* 1.7098 *	* 1.7552 *	* 0.8644 *
	* 1.6331 *	* 1.9021 *	* 1.5804 *	* 1.7676 *	* 1.6406 *	* 1.5600 *	* 1.5184 *	* 2.8020 *
9	* 1.3870 *	* 1.4724 *	* 1.6960 *	* 1.6329 *	* 1.5065 *	* 1.7295 *	* 1.7458 *	* 0.8599 *
	* 1.9021 *	* 1.8064 *	* 1.5701 *	* 1.6331 *	* 1.7651 *	* 1.5386 *	* 1.5245 *	* 2.8126 *
10	* 1.6853 *	* 1.6960 *	* 1.4750 *	* 1.4412 *	* 1.5418 *	* 1.6183 *	* 1.6713 *	* 0.7954 *
	* 1.5804 *	* 1.5701 *	* 1.8045 *	* 1.8414 *	* 1.7156 *	* 1.6292 *	* 1.5782 *	* 2.9924 *
11	* 1.5075 *	* 1.6307 *	* 1.4414 *	* 1.4584 *	* 1.4212 *	* 1.5282 *	* 1.5769 *	* 0.6378 *
	* 1.7676 *	* 1.6355 *	* 1.8411 *	* 1.7608 *	* 1.7225 *	* 1.6552 *	* 1.6482 *	* 3.7765 *
12	* 1.6197 *	* 1.5065 *	* 1.5423 *	* 1.4220 *	* 1.0189 *	* 1.3156 *	* 0.9206 *	
	* 1.6406 *	* 1.7652 *	* 1.7151 *	* 1.7219 *	* 1.8993 *	* 1.6199 *	* 2.3320 *	
13	* 1.7098 *	* 1.7297 *	* 1.6195 *	* 1.5295 *	* 1.3170 *	* 0.7071 *	* 0.4111 *	
	* 1.5600 *	* 1.5384 *	* 1.6281 *	* 1.6542 *	* 1.6191 *	* 2.3526 *	* 4.6717 *	
14	* 1.7552 *	* 1.7463 *	* 1.6727 *	* 1.5793 *	* 0.9222 *	* 0.4167 *		
	* 1.5184 *	* 1.5241 *	* 1.5769 *	* 1.6458 *	* 2.3289 *	* 4.5989 *		
15	* 0.8644 *	* 0.8603 *	* 0.7966 *	* 0.6454 *	F-SUB-Q			
	* 2.8020 *	* 2.8114 *	* 2.9883 *	* 3.7089 *	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 172 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1927	* 1.4251	* 1.7342	* 1.5322	* 1.6651	* 1.7468	* 1.8134	* 0.8794 *
	* 1.6353	* 1.9366	* 1.6066	* 1.8189	* 1.6725	* 1.5936	* 1.5316	* 2.8717 *
9	* 1.4251	* 1.5062	* 1.7381	* 1.6783	* 1.5324	* 1.7686	* 1.8040	* 0.8765 *
	* 1.9366	* 1.8484	* 1.6026	* 1.6624	* 1.8137	* 1.5706	* 1.5381	* 2.8780 *
10	* 1.7342	* 1.7381	* 1.5015	* 1.4611	* 1.5840	* 1.6579	* 1.7297	* 0.8093 *
	* 1.6066	* 1.6026	* 1.8550	* 1.9011	* 1.7423	* 1.6580	* 1.5915	* 3.0750 *
11	* 1.5322	* 1.6757	* 1.4612	* 1.4921	* 1.4570	* 1.5851	* 1.6418	* 0.6543 *
	* 1.8189	* 1.6652	* 1.9010	* 1.7838	* 1.7501	* 1.6622	* 1.6446	* 3.8318 *
12	* 1.6651	* 1.5322	* 1.5844	* 1.4579	* 1.0431	* 1.3720	* 0.9504 *	
	* 1.6725	* 1.8140	* 1.7419	* 1.7495	* 1.9355	* 1.6239	* 2.3603 *	
13	* 1.7468	* 1.7689	* 1.6592	* 1.5867	* 1.3734	* 0.7283	* 0.4201 *	
	* 1.5936	* 1.5704	* 1.6568	* 1.6612	* 1.6230	* 2.3893	* 4.7865 *	
14	* 1.8134	* 1.8045	* 1.7312	* 1.6444	* 0.9520	* 0.4259 *		
	* 1.5316	* 1.5377	* 1.5901	* 1.6422	* 2.3572	* 4.7105 *		
15	* 0.8794	* 0.8769	* 0.8106	* 0.6614	* F-SUB-Q			
	* 2.8717	* 2.8767	* 3.0703	* 3.7664	* M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2061	* 1.4388	* 1.7487	* 1.5383	* 1.6789	* 1.7572	* 1.8343	* 0.8885 *
	* 1.6970	* 2.0135	* 1.6749	* 1.9038	* 1.7384	* 1.6602	* 1.5875	* 2.9844 *
9	* 1.4388	* 1.5125	* 1.7466	* 1.6912	* 1.5392	* 1.7803	* 1.8252	* 0.8856 *
	* 2.0135	* 1.9356	* 1.6762	* 1.7336	* 1.8930	* 1.6347	* 1.5936	* 2.9902 *
10	* 1.7487	* 1.7465	* 1.5034	* 1.4660	* 1.5980	* 1.6732	* 1.7538	* 0.8183 *
	* 1.6749	* 1.6763	* 1.9472	* 1.9955	* 1.8143	* 1.7234	* 1.6447	* 3.1869 *
11	* 1.5383	* 1.6883	* 1.4650	* 1.4995	* 1.4792	* 1.6144	* 1.6745	* 0.6670 *
	* 1.9038	* 1.7367	* 1.9957	* 1.8563	* 1.8247	* 1.7199	* 1.7006	* 3.9584 *
12	* 1.6789	* 1.5389	* 1.5984	* 1.4800	* 1.0583	* 1.4023	* 0.9724 *	
	* 1.7384	* 1.8934	* 1.8139	* 1.8240	* 2.0236	* 1.6847	* 2.4407 *	
13	* 1.7572	* 1.7805	* 1.6744	* 1.6162	* 1.4038	* 0.7446	* 0.4280 *	
	* 1.6602	* 1.6345	* 1.7222	* 1.7189	* 1.6838	* 2.4900	* 5.0070 *	
14	* 1.8343	* 1.8257	* 1.7553	* 1.6770	* 0.9741	* 0.4340 *		
	* 1.5875	* 1.5932	* 1.6433	* 1.6980	* 2.4373	* 4.9259 *		
15	* 0.8885	* 0.8860	* 0.8196	* 0.6739	* F-SUB-Q			
	* 2.9844	* 2.9890	* 3.1820	* 3.8933	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 173 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2287	* 1.4477	* 1.7743	* 1.5498	* 1.7041	* 1.7763	* 1.8662	* 0.8897
	* 1.7710	* 2.1095	* 1.7682	* 2.0236	* 1.8238	* 1.7467	* 1.6552	* 3.1582
9	* 1.4477	* 1.5257	* 1.7642	* 1.7155	* 1.5534	* 1.8014	* 1.8575	* 0.8857
	* 2.1095	* 2.0604	* 1.7793	* 1.8299	* 2.0003	* 1.7194	* 1.6627	* 3.1700
10	* 1.7743	* 1.7641	* 1.5127	* 1.4719	* 1.6250	* 1.6982	* 1.7895	* 0.8198
	* 1.7682	* 1.7795	* 2.0747	* 2.1272	* 1.9074	* 1.8128	* 1.7194	* 3.3875
11	* 1.5498	* 1.7124	* 1.4706	* 1.5206	* 1.4971	* 1.6553	* 1.7179	* 0.6703
	* 2.0236	* 1.8334	* 2.1276	* 1.9343	* 1.9099	* 1.7825	* 1.7640	* 4.2203
12	* 1.7041	* 1.5530	* 1.6254	* 1.4979	* 1.0752	* 1.4447	* 0.9858	*
	* 1.8238	* 2.0008	* 1.9070	* 1.9092	* 2.1225	* 1.7535	* 2.5738	*
13	* 1.7763	* 1.8016	* 1.6994	* 1.6571	* 1.4462	* 0.7587	* 0.4332	*
	* 1.7467	* 1.7193	* 1.8114	* 1.7809	* 1.7526	* 2.6337	* 5.3250	*
14	* 1.8662	* 1.8580	* 1.7911	* 1.7205	* 0.9875	* 0.4396	*	
	* 1.6552	* 1.6623	* 1.7180	* 1.7615	* 2.5702	* 5.2355	*	
15	* 0.8897	* 0.8861	* 0.8211	* 0.6769	F-SUB-Q			
	* 3.1582	* 3.1687	* 3.3823	* 4.1529	M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2522 *	* 1.4582 *	* 1.7876 *	* 1.5554 *	* 1.7154 *	* 1.7847 *	* 1.8816 *	* 0.8907 *
	* 1.8891 *	* 2.2631 *	* 1.9172 *	* 2.2014 *	* 1.9615 *	* 1.8814 *	* 1.7725 *	* 3.4020 *
9	* 1.4582 *	* 1.5354 *	* 1.7750 *	* 1.7275 *	* 1.5601 *	* 1.8118 *	* 1.8735 *	* 0.8862 *
	* 2.2631 *	* 2.2186 *	* 1.9375 *	* 1.9836 *	* 2.1572 *	* 1.8504 *	* 1.7813 *	* 3.4180 *
10	* 1.7876 *	* 1.7749 *	* 1.5174 *	* 1.4759 *	* 1.6409 *	* 1.7150 *	* 1.8115 *	* 0.8222 *
	* 1.9172 *	* 1.9377 *	* 2.2636 *	* 2.3191 *	* 2.0487 *	* 1.9424 *	* 1.8377 *	* 3.6402 *
11	* 1.5554 *	* 1.7241 *	* 1.4746 *	* 1.5352 *	* 1.5194 *	* 1.6897 *	* 1.7526 *	* 0.6763 *
	* 2.2014 *	* 1.9876 *	* 2.3197 *	* 2.0495 *	* 2.0180 *	* 1.8803 *	* 1.8607 *	* 4.5106 *
12	* 1.7154 *	* 1.5596 *	* 1.6412 *	* 1.5202 *	* 1.0999 *	* 1.4880 *	* 1.0066 *	
	* 1.9615 *	* 2.1578 *	* 2.0482 *	* 2.0172 *	* 2.2480 *	* 1.8475 *	* 2.7241 *	
13	* 1.7847 *	* 1.8120 *	* 1.7163 *	* 1.6914 *	* 1.4894 *	* 0.7837 *	* 0.4442 *	
	* 1.8814 *	* 1.8502 *	* 1.9408 *	* 1.8791 *	* 1.8465 *	* 2.8059 *	* 5.6812 *	
14	* 1.8816 *	* 1.8740 *	* 1.8131 *	* 1.7552 *	* 1.0082 *	* 0.4508 *		
	* 1.7726 *	* 1.7808 *	* 1.8360 *	* 1.8581 *	* 2.7204 *	* 5.5844 *		
15	* 0.8907 *	* 0.8866 *	* 0.8235 *	* 0.6828 *	F-SUB-Q			
	* 3.4020 *	* 3.4165 *	* 3.6345 *	* 4.4395 *	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 174 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3121	* 1.4806	* 1.8108	* 1.5663	* 1.7328	* 1.7974	* 1.9020	* 0.8905 *
	* 2.0688	* 2.4669	* 2.0619	* 2.3744	* 2.0890	* 2.0070	* 1.8809	* 3.6347 *
9	* 1.4806	* 1.5569	* 1.7973	* 1.7483	* 1.5709	* 1.8273	* 1.8947	* 0.8837 *
	* 2.4669	* 2.4008	* 2.0959	* 2.1319	* 2.3105	* 1.9739	* 1.8902	* 3.6623 *
10	* 1.8108	* 1.7971	* 1.5302	* 1.4854	* 1.6656	* 1.7390	* 1.8407	* 0.8238 *
	* 2.0619	* 2.0961	* 2.4504	* 2.5028	* 2.1894	* 2.0769	* 1.9558	* 3.9105 *
11	* 1.5663	* 1.7448	* 1.4849	* 1.5698	* 1.5535	* 1.7412	* 1.7992	* 0.6819 *
	* 2.3744	* 2.1362	* 2.5036	* 2.2125	* 2.1787	* 2.0207	* 1.9906	* 4.8675 *
12	* 1.7328	* 1.5703	* 1.6659	* 1.5543	* 1.1514	* 1.5624	* 1.0352	*
	* 2.0890	* 2.3113	* 2.1890	* 2.1779	* 2.4360	* 1.9855	* 2.9537	*
13	* 1.7974	* 1.8275	* 1.7404	* 1.7428	* 1.5637	* 0.8332	* 0.4621	*
	* 2.0070	* 1.9737	* 2.0752	* 2.0190	* 1.9845	* 3.0442	* 6.1649	*
14	* 1.9020	* 1.8953	* 1.8422	* 1.8018	* 1.0368	* 0.4691	*	*
	* 1.8809	* 1.8896	* 1.9541	* 1.9878	* 2.9498	* 6.0583	*	*
15	* 0.8905	* 0.8841	* 0.8251	* 0.6876	F-SUB-Q			
	* 3.6347	* 3.6607	* 3.9045	* 4.7963	M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4551	* 1.5083	* 1.8031	* 1.5588	* 1.7127	* 1.7814	* 1.8802	* 0.8947 *
	* 2.3294	* 2.7420	* 2.2907	* 2.6237	* 2.2930	* 2.1967	* 2.0651	* 3.9182 *
9	* 1.5083	* 1.5631	* 1.7955	* 1.7322	* 1.5596	* 1.8132	* 1.8745	* 0.8906 *
	* 2.7420	* 2.6751	* 2.3325	* 2.3669	* 2.5264	* 2.1587	* 2.0731	* 3.9339 *
10	* 1.8031	* 1.7953	* 1.5249	* 1.4866	* 1.6555	* 1.7372	* 1.8315	* 0.8315 *
	* 2.2907	* 2.3327	* 2.7234	* 2.7637	* 2.3984	* 2.2599	* 2.1335	* 4.1836 *
11	* 1.5588	* 1.7286	* 1.4850	* 1.5868	* 1.5960	* 1.7682	* 1.8147	* 0.6984 *
	* 2.6237	* 2.3722	* 2.7647	* 2.4592	* 2.4225	* 2.2278	* 2.1928	* 5.1417 *
12	* 1.7127	* 1.5590	* 1.6557	* 1.5968	* 1.2749	* 1.6450	* 1.0836	*
	* 2.2930	* 2.5274	* 2.3980	* 2.4216	* 2.7180	* 2.2142	* 3.2125	*
13	* 1.7814	* 1.8133	* 1.7385	* 1.7697	* 1.6462	* 0.9376	* 0.4930	*
	* 2.1967	* 2.1585	* 2.2580	* 2.2260	* 2.2130	* 3.3429	* 6.7319	*
14	* 1.8802	* 1.8750	* 1.8330	* 1.8172	* 1.0851	* 0.5007	*	*
	* 2.0651	* 2.0725	* 2.1315	* 2.1897	* 3.2082	* 6.6112	*	*
15	* 0.8947	* 0.8910	* 0.8328	* 0.7048	F-SUB-Q			
	* 3.9182	* 3.9321	* 4.1772	* 5.0623	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 175 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7471	* 1.5450	* 1.8471	* 1.5758	* 1.7415	* 1.8014	* 1.9132	* 0.8879
	* 2.5315	* 3.0183	* 2.4488	* 2.8265	* 2.4348	* 2.3419	* 2.1774	* 4.2141
9	* 1.5450	* 1.5980	* 1.8316	* 1.7676	* 1.5761	* 1.8369	* 1.9084	* 0.8810
	* 3.0183	* 2.9270	* 2.5072	* 2.5288	* 2.7075	* 2.3016	* 2.1887	* 4.2501
10	* 1.8471	* 1.8314	* 1.5463	* 1.4968	* 1.6943	* 1.7713	* 1.8749	* 0.8269
	* 2.4488	* 2.5075	* 2.9354	* 2.9835	* 2.5572	* 2.4182	* 2.2659	* 4.5420
11	* 1.5758	* 1.7638	* 1.4961	* 1.6644	* 1.6614	* 1.8448	* 1.8811	* 0.6970
	* 2.8265	* 2.5342	* 2.9848	* 2.6907	* 2.6505	* 2.4292	* 2.3423	* 5.6238
12	* 1.7415	* 1.5754	* 1.6944	* 1.6621	* 1.4395	* 1.7928	* 1.1145	*
	* 2.4348	* 2.7087	* 2.5569	* 2.6496	* 2.9760	* 2.4056	* 3.5779	*
13	* 1.8014	* 1.8370	* 1.7726	* 1.8464	* 1.7938	* 1.0313	* 0.5139	*
	* 2.3419	* 2.3013	* 2.4163	* 2.4272	* 2.4043	* 3.7213	* 7.5165	*
14	* 1.9132	* 1.9089	* 1.8765	* 1.8836	* 1.1160	* 0.5216	*	*
	* 2.1774	* 2.1881	* 2.2640	* 2.3388	* 3.5732	* 7.3864	*	*
15	* 0.8879	* 0.8814	* 0.8281	* 0.7031	* F-SUB-Q			
	* 4.2141	* 4.2482	* 4.5351	* 5.5388	* M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8394	* 1.5638	* 1.8571	* 1.5741	* 1.7400	* 1.7972	* 1.9124	* 0.8838
	* 2.5549	* 3.0307	* 2.5661	* 2.9927	* 2.6373	* 2.5485	* 2.3600	* 4.5711
9	* 1.5638	* 1.6076	* 1.8387	* 1.7699	* 1.5731	* 1.8351	* 1.9087	* 0.8773
	* 3.0307	* 2.9592	* 2.5943	* 2.6759	* 2.9286	* 2.5035	* 2.3724	* 4.6098
10	* 1.8571	* 1.8385	* 1.5469	* 1.4961	* 1.7175	* 1.7796	* 1.8845	* 0.8255
	* 2.5661	* 2.5947	* 3.0840	* 3.1872	* 2.7672	* 2.6271	* 2.4553	* 4.9283
11	* 1.5741	* 1.7660	* 1.4951	* 1.7070	* 1.7091	* 1.8824	* 1.9118	* 0.7013
	* 2.9927	* 2.6817	* 3.1890	* 2.7655	* 2.7562	* 2.5208	* 2.4914	* 6.1127
12	* 1.7400	* 1.5723	* 1.7181	* 1.7097	* 1.5170	* 1.8714	* 1.1425	*
	* 2.6373	* 2.9301	* 2.7662	* 2.7553	* 3.0974	* 2.5118	* 3.7546	*
13	* 1.7972	* 1.8352	* 1.7809	* 1.8839	* 1.8723	* 1.0888	* 0.5320	*
	* 2.5485	* 2.5033	* 2.6251	* 2.5189	* 2.5106	* 3.9193	* 7.9929	*
14	* 1.9124	* 1.9092	* 1.8861	* 1.9144	* 1.1440	* 0.5400	*	*
	* 2.3600	* 2.3718	* 2.4532	* 2.4883	* 3.7500	* 7.8537	*	*
15	* 0.8838	* 0.8777	* 0.8267	* 0.7072	* F-SUB-Q			
	* 4.5711	* 4.6077	* 4.9209	* 6.0220	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 176 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8402	* 1.5519	* 1.8305	* 1.5522	* 1.7098	* 1.7700	* 1.8807	* 0.8802
	* 2.5988	* 3.0731	* 2.5314	* 2.9198	* 2.5744	* 2.4812	* 2.3303	* 4.4961
9	* 1.5519	* 1.5902	* 1.8158	* 1.7394	* 1.5507	* 1.8092	* 1.8783	* 0.8754
	* 3.0731	* 3.0016	* 2.5912	* 2.6191	* 2.8532	* 2.4447	* 2.3459	* 4.5303
10	* 1.8305	* 1.8155	* 1.5258	* 1.4820	* 1.7061	* 1.7620	* 1.8620	* 0.8245
	* 2.5314	* 2.5916	* 3.0379	* 3.0987	* 2.7251	* 2.6107	* 2.4487	* 4.8933
11	* 1.5522	* 1.7355	* 1.4802	* 1.7042	* 1.7176	* 1.8766	* 1.9035	* 0.7082
	* 2.9198	* 2.6250	* 3.1025	* 2.8058	* 2.7890	* 2.5510	* 2.5194	* 6.1016
12	* 1.7098	* 1.5498	* 1.7068	* 1.7182	* 1.5310	* 1.8833	* 1.1618	*
	* 2.5744	* 2.8548	* 2.7251	* 2.7881	* 3.1330	* 2.5434	* 3.7436	*
13	* 1.7700	* 1.8093	* 1.7633	* 1.8780	* 1.8843	* 1.1165	* 0.5444	*
	* 2.4812	* 2.4446	* 2.6089	* 2.5491	* 2.5422	* 3.9192	* 7.9768	*
14	* 1.8807	* 1.8788	* 1.8635	* 1.9060	* 1.1633	* 0.5533	*	*
	* 2.3303	* 2.3453	* 2.4468	* 2.5163	* 3.7391	* 7.8288	*	*
15	* 0.8802	* 0.8757	* 0.8257	* 0.7140	* F-SUB-Q			
	* 4.4961	* 4.5284	* 4.8865	* 6.0153	* M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8534	* 1.5464	* 1.8373	* 1.5440	* 1.7171	* 1.7686	* 1.8919	* 0.8644
	* 2.5157	* 2.9719	* 2.4363	* 2.8331	* 2.4725	* 2.3935	* 2.2321	* 4.4100
9	* 1.5464	* 1.5861	* 1.8142	* 1.7456	* 1.5467	* 1.8101	* 1.8899	* 0.8564
	* 2.9719	* 2.8978	* 2.5072	* 2.5206	* 2.7601	* 2.3565	* 2.2478	* 4.4619
10	* 1.8373	* 1.8140	* 1.5188	* 1.4667	* 1.7248	* 1.7691	* 1.8783	* 0.8093
	* 2.4363	* 2.5076	* 2.9496	* 3.0269	* 2.6189	* 2.5176	* 2.3489	* 4.8154
11	* 1.5440	* 1.7416	* 1.4657	* 1.7208	* 1.7350	* 1.9001	* 1.9280	* 0.6951
	* 2.8331	* 2.5264	* 3.0305	* 2.6780	* 2.6708	* 2.4338	* 2.3979	* 6.0277
12	* 1.7171	* 1.5457	* 1.7254	* 1.7355	* 1.5460	* 1.9148	* 1.1511	*
	* 2.4725	* 2.7619	* 2.6190	* 2.6701	* 3.0068	* 2.4185	* 3.6201	*
13	* 1.7686	* 1.8102	* 1.7706	* 1.9016	* 1.9157	* 1.1131	* 0.5389	*
	* 2.3935	* 2.3564	* 2.5159	* 2.4323	* 2.4176	* 3.7770	* 7.6624	*
14	* 1.8919	* 1.8905	* 1.8798	* 1.9305	* 1.1525	* 0.5471	*	*
	* 2.2321	* 2.2472	* 2.3472	* 2.3952	* 3.6162	* 7.5279	*	*
15	* 0.8644	* 0.8567	* 0.8105	* 0.6999	* F-SUB-Q			
	* 4.4100	* 4.4601	* 4.8089	* 5.9501	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 177 of 350

	H	G	F	E	D	C	B	A
8	* 1.7936	* 1.4876	* 1.7761	* 1.4860	* 1.6661	* 1.7128	* 1.8416	* 0.8346 *
	* 2.1266	* 2.5249	* 2.0684	* 2.4159	* 2.1079	* 2.0492	* 1.9040	* 3.7623 *
9	* 1.4876	* 1.5269	* 1.7497	* 1.6874	* 1.4952	* 1.7557	* 1.8403	* 0.8263 *
	* 2.5249	* 2.4599	* 2.1342	* 2.1401	* 2.3582	* 2.0149	* 1.9159	* 3.8076 *
10	* 1.7761	* 1.7494	* 1.4598	* 1.4104	* 1.6842	* 1.7257	* 1.8349	* 0.7817 *
	* 2.0684	* 2.1345	* 2.5152	* 2.5770	* 2.2230	* 2.1425	* 1.9922	* 4.0970 *
11	* 1.4860	* 1.6833	* 1.4086	* 1.6775	* 1.6958	* 1.8627	* 1.8919	* 0.6753 *
	* 2.4159	* 2.1452	* 2.5805	* 2.2695	* 2.2649	* 2.0497	* 2.0167	* 5.0790 *
12	* 1.6661	* 1.4941	* 1.6847	* 1.6963	* 1.5108	* 1.8825	* 1.1239	*
	* 2.1079	* 2.3599	* 2.2232	* 2.2643	* 2.5514	* 2.0422	* 3.0793	*
13	* 1.7128	* 1.7557	* 1.7271	* 1.8640	* 1.8834	* 1.0889	* 0.5250	*
	* 2.0492	* 2.0150	* 2.1413	* 2.0485	* 2.0414	* 3.2147	* 6.5679	*
14	* 1.8416	* 1.8408	* 1.8369	* 1.8942	* 1.1252	* 0.5330	*	
	* 1.9040	* 1.9155	* 1.9909	* 2.0145	* 3.0762	* 6.4519	*	
15	* 0.8346	* 0.8266	* 0.7828	* 0.6799	F-SUB-Q			
	* 3.7623	* 3.8063	* 4.0919	* 5.0153	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 178 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7357	* 1.4427	* 1.7185	* 1.4424	* 1.6156	* 1.6648	* 1.7877	* 0.8205
	* 2.1362	* 2.5331	* 2.0748	* 2.4162	* 2.1179	* 2.0544	* 1.9127	* 3.7394
9	* 1.4427	* 1.4799	* 1.6959	* 1.6323	* 1.4532	* 1.7071	* 1.7869	* 0.8144
	* 2.5331	* 2.4699	* 2.1332	* 2.1480	* 2.3628	* 2.0184	* 1.9235	* 3.7745
10	* 1.7185	* 1.6956	* 1.4148	* 1.3745	* 1.6351	* 1.6802	* 1.7840	* 0.7693
	* 2.0748	* 2.1336	* 2.5165	* 2.5667	* 2.2299	* 2.1408	* 1.9952	* 4.0618
11	* 1.4424	* 1.6283	* 1.3726	* 1.6291	* 1.6521	* 1.8129	* 1.8415	* 0.6682
	* 2.4162	* 2.1533	* 2.5703	* 2.2815	* 2.2707	* 2.0562	* 2.0228	* 4.9946
12	* 1.6156	* 1.4521	* 1.6356	* 1.6526	* 1.4715	* 1.8327	* 1.1106	*
	* 2.1179	* 2.3646	* 2.2302	* 2.2701	* 2.5612	* 2.0528	* 3.0467	*
13	* 1.6648	* 1.7071	* 1.6816	* 1.8141	* 1.8335	* 1.0736	* 0.5183	*
	* 2.0544	* 2.0185	* 2.1396	* 2.0549	* 2.0520	* 3.2036	* 6.5387	*
14	* 1.7877	* 1.7874	* 1.7859	* 1.8437	* 1.1118	* 0.5269	*	*
	* 1.9127	* 1.9231	* 1.9939	* 2.0206	* 3.0436	* 6.4156	*	*
15	* 0.8205	* 0.8148	* 0.7703	* 0.6729	F-SUB-Q			
	* 3.7394	* 3.7731	* 4.0569	* 4.9311	M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7136	* 1.4135	* 1.7009	* 1.4157	* 1.6044	* 1.6442	* 1.7783	* 0.7949 *
	* 1.9580	* 2.3271	* 1.8956	* 2.2302	* 1.9407	* 1.8928	* 1.7512	* 3.5224 *
9	* 1.4135	* 1.4533	* 1.6704	* 1.6177	* 1.4315	* 1.6875	* 1.7771	* 0.7859 *
	* 2.3271	* 2.2556	* 1.9553	* 1.9632	* 2.1804	* 1.8566	* 1.7606	* 3.5717 *
10	* 1.7009	* 1.6701	* 1.3887	* 1.3409	* 1.6246	* 1.6614	* 1.7756	* 0.7434 *
	* 1.8956	* 1.9557	* 2.3175	* 2.3811	* 2.0363	* 1.9632	* 1.8207	* 3.8259 *
11	* 1.4157	* 1.6136	* 1.3396	* 1.6137	* 1.6316	* 1.8015	* 1.8313	* 0.6430 *
	* 2.2302	* 1.9681	* 2.3845	* 2.0924	* 2.0921	* 1.8697	* 1.8335	* 4.7046 *
12	* 1.6044	* 1.4303	* 1.6250	* 1.6321	* 1.4516	* 1.8211	* 1.0736	*
	* 1.9407	* 2.1822	* 2.0367	* 2.0916	* 2.3517	* 1.8782	* 2.8659	*
13	* 1.6442	* 1.6875	* 1.6627	* 1.8027	* 1.8218	* 1.0409	* 0.4990	*
	* 1.8928	* 1.8567	* 1.9622	* 1.8686	* 1.8775	* 2.9971	* 6.1838	*
14	* 1.7783	* 1.7776	* 1.7774	* 1.8335	* 1.0748	* 0.5068	*	
	* 1.7512	* 1.7603	* 1.8195	* 1.8316	* 2.8631	* 6.0727	*	
15	* 0.7949	* 0.7863	* 0.7444	* 0.6459	* F-SUB-Q			
	* 3.5224	* 3.5704	* 3.8213	* 4.6562	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 179 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.6616 *	* 1.3706 *	* 1.6538 *	* 1.3752 *	* 1.5650 *	* 1.6035 *	* 1.7359 *	* 0.7734 *
	* 1.8157 *	* 2.1846 *	* 1.7798 *	* 2.0992 *	* 1.8283 *	* 1.7841 *	* 1.6504 *	* 3.3389 *
9	* 1.3706 *	* 1.4111 *	* 1.6245 *	* 1.5739 *	* 1.3943 *	* 1.6465 *	* 1.7347 *	* 0.7642 *
	* 2.1846 *	* 2.1189 *	* 1.8284 *	* 1.8444 *	* 2.0552 *	* 1.7475 *	* 1.6585 *	* 3.3863 *
10	* 1.6538 *	* 1.6242 *	* 1.3489 *	* 1.3030 *	* 1.5838 *	* 1.6196 *	* 1.7321 *	* 0.7226 *
	* 1.7798 *	* 1.8288 *	* 2.1753 *	* 2.2380 *	* 1.9103 *	* 1.8408 *	* 1.7084 *	* 3.6182 *
11	* 1.3752 *	* 1.5699 *	* 1.3015 *	* 1.5718 *	* 1.5898 *	* 1.7567 *	* 1.7857 *	* 0.6249 *
	* 2.0992 *	* 1.8491 *	* 2.2412 *	* 1.9442 *	* 1.9398 *	* 1.7455 *	* 1.7165 *	* 4.4243 *
12	* 1.5650 *	* 1.3931 *	* 1.5842 *	* 1.5902 *	* 1.4138 *	* 1.7752 *	* 1.0436 *	
	* 1.8283 *	* 2.0570 *	* 1.9106 *	* 1.9394 *	* 2.1821 *	* 1.7427 *	* 2.6726 *	
13	* 1.6035 *	* 1.6465 *	* 1.6209 *	* 1.7578 *	* 1.7759 *	* 1.0121 *	* 0.4844 *	
	* 1.7841 *	* 1.7476 *	* 1.8398 *	* 1.7446 *	* 1.7421 *	* 2.7980 *	* 5.7840 *	
14	* 1.7359 *	* 1.7351 *	* 1.7339 *	* 1.7878 *	* 1.0447 *	* 0.4919 *		
	* 1.6504 *	* 1.6581 *	* 1.7074 *	* 1.7148 *	* 2.6701 *	* 5.6812 *		
15	* 0.7734 *	* 0.7647 *	* 0.7235 *	* 0.6276 *	F-SUB-Q			
	* 3.3389 *	* 3.3851 *	* 3.6139 *	* 4.3798 *	M-SUB-Q			

	H	G	F	E	D	C	B	A
8	1.5730	1.3115	1.5722	1.3199	1.4942	1.5412	1.6556	0.7561
	1.7715	2.0951	1.7273	2.0212	1.7794	1.7255	1.6097	3.1857
9	1.3115	1.3512	1.5555	1.4972	1.3409	1.5819	1.6547	0.7495
	2.0951	2.0224	1.7525	1.7912	1.9838	1.6888	1.6163	3.2171
10	1.5722	1.5552	1.2941	1.2596	1.5089	1.5521	1.6484	0.7069
	1.7273	1.7529	2.0888	2.1369	1.8501	1.7714	1.6578	3.4367
11	1.3199	1.4934	1.2578	1.5004	1.5244	1.6728	1.6987	0.6137
	2.0212	1.7957	2.1400	1.8862	1.8696	1.6888	1.6540	4.1576
12	1.4942	1.3399	1.5093	1.5248	1.3569	1.6896	1.0192	
	1.7794	1.9854	1.8505	1.8692	2.0976	1.6908	2.5356	
13	1.5412	1.5819	1.5532	1.6738	1.6902	0.9866	0.4754	
	1.7255	1.6889	1.7705	1.6879	1.6902	2.6454	5.4467	
14	1.6556	1.6550	1.6501	1.7006	1.0203	0.4824		
	1.6097	1.6160	1.6569	1.6523	2.5333	5.3540		
15	0.7561	0.7498	0.7078	0.6178	F-SUB-Q			
	3.1857	3.2160	3.4328	4.1063	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 180 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.5019	* 1.2613	* 1.5201	* 1.2817	* 1.4567	* 1.5036	* 1.6106	* 0.7269
	* 1.7223	* 2.0197	* 1.6614	* 1.9467	* 1.7156	* 1.6634	* 1.5574	* 3.1271
9	* 1.2613	* 1.3047	* 1.5058	* 1.4557	* 1.3083	* 1.5425	* 1.6091	* 0.7175
	* 2.0197	* 1.9495	* 1.6858	* 1.7224	* 1.9095	* 1.6272	* 1.5633	* 3.1702
10	* 1.5201	* 1.5055	* 1.2536	* 1.2187	* 1.4678	* 1.5089	* 1.6010	* 0.6772
	* 1.6614	* 1.6861	* 2.0114	* 2.0641	* 1.7724	* 1.6999	* 1.5976	* 3.3731
11	* 1.2817	* 1.4521	* 1.2176	* 1.4567	* 1.4808	* 1.6188	* 1.6414	* 0.5827
	* 1.9467	* 1.7267	* 2.0661	* 1.7931	* 1.7859	* 1.6138	* 1.5893	* 4.0906
12	* 1.4567	* 1.3072	* 1.4682	* 1.4811	* 1.3178	* 1.6312	* 0.9676	*
	* 1.7156	* 1.9112	* 1.7721	* 1.7856	* 2.0132	* 1.6292	* 2.4727	*
13	* 1.5036	* 1.5424	* 1.5100	* 1.6197	* 1.6318	* 0.9394	* 0.4513	*
	* 1.6634	* 1.6273	* 1.6991	* 1.6130	* 1.6287	* 2.6096	* 5.3740	*
14	* 1.6106	* 1.6094	* 1.6021	* 1.6431	* 0.9685	* 0.4575	*	*
	* 1.5574	* 1.5630	* 1.5967	* 1.5878	* 2.4705	* 5.2877	*	*
15	* 0.7269	* 0.7178	* 0.6781	* 0.5861	* F-SUB-Q			
	* 3.1271	* 3.1692	* 3.3693	* 4.0434	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.3660	* 1.1670	* 1.4156	* 1.2194	* 1.3663	* 1.4167	* 1.5022	* 0.6985
	* 1.7733	* 2.0653	* 1.6786	* 1.9417	* 1.6728	* 1.6817	* 1.5915	* 3.1100
9	* 1.1670	* 1.1996	* 1.3846	* 1.3671	* 1.2398	* 1.4409	* 1.4999	* 0.6880
	* 2.0653	* 2.0036	* 1.7331	* 1.6975	* 1.9173	* 1.6580	* 1.5975	* 3.1594
10	* 1.4156	* 1.3843	* 1.1615	* 1.1570	* 1.3800	* 1.4189	* 1.4921	* 0.6488
	* 1.6786	* 1.7334	* 2.0568	* 2.0632	* 1.6978	* 1.7162	* 1.6263	* 3.3555
11	* 1.2194	* 1.3638	* 1.1565	* 1.3744	* 1.3870	* 1.5085	* 1.5255	* 0.5523
	* 1.9417	* 1.7010	* 2.0652	* 1.7484	* 1.7894	* 1.6347	* 1.6175	* 4.0926
12	* 1.3663	* 1.2388	* 1.3802	* 1.3873	* 1.2306	* 1.5095	* 0.9123	*
	* 1.6728	* 1.9189	* 1.6978	* 1.7891	* 2.0171	* 1.6495	* 2.4711	*
13	* 1.4167	* 1.4408	* 1.4199	* 1.5094	* 1.5101	* 0.8790	* 0.4240	*
	* 1.6817	* 1.6582	* 1.7154	* 1.6339	* 1.6490	* 2.6050	* 5.3696	*
14	* 1.5022	* 1.5002	* 1.4930	* 1.5271	* 0.9131	* 0.4297	*	
	* 1.5915	* 1.5972	* 1.6254	* 1.6161	* 2.4690	* 5.2859	*	
15	* 0.6985	* 0.6882	* 0.6496	* 0.5553	* F-SUB-Q			
	* 3.1100	* 3.1584	* 3.3520	* 4.0479	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 181 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1968	* 0.9660	* 1.3548	* 1.0412	* 1.3651	* 1.1894	* 1.3763	* 0.6112 *
	* 1.9405	* 2.3833	* 1.6868	* 2.1877	* 1.6728	* 1.9279	* 1.6732	* 3.4381 *
9	* 0.9660	* 0.9571	* 1.1490	* 1.3432	* 1.0530	* 1.1859	* 1.3709	* 0.6026 *
	* 2.3833	* 2.4076	* 1.9937	* 1.6975	* 2.1636	* 1.9408	* 1.6838	* 3.4926 *
10	* 1.3548	* 1.1479	* 0.9372	* 1.0192	* 1.3765	* 1.1831	* 1.3561	* 0.5667 *
	* 1.6868	* 1.9957	* 2.4505	* 2.2528	* 1.6978	* 1.9878	* 1.7200	* 3.7094 *
11	* 1.0412	* 1.3405	* 1.0183	* 1.3487	* 1.1702	* 1.3622	* 1.3005	* 0.4761 *
	* 2.1877	* 1.7010	* 2.2547	* 1.7484	* 2.0136	* 1.7343	* 1.8187	* 4.5728 *
12	* 1.3651	* 1.0518	* 1.3765	* 1.1704	* 1.0055	* 1.3011	* 0.7855	*
	* 1.6728	* 2.1661	* 1.6978	* 2.0134	* 2.3656	* 1.8358	* 2.7580	*
13	* 1.1894	* 1.1858	* 1.1838	* 1.3627	* 1.3015	* 0.7385	* 0.3586	*
	* 1.9279	* 1.9410	* 1.9868	* 1.7338	* 1.8353	* 2.9709	* 6.1002	*
14	* 1.3763	* 1.3713	* 1.3571	* 1.3019	* 0.7862	* 0.3629	*	
	* 1.6732	* 1.6835	* 1.7189	* 1.8170	* 2.7560	* 6.0114	*	
15	* 0.6112	* 0.6029	* 0.5673	* 0.4791	* F-SUB-Q			
	* 3.4381	* 3.4910	* 3.7061	* 4.5196	* M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.4677	* 0.4117	* 0.5241	* 0.4518	* 0.5392	* 0.4706	* 0.4926	* 0.2573
	* 4.7796	* 5.3974	* 4.2126	* 4.8719	* 4.0846	* 4.7044	* 4.5209	* 7.9231
9	* 0.4117	* 0.3977	* 0.4547	* 0.5280	* 0.4548	* 0.4625	* 0.4904	* 0.2526
	* 5.3974	* 5.5935	* 4.8662	* 4.1723	* 4.8527	* 4.8109	* 4.5505	* 8.0712
10	* 0.5241	* 0.4543	* 0.4011	* 0.4454	* 0.5386	* 0.4652	* 0.4842	* 0.2418
	* 4.2126	* 4.8706	* 5.5357	* 5.0007	* 4.1605	* 4.8611	* 4.6526	* 8.4274
11	* 0.4518	* 0.5273	* 0.4453	* 0.5260	* 0.4648	* 0.5285	* 0.4580	* 0.2101
	* 4.8719	* 4.1788	* 5.0046	* 4.2858	* 4.8867	* 4.3075	* 4.9806	* 10.0323
12	* 0.5392	* 0.4544	* 0.5385	* 0.4648	* 0.4218	* 0.4620	* 0.3196	
	* 4.0846	* 4.8574	* 4.1614	* 4.8865	* 5.4317	* 4.9956	* 6.5558	
13	* 0.4706	* 0.4625	* 0.4653	* 0.5287	* 0.4621	* 0.3009	* 0.1547	
	* 4.7044	* 4.8113	* 4.8605	* 4.3063	* 4.9942	* 7.0470	* 13.7040	
14	* 0.4926	* 0.4906	* 0.4845	* 0.4584	* 0.3198	* 0.1557		
	* 4.5209	* 4.5496	* 4.6501	* 4.9767	* 6.5515	* 13.5762		
15	* 0.2573	* 0.2527	* 0.2420	* 0.2087	F-SUB-Q			
	* 7.9231	* 8.0691	* 8.4208	* 10.0449	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 182 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 50 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3090	* 0.3965	* 0.5353	* 0.4835	* 0.5707	* 0.4984	* 0.5137	* 0.2758 *
	* 5.2989	* 6.0799	* 4.5135	* 4.9842	* 4.2277	* 4.8765	* 4.7637	* 8.0493 *
9	* 0.3965	* 0.3977	* 0.4756	* 0.5562	* 0.4825	* 0.4889	* 0.5084	* 0.2736 *
	* 6.0799	* 6.1597	* 5.1077	* 4.3372	* 4.9925	* 4.9653	* 4.8074	* 8.1077 *
10	* 0.5353	* 0.4756	* 0.4281	* 0.4690	* 0.5384	* 0.4649	* 0.4828	* 0.2577 *
	* 4.5135	* 5.1076	* 5.7168	* 5.1335	* 4.4454	* 5.1452	* 4.9625	* 8.4270 *
11	* 0.4835	* 0.5561	* 0.4691	* 0.5002	* 0.4374	* 0.4786	* 0.4336	* 0.2081 *
	* 4.9842	* 4.3376	* 5.1329	* 4.6832	* 5.3032	* 4.7918	* 5.4606	*10.4782 *
12	* 0.5707	* 0.4825	* 0.5385	* 0.4375	* 0.3283	* 0.3621	* 0.2778 *	
	* 4.2277	* 4.9927	* 4.4446	* 5.3023	* 5.7859	* 5.3816	* 7.0268 *	
13	* 0.4984	* 0.4890	* 0.4651	* 0.4789	* 0.3623	* 0.2101	* 0.1295 *	
	* 4.8765	* 4.9646	* 5.1435	* 4.7900	* 5.3799	* 7.3016	*13.5302 *	
14	* 0.5137	* 0.5085	* 0.4831	* 0.4340	* 0.2780	* 0.1302 *		
	* 4.7637	* 4.8061	* 4.9591	* 5.4560	* 7.0217	*13.4122 *		
15	* 0.2758	* 0.2737	* 0.2580	* 0.2069	* F-SUB-Q			
	* 8.0493	* 8.1055	* 8.4194	*10.4787	* M-SUB-Q			

AT 50% POWER, 50 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.7296	* 0.9095	* 1.3099	* 1.0869	* 1.3686	* 1.2169	* 1.3514	* 0.6628 *
	* 2.2588	* 2.7302	* 1.9057	* 2.2937	* 1.8269	* 2.0636	* 1.8758	* 3.4679 *
9	* 0.9095	* 0.9277	* 1.1628	* 1.3395	* 1.0965	* 1.2028	* 1.3381	* 0.6575 *
	* 2.7302	* 2.7014	* 2.1546	* 1.8610	* 2.2728	* 2.0836	* 1.8853	* 3.4842 *
10	* 1.3099	* 1.1627	* 0.9700	* 1.0513	* 1.2978	* 1.1405	* 1.2751	* 0.6123 *
	* 1.9057	* 2.1547	* 2.6038	* 2.3649	* 1.9057	* 2.1737	* 1.9429	* 3.6574 *
11	* 1.0869	* 1.3392	* 1.0514	* 1.2074	* 1.0630	* 1.1658	* 1.1454	* 0.4834 *
	* 2.2937	* 1.8615	* 2.3646	* 1.9837	* 2.2393	* 2.0240	* 2.1395	* 4.6657 *
12	* 1.3686	* 1.0964	* 1.2981	* 1.0634	* 0.7376	* 0.9601	* 0.6840 *	
	* 1.8269	* 2.2730	* 1.9053	* 2.2387	* 2.5577	* 2.0857	* 2.9419 *	
13	* 1.2169	* 1.2030	* 1.1411	* 1.1664	* 0.9608	* 0.5192	* 0.3059 *	
	* 2.0636	* 2.0834	* 2.1726	* 2.0232	* 2.0850	* 3.0249	* 5.9060 *	
14	* 1.3514	* 1.3385	* 1.2760	* 1.1465	* 0.6847	* 0.3086 *		
	* 1.8758	* 1.8848	* 1.9415	* 2.1375	* 2.9395	* 5.8339 *		
15	* 0.6628	* 0.6577	* 0.6130	* 0.4883	* F-SUB-Q			
	* 3.4679	* 3.4826	* 3.6538	* 4.5940	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 183 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 50 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.8772	* 1.1183	* 1.4301	* 1.2977	* 1.4502	* 1.4753	* 1.5175	* 0.7932
	* 1.9797	* 2.2814	* 1.7917	* 1.9751	* 1.7694	* 1.7437	* 1.6989	* 2.9499
9	* 1.1183	* 1.1588	* 1.3967	* 1.4396	* 1.3130	* 1.4755	* 1.5025	* 0.7913
	* 2.2814	* 2.2115	* 1.8378	* 1.7794	* 1.9509	* 1.7399	* 1.7113	* 2.9503
10	* 1.4301	* 1.3965	* 1.1904	* 1.2454	* 1.3641	* 1.3985	* 1.4481	* 0.7348
	* 1.7917	* 1.9510	* 2.1523	* 2.0471	* 1.8627	* 1.8195	* 1.7602	* 3.1224
11	* 1.2977	* 1.4391	* 1.2455	* 1.3030	* 1.2693	* 1.3517	* 1.3734	* 0.5897
	* 1.9751	* 1.7801	* 2.0469	* 1.8690	* 1.9034	* 1.8055	* 1.8274	* 3.9288
12	* 1.4502	* 1.3129	* 1.3643	* 1.2699	* 0.9064	* 1.1548	* 0.8340	*
	* 1.7694	* 1.9510	* 1.8622	* 1.9029	* 2.1244	* 1.8060	* 2.4742	*
13	* 1.4753	* 1.4757	* 1.3992	* 1.3525	* 1.1556	* 0.6330	* 0.3755	*
	* 1.7437	* 1.7398	* 1.8185	* 1.8048	* 1.8053	* 2.5475	* 4.9387	*
14	* 1.5175	* 1.5028	* 1.4489	* 1.3749	* 0.8350	* 0.3797	*	*
	* 1.6990	* 1.7109	* 1.7591	* 1.8255	* 2.4719	* 4.8694	*	*
15	* 0.7932	* 0.7916	* 0.7356	* 0.5956	* F-SUB-Q			
	* 2.9499	* 2.9494	* 3.1191	* 3.8673	* M-SUB-Q			

AT 50% POWER, 50 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9993	* 1.2265	* 1.6007	* 1.4164	* 1.6139	* 1.6301	* 1.7108	* 0.8472
	* 1.8029	* 2.1392	* 1.6530	* 1.8705	* 1.6421	* 1.6274	* 1.5500	* 2.8392
9	* 1.2265	* 1.2830	* 1.5351	* 1.6044	* 1.4374	* 1.6393	* 1.6937	* 0.8439
	* 2.1392	* 2.0612	* 1.7271	* 1.6500	* 1.8407	* 1.6152	* 1.5629	* 2.8465
10	* 1.6007	* 1.5347	* 1.3085	* 1.3523	* 1.5163	* 1.5525	* 1.6295	* 0.7842
	* 1.6530	* 1.7276	* 2.0219	* 1.9484	* 1.7309	* 1.6907	* 1.6113	* 3.0196
11	* 1.4164	* 1.6036	* 1.3524	* 1.4502	* 1.3860	* 1.5292	* 1.5569	* 0.6325
	* 1.8705	* 1.6509	* 1.9484	* 1.7252	* 1.7746	* 1.6461	* 1.6661	* 3.7888
12	* 1.6139	* 1.4372	* 1.5166	* 1.3866	* 0.9916	* 1.3099	* 0.9058	*
	* 1.6421	* 1.8409	* 1.7305	* 1.7741	* 1.9810	* 1.6451	* 2.3557	*
13	* 1.6301	* 1.6394	* 1.5533	* 1.5301	* 1.3108	* 0.6874	* 0.4020	*
	* 1.6274	* 1.6151	* 1.6897	* 1.6454	* 1.6445	* 2.4259	* 4.7762	*
14	* 1.7108	* 1.6941	* 1.6305	* 1.5587	* 0.9070	* 0.4072	*	*
	* 1.5500	* 1.5625	* 1.6103	* 1.6643	* 2.3534	* 4.7011	*	*
15	* 0.8472	* 0.8442	* 0.7851	* 0.6377	* F-SUB-Q			
	* 2.8392	* 2.8456	* 3.0162	* 3.7355	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 184 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 50 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0494	* 1.2777	* 1.6871	* 1.4713	* 1.7024	* 1.7016	* 1.8086	* 0.8832 *
	* 1.7837	* 2.1525	* 1.6394	* 1.8818	* 1.6254	* 1.6260	* 1.5271	* 2.8381 *
9	* 1.2777	* 1.3299	* 1.5939	* 1.6890	* 1.4952	* 1.7120	* 1.7903	* 0.8815 *
	* 2.1525	* 2.0788	* 1.7385	* 1.6383	* 1.8482	* 1.6134	* 1.5405	* 2.8405 *
10	* 1.6871	* 1.5933	* 1.3531	* 1.4034	* 1.6004	* 1.6268	* 1.7264	* 0.8179 *
	* 1.6394	* 1.7391	* 2.0437	* 1.9607	* 1.7073	* 1.6803	* 1.5860	* 3.0222 *
11	* 1.4713	* 1.6878	* 1.4033	* 1.5254	* 1.4548	* 1.6256	* 1.6593	* 0.6647 *
	* 1.8818	* 1.6396	* 1.9609	* 1.7061	* 1.7668	* 1.6154	* 1.6231	* 3.7512 *
12	* 1.7024	* 1.4949	* 1.6008	* 1.4554	* 1.0391	* 1.3977	* 0.9568	*
	* 1.6254	* 1.8485	* 1.7070	* 1.7663	* 1.9797	* 1.6150	* 2.3329	*
13	* 1.7016	* 1.7121	* 1.6278	* 1.6268	* 1.3987	* 0.7231	* 0.4197	*
	* 1.6260	* 1.6133	* 1.6794	* 1.6145	* 1.6144	* 2.4156	* 4.7943	*
14	* 1.8086	* 1.7907	* 1.7275	* 1.6611	* 0.9580	* 0.4254	*	
	* 1.5271	* 1.5402	* 1.5849	* 1.6213	* 2.3306	* 4.7164	*	
15	* 0.8832	* 0.8818	* 0.8189	* 0.6693	* F-SUB-Q			
	* 2.8381	* 2.8395	* 3.0187	* 3.7029	* M-SUB-Q			

AT 50% POWER, 50 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0696	* 1.3036	* 1.7288	* 1.4996	* 1.7496	* 1.7399	* 1.8616	* 0.9084 *
	* 1.8387	* 2.2229	* 1.6802	* 1.9393	* 1.6584	* 1.6672	* 1.5565	* 2.8987 *
9	* 1.3036	* 1.3498	* 1.6206	* 1.7317	* 1.5275	* 1.7511	* 1.8429	* 0.9074 *
	* 2.2229	* 2.1535	* 1.7956	* 1.6775	* 1.8970	* 1.6532	* 1.5693	* 2.8980 *
10	* 1.7288	* 1.6198	* 1.3716	* 1.4305	* 1.6480	* 1.6703	* 1.7818	* 0.8424 *
	* 1.6802	* 1.7965	* 2.1184	* 2.0214	* 1.7428	* 1.7160	* 1.6102	* 3.0758 *
11	* 1.4996	* 1.7301	* 1.4302	* 1.5650	* 1.4999	* 1.6840	* 1.7209	* 0.6896 *
	* 1.9393	* 1.6791	* 2.0218	* 1.7469	* 1.8158	* 1.6435	* 1.6470	* 3.8021 *
12	* 1.7496	* 1.5270	* 1.6483	* 1.5005	* 1.0711	* 1.4513	* 0.9946 *	
	* 1.6584	* 1.8976	* 1.7425	* 1.8153	* 2.0411	* 1.6506	* 2.3762 *	
13	* 1.7399	* 1.7512	* 1.6712	* 1.6853	* 1.4523	* 0.7498	* 0.4340 *	
	* 1.6672	* 1.6532	* 1.7150	* 1.6426	* 1.6499	* 2.4786	* 4.9348 *	
14	* 1.8616	* 1.8433	* 1.7829	* 1.7227	* 0.9959	* 0.4400 *		
	* 1.5565	* 1.5689	* 1.6091	* 1.6453	* 2.3738	* 4.8531 *		
15	* 0.9084	* 0.9077	* 0.8434	* 0.6940	F-SUB-Q			
	* 2.8987	* 2.8971	* 3.0724	* 3.7556	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 185 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 50 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0926	* 1.3206	* 1.7722	* 1.5269	* 1.7983	* 1.7795	* 1.9186	* 0.9221 *
	* 1.9109	* 2.3090	* 1.7530	* 2.0354	* 1.7181	* 1.7333	* 1.6019	* 3.0263 *
9	* 1.3206	* 1.3695	* 1.6488	* 1.7760	* 1.5596	* 1.7921	* 1.8994	* 0.9200 *
	* 2.3090	* 2.2716	* 1.8867	* 1.7478	* 1.9801	* 1.7186	* 1.6164	* 3.0306 *
10	* 1.7722	* 1.6479	* 1.3909	* 1.4569	* 1.6986	* 1.7156	* 1.8402	* 0.8552 *
	* 1.7530	* 1.8877	* 2.2329	* 2.1230	* 1.8082	* 1.7815	* 1.6606	* 3.2240 *
11	* 1.5269	* 1.7742	* 1.4565	* 1.6083	* 1.5358	* 1.7467	* 1.7855	* 0.7017 *
	* 2.0354	* 1.7497	* 2.1236	* 1.7964	* 1.8797	* 1.6780	* 1.6867	* 3.9948 *
12	* 1.7983	* 1.5590	* 1.6989	* 1.5363	* 1.0970	* 1.5092	* 1.0185	*
	* 1.7181	* 1.9808	* 1.8080	* 1.8792	* 2.1199	* 1.6992	* 2.4753	*
13	* 1.7795	* 1.7921	* 1.7165	* 1.7480	* 1.5102	* 0.7689	* 0.4428	*
	* 1.7333	* 1.7186	* 1.7805	* 1.6770	* 1.6985	* 2.5961	* 5.1954	*
14	* 1.9186	* 1.8998	* 1.8414	* 1.7874	* 1.0197	* 0.4491	*	
	* 1.6019	* 1.6161	* 1.6596	* 1.6850	* 2.4729	* 5.1063	*	
15	* 0.9221	* 0.9203	* 0.8561	* 0.7058	* F-SUB-Q			
	* 3.0263	* 3.0297	* 3.2205	* 3.9478	* M-SUB-Q			

AT 50% POWER, 50 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1104	* 1.3334	* 1.7969	* 1.5426	* 1.8266	* 1.8029	* 1.9525	* 0.9325 *
	* 2.0276	* 2.4653	* 1.8850	* 2.1932	* 1.8321	* 1.8509	* 1.6989	* 3.2274 *
9	* 1.3334	* 1.3816	* 1.6644	* 1.8013	* 1.5791	* 1.8169	* 1.9337	* 0.9299 *
	* 2.4653	* 2.4416	* 2.0369	* 1.8728	* 2.1207	* 1.8347	* 1.7153	* 3.2349 *
10	* 1.7969	* 1.6634	* 1.4024	* 1.4736	* 1.7326	* 1.7466	* 1.8793	* 0.8659 *
	* 1.8850	* 2.0382	* 2.4149	* 2.2881	* 1.9286	* 1.9003	* 1.7640	* 3.4464 *
11	* 1.5426	* 1.7992	* 1.4731	* 1.6394	* 1.5671	* 1.7938	* 1.8336	* 0.7139 *
	* 2.1932	* 1.8749	* 2.2889	* 1.8877	* 1.9728	* 1.7556	* 1.7650	* 4.2728 *
12	* 1.8266	* 1.5785	* 1.7327	* 1.5676	* 1.1233	* 1.5578	* 1.0438	*
	* 1.8321	* 2.1215	* 1.9283	* 1.9723	* 2.2286	* 1.7755	* 2.5997	*
13	* 1.8029	* 1.8169	* 1.7475	* 1.7951	* 1.5588	* 0.7923	* 0.4541	*
	* 1.8509	* 1.8347	* 1.8992	* 1.7546	* 1.7747	* 2.7432	* 5.4970	*
14	* 1.9525	* 1.9341	* 1.8805	* 1.8354	* 1.0450	* 0.4606	*	
	* 1.6989	* 1.7149	* 1.7629	* 1.7633	* 2.5972	* 5.4014	*	
15	* 0.9325	* 0.9302	* 0.8668	* 0.7178	* F-SUB-Q			
	* 3.2274	* 3.2340	* 3.4427	* 4.2240	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 187 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.3871	* 1.4033	* 1.8621	* 1.5740	* 1.8772	* 1.8419	* 2.0139	* 0.9450 *
	* 2.7303	* 3.2933	* 2.4023	* 2.7897	* 2.2805	* 2.3116	* 2.0928	* 4.0072 *
9	* 1.4033	* 1.4360	* 1.7062	* 1.8561	* 1.6138	* 1.8634	* 2.0001	* 0.9397 *
	* 3.2933	* 3.1856	* 2.6203	* 2.3586	* 2.6617	* 2.2885	* 2.1133	* 4.0308 *
10	* 1.8621	* 1.7050	* 1.4341	* 1.5156	* 1.8323	* 1.8231	* 1.9741	* 0.8843 *
	* 2.4023	* 2.6222	* 3.1058	* 2.9164	* 2.4076	* 2.3609	* 2.1707	* 4.2837 *
11	* 1.5740	* 1.8535	* 1.5148	* 1.7834	* 1.6996	* 1.9641	* 1.9828	* 0.7447 *
	* 2.7897	* 2.3616	* 2.9178	* 2.4513	* 2.5695	* 2.2484	* 2.2136	* 5.2679 *
12	* 1.8772	* 1.6129	* 1.8325	* 1.7000	* 1.3661	* 1.8200	* 1.1535	*
	* 2.2805	* 2.6630	* 2.4074	* 2.5689	* 2.9262	* 2.2874	* 3.3792	*
13	* 1.8419	* 1.8634	* 1.8239	* 1.9651	* 1.8208	* 0.9991	* 0.5199	*
	* 2.3116	* 2.2884	* 2.3597	* 2.2472	* 2.2866	* 3.6009	* 7.1950	*
14	* 2.0139	* 2.0006	* 1.9754	* 1.9846	* 1.1545	* 0.5275	*	
	* 2.0928	* 2.1129	* 2.1694	* 2.2114	* 3.3762	* 7.0681	*	
15	* 0.9450	* 0.9400	* 0.8852	* 0.7481	* F-SUB-Q			
	* 4.0072	* 4.0295	* 4.2791	* 5.2114	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.6491	* 1.4259	* 1.8722	* 1.5746	* 1.8784	* 1.8408	* 2.0174	* 0.9432
	* 2.7676	* 3.3159	* 2.5178	* 2.9358	* 2.4254	* 2.4757	* 2.2608	* 4.3353
9	* 1.4259	* 1.4492	* 1.7103	* 1.8607	* 1.6138	* 1.8648	* 2.0067	* 0.9384
	* 3.3159	* 3.2776	* 2.7572	* 2.4862	* 2.8336	* 2.4569	* 2.2856	* 4.3606
10	* 1.8722	* 1.7089	* 1.4373	* 1.5206	* 1.8603	* 1.8420	* 1.9943	* 0.8855
	* 2.5178	* 2.7594	* 3.2746	* 3.0937	* 2.5561	* 2.5594	* 2.3466	* 4.6354
11	* 1.5746	* 1.8579	* 1.5197	* 1.8454	* 1.7523	* 2.0159	* 2.0231	* 0.7520
	* 2.9358	* 2.4897	* 3.0956	* 2.5289	* 2.6778	* 2.3415	* 2.3486	* 5.7114
12	* 1.8785	* 1.6128	* 1.8604	* 1.7527	* 1.5004	* 1.9285	* 1.1918	*
	* 2.4254	* 2.8353	* 2.5559	* 2.6772	* 3.0560	* 2.3974	* 3.5564	*
13	* 1.8408	* 1.8648	* 1.8431	* 2.0169	* 1.9293	* 1.0885	* 0.5444	*
	* 2.4757	* 2.4570	* 2.5580	* 2.3403	* 2.3966	* 3.8049	* 7.6711	*
14	* 2.0174	* 2.0072	* 1.9956	* 2.0248	* 1.1928	* 0.5523	*	
	* 2.2608	* 2.2851	* 2.3453	* 2.3466	* 3.5534	* 7.5352	*	
15	* 0.9432	* 0.9387	* 0.8864	* 0.7553	* F-SUB-Q			
	* 4.3353	* 4.3592	* 4.6305	* 5.6517	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 188 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 50 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6867	* 1.4286	* 1.8472	* 1.5537	* 1.8482	* 1.8149	* 1.9863	* 0.9412
	* 2.8203	* 3.3471	* 2.4783	* 2.8801	* 2.3795	* 2.4222	* 2.2113	* 4.2167
9	* 1.4286	* 1.4387	* 1.6880	* 1.8321	* 1.5931	* 1.8408	* 1.9789	* 0.9384
	* 3.3471	* 3.2837	* 2.7112	* 2.4448	* 2.7749	* 2.4036	* 2.2376	* 4.2366
10	* 1.8472	* 1.6866	* 1.4209	* 1.5052	* 1.8504	* 1.8364	* 1.9803	* 0.8866
	* 2.4783	* 2.7135	* 3.2139	* 3.0286	* 2.5446	* 2.5166	* 2.3151	* 4.5495
11	* 1.5537	* 1.8292	* 1.5042	* 1.8581	* 1.7642	* 2.0202	* 2.0227	* 0.7618
	* 2.8801	* 2.4484	* 3.0307	* 2.5669	* 2.7087	* 2.3694	* 2.3733	* 5.6343
12	* 1.8482	* 1.5921	* 1.8504	* 1.7646	* 1.5413	* 1.9644	* 1.2210	*
	* 2.3795	* 2.7767	* 2.5448	* 2.7082	* 3.0903	* 2.4259	* 3.5440	*
13	* 1.8149	* 1.8407	* 1.8374	* 2.0212	* 1.9651	* 1.1370	* 0.5636	*
	* 2.4222	* 2.4037	* 2.5155	* 2.3683	* 2.4251	* 3.8020	* 7.6462	*
14	* 1.9863	* 1.9794	* 1.9816	* 2.0244	* 1.2220	* 0.5722	*	*
	* 2.2113	* 2.2372	* 2.3140	* 2.3714	* 3.5412	* 7.5054	*	*
15	* 0.9412	* 0.9387	* 0.8874	* 0.7649	* F-SUB-Q			
	* 4.2167	* 4.2353	* 4.5452	* 5.5778	* M-SUB-Q			

AT 50% POWER, 50 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7120	* 1.4178	* 1.8533	* 1.5466	* 1.8522	* 1.8118	* 1.9977	* 0.9245
	* 2.6953	* 3.2207	* 2.3989	* 2.8076	* 2.3013	* 2.3512	* 2.1294	* 4.1479
9	* 1.4178	* 1.4359	* 1.6838	* 1.8360	* 1.5880	* 1.8402	* 1.9919	* 0.9181
	* 3.2207	* 3.1794	* 2.6428	* 2.3688	* 2.7005	* 2.3320	* 2.1561	* 4.1858
10	* 1.8533	* 1.6823	* 1.4141	* 1.5029	* 1.8675	* 1.8495	* 2.0046	* 0.8711
	* 2.3989	* 2.6452	* 3.1433	* 2.9708	* 2.4662	* 2.4432	* 2.2349	* 4.4916
11	* 1.5466	* 1.8329	* 1.5025	* 1.8854	* 1.7844	* 2.0532	* 2.0541	* 0.7490
	* 2.8076	* 2.3726	* 2.9730	* 2.4489	* 2.5993	* 2.2590	* 2.2571	* 5.5883
12	* 1.8522	* 1.5869	* 1.8675	* 1.7847	* 1.5653	* 2.0084	* 1.2154	*
	* 2.3013	* 2.7024	* 2.4664	* 2.5990	* 2.9693	* 2.3084	* 3.4317	*
13	* 1.8118	* 1.8401	* 1.8505	* 2.0542	* 2.0091	* 1.1420	* 0.5609	*
	* 2.3512	* 2.3321	* 2.4422	* 2.2581	* 2.3077	* 3.6702	* 7.3677	*
14	* 1.9977	* 1.9924	* 2.0059	* 2.0557	* 1.2164	* 0.5692	*	*
	* 2.1294	* 2.1557	* 2.2339	* 2.2555	* 3.4293	* 7.2361	*	*
15	* 0.9245	* 0.9184	* 0.8719	* 0.7518	* F-SUB-Q			
	* 4.1479	* 4.1846	* 4.4876	* 5.5350	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 189 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 50 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6942	* 1.3932	* 1.8275	* 1.5203	* 1.8270	* 1.7853	* 1.9763	* 0.9071
	* 2.4969	* 3.0041	* 2.2264	* 2.6181	* 2.1468	* 2.2006	* 1.9868	* 3.8772
9	* 1.3932	* 1.4125	* 1.6555	* 1.8094	* 1.5636	* 1.8150	* 1.9724	* 0.8997
	* 3.0040	* 2.9629	* 2.4599	* 2.2031	* 2.5231	* 2.1811	* 2.0106	* 3.9168
10	* 1.8275	* 1.6539	* 1.3893	* 1.4808	* 1.8512	* 1.8340	* 1.9922	* 0.8551
	* 2.2264	* 2.4622	* 2.9245	* 2.7674	* 2.2879	* 2.2780	* 2.0788	* 4.1915
11	* 1.5203	* 1.8061	* 1.4803	* 1.8718	* 1.7744	* 2.0451	* 2.0466	* 0.7375
	* 2.6181	* 2.2068	* 2.7697	* 2.2651	* 2.4037	* 2.0829	* 2.0812	* 5.1903
12	* 1.8270	* 1.5624	* 1.8514	* 1.7747	* 1.5564	* 2.0063	* 1.2037	*
	* 2.1468	* 2.5249	* 2.2880	* 2.4032	* 2.7488	* 2.1283	* 3.1890	*
13	* 1.7853	* 1.8149	* 1.8350	* 2.0460	* 2.0069	* 1.1342	* 0.5548	*
	* 2.2006	* 2.1813	* 2.2772	* 2.0821	* 2.1277	* 3.4142	* 6.8851	*
14	* 1.9763	* 1.9729	* 1.9935	* 2.0481	* 1.2046	* 0.5631	*	*
	* 1.9868	* 2.0104	* 2.0779	* 2.0797	* 3.1868	* 6.7608	*	*
15	* 0.9071	* 0.8999	* 0.8559	* 0.7388	* F-SUB-Q			
	* 3.8772	* 3.9158	* 4.1879	* 5.1508	* M-SUB-Q			

AT 50% POWER, 50 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6545	* 1.3603	* 1.7819	* 1.4809	* 1.7839	* 1.7437	* 1.9333	* 0.8881
	* 2.3513	* 2.8189	* 2.0669	* 2.4353	* 1.9940	* 2.0439	* 1.8430	* 3.5993
9	* 1.3603	* 1.3769	* 1.6122	* 1.7642	* 1.5261	* 1.7741	* 1.9307	* 0.8816
	* 2.8189	* 2.7643	* 2.2869	* 2.0465	* 2.3449	* 2.0241	* 1.8643	* 3.6335
10	* 1.7819	* 1.6111	* 1.3533	* 1.4450	* 1.8143	* 1.7977	* 1.9545	* 0.8379
	* 2.0669	* 2.2891	* 2.7180	* 2.5733	* 2.1234	* 2.1106	* 1.9237	* 3.8882
11	* 1.4809	* 1.7609	* 1.4444	* 1.8336	* 1.7420	* 2.0083	* 2.0111	* 0.7255
	* 2.4353	* 2.0501	* 2.5755	* 2.1321	* 2.2625	* 1.9539	* 1.9498	* 4.7943
12	* 1.7839	* 1.5249	* 1.8145	* 1.7423	* 1.5276	* 1.9740	* 1.1860	*
	* 1.9940	* 2.3468	* 2.1238	* 2.2622	* 2.5884	* 1.9997	* 2.9929	*
13	* 1.7437	* 1.7740	* 1.7987	* 2.0092	* 1.9746	* 1.1181	* 0.5465	*
	* 2.0439	* 2.0243	* 2.1098	* 1.9532	* 1.9992	* 3.2049	* 6.4792	*
14	* 1.9333	* 1.9312	* 1.9557	* 2.0126	* 1.1869	* 0.5547	*	*
	* 1.8430	* 1.8641	* 1.9229	* 1.9485	* 2.9910	* 6.3630	*	*
15	* 0.8881	* 0.8818	* 0.8386	* 0.7277	* F-SUB-Q			
	* 3.5993	* 3.6325	* 3.8849	* 4.7516	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 190 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 50 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5922	* 1.3195	* 1.7135	* 1.4277	* 1.7184	* 1.6838	* 1.8646	* 0.8677
	* 2.4030	* 2.8593	* 2.1142	* 2.4876	* 2.0413	* 2.0876	* 1.8857	* 3.6423
9	* 1.3195	* 1.3279	* 1.5530	* 1.6966	* 1.4739	* 1.7141	* 1.8628	* 0.8636
	* 2.8593	* 2.8138	* 2.3354	* 2.0945	* 2.3941	* 2.0658	* 1.9060	* 3.6666
10	* 1.7135	* 1.5527	* 1.3051	* 1.4008	* 1.7508	* 1.7404	* 1.8887	* 0.8196
	* 2.1142	* 2.3378	* 2.7702	* 2.6120	* 2.1669	* 2.1485	* 1.9626	* 3.9254
11	* 1.4277	* 1.6933	* 1.4005	* 1.7686	* 1.6885	* 1.9425	* 1.9467	* 0.7137
	* 2.4876	* 2.0982	* 2.6144	* 2.1818	* 2.3054	* 1.9937	* 1.9879	* 4.8039
12	* 1.7184	* 1.4727	* 1.7510	* 1.6887	* 1.4802	* 1.9118	* 1.1657	*
	* 2.0413	* 2.3961	* 2.1673	* 2.3050	* 2.6407	* 2.0427	* 3.0104	*
13	* 1.6838	* 1.7140	* 1.7413	* 1.9433	* 1.9123	* 1.0972	* 0.5370	*
	* 2.0876	* 2.0660	* 2.1478	* 1.9930	* 2.0422	* 3.2435	* 6.5568	*
14	* 1.8646	* 1.8633	* 1.8899	* 1.9481	* 1.1665	* 0.5457	*	*
	* 1.8857	* 1.9058	* 1.9618	* 1.9866	* 3.0085	* 6.4314	*	*
15	* 0.8677	* 0.8638	* 0.8203	* 0.7158	* F-SUB-Q			
	* 3.6423	* 3.6657	* 3.9222	* 4.7617	* M-SUB-Q			

AT 50% POWER, 50 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5602	* 1.2738	* 1.6792	* 1.3892	* 1.6855	* 1.6457	* 1.8362	* 0.8324
	* 2.2404	* 2.6832	* 1.9731	* 2.3469	* 1.9136	* 1.9645	* 1.7623	* 3.5006
9	* 1.2738	* 1.2924	* 1.5150	* 1.6621	* 1.4368	* 1.6768	* 1.8345	* 0.8244
	* 2.6832	* 2.6362	* 2.1931	* 1.9615	* 2.2575	* 1.9411	* 1.7806	* 3.5410
10	* 1.6792	* 1.5147	* 1.2688	* 1.3559	* 1.7226	* 1.7044	* 1.8618	* 0.7844
	* 1.9731	* 2.1953	* 2.6117	* 2.4747	* 2.0217	* 2.0128	* 1.8274	* 3.7740
11	* 1.3892	* 1.6587	* 1.3553	* 1.7362	* 1.6512	* 1.9134	* 1.9180	* 0.6804
	* 2.3469	* 1.9652	* 2.4771	* 2.0352	* 2.1624	* 1.8438	* 1.8336	* 4.6206
12	* 1.6855	* 1.4356	* 1.7227	* 1.6514	* 1.4458	* 1.8826	* 1.1171	*
	* 1.9136	* 2.2594	* 2.0221	* 2.1623	* 2.4715	* 1.9039	* 2.8805	*
13	* 1.6457	* 1.6767	* 1.7052	* 1.9142	* 1.8831	* 1.0542	* 0.5123	*
	* 1.9645	* 1.9413	* 2.0121	* 1.8432	* 1.9035	* 3.0926	* 6.3156	*
14	* 1.8362	* 1.8350	* 1.8629	* 1.9193	* 1.1178	* 0.5201	*	*
	* 1.7623	* 1.7804	* 1.8267	* 1.8325	* 2.8787	* 6.2008	*	*
15	* 0.8324	* 0.8246	* 0.7851	* 0.6809	* F-SUB-Q			
	* 3.5006	* 3.5400	* 3.7710	* 4.5899	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 191 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 50 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4968	* 1.2215	* 1.6110	* 1.3320	* 1.6189	* 1.5826	* 1.7675	* 0.7986 *
	* 2.1146	* 2.5718	* 1.8965	* 2.2638	* 1.8477	* 1.8950	* 1.6998	* 3.3947 *
9	* 1.2215	* 1.2409	* 1.4551	* 1.5944	* 1.3799	* 1.6135	* 1.7657	* 0.7905 *
	* 2.5718	* 2.5161	* 2.1071	* 1.8913	* 2.1783	* 1.8699	* 1.7159	* 3.4347 *
10	* 1.6110	* 1.4548	* 1.2177	* 1.2997	* 1.6558	* 1.6390	* 1.7916	* 0.7519 *
	* 1.8965	* 2.1093	* 2.5102	* 2.3815	* 1.9386	* 1.9321	* 1.7545	* 3.6529 *
11	* 1.3320	* 1.5910	* 1.2991	* 1.6673	* 1.5875	* 1.8404	* 1.8454	* 0.6522 *
	* 2.2638	* 1.8950	* 2.3838	* 1.9343	* 2.0497	* 1.7594	* 1.7539	* 4.4499 *
12	* 1.6189	* 1.3787	* 1.6559	* 1.5877	* 1.3895	* 1.8111	* 1.0717	*
	* 1.8477	* 2.1802	* 1.9390	* 2.0495	* 2.3416	* 1.8037	* 2.7444	*
13	* 1.5826	* 1.6134	* 1.6398	* 1.8411	* 1.8116	* 1.0120	* 0.4908	*
	* 1.8950	* 1.8702	* 1.9315	* 1.7589	* 1.8033	* 2.9476	* 6.0330	*
14	* 1.7675	* 1.7661	* 1.7927	* 1.8466	* 1.0724	* 0.4982	*	*
	* 1.6998	* 1.7157	* 1.7539	* 1.7529	* 2.7428	* 5.9240	*	*
15	* 0.7986	* 0.7907	* 0.7525	* 0.6525	* F-SUB-Q			
	* 3.3947	* 3.4338	* 3.6500	* 4.4213	* M-SUB-Q			

AT 50% POWER, 50 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3972	* 1.1608	* 1.5050	* 1.2550	* 1.5153	* 1.4931	* 1.6537	* 0.7657 *
	* 2.1052	* 2.4936	* 1.8900	* 2.2398	* 1.8484	* 1.8814	* 1.7030	* 3.3266 *
9	* 1.1608	* 1.1720	* 1.3712	* 1.4902	* 1.3025	* 1.5222	* 1.6519	* 0.7612 *
	* 2.4936	* 2.4549	* 2.0807	* 1.8891	* 2.1589	* 1.8547	* 1.7167	* 3.3505 *
10	* 1.5050	* 1.3710	* 1.1508	* 1.2326	* 1.5467	* 1.5418	* 1.6733	* 0.7217 *
	* 1.8901	* 2.0829	* 2.4693	* 2.3393	* 1.9128	* 1.9094	* 1.7484	* 3.5635 *
11	* 1.2550	* 1.4871	* 1.2322	* 1.5586	* 1.4954	* 1.7180	* 1.7231	* 0.6284 *
	* 2.2398	* 1.8928	* 2.3415	* 1.9282	* 2.0240	* 1.7461	* 1.7321	* 4.2992 *
12	* 1.5153	* 1.3014	* 1.5468	* 1.4956	* 1.3102	* 1.6922	* 1.0277	*
	* 1.8484	* 2.1608	* 1.9131	* 2.0238	* 2.3059	* 1.7943	* 2.6688	*
13	* 1.4931	* 1.5220	* 1.5424	* 1.7186	* 1.6926	* 0.9695	* 0.4732	*
	* 1.8814	* 1.8550	* 1.9089	* 1.7455	* 1.7939	* 2.8537	* 5.8182	*
14	* 1.6537	* 1.6522	* 1.6742	* 1.7242	* 1.0283	* 0.4801	*	*
	* 1.7030	* 1.7166	* 1.7478	* 1.7310	* 2.6673	* 5.7164	*	*
15	* 0.7657	* 0.7614	* 0.7223	* 0.6299	* F-SUB-Q			
	* 3.3266	* 3.3496	* 3.5607	* 4.2635	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 192 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 50 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3120	* 1.0883	* 1.4211	* 1.1904	* 1.4341	* 1.4200	* 1.5675	* 0.7167 *
	* 2.0920	* 2.4803	* 1.8765	* 2.2248	* 1.8479	* 1.8719	* 1.7014	* 3.3736 *
9	* 1.0883	* 1.1113	* 1.3014	* 1.4093	* 1.2377	* 1.4474	* 1.5651	* 0.7092 *
	* 2.4803	* 2.4244	* 2.0569	* 1.8832	* 2.1469	* 1.8439	* 1.7140	* 3.4120 *
10	* 1.4211	* 1.3012	* 1.0925	* 1.1625	* 1.4637	* 1.4599	* 1.5808	* 0.6726 *
	* 1.8765	* 2.0590	* 2.4460	* 2.3259	* 1.8952	* 1.8927	* 1.7398	* 3.6168 *
11	* 1.1904	* 1.4064	* 1.1620	* 1.4732	* 1.4150	* 1.6194	* 1.6218	* 0.5809 *
	* 2.2248	* 1.8868	* 2.3281	* 1.8925	* 1.9953	* 1.7234	* 1.7187	* 4.3725 *
12	* 1.4341	* 1.2366	* 1.4638	* 1.4152	* 1.2411	* 1.5924	* 0.9512 *	
	* 1.8479	* 2.1488	* 1.8955	* 1.9952	* 2.2818	* 1.7834	* 2.6845 *	
13	* 1.4200	* 1.4473	* 1.4605	* 1.6199	* 1.5928	* 0.9012	* 0.4384 *	
	* 1.8719	* 1.8442	* 1.8922	* 1.7229	* 1.7830	* 2.9007	* 5.9174 *	
14	* 1.5675	* 1.5653	* 1.5817	* 1.6229	* 0.9517	* 0.4443 *		
	* 1.7014	* 1.7138	* 1.7390	* 1.7177	* 2.6830	* 5.8200 *		
15	* 0.7167	* 0.7094	* 0.6732	* 0.5824	* F-SUB-Q			
	* 3.3736	* 3.4111	* 3.6141	* 4.3358	* M-SUB-Q			

AT 50% POWER, 50 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1643	* 0.9854	* 1.2810	* 1.0933	* 1.3043	* 1.2952	* 1.4105	* 0.6632 *
	* 2.2161	* 2.6027	* 1.9781	* 2.3107	* 1.9432	* 1.9643	* 1.8109	* 3.4981 *
9	* 0.9854	* 1.0028	* 1.1890	* 1.2822	* 1.1337	* 1.3116	* 1.4075	* 0.6546 *
	* 2.6027	* 2.5502	* 2.1391	* 1.9737	* 2.2399	* 1.9461	* 1.8233	* 3.5476 *
10	* 1.2810	* 1.1878	* 0.9929	* 1.0726	* 1.3213	* 1.3250	* 1.4183	* 0.6203 *
	* 1.9781	* 2.1413	* 2.5631	* 2.4006	* 1.9771	* 1.9839	* 1.8443	* 3.7542 *
11	* 1.0933	* 1.2798	* 1.0721	* 1.3324	* 1.2818	* 1.4503	* 1.4505	* 0.5307 *
	* 2.3107	* 1.9775	* 2.4028	* 1.9771	* 2.0682	* 1.8244	* 1.8259	* 4.5594 *
12	* 1.3043	* 1.1327	* 1.3211	* 1.2819	* 1.1248	* 1.4220	* 0.8648 *	
	* 1.9432	* 2.2419	* 1.9774	* 2.0681	* 2.3659	* 1.8800	* 2.7938 *	
13	* 1.2952	* 1.3115	* 1.3255	* 1.4507	* 1.4223	* 0.8176	* 0.3995 *	
	* 1.9643	* 1.9464	* 1.9829	* 1.8239	* 1.8797	* 2.9983	* 6.1169 *	
14	* 1.4105	* 1.4077	* 1.4190	* 1.4514	* 0.8653	* 0.4048 *		
	* 1.8109	* 1.8231	* 1.8436	* 1.8249	* 2.7923	* 6.0183 *		
15	* 0.6632	* 0.6547	* 0.6207	* 0.5320	* F-SUB-Q			
	* 3.4981	* 3.5467	* 3.7515	* 4.5225	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 193 of 350

	H	G	F	E	D	C	B	A
8	* 0.3745	* 0.3342	* 0.4375	* 0.3862	* 0.4666	* 0.4061	* 0.4343	* 0.2286 *
	* 6.3997	* 7.1283	* 5.4158	* 6.1243	* 5.0789	* 5.8655	* 5.5118	* 9.5673 *
9	* 0.3342	* 0.3245	* 0.3791	* 0.4529	* 0.3912	* 0.4009	* 0.4329	* 0.2246 *
	* 7.1283	* 7.3435	* 6.2616	* 5.2315	* 6.0646	* 5.9628	* 5.5429	* 9.7447 *
10	* 0.4375	* 0.3787	* 0.3375	* 0.3843	* 0.4717	* 0.4066	* 0.4296	* 0.2158 *
	* 5.4158	* 6.2684	* 7.0627	* 6.2825	* 5.1395	* 5.9919	* 5.6461	*10.1461 *
11	* 0.3862	* 0.4522	* 0.3842	* 0.4582	* 0.4057	* 0.4664	* 0.4083	* 0.1886 *
	* 6.1243	* 5.2389	* 6.2869	* 5.3170	* 6.0345	* 5.2645	* 6.0254	*12.0121 *
12	* 0.4666	* 0.3908	* 0.4716	* 0.4057	* 0.3672	* 0.4090	* 0.2833	*
	* 5.0789	* 6.0705	* 5.1409	* 6.0349	* 6.7287	* 6.0818	* 7.9663	*
13	* 0.4061	* 0.4009	* 0.4067	* 0.4665	* 0.4090	* 0.2655	* 0.1383	*
	* 5.8654	* 5.9636	* 5.9919	* 5.2638	* 6.0809	* 8.5848	*16.4873	*
14	* 0.4343	* 0.4330	* 0.4297	* 0.4086	* 0.2834	* 0.1392	*	
	* 5.5118	* 5.5423	* 5.6442	* 6.0225	* 7.9631	*16.3257	*	
15	* 0.2286	* 0.2247	* 0.2159	* 0.1872	* F-SUB-Q			
	* 9.5674	* 9.7429	*10.1409	*12.0369	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 194 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 100 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE. LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.2594	* 0.3281	* 0.4526	* 0.4209	* 0.4973	* 0.4185	* 0.3420	* 0.1742
	* 5.7838	* 6.6349	* 4.8548	* 5.3093	* 4.4767	* 5.1558	* 4.9571	* 8.3289
9	* 0.3281	* 0.3147	* 0.3944	* 0.4813	* 0.4214	* 0.4145	* 0.4136	* 0.2184
	* 6.6350	* 6.7066	* 5.5127	* 4.6069	* 5.2955	* 5.2226	* 4.9995	* 8.3832
10	* 0.4526	* 0.3943	* 0.3105	* 0.4024	* 0.4801	* 0.4162	* 0.4275	* 0.2202
	* 4.8548	* 5.5127	* 6.1405	* 5.4817	* 4.6869	* 5.4051	* 5.1499	* 8.7017
11	* 0.4209	* 0.4812	* 0.4024	* 0.4331	* 0.3946	* 0.4464	* 0.4033	* 0.1927
	* 5.3093	* 4.6074	* 5.4814	* 4.9033	* 5.5481	* 4.9621	* 5.6591	* 10.7682
12	* 0.4973	* 0.4214	* 0.4802	* 0.3947	* 0.2997	* 0.3456	* 0.2641	*
	* 4.4767	* 5.2959	* 4.6861	* 5.5474	* 6.0098	* 5.5488	* 7.2650	*
13	* 0.4185	* 0.4146	* 0.4163	* 0.4466	* 0.3458	* 0.2026	* 0.1267	*
	* 5.1558	* 5.2220	* 5.4036	* 4.9604	* 5.5474	* 7.5269	* 13.8297	*
14	* 0.3420	* 0.4138	* 0.4278	* 0.4036	* 0.2643	* 0.1274	*	*
	* 4.9571	* 4.9984	* 5.1469	* 5.6549	* 7.2604	* 13.7004	*	*
15	* 0.1742	* 0.2186	* 0.2205	* 0.1916	* F-SUB-Q			
	* 8.3289	* 8.3813	* 8.6947	* 10.7621	* M-SUB-Q			

AT 50% POWER, 100 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.6191 *	* 0.7635 *	* 1.1203 *	* 0.9621 *	* 1.2015 *	* 1.0366 *	* 0.9039 *	* 0.4400 *
	* 2.4888 *	* 2.9792 *	* 2.0546 *	* 2.4270 *	* 1.9255 *	* 2.1688 *	* 1.9598 *	* 3.5677 *
9	* 0.7635 *	* 0.7401 *	* 0.9736 *	* 1.1753 *	* 0.9745 *	* 1.0347 *	* 1.1071 *	* 0.5407 *
	* 2.9792 *	* 2.9523 *	* 2.3198 *	* 1.9735 *	* 2.3936 *	* 2.1891 *	* 1.9692 *	* 3.5833 *
10	* 1.1202 *	* 0.9731 *	* 0.7110 *	* 0.9170 *	* 1.1734 *	* 1.0315 *	* 1.1373 *	* 0.5385 *
	* 2.0546 *	* 2.3200 *	* 2.7970 *	* 2.5010 *	* 2.0013 *	* 2.2689 *	* 2.0236 *	* 3.7554 *
11	* 0.9621 *	* 1.1750 *	* 0.9170 *	* 1.0653 *	* 0.9772 *	* 1.0906 *	* 1.0698 *	* 0.4537 *
	* 2.4270 *	* 1.9739 *	* 2.5008 *	* 2.0737 *	* 2.3289 *	* 2.1034 *	* 2.2190 *	* 4.7648 *
12	* 1.2015 *	* 0.9744 *	* 1.1736 *	* 0.9775 *	* 0.6843 *	* 0.9164 *	* 0.6539 *	
	* 1.9255 *	* 2.3939 *	* 2.0010 *	* 2.3284 *	* 2.6607 *	* 2.1632 *	* 3.0361 *	
13	* 1.0366 *	* 1.0348 *	* 1.0318 *	* 1.0911 *	* 0.9169 *	* 0.5016 *	* 0.3006 *	
	* 2.1688 *	* 2.1889 *	* 2.2678 *	* 2.1027 *	* 2.1626 *	* 3.1267 *	* 6.0223 *	
14	* 0.9039 *	* 1.1076 *	* 1.1381 *	* 1.0709 *	* 0.6545 *	* 0.3034 *		
	* 1.9599 *	* 1.9688 *	* 2.0224 *	* 2.2171 *	* 3.0340 *	* 5.9453 *		
15	* 0.4400 *	* 0.5412 *	* 0.5392 *	* 0.4580 *	F-SUB-Q			
	* 3.5677 *	* 3.5819 *	* 3.7521 *	* 4.6932 *	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 195 of 350

	H	G	F	E	D	C	B	A
8	* 0.8943	* 1.0992	* 1.5228	* 1.3459	* 1.5881	* 1.5244	* 1.5488	* 0.7572
	* 1.9269	* 2.3027	* 1.6770	* 1.9120	* 1.6080	* 1.6589	* 1.5551	* 2.8108
9	* 1.0992	* 1.1198	* 1.4007	* 1.5740	* 1.3686	* 1.5327	* 1.5841	* 0.7806
	* 2.3028	* 2.2370	* 1.8129	* 1.6280	* 1.8720	* 1.6538	* 1.5702	* 2.8155
10	* 1.5228	* 1.4002	* 1.1500	* 1.2878	* 1.5326	* 1.4899	* 1.5783	* 0.7575
	* 1.6770	* 1.8135	* 2.1370	* 1.9741	* 1.6774	* 1.7156	* 1.6171	* 2.9803
11	* 1.3459	* 1.5731	* 1.2878	* 1.4356	* 1.3598	* 1.5308	* 1.5393	* 0.6315
	* 1.9120	* 1.6289	* 1.9742	* 1.6878	* 1.7976	* 1.6290	* 1.6684	* 3.7301
12	* 1.5881	* 1.3683	* 1.5329	* 1.3602	* 0.9761	* 1.3199	* 0.9078	*
	* 1.6080	* 1.8723	* 1.6771	* 1.7971	* 2.0250	* 1.6565	* 2.3532	*
13	* 1.5244	* 1.5328	* 1.4906	* 1.5316	* 1.3207	* 0.6886	* 0.4081	*
	* 1.6589	* 1.6537	* 1.7148	* 1.6283	* 1.6559	* 2.4499	* 4.7635	*
14	* 1.5488	* 1.5847	* 1.5793	* 1.5408	* 0.9088	* 0.4131	*	*
	* 1.5551	* 1.5698	* 1.6162	* 1.6670	* 2.3512	* 4.6877	*	*
15	* 0.7572	* 0.7812	* 0.7583	* 0.6358	* F-SUB-Q			
	* 2.8108	* 2.8147	* 2.9774	* 3.6821	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 196 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 0.9615	* 1.1761	* 1.6520	* 1.4385	* 1.7320	* 1.6508	* 1.7592	* 0.8624
	* 1.9049	* 2.3086	* 1.6507	* 1.9027	* 1.5730	* 1.6440	* 1.5187	* 2.7814
9	* 1.1761	* 1.2065	* 1.5039	* 1.7089	* 1.4665	* 1.6562	* 1.7520	* 0.8655
	* 2.3086	* 2.2470	* 1.8124	* 1.5974	* 1.8614	* 1.6391	* 1.5288	* 2.7796
10	* 1.6520	* 1.5032	* 1.2604	* 1.3826	* 1.6615	* 1.6018	* 1.7178	* 0.8209
	* 1.6507	* 1.8131	* 2.1453	* 1.9667	* 1.6361	* 1.6921	* 1.5756	* 2.9515
11	* 1.4385	* 1.7078	* 1.3824	* 1.5594	* 1.4547	* 1.6553	* 1.6687	* 0.6781
	* 1.9027	* 1.5986	* 1.9670	* 1.6547	* 1.7821	* 1.5878	* 1.6169	* 3.6600
12	* 1.7320	* 1.4661	* 1.6617	* 1.4551	* 1.0433	* 1.4262	* 0.9719	*
	* 1.5730	* 1.8618	* 1.6359	* 1.7817	* 2.0123	* 1.6148	* 2.3145	*
13	* 1.6508	* 1.6562	* 1.6026	* 1.6564	* 1.4271	* 0.7319	* 0.4306	*
	* 1.6440	* 1.6391	* 1.6913	* 1.5872	* 1.6142	* 2.4260	* 4.7502	*
14	* 1.7592	* 1.7524	* 1.7189	* 1.6702	* 0.9729	* 0.4363	*	*
	* 1.5187	* 1.5285	* 1.5746	* 1.6155	* 2.3126	* 4.6708	*	*
15	* 0.8624	* 0.8657	* 0.8217	* 0.6819	* F-SUB-Q			
	* 2.7814	* 2.7789	* 2.9487	* 3.6174	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 0.9957	* 1.2214	* 1.7262	* 1.4962	* 1.8192	* 1.7268	* 1.8704	* 0.9222
	* 1.9648	* 2.3734	* 1.6840	* 1.9467	* 1.5947	* 1.6783	* 1.5371	* 2.8249
9	* 1.2214	* 1.2513	* 1.5610	* 1.7892	* 1.5276	* 1.7308	* 1.8595	* 0.9237
	* 2.3734	* 2.3210	* 1.8640	* 1.6240	* 1.9007	* 1.6727	* 1.5462	* 2.8196
10	* 1.7262	* 1.5601	* 1.3184	* 1.4399	* 1.7392	* 1.6713	* 1.8071	* 0.8654
	* 1.6840	* 1.8650	* 2.2055	* 2.0166	* 1.6594	* 1.7207	* 1.5879	* 2.9876
11	* 1.4962	* 1.7877	* 1.4395	* 1.6307	* 1.5166	* 1.7313	* 1.7486	* 0.7132
	* 1.9467	* 1.6254	* 2.0170	* 1.6869	* 1.8245	* 1.6104	* 1.6339	* 3.6903
12	* 1.8192	* 1.5272	* 1.7393	* 1.5171	* 1.0870	* 1.4898	* 1.0162	*
	* 1.5947	* 1.9013	* 1.6593	* 1.8241	* 2.0685	* 1.6443	* 2.3518	*
13	* 1.7268	* 1.7308	* 1.6720	* 1.7323	* 1.4907	* 0.7619	* 0.4471	*
	* 1.6783	* 1.6727	* 1.7200	* 1.6097	* 1.6436	* 2.4815	* 4.8706	*
14	* 1.8704	* 1.8599	* 1.8082	* 1.7501	* 1.0172	* 0.4533	*	
	* 1.5371	* 1.5459	* 1.5869	* 1.6322	* 2.3498	* 4.7856	*	
15	* 0.9222	* 0.9240	* 0.8663	* 0.7167	F-SUB-Q			
	* 2.8249	* 2.8188	* 2.9848	* 3.6494	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 197 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 100 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0232	* 1.2472	* 1.7888	* 1.5414	* 1.8947	* 1.7871	* 1.9613	* 0.9537 *
	* 2.0450	* 2.4655	* 1.7498	* 2.0320	* 1.6444	* 1.7413	* 1.5747	* 2.9396 *
9	* 1.2472	* 1.2811	* 1.6043	* 1.8579	* 1.5764	* 1.7909	* 1.9473	* 0.9533 *
	* 2.4655	* 2.4455	* 1.9534	* 1.6820	* 1.9785	* 1.7353	* 1.5850	* 2.9387 *
10	* 1.7888	* 1.6033	* 1.3490	* 1.4775	* 1.8082	* 1.7294	* 1.8873	* 0.8893 *
	* 1.7498	* 1.9545	* 2.3237	* 2.1114	* 1.7136	* 1.7829	* 1.6297	* 3.1207 *
11	* 1.5414	* 1.8561	* 1.4771	* 1.6914	* 1.5583	* 1.8000	* 1.8195	* 0.7300 *
	* 2.0320	* 1.6836	* 2.1120	* 1.7303	* 1.8794	* 1.6426	* 1.6674	* 3.8648 *
12	* 1.8947	* 1.5758	* 1.8082	* 1.5587	* 1.1141	* 1.5466	* 1.0403	*
	* 1.6444	* 1.9793	* 1.7135	* 1.8790	* 2.1475	* 1.6908	* 2.4460	*
13	* 1.7871	* 1.7909	* 1.7302	* 1.8010	* 1.5474	* 0.7773	* 0.4542	*
	* 1.7413	* 1.7353	* 1.7821	* 1.6419	* 1.6902	* 2.5976	* 5.1215	*
14	* 1.9613	* 1.9477	* 1.8885	* 1.8210	* 1.0413	* 0.4605	*	*
	* 1.5747	* 1.5847	* 1.6286	* 1.6661	* 2.4440	* 5.0320	*	*
15	* 0.9537	* 0.9535	* 0.8901	* 0.7332	* F-SUB-Q			
	* 2.9396	* 2.9379	* 3.1179	* 3.8244	* M-SUB-Q			

AT 50% POWER, 100 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0332	* 1.2586	* 1.8189	* 1.5645	* 1.9358	* 1.8190	* 2.0115	* 0.9724 *
	* 2.1696	* 2.6311	* 1.8760	* 2.1793	* 1.7488	* 1.8574	* 1.6653	* 3.1281 *
9	* 1.2586	* 1.2926	* 1.6230	* 1.8934	* 1.6022	* 1.8230	* 1.9964	* 0.9711 *
	* 2.6311	* 2.6299	* 2.1045	* 1.7967	* 2.1159	* 1.8509	* 1.6768	* 3.1298 *
10	* 1.8189	* 1.6219	* 1.3636	* 1.4983	* 1.8454	* 1.7613	* 1.9333	* 0.9042 *
	* 1.8760	* 2.1059	* 2.5064	* 2.2695	* 1.8153	* 1.8996	* 1.7258	* 3.3291 *
11	* 1.5645	* 1.8914	* 1.4977	* 1.7223	* 1.5829	* 1.8390	* 1.8615	* 0.7420 *
	* 2.1793	* 1.7987	* 2.2703	* 1.8175	* 1.9793	* 1.7196	* 1.7457	* 4.1029 *
12	* 1.9358	* 1.6015	* 1.8454	* 1.5832	* 1.1293	* 1.5787	* 1.0567	*
	* 1.7488	* 2.1168	* 1.8151	* 1.9789	* 2.2592	* 1.7666	* 2.5693	*
13	* 1.8190	* 1.8229	* 1.7620	* 1.8400	* 1.5795	* 0.7873	* 0.4591	*
	* 1.8574	* 1.8509	* 1.8987	* 1.7189	* 1.7660	* 2.7458	* 5.4187	*
14	* 2.0115	* 1.9968	* 1.9344	* 1.8632	* 1.0577	* 0.4655	*	*
	* 1.6653	* 1.6765	* 1.7248	* 1.7444	* 2.5674	* 5.3232	*	*
15	* 0.9724	* 0.9713	* 0.9050	* 0.7449	* F-SUB-Q			
	* 3.1281	* 3.1290	* 3.3261	* 4.0617	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 198 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 100 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0411	* 1.2625	* 1.8417	* 1.5793	* 1.9685	* 1.8417	* 2.0507	* 0.9813
	* 2.3674	* 2.8417	* 2.0087	* 2.3339	* 1.8583	* 1.9815	* 1.7653	* 3.3416
9	* 1.2625	* 1.2990	* 1.6347	* 1.9212	* 1.6199	* 1.8464	* 2.0349	* 0.9767
	* 2.8418	* 2.8252	* 2.2635	* 1.9159	* 2.2597	* 1.9732	* 1.7769	* 3.3535
10	* 1.8417	* 1.6335	* 1.3694	* 1.5085	* 1.8759	* 1.7846	* 1.9703	* 0.9106
	* 2.0087	* 2.2651	* 2.7008	* 2.4350	* 1.9260	* 2.0220	* 1.8259	* 3.5558
11	* 1.5793	* 1.9190	* 1.5078	* 1.7472	* 1.5972	* 1.8708	* 1.8956	* 0.7469
	* 2.3339	* 1.9181	* 2.4360	* 1.9519	* 2.1319	* 1.8380	* 1.8524	* 4.3998
12	* 1.9685	* 1.6191	* 1.8759	* 1.5975	* 1.1377	* 1.6049	* 1.0628	*
	* 1.8583	* 2.2607	* 1.9258	* 2.1315	* 2.4417	* 1.8916	* 2.7774	*
13	* 1.8417	* 1.8463	* 1.7853	* 1.8718	* 1.6057	* 0.7920	* 0.4609	*
	* 1.9815	* 1.9732	* 2.0211	* 1.8372	* 1.8909	* 2.9691	* 5.8578	*
14	* 2.0507	* 2.0353	* 1.9714	* 1.8973	* 1.0637	* 0.4674	*	*
	* 1.7653	* 1.7765	* 1.8249	* 1.8511	* 2.7753	* 5.7537	*	*
15	* 0.9813	* 0.9770	* 0.9114	* 0.7495	* F-SUB-Q			
	* 3.3416	* 3.3526	* 3.5527	* 4.3572	* M-SUB-Q			

AT 50% POWER, 100 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0241	* 1.2578	* 1.8176	* 1.5664	* 1.9496	* 1.8286	* 2.0354	* 0.9906
	* 2.6480	* 3.1296	* 2.2097	* 2.5463	* 2.0317	* 2.1626	* 1.9354	* 3.5995
9	* 1.2578	* 1.2858	* 1.6154	* 1.8996	* 1.6094	* 1.8334	* 2.0197	* 0.9894
	* 3.1296	* 3.1335	* 2.4856	* 2.0982	* 2.4605	* 2.1519	* 1.9444	* 3.5959
10	* 1.8176	* 1.6142	* 1.3683	* 1.5104	* 1.8580	* 1.7740	* 1.9564	* 0.9201
	* 2.2097	* 2.4874	* 2.9317	* 2.6323	* 2.1128	* 2.1945	* 1.9851	* 3.7958
11	* 1.5664	* 1.8972	* 1.5096	* 1.7282	* 1.5998	* 1.8564	* 1.8833	* 0.7594
	* 2.5463	* 2.1007	* 2.6335	* 2.1562	* 2.3420	* 2.0232	* 2.0387	* 4.6359
12	* 1.9496	* 1.6086	* 1.8579	* 1.6001	* 1.1411	* 1.5940	* 1.0762	*
	* 2.0317	* 2.4616	* 2.1129	* 2.3416	* 2.7048	* 2.0931	* 3.0019	*
13	* 1.8286	* 1.8333	* 1.7747	* 1.8573	* 1.5948	* 0.8004	* 0.4677	*
	* 2.1626	* 2.1519	* 2.1936	* 2.0224	* 2.0925	* 3.2518	* 6.3633	*
14	* 2.0354	* 2.0201	* 1.9574	* 1.8848	* 1.0771	* 0.4746	*	*
	* 1.9354	* 1.9439	* 1.9839	* 2.0373	* 2.9998	* 6.2464	*	*
15	* 0.9906	* 0.9896	* 0.9209	* 0.7621	* F-SUB-Q			
	* 3.5995	* 3.5948	* 3.7924	* 4.5904	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 199 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.0345	* 1.2535	* 1.8422	* 1.5761	* 1.9813	* 1.8460	* 2.0732	* 0.9850
	* 2.9172	* 3.5011	* 2.3669	* 2.7461	* 2.1635	* 2.3137	* 2.0410	* 3.8723
9	* 1.2535	* 1.2890	* 1.6251	* 1.9276	* 1.6208	* 1.8522	* 2.0575	* 0.9801
	* 3.5011	* 3.3897	* 2.6806	* 2.2449	* 2.6462	* 2.3023	* 2.0544	* 3.8874
10	* 1.8422	* 1.6237	* 1.3622	* 1.5072	* 1.8898	* 1.7944	* 1.9952	* 0.9132
	* 2.3668	* 2.6828	* 3.1958	* 2.8697	* 2.2620	* 2.3558	* 2.1106	* 4.1245
11	* 1.5761	* 1.9250	* 1.5064	* 1.7562	* 1.6042	* 1.8928	* 1.9220	* 0.7519
	* 2.7461	* 2.2478	* 2.8712	* 2.3631	* 2.5841	* 2.2113	* 2.1738	* 5.0736
12	* 1.9813	* 1.6199	* 1.8896	* 1.6044	* 1.1418	* 1.6257	* 1.0716	*
	* 2.1635	* 2.6476	* 2.2621	* 2.5837	* 2.9769	* 2.2831	* 3.3522	*
13	* 1.8460	* 1.8521	* 1.7950	* 1.8937	* 1.6264	* 0.7980	* 0.4633	*
	* 2.3137	* 2.3023	* 2.3549	* 2.2105	* 2.2824	* 3.6158	* 7.1127	*
14	* 2.0732	* 2.0578	* 1.9962	* 1.9236	* 1.0724	* 0.4699	*	*
	* 2.0410	* 2.0540	* 2.1094	* 2.1719	* 3.3499	* 6.9862	*	*
15	* 0.9850	* 0.9804	* 0.9140	* 0.7541	* F-SUB-Q			
	* 3.8723	* 3.8864	* 4.1211	* 5.0272	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.0327	* 1.2479	* 1.8378	* 1.5696	* 1.9796	* 1.8411	* 2.0751	* 0.9829
	* 2.9860	* 3.5639	* 2.5075	* 2.9146	* 2.3189	* 2.4971	* 2.2204	* 4.2149
9	* 1.2479	* 1.2822	* 1.6164	* 1.9243	* 1.6157	* 1.8485	* 2.0601	* 0.9780
	* 3.5639	* 3.5583	* 2.8493	* 2.3871	* 2.8367	* 2.4910	* 2.2347	* 4.2310
10	* 1.8378	* 1.6150	* 1.3557	* 1.5029	* 1.8915	* 1.7945	* 2.0014	* 0.9115
	* 2.5075	* 2.8518	* 3.3957	* 3.0656	* 2.4208	* 2.5707	* 2.2947	* 4.4903
11	* 1.5696	* 1.9216	* 1.5020	* 1.7589	* 1.6068	* 1.9025	* 1.9331	* 0.7530
	* 2.9146	* 2.3903	* 3.0675	* 2.4508	* 2.6977	* 2.3159	* 2.3460	* 5.5294
12	* 1.9796	* 1.6148	* 1.8912	* 1.6070	* 1.1453	* 1.6386	* 1.0773	*
	* 2.3189	* 2.8384	* 2.4208	* 2.6974	* 3.1254	* 2.4076	* 3.5463	*
13	* 1.8411	* 1.8484	* 1.7951	* 1.9033	* 1.6392	* 0.8042	* 0.4658	*
	* 2.4971	* 2.4912	* 2.5697	* 2.3152	* 2.4069	* 3.8414	* 7.6209	*
14	* 2.0751	* 2.0604	* 2.0023	* 1.9346	* 1.0780	* 0.4724	*	
	* 2.2204	* 2.2343	* 2.2934	* 2.3446	* 3.5442	* 7.4845	*	
15	* 0.9829	* 0.9783	* 0.9122	* 0.7550	* F-SUB-Q			
	* 4.2149	* 4.2298	* 4.4865	* 5.4803	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 200 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 100 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0253	* 1.2429	* 1.8099	* 1.5492	* 1.9496	* 1.8177	* 2.0477	* 0.9828 *
	* 3.0403	* 3.5923	* 2.4678	* 2.8579	* 2.2759	* 2.4431	* 2.1779	* 4.1016 *
9	* 1.2429	* 1.2689	* 1.5939	* 1.8953	* 1.5971	* 1.8262	* 2.0339	* 0.9802 *
	* 3.5923	* 3.5322	* 2.8009	* 2.3468	* 2.7761	* 2.4374	* 2.1972	* 4.1117 *
10	* 1.8099	* 1.5925	* 1.3487	* 1.4973	* 1.8696	* 1.7793	* 1.9817	* 0.9136 *
	* 2.4678	* 2.8034	* 3.3103	* 2.9864	* 2.4071	* 2.5331	* 2.2773	* 4.4091 *
11	* 1.5492	* 1.8925	* 1.4963	* 1.7439	* 1.6098	* 1.8926	* 1.9236	* 0.7613 *
	* 2.8579	* 2.3502	* 2.9885	* 2.4864	* 2.7276	* 2.3437	* 2.3697	* 5.4646 *
12	* 1.9496	* 1.5962	* 1.8693	* 1.6100	* 1.1559	* 1.6411	* 1.0927	*
	* 2.2759	* 2.7777	* 2.4076	* 2.7274	* 3.1599	* 2.4353	* 3.5351	*
13	* 1.8177	* 1.8260	* 1.7798	* 1.8933	* 1.6417	* 0.8220	* 0.4760	*
	* 2.4431	* 2.4376	* 2.5324	* 2.3430	* 2.4347	* 3.8372	* 7.5893	*
14	* 2.0477	* 2.0342	* 1.9826	* 1.9250	* 1.0934	* 0.4830	*	*
	* 2.1779	* 2.1969	* 2.2763	* 2.3683	* 3.5330	* 7.4494	*	*
15	* 0.9828	* 0.9804	* 0.9143	* 0.7633	F-SUB-Q			
	* 4.1016	* 4.1107	* 4.4059	* 5.4170	M-SUB-Q			

AT 50% POWER, 100 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0583	* 1.2452	* 1.8295	* 1.5505	* 1.9664	* 1.8227	* 2.0697	* 0.9705 *
	* 2.8894	* 3.4461	* 2.3881	* 2.7838	* 2.1985	* 2.3725	* 2.0968	* 4.0322 *
9	* 1.2452	* 1.2750	* 1.5995	* 1.9122	* 1.5991	* 1.8339	* 2.0575	* 0.9640 *
	* 3.4461	* 3.4390	* 2.7290	* 2.2707	* 2.7032	* 2.3659	* 2.1162	* 4.0608 *
10	* 1.8295	* 1.5980	* 1.3399	* 1.4900	* 1.8964	* 1.7951	* 2.0135	* 0.9024 *
	* 2.3881	* 2.7316	* 3.2588	* 2.9382	* 2.3299	* 2.4611	* 2.1958	* 4.3528 *
11	* 1.5505	* 1.9092	* 1.4889	* 1.7818	* 1.6233	* 1.9391	* 1.9688	* 0.7535 *
	* 2.7838	* 2.2742	* 2.9404	* 2.3786	* 2.6274	* 2.2426	* 2.2636	* 5.4175 *
12	* 1.9664	* 1.5980	* 1.8960	* 1.6234	* 1.1803	* 1.7024	* 1.1010	*
	* 2.1985	* 2.7051	* 2.3304	* 2.6272	* 3.0461	* 2.3257	* 3.4343	*
13	* 1.8227	* 1.8337	* 1.7956	* 1.9397	* 1.7030	* 0.8462	* 0.4816	*
	* 2.3725	* 2.3661	* 2.4605	* 2.2421	* 2.3252	* 3.7167	* 7.3409	*
14	* 2.0697	* 2.0578	* 2.0144	* 1.9702	* 1.1017	* 0.4885	*	*
	* 2.0968	* 2.1159	* 2.1949	* 2.2625	* 3.4326	* 7.2088	*	*
15	* 0.9705	* 0.9642	* 0.9031	* 0.7550	F-SUB-Q			
	* 4.0322	* 4.0599	* 4.3497	* 5.3742	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 201 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.1444	* 1.2554	* 1.8302	* 1.5405	* 1.9580	* 1.8114	* 2.0649	* 0.9602 *
	* 2.6742	* 3.2107	* 2.2141	* 2.5963	* 2.0524	* 2.2221	* 1.9581	* 3.7717 *
9	* 1.2554	* 1.2788	* 1.5945	* 1.9072	* 1.5898	* 1.8248	* 2.0546	* 0.9526 *
	* 3.2107	* 3.1939	* 2.5373	* 2.1121	* 2.5268	* 2.2144	* 1.9749	* 3.8032 *
10	* 1.8302	* 1.5931	* 1.3322	* 1.4838	* 1.9096	* 1.7979	* 2.0218	* 0.8949 *
	* 2.2141	* 2.5398	* 3.0333	* 2.7409	* 2.1676	* 2.2970	* 2.0423	* 4.0657 *
11	* 1.5405	* 1.9040	* 1.4826	* 1.8138	* 1.6449	* 1.9775	* 1.9981	* 0.7524 *
	* 2.5963	* 2.1154	* 2.7430	* 2.1964	* 2.4318	* 2.0645	* 2.0849	* 5.0366 *
12	* 1.9580	* 1.5886	* 1.9095	* 1.6449	* 1.2611	* 1.7759	* 1.1246 *	
	* 2.0524	* 2.5286	* 2.1682	* 2.4317	* 2.8171	* 2.1413	* 3.1867 *	
13	* 1.8114	* 1.8247	* 1.7985	* 1.9780	* 1.7764	* 0.9149	* 0.4980 *	
	* 2.2221	* 2.2146	* 2.2965	* 2.0641	* 2.1409	* 3.4528	* 6.8512 *	
14	* 2.0649	* 2.0548	* 2.0226	* 1.9994	* 1.1252	* 0.5053		
	* 1.9581	* 1.9747	* 2.0416	* 2.0839	* 3.1852	* 6.7266 *		
15	* 0.9602	* 0.9528	* 0.8955	* 0.7531	* F-SUB-Q			
	* 3.7717	* 3.8024	* 4.0630	* 5.0012	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	1.3872	1.2687	1.8186	1.5220	1.9342	1.7893	2.0420	0.9500
	2.5148	3.0072	2.0537	2.4126	1.9051	2.0627	1.8147	3.4984
9	1.2687	1.2804	1.5825	1.8875	1.5714	1.8054	2.0340	0.9437
	3.0072	2.9632	2.3573	1.9599	2.3466	2.0540	1.8296	3.5238
10	1.8186	1.5810	1.3246	1.4760	1.9187	1.7998	2.0132	0.8885
	2.0537	2.3597	2.8112	2.5395	2.0089	2.1265	1.8889	3.7679
11	1.5220	1.8843	1.4748	1.8385	1.6788	2.0039	2.0124	0.7537
	2.4126	1.9631	2.5417	2.0633	2.2845	1.9343	1.9501	4.6496
12	1.9342	1.5702	1.9185	1.6788	1.3713	1.8650	1.1543	
	1.9051	2.3484	2.0094	2.2844	2.6497	2.0090	2.9846	
13	1.7893	1.8052	1.8004	2.0045	1.8654	1.0079	0.5196	
	2.0627	2.0542	2.1261	1.9340	2.0086	3.2369	6.4389	
14	2.0420	2.0343	2.0140	2.0136	1.1549	0.5271		
	1.8147	1.8294	1.8882	1.9492	2.9832	6.3225		
15	0.9500	0.9439	0.8891	0.7547	F-SUB-Q			
	3.4984	3.5230	3.7655	4.6152	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 202 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 100 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4868	* 1.2711	* 1.7834	* 1.4903	* 1.8856	* 1.7502	* 1.9928	* 0.9387
	* 2.5692	* 3.0470	* 2.1001	* 2.4631	* 1.9515	* 2.1061	* 1.8559	* 3.5387
9	* 1.2711	* 1.2683	* 1.5549	* 1.8445	* 1.5392	* 1.7680	* 1.9868	* 0.9354
	* 3.0470	* 3.0149	* 2.4061	* 2.0053	* 2.3929	* 2.0957	* 1.8704	* 3.5542
10	* 1.7834	* 1.5534	* 1.3118	* 1.4621	* 1.8972	* 1.7813	* 1.9766	* 0.8820
	* 2.1001	* 2.4087	* 2.8458	* 2.5700	* 2.0523	* 2.1627	* 1.9265	* 3.8013
11	* 1.4903	* 1.8412	* 1.4608	* 1.8508	* 1.6864	* 1.9977	* 1.9972	* 0.7560
	* 2.4631	* 2.0087	* 2.5723	* 2.1110	* 2.3287	* 1.9734	* 1.9865	* 4.6593
12	* 1.8856	* 1.5380	* 1.8970	* 1.6864	* 1.4412	* 1.9067	* 1.1774	*
	* 1.9515	* 2.3947	* 2.0529	* 2.3287	* 2.7011	* 2.0501	* 3.0028	*
13	* 1.7502	* 1.7678	* 1.7818	* 1.9982	* 1.9071	* 1.0690	* 0.5375	*
	* 2.1061	* 2.0960	* 2.1622	* 1.9731	* 2.0497	* 3.2728	* 6.5083	*
14	* 1.9928	* 1.9871	* 1.9774	* 1.9981	* 1.1780	* 0.5457	*	*
	* 1.8559	* 1.8702	* 1.9258	* 1.9856	* 3.0015	* 6.3859	*	*
15	* 0.9387	* 0.9356	* 0.8826	* 0.7571	* F-SUB-Q			
	* 3.5387	* 3.5534	* 3.7989	* 4.6243	* M-SUB-Q			

AT 50% POWER, 100 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5208	* 1.2567	* 1.7802	* 1.4703	* 1.8732	* 1.7298	* 1.9829	* 0.9103
	* 2.3946	* 2.8584	* 1.9624	* 2.3266	* 1.8300	* 1.9852	* 1.7371	* 3.4041
9	* 1.2567	* 1.2611	* 1.5419	* 1.8346	* 1.5194	* 1.7502	* 1.9787	* 0.9025
	* 2.8584	* 2.8363	* 2.2636	* 1.8783	* 2.2611	* 1.9727	* 1.7496	* 3.4365
10	* 1.7802	* 1.5403	* 1.2844	* 1.4385	* 1.9033	* 1.7770	* 1.9771	* 0.8551
	* 1.9624	* 2.2661	* 2.7109	* 2.4467	* 1.9172	* 2.0301	* 1.7962	* 3.6598
11	* 1.4703	* 1.8313	* 1.4379	* 1.8716	* 1.6908	* 2.0197	* 2.0113	* 0.7336
	* 2.3266	* 1.8817	* 2.4490	* 1.9670	* 2.1798	* 1.8286	* 1.8327	* 4.4858
12	* 1.8732	* 1.5181	* 1.9031	* 1.6908	* 1.4618	* 1.9429	* 1.1618	*
	* 1.8300	* 2.2630	* 1.9178	* 2.1799	* 2.5314	* 1.9122	* 2.8707	*
13	* 1.7298	* 1.7500	* 1.7775	* 2.0200	* 1.9432	* 1.0716	* 0.5314	*
	* 1.9852	* 1.9730	* 2.0297	* 1.8282	* 1.9119	* 3.1233	* 6.2788	*
14	* 1.9829	* 1.9789	* 1.9779	* 2.0125	* 1.1624	* 0.5392	*	*
	* 1.7371	* 1.7494	* 1.7956	* 1.8318	* 2.8695	* 6.1636	*	*
15	* 0.9103	* 0.9027	* 0.8557	* 0.7335	* F-SUB-Q			
	* 3.4041	* 3.4358	* 3.6576	* 4.4588	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 203 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 100 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4949	* 1.2264	* 1.7318	* 1.4254	* 1.8154	* 1.6794	* 1.9243	* 0.8808
	* 2.2611	* 2.7439	* 1.8911	* 2.2529	* 1.7729	* 1.9205	* 1.6813	* 3.3104
9	* 1.2264	* 1.2305	* 1.5002	* 1.7804	* 1.4742	* 1.7010	* 1.9210	* 0.8730
	* 2.7439	* 2.7128	* 2.1809	* 1.8159	* 2.1885	* 1.9058	* 1.6922	* 3.3429
10	* 1.7318	* 1.4986	* 1.2489	* 1.4001	* 1.8543	* 1.7336	* 1.9290	* 0.8283
	* 1.8911	* 2.1831	* 2.6151	* 2.3625	* 1.8460	* 1.9544	* 1.7308	* 3.5526
11	* 1.4254	* 1.7770	* 1.3995	* 1.8313	* 1.6540	* 1.9781	* 1.9669	* 0.7128
	* 2.2529	* 1.8193	* 2.3648	* 1.8754	* 2.0823	* 1.7448	* 1.7545	* 4.3334
12	* 1.8154	* 1.4729	* 1.8541	* 1.6540	* 1.4368	* 1.9106	* 1.1374	*
	* 1.7729	* 2.1904	* 1.8463	* 2.0824	* 2.4025	* 1.8139	* 2.7413	*
13	* 1.6794	* 1.7007	* 1.7341	* 1.9785	* 1.9109	* 1.0551	* 0.5214	*
	* 1.9205	* 1.9061	* 1.9540	* 1.7446	* 1.8137	* 2.9812	* 6.0090	*
14	* 1.9243	* 1.9212	* 1.9298	* 1.9678	* 1.1379	* 0.5290	*	*
	* 1.6813	* 1.6920	* 1.7302	* 1.7536	* 2.7402	* 5.8993	*	*
15	* 0.8808	* 0.8732	* 0.8288	* 0.7126	* F-SUB-Q			
	* 3.3104	* 3.3422	* 3.5505	* 4.3082	* M-SUB-Q			

AT 50% POWER, 100 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4160	* 1.1794	* 1.6317	* 1.3519	* 1.7052	* 1.5940	* 1.8076	* 0.8483
	* 2.2553	* 2.6629	* 1.8911	* 2.2477	* 1.7872	* 1.9161	* 1.6954	* 3.2630
9	* 1.1794	* 1.1753	* 1.4259	* 1.6738	* 1.3996	* 1.6150	* 1.8051	* 0.8446
	* 2.6629	* 2.6562	* 2.1629	* 1.8257	* 2.1803	* 1.9000	* 1.7051	* 3.2795
10	* 1.6317	* 1.4244	* 1.2019	* 1.3425	* 1.7449	* 1.6466	* 1.8180	* 0.7999
	* 1.8911	* 2.1652	* 2.5641	* 2.3233	* 1.8325	* 1.9405	* 1.7376	* 3.4855
11	* 1.3519	* 1.6707	* 1.3421	* 1.7294	* 1.5766	* 1.8668	* 1.8569	* 0.6922
	* 2.2477	* 1.8291	* 2.3255	* 1.8807	* 2.0680	* 1.7407	* 1.7384	* 4.2121
12	* 1.7052	* 1.3984	* 1.7447	* 1.5766	* 1.3726	* 1.8086	* 1.1039	*
	* 1.7872	* 2.1820	* 1.8328	* 2.0680	* 2.3769	* 1.8123	* 2.6775	*
13	* 1.5940	* 1.6148	* 1.6471	* 1.8671	* 1.8089	* 1.0257	* 0.5099	*
	* 1.9161	* 1.9003	* 1.9401	* 1.7404	* 1.8121	* 2.8983	* 5.8226	*
14	* 1.8076	* 1.8053	* 1.8187	* 1.8578	* 1.1044	* 0.5174	*	*
	* 1.6954	* 1.7049	* 1.7370	* 1.7377	* 2.6764	* 5.7156	*	*
15	* 0.8483	* 0.8448	* 0.8004	* 0.6930	* F-SUB-Q			
	* 3.2630	* 3.2788	* 3.4835	* 4.1819	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 204 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	1.3404	1.1113	1.5441	1.2813	1.6103	1.5151	1.7074	0.7921
	2.2489	2.6662	1.8971	2.2629	1.8073	1.9257	1.7155	3.3456
9	1.1113	1.1199	1.3575	1.5825	1.3279	1.5352	1.7048	0.7852
	2.6662	2.6405	2.1585	1.8407	2.1952	1.9079	1.7243	3.3774
10	1.5441	1.3561	1.1336	1.2633	1.6477	1.5616	1.7188	0.7446
	1.8971	2.1607	2.5850	2.3549	1.8352	1.9406	1.7516	3.5772
11	1.2813	1.5795	1.2628	1.6378	1.4970	1.7646	1.7529	0.6405
	2.2629	1.8442	2.3570	1.8626	2.0428	1.7338	1.7412	4.3299
12	1.6103	1.3267	1.6475	1.4971	1.3048	1.7091	1.0264	
	1.8073	2.1971	1.8355	2.0428	2.3713	1.8145	2.7124	
13	1.5151	1.5350	1.5620	1.7649	1.7094	0.9588	0.4745	
	1.9257	1.9082	1.9402	1.7334	1.8143	2.9667	5.9688	
14	1.7074	1.7049	1.7195	1.7537	1.0268	0.4808		
	1.7155	1.7241	1.7510	1.7404	2.7113	5.8677		
15	0.7921	0.7854	0.7451	0.6411	F-SUB-Q			
	3.3456	3.3767	3.5751	4.2992	M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.1890	* 1.0039	* 1.3778	* 1.1665	* 1.4382	* 1.3706	* 1.5195	* 0.7242
	* 2.4034	* 2.8270	* 2.0397	* 2.3941	* 1.9505	* 2.0529	* 1.8596	* 3.5377
9	* 1.0039	* 1.0122	* 1.2341	* 1.4177	* 1.2053	* 1.3823	* 1.5152	* 0.7153
	* 2.8270	* 2.7950	* 2.2800	* 1.9771	* 2.3307	* 2.0422	* 1.8705	* 3.5835
10	* 1.3778	* 1.2328	* 1.0280	* 1.1519	* 1.4705	* 1.4069	* 1.5269	* 0.6783
	* 2.0397	* 2.2823	* 2.7399	* 2.4811	* 1.9687	* 2.0616	* 1.8921	* 3.7885
11	* 1.1665	* 1.4151	* 1.1514	* 1.4635	* 1.3547	* 1.5654	* 1.5544	* 0.5794
	* 2.3941	* 1.9807	* 2.4830	* 1.9885	* 2.1552	* 1.8678	* 1.8826	* 4.5995
12	* 1.4382	* 1.2043	* 1.4702	* 1.3547	* 1.1784	* 1.5155	* 0.9260	*
	* 1.9505	* 2.3327	* 1.9691	* 2.1552	* 2.4922	* 1.9463	* 2.8722	*
13	* 1.3706	* 1.3822	* 1.4073	* 1.5657	* 1.5157	* 0.8663	* 0.4307	*
	* 2.0529	* 2.0425	* 2.0611	* 1.8676	* 1.9460	* 3.1106	* 6.2578	*
14	* 1.5195	* 1.5154	* 1.5274	* 1.5550	* 0.9264	* 0.4362	*	*
	* 1.8596	* 1.8703	* 1.8916	* 1.8818	* 2.8711	* 6.1547	*	*
15	* 0.7242	* 0.7155	* 0.6787	* 0.5807	* F-SUB-Q			
	* 3.5377	* 3.5828	* 3.7864	* 4.5616	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 205 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 100 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9677	* 0.8019	* 1.1846	* 0.9470	* 1.2657	* 1.0949	* 1.2966	* 0.5949 *
	* 2.8595	* 3.4185	* 2.3007	* 2.8671	* 2.1550	* 2.4984	* 2.1207	* 4.1991 *
9	* 0.8019	* 0.7964	* 0.9985	* 1.2286	* 0.9745	* 1.0902	* 1.2932	* 0.5871 *
	* 3.4185	* 3.4406	* 2.7344	* 2.2166	* 2.7942	* 2.5182	* 2.1317	* 4.2625 *
10	* 1.1846	* 0.9974	* 0.8216	* 0.9392	* 1.2923	* 1.1127	* 1.2878	* 0.5550 *
	* 2.3007	* 2.7373	* 3.3336	* 2.9446	* 2.1638	* 2.5247	* 2.1652	* 4.5077 *
11	* 0.9470	* 1.2267	* 0.9390	* 1.2528	* 1.0864	* 1.2771	* 1.2431	* 0.4699 *
	* 2.8671	* 2.2200	* 2.9470	* 2.2512	* 2.6021	* 2.2141	* 2.2777	* 5.5098 *
12	* 1.2657	* 0.9734	* 1.2921	* 1.0863	* 0.9301	* 1.2236	* 0.7478	*
	* 2.1550	* 2.7973	* 2.1642	* 2.6023	* 3.0538	* 2.3339	* 3.4487	*
13	* 1.0949	* 1.0901	* 1.1130	* 1.2773	* 1.2238	* 0.6947	* 0.3497	*
	* 2.4984	* 2.5185	* 2.5241	* 2.2140	* 2.3337	* 3.7504	* 7.4656	*
14	* 1.2966	* 1.2933	* 1.2882	* 1.2437	* 0.7481	* 0.3538	*	*
	* 2.1207	* 2.1316	* 2.1646	* 2.2767	* 3.4475	* 7.3491	*	*
15	* 0.5949	* 0.5873	* 0.5553	* 0.4717	F-SUB-Q			
	* 4.1991	* 4.2613	* 4.5054	* 5.4565	M-SUB-Q			

AT 50% POWER, 100 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3787	* 0.3394	* 0.4525	* 0.4037	* 0.4901	* 0.4253	* 0.4600	* 0.2438 *
	* 7.0922	* 7.8607	* 5.8641	* 6.5638	* 5.4150	* 6.2692	* 5.8203	*10.0097 *
9	* 0.3394	* 0.3314	* 0.3910	* 0.4746	* 0.4096	* 0.4204	* 0.4587	* 0.2396 *
	* 7.8607	* 8.0488	* 6.7977	* 5.5930	* 6.4860	* 6.3616	* 5.8518	*10.1927 *
10	* 0.4525	* 0.3906	* 0.3501	* 0.4005	* 0.4958	* 0.4259	* 0.4554	* 0.2302 *
	* 5.8642	* 6.8048	* 7.6245	* 6.7206	* 5.4714	* 6.3959	* 5.9551	*10.6069 *
11	* 0.4037	* 0.4740	* 0.4003	* 0.4808	* 0.4245	* 0.4908	* 0.4332	* 0.2014 *
	* 6.5638	* 5.6005	* 6.7251	* 5.6715	* 6.4466	* 5.5918	* 6.3489	*12.5281 *
12	* 0.4901	* 0.4093	* 0.4958	* 0.4245	* 0.3842	* 0.4315	* 0.2981	*
	* 5.4150	* 6.4921	* 5.4725	* 6.4472	* 7.1930	* 6.4399	* 8.4336	*
13	* 0.4253	* 0.4203	* 0.4259	* 0.4909	* 0.4316	* 0.2791	* 0.1478	*
	* 6.2692	* 6.3625	* 6.3963	* 5.5915	* 6.4393	* 9.0888	*17.2229	*
14	* 0.4600	* 0.4587	* 0.4555	* 0.4334	* 0.2982	* 0.1487	*	*
	* 5.8203	* 5.8514	* 5.9537	* 6.3466	* 8.4311	*17.0440	*	*
15	* 0.2438	* 0.2396	* 0.2303	* 0.1999	F-SUB-Q			
	*10.0097	*10.1911	*10.6024	*12.5457	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 206 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 150 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.2619	* 0.3296	* 0.4601	* 0.4304	* 0.5093	* 0.4286	* 0.3561	* 0.1829
	* 5.8669	* 6.7336	* 4.8857	* 5.2759	* 4.4660	* 5.1001	* 4.8661	* 8.1062
9	* 0.3296	* 0.3171	* 0.3986	* 0.4931	* 0.4319	* 0.4275	* 0.4303	* 0.2285
	* 6.7336	* 6.7551	* 5.5242	* 4.5989	* 5.2630	* 5.1488	* 4.9046	* 8.1562
10	* 0.4601	* 0.3984	* 0.3162	* 0.4103	* 0.4938	* 0.4287	* 0.4447	* 0.2304
	* 4.8857	* 5.5245	* 6.1331	* 5.4410	* 4.6497	* 5.3006	* 5.0483	* 8.4481
11	* 0.4304	* 0.4931	* 0.4103	* 0.4462	* 0.4059	* 0.4621	* 0.4195	* 0.2018
	* 5.2759	* 4.5995	* 5.4405	* 4.8842	* 5.4741	* 4.9063	* 5.5366	* 10.4196
12	* 0.5093	* 0.4319	* 0.4938	* 0.4060	* 0.3077	* 0.3590	* 0.2736	*
	* 4.4660	* 5.2628	* 4.6492	* 5.4731	* 5.9274	* 5.4507	* 7.1498	*
13	* 0.4286	* 0.4276	* 0.4288	* 0.4622	* 0.3592	* 0.2108	* 0.1335	*
	* 5.1001	* 5.1486	* 5.2994	* 4.9051	* 5.4495	* 7.3652	* 13.3760	*
14	* 0.3561	* 0.4305	* 0.4450	* 0.4198	* 0.2738	* 0.1342	*	*
	* 4.8661	* 4.9037	* 5.0458	* 5.5332	* 7.1460	* 13.2684	*	*
15	* 0.1829	* 0.2287	* 0.2306	* 0.2008	F-SUB-Q			
	* 8.1062	* 8.1545	* 8.4422	* 10.3995	M-SUB-Q			

AT 50% POWER, 150 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.6137	* 0.7569	* 1.1219	* 0.9764	* 1.2186	* 1.0556	* 0.9268	* 0.4603
	* 2.5789	* 3.0623	* 2.1011	* 2.4324	* 1.9417	* 2.1686	* 1.9585	* 3.5022
9	* 0.7569	* 0.7369	* 0.9741	* 1.1895	* 0.9914	* 1.0548	* 1.1334	* 0.5613
	* 3.0623	* 3.0290	* 2.3534	* 1.9967	* 2.3992	* 2.1870	* 1.9700	* 3.5224
10	* 1.1219	* 0.9739	* 0.7186	* 0.9278	* 1.1929	* 1.0512	* 1.1639	* 0.5592
	* 2.1011	* 2.3537	* 2.8310	* 2.5074	* 2.0116	* 2.2438	* 2.0184	* 3.6780
11	* 0.9764	* 1.1892	* 0.9278	* 1.0835	* 0.9907	* 1.1115	* 1.0960	* 0.4717
	* 2.4324	* 1.9972	* 2.5072	* 2.0914	* 2.3189	* 2.1130	* 2.2097	* 4.6493
12	* 1.2186	* 0.9912	* 1.1930	* 0.9910	* 0.6976	* 0.9359	* 0.6703	*
	* 1.9417	* 2.3992	* 2.0114	* 2.3185	* 2.6619	* 2.1639	* 3.0206	*
13	* 1.0556	* 1.0549	* 1.0515	* 1.1119	* 0.9364	* 0.5147	* 0.3138	*
	* 2.1686	* 2.1870	* 2.2430	* 2.1125	* 2.1634	* 3.1046	* 5.8832	*
14	* 0.9268	* 1.1339	* 1.1645	* 1.0970	* 0.6708	* 0.3166	*	*
	* 1.9585	* 1.9697	* 2.0174	* 2.2080	* 3.0188	* 5.8151	*	*
15	* 0.4603	* 0.5618	* 0.5598	* 0.4760	F-SUB-Q			
	* 3.5022	* 3.5212	* 3.6752	* 4.5751	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 207 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 0.7638	* 0.9623	* 1.3428	* 1.2193	* 1.4324	* 1.3443	* 1.2500	* 0.6494
	* 2.1869	* 2.5380	* 1.8378	* 2.0334	* 1.7210	* 1.7938	* 1.6954	* 2.8979
9	* 0.9623	* 0.9510	* 1.2270	* 1.4119	* 1.2376	* 1.3480	* 1.3855	* 0.7182
	* 2.5380	* 2.4842	* 1.9725	* 1.7559	* 2.0062	* 1.7973	* 1.7044	* 2.8933
10	* 1.3428	* 1.2263	* 0.9782	* 1.1644	* 1.3967	* 1.3291	* 1.4010	* 0.7054
	* 1.8378	* 1.9730	* 2.3215	* 2.0981	* 1.7872	* 1.8451	* 1.7546	* 3.0432
11	* 1.2193	* 1.4113	* 1.1644	* 1.2894	* 1.2360	* 1.3597	* 1.3618	* 0.5981
	* 2.0334	* 1.7566	* 2.0981	* 1.8268	* 1.9264	* 1.7943	* 1.8405	* 3.8070
12	* 1.4324	* 1.2373	* 1.3969	* 1.2364	* 0.8890	* 1.1747	* 0.8438	
	* 1.7210	* 2.0062	* 1.7870	* 1.9260	* 2.1950	* 1.8297	* 2.4751	
13	* 1.3443	* 1.3480	* 1.3297	* 1.3603	* 1.1753	* 0.6419	* 0.3922	
	* 1.7938	* 1.7973	* 1.8444	* 1.7937	* 1.8291	* 2.5727	* 4.8523	
14	* 1.2500	* 1.3860	* 1.4018	* 1.3629	* 0.8446	* 0.3966		
	* 1.6954	* 1.7041	* 1.7536	* 1.8389	* 2.4734	* 4.7859		
15	* 0.6494	* 0.7188	* 0.7061	* 0.6027	F-SUB-Q			
	* 2.8979	* 2.8926	* 3.0408	* 3.7510	M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 0.8889	* 1.0853	* 1.5706	* 1.3783	* 1.6814	* 1.5548	* 1.6231	* 0.7980
	* 1.9894	* 2.3764	* 1.6599	* 1.8924	* 1.5488	* 1.6523	* 1.5138	* 2.7305
9	* 1.0853	* 1.1021	* 1.4054	* 1.6470	* 1.4009	* 1.5588	* 1.6571	* 0.8175
	* 2.3764	* 2.3196	* 1.8345	* 1.5881	* 1.8622	* 1.6514	* 1.5231	* 2.7339
10	* 1.5706	* 1.4050	* 1.1650	* 1.3196	* 1.6258	* 1.5220	* 1.6507	* 0.7935
	* 1.6599	* 1.8352	* 2.1735	* 1.9564	* 1.6094	* 1.6932	* 1.5680	* 2.8828
11	* 1.3783	* 1.6461	* 1.3195	* 1.5088	* 1.3888	* 1.5773	* 1.5849	* 0.6612
	* 1.8924	* 1.5890	* 1.9565	* 1.6506	* 1.7808	* 1.6089	* 1.6470	* 3.6035
12	* 1.6814	* 1.4004	* 1.6260	* 1.3891	* 0.9977	* 1.3589	* 0.9352	*
	* 1.5488	* 1.8623	* 1.6092	* 1.7805	* 2.0337	* 1.6462	* 2.3231	*
13	* 1.5548	* 1.5589	* 1.5226	* 1.5781	* 1.3596	* 0.7070	* 0.4257	*
	* 1.6523	* 1.6514	* 1.6925	* 1.6083	* 1.6458	* 2.4283	* 4.6450	*
14	* 1.6231	* 1.6577	* 1.6516	* 1.5864	* 0.9360	* 0.4308	*	
	* 1.5138	* 1.5228	* 1.5672	* 1.6456	* 2.3215	* 4.5783	*	
15	* 0.7980	* 0.8179	* 0.7942	* 0.6649	* F-SUB-Q			
	* 2.7305	* 2.7332	* 2.8805	* 3.5574	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 208 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 150 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9478	* 1.1525	* 1.6943	* 1.4663	* 1.8251	* 1.6727	* 1.8355	* 0.8994 *
	* 1.9777	* 2.3885	* 1.6372	* 1.8856	* 1.5171	* 1.6424	* 1.4762	* 2.7050 *
9	* 1.1525	* 1.1771	* 1.4994	* 1.7808	* 1.4926	* 1.6734	* 1.8315	* 0.9032 *
	* 2.3885	* 2.3400	* 1.8388	* 1.5581	* 1.8550	* 1.6419	* 1.4857	* 2.6997 *
10	* 1.6943	* 1.4987	* 1.2643	* 1.4082	* 1.7543	* 1.6261	* 1.7948	* 0.8558 *
	* 1.6372	* 1.8397	* 2.1784	* 1.9526	* 1.5720	* 1.6754	* 1.5275	* 2.8581 *
11	* 1.4663	* 1.7797	* 1.4079	* 1.6320	* 1.4761	* 1.6952	* 1.7090	* 0.7068 *
	* 1.8856	* 1.5592	* 1.9529	* 1.6206	* 1.7703	* 1.5742	* 1.5909	* 3.5417 *
12	* 1.8251	* 1.4920	* 1.7544	* 1.4765	* 1.0602	* 1.4584	* 0.9953	*
	* 1.5171	* 1.8556	* 1.5719	* 1.7700	* 2.0272	* 1.6111	* 2.2919	*
13	* 1.6727	* 1.6734	* 1.6267	* 1.6960	* 1.4591	* 0.7472	* 0.4470	*
	* 1.6424	* 1.6420	* 1.6748	* 1.5737	* 1.6106	* 2.4124	* 4.6431	*
14	* 1.8355	* 1.8318	* 1.7958	* 1.7105	* 0.9962	* 0.4528	*	*
	* 1.4762	* 1.4854	* 1.5267	* 1.5895	* 2.2903	* 4.5720	*	*
15	* 0.8994	* 0.9035	* 0.8566	* 0.7099	F-SUB-Q			
	* 2.7050	* 2.6991	* 2.8558	* 3.5006	M-SUB-Q			

AT 50% POWER, 150 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9739	* 1.1876	* 1.7567	* 1.5141	* 1.9028	* 1.7359	* 1.9401	* 0.9540 *
	* 2.0489	* 2.4643	* 1.6773	* 1.9324	* 1.5446	* 1.6842	* 1.4993	* 2.7567 *
9	* 1.1876	* 1.2110	* 1.5438	* 1.8516	* 1.5433	* 1.7349	* 1.9283	* 0.9566 *
	* 2.4643	* 2.4274	* 1.8997	* 1.5873	* 1.8964	* 1.6834	* 1.5082	* 2.7476 *
10	* 1.7567	* 1.5430	* 1.3122	* 1.4616	* 1.8228	* 1.6831	* 1.8752	* 0.8962 *
	* 1.6773	* 1.9008	* 2.2389	* 1.9932	* 1.5855	* 1.7013	* 1.5407	* 2.9029 *
11	* 1.5141	* 1.8502	* 1.4612	* 1.6941	* 1.5271	* 1.7578	* 1.7768	* 0.7384 *
	* 1.9324	* 1.5885	* 1.9937	* 1.6574	* 1.8195	* 1.6049	* 1.5886	* 3.5265 *
12	* 1.9028	* 1.5425	* 1.8229	* 1.5274	* 1.0965	* 1.5102	* 1.0324	*
	* 1.5446	* 1.8972	* 1.5855	* 1.8192	* 2.0922	* 1.6480	* 2.3383	*
13	* 1.7359	* 1.7349	* 1.6837	* 1.7586	* 1.5109	* 0.7720	* 0.4610	*
	* 1.6842	* 1.6834	* 1.7007	* 1.6044	* 1.6475	* 2.4788	* 4.7788	*
14	* 1.9401	* 1.9286	* 1.8761	* 1.7782	* 1.0333	* 0.4674	*	*
	* 1.4993	* 1.5079	* 1.5399	* 1.5873	* 2.3368	* 4.7003	*	*
15	* 0.9540	* 0.9568	* 0.8970	* 0.7410	F-SUB-Q			
	* 2.7567	* 2.7469	* 2.9007	* 3.4880	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 209 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 150 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9925	* 1.2030	* 1.8064	* 1.5476	* 1.9661	* 1.7816	* 2.0196	* 0.9789
	* 2.1428	* 2.5669	* 1.7123	* 1.9814	* 1.5649	* 1.7218	* 1.5249	* 2.8565
9	* 1.2030	* 1.2302	* 1.5736	* 1.9090	* 1.5794	* 1.7799	* 2.0048	* 0.9797
	* 2.5669	* 2.5183	* 1.9573	* 1.6121	* 1.9413	* 1.7190	* 1.5292	* 2.8452
10	* 1.8064	* 1.5727	* 1.3320	* 1.4879	* 1.8797	* 1.7265	* 1.9424	* 0.9138
	* 1.7123	* 1.9585	* 2.3177	* 2.0519	* 1.6136	* 1.7356	* 1.5541	* 2.9786
11	* 1.5476	* 1.9073	* 1.4874	* 1.7436	* 1.5554	* 1.8110	* 1.8348	* 0.7502
	* 1.9814	* 1.6136	* 2.0525	* 1.7079	* 1.8847	* 1.6409	* 1.6179	* 3.6443
12	* 1.9661	* 1.5785	* 1.8797	* 1.5557	* 1.1142	* 1.5531	* 1.0481	*
	* 1.5649	* 1.9423	* 1.6136	* 1.8844	* 2.1852	* 1.7053	* 2.4447	*
13	* 1.7816	* 1.7798	* 1.7270	* 1.8117	* 1.5538	* 0.7811	* 0.4647	*
	* 1.7218	* 1.7191	* 1.7350	* 1.6402	* 1.7048	* 2.6067	* 5.0452	*
14	* 2.0196	* 2.0052	* 1.9433	* 1.8362	* 1.0489	* 0.4709	*	*
	* 1.5249	* 1.5289	* 1.5533	* 1.6166	* 2.4431	* 4.9658	*	*
15	* 0.9789	* 0.9799	* 0.9144	* 0.7523	* F-SUB-Q			
	* 2.8565	* 2.8445	* 2.9763	* 3.6077	* M-SUB-Q			

AT 50% POWER, 150 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9952	* 1.2056	* 1.8240	* 1.5592	* 1.9936	* 1.7992	* 2.0566	* 0.9911
	* 2.2821	* 2.7335	* 1.8075	* 2.0961	* 1.6405	* 1.8086	* 1.5790	* 2.9685
9	* 1.2056	* 1.2327	* 1.5804	* 1.9323	* 1.5931	* 1.7972	* 2.0406	* 0.9909
	* 2.7335	* 2.6766	* 2.0759	* 1.6973	* 2.0491	* 1.8068	* 1.5875	* 2.9633
10	* 1.8240	* 1.5794	* 1.3369	* 1.4978	* 1.9038	* 1.7439	* 1.9739	* 0.9224
	* 1.8075	* 2.0773	* 2.4586	* 2.1747	* 1.7002	* 1.8287	* 1.6257	* 3.1277
11	* 1.5592	* 1.9304	* 1.4972	* 1.7624	* 1.5670	* 1.8343	* 1.8617	* 0.7569
	* 2.0961	* 1.6990	* 2.1755	* 1.8026	* 1.9966	* 1.7333	* 1.7039	* 3.8515
12	* 1.9936	* 1.5920	* 1.9037	* 1.5672	* 1.1203	* 1.5715	* 1.0560	*
	* 1.6405	* 2.0496	* 1.7002	* 1.9964	* 2.3124	* 1.7927	* 2.5826	*
13	* 1.7992	* 1.7971	* 1.7445	* 1.8350	* 1.5721	* 0.7850	* 0.4661	*
	* 1.8086	* 1.8069	* 1.8281	* 1.7326	* 1.7922	* 2.7704	* 5.3646	*
14	* 2.0566	* 2.0409	* 1.9747	* 1.8630	* 1.0568	* 0.4724	*	*
	* 1.5790	* 1.5872	* 1.6248	* 1.7027	* 2.5811	* 5.2793	*	*
15	* 0.9911	* 0.9911	* 0.9230	* 0.7587	* F-SUB-Q			
	* 2.9685	* 2.9626	* 3.1254	* 3.8145	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 210 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 150 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9966	* 1.2021	* 1.8357	* 1.5637	* 2.0137	* 1.8086	* 2.0829	* 0.9938 *
	* 2.4955	* 2.9822	* 1.9505	* 2.2682	* 1.7582	* 1.9446	* 1.6789	* 3.1834 *
9	* 1.2021	* 1.2314	* 1.5816	* 1.9489	* 1.5993	* 1.8071	* 2.0664	* 0.9898 *
	* 2.9822	* 2.9108	* 2.2520	* 1.8264	* 2.2115	* 1.9429	* 1.6899	* 3.1919 *
10	* 1.8357	* 1.5805	* 1.3341	* 1.4981	* 1.9217	* 1.7538	* 1.9973	* 0.9226 *
	* 1.9505	* 2.2536	* 2.6758	* 2.3632	* 1.8299	* 1.9702	* 1.7380	* 3.3761 *
11	* 1.5637	* 1.9469	* 1.4974	* 1.7761	* 1.5693	* 1.8513	* 1.8815	* 0.7566 *
	* 2.2682	* 1.8283	* 2.3642	* 1.9437	* 2.1612	* 1.8676	* 1.8333	* 4.1784 *
12	* 2.0137	* 1.5981	* 1.9215	* 1.5695	* 1.1203	* 1.5848	* 1.0548 *	
	* 1.7582	* 2.2121	* 1.8300	* 2.1609	* 2.5115	* 1.9299	* 2.8040 *	
13	* 1.8086	* 1.8070	* 1.7542	* 1.8520	* 1.5854	* 0.7839	* 0.4647 *	
	* 1.9446	* 1.9430	* 1.9697	* 1.8670	* 1.9294	* 3.0104	* 5.8265 *	
14	* 2.0829	* 2.0667	* 1.9982	* 1.8828	* 1.0555	* 0.4710 *		
	* 1.6789	* 1.6897	* 1.7372	* 1.8321	* 2.8024	* 5.7330 *		
15	* 0.9938	* 0.9900	* 0.9233	* 0.7581	* F-SUB-Q			
	* 3.1834	* 3.1912	* 3.3738	* 4.1397	* M-SUB-Q			

AT 50% POWER, 150 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9771	* 1.1931	* 1.8034	* 1.5447	* 1.9837	* 1.7861	* 2.0557	* 0.9973 *
	* 2.8002	* 3.2923	* 2.1845	* 2.5197	* 1.9624	* 2.1671	* 1.8674	* 3.4773 *
9	* 1.1931	* 1.2135	* 1.5567	* 1.9175	* 1.5809	* 1.7844	* 2.0393	* 0.9977 *
	* 3.2923	* 3.2505	* 2.5162	* 2.0389	* 2.4546	* 2.1635	* 1.8813	* 3.4724 *
10	* 1.8034	* 1.5554	* 1.3276	* 1.4930	* 1.8928	* 1.7342	* 1.9715	* 0.9283 *
	* 2.1846	* 2.5183	* 2.9552	* 2.6011	* 2.0360	* 2.1837	* 1.9319	* 3.6793 *
11	* 1.5447	* 1.9154	* 1.4923	* 1.7471	* 1.5633	* 1.8258	* 1.8575	* 0.7650 *
	* 2.5197	* 2.0412	* 2.6022	* 2.1589	* 2.3886	* 2.0656	* 2.0279	* 4.4996 *
12	* 1.9837	* 1.5801	* 1.8926	* 1.5634	* 1.1179	* 1.5648	* 1.0613 *	
	* 1.9624	* 2.4553	* 2.0362	* 2.3884	* 2.7966	* 2.1474	* 3.0491 *	
13	* 1.7861	* 1.7843	* 1.7346	* 1.8264	* 1.5653	* 0.7877	* 0.4691 *	
	* 2.1671	* 2.1636	* 2.1830	* 2.0651	* 2.1469	* 3.3114	* 6.3615 *	
14	* 2.0557	* 2.0396	* 1.9723	* 1.8587	* 1.0620	* 0.4759 *		
	* 1.8674	* 1.8810	* 1.9310	* 2.0266	* 3.0475	* 6.2526 *		
15	* 0.9973	* 0.9978	* 0.9289	* 0.7665	* F-SUB-Q			
	* 3.4773	* 3.4716	* 3.6768	* 4.4574	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 211 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 150 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9832	* 1.1846	* 1.8215	* 1.5467	* 2.0076	* 1.7939	* 2.0847	* 0.9880 *
	* 3.0841	* 3.6404	* 2.3621	* 2.7479	* 2.1109	* 2.3430	* 2.0036	* 3.8068 *
9	* 1.1846	* 1.2122	* 1.5590	* 1.9389	* 1.5845	* 1.7934	* 2.0683	* 0.9838 *
	* 3.6404	* 3.5495	* 2.7420	* 2.2027	* 2.6699	* 2.3396	* 2.0168	* 3.8179 *
10	* 1.8215	* 1.5578	* 1.3161	* 1.4834	* 1.9167	* 1.7446	* 2.0015	* 0.9162 *
	* 2.3621	* 2.7442	* 3.2550	* 2.8662	* 2.2030	* 2.3696	* 2.0745	* 4.0422 *
11	* 1.5467	* 1.9367	* 1.4826	* 1.7680	* 1.5591	* 1.8541	* 1.8859	* 0.7541 *
	* 2.7479	* 2.2052	* 2.8676	* 2.3712	* 2.6422	* 2.2339	* 2.1873	* 4.9804 *
12	* 2.0076	* 1.5831	* 1.9164	* 1.5592	* 1.1127	* 1.5870	* 1.0527	*
	* 2.1109	* 2.6708	* 2.2032	* 2.6419	* 3.0885	* 2.3509	* 3.4121	*
13	* 1.7939	* 1.7933	* 1.7450	* 1.8548	* 1.5874	* 0.7817	* 0.4625	*
	* 2.3430	* 2.3398	* 2.3689	* 2.2329	* 2.3504	* 3.6976	* 7.1345	*
14	* 2.0847	* 2.0685	* 2.0022	* 1.8870	* 1.0534	* 0.4687	*	
	* 2.0036	* 2.0165	* 2.0736	* 2.1859	* 3.4103	* 7.0199	*	
15	* 0.9880	* 0.9840	* 0.9168	* 0.7550	* F-SUB-Q			
	* 3.8068	* 3.8171	* 4.0396	* 4.9375	* M-SUB-Q			

AT 50% POWER, 150 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9806	* 1.1776	* 1.8140	* 1.5368	* 2.0007	* 1.7835	* 2.0803	* 0.9831 *
	* 3.1481	* 3.7392	* 2.5205	* 2.9361	* 2.2806	* 2.5485	* 2.2055	* 4.1924 *
9	* 1.1776	* 1.2038	* 1.5477	* 1.9319	* 1.5754	* 1.7839	* 2.0646	* 0.9792 *
	* 3.7392	* 3.7623	* 2.9341	* 2.3606	* 2.8765	* 2.5519	* 2.2198	* 4.2038 *
10	* 1.8140	* 1.5465	* 1.3074	* 1.4758	* 1.9134	* 1.7393	* 2.0012	* 0.9118 *
	* 2.5205	* 2.9366	* 3.4814	* 3.0840	* 2.3821	* 2.6162	* 2.2822	* 4.4530 *
11	* 1.5368	* 1.9295	* 1.4749	* 1.7662	* 1.5567	* 1.8584	* 1.8898	* 0.7529 *
	* 2.9361	* 2.3634	* 3.0858	* 2.4514	* 2.7477	* 2.3648	* 2.3906	* 5.4861 *
12	* 2.0007	* 1.5741	* 1.9130	* 1.5567	* 1.1132	* 1.5941	* 1.0545	*
	* 2.2806	* 2.8785	* 2.3822	* 2.7476	* 3.2309	* 2.4715	* 3.6003	*
13	* 1.7835	* 1.7838	* 1.7397	* 1.8590	* 1.5946	* 0.7858	* 0.4638	*
	* 2.5485	* 2.5522	* 2.6155	* 2.3644	* 2.4711	* 3.9156	* 7.6181	*
14	* 2.0803	* 2.0648	* 2.0019	* 1.8909	* 1.0551	* 0.4701	*	
	* 2.2055	* 2.2194	* 2.2812	* 2.3894	* 3.5987	* 7.4947	*	
15	* 0.9831	* 0.9794	* 0.9124	* 0.7537	* F-SUB-Q			
	* 4.1924	* 4.2029	* 4.4502	* 5.4399	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 212 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 150 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9754	* 1.1738	* 1.7871	* 1.5179	* 1.9690	* 1.7597	* 2.0501	* 0.9815 *
	* 3.2074	* 3.7709	* 2.4785	* 2.8746	* 2.2372	* 2.4922	* 2.1605	* 4.0670 *
9	* 1.1738	* 1.1916	* 1.5273	* 1.9023	* 1.5569	* 1.7603	* 2.0355	* 0.9803 *
	* 3.7709	* 3.7215	* 2.8799	* 2.3192	* 2.8144	* 2.4973	* 2.1804	* 4.0709 *
10	* 1.7871	* 1.5259	* 1.3012	* 1.4703	* 1.8897	* 1.7229	* 1.9785	* 0.9140 *
	* 2.4785	* 2.8827	* 3.3904	* 3.0018	* 2.3645	* 2.5731	* 2.2649	* 4.3553 *
11	* 1.5179	* 1.8998	* 1.4694	* 1.7498	* 1.5585	* 1.8463	* 1.8774	* 0.7601 *
	* 2.8746	* 2.3221	* 3.0037	* 2.4920	* 2.7868	* 2.3998	* 2.4220	* 5.4140 *
12	* 1.9690	* 1.5555	* 1.8893	* 1.5585	* 1.1234	* 1.5953	* 1.0679	*
	* 2.2372	* 2.8165	* 2.3650	* 2.7868	* 3.2735	* 2.5061	* 3.5998	*
13	* 1.7597	* 1.7601	* 1.7233	* 1.8469	* 1.5957	* 0.8028	* 0.4739	*
	* 2.4922	* 2.4976	* 2.5725	* 2.3995	* 2.5057	* 3.9208	* 7.6016	*
14	* 2.0501	* 2.0358	* 1.9792	* 1.8783	* 1.0685	* 0.4807	*	*
	* 2.1605	* 2.1802	* 2.2642	* 2.4208	* 3.5983	* 7.4734	*	*
15	* 0.9815	* 0.9804	* 0.9146	* 0.7609	* F-SUB-Q			
	* 4.0670	* 4.0702	* 4.3529	* 5.3694	* M-SUB-Q			

AT 50% POWER, 150 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0115	* 1.1783	* 1.8092	* 1.5190	* 1.9873	* 1.7634	* 2.0726	* 0.9696 *
	* 3.0383	* 3.6133	* 2.3950	* 2.8003	* 2.1600	* 2.4219	* 2.0798	* 3.9950 *
9	* 1.1783	* 1.1990	* 1.5333	* 1.9220	* 1.5592	* 1.7667	* 2.0595	* 0.9641 *
	* 3.6133	* 3.6291	* 2.8053	* 2.2413	* 2.7403	* 2.4253	* 2.0996	* 4.0202 *
10	* 1.8092	* 1.5320	* 1.2935	* 1.4641	* 1.9182	* 1.7368	* 2.0103	* 0.9019 *
	* 2.3950	* 2.8080	* 3.3353	* 2.9520	* 2.2873	* 2.5009	* 2.1823	* 4.3036 *
11	* 1.5190	* 1.9193	* 1.4631	* 1.7891	* 1.5712	* 1.8928	* 1.9207	* 0.7524 *
	* 2.8003	* 2.2443	* 2.9540	* 2.3942	* 2.6954	* 2.3088	* 2.3258	* 5.3671 *
12	* 1.9873	* 1.5577	* 1.9178	* 1.5712	* 1.1488	* 1.6558	* 1.0778	*
	* 2.1600	* 2.7425	* 2.2878	* 2.6954	* 3.1674	* 2.4056	* 3.5086	*
13	* 1.7634	* 1.7665	* 1.7371	* 1.8934	* 1.6562	* 0.8288	* 0.4798	*
	* 2.4219	* 2.4256	* 2.5004	* 2.3086	* 2.4053	* 3.8113	* 7.3770	*
14	* 2.0726	* 2.0597	* 2.0110	* 1.9217	* 1.0782	* 0.4864	*	*
	* 2.0798	* 2.0994	* 2.1817	* 2.3248	* 3.5074	* 7.2569	*	*
15	* 0.9696	* 0.9642	* 0.9024	* 0.7527	* F-SUB-Q			
	* 3.9950	* 4.0195	* 4.3013	* 5.3264	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 213 of 350

	H	G	F	E	D	C	B	A
8	1.3406	1.2095	1.8120	1.5010	1.9673	1.7398	2.0549	0.9536
	2.5954	3.0944	2.0321	2.3970	1.8508	2.0832	1.7828	3.4317
9	1.2095	1.2112	1.5263	1.9102	1.5422	1.7468	2.0459	0.9485
	3.0944	3.0753	2.3915	1.9112	2.3472	2.0847	1.7982	3.4532
10	1.8120	1.5248	1.2875	1.4596	1.9507	1.7467	2.0184	0.8922
	2.0321	2.3941	2.8393	2.5209	1.9511	2.1417	1.8613	3.6881
11	1.5010	1.9073	1.4585	1.8583	1.6322	1.9551	1.9698	0.7557
	2.3970	1.9140	2.5228	2.0391	2.3050	1.9583	1.9709	4.5615
12	1.9673	1.5405	1.9504	1.6321	1.3444	1.8201	1.1334	
	1.8508	2.3493	1.9516	2.3051	2.7116	2.0450	3.0010	
13	1.7398	1.7466	1.7470	1.9554	1.8203	0.9925	0.5194	
	2.0833	2.0850	2.1414	1.9582	2.0449	3.2669	6.3675	
14	2.0549	2.0461	2.0190	1.9706	1.1339	0.5266		
	1.7828	1.7981	1.8608	1.9702	3.0001	6.2632		
15	0.9536	0.9487	0.8927	0.7555	F-SUB-Q			
	3.4317	3.4526	3.6864	4.5295	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 214 of 350

	H	G	F	E	D	C	B	A
8	* 1.4650	* 1.2094	* 1.7923	* 1.4657	* 1.9265	* 1.6980	* 2.0152	* 0.9225
	* 2.4247	* 2.8835	* 1.9000	* 2.2638	* 1.7402	* 1.9666	* 1.6727	* 3.2741
9	* 1.2094	* 1.2042	* 1.5013	* 1.8771	* 1.5072	* 1.7088	* 2.0096	* 0.9156
	* 2.8835	* 2.8863	* 2.2499	* 1.7929	* 2.2157	* 1.9649	* 1.6854	* 3.3029
10	* 1.7923	* 1.4998	* 1.2612	* 1.4332	* 1.9535	* 1.7381	* 1.9997	* 0.8666
	* 1.9000	* 2.2523	* 2.6833	* 2.3782	* 1.8225	* 2.0064	* 1.7350	* 3.5125
11	* 1.4657	* 1.8740	* 1.4327	* 1.8897	* 1.6545	* 1.9883	* 1.9839	* 0.7417
	* 2.2638	* 1.7958	* 2.3802	* 1.9026	* 2.1577	* 1.8144	* 1.8166	* 4.3160
12	* 1.9265	* 1.5054	* 1.9532	* 1.6544	* 1.4212	* 1.9037	* 1.1479	*
	* 1.7402	* 2.2179	* 1.8231	* 2.1578	* 2.5450	* 1.9112	* 2.8316	*
13	* 1.6980	* 1.7086	* 1.7384	* 1.9884	* 1.9038	* 1.0549	* 0.5337	*
	* 1.9666	* 1.9652	* 2.0061	* 1.8143	* 1.9111	* 3.0960	* 6.0996	*
14	* 2.0152	* 2.0097	* 2.0002	* 1.9846	* 1.1483	* 0.5412	*	*
	* 1.6727	* 1.6853	* 1.7346	* 1.8160	* 2.8309	* 5.9980	*	*
15	* 0.9225	* 0.9157	* 0.8670	* 0.7411	* F-SUB-Q			
	* 3.2741	* 3.3023	* 3.5109	* 4.2884	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 215 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 150 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4482	* 1.1872	* 1.7537	* 1.4299	* 1.8790	* 1.6576	* 1.9668	* 0.8976 *
	* 2.2665	* 2.7438	* 1.8130	* 2.1715	* 1.6695	* 1.8858	* 1.6039	* 3.1561 *
9	* 1.1872	* 1.1817	* 1.4692	* 1.8324	* 1.4707	* 1.6698	* 1.9622	* 0.8905 *
	* 2.7438	* 2.7376	* 2.1482	* 1.7172	* 2.1253	* 1.8820	* 1.6150	* 3.1844 *
10	* 1.7537	* 1.4678	* 1.2332	* 1.4030	* 1.9148	* 1.7050	* 1.9569	* 0.8440 *
	* 1.8130	* 2.1506	* 2.5651	* 2.2747	* 1.7385	* 1.9146	* 1.6564	* 3.3792 *
11	* 1.4299	* 1.8294	* 1.4025	* 1.8591	* 1.6265	* 1.9584	* 1.9507	* 0.7245 *
	* 2.1715	* 1.7200	* 2.2767	* 1.7997	* 2.0446	* 1.7168	* 1.7213	* 4.1328 *
12	* 1.8790	* 1.4689	* 1.9145	* 1.6264	* 1.4033	* 1.8818	* 1.1296	*
	* 1.6695	* 2.1275	* 1.7391	* 2.0447	* 2.3920	* 1.7946	* 2.6814	*
13	* 1.6576	* 1.6696	* 1.7053	* 1.9585	* 1.8819	* 1.0432	* 0.5259	*
	* 1.8858	* 1.8823	* 1.9143	* 1.7167	* 1.7945	* 2.9262	* 5.7827	*
14	* 1.9668	* 1.9624	* 1.9575	* 1.9514	* 1.1299	* 0.5333	*	*
	* 1.6039	* 1.6149	* 1.6560	* 1.7207	* 2.6808	* 5.6867	*	*
15	* 0.8976	* 0.8907	* 0.8444	* 0.7238	* F-SUB-Q			
	* 3.1561	* 3.1838	* 3.3777	* 4.1068	* M-SUB-Q			

AT 50% POWER, 150 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3809	* 1.1492	* 1.6603	* 1.3643	* 1.7746	* 1.5826	* 1.8561	* 0.8685 *
	* 2.2414	* 2.6387	* 1.8004	* 2.1482	* 1.6694	* 1.8664	* 1.6061	* 3.0902 *
9	* 1.1492	* 1.1359	* 1.4051	* 1.7312	* 1.4031	* 1.5945	* 1.8522	* 0.8661 *
	* 2.6387	* 2.6591	* 2.1143	* 1.7143	* 2.1018	* 1.8616	* 1.6159	* 3.1003 *
10	* 1.6603	* 1.4037	* 1.1943	* 1.3530	* 1.8120	* 1.6289	* 1.8494	* 0.8198 *
	* 1.8004	* 2.1167	* 2.4945	* 2.2188	* 1.7134	* 1.8859	* 1.6508	* 3.2889 *
11	* 1.3643	* 1.7282	* 1.3526	* 1.7642	* 1.5575	* 1.8603	* 1.8499	* 0.7068 *
	* 2.1482	* 1.7172	* 2.2207	* 1.7873	* 2.0120	* 1.6979	* 1.6937	* 3.9896 *
12	* 1.7746	* 1.4015	* 1.8117	* 1.5575	* 1.3483	* 1.7932	* 1.1023	*
	* 1.6694	* 2.1040	* 1.7137	* 2.0121	* 2.3483	* 1.7771	* 2.5990	*
13	* 1.5826	* 1.5943	* 1.6291	* 1.8605	* 1.7934	* 1.0196	* 0.5166	*
	* 1.8664	* 1.8619	* 1.8857	* 1.6978	* 1.7770	* 2.8233	* 5.5650	*
14	* 1.8561	* 1.8524	* 1.8499	* 1.8506	* 1.1026	* 0.5242	*	*
	* 1.6061	* 1.6158	* 1.6504	* 1.6932	* 2.5983	* 5.4691	*	*
15	* 0.8685	* 0.8663	* 0.8202	* 0.7068	* F-SUB-Q			
	* 3.0902	* 3.0998	* 3.2874	* 3.9609	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 216 of 350

	H	G	F	E	D	C	B	A
8	* 1.1719	* 0.9843	* 1.4006	* 1.1739	* 1.4916	* 1.3613	* 1.5557	* 0.7393
	* 2.3584	* 2.7789	* 1.9416	* 2.2904	* 1.8233	* 1.9946	* 1.7623	* 3.3520
9	* 0.9843	* 0.9859	* 1.2199	* 1.4571	* 1.2068	* 1.3691	* 1.5520	* 0.7306
	* 2.7789	* 2.7715	* 2.2195	* 1.8645	* 2.2427	* 1.9900	* 1.7715	* 3.3932
10	* 1.4006	* 1.2187	* 1.0187	* 1.1574	* 1.5233	* 1.3955	* 1.5498	* 0.6925
	* 1.9416	* 2.2220	* 2.6692	* 2.3753	* 1.8406	* 1.9953	* 1.7975	* 3.5806
11	* 1.1739	* 1.4547	* 1.1569	* 1.4879	* 1.3428	* 1.5669	* 1.5519	* 0.5912
	* 2.2904	* 1.8676	* 2.3770	* 1.8942	* 2.0886	* 1.8080	* 1.8277	* 4.3525
12	* 1.4916	* 1.2054	* 1.5230	* 1.3427	* 1.1614	* 1.5087	* 0.9269	*
	* 1.8233	* 2.2451	* 1.8410	* 2.0888	* 2.4460	* 1.8944	* 2.7726	*
13	* 1.3613	* 1.3690	* 1.3958	* 1.5671	* 1.5088	* 0.8641	* 0.4374	*
	* 1.9946	* 1.9903	* 1.9950	* 1.8078	* 1.8943	* 3.0099	* 5.9483	*
14	* 1.5557	* 1.5522	* 1.5502	* 1.5525	* 0.9272	* 0.4428	*	*
	* 1.7623	* 1.7714	* 1.7971	* 1.8271	* 2.7719	* 5.8600	*	*
15	* 0.7393	* 0.7308	* 0.6929	* 0.5919	F-SUB-Q			
	* 3.3520	* 3.3926	* 3.5790	* 4.3156	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 217 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 150 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9424	* 0.7842	* 1.1655	* 0.9428	* 1.2523	* 1.0825	* 1.2845	* 0.6009
	* 2.8379	* 3.3674	* 2.2629	* 2.7707	* 2.1103	* 2.4367	* 2.0749	* 4.0188
9	* 0.7842	* 0.7803	* 0.9842	* 1.2185	* 0.9694	* 1.0781	* 1.2811	* 0.5928
	* 3.3674	* 3.3897	* 2.6684	* 2.1643	* 2.7118	* 2.4555	* 2.0858	* 4.0795
10	* 1.1655	* 0.9832	* 0.8154	* 0.9333	* 1.2757	* 1.0990	* 1.2750	* 0.5605
	* 2.2629	* 2.6711	* 3.2489	* 2.8529	* 2.1225	* 2.4519	* 2.1191	* 4.3047
11	* 0.9428	* 1.2168	* 0.9330	* 1.2349	* 1.0717	* 1.2552	* 1.2301	* 0.4748
	* 2.7707	* 2.1673	* 2.8549	* 2.2055	* 2.5302	* 2.1812	* 2.2295	* 5.2619
12	* 1.2523	* 0.9683	* 1.2755	* 1.0716	* 0.9176	* 1.2063	* 0.7419	*
	* 2.1103	* 2.7144	* 2.1229	* 2.5305	* 2.9936	* 2.2925	* 3.3575	*
13	* 1.0825	* 1.0780	* 1.0992	* 1.2553	* 1.2064	* 0.6896	* 0.3538	*
	* 2.4366	* 2.4559	* 2.4516	* 2.1812	* 2.2924	* 3.6445	* 7.1192	*
14	* 1.2845	* 1.2812	* 1.2753	* 1.2305	* 0.7421	* 0.3580	*	*
	* 2.0749	* 2.0857	* 2.1187	* 2.2288	* 3.3567	* 7.0169	*	*
15	* 0.6009	* 0.5929	* 0.5607	* 0.4765	* F-SUB-Q			
	* 4.0188	* 4.0786	* 4.3030	* 5.2060	* M-SUB-Q			

AT 50% POWER, 150 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3752	* 0.3356	* 0.4515	* 0.4040	* 0.4904	* 0.4249	* 0.4630	* 0.2472
	* 6.9118	* 7.6505	* 5.6809	* 6.3032	* 5.2362	* 6.0440	* 5.6005	* 9.5301
9	* 0.3356	* 0.3294	* 0.3892	* 0.4755	* 0.4098	* 0.4204	* 0.4615	* 0.2429
	* 7.6505	* 7.8106	* 6.5627	* 5.3978	* 6.2491	* 6.1260	* 5.6308	* 9.7042
10	* 0.4515	* 0.3888	* 0.3503	* 0.4003	* 0.4951	* 0.4250	* 0.4580	* 0.2334
	* 5.6809	* 6.5695	* 7.3571	* 6.4619	* 5.2986	* 6.1426	* 5.7317	* 10.0779
11	* 0.4040	* 0.4749	* 0.4002	* 0.4799	* 0.4228	* 0.4902	* 0.4356	* 0.2043
	* 6.3032	* 5.4047	* 6.4659	* 5.4912	* 6.2054	* 5.4152	* 6.1098	* 11.9065
12	* 0.4904	* 0.4095	* 0.4950	* 0.4228	* 0.3835	* 0.4326	* 0.2983	*
	* 5.2362	* 6.2538	* 5.3003	* 6.2060	* 6.9693	* 6.2150	* 8.1333	*
13	* 0.4249	* 0.4203	* 0.4250	* 0.4902	* 0.4326	* 0.2797	* 0.1505	*
	* 6.0440	* 6.1270	* 6.1430	* 5.4152	* 6.2147	* 8.7415	* 16.3055	*
14	* 0.4630	* 0.4616	* 0.4581	* 0.4357	* 0.2984	* 0.1514	*	*
	* 5.6005	* 5.6305	* 5.7307	* 6.1082	* 8.1316	* 16.1563	*	*
15	* 0.2472	* 0.2430	* 0.2335	* 0.2029	* F-SUB-Q			
	* 9.5301	* 9.7030	* 10.0746	* 11.9069	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 218 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 225 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.2688	* 0.3345	* 0.4704	* 0.4455	* 0.5267	* 0.4409	* 0.3627	* 0.1854 *
	* 5.6450	* 6.4421	* 4.7117	* 4.9666	* 4.2730	* 4.7651	* 4.5832	* 7.4862 *
9	* 0.3345	* 0.3221	* 0.4052	* 0.5097	* 0.4488	* 0.4464	* 0.4470	* 0.2406 *
	* 6.4421	* 6.3792	* 5.2265	* 4.4111	* 4.9363	* 4.7954	* 4.6169	* 7.5367 *
10	* 0.4704	* 0.4050	* 0.3208	* 0.4245	* 0.5188	* 0.4527	* 0.4704	* 0.2458 *
	* 4.7117	* 5.2270	* 5.7596	* 5.1100	* 4.4337	* 4.9313	* 4.7499	* 7.7489 *
11	* 0.4455	* 0.5096	* 0.4245	* 0.4684	* 0.4316	* 0.4945	* 0.4520	* 0.2199 *
	* 4.9666	* 4.4118	* 5.1097	* 4.6914	* 5.1444	* 4.6106	* 5.0632	* 9.4690 *
12	* 0.5267	* 0.4488	* 0.5189	* 0.4316	* 0.3258	* 0.3920	* 0.2984	*
	* 4.2730	* 4.9363	* 4.4334	* 5.1439	* 5.5326	* 5.1612	* 6.6546	*
13	* 0.4409	* 0.4465	* 0.4528	* 0.4947	* 0.3921	* 0.2330	* 0.1513	*
	* 4.7651	* 4.7954	* 4.9306	* 4.6095	* 5.1605	* 6.8991	* 12.2855	*
14	* 0.3627	* 0.4471	* 0.4706	* 0.4522	* 0.2985	* 0.1521	*	*
	* 4.5832	* 4.6163	* 4.7482	* 5.0602	* 6.6513	* 12.2166	*	*
15	* 0.1854	* 0.2408	* 0.2460	* 0.2189	F-SUB-Q			
	* 7.4862	* 7.5355	* 7.7445	* 9.4438	M-SUB-Q			

AT 50% POWER, 225 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.6057	* 0.7412	* 1.1024	* 0.9828	* 1.2185	* 1.0466	* 0.8902	* 0.4405 *
	* 2.5904	* 3.0205	* 2.0990	* 2.3500	* 1.9190	* 2.0883	* 1.9072	* 3.3190 *
9	* 0.7412	* 0.7199	* 0.9571	* 1.1856	* 0.9998	* 1.0572	* 1.1264	* 0.5707 *
	* 3.0205	* 2.9701	* 2.2963	* 1.9785	* 2.3136	* 2.1028	* 1.9200	* 3.3398 *
10	* 1.1024	* 0.9569	* 0.6960	* 0.9332	* 1.2079	* 1.0776	* 1.1854	* 0.5787 *
	* 2.0990	* 2.2967	* 2.7463	* 2.4203	* 1.9829	* 2.1460	* 1.9634	* 3.4628 *
11	* 0.9828	* 1.1852	* 0.9332	* 1.0939	* 1.0210	* 1.1474	* 1.1429	* 0.5000 *
	* 2.3500	* 1.9790	* 2.4202	* 2.0785	* 2.2431	* 2.0822	* 2.0923	* 4.3703 *
12	* 1.2185	* 0.9997	* 1.2080	* 1.0211	* 0.7192	* 0.9847	* 0.7088	*
	* 1.9190	* 2.3138	* 1.9828	* 2.2428	* 2.5715	* 2.1255	* 2.9163	*
13	* 1.0466	* 1.0573	* 1.0778	* 1.1477	* 0.9850	* 0.5495	* 0.3454	*
	* 2.0883	* 2.1028	* 2.1454	* 2.0817	* 2.1252	* 3.0059	* 5.5478	*
14	* 0.8902	* 1.1267	* 1.1862	* 1.1437	* 0.7092	* 0.3485	*	*
	* 1.9072	* 1.9198	* 1.9627	* 2.0910	* 2.9150	* 5.4965	*	*
15	* 0.4405	* 0.5711	* 0.5794	* 0.5046	F-SUB-Q			
	* 3.3190	* 3.3389	* 3.4607	* 4.2991	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 219 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 0.7534 *	* 0.9336 *	* 1.3500 *	* 1.2235 *	* 1.4771 *	* 1.3161 *	* 1.1468 *	* 0.5815 *
	* 2.1994 *	* 2.5285 *	* 1.7914 *	* 1.9697 *	* 1.6452 *	* 1.7380 *	* 1.6183 *	* 2.7531 *
9	* 0.9336 *	* 0.9142 *	* 1.1973 *	* 1.4488 *	* 1.2441 *	* 1.3269 *	* 1.3909 *	* 0.7264 *
	* 2.5285 *	* 2.4745 *	* 1.9397 *	* 1.6883 *	* 1.9397 *	* 1.7436 *	* 1.6264 *	* 2.7463 *
10	* 1.3500 *	* 1.1966 *	* 0.8952 *	* 1.1680 *	* 1.4623 *	* 1.3503 *	* 1.4474 *	* 0.7239 *
	* 1.7914 *	* 1.9402 *	* 2.2736 *	* 2.0315 *	* 1.7033 *	* 1.7773 *	* 1.6732 *	* 2.8622 *
11	* 1.2235 *	* 1.4482 *	* 1.1679 *	* 1.3341 *	* 1.2626 *	* 1.4097 *	* 1.4187 *	* 0.6336 *
	* 1.9697 *	* 1.6889 *	* 2.0315 *	* 1.7702 *	* 1.8747 *	* 1.7506 *	* 1.7460 *	* 3.5789 *
12	* 1.4771 *	* 1.2438 *	* 1.4624 *	* 1.2628 *	* 0.9107 *	* 1.2316 *	* 0.8903 *	
	* 1.6452 *	* 1.9400 *	* 1.7032 *	* 1.8745 *	* 2.1481 *	* 1.7992 *	* 2.3921 *	
13	* 1.3161 *	* 1.3269 *	* 1.3508 *	* 1.4101 *	* 1.2320 *	* 0.6815 *	* 0.4286 *	
	* 1.7380 *	* 1.7437 *	* 1.7768 *	* 1.7501 *	* 1.7989 *	* 2.5039 *	* 4.6025 *	
14	* 1.1468 *	* 1.3914 *	* 1.4481 *	* 1.4198 *	* 0.8909 *	* 0.4333 *		
	* 1.6183 *	* 1.6262 *	* 1.6725 *	* 1.7447 *	* 2.3909 *	* 4.5522 *		
15	* 0.5815 *	* 0.7269 *	* 0.7247 *	* 0.6378 *	F-SUB-Q			
	* 2.7531 *	* 2.7458 *	* 2.8603 *	* 3.5287 *	M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 0.8675	* 1.0457	* 1.5710	* 1.3787	* 1.7188	* 1.5129	* 1.4298	* 0.7069
	* 2.0242	* 2.3909	* 1.6318	* 1.8443	* 1.4897	* 1.6158	* 1.4531	* 2.6030
9	* 1.0457	* 1.0245	* 1.3510	* 1.6842	* 1.4035	* 1.5195	* 1.6553	* 0.8205
	* 2.3909	* 2.3385	* 1.8195	* 1.5347	* 1.8140	* 1.6187	* 1.4618	* 2.6034
10	* 1.5710	* 1.3505	* 1.0538	* 1.3145	* 1.6946	* 1.5284	* 1.6971	* 0.8085
	* 1.6318	* 1.8201	* 2.1514	* 1.9071	* 1.5436	* 1.6473	* 1.5048	* 2.7217
11	* 1.3787	* 1.6834	* 1.3143	* 1.5493	* 1.4147	* 1.6323	* 1.6399	* 0.6981
	* 1.8443	* 1.5355	* 1.9073	* 1.6077	* 1.7468	* 1.5655	* 1.5655	* 3.3870
12	* 1.7188	* 1.4030	* 1.6947	* 1.4149	* 1.0135	* 1.4107	* 0.9802	*
	* 1.4897	* 1.8144	* 1.5436	* 1.7466	* 2.0100	* 1.6233	* 2.2584	*
13	* 1.5129	* 1.5195	* 1.5290	* 1.6331	* 1.4112	* 0.7441	* 0.4616	*
	* 1.6158	* 1.6188	* 1.6469	* 1.5648	* 1.6230	* 2.3827	* 4.4362	*
14	* 1.4298	* 1.6557	* 1.6978	* 1.6410	* 0.9809	* 0.4669	*	*
	* 1.4531	* 1.4616	* 1.5043	* 1.5644	* 2.2572	* 4.3841	*	*
15	* 0.7069	* 0.8211	* 0.8094	* 0.7009	* F-SUB-Q			
	* 2.6030	* 2.6029	* 2.7200	* 3.3475	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 220 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 225 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9232	* 1.1113	* 1.6928	* 1.4645	* 1.8622	* 1.6359	* 1.7350	* 0.8533
	* 2.0350	* 2.4221	* 1.6274	* 1.8538	* 1.4758	* 1.6223	* 1.4298	* 2.5986
9	* 1.1113	* 1.1090	* 1.4493	* 1.8150	* 1.4916	* 1.6359	* 1.8341	* 0.8938
	* 2.4221	* 2.3829	* 1.8426	* 1.5231	* 1.8217	* 1.6249	* 1.4389	* 2.5905
10	* 1.6928	* 1.4487	* 1.1984	* 1.4071	* 1.8171	* 1.6228	* 1.8434	* 0.8735
	* 1.6274	* 1.8435	* 2.1722	* 1.9199	* 1.5236	* 1.6466	* 1.4800	* 2.7208
11	* 1.4645	* 1.8138	* 1.4069	* 1.6701	* 1.4901	* 1.7428	* 1.7522	* 0.7432
	* 1.8538	* 1.5241	* 1.9201	* 1.5965	* 1.7535	* 1.5292	* 1.5253	* 3.3337
12	* 1.8622	* 1.4910	* 1.8171	* 1.4902	* 1.0700	* 1.4966	* 1.0321	*
	* 1.4758	* 1.8223	* 1.5234	* 1.7534	* 2.0246	* 1.6042	* 2.2367	*
13	* 1.6359	* 1.6359	* 1.6233	* 1.7435	* 1.4971	* 0.7784	* 0.4802	*
	* 1.6223	* 1.6250	* 1.6460	* 1.5285	* 1.6040	* 2.3893	* 4.4711	*
14	* 1.7350	* 1.8346	* 1.8441	* 1.7533	* 1.0328	* 0.4860	*	*
	* 1.4298	* 1.4388	* 1.4794	* 1.5243	* 2.2353	* 4.4155	*	*
15	* 0.8533	* 0.8944	* 0.8741	* 0.7450	* F-SUB-Q			
	* 2.5986	* 2.5900	* 2.7191	* 3.3003	* M-SUB-Q			

AT 50% POWER, 225 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9507	* 1.1496	* 1.7570	* 1.5127	* 1.9438	* 1.7098	* 1.9476	* 0.9561
	* 2.1243	* 2.5157	* 1.6853	* 1.9141	* 1.5180	* 1.6797	* 1.4669	* 2.6706
9	* 1.1496	* 1.1603	* 1.5040	* 1.8852	* 1.5424	* 1.7068	* 1.9493	* 0.9637
	* 2.5157	* 2.4929	* 1.9212	* 1.5672	* 1.8789	* 1.6819	* 1.4753	* 2.6595
10	* 1.7570	* 1.5032	* 1.2841	* 1.4625	* 1.8799	* 1.6776	* 1.9272	* 0.9223
	* 1.6853	* 1.9222	* 2.2509	* 1.9717	* 1.5537	* 1.6843	* 1.5090	* 2.7864
11	* 1.5127	* 1.8839	* 1.4621	* 1.7331	* 1.5272	* 1.7954	* 1.8069	* 0.7733
	* 1.9141	* 1.5683	* 1.9722	* 1.6491	* 1.8148	* 1.5586	* 1.5511	* 3.3727
12	* 1.9438	* 1.5416	* 1.8799	* 1.5273	* 1.1007	* 1.5340	* 1.0606	*
	* 1.5180	* 1.8796	* 1.5537	* 1.8145	* 2.1064	* 1.6554	* 2.2840	*
13	* 1.7098	* 1.7067	* 1.6780	* 1.7961	* 1.5344	* 0.7962	* 0.4905	*
	* 1.6797	* 1.6820	* 1.6837	* 1.5580	* 1.6551	* 2.4753	* 4.6349	*
14	* 1.9476	* 1.9496	* 1.9279	* 1.8079	* 1.0613	* 0.4972	*	*
	* 1.4669	* 1.4752	* 1.5085	* 1.5502	* 2.2827	* 4.5709	*	*
15	* 0.9561	* 0.9638	* 0.9229	* 0.7746	* F-SUB-Q			
	* 2.6707	* 2.6590	* 2.7847	* 3.3411	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 221 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	0.9700	1.1670	1.8058	1.5434	2.0057	1.7576	2.0525	1.0002
	2.2372	2.6408	1.7348	1.9815	1.5541	1.7341	1.5092	2.7944
9	1.1670	1.1864	1.5366	1.9388	1.5752	1.7537	2.0428	1.0026
	2.6408	2.6026	1.9936	1.6091	1.9423	1.7345	1.5130	2.7818
10	1.8058	1.5357	1.3115	1.4863	1.9285	1.7161	1.9929	0.9425
	1.7348	1.9948	2.3470	2.0502	1.5995	1.7381	1.5368	2.8886
11	1.5434	1.9374	1.4859	1.7772	1.5465	1.8371	1.8528	0.7822
	1.9815	1.6103	2.0508	1.7164	1.8919	1.6086	1.5963	3.5095
12	2.0057	1.5744	1.9283	1.5465	1.1109	1.5623	1.0671	
	1.5541	1.9431	1.5996	1.8918	2.2198	1.7259	2.4014	
13	1.7576	1.7536	1.7165	1.8377	1.5627	0.7978	0.4899	
	1.7341	1.7347	1.7376	1.6081	1.7257	2.6220	4.9271	
14	2.0525	2.0430	1.9935	1.8538	1.0677	0.4960		
	1.5092	1.5128	1.5363	1.5954	2.4002	4.8645		
15	1.0002	1.0028	0.9430	0.7830	F-SUB-Q			
	2.7944	2.7813	2.8870	3.4791	M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 0.9727	* 1.1695	* 1.8197	* 1.5508	* 2.0271	* 1.7721	* 2.0933	* 1.0175
	* 2.3913	* 2.8285	* 1.8447	* 2.1011	* 1.6428	* 1.8355	* 1.5750	* 2.9225
9	* 1.1695	* 1.1900	* 1.5421	* 1.9554	* 1.5840	* 1.7673	* 2.0790	* 1.0181
	* 2.8285	* 2.7825	* 2.1285	* 1.7022	* 2.0578	* 1.8372	* 1.5833	* 2.9156
10	* 1.8197	* 1.5412	* 1.3162	* 1.4912	* 1.9418	* 1.7267	* 2.0170	* 0.9505
	* 1.8447	* 2.1298	* 2.5062	* 2.1757	* 1.6759	* 1.8262	* 1.6172	* 3.0548
11	* 1.5508	* 1.9538	* 1.4906	* 1.7865	* 1.5467	* 1.8479	* 1.8664	* 0.7852
	* 2.1011	* 1.7037	* 2.1765	* 1.8218	* 2.0092	* 1.7015	* 1.6841	* 3.6856
12	* 2.0271	* 1.5830	* 1.9416	* 1.5467	* 1.1094	* 1.5668	* 1.0663	
	* 1.6428	* 2.0587	* 1.6760	* 2.0091	* 2.3652	* 1.8287	* 2.5672	
13	* 1.7721	* 1.7672	* 1.7270	* 1.8484	* 1.5671	* 0.7947	* 0.4872	
	* 1.8355	* 1.8374	* 1.8257	* 1.7010	* 1.8285	* 2.8042	* 5.2702	
14	* 2.0933	* 2.0792	* 2.0176	* 1.8673	* 1.0668	* 0.4933		
	* 1.5750	* 1.5831	* 1.6166	* 1.6833	* 2.5659	* 5.2025		
15	* 1.0175	* 1.0183	* 0.9510	* 0.7857	* F-SUB-Q			
	* 2.9225	* 2.9151	* 3.0531	* 3.6552	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 222 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 225 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9721	* 1.1638	* 1.8252	* 1.5487	* 2.0374	* 1.7742	* 2.1132	* 1.0190
	* 2.6179	* 3.0329	* 1.9574	* 2.2408	* 1.7385	* 1.9574	* 1.6854	* 3.1507
9	* 1.1638	* 1.1866	* 1.5387	* 1.9627	* 1.5828	* 1.7694	* 2.0972	* 1.0150
	* 3.0329	* 2.9865	* 2.2723	* 1.8043	* 2.1917	* 1.9560	* 1.6913	* 3.1581
10	* 1.8252	* 1.5378	* 1.3092	* 1.4839	* 1.9472	* 1.7266	* 2.0294	* 0.9471
	* 1.9574	* 2.2740	* 2.6891	* 2.3276	* 1.7855	* 1.9503	* 1.7025	* 3.2622
11	* 1.5487	* 1.9610	* 1.4834	* 1.7883	* 1.5399	* 1.8516	* 1.8723	* 0.7803
	* 2.2408	* 1.8059	* 2.3285	* 1.9433	* 2.1699	* 1.8252	* 1.8018	* 3.9596
12	* 2.0374	* 1.5818	* 1.9470	* 1.5399	* 1.1011	* 1.5661	* 1.0573	*
	* 1.7385	* 2.1928	* 1.7857	* 2.1699	* 2.5806	* 1.9779	* 2.7977	*
13	* 1.7742	* 1.7693	* 1.7269	* 1.8521	* 1.5664	* 0.7866	* 0.4815	*
	* 1.9574	* 1.9562	* 1.9499	* 1.8246	* 1.9776	* 3.0612	* 5.7520	*
14	* 2.1132	* 2.0974	* 2.0299	* 1.8732	* 1.0578	* 0.4876	*	*
	* 1.6854	* 1.6911	* 1.7019	* 1.8009	* 2.7964	* 5.6768	*	*
15	* 1.0190	* 1.0152	* 0.9476	* 0.7804	* F-SUB-Q			
	* 3.1507	* 3.1576	* 3.2605	* 3.9285	* M-SUB-Q			

AT 50% POWER, 225 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9515	* 1.1524	* 1.7873	* 1.5247	* 1.9980	* 1.7458	* 2.0770	* 1.0193
	* 2.9457	* 3.3225	* 2.1666	* 2.4687	* 1.9140	* 2.1402	* 1.8282	* 3.3615
9	* 1.1524	* 1.1674	* 1.5105	* 1.9232	* 1.5588	* 1.7395	* 2.0605	* 1.0200
	* 3.3225	* 3.2809	* 2.5054	* 1.9968	* 2.4122	* 2.1414	* 1.8359	* 3.3488
10	* 1.7873	* 1.5094	* 1.2994	* 1.4732	* 1.9067	* 1.6983	* 1.9913	* 0.9505
	* 2.1666	* 2.5073	* 2.9265	* 2.5466	* 1.9829	* 2.1458	* 1.8739	* 3.4880
11	* 1.5247	* 1.9214	* 1.4725	* 1.7487	* 1.5208	* 1.8130	* 1.8347	* 0.7838
	* 2.4687	* 1.9987	* 2.5476	* 2.1671	* 2.3988	* 2.0313	* 2.0003	* 4.2781
12	* 1.9980	* 1.5577	* 1.9064	* 1.5209	* 1.0917	* 1.5340	* 1.0545	*
	* 1.9140	* 2.4135	* 1.9831	* 2.3987	* 2.8866	* 2.2191	* 3.0726	*
13	* 1.7458	* 1.7394	* 1.6986	* 1.8135	* 1.5343	* 0.7837	* 0.4821	*
	* 2.1402	* 2.1415	* 2.1454	* 2.0307	* 2.2188	* 3.3741	* 6.2959	*
14	* 2.0770	* 2.0606	* 1.9918	* 1.8355	* 1.0550	* 0.4885	*	*
	* 1.8282	* 1.8357	* 1.8734	* 1.9994	* 3.0712	* 6.2099	*	*
15	* 1.0193	* 1.0202	* 0.9509	* 0.7842	* F-SUB-Q			
	* 3.3615	* 3.3482	* 3.4862	* 4.2436	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 223 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 225 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9519	* 1.1389	* 1.7964	* 1.5183	* 2.0097	* 1.7426	* 2.0943	* 1.0053
	* 3.2270	* 3.7202	* 2.3850	* 2.7419	* 2.0975	* 2.3565	* 1.9799	* 3.7071
9	* 1.1389	* 1.1600	* 1.5052	* 1.9337	* 1.5531	* 1.7375	* 2.0773	* 1.0010
	* 3.7202	* 3.6449	* 2.7800	* 2.1975	* 2.6764	* 2.3548	* 1.9927	* 3.7159
10	* 1.7964	* 1.5041	* 1.2808	* 1.4538	* 1.9162	* 1.6956	* 2.0069	* 0.9309
	* 2.3850	* 2.7823	* 3.2830	* 2.8570	* 2.1806	* 2.3705	* 2.0494	* 3.9053
11	* 1.5183	* 1.9318	* 1.4531	* 1.7559	* 1.5042	* 1.8238	* 1.8479	* 0.7677
	* 2.7419	* 2.1997	* 2.8583	* 2.3905	* 2.6854	* 2.2367	* 2.1959	* 4.7984
12	* 2.0097	* 1.5519	* 1.9159	* 1.5042	* 1.0761	* 1.5399	* 1.0363	*
	* 2.0975	* 2.6780	* 2.1809	* 2.6854	* 3.1961	* 2.4296	* 3.4769	*
13	* 1.7426	* 1.7374	* 1.6958	* 1.8242	* 1.5401	* 0.7693	* 0.4704	*
	* 2.3565	* 2.3547	* 2.3701	* 2.2361	* 2.4294	* 3.7863	* 7.0938	*
14	* 2.0943	* 2.0774	* 2.0074	* 1.8487	* 1.0367	* 0.4764	*	*
	* 1.9799	* 1.9926	* 2.0488	* 2.1949	* 3.4755	* 7.0009	*	*
15	* 1.0053	* 1.0012	* 0.9314	* 0.7673	* F-SUB-Q			
	* 3.7071	* 3.7153	* 3.9034	* 4.7637	* M-SUB-Q			

AT 50% POWER, 225 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9427	* 1.1270	* 1.7814	* 1.5021	* 1.9930	* 1.7243	* 2.0795	* 0.9961
	* 3.2791	* 3.8481	* 2.5711	* 2.9633	* 2.2987	* 2.5975	* 2.2231	* 4.1669
9	* 1.1270	* 1.1468	* 1.4881	* 1.9179	* 1.5370	* 1.7193	* 2.0626	* 0.9924
	* 3.8481	* 3.8936	* 3.0023	* 2.3843	* 2.9070	* 2.6085	* 2.2397	* 4.1746
10	* 1.7814	* 1.4869	* 1.2665	* 1.4387	* 1.9002	* 1.6791	* 1.9934	* 0.9216
	* 2.5711	* 3.0048	* 3.5456	* 3.1156	* 2.4082	* 2.6749	* 2.3020	* 4.3899
11	* 1.5021	* 1.9159	* 1.4379	* 1.7408	* 1.4883	* 1.8113	* 1.8366	* 0.7612
	* 2.9633	* 2.3868	* 3.1172	* 2.4979	* 2.8143	* 2.4353	* 2.4504	* 5.4127
12	* 1.9930	* 1.5359	* 1.8999	* 1.4883	* 1.0651	* 1.5300	* 1.0279	*
	* 2.2987	* 2.9089	* 2.4084	* 2.8144	* 3.3217	* 2.5440	* 3.6451	*
13	* 1.7243	* 1.7191	* 1.6793	* 1.8117	* 1.5302	* 0.7634	* 0.4663	*
	* 2.5975	* 2.6089	* 2.6744	* 2.4351	* 2.5438	* 3.9817	* 7.5111	*
14	* 2.0795	* 2.0627	* 1.9938	* 1.8373	* 1.0283	* 0.4723	*	*
	* 2.2231	* 2.2395	* 2.3014	* 2.4496	* 3.6441	* 7.4119	*	*
15	* 0.9961	* 0.9925	* 0.9220	* 0.7608	* F-SUB-Q			
	* 4.1669	* 4.1740	* 4.3878	* 5.3745	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 224 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 225 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9285	* 1.1178	* 1.7493	* 1.4794	* 1.9555	* 1.6957	* 2.0420	* 0.9913
	* 3.3576	* 3.9005	* 2.5327	* 2.9074	* 2.2609	* 2.5477	* 2.1789	* 4.0305
9	* 1.1178	* 1.1304	* 1.4635	* 1.8829	* 1.5142	* 1.6902	* 2.0257	* 0.9903
	* 3.9005	* 3.8569	* 2.9528	* 2.3474	* 2.8513	* 2.5607	* 2.1994	* 4.0319
10	* 1.7493	* 1.4623	* 1.2569	* 1.4281	* 1.8665	* 1.6540	* 1.9600	* 0.9219
	* 2.5327	* 2.9554	* 3.4575	* 3.0383	* 2.3899	* 2.6290	* 2.2876	* 4.2780
11	* 1.4794	* 1.8808	* 1.4273	* 1.7113	* 1.4781	* 1.7838	* 1.8095	* 0.7635
	* 2.9074	* 2.3500	* 3.0399	* 2.5572	* 2.8766	* 2.4916	* 2.5019	* 5.3446
12	* 1.9555	* 1.5130	* 1.8661	* 1.4781	* 1.0614	* 1.5117	* 1.0295	*
	* 2.2609	* 2.8532	* 2.3905	* 2.8767	* 3.3799	* 2.6041	* 3.6733	*
13	* 1.6957	* 1.6901	* 1.6542	* 1.7841	* 1.5119	* 0.7668	* 0.4696	*
	* 2.5477	* 2.5610	* 2.6288	* 2.4915	* 2.6039	* 4.0180	* 7.5508	*
14	* 2.0420	* 2.0258	* 1.9603	* 1.8101	* 1.0299	* 0.4762	*	
	* 2.1789	* 2.1993	* 2.2872	* 2.5010	* 3.6724	* 7.4433	*	
15	* 0.9913	* 0.9904	* 0.9223	* 0.7632	* F-SUB-Q			
	* 4.0305	* 4.0314	* 4.2763	* 5.3067	* M-SUB-Q			

AT 50% POWER, 225 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9410	* 1.1132	* 1.7655	* 1.4771	* 1.9690	* 1.6943	* 2.0591	* 0.9776
	* 3.1789	* 3.7444	* 2.4523	* 2.8404	* 2.1900	* 2.4858	* 2.1041	* 3.9731
9	* 1.1132	* 1.1310	* 1.4646	* 1.8982	* 1.5125	* 1.6906	* 2.0435	* 0.9719
	* 3.7444	* 3.7667	* 2.8817	* 2.2748	* 2.7852	* 2.4968	* 2.1243	* 3.9959
10	* 1.7655	* 1.4633	* 1.2450	* 1.4157	* 1.8841	* 1.6582	* 1.9818	* 0.9050
	* 2.4523	* 2.8844	* 3.4096	* 2.9982	* 2.3187	* 2.5651	* 2.2116	* 4.2512
11	* 1.4771	* 1.8960	* 1.4149	* 1.7324	* 1.4745	* 1.8095	* 1.8369	* 0.7519
	* 2.8404	* 2.2774	* 3.0000	* 2.4767	* 2.8095	* 2.4250	* 2.4217	* 5.3167
12	* 1.9690	* 1.5112	* 1.8837	* 1.4744	* 1.0624	* 1.5391	* 1.0247	*
	* 2.1900	* 2.7873	* 2.3193	* 2.8097	* 3.3056	* 2.5201	* 3.6140	*
13	* 1.6943	* 1.6905	* 1.6583	* 1.8098	* 1.5393	* 0.7681	* 0.4662	*
	* 2.4858	* 2.4972	* 2.5649	* 2.4250	* 2.5200	* 3.9358	* 7.3728	*
14	* 2.0591	* 2.0436	* 1.9822	* 1.8375	* 1.0250	* 0.4723	*	*
	* 2.1041	* 2.1243	* 2.2113	* 2.4210	* 3.6133	* 7.2746	*	*
15	* 0.9776	* 0.9720	* 0.9054	* 0.7510	* F-SUB-Q			
	* 3.9731	* 3.9954	* 4.2496	* 5.2831	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 225 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 225 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9625 *	* 1.1185 *	* 1.7721 *	* 1.4728 *	* 1.9676 *	* 1.6871 *	* 2.0587 *	* 0.9700 *
	* 2.8722 *	* 3.4061 *	* 2.2680 *	* 2.6497 *	* 2.0524 *	* 2.3360 *	* 1.9803 *	* 3.7310 *
9	* 1.1185 *	* 1.1338 *	* 1.4636 *	* 1.9008 *	* 1.5084 *	* 1.6846 *	* 2.0444 *	* 0.9622 *
	* 3.4061 *	* 3.4460 *	* 2.6721 *	* 2.1174 *	* 2.6023 *	* 2.3458 *	* 1.9985 *	* 3.7604 *
10	* 1.7721 *	* 1.4622 *	* 1.2409 *	* 1.4126 *	* 1.8919 *	* 1.6588 *	* 1.9898 *	* 0.8988 *
	* 2.2680 *	* 2.6745 *	* 3.1656 *	* 2.7988 *	* 2.1652 *	* 2.4105 *	* 2.0753 *	* 3.9871 *
11	* 1.4728 *	* 1.8985 *	* 1.4117 *	* 1.7510 *	* 1.4875 *	* 1.8307 *	* 1.8575 *	* 0.7503 *
	* 2.6497 *	* 2.1199 *	* 2.8005 *	* 2.2382 *	* 2.5484 *	* 2.1906 *	* 2.1957 *	* 4.9610 *
12	* 1.9676 *	* 1.5070 *	* 1.8915 *	* 1.4874 *	* 1.0807 *	* 1.5744 *	* 1.0364 *	
	* 2.0524 *	* 2.6042 *	* 2.1654 *	* 2.5485 *	* 3.0000 *	* 2.2776 *	* 3.2891 *	
13	* 1.6871 *	* 1.6844 *	* 1.6590 *	* 1.8309 *	* 1.5746 *	* 0.7903 *	* 0.4744 *	
	* 2.3360 *	* 2.3461 *	* 2.4103 *	* 2.1906 *	* 2.2776 *	* 3.5873 *	* 6.7483 *	
14	* 2.0587 *	* 2.0445 *	* 1.9901 *	* 1.8581 *	* 1.0367 *	* 0.4806 *		
	* 1.9803 *	* 1.9985 *	* 2.0750 *	* 2.1952 *	* 3.2886 *	* 6.6570 *		
15	* 0.9700 *	* 0.9623 *	* 0.8992 *	* 0.7490 *	F-SUB-Q			
	* 3.7310 *	* 3.7600 *	* 3.9858 *	* 4.9319 *	M-SUB-Q			

AT 50% POWER, 225 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0377 *	* 1.1370 *	* 1.7780 *	* 1.4689 *	* 1.9612 *	* 1.6793 *	* 2.0504 *	* 0.9664 *
	* 2.6332 *	* 3.1104 *	* 2.0437 *	* 2.3936 *	* 1.8529 *	* 2.1127 *	* 1.7886 *	* 3.3730 *
9	* 1.1370 *	* 1.1434 *	* 1.4647 *	* 1.8997 *	* 1.5045 *	* 1.6780 *	* 2.0379 *	* 0.9611 *
	* 3.1104 *	* 3.1306 *	* 2.4135 *	* 1.9090 *	* 2.3505 *	* 2.1214 *	* 1.8044 *	* 3.3915 *
10	* 1.7780 *	* 1.4633 *	* 1.2456 *	* 1.4172 *	* 1.8994 *	* 1.6603 *	* 1.9926 *	* 0.8985 *
	* 2.0437 *	* 2.4158 *	* 2.8514 *	* 2.5209 *	* 1.9539 *	* 2.1765 *	* 1.8708 *	* 3.6002 *
11	* 1.4689 *	* 1.8973 *	* 1.4163 *	* 1.7791 *	* 1.5135 *	* 1.8559 *	* 1.8788 *	* 0.7556 *
	* 2.3936 *	* 1.9113 *	* 2.5225 *	* 2.0492 *	* 2.3394 *	* 2.0060 *	* 2.0090 *	* 4.4645 *
12	* 1.9612 *	* 1.5031 *	* 1.8989 *	* 1.5134 *	* 1.1530 *	* 1.6331 *	* 1.0638 *	
	* 1.8529 *	* 2.3524 *	* 1.9545 *	* 2.3396 *	* 2.7577 *	* 2.0896 *	* 3.0135 *	
13	* 1.6794 *	* 1.6779 *	* 1.6604 *	* 1.8561 *	* 1.6332 *	* 0.8534 *	* 0.4942 *	
	* 2.1127 *	* 2.1217 *	* 2.1763 *	* 2.0060 *	* 2.0896 *	* 3.2882 *	* 6.2007 *	
14	* 2.0504 *	* 2.0380 *	* 1.9929 *	* 1.8793 *	* 1.0641 *	* 0.5006 *		
	* 1.7886 *	* 1.8044 *	* 1.8706 *	* 2.0086 *	* 3.0131 *	* 6.1174 *		
15	* 0.9664 *	* 0.9612 *	* 0.8988 *	* 0.7543 *	F-SUB-Q			
	* 3.3730 *	* 3.3911 *	* 3.5990 *	* 4.4388 *	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 226 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 225 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2327	* 1.1636	* 1.7733	* 1.4615	* 1.9406	* 1.6651	* 2.0258	* 0.9662 *
	* 2.6186	* 3.0668	* 2.0267	* 2.3704	* 1.8428	* 2.0975	* 1.7801	* 3.3222 *
9	* 1.1636	* 1.1539	* 1.4620	* 1.8855	* 1.4969	* 1.6645	* 2.0154	* 0.9645 *
	* 3.0668	* 3.0948	* 2.3905	* 1.8951	* 2.3279	* 2.1068	* 1.7951	* 3.3290 *
10	* 1.7733	* 1.4606	* 1.2541	* 1.4268	* 1.9049	* 1.6589	* 1.9808	* 0.9058 *
	* 2.0267	* 2.3935	* 2.8009	* 2.4749	* 1.9384	* 2.1551	* 1.8569	* 3.5236 *
11	* 1.4615	* 1.8831	* 1.4259	* 1.8073	* 1.5435	* 1.8735	* 1.8900	* 0.7671 *
	* 2.3704	* 1.8975	* 2.4765	* 2.0406	* 2.3270	* 1.9966	* 1.9987	* 4.3562 *
12	* 1.9406	* 1.4955	* 1.9046	* 1.5434	* 1.2643	* 1.7090	* 1.1035	*
	* 1.8428	* 2.3298	* 1.9389	* 2.3272	* 2.7246	* 2.0831	* 2.9596	*
13	* 1.6651	* 1.6644	* 1.6591	* 1.8737	* 1.7091	* 0.9518	* 0.5230	*
	* 2.0975	* 2.1071	* 2.1550	* 1.9967	* 2.0831	* 3.2434	* 6.1035	*
14	* 2.0258	* 2.0155	* 1.9811	* 1.8904	* 1.1037	* 0.5302	*	*
	* 1.7801	* 1.7951	* 1.8567	* 1.9983	* 2.9592	* 6.0176	*	*
15	* 0.9662	* 0.9646	* 0.9061	* 0.7658	F-SUB-Q			
	* 3.3222	* 3.3286	* 3.5224	* 4.3303	M-SUB-Q			

AT 50% POWER, 225 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4058	* 1.1811	* 1.8072	* 1.4663	* 1.9627	* 1.6705	* 2.0484	* 0.9523 *
	* 2.3761	* 2.8008	* 1.8386	* 2.1794	* 1.6791	* 1.9275	* 1.6215	* 3.1089 *
9	* 1.1811	* 1.1710	* 1.4768	* 1.9128	* 1.5022	* 1.6727	* 2.0397	* 0.9446 *
	* 2.8008	* 2.8325	* 2.1891	* 1.7229	* 2.1398	* 1.9334	* 1.6341	* 3.1356 *
10	* 1.8072	* 1.4755	* 1.2503	* 1.4236	* 1.9539	* 1.6832	* 2.0146	* 0.8897 *
	* 1.8386	* 2.1913	* 2.5973	* 2.2921	* 1.7595	* 1.9724	* 1.6849	* 3.3125 *
11	* 1.4663	* 1.9102	* 1.4226	* 1.8686	* 1.5860	* 1.9295	* 1.9424	* 0.7578 *
	* 2.1794	* 1.7252	* 2.2937	* 1.8399	* 2.1180	* 1.8001	* 1.7951	* 4.0808 *
12	* 1.9627	* 1.5007	* 1.9536	* 1.5859	* 1.3427	* 1.8230	* 1.1192	*
	* 1.6791	* 2.1417	* 1.7600	* 2.1182	* 2.5109	* 1.8939	* 2.7489	*
13	* 1.6705	* 1.6725	* 1.6833	* 1.9297	* 1.8230	* 1.0123	* 0.5332	*
	* 1.9275	* 1.9337	* 1.9723	* 1.8002	* 1.8939	* 3.0204	* 5.7565	*
14	* 2.0484	* 2.0398	* 2.0149	* 1.9428	* 1.1194	* 0.5404	*	*
	* 1.6215	* 1.6341	* 1.6847	* 1.7948	* 2.7486	* 5.6774	*	*
15	* 0.9523	* 0.9447	* 0.8901	* 0.7559	F-SUB-Q			
	* 3.1089	* 3.1352	* 3.3115	* 4.0602	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 227 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 225 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4434	* 1.1851	* 1.8022	* 1.4535	* 1.9457	* 1.6543	* 2.0283	* 0.9394
	* 2.1777	* 2.6180	* 1.7183	* 2.0507	* 1.5786	* 1.8150	* 1.5258	* 2.9423
9	* 1.1851	* 1.1720	* 1.4704	* 1.9004	* 1.4892	* 1.6583	* 2.0211	* 0.9316
	* 2.6180	* 2.6338	* 2.0510	* 1.6161	* 2.0132	* 1.8189	* 1.5367	* 2.9681
10	* 1.8022	* 1.4691	* 1.2437	* 1.4153	* 1.9552	* 1.6798	* 2.0036	* 0.8794
	* 1.7183	* 2.0531	* 2.4360	* 2.1498	* 1.6452	* 1.8486	* 1.5784	* 3.1287
11	* 1.4535	* 1.8978	* 1.4143	* 1.8782	* 1.5944	* 1.9370	* 1.9462	* 0.7523
	* 2.0507	* 1.6182	* 2.1513	* 1.7147	* 1.9748	* 1.6762	* 1.6727	* 3.8368
12	* 1.9457	* 1.4876	* 1.9549	* 1.5942	* 1.3673	* 1.8564	* 1.1271	*
	* 1.5786	* 2.0150	* 1.6457	* 1.9750	* 2.3161	* 1.7470	* 2.5591	*
13	* 1.6543	* 1.6581	* 1.6799	* 1.9370	* 1.8564	* 1.0356	* 0.5402	*
	* 1.8150	* 1.8191	* 1.8485	* 1.6762	* 1.7470	* 2.8016	* 5.3563	*
14	* 2.0283	* 2.0212	* 2.0038	* 1.9466	* 1.1273	* 0.5475	*	*
	* 1.5258	* 1.5367	* 1.5782	* 1.6724	* 2.5588	* 5.2831	*	*
15	* 0.9394	* 0.9318	* 0.8798	* 0.7503	* F-SUB-Q			
	* 2.9423	* 2.9678	* 3.1277	* 3.8179	* M-SUB-Q			

AT 50% POWER, 225 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4145	* 1.1717	* 1.7431	* 1.4135	* 1.8737	* 1.6070	* 1.9487	* 0.9227
	* 2.1122	* 2.4719	* 1.6689	* 1.9873	* 1.5447	* 1.7618	* 1.4964	* 2.8292
9	* 1.1717	* 1.1588	* 1.4327	* 1.8322	* 1.4481	* 1.6109	* 1.9427	* 0.9210
	* 2.4719	* 2.5010	* 1.9781	* 1.5781	* 1.9512	* 1.7653	* 1.5059	* 2.8356
10	* 1.7431	* 1.4314	* 1.2278	* 1.3936	* 1.8926	* 1.6365	* 1.9299	* 0.8705
	* 1.6689	* 1.9807	* 2.3228	* 2.0536	* 1.5914	* 1.7860	* 1.5406	* 2.9823
11	* 1.4135	* 1.8296	* 1.3925	* 1.8238	* 1.5604	* 1.8806	* 1.8830	* 0.7473
	* 1.9873	* 1.5802	* 2.0551	* 1.6580	* 1.9010	* 1.6204	* 1.6143	* 3.6361
12	* 1.8737	* 1.4467	* 1.8924	* 1.5602	* 1.3514	* 1.8103	* 1.1236	*
	* 1.5447	* 1.9529	* 1.5916	* 1.9012	* 2.2270	* 1.6999	* 2.4377	*
13	* 1.6070	* 1.6107	* 1.6366	* 1.8806	* 1.8103	* 1.0388	* 0.5439	*
	* 1.7618	* 1.7655	* 1.7859	* 1.6203	* 1.6999	* 2.6554	* 5.0652	*
14	* 1.9487	* 1.9428	* 1.9302	* 1.8834	* 1.1238	* 0.5513	*	*
	* 1.4964	* 1.5059	* 1.5405	* 1.6140	* 2.4375	* 4.9950	*	*
15	* 0.9227	* 0.9211	* 0.8708	* 0.7458	* F-SUB-Q			
	* 2.8292	* 2.8352	* 2.9813	* 3.6156	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 228 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 225 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3782	* 1.1290	* 1.6863	* 1.3616	* 1.8061	* 1.5534	* 1.8763	* 0.8760 *
	* 2.0493	* 2.4206	* 1.6358	* 1.9638	* 1.5257	* 1.7364	* 1.4803	* 2.8455 *
9	* 1.1290	* 1.1190	* 1.3919	* 1.7670	* 1.3956	* 1.5598	* 1.8710	* 0.8697 *
	* 2.4206	* 2.4433	* 1.9346	* 1.5560	* 1.9278	* 1.7363	* 1.4887	* 2.8662 *
10	* 1.6863	* 1.3906	* 1.1769	* 1.3323	* 1.8300	* 1.5846	* 1.8604	* 0.8220 *
	* 1.6358	* 1.9364	* 2.3026	* 2.0413	* 1.5562	* 1.7525	* 1.5176	* 3.0104 *
11	* 1.3616	* 1.7644	* 1.3319	* 1.7686	* 1.5156	* 1.8217	* 1.8184	* 0.7045 *
	* 1.9638	* 1.5582	* 2.0428	* 1.6121	* 1.8415	* 1.5752	* 1.5808	* 3.6651 *
12	* 1.8061	* 1.3941	* 1.8298	* 1.5155	* 1.3093	* 1.7556	* 1.0704	*
	* 1.5257	* 1.9295	* 1.5565	* 1.8417	* 2.1734	* 1.6584	* 2.4054	*
13	* 1.5534	* 1.5596	* 1.5847	* 1.8216	* 1.7557	* 0.9946	* 0.5174	*
	* 1.7364	* 1.7366	* 1.7523	* 1.5752	* 1.6584	* 2.6492	* 5.0728	*
14	* 1.8763	* 1.8711	* 1.8607	* 1.8188	* 1.0706	* 0.5239	*	*
	* 1.4803	* 1.4887	* 1.5174	* 1.5805	* 2.4052	* 5.0070	*	*
15	* 0.8760	* 0.8698	* 0.8223	* 0.7032	F-SUB-Q			
	* 2.8455	* 2.8658	* 3.0095	* 3.6439	M-SUB-Q			

AT 50% POWER, 225 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2501	* 1.0373	* 1.5202	* 1.2474	* 1.6233	* 1.4217	* 1.6807	* 0.8034 *
	* 2.1439	* 2.5236	* 1.7401	* 2.0628	* 1.6335	* 1.8268	* 1.5910	* 2.9951 *
9	* 1.0373	* 1.0331	* 1.2832	* 1.5893	* 1.2778	* 1.4248	* 1.6758	* 0.7941 *
	* 2.5236	* 2.5314	* 2.0148	* 1.6629	* 2.0266	* 1.8297	* 1.5995	* 3.0298 *
10	* 1.5202	* 1.2820	* 1.0783	* 1.2232	* 1.6461	* 1.4477	* 1.6659	* 0.7519 *
	* 1.7401	* 2.0168	* 2.4144	* 2.1408	* 1.6545	* 1.8340	* 1.6270	* 3.1723 *
11	* 1.2474	* 1.5870	* 1.2228	* 1.5946	* 1.3920	* 1.6388	* 1.6276	* 0.6421 *
	* 2.0628	* 1.6653	* 2.1421	* 1.7122	* 1.9182	* 1.6755	* 1.6931	* 3.8650 *
12	* 1.6233	* 1.2765	* 1.6459	* 1.3919	* 1.2032	* 1.5773	* 0.9778	*
	* 1.6335	* 2.0285	* 1.6548	* 1.9184	* 2.2512	* 1.7574	* 2.5195	*
13	* 1.4217	* 1.4247	* 1.4478	* 1.6387	* 1.5773	* 0.9123	* 0.4762	*
	* 1.8268	* 1.8300	* 1.8339	* 1.6755	* 1.7574	* 2.7440	* 5.2598	*
14	* 1.6807	* 1.6759	* 1.6661	* 1.6280	* 0.9779	* 0.4817	*	*
	* 1.5910	* 1.5994	* 1.6269	* 1.6927	* 2.5192	* 5.1975	*	*
15	* 0.8034	* 0.7942	* 0.7522	* 0.6419	F-SUB-Q			
	* 2.9951	* 3.0294	* 3.1712	* 3.8368	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 229 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 225 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0075	* 0.8378	* 1.2353	* 1.0063	* 1.3199	* 1.1429	* 1.3574	* 0.6540
	* 2.5764	* 3.0177	* 2.0748	* 2.4834	* 1.9488	* 2.2066	* 1.9143	* 3.5835
9	* 0.8378	* 0.8346	* 1.0475	* 1.2917	* 1.0321	* 1.1375	* 1.3534	* 0.6446
	* 3.0177	* 3.0324	* 2.3941	* 1.9853	* 2.4357	* 2.2249	* 1.9243	* 3.6378
10	* 1.2353	* 1.0466	* 0.8699	* 0.9912	* 1.3366	* 1.1548	* 1.3444	* 0.6094
	* 2.0748	* 2.3963	* 2.9117	* 2.5591	* 1.9662	* 2.2246	* 1.9557	* 3.8073
11	* 1.0063	* 1.2900	* 0.9909	* 1.2936	* 1.1249	* 1.3074	* 1.2940	* 0.5172
	* 2.4834	* 1.9878	* 2.5606	* 2.0344	* 2.2939	* 2.0314	* 2.0581	* 4.6605
12	* 1.3199	* 1.0311	* 1.3364	* 1.1248	* 0.9668	* 1.2661	* 0.7868	*
	* 1.9488	* 2.4378	* 1.9665	* 2.2942	* 2.7113	* 2.1190	* 3.0373	*
13	* 1.1429	* 1.1374	* 1.1549	* 1.3073	* 1.2661	* 0.7352	* 0.3890	*
	* 2.2066	* 2.2253	* 2.2245	* 2.0314	* 2.1190	* 3.2949	* 6.2435	*
14	* 1.3574	* 1.3534	* 1.3445	* 1.2943	* 0.7869	* 0.3935	*	*
	* 1.9143	* 1.9243	* 1.9555	* 2.0578	* 3.0369	* 6.1685	*	*
15	* 0.6540	* 0.6447	* 0.6096	* 0.5190	F-SUB-Q			
	* 3.5835	* 3.6372	* 3.8062	* 4.6105	M-SUB-Q			

AT 50% POWER, 225 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.4170	* 0.3692	* 0.4964	* 0.4428	* 0.5348	* 0.4630	* 0.5077	* 0.2753
	* 6.0370	* 6.6539	* 5.0227	* 5.4990	* 4.6736	* 5.2984	* 4.9757	* 8.2987
9	* 0.3692	* 0.3645	* 0.4272	* 0.5212	* 0.4484	* 0.4591	* 0.5060	* 0.2705
	* 6.6539	* 6.7519	* 5.7067	* 4.7900	* 5.4610	* 5.3590	* 5.0023	* 8.4518
10	* 0.4964	* 0.4268	* 0.3855	* 0.4370	* 0.5371	* 0.4614	* 0.5014	* 0.2597
	* 5.0227	* 5.7121	* 6.3875	* 5.6413	* 4.7393	* 5.3966	* 5.0929	* 8.7079
11	* 0.4428	* 0.5206	* 0.4369	* 0.5215	* 0.4582	* 0.5313	* 0.4768	* 0.2276
	* 5.4990	* 4.7955	* 5.6444	* 4.8974	* 5.4510	* 4.8492	* 5.4194	* 10.3112
12	* 0.5348	* 0.4480	* 0.5370	* 0.4582	* 0.4178	* 0.4727	* 0.3257	*
	* 4.6736	* 5.4649	* 4.7404	* 5.4515	* 6.1053	* 5.5195	* 7.1418	*
13	* 0.4630	* 0.4591	* 0.4615	* 0.5313	* 0.4727	* 0.3071	* 0.1696	*
	* 5.2984	* 5.3598	* 5.3971	* 4.8494	* 5.5194	* 7.6772	* 13.9572	*
14	* 0.5077	* 0.5061	* 0.5014	* 0.4769	* 0.3257	* 0.1707	*	*
	* 4.9757	* 5.0022	* 5.0925	* 5.4186	* 7.1411	* 13.8624	*	*
15	* 0.2753	* 0.2705	* 0.2597	* 0.2261	F-SUB-Q			
	* 8.2987	* 8.4506	* 8.7058	* 10.3061	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 230 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 325 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3084	* 0.3782	* 0.5299	* 0.5037	* 0.5935	* 0.4967	* 0.4075	* 0.2119
	* 5.0170	* 5.7103	* 4.2768	* 4.4021	* 3.8856	* 4.1974	* 4.0944	* 6.4362
9	* 0.3782	* 0.3654	* 0.4544	* 0.5759	* 0.5086	* 0.5092	* 0.5106	* 0.2809
	* 5.7103	* 5.6007	* 4.6337	* 4.0054	* 4.3683	* 4.2170	* 4.1220	* 6.4292
10	* 0.5299	* 0.4543	* 0.3590	* 0.4822	* 0.5912	* 0.5211	* 0.5473	* 0.2903
	* 4.2768	* 4.6342	* 5.0679	* 4.5254	* 4.0044	* 4.2829	* 4.2361	* 6.6428
11	* 0.5037	* 0.5757	* 0.4822	* 0.5357	* 0.4971	* 0.5732	* 0.5287	* 0.2634
	* 4.4021	* 4.0061	* 4.5254	* 4.2904	* 4.4654	* 4.0731	* 4.4174	* 7.9889
12	* 0.5935	* 0.5085	* 0.5912	* 0.4972	* 0.3732	* 0.4634	* 0.3540	*
	* 3.8856	* 4.3684	* 4.0043	* 4.4651	* 4.8538	* 4.6312	* 5.6760	*
13	* 0.4967	* 0.5092	* 0.5212	* 0.5733	* 0.4635	* 0.2810	* 0.1896	*
	* 4.1974	* 4.2171	* 4.2825	* 4.0726	* 4.6310	* 5.9756	* 10.3497	*
14	* 0.4075	* 0.5107	* 0.5475	* 0.5289	* 0.3542	* 0.1906	*	*
	* 4.0944	* 4.1217	* 4.2353	* 4.4158	* 5.6744	* 10.3233	*	*
15	* 0.2119	* 0.2811	* 0.2905	* 0.2622	* F-SUB-Q			
	* 6.4362	* 6.4285	* 6.6401	* 7.8576	* M-SUB-Q			

AT 50% POWER, 325 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.6479	* 0.7861	* 1.1584	* 1.0462	* 1.2881	* 1.1037	* 0.9267	* 0.4695
	* 2.4725	* 2.8325	* 2.0284	* 2.1991	* 1.8501	* 1.9512	* 1.8139	* 3.0083
9	* 0.7861	* 0.7644	* 1.0078	* 1.2531	* 1.0655	* 1.1278	* 1.1952	* 0.6253
	* 2.8325	* 2.7792	* 2.1569	* 1.9078	* 2.1630	* 1.9613	* 1.8249	* 2.9974
10	* 1.1584	* 1.0075	* 0.7309	* 0.9971	* 1.2890	* 1.1688	* 1.2872	* 0.6422
	* 2.0284	* 2.1573	* 2.5608	* 2.2609	* 1.9071	* 1.9889	* 1.8643	* 3.1279
11	* 1.0462	* 1.2527	* 0.9970	* 1.1693	* 1.1045	* 1.2432	* 1.2535	* 0.5652
	* 2.1991	* 1.9083	* 2.2609	* 2.0155	* 2.1060	* 1.9665	* 1.9524	* 3.9058
12	* 1.2881	* 1.0653	* 1.2890	* 1.1045	* 0.7792	* 1.0889	* 0.7916	*
	* 1.8501	* 2.1632	* 1.9071	* 2.1060	* 2.4021	* 2.0307	* 2.6570	*
13	* 1.1037	* 1.1278	* 1.1691	* 1.2435	* 1.0892	* 0.6210	* 0.4080	*
	* 1.9512	* 1.9614	* 1.9886	* 1.9660	* 2.0306	* 2.7627	* 4.9218	*
14	* 0.9267	* 1.1955	* 1.2877	* 1.2541	* 0.7920	* 0.4116	*	*
	* 1.8139	* 1.8248	* 1.8639	* 1.9516	* 2.6561	* 4.8907	*	*
15	* 0.4695	* 0.6257	* 0.6429	* 0.5704	* F-SUB-Q			
	* 3.0083	* 2.9969	* 3.1265	* 3.7893	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 231 of 350

	H	G	F	E	D	C	B	A
8	0.8757	1.0398	1.5819	1.3912	1.7639	1.4854	1.3264	0.6564
	2.0126	2.3412	1.6151	1.7946	1.4596	1.5768	1.4066	2.4336
9	1.0398	1.0153	1.3311	1.7162	1.4143	1.4990	1.6675	0.8476
	2.3412	2.3017	1.7860	1.5097	1.7654	1.5799	1.4141	2.4085
10	1.5819	1.3303	0.9926	1.3249	1.7548	1.5668	1.7726	0.8513
	1.6151	1.7866	2.1024	1.8561	1.5092	1.5966	1.4521	2.5294
11	1.3912	1.7153	1.3246	1.5901	1.4500	1.7094	1.7265	0.7572
	1.7946	1.5104	1.8563	1.5925	1.7123	1.5213	1.5080	3.1219
12	1.7639	1.4138	1.7547	1.4501	1.0385	1.4835	1.0479	
	1.4596	1.7659	1.5092	1.7122	1.9743	1.5936	2.1314	
13	1.4854	1.4989	1.5671	1.7098	1.4838	0.8041	0.5215	
	1.5768	1.5800	1.5964	1.5210	1.5935	2.2710	4.0742	
14	1.3264	1.6678	1.7733	1.7273	1.0484	0.5272		
	1.4066	1.4140	1.4518	1.5074	2.1305	4.0404		
15	0.6564	0.8480	0.8520	0.7593	F-SUB-Q			
	2.4336	2.4082	2.5283	3.0469	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 232 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 325 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9135	* 1.0833	* 1.6640	* 1.4481	* 1.8554	* 1.5643	* 1.4657	* 0.7368 *
	* 2.0549	* 2.4073	* 1.6417	* 1.8327	* 1.4764	* 1.6109	* 1.4118	* 2.4656 *
9	* 1.0833	* 1.0641	* 1.3919	* 1.8056	* 1.4726	* 1.5718	* 1.7903	* 0.9010 *
	* 2.4073	* 2.3821	* 1.8382	* 1.5273	* 1.8022	* 1.6131	* 1.4201	* 2.4333 *
10	* 1.6640	* 1.3910	* 1.0641	* 1.3857	* 1.8354	* 1.6234	* 1.8643	* 0.8938 *
	* 1.6417	* 1.8390	* 2.1553	* 1.8973	* 1.5133	* 1.6144	* 1.4565	* 2.5682 *
11	* 1.4481	* 1.8046	* 1.3854	* 1.6667	* 1.4935	* 1.7817	* 1.8042	* 0.7908 *
	* 1.8327	* 1.5281	* 1.8975	* 1.6120	* 1.7394	* 1.5213	* 1.5037	* 3.1292 *
12	* 1.8554	* 1.4720	* 1.8353	* 1.4935	* 1.0734	* 1.5382	* 1.0807	*
	* 1.4764	* 1.8027	* 1.5133	* 1.7394	* 2.0218	* 1.6065	* 2.1499	*
13	* 1.5643	* 1.5717	* 1.6237	* 1.7821	* 1.5385	* 0.8243	* 0.5322	*
	* 1.6109	* 1.6132	* 1.6141	* 1.5210	* 1.6064	* 2.3135	* 4.1665	*
14	* 1.4657	* 1.7905	* 1.8650	* 1.8050	* 1.0812	* 0.5382	*	*
	* 1.4118	* 1.4201	* 1.4563	* 1.5032	* 2.1491	* 4.1311	*	*
15	* 0.7368	* 0.9015	* 0.8944	* 0.7920	* F-SUB-Q			
	* 2.4656	* 2.4330	* 2.5671	* 3.0580	* M-SUB-Q			

AT 50% POWER, 325 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9344	* 1.1139	* 1.7114	* 1.4795	* 1.9026	* 1.6264	* 1.6774	* 0.8722 *
	* 2.1641	* 2.5231	* 1.7222	* 1.9148	* 1.5425	* 1.6890	* 1.4714	* 2.5665 *
9	* 1.1139	* 1.1022	* 1.4363	* 1.8538	* 1.5062	* 1.6251	* 1.8876	* 0.9488 *
	* 2.5231	* 2.5175	* 1.9409	* 1.5921	* 1.8805	* 1.6916	* 1.4791	* 2.5293 *
10	* 1.7114	* 1.4353	* 1.1872	* 1.4276	* 1.8699	* 1.6462	* 1.9212	* 0.9301 *
	* 1.7222	* 1.9419	* 2.2592	* 1.9706	* 1.5741	* 1.6810	* 1.5089	* 2.6569 *
11	* 1.4794	* 1.8527	* 1.4272	* 1.7070	* 1.5064	* 1.8037	* 1.8312	* 0.8123 *
	* 1.9148	* 1.5931	* 1.9710	* 1.6885	* 1.8203	* 1.5817	* 1.5589	* 3.2178 *
12	* 1.9026	* 1.5055	* 1.8698	* 1.5064	* 1.0894	* 1.5500	* 1.0931	*
	* 1.5425	* 1.8812	* 1.5743	* 1.8203	* 2.1291	* 1.6818	* 2.2337	*
13	* 1.6264	* 1.6250	* 1.6465	* 1.8040	* 1.5503	* 0.8297	* 0.5355	*
	* 1.6890	* 1.6916	* 1.6807	* 1.5815	* 1.6817	* 2.4249	* 4.3655	*
14	* 1.6774	* 1.8878	* 1.9216	* 1.8319	* 1.0935	* 0.5421	*	*
	* 1.4714	* 1.4791	* 1.5086	* 1.5584	* 2.2330	* 4.3237	*	*
15	* 0.8722	* 0.9492	* 0.9305	* 0.8132	* F-SUB-Q			
	* 2.5665	* 2.5290	* 2.6559	* 3.1462	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 233 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 325 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9543	* 1.1334	* 1.7595	* 1.5046	* 1.9577	* 1.6823	* 1.9531	* 0.9680 *
	* 2.2935	* 2.6721	* 1.7894	* 2.0038	* 1.5963	* 1.7613	* 1.5324	* 2.7155 *
9	* 1.1334	* 1.1389	* 1.4765	* 1.9015	* 1.5335	* 1.6792	* 1.9826	* 0.9798 *
	* 2.6721	* 2.6435	* 2.0285	* 1.6539	* 1.9655	* 1.7632	* 1.5352	* 2.6743 *
10	* 1.7595	* 1.4759	* 1.2616	* 1.4496	* 1.9044	* 1.6729	* 1.9807	* 0.9551 *
	* 1.7894	* 2.0296	* 2.3734	* 2.0721	* 1.6416	* 1.7566	* 1.5568	* 2.7860 *
11	* 1.5046	* 1.9003	* 1.4492	* 1.7481	* 1.5149	* 1.8251	* 1.8577	* 0.8164 *
	* 2.0038	* 1.6550	* 2.0726	* 1.7768	* 1.9250	* 1.6589	* 1.6298	* 3.3903 *
12	* 1.9577	* 1.5327	* 1.9042	* 1.5149	* 1.0906	* 1.5591	* 1.0873	*
	* 1.5963	* 1.9662	* 1.6417	* 1.9250	* 2.2635	* 1.7719	* 2.3828	*
13	* 1.6823	* 1.6791	* 1.6731	* 1.8254	* 1.5593	* 0.8214	* 0.5281	*
	* 1.7613	* 1.7634	* 1.7565	* 1.6587	* 1.7718	* 2.5902	* 4.6827	*
14	* 1.9531	* 1.9827	* 1.9810	* 1.8583	* 1.0877	* 0.5342	*	
	* 1.5324	* 1.5352	* 1.5566	* 1.6294	* 2.3821	* 4.6410	*	
15	* 0.9680	* 0.9801	* 0.9555	* 0.8168	* F-SUB-Q			
	* 2.7155	* 2.6740	* 2.7850	* 3.3169	* M-SUB-Q			

AT 50% POWER, 325 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9619	* 1.1425	* 1.7797	* 1.5136	* 1.9836	* 1.7083	* 2.0463	* 1.0203 *
	* 2.4548	* 2.8804	* 1.9155	* 2.1444	* 1.7012	* 1.8782	* 1.6116	* 2.8583 *
9	* 1.1425	* 1.1585	* 1.4931	* 1.9202	* 1.5437	* 1.7038	* 2.0421	* 1.0244 *
	* 2.8804	* 2.8400	* 2.1786	* 1.7668	* 2.1023	* 1.8773	* 1.6193	* 2.8211 *
10	* 1.7797	* 1.4924	* 1.2852	* 1.4575	* 1.9131	* 1.6841	* 2.0062	* 0.9703 *
	* 1.9155	* 2.1798	* 2.5493	* 2.2196	* 1.7389	* 1.8659	* 1.6564	* 2.9681 *
11	* 1.5136	* 1.9189	* 1.4570	* 1.7585	* 1.5090	* 1.8243	* 1.8603	* 0.8175 *
	* 2.1444	* 1.7681	* 2.2203	* 1.8949	* 2.0624	* 1.7747	* 1.7378	* 3.5927 *
12	* 1.9836	* 1.5429	* 1.9128	* 1.5090	* 1.0849	* 1.5515	* 1.0788	*
	* 1.7012	* 2.1032	* 1.7391	* 2.0624	* 2.4235	* 1.8889	* 2.5743	*
13	* 1.7083	* 1.7036	* 1.6842	* 1.8245	* 1.5516	* 0.8116	* 0.5210	*
	* 1.8782	* 1.8773	* 1.8657	* 1.7745	* 1.8889	* 2.7813	* 5.0269	*
14	* 2.0463	* 2.0422	* 2.0064	* 1.8608	* 1.0791	* 0.5271	*	
	* 1.6116	* 1.6193	* 1.6562	* 1.7374	* 2.5736	* 4.9812	*	
15	* 1.0203	* 1.0245	* 0.9706	* 0.8176	* F-SUB-Q			
	* 2.8583	* 2.8208	* 2.9670	* 3.5161	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 234 of 350

	H	G	F	E	D	C	B	A
8	* 0.9498	* 1.1359	* 1.7579	* 1.4928	* 1.9618	* 1.6938	* 2.0592	* 1.0426
	* 3.0145	* 3.4074	* 2.2675	* 2.5359	* 2.0033	* 2.2117	* 1.8930	* 3.3235
9	* 1.1359	* 1.1515	* 1.4714	* 1.8932	* 1.5232	* 1.6867	* 2.0447	* 1.0446
	* 3.4074	* 3.3621	* 2.5860	* 2.0876	* 2.4815	* 2.2118	* 1.9003	* 3.2748
10	* 1.7579	* 1.4706	* 1.2809	* 1.4444	* 1.8751	* 1.6572	* 1.9811	* 0.9781
	* 2.2675	* 2.5877	* 2.9966	* 2.6132	* 2.0762	* 2.2075	* 1.9389	* 3.4216
11	* 1.4928	* 1.8917	* 1.4439	* 1.7196	* 1.4726	* 1.7776	* 1.8168	* 0.8142
	* 2.5359	* 2.0892	* 2.6141	* 2.2731	* 2.4973	* 2.1439	* 2.0892	* 4.2068
12	* 1.9618	* 1.5223	* 1.8748	* 1.4725	* 1.0634	* 1.5057	* 1.0585	*
	* 2.0033	* 2.4827	* 2.0765	* 2.4973	* 2.9414	* 2.2971	* 3.1143	*
13	* 1.6938	* 1.6866	* 1.6573	* 1.7777	* 1.5058	* 0.7927	* 0.5109	*
	* 2.2117	* 2.2119	* 2.2074	* 2.1437	* 2.2970	* 3.3459	* 6.0061	*
14	* 2.0592	* 2.0447	* 1.9813	* 1.8172	* 1.0588	* 0.5167	*	*
	* 1.8930	* 1.9003	* 1.9387	* 2.0887	* 3.1136	* 5.9531	*	*
15	* 1.0426	* 1.0447	* 0.9784	* 0.8142	* F-SUB-Q			
	* 3.3235	* 3.2745	* 3.4205	* 4.1178	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 235 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 325 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9498	* 1.1224	* 1.7652	* 1.4848	* 1.9692	* 1.6883	* 2.0741	* 1.0291
	* 3.2794	* 3.8168	* 2.4981	* 2.8185	* 2.1995	* 2.4401	* 2.0539	* 3.6677
9	* 1.1224	* 1.1423	* 1.4670	* 1.8998	* 1.5155	* 1.6825	* 2.0582	* 1.0259
	* 3.8168	* 3.7424	* 2.8673	* 2.3004	* 2.7555	* 2.4312	* 2.0668	* 3.6363
10	* 1.7652	* 1.4662	* 1.2611	* 1.4216	* 1.8781	* 1.6497	* 1.9901	* 0.9537
	* 2.4981	* 2.8691	* 3.3643	* 2.9398	* 2.2945	* 2.4455	* 2.1258	* 3.8485
11	* 1.4848	* 1.8983	* 1.4211	* 1.7203	* 1.4555	* 1.7783	* 1.8211	* 0.7952
	* 2.8185	* 2.3023	* 2.9409	* 2.5184	* 2.7932	* 2.3686	* 2.3001	* 4.7391
12	* 1.9692	* 1.5145	* 1.8778	* 1.4554	* 1.0429	* 1.5022	* 1.0348	*
	* 2.1995	* 2.7568	* 2.2948	* 2.7933	* 3.2773	* 2.5198	* 3.4994	*
13	* 1.6883	* 1.6823	* 1.6498	* 1.7784	* 1.5023	* 0.7737	* 0.4953	*
	* 2.4401	* 2.4312	* 2.4453	* 2.3684	* 2.5198	* 3.7607	* 6.7835	*
14	* 2.0741	* 2.0582	* 1.9903	* 1.8214	* 1.0350	* 0.5013	*	*
	* 2.0539	* 2.0667	* 2.1256	* 2.2996	* 3.4989	* 6.7193	*	*
15	* 1.0291	* 1.0259	* 0.9540	* 0.7946	* F-SUB-Q			
	* 3.6677	* 3.6359	* 3.8473	* 4.6425	* M-SUB-Q			

AT 50% POWER, 325 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9394	* 1.1095	* 1.7476	* 1.4663	* 1.9481	* 1.6671	* 2.0549	* 1.0186
	* 3.3601	* 3.9050	* 2.7355	* 3.0985	* 2.4439	* 2.7199	* 2.3047	* 4.1115
9	* 1.1095	* 1.1282	* 1.4481	* 1.8799	* 1.4967	* 1.6610	* 2.0385	* 1.0160
	* 3.9050	* 3.9595	* 3.1421	* 2.5399	* 3.0470	* 2.7251	* 2.3201	* 4.0761
10	* 1.7476	* 1.4473	* 1.2453	* 1.4034	* 1.8556	* 1.6279	* 1.9692	* 0.9433
	* 2.7355	* 3.1441	* 3.6864	* 3.2544	* 2.5457	* 2.7489	* 2.3908	* 4.3212
11	* 1.4663	* 1.8783	* 1.4028	* 1.6983	* 1.4330	* 1.7562	* 1.8004	* 0.7856
	* 3.0985	* 2.5419	* 3.2556	* 2.6347	* 2.9303	* 2.5961	* 2.5723	* 5.3437
12	* 1.9481	* 1.4957	* 1.8553	* 1.4329	* 1.0269	* 1.4830	* 1.0208	*
	* 2.4439	* 3.0486	* 2.5459	* 2.9304	* 3.4524	* 2.6729	* 3.7040	*
13	* 1.6671	* 1.6609	* 1.6280	* 1.7563	* 1.4831	* 0.7625	* 0.4879	*
	* 2.7199	* 2.7251	* 2.7488	* 2.5962	* 2.6729	* 3.9952	* 7.2159	*
14	* 2.0549	* 2.0385	* 1.9693	* 1.8006	* 1.0210	* 0.4938	*	*
	* 2.3047	* 2.3200	* 2.3906	* 2.5720	* 3.7036	* 7.1475	*	*
15	* 1.0186	* 1.0160	* 0.9436	* 0.7849	* F-SUB-Q			
	* 4.1115	* 4.0757	* 4.3199	* 5.2353	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 236 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 325 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9221	* 1.0986	* 1.7127	* 1.4409	* 1.9069	* 1.6354	* 2.0125	* 1.0115
	* 3.3860	* 3.8987	* 2.6465	* 2.9879	* 2.3775	* 2.6413	* 2.2699	* 3.9848
9	* 1.0986	* 1.1121	* 1.4200	* 1.8410	* 1.4704	* 1.6288	* 1.9963	* 1.0114
	* 3.8987	* 3.9231	* 3.0383	* 2.4606	* 2.9387	* 2.6566	* 2.2912	* 3.9432
10	* 1.7127	* 1.4190	* 1.2339	* 1.3899	* 1.8154	* 1.5969	* 1.9280	* 0.9428
	* 2.6465	* 3.0405	* 3.5281	* 3.1230	* 2.5168	* 2.7212	* 2.3860	* 4.2014
11	* 1.4409	* 1.8394	* 1.3893	* 1.6612	* 1.4107	* 1.7188	* 1.7629	* 0.7842
	* 2.9879	* 2.4626	* 3.1244	* 2.6634	* 2.9598	* 2.6252	* 2.5998	* 5.2685
12	* 1.9069	* 1.4694	* 1.8151	* 1.4106	* 1.0164	* 1.4540	* 1.0153	*
	* 2.3775	* 2.9403	* 2.5173	* 2.9600	* 3.4553	* 2.7041	* 3.6879	*
13	* 1.6354	* 1.6286	* 1.5969	* 1.7188	* 1.4540	* 0.7585	* 0.4875	*
	* 2.6413	* 2.6569	* 2.7212	* 2.6253	* 2.7042	* 3.9818	* 7.1602	*
14	* 2.0125	* 1.9963	* 1.9281	* 1.7632	* 1.0155	* 0.4934	*	*
	* 2.2699	* 2.2912	* 2.3859	* 2.5996	* 3.6876	* 7.0927	*	*
15	* 1.0115	* 1.0115	* 0.9431	* 0.7836	* F-SUB-Q			
	* 3.9848	* 3.9429	* 4.2003	* 5.1607	* M-SUB-Q			

AT 50% POWER, 325 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9244	* 1.0872	* 1.7202	* 1.4329	* 1.9110	* 1.6268	* 2.0197	* 0.9943
	* 3.2364	* 3.7922	* 2.5241	* 2.8752	* 2.2685	* 2.5386	* 2.1607	* 3.8719
9	* 1.0872	* 1.1048	* 1.4159	* 1.8470	* 1.4626	* 1.6210	* 2.0036	* 0.9890
	* 3.7922	* 3.7850	* 2.9194	* 2.3477	* 2.8268	* 2.5526	* 2.1816	* 3.8528
10	* 1.7202	* 1.4150	* 1.2159	* 1.3695	* 1.8200	* 1.5905	* 1.9367	* 0.9184
	* 2.5241	* 2.9214	* 3.4303	* 3.0359	* 2.4051	* 2.6162	* 2.2741	* 4.1268
11	* 1.4329	* 1.8453	* 1.3689	* 1.6667	* 1.3980	* 1.7258	* 1.7733	* 0.7675
	* 2.8752	* 2.3497	* 3.0372	* 2.6054	* 2.9170	* 2.5757	* 2.5102	* 5.1614
12	* 1.9110	* 1.4615	* 1.8196	* 1.3979	* 1.0030	* 1.4604	* 0.9992	*
	* 2.2685	* 2.8285	* 2.4055	* 2.9172	* 3.4305	* 2.6462	* 3.6805	*
13	* 1.6268	* 1.6209	* 1.5905	* 1.7258	* 1.4604	* 0.7474	* 0.4770	*
	* 2.5386	* 2.5529	* 2.6162	* 2.5758	* 2.6463	* 3.9473	* 7.0838	*
14	* 2.0197	* 2.0036	* 1.9368	* 1.7736	* 0.9993	* 0.4829	*	*
	* 2.1607	* 2.1816	* 2.2740	* 2.5099	* 3.6803	* 7.0158	*	*
15	* 0.9943	* 0.9890	* 0.9186	* 0.7664	* F-SUB-Q			
	* 3.8719	* 3.8525	* 4.1258	* 5.0599	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 237 of 350

	H	G	F	E	D	C	B	A
8	* 0.9453	* 1.0919	* 1.7214	* 1.4196	* 1.8957	* 1.6056	* 2.0021	* 0.9802
	* 2.6109	* 3.0686	* 2.1033	* 2.4268	* 1.9278	* 2.1679	* 1.8503	* 3.3043
9	* 1.0919	* 1.1046	* 1.4078	* 1.8397	* 1.4485	* 1.6009	* 1.9878	* 0.9753
	* 3.0686	* 3.1143	* 2.4430	* 1.9764	* 2.3922	* 2.1789	* 1.8663	* 3.2864
10	* 1.7214	* 1.4068	* 1.2098	* 1.3614	* 1.8155	* 1.5779	* 1.9303	* 0.9081
	* 2.1033	* 2.4446	* 2.8642	* 2.5569	* 2.0338	* 2.2315	* 1.9362	* 3.5083
11	* 1.4196	* 1.8380	* 1.3608	* 1.6765	* 1.4004	* 1.7350	* 1.7836	* 0.7641
	* 2.4268	* 1.9781	* 2.5581	* 2.1183	* 2.3891	* 2.1052	* 2.0792	* 4.3518
12	* 1.8957	* 1.4474	* 1.8152	* 1.4003	* 1.0180	* 1.4883	* 1.0097	
	* 1.9278	* 2.3937	* 2.0342	* 2.3893	* 2.8025	* 2.1544	* 3.0065	
13	* 1.6056	* 1.6008	* 1.5779	* 1.7350	* 1.4883	* 0.7694	* 0.4864	
	* 2.1679	* 2.1791	* 2.2315	* 2.1054	* 2.1545	* 3.2263	* 5.8244	
14	* 2.0021	* 1.9878	* 1.9303	* 1.7837	* 1.0098	* 0.4924		
	* 1.8503	* 1.8664	* 1.9362	* 2.0791	* 3.0065	* 5.7678		
15	* 0.9802	* 0.9754	* 0.9083	* 0.7626	F-SUB-Q			
	* 3.3043	* 3.2861	* 3.5076	* 4.2682	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 238 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 325 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9937	* 1.1148	* 1.7215	* 1.4169	* 1.8816	* 1.5962	* 1.9834	* 0.9827
	* 2.5536	* 2.9775	* 2.0500	* 2.3640	* 1.8834	* 2.1191	* 1.8135	* 3.2044
9	* 1.1148	* 1.1143	* 1.4078	* 1.8318	* 1.4451	* 1.5919	* 1.9707	* 0.9816
	* 2.9775	* 3.0099	* 2.3807	* 1.9296	* 2.3315	* 2.1300	* 1.8284	* 3.1755
10	* 1.7215	* 1.4068	* 1.2221	* 1.3747	* 1.8138	* 1.5757	* 1.9215	* 0.9196
	* 2.0500	* 2.3825	* 2.7643	* 2.4669	* 1.9848	* 2.1762	* 1.8924	* 3.3725
11	* 1.4169	* 1.8301	* 1.3741	* 1.6931	* 1.4214	* 1.7476	* 1.7918	* 0.7764
	* 2.3640	* 1.9313	* 2.4680	* 2.0787	* 2.3439	* 2.0667	* 2.0418	* 4.1797
12	* 1.8816	* 1.4440	* 1.8135	* 1.4213	* 1.0678	* 1.5313	* 1.0418	*
	* 1.8834	* 2.3330	* 1.9852	* 2.3441	* 2.7198	* 2.1187	* 2.9111	*
13	* 1.5962	* 1.5918	* 1.5757	* 1.7476	* 1.5313	* 0.8234	* 0.5102	*
	* 2.1191	* 2.1302	* 2.1763	* 2.0669	* 2.1188	* 3.1365	* 5.6485	*
14	* 1.9834	* 1.9707	* 1.9215	* 1.7919	* 1.0419	* 0.5170	*	*
	* 1.8135	* 1.8285	* 1.8925	* 2.0418	* 2.9111	* 5.5886	*	*
15	* 0.9827	* 0.9817	* 0.9198	* 0.7750	F-SUB-Q			
	* 3.2044	* 3.1752	* 3.3719	* 4.0983	M-SUB-Q			

AT 50% POWER, 325 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1492	* 1.1435	* 1.7672	* 1.4305	* 1.9135	* 1.6093	* 2.0150	* 0.9745
	* 2.2806	* 2.6806	* 1.8278	* 2.1377	* 1.6888	* 1.9175	* 1.6271	* 2.9490
9	* 1.1435	* 1.1414	* 1.4336	* 1.8697	* 1.4589	* 1.6074	* 2.0040	* 0.9661
	* 2.6806	* 2.7166	* 2.1414	* 1.7257	* 2.1081	* 1.9256	* 1.6394	* 2.9449
10	* 1.7672	* 1.4326	* 1.2267	* 1.3793	* 1.8596	* 1.5983	* 1.9641	* 0.9055
	* 1.8278	* 2.1429	* 2.5201	* 2.2489	* 1.7719	* 1.9612	* 1.6909	* 3.1293
11	* 1.4305	* 1.8678	* 1.3785	* 1.7638	* 1.4710	* 1.8107	* 1.8529	* 0.7722
	* 2.1377	* 1.7273	* 2.2500	* 1.8473	* 2.1027	* 1.8374	* 1.8080	* 3.8482
12	* 1.9135	* 1.4578	* 1.8593	* 1.4709	* 1.1851	* 1.6436	* 1.0670	*
	* 1.6888	* 2.1095	* 1.7726	* 2.1029	* 2.4808	* 1.8995	* 2.6645	*
13	* 1.6093	* 1.6073	* 1.5983	* 1.8107	* 1.6435	* 0.9123	* 0.5276	*
	* 1.9175	* 1.9258	* 1.9613	* 1.8375	* 1.8996	* 2.8788	* 5.2479	*
14	* 2.0150	* 2.0040	* 1.9641	* 1.8530	* 1.0670	* 0.5343	*	*
	* 1.6271	* 1.6394	* 1.6910	* 1.8080	* 2.6646	* 5.1950	*	*
15	* 0.9745	* 0.9662	* 0.9057	* 0.7701	F-SUB-Q			
	* 2.9491	* 2.9446	* 3.1287	* 3.7772	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 239 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.3904	* 1.1743	* 1.7892	* 1.4357	* 1.9200	* 1.6112	* 2.0178	* 0.9720
	* 2.0503	* 2.4580	* 1.6728	* 1.9719	* 1.5557	* 1.7722	* 1.5019	* 2.7376
9	* 1.1743	* 1.1635	* 1.4477	* 1.8823	* 1.4638	* 1.6109	* 2.0086	* 0.9636
	* 2.4580	* 2.4876	* 1.9659	* 1.5859	* 1.9451	* 1.7783	* 1.5122	* 2.7339
10	* 1.7892	* 1.4467	* 1.2372	* 1.3902	* 1.8914	* 1.6142	* 1.9782	* 0.9058
	* 1.6728	* 1.9673	* 2.3165	* 2.0673	* 1.6228	* 1.8041	* 1.5534	* 2.8979
11	* 1.4357	* 1.8804	* 1.3895	* 1.8137	* 1.5117	* 1.8496	* 1.8863	* 0.7771
	* 1.9719	* 1.5874	* 2.0684	* 1.6896	* 1.9259	* 1.6817	* 1.6552	* 3.5467
12	* 1.9200	* 1.4626	* 1.8912	* 1.5116	* 1.2809	* 1.7572	* 1.0997	*
	* 1.5557	* 1.9465	* 1.6233	* 1.9261	* 2.2466	* 1.7196	* 2.4361	*
13	* 1.6112	* 1.6108	* 1.6142	* 1.8496	* 1.7572	* 0.9954	* 0.5513	*
	* 1.7722	* 1.7785	* 1.8041	* 1.6819	* 1.7196	* 2.6196	* 4.7888	*
14	* 2.0178	* 2.0086	* 1.9782	* 1.8864	* 1.0998	* 0.5582	*	
	* 1.5019	* 1.5122	* 1.5534	* 1.6552	* 2.4362	* 4.7410	*	
15	* 0.9720	* 0.9637	* 0.9060	* 0.7748	* F-SUB-Q			
	* 2.7376	* 2.7337	* 2.8974	* 3.4817	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.4444 *	* 1.1932 *	* 1.7693 *	* 1.4228 *	* 1.8861 *	* 1.5919 *	* 1.9742 *	* 0.9709 *
	* 1.9414 *	* 2.2720 *	* 1.5838 *	* 1.8658 *	* 1.4835 *	* 1.6819 *	* 1.4377 *	* 2.5725 *
9	* 1.1932 *	* 1.1834 *	* 1.4390 *	* 1.8524 *	* 1.4498 *	* 1.5916 *	* 1.9666 *	* 0.9694 *
	* 2.2720 *	* 2.2934 *	* 1.8534 *	* 1.5095 *	* 1.8415 *	* 1.6880 *	* 1.4463 *	* 2.5507 *
10	* 1.7693 *	* 1.4380 *	* 1.2460 *	* 1.3982 *	* 1.8766 *	* 1.6059 *	* 1.9440 *	* 0.9159 *
	* 1.5838 *	* 1.8549 *	* 2.1576 *	* 1.9261 *	* 1.5378 *	* 1.7039 *	* 1.4794 *	* 2.6896 *
11	* 1.4228 *	* 1.8506 *	* 1.3975 *	* 1.8105 *	* 1.5198 *	* 1.8388 *	* 1.8683 *	* 0.7866 *
	* 1.8658 *	* 1.5110 *	* 1.9271 *	* 1.5942 *	* 1.8119 *	* 1.5838 *	* 1.5595 *	* 3.2862 *
12	* 1.8861 *	* 1.4486 *	* 1.8764 *	* 1.5197 *	* 1.3261 *	* 1.7818 *	* 1.1279 *	
	* 1.4835 *	* 1.8428 *	* 1.5383 *	* 1.8121 *	* 2.1051 *	* 1.6351 *	* 2.2673 *	
13	* 1.5919 *	* 1.5915 *	* 1.6059 *	* 1.8388 *	* 1.7818 *	* 1.0447 *	* 0.5745 *	
	* 1.6819 *	* 1.6881 *	* 1.7040 *	* 1.5839 *	* 1.6352 *	* 2.4287 *	* 4.4275 *	
14	* 1.9742 *	* 1.9666 *	* 1.9440 *	* 1.8684 *	* 1.1280 *	* 0.5811 *		
	* 1.4377 *	* 1.4463 *	* 1.4794 *	* 1.5595 *	* 2.2674 *	* 4.3890 *		
15	* 0.9709 *	* 0.9695 *	* 0.9161 *	* 0.7848 *	F-SUB-Q			
	* 2.5725 *	* 2.5505 *	* 2.6891 *	* 3.2238 *	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 240 of 350

	H	G	F	E	D	C	B	A
8	* 1.3605 *	* 1.1103 *	* 1.6265 *	* 1.3093 *	* 1.7148 *	* 1.4696 *	* 1.7850 *	* 0.8769 *
	* 1.8744 *	* 2.2091 *	* 1.5590 *	* 1.8448 *	* 1.4878 *	* 1.6596 *	* 1.4456 *	* 2.6043 *
9	* 1.1103 *	* 1.1020 *	* 1.3498 *	* 1.6898 *	* 1.3353 *	* 1.4716 *	* 1.7793 *	* 0.8668 *
	* 2.2091 *	* 2.2245 *	* 1.7920 *	* 1.5022 *	* 1.8200 *	* 1.6628 *	* 1.4527 *	* 2.6077 *
10	* 1.6265 *	* 1.3489 *	* 1.1438 *	* 1.2782 *	* 1.7250 *	* 1.4894 *	* 1.7648 *	* 0.8204 *
	* 1.5590 *	* 1.7934 *	* 2.1367 *	* 1.9128 *	* 1.5107 *	* 1.6659 *	* 1.4764 *	* 2.7410 *
11	* 1.3093 *	* 1.6880 *	* 1.2776 *	* 1.6728 *	* 1.4281 *	* 1.6941 *	* 1.7056 *	* 0.7049 *
	* 1.8448 *	* 1.5038 *	* 1.9136 *	* 1.5565 *	* 1.7417 *	* 1.5506 *	* 1.5456 *	* 3.3369 *
12	* 1.7148 *	* 1.3342 *	* 1.7249 *	* 1.4280 *	* 1.2428 *	* 1.6544 *	* 1.0347 *	
	* 1.4878 *	* 1.8213 *	* 1.5109 *	* 1.7418 *	* 2.0324 *	* 1.5965 *	* 2.2312 *	
13	* 1.4696 *	* 1.4715 *	* 1.4894 *	* 1.6940 *	* 1.6543 *	* 0.9734 *	* 0.5310 *	
	* 1.6595 *	* 1.6630 *	* 1.6659 *	* 1.5507 *	* 1.5966 *	* 2.3907 *	* 4.3916 *	
14	* 1.7850 *	* 1.7793 *	* 1.7649 *	* 1.7058 *	* 1.0348 *	* 0.5367 *		
	* 1.4456 *	* 1.4527 *	* 1.4764 *	* 1.5456 *	* 2.2312 *	* 4.3563 *		
15	* 0.8769 *	* 0.8669 *	* 0.8206 *	* 0.7040 *	F-SUB-Q			
	* 2.6043 *	* 2.6075 *	* 2.7404 *	* 3.2702 *	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 241 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 1.1196	* 0.9257	* 1.3287	* 1.0829	* 1.3952	* 1.2155	* 1.4447	* 0.7260
*	2.2060	* 2.5537	* 1.8440	* 2.1600	* 1.7685	* 1.9428	* 1.7285	* 3.0554
9	* 0.9257	* 0.9217	* 1.1352	* 1.3756	* 1.1064	* 1.2117	* 1.4401	* 0.7147
*	2.5537	* 2.5690	* 2.0620	* 1.7849	* 2.1273	* 1.9558	* 1.7367	* 3.0728
10	* 1.3287	* 1.1344	* 0.9476	* 1.0620	* 1.4039	* 1.2246	* 1.4285	* 0.6760
*	1.8440	* 2.0636	* 2.4952	* 2.2264	* 1.7882	* 1.9558	* 1.7633	* 3.2285
11	* 1.0829	* 1.3743	* 1.0615	* 1.3654	* 1.1910	* 1.3718	* 1.3760	* 0.5773
*	2.1600	* 1.7867	* 2.2273	* 1.8366	* 2.0144	* 1.8469	* 1.8481	* 3.9513
12	* 1.3952	* 1.1055	* 1.4037	* 1.1909	* 1.0335	* 1.3473	* 0.8508	*
*	1.7685	* 2.1288	* 1.7884	* 2.0146	* 2.3657	* 1.8976	* 2.6314	*
13	* 1.2155	* 1.2116	* 1.2246	* 1.3717	* 1.3472	* 0.8035	* 0.4442	*
*	1.9428	* 1.9561	* 1.9558	* 1.8470	* 1.8977	* 2.8055	* 5.0969	*
14	* 1.4447	* 1.4401	* 1.4286	* 1.3762	* 0.8509	* 0.4493	*	*
*	1.7285	* 1.7368	* 1.7632	* 1.8480	* 2.6313	* 5.0514	*	*
15	* 0.7260	* 0.7148	* 0.6762	* 0.5792	* F-SUB-Q			
*	3.0554	* 3.0724	* 3.2279	* 3.8557	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 0.4928	* 0.4303	* 0.5681	* 0.5018	* 0.6001	* 0.5213	* 0.5751	* 0.3201
	* 4.8558	* 5.3302	* 4.1888	* 4.5298	* 3.9844	* 4.3961	* 4.2128	* 6.7402
9	* 0.4303	* 0.4258	* 0.4886	* 0.5895	* 0.5068	* 0.5186	* 0.5732	* 0.3144
	* 5.3302	* 5.3987	* 4.6470	* 4.0468	* 4.5125	* 4.4306	* 4.2335	* 6.7969
10	* 0.5681	* 0.4883	* 0.4439	* 0.4937	* 0.6005	* 0.5185	* 0.5674	* 0.3017
	* 4.1888	* 4.6505	* 5.1772	* 4.6521	* 4.0449	* 4.4743	* 4.3048	* 7.0351
11	* 0.5018	* 0.5890	* 0.4935	* 0.5852	* 0.5134	* 0.5947	* 0.5411	* 0.2657
	* 4.5298	* 4.0506	* 4.6540	* 4.1519	* 4.5193	* 4.1278	* 4.5539	* 8.3498
12	* 0.6001	* 0.5064	* 0.6004	* 0.5134	* 0.4728	* 0.5368	* 0.3709	*
	* 3.9844	* 4.5153	* 4.0457	* 4.5197	* 5.0194	* 4.6272	* 5.8595	*
13	* 0.5213	* 0.5185	* 0.5185	* 0.5947	* 0.5368	* 0.3534	* 0.2028	*
	* 4.3960	* 4.4312	* 4.4744	* 4.1280	* 4.6273	* 6.2056	* 10.8827	*
14	* 0.5751	* 0.5732	* 0.5674	* 0.5411	* 0.3709	* 0.2041	*	*
	* 4.2128	* 4.2336	* 4.3047	* 4.5538	* 5.8595	* 10.8423	*	*
15	* 0.3201	* 0.3144	* 0.3018	* 0.2639	* F-SUB-Q			
	* 6.7402	* 6.7962	* 7.0340	* 8.2294	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 242 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 0.3890	* 0.4698	* 0.6461	* 0.6136	* 0.7188	* 0.6044	* 0.4956	* 0.2673
	* 4.1522	* 4.7467	* 3.7279	* 3.7383	* 3.4216	* 3.5457	* 3.5403	* 5.1929
9	* 0.4698	* 0.4548	* 0.5536	* 0.6993	* 0.6201	* 0.6254	* 0.6294	* 0.3587
	* 4.7467	* 4.6458	* 3.9058	* 3.5150	* 3.7097	* 3.5538	* 3.5616	* 5.1166
10	* 0.6461	* 0.5535	* 0.4345	* 0.5883	* 0.7228	* 0.6433	* 0.6839	* 0.3752
	* 3.7279	* 3.9062	* 4.2459	* 3.8468	* 3.4238	* 3.5207	* 3.6174	* 5.3231
11	* 0.6136	* 0.6991	* 0.5882	* 0.6563	* 0.6133	* 0.7115	* 0.6672	* 0.3441
	* 3.7383	* 3.5156	* 3.8469	* 3.7513	* 3.6791	* 3.4490	* 3.6803	* 6.1594
12	* 0.7188	* 0.6200	* 0.7228	* 0.6133	* 0.4576	* 0.5908	* 0.4540	*
	* 3.4216	* 3.7101	* 3.4239	* 3.6792	* 4.0361	* 3.9779	* 4.5261	*
13	* 0.6044	* 0.6254	* 0.6433	* 0.7115	* 0.5909	* 0.3692	* 0.2613	*
	* 3.5457	* 3.5540	* 3.5207	* 3.4490	* 3.9779	* 4.7989	* 7.7647	*
14	* 0.4956	* 0.6295	* 0.6840	* 0.6674	* 0.4541	* 0.2626	*	*
	* 3.5403	* 3.5615	* 3.6170	* 3.6798	* 4.5253	* 7.7508	*	*
15	* 0.2673	* 0.3589	* 0.3754	* 0.3427	* F-SUB-Q			
	* 5.1929	* 5.1161	* 5.3217	* 6.0297	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 0.7356	* 0.8840	* 1.2762	* 1.1569	* 1.4148	* 1.2148	* 1.0126	* 0.5352
	* 2.2772	* 2.5626	* 1.9338	* 2.0344	* 1.7774	* 1.8048	* 1.7200	* 2.6392
9	* 0.8840	* 0.8608	* 1.1138	* 1.3778	* 1.1802	* 1.2531	* 1.3300	* 0.7239
	* 2.5626	* 2.5271	* 1.9860	* 1.8283	* 1.9994	* 1.8109	* 1.7293	* 2.5918
10	* 1.2762	* 1.1136	* 0.8060	* 1.1065	* 1.4286	* 1.3165	* 1.4526	* 0.7548
	* 1.9338	* 1.9864	* 2.3415	* 2.0906	* 1.8091	* 1.8041	* 1.7652	* 2.7330
11	* 1.1569	* 1.3774	* 1.1064	* 1.2964	* 1.2361	* 1.4010	* 1.4267	* 0.6731
	* 2.0344	* 1.8288	* 2.0907	* 1.9339	* 1.9097	* 1.8310	* 1.7992	* 3.2937
12	* 1.4148	* 1.1799	* 1.4285	* 1.2361	* 0.8738	* 1.2504	* 0.9233	*
	* 1.7774	* 1.9997	* 1.8092	* 1.9098	* 2.1983	* 1.9108	* 2.3272	*
13	* 1.2148	* 1.2531	* 1.3166	* 1.4011	* 1.2505	* 0.7343	* 0.5108	*
	* 1.8048	* 1.8110	* 1.8040	* 1.8309	* 1.9108	* 2.4284	* 4.1545	*
14	* 1.0126	* 1.3301	* 1.4529	* 1.4271	* 0.9236	* 0.5153	*	*
	* 1.7200	* 1.7293	* 1.7651	* 1.7989	* 2.3267	* 4.1311	*	*
15	* 0.5352	* 0.7242	* 0.7553	* 0.6778	* F-SUB-Q			
	* 2.6392	* 2.5915	* 2.7321	* 3.1902	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 243 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 450 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.8524	* 1.0197	* 1.4848	* 1.3339	* 1.6531	* 1.3994	* 1.2080	* 0.6397 *
	* 2.0412	* 2.2885	* 1.6982	* 1.8048	* 1.5511	* 1.5998	* 1.4946	* 2.3020 *
9	* 1.0197	* 1.0008	* 1.2776	* 1.6093	* 1.3548	* 1.4326	* 1.5627	* 0.8613 *
	* 2.2885	* 2.2612	* 1.7866	* 1.5989	* 1.7791	* 1.6017	* 1.4995	* 2.2350 *
10	* 1.4848	* 1.2771	* 0.9475	* 1.2827	* 1.6679	* 1.5218	* 1.7050	* 0.8790 *
	* 1.6982	* 1.7871	* 2.0734	* 1.8613	* 1.5895	* 1.6009	* 1.5317	* 2.3408 *
11	* 1.3339	* 1.6087	* 1.2825	* 1.5108	* 1.4142	* 1.6475	* 1.6761	* 0.8046 *
	* 1.8048	* 1.5994	* 1.6614	* 1.6919	* 1.7140	* 1.5953	* 1.5691	* 2.8277 *
12	* 1.6531	* 1.3545	* 1.6679	* 1.4142	* 1.0305	* 1.4604	* 1.0916	*
	* 1.5511	* 1.7795	* 1.5896	* 1.7140	* 1.9783	* 1.6733	* 2.0178	*
13	* 1.3994	* 1.4325	* 1.5219	* 1.6477	* 1.4605	* 0.8566	* 0.5946	*
	* 1.5998	* 1.6018	* 1.6008	* 1.5952	* 1.6733	* 2.1274	* 3.6421	*
14	* 1.2080	* 1.5629	* 1.7054	* 1.6766	* 1.0919	* 0.5995	*	*
	* 1.4946	* 1.4995	* 1.5316	* 1.5688	* 2.0173	* 3.6241	*	*
15	* 0.6397	* 0.8617	* 0.8797	* 0.8083	* F-SUB-Q			
	* 2.3020	* 2.2349	* 2.3400	* 2.7440	* M-SUB-Q			

AT 50% POWER, 450 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9063	* 1.0619	* 1.5938	* 1.4054	* 1.7820	* 1.4765	* 1.3033	* 0.6677 *
	* 1.9769	* 2.2571	* 1.6313	* 1.7647	* 1.4808	* 1.5580	* 1.4096	* 2.2555 *
9	* 1.0619	* 1.0371	* 1.3332	* 1.7313	* 1.4286	* 1.5077	* 1.6952	* 0.8995 *
	* 2.2571	* 2.2345	* 1.7538	* 1.5305	* 1.7370	* 1.5562	* 1.4162	* 2.1955 *
10	* 1.5938	* 1.3325	* 0.9892	* 1.3428	* 1.7915	* 1.6074	* 1.8478	* 0.9179 *
	* 1.6313	* 1.7544	* 2.0499	* 1.8240	* 1.5182	* 1.5536	* 1.4504	* 2.3187 *
11	* 1.4054	* 1.7305	* 1.3426	* 1.6185	* 1.4833	* 1.7721	* 1.8135	* 0.8369 *
	* 1.7647	* 1.5312	* 1.8241	* 1.6221	* 1.6764	* 1.5203	* 1.4862	* 2.7907 *
12	* 1.7820	* 1.4281	* 1.7915	* 1.4833	* 1.0755	* 1.5713	* 1.1332	*
	* 1.4808	* 1.7375	* 1.5183	* 1.6765	* 1.9420	* 1.5927	* 1.9932	*
13	* 1.4765	* 1.5076	* 1.6075	* 1.7722	* 1.5715	* 0.8832	* 0.6068	*
	* 1.5581	* 1.5563	* 1.5535	* 1.5202	* 1.5927	* 2.1148	* 3.6421	*
14	* 1.3033	* 1.6953	* 1.8482	* 1.8140	* 1.1335	* 0.6128	*	*
	* 1.4096	* 1.4162	* 1.4504	* 1.4860	* 1.9927	* 3.6241	*	*
15	* 0.6677	* 0.8998	* 0.9186	* 0.8387	* F-SUB-Q			
	* 2.2555	* 2.1953	* 2.3180	* 2.7151	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 244 of 350

	H	G	F	E	D	C	B	A
8	* 0.9108	* 1.0680	* 1.6090	* 1.4067	* 1.7984	* 1.4845	* 1.3519	* 0.7059
	* 2.1777	* 2.4885	* 1.7917	* 1.9346	* 1.6146	* 1.7135	* 1.5233	* 2.4417
9	* 1.0680	* 1.0512	* 1.3435	* 1.7456	* 1.4294	* 1.5008	* 1.7316	* 0.9217
	* 2.4885	* 2.4971	* 1.9541	* 1.6660	* 1.9013	* 1.7117	* 1.5304	* 2.3670
10	* 1.6090	* 1.3428	* 1.0067	* 1.3530	* 1.7880	* 1.5931	* 1.8583	* 0.9268
	* 1.7917	* 1.9549	* 2.2541	* 1.9873	* 1.6472	* 1.6952	* 1.5583	* 2.4969
11	* 1.4067	* 1.7447	* 1.3527	* 1.6134	* 1.4561	* 1.7624	* 1.8126	* 0.8486
	* 1.9346	* 1.6668	* 1.9878	* 1.7759	* 1.8504	* 1.6507	* 1.6046	* 2.9816
12	* 1.7984	* 1.4289	* 1.7878	* 1.4561	* 1.0653	* 1.5548	* 1.1256	*
	* 1.6146	* 1.9020	* 1.6473	* 1.8505	* 2.1453	* 1.7375	* 2.1685	*
13	* 1.4845	* 1.5006	* 1.5931	* 1.7625	* 1.5549	* 0.8700	* 0.5956	*
	* 1.7135	* 1.7118	* 1.6952	* 1.6507	* 1.7375	* 2.3196	* 4.0212	*
14	* 1.3519	* 1.7316	* 1.8585	* 1.8129	* 1.1258	* 0.6026	*	*
	* 1.5233	* 1.5305	* 1.5583	* 1.6045	* 2.1681	* 3.9871	*	*
15	* 0.7059	* 0.9219	* 0.9273	* 0.8488	* F-SUB-Q			
	* 2.4417	* 2.3668	* 2.4963	* 2.9064	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 245 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 450 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9214	* 1.0762	* 1.6353	* 1.4147	* 1.8192	* 1.5116	* 1.4333	* 0.7575
	* 2.3133	* 2.6432	* 1.8711	* 2.0351	* 1.6837	* 1.7992	* 1.6002	* 2.6021
9	* 1.0762	* 1.0610	* 1.3536	* 1.7676	* 1.4384	* 1.5224	* 1.7815	* 0.9351
	* 2.6432	* 2.6324	* 2.0518	* 1.7416	* 1.9979	* 1.7983	* 1.6018	* 2.5217
10	* 1.6353	* 1.3528	* 1.0394	* 1.3553	* 1.7966	* 1.5904	* 1.8701	* 0.9301
	* 1.8711	* 2.0527	* 2.3813	* 2.1031	* 1.7307	* 1.7838	* 1.6207	* 2.6419
11	* 1.4147	* 1.7667	* 1.3550	* 1.6247	* 1.4457	* 1.7580	* 1.8138	* 0.8417
	* 2.0351	* 1.7424	* 2.1036	* 1.8761	* 1.9773	* 1.7523	* 1.6970	* 3.1714
12	* 1.8192	* 1.4378	* 1.7964	* 1.4456	* 1.0473	* 1.5437	* 1.1052	*
	* 1.6837	* 1.9987	* 1.7309	* 1.9775	* 2.2964	* 1.8393	* 2.3395	*
13	* 1.5116	* 1.5223	* 1.5904	* 1.7580	* 1.5438	* 0.8503	* 0.5796	*
	* 1.7992	* 1.7985	* 1.7839	* 1.7523	* 1.8393	* 2.4885	* 4.3361	*
14	* 1.4333	* 1.7815	* 1.8703	* 1.8140	* 1.1054	* 0.5859	*	*
	* 1.6002	* 1.6019	* 1.6207	* 1.6969	* 2.3391	* 4.3029	*	*
15	* 0.7575	* 0.9354	* 0.9305	* 0.8411	* F-SUB-Q			
	* 2.6021	* 2.5215	* 2.6413	* 3.0944	* M-SUB-Q			

AT 50% POWER, 450 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9358	* 1.0950	* 1.6674	* 1.4290	* 1.8433	* 1.5559	* 1.6276	* 0.8789
	* 2.4671	* 2.8425	* 2.0041	* 2.1852	* 1.7975	* 1.9209	* 1.6863	* 2.7414
9	* 1.0950	* 1.0855	* 1.3861	* 1.7940	* 1.4538	* 1.5584	* 1.8503	* 0.9641
	* 2.8425	* 2.8261	* 2.2034	* 1.8656	* 2.1437	* 1.9149	* 1.6935	* 2.6633
10	* 1.6674	* 1.3855	* 1.1513	* 1.3723	* 1.8060	* 1.5913	* 1.8894	* 0.9446
	* 2.0041	* 2.2045	* 2.5579	* 2.2651	* 1.8456	* 1.9069	* 1.7298	* 2.8200
11	* 1.4290	* 1.7930	* 1.3719	* 1.6438	* 1.4386	* 1.7510	* 1.8103	* 0.8421
	* 2.1852	* 1.8666	* 2.2657	* 2.0104	* 2.1256	* 1.8837	* 1.8172	* 3.3767
12	* 1.8433	* 1.4531	* 1.8058	* 1.4385	* 1.0395	* 1.5283	* 1.0920	*
	* 1.7975	* 2.1446	* 1.8458	* 2.1257	* 2.4561	* 1.9618	* 2.5430	*
13	* 1.5559	* 1.5583	* 1.5912	* 1.7510	* 1.5283	* 0.8359	* 0.5688	*
	* 1.9209	* 1.9150	* 1.9069	* 1.8837	* 1.9619	* 2.6694	* 4.6522	*
14	* 1.6276	* 1.8503	* 1.8894	* 1.8105	* 1.0921	* 0.5752	*	*
	* 1.6863	* 1.6935	* 1.7299	* 1.8171	* 2.5426	* 4.6156	*	*
15	* 0.8789	* 0.9643	* 0.9449	* 0.8411	* F-SUB-Q			
	* 2.7414	* 2.6632	* 2.8194	* 3.2960	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 246 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 450 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9547	* 1.1150	* 1.7066	* 1.4476	* 1.8778	* 1.6029	* 1.8926	* 0.9768
	* 2.6788	* 3.0980	* 2.1524	* 2.3480	* 1.9301	* 2.0772	* 1.8134	* 2.9646
9	* 1.1150	* 1.1239	* 1.4256	* 1.8281	* 1.4735	* 1.6037	* 1.9259	* 0.9906
	* 3.0980	* 3.0656	* 2.3790	* 1.9972	* 2.3020	* 2.0738	* 1.8240	* 2.8936
10	* 1.7066	* 1.4250	* 1.2273	* 1.3890	* 1.8243	* 1.6043	* 1.9277	* 0.9645
	* 2.1524	* 2.3801	* 2.7781	* 2.4390	* 1.9826	* 2.0482	* 1.8457	* 3.0583
11	* 1.4476	* 1.8271	* 1.3886	* 1.6711	* 1.4369	* 1.7521	* 1.8153	* 0.8414
	* 2.3480	* 1.9983	* 2.4397	* 2.1662	* 2.3137	* 2.0415	* 1.9624	* 3.6552
12	* 1.8778	* 1.4729	* 1.8241	* 1.4368	* 1.0351	* 1.5204	* 1.0786	*
	* 1.9301	* 2.3030	* 1.9828	* 2.3139	* 2.6720	* 2.1217	* 2.7985	*
13	* 1.6029	* 1.6036	* 1.6042	* 1.7520	* 1.5204	* 0.8223	* 0.5584	*
	* 2.0772	* 2.0740	* 2.0483	* 2.0416	* 2.1218	* 2.9091	* 5.0749	*
14	* 1.8926	* 1.9259	* 1.9277	* 1.8154	* 1.0787	* 0.5648	*	*
	* 1.8134	* 1.8241	* 1.8457	* 1.9623	* 2.7982	* 5.0333	*	*
15	* 0.9768	* 0.9908	* 0.9647	* 0.8400	* F-SUB-Q			
	* 2.9646	* 2.8934	* 3.0576	* 3.5700	* M-SUB-Q			

AT 50% POWER, 450 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9584	* 1.1321	* 1.7076	* 1.4503	* 1.8771	* 1.6185	* 1.9561	* 1.0388
	* 2.9857	* 3.3866	* 2.3765	* 2.5818	* 2.1228	* 2.2673	* 1.9884	* 3.1950
9	* 1.1321	* 1.1470	* 1.4333	* 1.8241	* 1.4760	* 1.6154	* 1.9533	* 1.0445
	* 3.3866	* 3.3385	* 2.6195	* 2.2066	* 2.5303	* 2.2628	* 1.9951	* 3.0974
10	* 1.7076	* 1.4327	* 1.2631	* 1.4076	* 1.8086	* 1.6025	* 1.9224	* 0.9966
	* 2.3765	* 2.6208	* 3.0065	* 2.6570	* 2.2016	* 2.2540	* 2.0333	* 3.2556
11	* 1.4503	* 1.8230	* 1.4072	* 1.6604	* 1.4261	* 1.7249	* 1.7871	* 0.8535
	* 2.5818	* 2.2079	* 2.6578	* 2.4137	* 2.5698	* 2.2818	* 2.1886	* 3.9532
12	* 1.8771	* 1.4753	* 1.8084	* 1.4259	* 1.0367	* 1.4887	* 1.0793	*
	* 2.1228	* 2.5315	* 2.2018	* 2.5700	* 2.9339	* 2.3666	* 3.0534	*
13	* 1.6185	* 1.6153	* 1.6024	* 1.7248	* 1.4886	* 0.8200	* 0.5593	*
	* 2.2673	* 2.2629	* 2.2541	* 2.2819	* 2.3667	* 3.1770	* 5.5104	*
14	* 1.9561	* 1.9533	* 1.9224	* 1.7872	* 1.0794	* 0.5654	*	*
	* 1.9884	* 1.9951	* 2.0334	* 2.1884	* 3.0532	* 5.4682	*	*
15	* 1.0388	* 1.0445	* 0.9968	* 0.8528	* F-SUB-Q			
	* 3.1950	* 3.0972	* 3.2549	* 3.8577	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 247 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 450 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9701 *	* 1.1336 *	* 1.7363 *	* 1.4590 *	* 1.9071 *	* 1.6365 *	* 2.0130 *	* 1.0520 *
	* 3.1787 *	* 3.6260 *	* 2.6116 *	* 2.8616 *	* 2.3264 *	* 2.4958 *	* 2.1541 *	* 3.5174 *
9	* 1.1336 *	* 1.1549 *	* 1.4497 *	* 1.8505 *	* 1.4854 *	* 1.6348 *	* 2.0024 *	* 1.0507 *
	* 3.6260 *	* 3.6715 *	* 2.8944 *	* 2.4266 *	* 2.8020 *	* 2.4805 *	* 2.1665 *	* 3.4293 *
10	* 1.7363 *	* 1.4491 *	* 1.2618 *	* 1.3992 *	* 1.8272 *	* 1.6119 *	* 1.9513 *	* 0.9867 *
	* 2.6116 *	* 2.8958 *	* 3.3686 *	* 2.9845 *	* 2.4297 *	* 2.4923 *	* 2.2261 *	* 3.6527 *
11	* 1.4590 *	* 1.8494 *	* 1.3988 *	* 1.6762 *	* 1.4186 *	* 1.7335 *	* 1.8027 *	* 0.8405 *
	* 2.8616 *	* 2.4280 *	* 2.9853 *	* 2.6213 *	* 2.8149 *	* 2.5239 *	* 2.4097 *	* 4.4571 *
12	* 1.9071 *	* 1.4847 *	* 1.8269 *	* 1.4185 *	* 1.0221 *	* 1.4918 *	* 1.0585 *	
	* 2.3264 *	* 2.8034 *	* 2.4299 *	* 2.8151 *	* 3.2711 *	* 2.5869 *	* 3.4034 *	
13	* 1.6365 *	* 1.6347 *	* 1.6118 *	* 1.7334 *	* 1.4918 *	* 0.8017 *	* 0.5436 *	
	* 2.4958 *	* 2.4806 *	* 2.4923 *	* 2.5240 *	* 2.5870 *	* 3.5569 *	* 6.1942 *	
14	* 2.0130 *	* 2.0023 *	* 1.9512 *	* 1.8027 *	* 1.0586 *	* 0.5498 *		
	* 2.1541 *	* 2.1665 *	* 2.2261 *	* 2.4095 *	* 3.4031 *	* 6.1426 *		
15	* 1.0520 *	* 1.0508 *	* 0.9868 *	* 0.8388 *	F-SUB-Q			
	* 3.5174 *	* 3.4291 *	* 3.6519 *	* 4.3548 *	M-SUB-Q			

AT 50% POWER, 450 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9683 *	* 1.1312 *	* 1.7334 *	* 1.4523 *	* 1.9019 *	* 1.6309 *	* 2.0170 *	* 1.0556 *
	* 3.1929 *	* 3.6534 *	* 2.6871 *	* 2.9592 *	* 2.4459 *	* 2.6340 *	* 2.3203 *	* 3.7773 *
9	* 1.1312 *	* 1.1522 *	* 1.4438 *	* 1.8448 *	* 1.4785 *	* 1.6286 *	* 2.0035 *	* 1.0538 *
	* 3.6534 *	* 3.7014 *	* 2.9801 *	* 2.5220 *	* 2.9152 *	* 2.6426 *	* 2.3390 *	* 3.6850 *
10	* 1.7334 *	* 1.4432 *	* 1.2577 *	* 1.3915 *	* 1.8160 *	* 1.6012 *	* 1.9433 *	* 0.9842 *
	* 2.6871 *	* 2.9816 *	* 3.4682 *	* 3.1135 *	* 2.5673 *	* 2.6969 *	* 2.4261 *	* 3.9579 *
11	* 1.4523 *	* 1.8437 *	* 1.3911 *	* 1.6641 *	* 1.4028 *	* 1.7173 *	* 1.7885 *	* 0.8349 *
	* 2.9592 *	* 2.5234 *	* 3.1144 *	* 2.6478 *	* 2.8521 *	* 2.6189 *	* 2.5577 *	* 4.8780 *
12	* 1.9019 *	* 1.4777 *	* 1.8158 *	* 1.4027 *	* 1.0105 *	* 1.4748 *	* 1.0469 *	
	* 2.4459 *	* 2.9167 *	* 2.5675 *	* 2.8523 *	* 3.3232 *	* 2.6406 *	* 3.4587 *	
13	* 1.6309 *	* 1.6285 *	* 1.6011 *	* 1.7172 *	* 1.4747 *	* 0.7911 *	* 0.5361 *	
	* 2.6340 *	* 2.6429 *	* 2.6971 *	* 2.6191 *	* 2.6407 *	* 3.6299 *	* 6.3153 *	
14	* 2.0170 *	* 2.0035 *	* 1.9433 *	* 1.7886 *	* 1.0470 *	* 0.5423 *		
	* 2.3203 *	* 2.3391 *	* 2.4263 *	* 2.5578 *	* 3.4586 *	* 6.2626 *		
15	* 1.0556 *	* 1.0539 *	* 0.9843 *	* 0.8331 *	F-SUB-Q			
	* 3.7773 *	* 3.6848 *	* 3.9573 *	* 4.7665 *	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 248 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 450 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9555	* 1.1258	* 1.7059	* 1.4331	* 1.8696	* 1.6076	* 1.9862	* 1.0556
	* 3.2534	* 3.6880	* 2.6300	* 2.8870	* 2.3943	* 2.5712	* 2.2662	* 3.6341
9	* 1.1258	* 1.1442	* 1.4212	* 1.8137	* 1.4583	* 1.6045	* 1.9716	* 1.0561
	* 3.6880	* 3.6847	* 2.9162	* 2.4693	* 2.8453	* 2.5813	* 2.2866	* 3.5380
10	* 1.7059	* 1.4205	* 1.2534	* 1.3846	* 1.7812	* 1.5752	* 1.9081	* 0.9890
	* 2.6300	* 2.9178	* 3.3520	* 3.0127	* 2.5354	* 2.6391	* 2.3785	* 3.7923
11	* 1.4331	* 1.8126	* 1.3842	* 1.6308	* 1.3827	* 1.6814	* 1.7518	* 0.8350
	* 2.8870	* 2.4707	* 3.0136	* 2.7101	* 2.9183	* 2.6823	* 2.6152	* 4.7002
12	* 1.8696	* 1.4575	* 1.7810	* 1.3826	* 1.0015	* 1.4417	* 1.0414	*
	* 2.3943	* 2.8467	* 2.5358	* 2.9185	* 3.3572	* 2.7077	* 3.4851	*
13	* 1.6076	* 1.6044	* 1.5751	* 1.6813	* 1.4416	* 0.7858	* 0.5349	*
	* 2.5712	* 2.5815	* 2.6392	* 2.6825	* 2.7078	* 3.6603	* 6.3412	*
14	* 1.9862	* 1.9716	* 1.9080	* 1.7518	* 1.0415	* 0.5408	*	*
	* 2.2662	* 2.2867	* 2.3786	* 2.6152	* 3.4850	* 6.2920	*	*
15	* 1.0556	* 1.0562	* 0.9891	* 0.8337	F-SUB-Q			
	* 3.6341	* 3.5378	* 3.7917	* 4.5895	M-SUB-Q			

AT 50% POWER, 450 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9529	* 1.1111	* 1.7095	* 1.4229	* 1.8698	* 1.5970	* 1.9907	* 1.0377
	* 3.2059	* 3.6834	* 2.5500	* 2.8234	* 2.3237	* 2.5122	* 2.1939	* 3.5878
9	* 1.1111	* 1.1319	* 1.4154	* 1.8151	* 1.4482	* 1.5948	* 1.9757	* 1.0329
	* 3.6834	* 3.6205	* 2.8454	* 2.3960	* 2.7815	* 2.5204	* 2.2139	* 3.5112
10	* 1.7095	* 1.4148	* 1.2316	* 1.3594	* 1.7790	* 1.5640	* 1.9107	* 0.9623
	* 2.5500	* 2.8469	* 3.3143	* 2.9797	* 2.4648	* 2.5802	* 2.3053	* 3.7842
11	* 1.4229	* 1.8140	* 1.3589	* 1.6281	* 1.3627	* 1.6776	* 1.7533	* 0.8149
	* 2.8234	* 2.3975	* 2.9807	* 2.7054	* 2.9329	* 2.6526	* 2.5383	* 4.6781
12	* 1.8698	* 1.4474	* 1.7787	* 1.3626	* 0.9805	* 1.4389	* 1.0175	*
	* 2.3237	* 2.7830	* 2.4652	* 2.9331	* 3.4110	* 2.7011	* 3.5495	*
13	* 1.5970	* 1.5947	* 1.5639	* 1.6775	* 1.4388	* 0.7667	* 0.5189	*
	* 2.5122	* 2.5206	* 2.5804	* 2.6528	* 2.7013	* 3.7187	* 6.4486	*
14	* 1.9907	* 1.9756	* 1.9106	* 1.7533	* 1.0175	* 0.5251	*	*
	* 2.1939	* 2.2140	* 2.3055	* 2.5383	* 3.5494	* 6.3936	*	*
15	* 1.0377	* 1.0329	* 0.9624	* 0.8127	F-SUB-Q			
	* 3.5878	* 3.5110	* 3.7837	* 4.5738	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 249 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 450 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9460	* 1.1002	* 1.6995	* 1.4086	* 1.8545	* 1.5794	* 1.9760	* 1.0248 *
	* 2.8454	* 3.3064	* 2.4589	* 2.7375	* 2.2585	* 2.4482	* 2.1392	* 3.5005 *
9	* 1.1002	* 1.1219	* 1.4023	* 1.8022	* 1.4335	* 1.5776	* 1.9613	* 1.0155 *
	* 3.3064	* 3.3430	* 2.7484	* 2.3204	* 2.7002	* 2.4560	* 2.1589	* 3.4407 *
10	* 1.6995	* 1.4016	* 1.2169	* 1.3422	* 1.7634	* 1.5466	* 1.8964	* 0.9476 *
	* 2.4589	* 2.7499	* 3.2069	* 2.8973	* 2.3944	* 2.5199	* 2.2485	* 3.7003 *
11	* 1.4086	* 1.8011	* 1.3418	* 1.6143	* 1.3461	* 1.6628	* 1.7408	* 0.8037 *
	* 2.7375	* 2.3218	* 2.8983	* 2.4664	* 2.6846	* 2.4701	* 2.4070	* 4.5611 *
12	* 1.8545	* 1.4326	* 1.7632	* 1.3460	* 0.9662	* 1.4276	* 1.0039	*
	* 2.2585	* 2.7017	* 2.3948	* 2.6847	* 3.1000	* 2.4608	* 3.2433	*
13	* 1.5794	* 1.5775	* 1.5465	* 1.6627	* 1.4275	* 0.7562	* 0.5112	*
	* 2.4482	* 2.4562	* 2.5200	* 2.4703	* 2.4610	* 3.3724	* 5.8252	*
14	* 1.9760	* 1.9612	* 1.8963	* 1.7408	* 1.0039	* 0.5174	*	
	* 2.1392	* 2.1590	* 2.2486	* 2.4072	* 3.2433	* 5.7739	*	
15	* 1.0248	* 1.0156	* 0.9478	* 0.8010	* F-SUB-Q			
	* 3.5005	* 3.4405	* 3.6998	* 4.4616	* M-SUB-Q			

AT 50% POWER, 450 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.9429	* 1.0956	* 1.6873	* 1.3953	* 1.8366	* 1.5620	* 1.9555	* 1.0165 *
	* 2.5466	* 2.9551	* 2.1948	* 2.4644	* 2.0445	* 2.2252	* 1.9566	* 3.1733 *
9	* 1.0956	* 1.1141	* 1.3894	* 1.7868	* 1.4195	* 1.5604	* 1.9411	* 1.0122 *
	* 2.9551	* 2.9897	* 2.4543	* 2.0892	* 2.4362	* 2.2307	* 1.9725	* 3.1024 *
10	* 1.6874	* 1.3888	* 1.2104	* 1.3338	* 1.7467	* 1.5299	* 1.8778	* 0.9417 *
	* 2.1948	* 2.4555	* 2.8485	* 2.5926	* 2.1544	* 2.2839	* 2.0427	* 3.3326 *
11	* 1.3953	* 1.7857	* 1.3333	* 1.6010	* 1.3327	* 1.6476	* 1.7255	* 0.7996 *
	* 2.4644	* 2.0904	* 2.5934	* 2.2128	* 2.4165	* 2.2201	* 2.1624	* 4.0726 *
12	* 1.8366	* 1.4186	* 1.7465	* 1.3326	* 0.9617	* 1.4175	* 0.9999	*
	* 2.0445	* 2.4375	* 2.1547	* 2.4166	* 2.7912	* 2.2127	* 2.9113	*
13	* 1.5620	* 1.5603	* 1.5298	* 1.6475	* 1.4174	* 0.7551	* 0.5102	*
	* 2.2252	* 2.2309	* 2.2840	* 2.2204	* 2.2129	* 3.0227	* 5.2327	*
14	* 1.9555	* 1.9411	* 1.8777	* 1.7255	* 0.9998	* 0.5163	*	
	* 1.9566	* 1.9726	* 2.0429	* 2.1626	* 2.9113	* 5.1875	*	
15	* 1.0165	* 1.0122	* 0.9418	* 0.7971	* F-SUB-Q			
	* 3.1733	* 3.1022	* 3.3322	* 3.9833	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 250 of 350

	H	G	F	E	D	C	B	A
8	* 0.9748	* 1.1078	* 1.7033	* 1.3910	* 1.8366	* 1.5511	* 1.9500	* 1.0044 *
	* 2.1738	* 2.5338	* 1.8596	* 2.1176	* 1.7503	* 1.9221	* 1.6825	* 2.7621 *
9	* 1.1078	* 1.1241	* 1.3933	* 1.7936	* 1.4144	* 1.5510	* 1.9373	* 0.9952 *
	* 2.5338	* 2.5594	* 2.0959	* 1.7807	* 2.0948	* 1.9251	* 1.6941	* 2.7135 *
10	* 1.7033	* 1.3926	* 1.2101	* 1.3308	* 1.7554	* 1.5261	* 1.8820	* 0.9311 *
	* 1.8596	* 2.0970	* 2.4406	* 2.2237	* 1.8313	* 1.9607	* 1.7446	* 2.8955 *
11	* 1.3910	* 1.7924	* 1.3304	* 1.6238	* 1.3441	* 1.6666	* 1.7441	* 0.7964 *
	* 2.1176	* 1.7818	* 2.2244	* 1.8977	* 2.0917	* 1.9061	* 1.8516	* 3.5078 *
12	* 1.8366	* 1.4135	* 1.7551	* 1.3440	* 0.9792	* 1.4562	* 1.0125	*
	* 1.7503	* 2.0960	* 1.8315	* 2.0918	* 2.4221	* 1.9163	* 2.5347	*
13	* 1.5511	* 1.5510	* 1.5261	* 1.6664	* 1.4561	* 0.7799	* 0.5216	*
	* 1.9221	* 1.9253	* 1.9608	* 1.9063	* 1.9165	* 2.6420	* 4.6112	*
14	* 1.9500	* 1.9373	* 1.8819	* 1.7441	* 1.0124	* 0.5280	*	
	* 1.6825	* 1.6942	* 1.7447	* 1.8518	* 2.5348	* 4.5694	*	
15	* 1.0044	* 0.9953	* 0.9312	* 0.7932	* F-SUB-Q			
	* 2.7621	* 2.7133	* 2.8952	* 3.4338	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 251 of 350

	H	G	F	E	D	C	B	A
8	* 1.1919	* 1.1764	* 1.7264	* 1.3991	* 1.8342	* 1.5510	* 1.9326	* 1.0139
	* 1.7923	* 2.0816	* 1.5526	* 1.7835	* 1.4819	* 1.6283	* 1.4353	* 2.3218
9	* 1.1764	* 1.1763	* 1.4143	* 1.7978	* 1.4201	* 1.5513	* 1.9226	* 1.0128
	* 2.0816	* 2.0930	* 1.7503	* 1.5026	* 1.7675	* 1.6307	* 1.4426	* 2.2630
10	* 1.7264	* 1.4137	* 1.2463	* 1.3672	* 1.7744	* 1.5405	* 1.8840	* 0.9547
	* 1.5526	* 1.7512	* 2.0102	* 1.8338	* 1.5329	* 1.6443	* 1.4724	* 2.3961
11	* 1.3991	* 1.7966	* 1.3667	* 1.6867	* 1.4104	* 1.7150	* 1.7771	* 0.8216
	* 1.7835	* 1.5035	* 1.8344	* 1.5874	* 1.7491	* 1.5933	* 1.5471	* 2.8855
12	* 1.8342	* 1.4192	* 1.7741	* 1.4103	* 1.1699	* 1.5860	* 1.0902	*
	* 1.4819	* 1.7685	* 1.5331	* 1.7492	* 1.9917	* 1.6006	* 2.0845	*
13	* 1.5510	* 1.5513	* 1.5405	* 1.7149	* 1.5859	* 0.9469	* 0.5819	*
	* 1.6283	* 1.6308	* 1.6444	* 1.5934	* 1.6007	* 2.1578	* 3.7619	*
14	* 1.9326	* 1.9226	* 1.8839	* 1.7770	* 1.0902	* 0.5881	*	*
	* 1.4353	* 1.4427	* 1.4725	* 1.5473	* 2.0846	* 3.7337	*	*
15	* 1.0139	* 1.0128	* 0.9549	* 0.8198	* F-SUB-Q			
	* 2.3218	* 2.2628	* 2.3958	* 2.8194	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 252 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - NORMAL OPERATION

AT 50% POWER, 450 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4317	* 1.1972	* 1.7488	* 1.3990	* 1.8381	* 1.5527	* 1.9344	* 0.9966
	* 1.6610	* 1.9457	* 1.4429	* 1.6802	* 1.3917	* 1.5319	* 1.3489	* 2.2270
9	* 1.1972	* 1.1894	* 1.4325	* 1.8087	* 1.4200	* 1.5546	* 1.9261	* 0.9903
	* 1.9457	* 1.9664	* 1.6279	* 1.4057	* 1.6651	* 1.5329	* 1.3548	* 2.1819
10	* 1.7488	* 1.4318	* 1.2402	* 1.3564	* 1.7941	* 1.5496	* 1.8957	* 0.9327
	* 1.4429	* 1.6287	* 1.9046	* 1.7414	* 1.4277	* 1.5394	* 1.3768	* 2.3128
11	* 1.3990	* 1.8075	* 1.3559	* 1.7329	* 1.4480	* 1.7490	* 1.8057	* 0.8069
	* 1.6802	* 1.4066	* 1.7419	* 1.4666	* 1.6180	* 1.4783	* 1.4392	* 2.7712
12	* 1.8381	* 1.4191	* 1.7939	* 1.4480	* 1.2505	* 1.6950	* 1.1015	*
	* 1.3917	* 1.6661	* 1.4279	* 1.6181	* 1.8690	* 1.4840	* 1.9634	*
13	* 1.5527	* 1.5545	* 1.5495	* 1.7489	* 1.6949	* 1.0146	* 0.5943	*
	* 1.5319	* 1.5330	* 1.5395	* 1.4784	* 1.4841	* 2.0538	* 3.5931	*
14	* 1.9344	* 1.9260	* 1.8957	* 1.8056	* 1.1015	* 0.6008	*	*
	* 1.3489	* 1.3549	* 1.3769	* 1.4393	* 1.9635	* 3.5655	*	*
15	* 0.9966	* 0.9904	* 0.9328	* 0.8050	* F-SUB-Q			
	* 2.2270	* 2.1817	* 2.3125	* 2.7079	* M-SUB-Q			

AT 50% POWER, 450 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4368	* 1.1710	* 1.6761	* 1.3431	* 1.7445	* 1.4926	* 1.8317	* 0.9521
	* 1.6330	* 1.9150	* 1.4362	* 1.6700	* 1.3962	* 1.5212	* 1.3586	* 2.2292
9	* 1.1710	* 1.1651	* 1.3932	* 1.7227	* 1.3639	* 1.4953	* 1.8247	* 0.9403
	* 1.9150	* 1.9294	* 1.5984	* 1.4079	* 1.6552	* 1.5214	* 1.3638	* 2.1976
10	* 1.6761	* 1.3926	* 1.1961	* 1.3051	* 1.7237	* 1.4963	* 1.8014	* 0.8892
	* 1.4362	* 1.5992	* 1.8881	* 1.7251	* 1.4251	* 1.5221	* 1.3819	* 2.3205
11	* 1.3431	* 1.7215	* 1.3047	* 1.6746	* 1.4208	* 1.6819	* 1.7270	* 0.7703
	* 1.6700	* 1.4091	* 1.7257	* 1.4611	* 1.5897	* 1.4719	* 1.4396	* 2.7780
12	* 1.7445	* 1.3630	* 1.7236	* 1.4207	* 1.2422	* 1.6613	* 1.0718	*
	* 1.3962	* 1.6562	* 1.4254	* 1.5898	* 1.8296	* 1.4728	* 1.9473	*
13	* 1.4926	* 1.4953	* 1.4962	* 1.6818	* 1.6613	* 1.0113	* 0.5862	*
	* 1.5212	* 1.5215	* 1.5222	* 1.4720	* 1.4729	* 2.0185	* 3.5399	*
14	* 1.8317	* 1.8247	* 1.8014	* 1.7270	* 1.0718	* 0.5925	*	*
	* 1.3586	* 1.3639	* 1.3820	* 1.4397	* 1.9474	* 3.5142	*	*
15	* 0.9521	* 0.9404	* 0.8893	* 0.7691	* F-SUB-Q			
	* 2.2292	* 2.1974	* 2.3202	* 2.7124	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 253 of 350

TABLE A-1 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - NORMAL OPERATION

AT 50% POWER, 450 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2386	* 1.0228	* 1.4180	* 1.1573	* 1.4630	* 1.2877	* 1.5299	* 0.8133
	* 1.8538	* 2.1142	* 1.6357	* 1.8684	* 1.6028	* 1.7006	* 1.5664	* 2.5223
9	* 1.0228	* 1.0210	* 1.2233	* 1.4501	* 1.1773	* 1.2873	* 1.5244	* 0.7990
	* 2.1142	* 2.1259	* 1.7551	* 1.6103	* 1.8485	* 1.7040	* 1.5723	* 2.4978
10	* 1.4180	* 1.2227	* 1.0349	* 1.1302	* 1.4543	* 1.2886	* 1.5070	* 0.7543
	* 1.6357	* 1.7560	* 2.1019	* 1.9224	* 1.6287	* 1.7022	* 1.5912	* 2.6440
11	* 1.1573	* 1.4490	* 1.1299	* 1.4208	* 1.2427	* 1.4199	* 1.4487	* 0.6508
	* 1.8684	* 1.6117	* 1.9229	* 1.6578	* 1.7545	* 1.6772	* 1.6537	* 3.1808
12	* 1.4630	* 1.1766	* 1.4543	* 1.2426	* 1.0921	* 1.4129	* 0.9163	*
	* 1.6028	* 1.8496	* 1.6288	* 1.7546	* 2.0293	* 1.6855	* 2.2154	*
13	* 1.2877	* 1.2872	* 1.2886	* 1.4198	* 1.4129	* 0.8728	* 0.5117	*
	* 1.7006	* 1.7042	* 1.7023	* 1.6773	* 1.6856	* 2.2867	* 3.9663	*
14	* 1.5299	* 1.5244	* 1.5070	* 1.4487	* 0.9163	* 0.5176	*	*
	* 1.5664	* 1.5723	* 1.5913	* 1.6538	* 2.2155	* 3.9341	*	*
15	* 0.8133	* 0.7990	* 0.7544	* 0.6513	* F-SUB-Q			
	* 2.5223	* 2.4976	* 2.6436	* 3.0999	* M-SUB-Q			

AT 50% POWER, 450 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.5930	* 0.5134	* 0.6584	* 0.5777	* 0.6817	* 0.5976	* 0.6622	* 0.3840
	* 3.7551	* 4.0818	* 3.4083	* 3.6237	* 3.3311	* 3.5396	* 3.4915	* 5.1758
9	* 0.5134	* 0.5092	* 0.5696	* 0.6735	* 0.5813	* 0.5954	* 0.6597	* 0.3767
	* 4.0818	* 4.1300	* 3.6461	* 3.3533	* 3.6236	* 3.5583	* 3.5053	* 5.1354
10	* 0.6584	* 0.5693	* 0.5223	* 0.5663	* 0.6764	* 0.5917	* 0.6514	* 0.3616
	* 3.4083	* 3.6483	* 4.0388	* 3.7124	* 3.3793	* 3.5818	* 3.5524	* 5.3457
11	* 0.5777	* 0.6731	* 0.5662	* 0.6619	* 0.5817	* 0.6710	* 0.6215	* 0.3200
	* 3.6237	* 3.3562	* 3.7136	* 3.4404	* 3.6197	* 3.4296	* 3.7266	* 6.2764
12	* 0.6817	* 0.5810	* 0.6764	* 0.5817	* 0.5418	* 0.6150	* 0.4311	*
	* 3.3311	* 3.6256	* 3.3797	* 3.6200	* 3.9685	* 3.7579	* 4.5603	*
13	* 0.5976	* 0.5954	* 0.5917	* 0.6710	* 0.6150	* 0.4149	* 0.2509	*
	* 3.5396	* 3.5586	* 3.5820	* 3.4298	* 3.7581	* 4.6917	* 7.9053	*
14	* 0.6622	* 0.6597	* 0.6514	* 0.6215	* 0.4312	* 0.2524	*	*
	* 3.4915	* 3.5053	* 3.5525	* 3.7268	* 4.5604	* 7.8837	*	*
15	* 0.3840	* 0.3767	* 0.3616	* 0.3180	* F-SUB-Q			
	* 5.1758	* 5.1351	* 5.3452	* 6.1589	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 254 of 350

TABLE A-2

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) NORMAL OPERATION

THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 3.3796	* 4.1361	* 3.2124	* 3.9077	* 3.2151	* 3.9948	* 3.6616	* 6.4828
	* 4.1248	* 4.8766	* 3.8399	* 4.5111	* 3.7968	* 4.5552	* 4.3264	* 7.3079
	* 4.5030	* 5.2213	* 4.1619	* 4.7429	* 4.0857	* 4.7604	* 4.5666	* 7.5684
	* 4.4595	* 5.0959	* 4.1374	* 4.5866	* 4.0595	* 4.5801	* 4.4607	* 7.2300
	* 4.2708	* 4.7817	* 4.0363	* 4.3111	* 3.9471	* 4.2855	* 4.2988	* 6.6813
	* 3.7341	* 4.1512	* 3.6677	* 3.8343	* 3.6231	* 3.8046	* 3.9255	* 5.8271
	* 3.0047	* 3.2929	* 3.1072	* 3.1845	* 3.1102	* 3.1913	* 3.3649	* 4.7124
9	* 4.1361	* 4.2865	* 3.8504	* 3.1904	* 3.9832	* 4.0944	* 3.6659	* 6.5056
	* 4.8766	* 5.0242	* 4.4678	* 3.7937	* 4.5494	* 4.6228	* 4.3294	* 7.3205
	* 5.2213	* 5.3484	* 4.7303	* 4.0945	* 4.7655	* 4.8012	* 4.5673	* 7.5779
	* 5.0959	* 5.1984	* 4.5946	* 4.0606	* 4.5955	* 4.6046	* 4.4584	* 7.2356
	* 4.7817	* 4.8686	* 4.3218	* 3.9559	* 4.3099	* 4.2939	* 4.2933	* 6.6925
	* 4.1512	* 4.2240	* 3.8213	* 3.6164	* 3.8319	* 3.8011	* 3.9191	* 5.8270
	* 3.2929	* 3.3952	* 3.1460	* 3.0976	* 3.2029	* 3.1808	* 3.3825	* 4.7179
10	* 3.2124	* 3.8501	* 4.2232	* 3.9163	* 3.1836	* 3.9800	* 3.6920	* 6.6375
	* 3.8399	* 4.4675	* 4.8732	* 4.4711	* 3.7504	* 4.4978	* 4.3515	* 7.4531
	* 4.1619	* 4.7300	* 5.1366	* 4.6823	* 4.0258	* 4.6774	* 4.5802	* 7.7075
	* 4.1374	* 4.5944	* 4.9655	* 4.5190	* 3.9878	* 4.4920	* 4.4615	* 7.3539
	* 4.0363	* 4.3217	* 4.6443	* 4.2410	* 3.8697	* 4.1945	* 4.2749	* 6.7985
	* 3.6677	* 3.8213	* 4.0878	* 3.7675	* 3.5460	* 3.7182	* 3.9066	* 5.9311
	* 3.1072	* 3.1461	* 3.3110	* 3.1449	* 3.0493	* 3.1222	* 3.3822	* 4.8331
11	* 3.9077	* 3.1898	* 3.9154	* 3.1974	* 3.8907	* 3.3246	* 3.8522	* 7.9253
	* 4.5111	* 3.7931	* 4.4704	* 3.7739	* 4.4160	* 3.9204	* 4.5158	* 8.8628
	* 4.7429	* 4.0941	* 4.6817	* 4.0474	* 4.6020	* 4.1519	* 4.7314	* 9.1294
	* 4.5866	* 4.0605	* 4.5185	* 4.0001	* 4.4232	* 4.0643	* 4.5749	* 8.6675
	* 4.3111	* 3.9559	* 4.2406	* 3.8746	* 4.1320	* 3.9289	* 4.3352	* 7.9374
	* 3.8343	* 3.6165	* 3.7674	* 3.5381	* 3.6584	* 3.5697	* 3.9311	* 6.8282
	* 3.1845	* 3.0978	* 3.1449	* 3.0305	* 3.0339	* 3.0787	* 3.4281	* 5.4830
12	* 3.2151	* 3.9828	* 3.1829	* 3.8900	* 4.2485	* 3.6986	* 5.0882	
	* 3.7968	* 4.5490	* 3.7497	* 4.4155	* 4.8149	* 4.3567	* 5.7608	
	* 4.0857	* 4.7648	* 4.0252	* 4.6015	* 4.9838	* 4.5685	* 6.0098	
	* 4.0595	* 4.5949	* 3.9873	* 4.4229	* 4.7522	* 4.4195	* 5.7746	
	* 3.9471	* 4.3095	* 3.8694	* 4.1318	* 4.3872	* 4.1862	* 5.3939	
	* 3.6231	* 3.8317	* 3.5459	* 3.6583	* 3.8171	* 3.7862	* 4.7652	
	* 3.1102	* 3.2030	* 3.0493	* 3.0340	* 3.1162	* 3.2434	* 3.9661	
13	* 3.9948	* 4.0939	* 3.9786	* 3.3238	* 3.6975	* 5.2716	* 9.4954	
	* 4.5552	* 4.6224	* 4.4966	* 3.9193	* 4.3558	* 5.9596	* 10.6901	
	* 4.7604	* 4.8009	* 4.6764	* 4.1510	* 4.5676	* 6.1856	* 10.9954	
	* 4.5801	* 4.6044	* 4.4912	* 4.0636	* 4.4189	* 5.9007	* 10.3442	
	* 4.2855	* 4.2938	* 4.1939	* 3.9286	* 4.1859	* 5.4434	* 9.3117	
	* 3.8046	* 3.8012	* 3.7180	* 3.5696	* 3.7861	* 4.7177	* 7.7804	
	* 3.1913	* 3.1809	* 3.1222	* 3.0788	* 3.2435	* 3.8073	* 5.9471	
14	* 3.6616	* 3.6650	* 3.6898	* 3.8495	* 5.0843	* 9.4155		
	* 4.3264	* 4.3286	* 4.3496	* 4.5134	* 5.7575	* 10.5932		
	* 4.5666	* 4.5667	* 4.5786	* 4.7293	* 6.0068	* 10.8879		
	* 4.4607	* 4.4580	* 4.4602	* 4.5730	* 5.7722	* 10.2579		
	* 4.2988	* 4.2931	* 4.2742	* 4.3340	* 5.3923	* 9.2591		
	* 3.9255	* 3.9188	* 3.9062	* 3.9306	* 4.7644	* 7.7488		
	* 3.3649	* 3.3825	* 3.3821	* 3.4281	* 3.9659	* 5.9251		
15	* 6.4828	* 6.5026	* 6.6310	* 7.9190	* 4 EFPD	118 % POWER		
	* 7.3079	* 7.3178	* 7.4474	* 8.8612	* 50 EFPD	118 % POWER		
	* 7.5684	* 7.5754	* 7.7023	* 9.1217	* 100 EFPD	118 % POWER		
	* 7.2300	* 7.2336	* 7.3496	* 8.6471	* 150 EFPD	118 % POWER		
	* 6.6813	* 6.6911	* 6.7953	* 7.9129	* 225 EFPD	118 % POWER		
	* 5.8271	* 5.8261	* 5.9292	* 6.8046	* 325 EFPD	118 % POWER		
	* 4.7124	* 4.7176	* 4.8324	* 5.4551	* 450 EFPD	118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 255 of 350

THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5181	* 1.9739	* 1.4399	* 1.8870	* 1.4703	* 1.8052	* 1.5138	* 2.9234
	* 1.8299	* 2.2818	* 1.6872	* 2.1338	* 1.7012	* 2.0153	* 1.7669	* 3.2285
	* 2.0176	* 2.4463	* 1.8366	* 2.2490	* 1.8320	* 2.0993	* 1.8798	* 3.3365
	* 2.0470	* 2.4241	* 1.8612	* 2.2043	* 1.8471	* 2.0501	* 1.8743	* 3.2258
	* 2.0617	* 2.3640	* 1.8896	* 2.1400	* 1.8659	* 1.9878	* 1.8775	* 3.0772
	* 1.9714	* 2.2136	* 1.8477	* 2.0271	* 1.8318	* 1.8861	* 1.8429	* 2.8578
	* 1.8330	* 2.0142	* 1.7662	* 1.8978	* 1.7605	* 1.7676	* 1.7719	* 2.5823
9	* 1.9739	* 2.0076	* 1.7275	* 1.4415	* 1.9242	* 1.8247	* 1.5149	* 2.9200
	* 2.2819	* 2.3139	* 1.9627	* 1.6862	* 2.1482	* 2.0287	* 1.7673	* 3.2200
	* 2.4463	* 2.4726	* 2.0788	* 1.8272	* 2.2407	* 2.1112	* 1.8792	* 3.3270
	* 2.4241	* 2.4480	* 2.0506	* 1.8425	* 2.1882	* 2.0580	* 1.8725	* 3.2163
	* 2.3640	* 2.3871	* 2.0019	* 1.8643	* 2.1215	* 1.9920	* 1.8740	* 3.0720
	* 2.2136	* 2.2364	* 1.8954	* 1.8280	* 2.0096	* 1.8868	* 1.8387	* 2.8474
	* 2.0142	* 2.0329	* 1.7605	* 1.7566	* 1.8809	* 1.7680	* 1.7724	* 2.5719
10	* 1.4399	* 1.7275	* 2.0209	* 1.9084	* 1.4471	* 1.7740	* 1.5219	* 3.0264
	* 1.6872	* 1.9627	* 2.2962	* 2.1297	* 1.6712	* 1.9819	* 1.7717	* 3.3303
	* 1.8366	* 2.0789	* 2.4268	* 2.2264	* 1.7941	* 2.0582	* 1.8796	* 3.4373
	* 1.8612	* 2.0507	* 2.3859	* 2.1756	* 1.8041	* 2.0032	* 1.8680	* 3.3202
	* 1.8896	* 2.0021	* 2.3157	* 2.1088	* 1.8202	* 1.9377	* 1.8641	* 3.1684
	* 1.8477	* 1.8956	* 2.1783	* 1.9957	* 1.7880	* 1.8350	* 1.8308	* 2.9342
	* 1.7662	* 1.7607	* 2.0142	* 1.8673	* 1.7193	* 1.7139	* 1.7653	* 2.6579
11	* 1.8870	* 1.4415	* 1.9080	* 1.4463	* 1.7647	* 1.4902	* 1.5672	* 3.6904
	* 2.1338	* 1.6864	* 2.1294	* 1.6762	* 1.9594	* 1.7315	* 1.8141	* 4.0427
	* 2.2490	* 1.8274	* 2.2261	* 1.8006	* 2.0395	* 1.8458	* 1.9108	* 4.1535
	* 2.2043	* 1.8426	* 2.1754	* 1.8091	* 1.9877	* 1.8436	* 1.8844	* 3.9902
	* 2.1400	* 1.8645	* 2.1087	* 1.8248	* 1.9246	* 1.8535	* 1.8640	* 3.7727
	* 2.0271	* 1.8283	* 1.9956	* 1.7872	* 1.8219	* 1.8137	* 1.8178	* 3.4519
	* 1.8978	* 1.7568	* 1.8673	* 1.7142	* 1.6977	* 1.7443	* 1.7682	* 3.0879
12	* 1.4703	* 1.9242	* 1.4469	* 1.7645	* 2.0014	* 1.5134	* 2.2507	*
	* 1.7012	* 2.1478	* 1.6709	* 1.9592	* 2.2270	* 1.7627	* 2.5060	*
	* 1.8320	* 2.2404	* 1.7939	* 2.0394	* 2.3126	* 1.8640	* 2.6163	*
	* 1.8471	* 2.1880	* 1.8038	* 1.9876	* 2.2445	* 1.8422	* 2.5510	*
	* 1.8659	* 2.1214	* 1.8201	* 1.9245	* 2.1593	* 1.8255	* 2.4688	*
	* 1.8318	* 2.0096	* 1.7880	* 1.8218	* 2.0235	* 1.7806	* 2.3279	*
	* 1.7605	* 1.8810	* 1.7193	* 1.6977	* 1.8654	* 1.7066	* 2.1563	*
13	* 1.8052	* 1.8245	* 1.7734	* 1.4898	* 1.5130	* 2.2960	* 4.3295	*
	* 2.0153	* 2.0286	* 1.9814	* 1.7310	* 1.7623	* 2.5636	* 4.7846	*
	* 2.0993	* 2.1111	* 2.0577	* 1.8454	* 1.8637	* 2.6737	* 4.9211	*
	* 2.0501	* 2.0579	* 2.0028	* 1.8433	* 1.8419	* 2.5979	* 4.6958	*
	* 1.9878	* 1.9920	* 1.9374	* 1.8534	* 1.8253	* 2.4965	* 4.3774	*
	* 1.8861	* 1.8869	* 1.8350	* 1.8137	* 1.7806	* 2.3255	* 3.9067	*
	* 1.7676	* 1.7681	* 1.7140	* 1.7443	* 1.7066	* 2.1128	* 3.3728	*
14	* 1.5138	* 1.5145	* 1.5209	* 1.5658	* 2.2488	* 4.2773	*	*
	* 1.7669	* 1.7670	* 1.7709	* 1.8129	* 2.5043	* 4.7245	*	*
	* 1.8798	* 1.8789	* 1.8789	* 1.9097	* 2.6148	* 4.8560	*	*
	* 1.8743	* 1.8724	* 1.8675	* 1.8835	* 2.5498	* 4.6400	*	*
	* 1.8775	* 1.8737	* 1.8638	* 1.8633	* 2.4679	* 4.3366	*	*
	* 1.8429	* 1.8386	* 1.8307	* 1.8174	* 2.3274	* 3.8761	*	*
	* 1.7719	* 1.7724	* 1.7652	* 1.7681	* 2.1561	* 3.3472	*	*
15	* 2.9234	* 2.9186	* 3.0232	* 3.6277	* 4 EFPD	118 % POWER		
	* 3.2285	* 3.2188	* 3.3275	* 3.9805	* 50 EFPD	118 % POWER		
	* 3.3364	* 3.3259	* 3.4348	* 4.0906	* 100 EFPD	118 % POWER		
	* 3.2258	* 3.2153	* 3.3181	* 3.9255	* 150 EFPD	118 % POWER		
	* 3.0772	* 3.0713	* 3.1660	* 3.7099	* 225 EFPD	118 % POWER		
	* 2.8578	* 2.8470	* 2.9326	* 3.3935	* 325 EFPD	118 % POWER		
	* 2.5823	* 2.5717	* 2.6570	* 3.0400	* 450 EFPD	118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 256 of 350

TABLE A-2 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) NORMAL OPERATION

THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3966 *	* 1.6927 *	* 1.4362 *	* 1.6771 *	* 1.5471 *	* 1.5954 *	* 1.4424 *	* 2.6003 *
	* 1.6091 *	* 1.9157 *	* 1.5810 *	* 1.8286 *	* 1.6567 *	* 1.7164 *	* 1.6113 *	* 2.7768 *
	* 1.7341 *	* 2.0367 *	* 1.6498 *	* 1.8922 *	* 1.6973 *	* 1.7576 *	* 1.6689 *	* 2.8118 *
	* 1.7471 *	* 2.0244 *	* 1.6321 *	* 1.8519 *	* 1.6457 *	* 1.7090 *	* 1.6342 *	* 2.6992 *
	* 1.7653 *	* 2.0018 *	* 1.6234 *	* 1.8080 *	* 1.6132 *	* 1.6688 *	* 1.6031 *	* 2.5754 *
	* 1.7269 *	* 1.9283 *	* 1.5932 *	* 1.7498 *	* 1.5743 *	* 1.6226 *	* 1.5702 *	* 2.4304 *
	* 1.6685 *	* 1.8362 *	* 1.5686 *	* 1.7039 *	* 1.5529 *	* 1.5813 *	* 1.5479 *	* 2.2699 *
9	* 1.6927 *	* 1.6849 *	* 1.5099 *	* 1.4718 *	* 1.7380 *	* 1.5804 *	* 1.4426 *	* 2.5998 *
	* 1.9157 *	* 1.9161 *	* 1.6808 *	* 1.5982 *	* 1.8614 *	* 1.7047 *	* 1.6095 *	* 2.7689 *
	* 2.0367 *	* 2.0435 *	* 1.7573 *	* 1.6503 *	* 1.8994 *	* 1.7504 *	* 1.6665 *	* 2.8010 *
	* 2.0244 *	* 2.0365 *	* 1.7322 *	* 1.6199 *	* 1.8425 *	* 1.7049 *	* 1.6321 *	* 2.6876 *
	* 2.0018 *	* 2.0203 *	* 1.7076 *	* 1.5988 *	* 1.7936 *	* 1.6671 *	* 1.6012 *	* 2.5646 *
	* 1.9283 *	* 1.9518 *	* 1.6563 *	* 1.5690 *	* 1.7364 *	* 1.6197 *	* 1.5682 *	* 2.4144 *
	* 1.8362 *	* 1.8567 *	* 1.6057 *	* 1.5533 *	* 1.6934 *	* 1.5819 *	* 1.5525 *	* 2.2442 *
10	* 1.4362 *	* 1.5100 *	* 1.7157 *	* 1.7172 *	* 1.5195 *	* 1.5760 *	* 1.4390 *	* 2.6924 *
	* 1.5810 *	* 1.6810 *	* 1.9296 *	* 1.8521 *	* 1.6219 *	* 1.6856 *	* 1.5979 *	* 2.8549 *
	* 1.6498 *	* 1.7575 *	* 2.0279 *	* 1.8925 *	* 1.6545 *	* 1.7200 *	* 1.6495 *	* 2.8851 *
	* 1.6321 *	* 1.7325 *	* 2.0002 *	* 1.8355 *	* 1.5979 *	* 1.6678 *	* 1.6234 *	* 2.7650 *
	* 1.6234 *	* 1.7079 *	* 1.9659 *	* 1.7878 *	* 1.5663 *	* 1.6271 *	* 1.5894 *	* 2.6427 *
	* 1.5932 *	* 1.6566 *	* 1.9014 *	* 1.7310 *	* 1.5326 *	* 1.5807 *	* 1.5607 *	* 2.4866 *
	* 1.5686 *	* 1.6060 *	* 1.8325 *	* 1.6862 *	* 1.5151 *	* 1.5426 *	* 1.5449 *	* 2.3277 *
11	* 1.6771 *	* 1.4718 *	* 1.7166 *	* 1.4656 *	* 1.5648 *	* 1.4002 *	* 1.3893 *	* 3.2228 *
	* 1.8286 *	* 1.5985 *	* 1.8518 *	* 1.5772 *	* 1.6773 *	* 1.5419 *	* 1.5475 *	* 3.4074 *
	* 1.8922 *	* 1.6507 *	* 1.8923 *	* 1.6153 *	* 1.7128 *	* 1.5914 *	* 1.6000 *	* 3.4343 *
	* 1.8519 *	* 1.6203 *	* 1.8354 *	* 1.5798 *	* 1.6614 *	* 1.5661 *	* 1.5720 *	* 3.2786 *
	* 1.8080 *	* 1.5992 *	* 1.7878 *	* 1.5621 *	* 1.6212 *	* 1.5630 *	* 1.5624 *	* 3.1056 *
	* 1.7498 *	* 1.5694 *	* 1.7310 *	* 1.5353 *	* 1.5743 *	* 1.5408 *	* 1.5390 *	* 2.8872 *
	* 1.7039 *	* 1.5537 *	* 1.6863 *	* 1.5207 *	* 1.5341 *	* 1.5322 *	* 1.5438 *	* 2.6655 *
12	* 1.5471 *	* 1.7379 *	* 1.5191 *	* 1.5647 *	* 1.7103 *	* 1.3602 *	* 1.9677 *	
	* 1.6567 *	* 1.8612 *	* 1.6216 *	* 1.6770 *	* 1.8584 *	* 1.5253 *	* 2.1114 *	
	* 1.6973 *	* 1.8993 *	* 1.6542 *	* 1.7125 *	* 1.9137 *	* 1.5859 *	* 2.1634 *	
	* 1.6457 *	* 1.8425 *	* 1.5976 *	* 1.6612 *	* 1.8633 *	* 1.5602 *	* 2.0985 *	
	* 1.6132 *	* 1.7936 *	* 1.5662 *	* 1.6211 *	* 1.8199 *	* 1.5508 *	* 2.0392 *	
	* 1.5743 *	* 1.7365 *	* 1.5326 *	* 1.5743 *	* 1.7589 *	* 1.5238 *	* 1.9607 *	
	* 1.5529 *	* 1.6935 *	* 1.5152 *	* 1.5342 *	* 1.7018 *	* 1.5111 *	* 1.8791 *	
13	* 1.5954 *	* 1.5802 *	* 1.5753 *	* 1.3998 *	* 1.3597 *	* 1.9969 *	* 3.7304 *	
	* 1.7164 *	* 1.7047 *	* 1.6850 *	* 1.5415 *	* 1.5249 *	* 2.1670 *	* 4.0174 *	
	* 1.7576 *	* 1.7504 *	* 1.7195 *	* 1.5910 *	* 1.5855 *	* 2.2306 *	* 4.0852 *	
	* 1.7090 *	* 1.7049 *	* 1.6675 *	* 1.5658 *	* 1.5599 *	* 2.1642 *	* 3.8954 *	
	* 1.6688 *	* 1.6671 *	* 1.6269 *	* 1.5628 *	* 1.5506 *	* 2.0959 *	* 3.6621 *	
	* 1.6226 *	* 1.6198 *	* 1.5806 *	* 1.5408 *	* 1.5237 *	* 1.9956 *	* 3.3408 *	
	* 1.5813 *	* 1.5820 *	* 1.5426 *	* 1.5322 *	* 1.5111 *	* 1.8789 *	* 2.9935 *	
14	* 1.4424 *	* 1.4423 *	* 1.4381 *	* 1.3880 *	* 1.9657 *	* 3.6808 *		
	* 1.6113 *	* 1.6091 *	* 1.5970 *	* 1.5464 *	* 2.1098 *	* 3.9604 *		
	* 1.6689 *	* 1.6662 *	* 1.6488 *	* 1.5991 *	* 2.1620 *	* 4.0239 *		
	* 1.6342 *	* 1.6317 *	* 1.6228 *	* 1.5713 *	* 2.0974 *	* 3.8420 *		
	* 1.6031 *	* 1.6010 *	* 1.5891 *	* 1.5618 *	* 2.0384 *	* 3.6235 *		
	* 1.5702 *	* 1.5681 *	* 1.5605 *	* 1.5386 *	* 1.9602 *	* 3.3152 *		
	* 1.5479 *	* 1.5525 *	* 1.5448 *	* 1.5436 *	* 1.8789 *	* 2.9746 *		
15	* 2.6003 *	* 2.5989 *	* 2.6892 *	* 3.1643 *	* 4 EFPD 118 % POWER			
	* 2.7768 *	* 2.7682 *	* 2.8522 *	* 3.3534 *	* 50 EFPD 118 % POWER			
	* 2.8118 *	* 2.8004 *	* 2.8828 *	* 3.3829 *	* 100 EFPD 118 % POWER			
	* 2.6992 *	* 2.6870 *	* 2.7631 *	* 3.2286 *	* 150 EFPD 118 % POWER			
	* 2.5754 *	* 2.5642 *	* 2.6412 *	* 3.0598 *	* 225 EFPD 118 % POWER			
	* 2.4304 *	* 2.4141 *	* 2.4857 *	* 2.8462 *	* 325 EFPD 118 % POWER			
	* 2.2699 *	* 2.2441 *	* 2.3271 *	* 2.6275 *	* 450 EFPD 118 % POWER			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 257 of 350

THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2857	* 1.5994	* 1.3403	* 1.6202	* 1.4606	* 1.5082	* 1.3404	* 2.5681
	* 1.4535	* 1.7827	* 1.4424	* 1.7154	* 1.5228	* 1.5875	* 1.4590	* 2.6639
	* 1.5585	* 1.8872	* 1.4832	* 1.7516	* 1.5237	* 1.6056	* 1.4892	* 2.6527
	* 1.5777	* 1.8819	* 1.4620	* 1.7097	* 1.4671	* 1.5598	* 1.4473	* 2.5343
	* 1.6139	* 1.8816	* 1.4666	* 1.6765	* 1.4444	* 1.5326	* 1.4240	* 2.4195
	* 1.6102	* 1.8443	* 1.4677	* 1.6489	* 1.4383	* 1.5151	* 1.4210	* 2.3138
	* 1.5998	* 1.7962	* 1.4869	* 1.6384	* 1.4533	* 1.5087	* 1.4349	* 2.2000
9	* 1.5994	* 1.5791	* 1.4159	* 1.3975	* 1.6661	* 1.4827	* 1.3401	* 2.5627
	* 1.7827	* 1.7769	* 1.5654	* 1.4678	* 1.7482	* 1.5685	* 1.4565	* 2.6555
	* 1.8872	* 1.8902	* 1.6218	* 1.4870	* 1.7576	* 1.5938	* 1.4858	* 2.6459
	* 1.8819	* 1.8926	* 1.5980	* 1.4532	* 1.6979	* 1.5524	* 1.4440	* 2.5289
	* 1.8816	* 1.8995	* 1.5886	* 1.4396	* 1.6623	* 1.5296	* 1.4230	* 2.4141
	* 1.8443	* 1.8681	* 1.5695	* 1.4394	* 1.6361	* 1.5119	* 1.4208	* 2.3028
	* 1.7962	* 1.8179	* 1.5584	* 1.4654	* 1.6275	* 1.5061	* 1.4383	* 2.1789
10	* 1.3403	* 1.4159	* 1.6209	* 1.6563	* 1.4323	* 1.5005	* 1.3399	* 2.6665
	* 1.4424	* 1.5656	* 1.7985	* 1.7439	* 1.4883	* 1.5565	* 1.4403	* 2.7416
	* 1.4832	* 1.6222	* 1.8838	* 1.7543	* 1.4774	* 1.5690	* 1.4650	* 2.7254
	* 1.4620	* 1.5984	* 1.8610	* 1.6963	* 1.4195	* 1.5209	* 1.4324	* 2.6015
	* 1.4666	* 1.5891	* 1.8456	* 1.6621	* 1.4009	* 1.4962	* 1.4123	* 2.4930
	* 1.4677	* 1.5699	* 1.8149	* 1.6365	* 1.3999	* 1.4778	* 1.4146	* 2.3844
	* 1.4869	* 1.5587	* 1.7896	* 1.6307	* 1.4255	* 1.4746	* 1.4397	* 2.2757
11	* 1.6202	* 1.3991	* 1.6560	* 1.3897	* 1.4763	* 1.3023	* 1.2894	* 3.1801
	* 1.7154	* 1.4684	* 1.7437	* 1.4389	* 1.5483	* 1.3867	* 1.3901	* 3.2578
	* 1.7516	* 1.4876	* 1.7542	* 1.4465	* 1.5644	* 1.4093	* 1.4177	* 3.2349
	* 1.7097	* 1.4538	* 1.6962	* 1.4103	* 1.5172	* 1.3852	* 1.3923	* 3.0787
	* 1.6765	* 1.4401	* 1.6621	* 1.4033	* 1.4940	* 1.3946	* 1.3884	* 2.9303
	* 1.6489	* 1.4399	* 1.6365	* 1.4086	* 1.4784	* 1.4065	* 1.3944	* 2.7629
	* 1.6384	* 1.4659	* 1.6307	* 1.4375	* 1.4764	* 1.4429	* 1.4397	* 2.6041
12	* 1.4606	* 1.6661	* 1.4318	* 1.4759	* 1.6148	* 1.2592	* 1.9097	*
	* 1.5228	* 1.7480	* 1.4880	* 1.5479	* 1.7151	* 1.3716	* 1.9890	*
	* 1.5237	* 1.7580	* 1.4772	* 1.5641	* 1.7513	* 1.4083	* 2.0114	*
	* 1.4671	* 1.6979	* 1.4193	* 1.5169	* 1.7074	* 1.3856	* 1.9486	*
	* 1.4444	* 1.6627	* 1.4009	* 1.4939	* 1.6849	* 1.3825	* 1.9071	*
	* 1.4383	* 1.6365	* 1.3999	* 1.4783	* 1.6615	* 1.3895	* 1.8665	*
	* 1.4533	* 1.6279	* 1.4256	* 1.4764	* 1.6479	* 1.4197	* 1.8321	*
13	* 1.5082	* 1.4826	* 1.4997	* 1.3019	* 1.2587	* 1.9298	* 3.6747	*
	* 1.5875	* 1.5685	* 1.5559	* 1.3862	* 1.3711	* 2.0437	* 3.8604	*
	* 1.6056	* 1.5937	* 1.5685	* 1.4088	* 1.4079	* 2.0834	* 3.8846	*
	* 1.5598	* 1.5524	* 1.5206	* 1.3849	* 1.3853	* 2.0226	* 3.7047	*
	* 1.5326	* 1.5297	* 1.4958	* 1.3944	* 1.3823	* 1.9763	* 3.5104	*
	* 1.5151	* 1.5120	* 1.4776	* 1.4065	* 1.3894	* 1.9151	* 3.2553	*
	* 1.5087	* 1.5063	* 1.4746	* 1.4429	* 1.4197	* 1.8462	* 2.9829	*
14	* 1.3404	* 1.3398	* 1.3386	* 1.2881	* 1.9076	* 3.6175	*	*
	* 1.4590	* 1.4561	* 1.4395	* 1.3890	* 1.9873	* 3.7993	*	*
	* 1.4892	* 1.4855	* 1.4643	* 1.4169	* 2.0100	* 3.8221	*	*
	* 1.4473	* 1.4436	* 1.4317	* 1.3916	* 1.9475	* 3.6515	*	*
	* 1.4240	* 1.4229	* 1.4119	* 1.3878	* 1.9062	* 3.4700	*	*
	* 1.4210	* 1.4207	* 1.4145	* 1.3941	* 1.8660	* 3.2243	*	*
	* 1.4349	* 1.4384	* 1.4396	* 1.4397	* 1.8318	* 2.9576	*	*
15	* 2.5681	* 2.5612	* 2.6629	* 3.1242	* 4 EFPD 118 % POWER			
	* 2.6639	* 2.6543	* 2.7389	* 3.2107	* 50 EFPD 118 % POWER			
	* 2.6527	* 2.6449	* 2.7231	* 3.1915	* 100 EFPD 118 % POWER			
	* 2.5343	* 2.5280	* 2.5996	* 3.0371	* 150 EFPD 118 % POWER			
	* 2.4195	* 2.4138	* 2.4916	* 2.8942	* 225 EFPD 118 % POWER			
	* 2.3138	* 2.3025	* 2.3835	* 2.7312	* 325 EFPD 118 % POWER			
	* 2.2000	* 2.1788	* 2.2752	* 2.5737	* 450 EFPD 118 % POWER			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 258 of 350

TABLE A-2 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) NORMAL OPERATION

THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2669	* 1.6003	* 1.3311	* 1.6287	* 1.4508	* 1.5048	* 1.3215	* 2.5841
	* 1.4157	* 1.7682	* 1.4066	* 1.6978	* 1.4822	* 1.5590	* 1.4132	* 2.6293
	* 1.5167	* 1.8653	* 1.4362	* 1.7200	* 1.4653	* 1.5641	* 1.4307	* 2.5913
	* 1.5441	* 1.8680	* 1.4178	* 1.6780	* 1.4113	* 1.5229	* 1.3852	* 2.4761
	* 1.5974	* 1.8838	* 1.4331	* 1.6500	* 1.3974	* 1.5026	* 1.3691	* 2.3716
	* 1.6139	* 1.8683	* 1.4555	* 1.6429	* 1.4138	* 1.5049	* 1.3882	* 2.2939
	* 1.6212	* 1.8337	* 1.4967	* 1.6446	* 1.4453	* 1.5128	* 1.4198	* 2.2011
9	* 1.6003	* 1.5864	* 1.4154	* 1.3911	* 1.6725	* 1.4768	* 1.3205	* 2.5791
	* 1.7682	* 1.7657	* 1.5475	* 1.4335	* 1.7258	* 1.5395	* 1.4099	* 2.6215
	* 1.8653	* 1.8729	* 1.5957	* 1.4378	* 1.7194	* 1.5524	* 1.4263	* 2.5807
	* 1.8680	* 1.8829	* 1.5757	* 1.4028	* 1.6621	* 1.5155	* 1.3809	* 2.4630
	* 1.8838	* 1.9061	* 1.5773	* 1.3965	* 1.6332	* 1.4989	* 1.3675	* 2.3578
	* 1.8683	* 1.8953	* 1.5780	* 1.4177	* 1.6283	* 1.5021	* 1.3873	* 2.2757
	* 1.8337	* 1.8568	* 1.5860	* 1.4580	* 1.6319	* 1.5101	* 1.4222	* 2.1736
10	* 1.3311	* 1.4154	* 1.6329	* 1.6747	* 1.4223	* 1.4946	* 1.3196	* 2.6803
	* 1.4066	* 1.5477	* 1.7912	* 1.7277	* 1.4438	* 1.5181	* 1.3882	* 2.7052
	* 1.4362	* 1.5962	* 1.8644	* 1.7199	* 1.4148	* 1.5180	* 1.4003	* 2.6610
	* 1.4178	* 1.5763	* 1.8460	* 1.6638	* 1.3607	* 1.4745	* 1.3649	* 2.5402
	* 1.4331	* 1.5778	* 1.8408	* 1.6446	* 1.3575	* 1.4646	* 1.3593	* 2.4401
	* 1.4555	* 1.5785	* 1.8312	* 1.6404	* 1.3805	* 1.4675	* 1.3816	* 2.3619
	* 1.4966	* 1.5865	* 1.8259	* 1.6575	* 1.4315	* 1.4863	* 1.4316	* 2.2708
11	* 1.6287	* 1.3931	* 1.6745	* 1.3831	* 1.4708	* 1.2825	* 1.2667	* 3.1877
	* 1.6978	* 1.4344	* 1.7276	* 1.3965	* 1.5111	* 1.3325	* 1.3342	* 3.1932
	* 1.7200	* 1.4387	* 1.7198	* 1.3901	* 1.5208	* 1.3444	* 1.3507	* 3.1413
	* 1.6780	* 1.4035	* 1.6638	* 1.3583	* 1.4781	* 1.3263	* 1.3304	* 2.9925
	* 1.6500	* 1.3971	* 1.6447	* 1.3655	* 1.4705	* 1.3506	* 1.3374	* 2.8659
	* 1.6429	* 1.4183	* 1.6404	* 1.3939	* 1.4768	* 1.3863	* 1.3666	* 2.7361
	* 1.6446	* 1.4586	* 1.6575	* 1.4474	* 1.4969	* 1.4486	* 1.4372	* 2.6120
12	* 1.4508	* 1.6726	* 1.4218	* 1.4704	* 1.6154	* 1.2381	* 1.9013	*
	* 1.4822	* 1.7256	* 1.4436	* 1.5108	* 1.6823	* 1.3200	* 1.9362	*
	* 1.4653	* 1.7200	* 1.4146	* 1.5205	* 1.7068	* 1.3445	* 1.9429	*
	* 1.4113	* 1.6625	* 1.3605	* 1.4780	* 1.6686	* 1.3276	* 1.8875	*
	* 1.3974	* 1.6337	* 1.3574	* 1.4704	* 1.6640	* 1.3373	* 1.8674	*
	* 1.4138	* 1.6288	* 1.3805	* 1.4768	* 1.6645	* 1.3680	* 1.8540	*
	* 1.4453	* 1.6324	* 1.4316	* 1.4969	* 1.6740	* 1.4217	* 1.8461	*
13	* 1.5048	* 1.4767	* 1.4935	* 1.2820	* 1.2375	* 1.9280	* 3.7178	*
	* 1.5590	* 1.5394	* 1.5173	* 1.3319	* 1.3195	* 2.0015	* 3.8246	*
	* 1.5641	* 1.5524	* 1.5173	* 1.3440	* 1.3441	* 2.0275	* 3.8204	*
	* 1.5229	* 1.5155	* 1.4740	* 1.3261	* 1.3273	* 1.9739	* 3.6517	*
	* 1.5026	* 1.4990	* 1.4643	* 1.3505	* 1.3372	* 1.9470	* 3.4895	*
	* 1.5049	* 1.5022	* 1.4673	* 1.3863	* 1.3680	* 1.9125	* 3.2776	*
	* 1.5128	* 1.5102	* 1.4863	* 1.4486	* 1.4218	* 1.8687	* 3.0450	*
14	* 1.3215	* 1.3201	* 1.3186	* 1.2653	* 1.8991	* 3.6584	*	*
	* 1.4132	* 1.4095	* 1.3873	* 1.3331	* 1.9345	* 3.7618	*	*
	* 1.4307	* 1.4259	* 1.3996	* 1.3498	* 1.9415	* 3.7556	*	*
	* 1.3852	* 1.3806	* 1.3642	* 1.3297	* 1.8864	* 3.5954	*	*
	* 1.3691	* 1.3674	* 1.3590	* 1.3369	* 1.8666	* 3.4465	*	*
	* 1.3882	* 1.3872	* 1.3815	* 1.3663	* 1.8536	* 3.2452	*	*
	* 1.4198	* 1.4222	* 1.4317	* 1.4372	* 1.8458	* 3.0176	*	*
15	* 2.5841	* 2.5775	* 2.6765	* 3.1341	* 4 EFPD	118 % POWER		
	* 2.6293	* 2.6203	* 2.7024	* 3.1507	* 50 EFPD	118 % POWER		
	* 2.5913	* 2.5801	* 2.6588	* 3.1031	* 100 EFPD	118 % POWER		
	* 2.4761	* 2.4625	* 2.5384	* 2.9557	* 150 EFPD	118 % POWER		
	* 2.3716	* 2.3575	* 2.4388	* 2.8353	* 225 EFPD	118 % POWER		
	* 2.2939	* 2.2755	* 2.3611	* 2.7083	* 325 EFPD	118 % POWER		
	* 2.2011	* 2.1735	* 2.2703	* 2.5852	* 450 EFPD	118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 259 of 350

THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	1.2905	1.6348	1.3569	1.6726	1.4814	1.5373	1.3412	2.6380
	1.4359	1.8074	1.4228	1.7275	1.4916	1.5745	1.4156	2.6461
	1.5372	1.9021	1.4459	1.7412	1.4631	1.5711	1.4224	2.5911
	1.5731	1.9126	1.4313	1.6997	1.4132	1.5352	1.3790	2.4813
	1.6351	1.9300	1.4509	1.6767	1.4056	1.5207	1.3688	2.3850
	1.6616	1.9259	1.4865	1.6842	1.4392	1.5377	1.4045	2.3277
	1.6648	1.8854	1.5267	1.6848	1.4740	1.5476	1.4414	2.2376
9	1.6348	1.6261	1.4484	1.4230	1.7148	1.5069	1.3394	2.6360
	1.8074	1.8072	1.5782	1.4493	1.7483	1.5538	1.4117	2.6383
	1.9021	1.9126	1.6199	1.4440	1.7327	1.5590	1.4178	2.5787
	1.9126	1.9308	1.6059	1.4087	1.6798	1.5275	1.3743	2.4660
	1.9300	1.9537	1.6100	1.4085	1.6567	1.5170	1.3661	2.3692
	1.9259	1.9537	1.6235	1.4448	1.6670	1.5349	1.4024	2.3066
	1.8854	1.9101	1.6277	1.4861	1.6703	1.5448	1.4428	2.2059
10	1.3569	1.4485	1.6806	1.7249	1.4445	1.5130	1.3299	2.7338
	1.4228	1.5785	1.8348	1.7559	1.4491	1.5219	1.3851	2.7225
	1.4459	1.6206	1.8992	1.7364	1.4082	1.5146	1.3901	2.6600
	1.4313	1.6066	1.8761	1.6843	1.3592	1.4779	1.3552	2.5445
	1.4509	1.6107	1.8661	1.6682	1.3614	1.4723	1.3556	2.4497
	1.4865	1.6241	1.8713	1.6782	1.4011	1.4899	1.3949	2.3867
	1.5267	1.6282	1.8635	1.7028	1.4647	1.5182	1.4463	2.2920
11	1.6726	1.4253	1.7250	1.4106	1.4987	1.2982	1.2763	3.2243
	1.7275	1.4504	1.7559	1.4033	1.5187	1.3282	1.3279	3.1950
	1.7412	1.4450	1.7364	1.3880	1.5239	1.3339	1.3379	3.1242
	1.6997	1.4096	1.6844	1.3602	1.4885	1.3227	1.3232	2.9845
	1.6767	1.4093	1.6683	1.3768	1.4890	1.3557	1.3354	2.8634
	1.6842	1.4455	1.6783	1.4213	1.5106	1.4080	1.3807	2.7587
	1.6848	1.4868	1.7030	1.4865	1.5439	1.4837	1.4650	2.6376
12	1.4814	1.7150	1.4439	1.4982	1.6526	1.2557	1.9270	
	1.4916	1.7482	1.4488	1.5184	1.6966	1.3173	1.9333	
	1.4631	1.7333	1.4080	1.5237	1.7141	1.3349	1.9321	
	1.4132	1.6804	1.3590	1.4883	1.6834	1.3244	1.8852	
	1.4056	1.6573	1.3614	1.4889	1.6918	1.3455	1.8781	
	1.4392	1.6676	1.4011	1.5106	1.7091	1.3931	1.8829	
	1.4740	1.6708	1.4648	1.5440	1.7301	1.4606	1.8868	
13	1.5373	1.5068	1.5117	1.2977	1.2551	1.9672	3.8212	
	1.5745	1.5538	1.5211	1.3277	1.3169	2.0087	3.8640	
	1.5711	1.5591	1.5140	1.3335	1.3345	2.0260	3.8404	
	1.5352	1.5276	1.4774	1.3224	1.3241	1.9807	3.6841	
	1.5207	1.5171	1.4720	1.3556	1.3454	1.9707	3.5490	
	1.5377	1.5350	1.4898	1.4080	1.3931	1.9542	3.3624	
	1.5476	1.5450	1.5182	1.4838	1.4606	1.9214	3.1413	
14	1.3412	1.3391	1.3285	1.2748	1.9246	3.7588		
	1.4157	1.4113	1.3841	1.3268	1.9317	3.7992		
	1.4224	1.4174	1.3894	1.3371	1.9307	3.7723		
	1.3790	1.3741	1.3546	1.3224	1.8841	3.6230		
	1.3688	1.3660	1.3553	1.3350	1.8773	3.5003		
	1.4045	1.4023	1.3948	1.3805	1.8825	3.3255		
	1.4414	1.4428	1.4463	1.4650	1.8866	3.1086		
15	2.6380	2.6343	2.7300	3.1720	4	EFPD 118 % POWER		
	2.6461	2.6375	2.7197	3.1545	50	EFPD 118 % POWER		
	2.5911	2.5780	2.6577	3.0879	100	EFPD 118 % POWER		
	2.4813	2.4655	2.5428	2.9501	150	EFPD 118 % POWER		
	2.3850	2.3689	2.4485	2.8347	225	EFPD 118 % POWER		
	2.3277	2.3064	2.3859	2.7321	325	EFPD 118 % POWER		
	2.2376	2.2058	2.2916	2.6119	450	EFPD 118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 260 of 350

TABLE A-2 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) NORMAL OPERATION

THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3262	* 1.6987	* 1.3964	* 1.7346	* 1.5182	* 1.5792	* 1.3668	* 2.7419
	* 1.4754	* 1.8717	* 1.4544	* 1.7790	* 1.5147	* 1.6041	* 1.4288	* 2.7213
	* 1.5780	* 1.9664	* 1.4723	* 1.7852	* 1.4767	* 1.5959	* 1.4269	* 2.6517
	* 1.6225	* 1.9872	* 1.4619	* 1.7458	* 1.4319	* 1.5665	* 1.3874	* 2.5478
	* 1.6829	* 2.0035	* 1.4856	* 1.7270	* 1.4305	* 1.5586	* 1.3840	* 2.4561
	* 1.7145	* 2.0057	* 1.5303	* 1.7410	* 1.4743	* 1.5822	* 1.4275	* 2.3991
	* 1.7049	* 1.9498	* 1.5588	* 1.7357	* 1.5080	* 1.5921	* 1.4665	* 2.3127
9	* 1.6987	* 1.6853	* 1.4965	* 1.4650	* 1.7690	* 1.5460	* 1.3649	* 2.7399
	* 1.8717	* 1.8694	* 1.6265	* 1.4798	* 1.7888	* 1.5820	* 1.4247	* 2.7165
	* 1.9664	* 1.9757	* 1.6631	* 1.4635	* 1.7680	* 1.5827	* 1.4218	* 2.6425
	* 1.9872	* 2.0038	* 1.6563	* 1.4318	* 1.7214	* 1.5583	* 1.3829	* 2.5352
	* 2.0035	* 2.0279	* 1.6631	* 1.4374	* 1.7033	* 1.5538	* 1.3805	* 2.4437
	* 2.0057	* 2.0344	* 1.6848	* 1.4839	* 1.7213	* 1.5792	* 1.4276	* 2.3817
	* 1.9498	* 1.9755	* 1.6728	* 1.5197	* 1.7195	* 1.5871	* 1.4670	* 2.2834
10	* 1.3964	* 1.4966	* 1.7454	* 1.7925	* 1.4733	* 1.5440	* 1.3495	* 2.8412
	* 1.4544	* 1.6267	* 1.8983	* 1.8055	* 1.4697	* 1.5425	* 1.3944	* 2.8038
	* 1.4723	* 1.6639	* 1.9578	* 1.7774	* 1.4186	* 1.5312	* 1.3956	* 2.7265
	* 1.4619	* 1.6571	* 1.9432	* 1.7310	* 1.3753	* 1.5019	* 1.3626	* 2.6180
	* 1.4856	* 1.6640	* 1.9362	* 1.7179	* 1.3821	* 1.5004	* 1.3685	* 2.5297
	* 1.5303	* 1.6855	* 1.9515	* 1.7385	* 1.4335	* 1.5293	* 1.4199	* 2.4791
	* 1.5588	* 1.6734	* 1.9296	* 1.7473	* 1.4890	* 1.5458	* 1.4658	* 2.3801
11	* 1.7346	* 1.4675	* 1.7927	* 1.4436	* 1.5309	* 1.3188	* 1.2945	* 3.3505
	* 1.7790	* 1.4811	* 1.8055	* 1.4253	* 1.5454	* 1.3393	* 1.3368	* 3.2920
	* 1.7852	* 1.4647	* 1.7775	* 1.4029	* 1.5471	* 1.3401	* 1.3428	* 3.2052
	* 1.7458	* 1.4328	* 1.7312	* 1.3799	* 1.5200	* 1.3366	* 1.3327	* 3.0738
	* 1.7270	* 1.4384	* 1.7180	* 1.4003	* 1.5237	* 1.3742	* 1.3477	* 2.9547
	* 1.7410	* 1.4847	* 1.7386	* 1.4561	* 1.5558	* 1.4387	* 1.4044	* 2.8634
	* 1.7357	* 1.5204	* 1.7474	* 1.5166	* 1.5858	* 1.5118	* 1.4835	* 2.7172
12	* 1.5182	* 1.7694	* 1.4727	* 1.5304	* 1.6911	* 1.2741	* 1.9899	
	* 1.5147	* 1.7888	* 1.4695	* 1.5450	* 1.7311	* 1.3305	* 1.9848	
	* 1.4767	* 1.7689	* 1.4184	* 1.5468	* 1.7449	* 1.3437	* 1.9760	
	* 1.4319	* 1.7222	* 1.3752	* 1.5198	* 1.7233	* 1.3407	* 1.9374	
	* 1.4305	* 1.7040	* 1.3821	* 1.5236	* 1.7329	* 1.3607	* 1.9315	
	* 1.4743	* 1.7219	* 1.4336	* 1.5558	* 1.7612	* 1.4194	* 1.9483	
	* 1.5080	* 1.7202	* 1.4891	* 1.5859	* 1.7839	* 1.4905	* 1.9523	
13	* 1.5792	* 1.5459	* 1.5428	* 1.3183	* 1.2735	* 2.0330	* 3.9801	
	* 1.6041	* 1.5820	* 1.5416	* 1.3387	* 1.3300	* 2.0682	* 4.0108	
	* 1.5959	* 1.5827	* 1.5305	* 1.3397	* 1.3433	* 2.0801	* 3.9727	
	* 1.5665	* 1.5584	* 1.5014	* 1.3364	* 1.3404	* 2.0437	* 3.8284	
	* 1.5586	* 1.5540	* 1.5001	* 1.3742	* 1.3606	* 2.0321	* 3.6817	
	* 1.5822	* 1.5793	* 1.5292	* 1.4387	* 1.4194	* 2.0257	* 3.5090	
	* 1.5921	* 1.5873	* 1.5459	* 1.5119	* 1.4905	* 1.9934	* 3.2670	
14	* 1.3668	* 1.3645	* 1.3481	* 1.2929	* 1.9874	* 3.9125		
	* 1.4288	* 1.4242	* 1.3934	* 1.3357	* 1.9831	* 3.9410		
	* 1.4269	* 1.4214	* 1.3949	* 1.3420	* 1.9746	* 3.9019		
	* 1.3874	* 1.3826	* 1.3620	* 1.3320	* 1.9364	* 3.7673		
	* 1.3840	* 1.3803	* 1.3683	* 1.3473	* 1.9308	* 3.6351		
	* 1.4275	* 1.4277	* 1.4198	* 1.4043	* 1.9480	* 3.4726		
	* 1.4665	* 1.4671	* 1.4659	* 1.4836	* 1.9521	* 3.2357		
15	* 2.7419	* 2.7381	* 2.8355	* 3.2978	* 4 EFPD 118 % POWER			
	* 2.7213	* 2.7157	* 2.8010	* 3.2518	* 50 EFPD 118 % POWER			
	* 2.6517	* 2.6418	* 2.7242	* 3.1702	* 100 EFPD 118 % POWER			
	* 2.5478	* 2.5347	* 2.6163	* 3.0409	* 150 EFPD 118 % POWER			
	* 2.4561	* 2.4434	* 2.5285	* 2.9271	* 225 EFPD 118 % POWER			
	* 2.3991	* 2.3815	* 2.4783	* 2.8375	* 325 EFPD 118 % POWER			
	* 2.3127	* 2.2833	* 2.3797	* 2.6933	* 450 EFPD 118 % POWER			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 261 of 350

THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4040	* 1.8055	* 1.4702	* 1.8315	* 1.5871	* 1.6510	* 1.4213	* 2.8796
	* 1.5584	* 1.9768	* 1.5216	* 1.8669	* 1.5724	* 1.6666	* 1.4747	* 2.8332
	* 1.6648	* 2.0736	* 1.5354	* 1.8668	* 1.5264	* 1.6548	* 1.4661	* 2.7518
	* 1.7198	* 2.1047	* 1.5294	* 1.8294	* 1.4863	* 1.6322	* 1.4307	* 2.6541
	* 1.7811	* 2.1200	* 1.5562	* 1.8133	* 1.4895	* 1.6290	* 1.4320	* 2.5642
	* 1.8107	* 2.1116	* 1.5952	* 1.8197	* 1.5321	* 1.6489	* 1.4744	* 2.4975
	* 1.7848	* 2.0414	* 1.6196	* 1.8124	* 1.5674	* 1.6588	* 1.5156	* 2.4063
9	* 1.8055	* 1.7821	* 1.5779	* 1.5410	* 1.8558	* 1.6148	* 1.4192	* 2.8793
	* 1.9768	* 1.9713	* 1.7104	* 1.5454	* 1.8653	* 1.6426	* 1.4704	* 2.8310
	* 2.0736	* 2.0809	* 1.7431	* 1.5195	* 1.8410	* 1.6402	* 1.4609	* 2.7445
	* 2.1047	* 2.1199	* 1.7436	* 1.4913	* 1.8005	* 1.6232	* 1.4263	* 2.6429
	* 2.1200	* 2.1451	* 1.7519	* 1.5010	* 1.7855	* 1.6236	* 1.4284	* 2.5526
	* 2.1116	* 2.1395	* 1.7641	* 1.5429	* 1.7969	* 1.6448	* 1.4741	* 2.4801
	* 2.0414	* 2.0668	* 1.7455	* 1.5795	* 1.7940	* 1.6526	* 1.5156	* 2.3766
10	* 1.4702	* 1.5780	* 1.8462	* 1.8952	* 1.5378	* 1.6081	* 1.4007	* 2.9861
	* 1.5216	* 1.7106	* 2.0007	* 1.8925	* 1.5261	* 1.5969	* 1.4375	* 2.9241
	* 1.5354	* 1.7441	* 2.0570	* 1.8566	* 1.4658	* 1.5824	* 1.4354	* 2.8337
	* 1.5294	* 1.7446	* 2.0468	* 1.8161	* 1.4277	* 1.5605	* 1.4058	* 2.7321
	* 1.5562	* 1.7529	* 2.0413	* 1.8051	* 1.4385	* 1.5625	* 1.4157	* 2.6448
	* 1.5952	* 1.7649	* 2.0498	* 1.8237	* 1.4950	* 1.5940	* 1.4682	* 2.5812
	* 1.6196	* 1.7461	* 2.0173	* 1.8199	* 1.5396	* 1.5999	* 1.5115	* 2.4767
11	* 1.8315	* 1.5438	* 1.8956	* 1.5129	* 1.6004	* 1.3727	* 1.3436	* 3.5179
	* 1.8669	* 1.5470	* 1.8926	* 1.4833	* 1.6081	* 1.3841	* 1.3785	* 3.4321
	* 1.8668	* 1.5209	* 1.8568	* 1.4550	* 1.6077	* 1.3815	* 1.3816	* 3.3312
	* 1.8294	* 1.4926	* 1.8163	* 1.4373	* 1.5879	* 1.3860	* 1.3769	* 3.2086
	* 1.8133	* 1.5021	* 1.8052	* 1.4619	* 1.5950	* 1.4289	* 1.3953	* 3.0886
	* 1.8197	* 1.5437	* 1.8239	* 1.5254	* 1.6335	* 1.5020	* 1.4591	* 2.9857
	* 1.8124	* 1.5803	* 1.8200	* 1.5688	* 1.6426	* 1.5591	* 1.5253	* 2.8195
12	* 1.5871	* 1.8563	* 1.5372	* 1.5999	* 1.7728	* 1.3269	* 2.0859	*
	* 1.5724	* 1.8655	* 1.5259	* 1.6077	* 1.8074	* 1.3780	* 2.0688	*
	* 1.5264	* 1.8418	* 1.4656	* 1.6074	* 1.8188	* 1.3884	* 2.0540	*
	* 1.4863	* 1.8015	* 1.4276	* 1.5878	* 1.8067	* 1.3932	* 2.0241	*
	* 1.4895	* 1.7863	* 1.4385	* 1.5950	* 1.8191	* 1.4152	* 2.0196	*
	* 1.5321	* 1.7976	* 1.4951	* 1.6335	* 1.8539	* 1.4814	* 2.0425	*
	* 1.5674	* 1.7947	* 1.5398	* 1.6427	* 1.8466	* 1.5336	* 2.0144	*
13	* 1.6510	* 1.6147	* 1.6067	* 1.3721	* 1.3263	* 2.1368	* 4.2028	*
	* 1.6666	* 1.6426	* 1.5960	* 1.3834	* 1.3775	* 2.1650	* 4.2175	*
	* 1.6548	* 1.6403	* 1.5817	* 1.3810	* 1.3880	* 2.1729	* 4.1670	*
	* 1.6322	* 1.6233	* 1.5600	* 1.3857	* 1.3929	* 2.1459	* 4.0352	*
	* 1.6290	* 1.6237	* 1.5622	* 1.4288	* 1.4151	* 2.1331	* 3.8784	*
	* 1.6489	* 1.6449	* 1.5939	* 1.5021	* 1.4814	* 2.1307	* 3.7038	*
	* 1.6588	* 1.6528	* 1.6000	* 1.5592	* 1.5336	* 2.0672	* 3.4139	*
14	* 1.4213	* 1.4188	* 1.3992	* 1.3420	* 2.0834	* 4.1304	*	*
	* 1.4747	* 1.4700	* 1.4365	* 1.3774	* 2.0670	* 4.1429	*	*
	* 1.4661	* 1.4605	* 1.4347	* 1.3808	* 2.0526	* 4.0920	*	*
	* 1.4307	* 1.4260	* 1.4052	* 1.3762	* 2.0231	* 3.9701	*	*
	* 1.4320	* 1.4283	* 1.4155	* 1.3949	* 2.0190	* 3.8286	*	*
	* 1.4744	* 1.4741	* 1.4682	* 1.4590	* 2.0421	* 3.6646	*	*
	* 1.5156	* 1.5157	* 1.5116	* 1.5254	* 2.0143	* 3.3801	*	*
15	* 2.8796	* 2.8775	* 2.9801	* 3.4636	* 4 EFPD	118 % POWER		
	* 2.8332	* 2.8302	* 2.9211	* 3.3913	* 50 EFPD	118 % POWER		
	* 2.7518	* 2.7438	* 2.8313	* 3.2962	* 100 EFPD	118 % POWER		
	* 2.6541	* 2.6424	* 2.7303	* 3.1757	* 150 EFPD	118 % POWER		
	* 2.5642	* 2.5522	* 2.6436	* 3.0610	* 225 EFPD	118 % POWER		
	* 2.4975	* 2.4799	* 2.5804	* 2.9596	* 325 EFPD	118 % POWER		
	* 2.4063	* 2.3765	* 2.4763	* 2.7958	* 450 EFPD	118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 262 of 350

TABLE A-2 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) NORMAL OPERATION

THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5117	* 1.9379	* 1.5634	* 1.9540	* 1.6723	* 1.7417	* 1.4904	* 3.0589
	* 1.6649	* 2.0987	* 1.6006	* 1.9687	* 1.6399	* 1.7416	* 1.5317	* 2.9677
	* 1.7761	* 2.1988	* 1.6118	* 1.9606	* 1.5891	* 1.7290	* 1.5201	* 2.8789
	* 1.8508	* 2.2552	* 1.6183	* 1.9410	* 1.5608	* 1.7211	* 1.4930	* 2.8069
	* 1.9139	* 2.2693	* 1.6473	* 1.9264	* 1.5677	* 1.7218	* 1.4981	* 2.7155
	* 1.9204	* 2.2378	* 1.6766	* 1.9222	* 1.6057	* 1.7350	* 1.5367	* 2.6324
	* 1.8910	* 2.1574	* 1.6994	* 1.9115	* 1.6434	* 1.7437	* 1.5790	* 2.5302
9	* 1.9379	* 1.9044	* 1.6809	* 1.6356	* 1.9650	* 1.7018	* 1.4883	* 3.0603
	* 2.0987	* 2.0873	* 1.8067	* 1.6220	* 1.9574	* 1.7167	* 1.5291	* 2.9701
	* 2.1988	* 2.2012	* 1.8376	* 1.5888	* 1.9304	* 1.7138	* 1.5158	* 2.8814
	* 2.2552	* 2.2664	* 1.8559	* 1.5716	* 1.9066	* 1.7109	* 1.4891	* 2.8055
	* 2.2693	* 2.2922	* 1.8653	* 1.5845	* 1.8938	* 1.7151	* 1.4949	* 2.7142
	* 2.2378	* 2.2659	* 1.8640	* 1.6198	* 1.8956	* 1.7295	* 1.5363	* 2.6246
	* 2.1574	* 2.1829	* 1.8399	* 1.6568	* 1.8903	* 1.7357	* 1.5782	* 2.5100
10	* 1.5634	* 1.6811	* 1.9723	* 2.0234	* 1.6218	* 1.6940	* 1.4693	* 3.1765
	* 1.6006	* 1.8080	* 2.1164	* 2.0005	* 1.5980	* 1.6708	* 1.4971	* 3.0754
	* 1.6118	* 1.8387	* 2.1722	* 1.9585	* 1.5310	* 1.6549	* 1.4930	* 2.9778
	* 1.6183	* 1.8570	* 2.1862	* 1.9308	* 1.5014	* 1.6430	* 1.4695	* 2.8966
	* 1.6473	* 1.8663	* 2.1820	* 1.9211	* 1.5158	* 1.6485	* 1.4820	* 2.8077
	* 1.6766	* 1.8649	* 2.1744	* 1.9265	* 1.5650	* 1.6708	* 1.5291	* 2.7292
	* 1.6994	* 1.8405	* 2.1363	* 1.9193	* 1.6107	* 1.6750	* 1.5732	* 2.6121
11	* 1.9540	* 1.6387	* 2.0240	* 1.6034	* 1.6960	* 1.4464	* 1.4108	* 3.7481
	* 1.9687	* 1.6238	* 2.0006	* 1.5588	* 1.6939	* 1.4467	* 1.4374	* 3.6228
	* 1.9606	* 1.5904	* 1.9587	* 1.5260	* 1.6916	* 1.4422	* 1.4395	* 3.5109
	* 1.9410	* 1.5730	* 1.9310	* 1.5172	* 1.6821	* 1.4570	* 1.4420	* 3.4079
	* 1.9264	* 1.5858	* 1.9214	* 1.5460	* 1.6925	* 1.5052	* 1.4636	* 3.2836
	* 1.9222	* 1.6208	* 1.9267	* 1.6005	* 1.7186	* 1.5708	* 1.5193	* 3.1505
	* 1.9115	* 1.6576	* 1.9195	* 1.6436	* 1.7256	* 1.6291	* 1.5867	* 2.9687
12	* 1.6723	* 1.9656	* 1.6211	* 1.6954	* 1.8879	* 1.4003	* 2.2233	*
	* 1.6399	* 1.9580	* 1.5978	* 1.6935	* 1.9130	* 1.4450	* 2.1894	*
	* 1.5891	* 1.9315	* 1.5309	* 1.6914	* 1.9237	* 1.4542	* 2.1727	*
	* 1.5608	* 1.9077	* 1.5013	* 1.6820	* 1.9260	* 1.4689	* 2.1548	*
	* 1.5677	* 1.8948	* 1.5158	* 1.6925	* 1.9417	* 1.4933	* 2.1497	*
	* 1.6057	* 1.8964	* 1.5651	* 1.7186	* 1.9630	* 1.5542	* 2.1562	*
	* 1.6434	* 1.8911	* 1.6108	* 1.7257	* 1.9472	* 1.5987	* 2.1177	*
13	* 1.7417	* 1.7018	* 1.6925	* 1.4459	* 1.3996	* 2.2852	* 4.5060	*
	* 1.7416	* 1.7167	* 1.6699	* 1.4460	* 1.4445	* 2.3009	* 4.4888	*
	* 1.7290	* 1.7139	* 1.6542	* 1.4418	* 1.4538	* 2.3070	* 4.4299	*
	* 1.7211	* 1.7110	* 1.6425	* 1.4567	* 1.4687	* 2.2943	* 4.3228	*
	* 1.7218	* 1.7152	* 1.6482	* 1.5052	* 1.4931	* 2.2812	* 4.1551	*
	* 1.7350	* 1.7296	* 1.6707	* 1.5709	* 1.5542	* 2.2625	* 3.9330	*
	* 1.7437	* 1.7358	* 1.6750	* 1.6292	* 1.5988	* 2.1774	* 3.6027	*
14	* 1.4904	* 1.4879	* 1.4677	* 1.4091	* 2.2206	* 4.4270	*	*
	* 1.5317	* 1.5287	* 1.4960	* 1.4363	* 2.1876	* 4.4083	*	*
	* 1.5201	* 1.5153	* 1.4923	* 1.4387	* 2.1713	* 4.3495	*	*
	* 1.4930	* 1.4888	* 1.4688	* 1.4413	* 2.1537	* 4.2523	*	*
	* 1.4982	* 1.4948	* 1.4818	* 1.4632	* 2.1490	* 4.1007	*	*
	* 1.5367	* 1.5363	* 1.5291	* 1.5191	* 2.1558	* 3.8903	*	*
	* 1.5790	* 1.5783	* 1.5732	* 1.5868	* 2.1176	* 3.5658	*	*
15	* 3.0589	* 3.0583	* 3.1701	* 3.6949	* 4 EFPD	118 % POWER		
	* 2.9677	* 2.9687	* 3.0724	* 3.5807	* 50 EFPD	118 % POWER		
	* 2.8789	* 2.8807	* 2.9754	* 3.4753	* 100 EFPD	118 % POWER		
	* 2.8069	* 2.8050	* 2.8947	* 3.3741	* 150 EFPD	118 % POWER		
	* 2.7155	* 2.7138	* 2.8065	* 3.2556	* 225 EFPD	118 % POWER		
	* 2.6324	* 2.6244	* 2.7285	* 3.1243	* 325 EFPD	118 % POWER		
	* 2.5302	* 2.5099	* 2.6117	* 2.9458	* 450 EFPD	118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 263 of 350

THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6640	* 2.1115	* 1.7080	* 2.1209	* 1.8113	* 1.8783	* 1.6089	* 3.2313
	* 1.7996	* 2.2445	* 1.7236	* 2.1113	* 1.7534	* 1.8551	* 1.6307	* 3.1028
	* 1.9146	* 2.3405	* 1.7335	* 2.0983	* 1.6980	* 1.8409	* 1.6154	* 3.0080
	* 2.0033	* 2.4047	* 1.7486	* 2.0842	* 1.6788	* 1.8447	* 1.6008	* 2.9475
	* 2.0825	* 2.4365	* 1.7870	* 2.0778	* 1.6941	* 1.8535	* 1.6127	* 2.8682
	* 2.0877	* 2.4094	* 1.8152	* 2.0731	* 1.7326	* 1.8656	* 1.6494	* 2.7803
	* 2.0446	* 2.3143	* 1.8345	* 2.0500	* 1.7656	* 1.8617	* 1.6848	* 2.6498
9	* 2.1115	* 2.0750	* 1.8308	* 1.7838	* 2.1217	* 1.8358	* 1.6072	* 3.2395
	* 2.2445	* 2.2432	* 1.9428	* 1.7438	* 2.0885	* 1.8275	* 1.6282	* 3.1024
	* 2.3405	* 2.3583	* 1.9740	* 1.7037	* 2.0614	* 1.8240	* 1.6128	* 3.0018
	* 2.4047	* 2.4324	* 2.0013	* 1.6950	* 2.0461	* 1.8348	* 1.5996	* 2.9367
	* 2.4365	* 2.4690	* 2.0204	* 1.7164	* 2.0424	* 1.8478	* 1.6113	* 2.8554
	* 2.4094	* 2.4367	* 2.0171	* 1.7516	* 2.0427	* 1.8608	* 1.6489	* 2.7592
	* 2.3143	* 2.3350	* 1.9850	* 1.7835	* 2.0252	* 1.8564	* 1.6863	* 2.6141
10	* 1.7080	* 1.8310	* 2.1466	* 2.1981	* 1.7656	* 1.8338	* 1.5927	* 3.3772
	* 1.7236	* 1.9441	* 2.2761	* 2.1432	* 1.7120	* 1.7818	* 1.5982	* 3.2223
	* 1.7335	* 1.9752	* 2.3277	* 2.0964	* 1.6408	* 1.7647	* 1.5928	* 3.1156
	* 1.7486	* 2.0026	* 2.3364	* 2.0818	* 1.6244	* 1.7692	* 1.5839	* 3.0477
	* 1.7870	* 2.0216	* 2.3412	* 2.0806	* 1.6459	* 1.7808	* 1.5997	* 2.9623
	* 1.8152	* 2.0181	* 2.3260	* 2.0793	* 1.6897	* 1.7940	* 1.6414	* 2.8631
	* 1.8345	* 1.9857	* 2.2710	* 2.0655	* 1.7347	* 1.7930	* 1.6850	* 2.7213
11	* 2.1209	* 1.7872	* 2.1988	* 1.7502	* 1.8444	* 1.5738	* 1.5299	* 3.9633
	* 2.1113	* 1.7459	* 2.1434	* 1.6770	* 1.8157	* 1.5506	* 1.5358	* 3.7744
	* 2.0983	* 1.7056	* 2.0967	* 1.6414	* 1.8113	* 1.5462	* 1.5375	* 3.6577
	* 2.0842	* 1.6966	* 2.0821	* 1.6474	* 1.8199	* 1.5795	* 1.5573	* 3.5800
	* 2.0778	* 1.7178	* 2.0808	* 1.6841	* 1.8377	* 1.6358	* 1.5854	* 3.4654
	* 2.0731	* 1.7527	* 2.0796	* 1.7315	* 1.8545	* 1.6944	* 1.6324	* 3.3106
	* 2.0500	* 1.7845	* 2.0657	* 1.7732	* 1.8565	* 1.7511	* 1.7001	* 3.1093
12	* 1.8113	* 2.1224	* 1.7649	* 1.8438	* 2.0577	* 1.5252	* 2.3745	*
	* 1.7534	* 2.0892	* 1.7118	* 1.8153	* 2.0546	* 1.5518	* 2.3026	*
	* 1.6980	* 2.0614	* 1.6407	* 1.8110	* 2.0660	* 1.5609	* 2.2851	*
	* 1.6788	* 2.0473	* 1.6244	* 1.8198	* 2.0881	* 1.5940	* 2.2900	*
	* 1.6941	* 2.0434	* 1.6460	* 1.8377	* 2.1127	* 1.6266	* 2.2934	*
	* 1.7326	* 2.0436	* 1.6898	* 1.8546	* 2.1207	* 1.6762	* 2.2795	*
	* 1.7656	* 2.0260	* 1.7349	* 1.8566	* 2.0917	* 1.7196	* 2.2287	*
13	* 1.8783	* 1.8357	* 1.8322	* 1.5727	* 1.5245	* 2.4550	* 4.8194	*
	* 1.8551	* 1.8276	* 1.7808	* 1.5499	* 1.5512	* 2.4354	* 4.7249	*
	* 1.8409	* 1.8241	* 1.7640	* 1.5457	* 1.5605	* 2.4410	* 4.6598	*
	* 1.8447	* 1.8349	* 1.7687	* 1.5792	* 1.5937	* 2.4515	* 4.5852	*
	* 1.8535	* 1.8479	* 1.7805	* 1.6358	* 1.6265	* 2.4446	* 4.4228	*
	* 1.8656	* 1.8609	* 1.7940	* 1.6945	* 1.6762	* 2.3993	* 4.1474	*
	* 1.8617	* 1.8566	* 1.7931	* 1.7512	* 1.7197	* 2.2982	* 3.7840	*
14	* 1.6089	* 1.6068	* 1.5910	* 1.5281	* 2.3717	* 4.7320	*	*
	* 1.6307	* 1.6278	* 1.5971	* 1.5346	* 2.3007	* 4.6389	*	*
	* 1.6154	* 1.6124	* 1.5921	* 1.5366	* 2.2836	* 4.5725	*	*
	* 1.6008	* 1.5992	* 1.5833	* 1.5565	* 2.2890	* 4.5055	*	*
	* 1.6127	* 1.6113	* 1.5995	* 1.5849	* 2.2928	* 4.3623	*	*
	* 1.6494	* 1.6489	* 1.6414	* 1.6323	* 2.2792	* 4.1046	*	*
	* 1.6848	* 1.6864	* 1.6851	* 1.7002	* 2.2286	* 3.7473	*	*
15	* 3.2313	* 3.2382	* 3.3724	* 3.9037	* 4 EFPD 118	% POWER		
	* 3.1028	* 3.1015	* 3.2192	* 3.7311	* 50 EFPD 118	% POWER		
	* 3.0080	* 3.0011	* 3.1132	* 3.6202	* 100 EFPD 118	% POWER		
	* 2.9475	* 2.9361	* 3.0458	* 3.5442	* 150 EFPD 118	% POWER		
	* 2.8682	* 2.8550	* 2.9609	* 3.4350	* 225 EFPD 118	% POWER		
	* 2.7803	* 2.7590	* 2.8623	* 3.2823	* 325 EFPD 118	% POWER		
	* 2.6498	* 2.6140	* 2.7209	* 3.0826	* 450 EFPD 118	% POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 264 of 350

TABLE A-2 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) NORMAL OPERATION

THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7467 *	* 2.2232 *	* 1.7873 *	* 2.2231 *	* 1.8872 *	* 1.9653 *	* 1.6696 *	* 3.4388 *
	* 1.8793 *	* 2.3591 *	* 1.7947 *	* 2.2095 *	* 1.8238 *	* 1.9360 *	* 1.6863 *	* 3.2883 *
	* 1.9972 *	* 2.4645 *	* 1.8071 *	* 2.2025 *	* 1.7652 *	* 1.9241 *	* 1.6712 *	* 3.1880 *
	* 2.0944 *	* 2.5400 *	* 1.8313 *	* 2.1998 *	* 1.7514 *	* 1.9368 *	* 1.6619 *	* 3.1334 *
	* 2.1869 *	* 2.5830 *	* 1.8845 *	* 2.2077 *	* 1.7793 *	* 1.9595 *	* 1.6854 *	* 3.0642 *
	* 2.2029 *	* 2.5629 *	* 1.9222 *	* 2.2118 *	* 1.8288 *	* 1.9810 *	* 1.7315 *	* 2.9775 *
	* 2.1670 *	* 2.4698 *	* 1.9375 *	* 2.1870 *	* 1.8663 *	* 1.9791 *	* 1.7683 *	* 2.8407 *
9	* 2.2232 *	* 2.1832 *	* 1.9294 *	* 1.8570 *	* 2.2294 *	* 1.9206 *	* 1.6692 *	* 3.4517 *
	* 2.3591 *	* 2.3437 *	* 2.0349 *	* 1.8161 *	* 2.1887 *	* 1.9071 *	* 1.6864 *	* 3.2994 *
	* 2.4645 *	* 2.4641 *	* 2.0681 *	* 1.7790 *	* 2.1642 *	* 1.9062 *	* 1.6710 *	* 3.1936 *
	* 2.5400 *	* 2.5487 *	* 2.1050 *	* 1.7744 *	* 2.1571 *	* 1.9257 *	* 1.6621 *	* 3.1351 *
	* 2.5830 *	* 2.6043 *	* 2.1388 *	* 1.8078 *	* 2.1672 *	* 1.9523 *	* 1.6853 *	* 3.0650 *
	* 2.5629 *	* 2.5904 *	* 2.1475 *	* 1.8533 *	* 2.1775 *	* 1.9744 *	* 1.7324 *	* 2.9686 *
	* 2.4698 *	* 2.4947 *	* 2.1095 *	* 1.8853 *	* 2.1590 *	* 1.9693 *	* 1.7695 *	* 2.8137 *
10	* 1.7873 *	* 1.9296 *	* 2.2568 *	* 2.3099 *	* 1.8550 *	* 1.9302 *	* 1.6653 *	* 3.6025 *
	* 1.7947 *	* 2.0352 *	* 2.3772 *	* 2.2686 *	* 1.7921 *	* 1.8690 *	* 1.6635 *	* 3.4241 *
	* 1.8071 *	* 2.0694 *	* 2.4383 *	* 2.2197 *	* 1.7168 *	* 1.8525 *	* 1.6577 *	* 3.3134 *
	* 1.8313 *	* 2.1062 *	* 2.4845 *	* 2.2125 *	* 1.7063 *	* 1.8656 *	* 1.6549 *	* 3.2570 *
	* 1.8845 *	* 2.1400 *	* 2.5144 *	* 2.2242 *	* 1.7406 *	* 1.8905 *	* 1.6787 *	* 3.1901 *
	* 1.9222 *	* 2.1484 *	* 2.5085 *	* 2.2316 *	* 1.7958 *	* 1.9123 *	* 1.7302 *	* 3.1025 *
	* 1.9375 *	* 2.1103 *	* 2.4470 *	* 2.2087 *	* 1.8377 *	* 1.9038 *	* 1.7685 *	* 2.9417 *
11	* 2.2231 *	* 1.8604 *	* 2.3108 *	* 1.8515 *	* 1.9576 *	* 1.6564 *	* 1.6064 *	* 4.2645 *
	* 2.2095 *	* 1.8182 *	* 2.2689 *	* 1.7640 *	* 1.9187 *	* 1.6245 *	* 1.6044 *	* 4.0438 *
	* 2.2025 *	* 1.7811 *	* 2.2200 *	* 1.7261 *	* 1.9158 *	* 1.6200 *	* 1.6075 *	* 3.9195 *
	* 2.1998 *	* 1.7762 *	* 2.2128 *	* 1.7384 *	* 1.9321 *	* 1.6617 *	* 1.6328 *	* 3.8500 *
	* 2.2077 *	* 1.8094 *	* 2.2245 *	* 1.7887 *	* 1.9635 *	* 1.7329 *	* 1.6720 *	* 3.7460 *
	* 2.2118 *	* 1.8546 *	* 2.2318 *	* 1.8455 *	* 1.9884 *	* 1.8013 *	* 1.7270 *	* 3.5875 *
	* 2.1870 *	* 1.8863 *	* 2.2089 *	* 1.8828 *	* 1.9839 *	* 1.8532 *	* 1.7930 *	* 3.3496 *
12	* 1.8872 *	* 2.2303 *	* 1.8543 *	* 1.9570 *	* 2.1871 *	* 1.6104 *	* 2.5649 *	
	* 1.8238 *	* 2.1895 *	* 1.7919 *	* 1.9183 *	* 2.1764 *	* 1.6275 *	* 2.4753 *	
	* 1.7652 *	* 2.1648 *	* 1.7167 *	* 1.9156 *	* 2.1912 *	* 1.6384 *	* 2.4563 *	
	* 1.7514 *	* 2.1585 *	* 1.7062 *	* 1.9320 *	* 2.2245 *	* 1.6804 *	* 2.4680 *	
	* 1.7793 *	* 2.1684 *	* 1.7407 *	* 1.9635 *	* 2.2645 *	* 1.7225 *	* 2.4853 *	
	* 1.8288 *	* 2.1785 *	* 1.7959 *	* 1.9885 *	* 2.2795 *	* 1.7801 *	* 2.4760 *	
	* 1.8663 *	* 2.1600 *	* 1.8378 *	* 1.9840 *	* 2.2500 *	* 1.8242 *	* 2.4148 *	
13	* 1.9653 *	* 1.9205 *	* 1.9286 *	* 1.6555 *	* 1.6096 *	* 2.6526 *	* 5.2158 *	
	* 1.9360 *	* 1.9071 *	* 1.8680 *	* 1.6238 *	* 1.6269 *	* 2.6186 *	* 5.1161 *	
	* 1.9241 *	* 1.9063 *	* 1.8518 *	* 1.6195 *	* 1.6380 *	* 2.6262 *	* 5.0493 *	
	* 1.9368 *	* 1.9259 *	* 1.8651 *	* 1.6613 *	* 1.6801 *	* 2.6476 *	* 4.9874 *	
	* 1.9595 *	* 1.9525 *	* 1.8902 *	* 1.7328 *	* 1.7223 *	* 2.6542 *	* 4.8370 *	
	* 1.9810 *	* 1.9745 *	* 1.9123 *	* 1.8012 *	* 1.7801 *	* 2.6099 *	* 4.5469 *	
	* 1.9791 *	* 1.9694 *	* 1.9039 *	* 1.8533 *	* 1.8242 *	* 2.4970 *	* 4.1353 *	
14	* 1.6696 *	* 1.6688 *	* 1.6636 *	* 1.6045 *	* 2.5619 *	* 5.1260 *		
	* 1.6863 *	* 1.6860 *	* 1.6625 *	* 1.6031 *	* 2.4733 *	* 5.0241 *		
	* 1.6712 *	* 1.6708 *	* 1.6568 *	* 1.6064 *	* 2.4548 *	* 4.9574 *		
	* 1.6619 *	* 1.6620 *	* 1.6543 *	* 1.6321 *	* 2.4669 *	* 4.9058 *		
	* 1.6854 *	* 1.6852 *	* 1.6785 *	* 1.6715 *	* 2.4846 *	* 4.7734 *		
	* 1.7315 *	* 1.7324 *	* 1.7301 *	* 1.7269 *	* 2.4757 *	* 4.4968 *		
	* 1.7683 *	* 1.7695 *	* 1.7685 *	* 1.7931 *	* 2.4147 *	* 4.0924 *		
15	* 3.4388 *	* 3.4495 *	* 3.5975 *	* 4.2018 *	* 4 EFPD 118 % POWER			
	* 3.2883 *	* 3.2978 *	* 3.4208 *	* 3.9991 *	* 50 EFPD 118 % POWER			
	* 3.1880 *	* 3.1928 *	* 3.3109 *	* 3.8821 *	* 100 EFPD 118 % POWER			
	* 3.1334 *	* 3.1345 *	* 3.2551 *	* 3.8145 *	* 150 EFPD 118 % POWER			
	* 3.0642 *	* 3.0646 *	* 3.1887 *	* 3.7164 *	* 225 EFPD 118 % POWER			
	* 2.9775 *	* 2.9683 *	* 3.1017 *	* 3.5597 *	* 325 EFPD 118 % POWER			
	* 2.8407 *	* 2.8136 *	* 2.9412 *	* 3.3249 *	* 450 EFPD 118 % POWER			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 265 of 350THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8171	* 2.3053	* 1.8525	* 2.3136	* 1.9812	* 2.0758	* 1.7659	* 3.6277
	* 1.9482	* 2.4419	* 1.8589	* 2.2888	* 1.8970	* 2.0270	* 1.7785	* 3.4776
	* 2.0977	* 2.5794	* 1.8892	* 2.2956	* 1.8551	* 2.0343	* 1.7631	* 3.3731
	* 2.2032	* 2.6793	* 1.9242	* 2.3150	* 1.8621	* 2.0627	* 1.7589	* 3.3257
	* 2.3090	* 2.7367	* 1.9887	* 2.3413	* 1.9038	* 2.0996	* 1.7944	* 3.2698
	* 2.3337	* 2.7261	* 2.0420	* 2.3622	* 1.9653	* 2.1316	* 1.8509	* 3.1868
	* 2.3115	* 2.6413	* 2.0748	* 2.3523	* 2.0124	* 2.1372	* 1.8970	* 3.0476
9	* 2.3053	* 2.2651	* 2.0000	* 1.9297	* 2.3385	* 2.0335	* 1.7661	* 3.6470
	* 2.4419	* 2.4281	* 2.1117	* 1.8809	* 2.2772	* 2.0015	* 1.7798	* 3.4907
	* 2.5794	* 2.5819	* 2.1689	* 1.8565	* 2.2616	* 2.0200	* 1.7637	* 3.3797
	* 2.6793	* 2.6904	* 2.2195	* 1.8729	* 2.2800	* 2.0504	* 1.7598	* 3.3278
	* 2.7367	* 2.7610	* 2.2658	* 1.9214	* 2.3066	* 2.0917	* 1.7950	* 3.2696
	* 2.7261	* 2.7549	* 2.2845	* 1.9821	* 2.3322	* 2.1242	* 1.8525	* 3.1754
	* 2.6413	* 2.6673	* 2.2598	* 2.0287	* 2.3264	* 2.1262	* 1.8988	* 3.0179
10	* 1.8525	* 2.0002	* 2.3497	* 2.4198	* 1.9629	* 2.0467	* 1.7616	* 3.8110
	* 1.8589	* 2.1132	* 2.4664	* 2.3647	* 1.8834	* 1.9778	* 1.7560	* 3.6299
	* 1.8892	* 2.1704	* 2.5588	* 2.3365	* 1.8221	* 1.9631	* 1.7501	* 3.5144
	* 1.9242	* 2.2209	* 2.6237	* 2.3434	* 1.8164	* 1.9845	* 1.7533	* 3.4659
	* 1.9887	* 2.2670	* 2.6651	* 2.3703	* 1.8633	* 2.0228	* 1.7894	* 3.4129
	* 2.0420	* 2.2856	* 2.6696	* 2.3908	* 1.9296	* 2.0532	* 1.8505	* 3.3242
	* 2.0748	* 2.2606	* 2.6183	* 2.3795	* 1.9809	* 2.0489	* 1.8968	* 3.1611
11	* 2.3136	* 1.9335	* 2.4209	* 1.9458	* 2.0811	* 1.7535	* 1.6987	* 4.5073
	* 2.2888	* 1.8835	* 2.3652	* 1.8565	* 2.0350	* 1.7164	* 1.6923	* 4.2867
	* 2.2956	* 1.8587	* 2.3370	* 1.8283	* 2.0364	* 1.7143	* 1.6962	* 4.1576
	* 2.3150	* 1.8748	* 2.3439	* 1.8506	* 2.0616	* 1.7657	* 1.7297	* 4.0972
	* 2.3413	* 1.9231	* 2.3707	* 1.9149	* 2.1073	* 1.8529	* 1.7817	* 4.0068
	* 2.3622	* 1.9834	* 2.3911	* 1.9815	* 2.1422	* 1.9312	* 1.8478	* 3.8462
	* 2.3523	* 2.0298	* 2.3797	* 2.0300	* 2.1411	* 1.9905	* 1.9211	* 3.5961
12	* 1.9812	* 2.3395	* 1.9623	* 2.0805	* 2.3199	* 1.7094	* 2.7243	*
	* 1.8970	* 2.2782	* 1.8833	* 2.0346	* 2.3087	* 1.7224	* 2.6217	*
	* 1.8551	* 2.2633	* 1.8220	* 2.0362	* 2.3290	* 1.7364	* 2.6040	*
	* 1.8621	* 2.2815	* 1.8164	* 2.0615	* 2.3722	* 1.7881	* 2.6279	*
	* 1.9038	* 2.3079	* 1.8633	* 2.1073	* 2.4265	* 1.8439	* 2.6611	*
	* 1.9653	* 2.3332	* 1.9297	* 2.1423	* 2.4531	* 1.9131	* 2.6592	*
	* 2.0124	* 2.3275	* 1.9810	* 2.1412	* 2.4249	* 1.9569	* 2.5901	*
13	* 2.0758	* 2.0335	* 2.0451	* 1.7525	* 1.7086	* 2.8134	* 5.4831	*
	* 2.0270	* 2.0017	* 1.9768	* 1.7158	* 1.7218	* 2.7805	* 5.3657	*
	* 2.0343	* 2.0202	* 1.9623	* 1.7138	* 1.7360	* 2.7930	* 5.3127	*
	* 2.0627	* 2.0505	* 1.9839	* 1.7653	* 1.7878	* 2.8260	* 5.2702	*
	* 2.0996	* 2.0918	* 2.0225	* 1.8529	* 1.8438	* 2.8482	* 5.1404	*
	* 2.1316	* 2.1244	* 2.0531	* 1.9311	* 1.9131	* 2.8094	* 4.8552	*
	* 2.1372	* 2.1264	* 2.0490	* 1.9906	* 1.9570	* 2.6807	* 4.4192	*
14	* 1.7659	* 1.7657	* 1.7597	* 1.6967	* 2.7214	* 5.3883	*	*
	* 1.7785	* 1.7793	* 1.7549	* 1.6911	* 2.6197	* 5.2706	*	*
	* 1.7631	* 1.7634	* 1.7491	* 1.6951	* 2.6025	* 5.2168	*	*
	* 1.7589	* 1.7596	* 1.7526	* 1.7290	* 2.6268	* 5.1844	*	*
	* 1.7944	* 1.7950	* 1.7892	* 1.7813	* 2.6604	* 5.0731	*	*
	* 1.8509	* 1.8525	* 1.8504	* 1.8477	* 2.6589	* 4.8022	*	*
	* 1.8970	* 1.8989	* 1.8969	* 1.9211	* 2.5900	* 4.3735	*	*
15	* 3.6277	* 3.6449	* 3.8061	* 4.4409	* 4 EFPD	118 % POWER		
	* 3.4776	* 3.4898	* 3.6265	* 4.2396	* 50 EFPD	118 % POWER		
	* 3.3731	* 3.3789	* 3.5117	* 4.1189	* 100 EFPD	118 % POWER		
	* 3.3257	* 3.3272	* 3.4639	* 4.0602	* 150 EFPD	118 % POWER		
	* 3.2698	* 3.2692	* 3.4115	* 3.9758	* 225 EFPD	118 % POWER		
	* 3.1868	* 3.1751	* 3.3233	* 3.8168	* 325 EFPD	118 % POWER		
	* 3.0476	* 3.0177	* 3.1606	* 3.5699	* 450 EFPD	118 % POWER		

MCEI-0400-420
Appendix A, Rev. 0
Page 266 of 350

	H	G	F	E	D	C	B	A
8	* 1.7889	* 2.2627	* 1.8293	* 2.2691	* 1.9666	* 2.0529	* 1.7624	* 3.6154 *
	* 1.9288	* 2.3897	* 1.8294	* 2.2437	* 1.8818	* 2.0050	* 1.7619	* 3.4165 *
	* 2.0705	* 2.5111	* 1.8564	* 2.2541	* 1.8334	* 2.0050	* 1.7612	* 3.3296 *
	* 2.1891	* 2.6068	* 1.8984	* 2.2716	* 1.8356	* 2.0337	* 1.7729	* 3.3060 *
	* 2.3189	* 2.6936	* 1.9896	* 2.3238	* 1.9034	* 2.0986	* 1.8408	* 3.3043 *
	* 2.4200	* 2.7700	* 2.1012	* 2.4102	* 2.0287	* 2.2051	* 1.9765	* 3.3306 *
	* 2.3930	* 2.6793	* 2.1338	* 2.4022	* 2.0825	* 2.2230	* 2.0447	* 3.2091 *
9	* 2.2627	* 2.2274	* 1.9758	* 1.9025	* 2.3154	* 2.0097	* 1.7634	* 3.6332 *
	* 2.3897	* 2.3869	* 2.0765	* 1.8536	* 2.2549	* 1.9780	* 1.7652	* 3.4241 *
	* 2.5111	* 2.5295	* 2.1268	* 1.8328	* 2.2291	* 1.9896	* 1.7629	* 3.3300 *
	* 2.6068	* 2.6366	* 2.1826	* 1.8485	* 2.2413	* 2.0290	* 1.7751	* 3.3012 *
	* 2.6936	* 2.7248	* 2.2565	* 1.9177	* 2.2901	* 2.0987	* 1.8430	* 3.2952 *
	* 2.7700	* 2.7945	* 2.3437	* 2.0423	* 2.3850	* 2.2062	* 1.9803	* 3.3106 *
	* 2.6793	* 2.6967	* 2.3128	* 2.0957	* 2.3846	* 2.2217	* 2.0490	* 3.1706 *
10	* 1.8293	* 1.9760	* 2.3104	* 2.3710	* 1.9577	* 2.0473	* 1.7704	* 3.8078 *
	* 1.8294	* 2.0768	* 2.4246	* 2.3261	* 1.8669	* 1.9625	* 1.7495	* 3.5795 *
	* 1.8564	* 2.1282	* 2.4991	* 2.3036	* 1.8028	* 1.9602	* 1.7583	* 3.4807 *
	* 1.8984	* 2.1840	* 2.5493	* 2.3191	* 1.8102	* 1.9969	* 1.7757	* 3.4504 *
	* 1.9896	* 2.2578	* 2.6198	* 2.3700	* 1.8871	* 2.0697	* 1.8451	* 3.4421 *
	* 2.1012	* 2.3448	* 2.7060	* 2.4612	* 2.0327	* 2.1860	* 1.9896	* 3.4617 *
	* 2.1338	* 2.3136	* 2.6409	* 2.4492	* 2.1008	* 2.1991	* 2.0596	* 3.3155 *
11	* 2.2691	* 1.9062	* 2.3736	* 1.9496	* 2.0832	* 1.7578	* 1.7116	* 4.4966 *
	* 2.2437	* 1.8561	* 2.3274	* 1.8429	* 2.0204	* 1.7077	* 1.6911	* 4.2167 *
	* 2.2541	* 1.8350	* 2.3044	* 1.8155	* 2.0202	* 1.7176	* 1.7080	* 4.1114 *
	* 2.2716	* 1.8506	* 2.3196	* 1.8480	* 2.0596	* 1.7836	* 1.7611	* 4.0809 *
	* 2.3238	* 1.9194	* 2.3711	* 1.9337	* 2.1368	* 1.8982	* 1.8480	* 4.0558 *
	* 2.4102	* 2.0436	* 2.4620	* 2.0750	* 2.2541	* 2.0654	* 1.9991	* 4.0320 *
	* 2.4022	* 2.0970	* 2.4497	* 2.1352	* 2.2683	* 2.1506	* 2.0989	* 3.8041 *
12	* 1.9666	* 2.3165	* 1.9571	* 2.0826	* 2.3291	* 1.7264	* 2.7108	* 5.2721 *
	* 1.8818	* 2.2560	* 1.8668	* 2.0201	* 2.2940	* 1.7265	* 2.5877	* 5.0935 *
	* 1.8334	* 2.2309	* 1.8029	* 2.0200	* 2.3242	* 1.7515	* 2.5871	* 5.0935 *
	* 1.8356	* 2.2430	* 1.8103	* 2.0596	* 2.3827	* 1.8182	* 2.6329	* 5.2721 *
	* 1.9034	* 2.2915	* 1.8873	* 2.1369	* 2.4723	* 1.9143	* 2.7106	* 5.2721 *
	* 2.0287	* 2.3861	* 2.0328	* 2.2542	* 2.5922	* 2.0694	* 2.8136	* 5.2721 *
	* 2.0825	* 2.3856	* 2.1009	* 2.2684	* 2.5754	* 2.1341	* 2.7625	* 5.2721 *
13	* 2.0529	* 2.0097	* 2.0457	* 1.7569	* 1.7257	* 2.8316	* 5.5721	* 5.5721 *
	* 2.0050	* 1.9781	* 1.9616	* 1.7071	* 1.7260	* 2.7641	* 5.3935	* 5.3935 *
	* 2.0050	* 1.9898	* 1.9596	* 1.7172	* 1.7512	* 2.7900	* 5.3629	* 5.3629 *
	* 2.0337	* 2.0292	* 1.9965	* 1.7834	* 1.8180	* 2.8433		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 267 of 350

THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7250	* 2.1984	* 1.7589	* 2.1959	* 1.8868	* 1.9892	* 1.6953	* 3.5407
	* 1.8651	* 2.3347	* 1.7589	* 2.1722	* 1.8064	* 1.9419	* 1.6926	* 3.3495
	* 1.9945	* 2.4460	* 1.7756	* 2.1672	* 1.7577	* 1.9384	* 1.6877	* 3.2626
	* 2.0979	* 2.5281	* 1.8063	* 2.1743	* 1.7590	* 1.9631	* 1.6926	* 3.2309
	* 2.2109	* 2.6059	* 1.8908	* 2.2302	* 1.8269	* 2.0345	* 1.7641	* 3.2456
	* 2.2639	* 2.6242	* 1.9800	* 2.2929	* 1.9169	* 2.1004	* 1.8627	* 3.2125
	* 2.2504	* 2.5451	* 2.0138	* 2.2856	* 1.9661	* 2.1149	* 1.9259	* 3.0907
9	* 2.1984	* 2.1576	* 1.9081	* 1.8259	* 2.2335	* 1.9469	* 1.6975	* 3.5707
	* 2.3347	* 2.3162	* 2.0092	* 1.7810	* 2.1742	* 1.9155	* 1.6977	* 3.3698
	* 2.4460	* 2.4462	* 2.0486	* 1.7490	* 2.1401	* 1.9233	* 1.6900	* 3.2768
	* 2.5281	* 2.5395	* 2.0933	* 1.7592	* 2.1464	* 1.9572	* 1.6955	* 3.2412
	* 2.6059	* 2.6307	* 2.1628	* 1.8322	* 2.2050	* 2.0326	* 1.7659	* 3.2531
	* 2.6242	* 2.6495	* 2.2165	* 1.9305	* 2.2747	* 2.0994	* 1.8660	* 3.2103
	* 2.5451	* 2.5668	* 2.1977	* 1.9783	* 2.2701	* 2.1105	* 1.9296	* 3.0685
10	* 1.7589	* 1.9083	* 2.2387	* 2.3053	* 1.8915	* 1.9898	* 1.7084	* 3.7423
	* 1.7589	* 2.0095	* 2.3526	* 2.2545	* 1.8054	* 1.9066	* 1.6877	* 3.5115
	* 1.7756	* 2.0501	* 2.4203	* 2.2240	* 1.7412	* 1.8979	* 1.6887	* 3.4210
	* 1.8063	* 2.0947	* 2.4719	* 2.2302	* 1.7414	* 1.9287	* 1.6989	* 3.3886
	* 1.8908	* 2.1641	* 2.5406	* 2.2835	* 1.8122	* 1.9982	* 1.7662	* 3.4009
	* 1.9800	* 2.2176	* 2.5836	* 2.3489	* 1.9184	* 2.0749	* 1.8732	* 3.3697
	* 2.0138	* 2.1986	* 2.5410	* 2.3380	* 1.9838	* 2.0873	* 1.9394	* 3.2210
11	* 2.1959	* 1.8296	* 2.3067	* 1.8746	* 2.0274	* 1.7002	* 1.6537	* 4.4392
	* 2.1722	* 1.7836	* 2.2559	* 1.7773	* 1.9690	* 1.6508	* 1.6336	* 4.1501
	* 2.1672	* 1.7513	* 2.2253	* 1.7485	* 1.9665	* 1.6534	* 1.6441	* 4.0604
	* 2.1743	* 1.7611	* 2.2313	* 1.7768	* 1.9973	* 1.7112	* 1.6874	* 4.0251
	* 2.2302	* 1.8339	* 2.2844	* 1.8555	* 2.0685	* 1.8204	* 1.7672	* 4.0034
	* 2.2929	* 1.9319	* 2.3495	* 1.9605	* 2.1439	* 1.9495	* 1.8810	* 3.9079
	* 2.2856	* 1.9795	* 2.3385	* 2.0169	* 2.1564	* 2.0312	* 1.9766	* 3.6787
12	* 1.8868	* 2.2347	* 1.8911	* 2.0268	* 2.2611	* 1.6693	* 2.6787	*
	* 1.8064	* 2.1754	* 1.8054	* 1.9687	* 2.2309	* 1.6693	* 2.5536	*
	* 1.7577	* 2.1419	* 1.7413	* 1.9664	* 2.2546	* 1.6876	* 2.5547	*
	* 1.7590	* 2.1481	* 1.7416	* 1.9973	* 2.3051	* 1.7466	* 2.5875	*
	* 1.8269	* 2.2064	* 1.8123	* 2.0686	* 2.3893	* 1.8332	* 2.6584	*
	* 1.9169	* 2.2759	* 1.9186	* 2.1440	* 2.4720	* 1.9507	* 2.7131	*
	* 1.9661	* 2.2712	* 1.9839	* 2.1565	* 2.4559	* 2.0184	* 2.6638	*
13	* 1.9892	* 1.9470	* 1.9883	* 1.6994	* 1.6686	* 2.7840	* 5.4930	*
	* 1.9419	* 1.9156	* 1.9057	* 1.6502	* 1.6688	* 2.7209	* 5.3076	*
	* 1.9384	* 1.9235	* 1.8973	* 1.6530	* 1.6873	* 2.7451	* 5.2768	*
	* 1.9631	* 1.9574	* 1.9283	* 1.7111	* 1.7465	* 2.7906	* 5.2530	*
	* 2.0345	* 2.0328	* 1.9980	* 1.8204	* 1.8331	* 2.8523	* 5.1878	*
	* 2.1004	* 2.0996	* 2.0749	* 1.9496	* 1.9507	* 2.8736	* 4.9958	*
	* 2.1149	* 2.1106	* 2.0874	* 2.0313	* 2.0185	* 2.7614	* 4.5761	*
14	* 1.6953	* 1.6971	* 1.7073	* 1.6519	* 2.6760	* 5.3965	*	*
	* 1.6926	* 1.6974	* 1.6868	* 1.6325	* 2.5520	* 5.2126	*	*
	* 1.6877	* 1.6898	* 1.6881	* 1.6433	* 2.5534	* 5.1808	*	*
	* 1.6926	* 1.6954	* 1.6986	* 1.6869	* 2.5866	* 5.1669	*	*
	* 1.7641	* 1.7659	* 1.7661	* 1.7669	* 2.6579	* 5.1192	*	*
	* 1.8627	* 1.8661	* 1.8732	* 1.8810	* 2.7129	* 4.9407	*	*
	* 1.9259	* 1.9297	* 1.9395	* 1.9767	* 2.6638	* 4.5279	*	*
15	* 3.5407	* 3.5687	* 3.7377	* 4.3840	* 4 EFPD	118 % POWER		
	* 3.3495	* 3.3689	* 3.5086	* 4.1087	* 50 EFPD	118 % POWER		
	* 3.2626	* 3.2761	* 3.4188	* 4.0258	* 100 EFPD	118 % POWER		
	* 3.2309	* 3.2406	* 3.3869	* 3.9917	* 150 EFPD	118 % POWER		
	* 3.2456	* 3.2527	* 3.3996	* 3.9750	* 225 EFPD	118 % POWER		
	* 3.2125	* 3.2101	* 3.3689	* 3.8803	* 325 EFPD	118 % POWER		
	* 3.0907	* 3.0684	* 3.2207	* 3.6538	* 450 EFPD	118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 268 of 350

TABLE A-2 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) NORMAL OPERATION

THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6455	* 2.0895	* 1.6683	* 2.0859	* 1.7794	* 1.8725	* 1.5906	* 3.3406
	* 1.7598	* 2.2024	* 1.6591	* 2.0538	* 1.7007	* 1.8237	* 1.5843	* 3.1468
	* 1.8774	* 2.3076	* 1.6737	* 2.0499	* 1.6549	* 1.8247	* 1.5836	* 3.0669
	* 1.9755	* 2.3851	* 1.7022	* 2.0563	* 1.6564	* 1.8523	* 1.5947	* 3.0452
	* 2.0941	* 2.4671	* 1.7906	* 2.1179	* 1.7342	* 1.9333	* 1.6772	* 3.0767
	* 2.1379	* 2.4833	* 1.8679	* 2.1709	* 1.8181	* 2.0048	* 1.7735	* 3.0678
	* 2.1310	* 2.4208	* 1.9134	* 2.1795	* 1.8779	* 2.0308	* 1.8387	* 2.9746
9	* 2.0895	* 2.0504	* 1.8135	* 1.7300	* 2.1147	* 1.8312	* 1.5919	* 3.3670
	* 2.2024	* 2.1860	* 1.8982	* 1.6810	* 2.0534	* 1.7973	* 1.5865	* 3.1696
	* 2.3076	* 2.3059	* 1.9363	* 1.6512	* 2.0242	* 1.8089	* 1.5849	* 3.0843
	* 2.3851	* 2.3941	* 1.9779	* 1.6605	* 2.0303	* 1.8462	* 1.5966	* 3.0602
	* 2.4671	* 2.4902	* 2.0526	* 1.7381	* 2.0957	* 1.9315	* 1.6788	* 3.0916
	* 2.4833	* 2.5069	* 2.0989	* 1.8273	* 2.1548	* 2.0036	* 1.7767	* 3.0763
	* 2.4208	* 2.4415	* 2.0906	* 1.8860	* 2.1678	* 2.0257	* 1.8421	* 2.9663
10	* 1.6683	* 1.8138	* 2.1279	* 2.1906	* 1.7705	* 1.8615	* 1.5957	* 3.5257
	* 1.6591	* 1.8985	* 2.2228	* 2.1317	* 1.6849	* 1.7765	* 1.5684	* 3.2974
	* 1.6737	* 1.9378	* 2.2864	* 2.1032	* 1.6254	* 1.7763	* 1.5768	* 3.2095
	* 1.7022	* 1.9793	* 2.3378	* 2.1107	* 1.6343	* 1.8149	* 1.5963	* 3.1905
	* 1.7906	* 2.0538	* 2.4151	* 2.1736	* 1.7211	* 1.9027	* 1.6785	* 3.2270
	* 1.8679	* 2.0999	* 2.4517	* 2.2270	* 1.8280	* 1.9817	* 1.7830	* 3.2232
	* 1.9134	* 2.0914	* 2.4213	* 2.2323	* 1.8967	* 1.9993	* 1.8503	* 3.1069
11	* 2.0859	* 1.7334	* 2.1920	* 1.7708	* 1.8966	* 1.5875	* 1.5408	* 4.1684
	* 2.0538	* 1.6835	* 2.1331	* 1.6641	* 1.8329	* 1.5331	* 1.5137	* 3.8860
	* 2.0499	* 1.6534	* 2.1038	* 1.6386	* 1.8386	* 1.5425	* 1.5309	* 3.7915
	* 2.0563	* 1.6624	* 2.1118	* 1.6707	* 1.8787	* 1.6067	* 1.5815	* 3.7731
	* 2.1179	* 1.7397	* 2.1744	* 1.7622	* 1.9676	* 1.7303	* 1.6769	* 3.7895
	* 2.1709	* 1.8286	* 2.2276	* 1.8624	* 2.0477	* 1.8580	* 1.7889	* 3.7299
	* 2.1795	* 1.8871	* 2.2328	* 1.9270	* 2.0694	* 1.9409	* 1.8842	* 3.5421
12	* 1.7794	* 2.1160	* 1.7701	* 1.8961	* 2.1269	* 1.5557	* 2.5062	*
	* 1.7007	* 2.0546	* 1.6850	* 1.8327	* 2.0881	* 1.5480	* 2.3801	*
	* 1.6549	* 2.0261	* 1.6254	* 1.8386	* 2.1176	* 1.5722	* 2.3807	*
	* 1.6564	* 2.0319	* 1.6345	* 1.8788	* 2.1776	* 1.6389	* 2.4312	*
	* 1.7342	* 2.0970	* 1.7212	* 1.9677	* 2.2801	* 1.7391	* 2.5241	*
	* 1.8181	* 2.1559	* 1.8281	* 2.0478	* 2.3520	* 1.8569	* 2.5922	*
	* 1.8779	* 2.1690	* 1.8968	* 2.0695	* 2.3488	* 1.9247	* 2.5589	*
13	* 1.8725	* 1.8313	* 1.8603	* 1.5868	* 1.5552	* 2.6114	* 5.1929	*
	* 1.8237	* 1.7974	* 1.7757	* 1.5327	* 1.5476	* 2.5404	* 4.9942	*
	* 1.8247	* 1.8091	* 1.7758	* 1.5423	* 1.5720	* 2.5669	* 4.9669	*
	* 1.8523	* 1.8464	* 1.8146	* 1.6066	* 1.6388	* 2.6234	* 4.9713	*
	* 1.9333	* 1.9317	* 1.9025	* 1.7303	* 1.7390	* 2.7096	* 4.9411	*
	* 2.0048	* 2.0037	* 1.9817	* 1.8582	* 1.8570	* 2.7440	* 4.7493	*
	* 2.0308	* 2.0259	* 1.9994	* 1.9411	* 1.9249	* 2.6506	* 4.3728	*
14	* 1.5906	* 1.5916	* 1.5942	* 1.5393	* 2.5037	* 5.1007	*	*
	* 1.5843	* 1.5862	* 1.5677	* 1.5128	* 2.3786	* 4.9037	*	*
	* 1.5836	* 1.5847	* 1.5762	* 1.5303	* 2.3797	* 4.8753	*	*
	* 1.5947	* 1.5965	* 1.5960	* 1.5810	* 2.4305	* 4.8882	*	*
	* 1.6772	* 1.6788	* 1.6784	* 1.6766	* 2.5237	* 4.8747	*	*
	* 1.7735	* 1.7767	* 1.7830	* 1.7889	* 2.5921	* 4.6957	*	*
	* 1.8387	* 1.8422	* 1.8504	* 1.8843	* 2.5590	* 4.3257	*	*
15	* 3.3406	* 3.3651	* 3.5213	* 4.1220	* 4 EFPD 118 % POWER			
	* 3.1467	* 3.1681	* 3.2947	* 3.8545	* 50 EFPD 118 % POWER			
	* 3.0669	* 3.0836	* 3.2075	* 3.7627	* 100 EFPD 118 % POWER			
	* 3.0452	* 3.0597	* 3.1890	* 3.7434	* 150 EFPD 118 % POWER			
	* 3.0767	* 3.0913	* 3.2259	* 3.7642	* 225 EFPD 118 % POWER			
	* 3.0678	* 3.0761	* 3.2226	* 3.7051	* 325 EFPD 118 % POWER			
	* 2.9746	* 2.9662	* 3.1066	* 3.5199	* 450 EFPD 118 % POWER			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 269 of 350

THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	1.5535	1.9795	1.5767	1.9768	1.6804	1.7667	1.4973	3.1546
	1.6658	2.0916	1.5707	1.9491	1.6079	1.7227	1.4922	2.9725
	1.7746	2.1831	1.5805	1.9404	1.5599	1.7195	1.4863	2.8881
	1.8619	2.2494	1.6016	1.9392	1.5545	1.7397	1.4913	2.8579
	1.9647	2.3186	1.6746	1.9852	1.6191	1.8065	1.5602	2.8711
	2.0007	2.3307	1.7450	2.0334	1.6979	1.8731	1.6529	2.8607
	2.0091	2.2845	1.8057	2.0606	1.7743	1.9198	1.7405	2.7988
9	1.9795	1.9420	1.7143	1.6373	1.9997	1.7259	1.4980	3.1822
	2.0916	2.0761	1.7999	1.5923	1.9441	1.6960	1.4931	2.9925
	2.1831	2.1869	1.8340	1.5585	1.9138	1.7031	1.4869	2.9014
	2.2494	2.2641	1.8672	1.5608	1.9126	1.7333	1.4926	2.8672
	2.3186	2.3435	1.9272	1.6232	1.9621	1.8048	1.5615	2.8784
	2.3307	2.3533	1.9683	1.7062	2.0167	1.8722	1.6556	2.8588
	2.2845	2.3044	1.9768	1.7811	2.0488	1.9155	1.7437	2.7777
10	1.5767	1.7146	2.0180	2.0781	1.6649	1.7479	1.4963	3.3272
	1.5707	1.8002	2.1128	2.0231	1.5875	1.6684	1.4714	3.1125
	1.5805	1.8355	2.1683	1.9871	1.5260	1.6641	1.4742	3.0198
	1.6016	1.8686	2.2048	1.9889	1.5284	1.6959	1.4889	2.9912
	1.6746	1.9284	2.2628	2.0373	1.6024	1.7728	1.5598	3.0098
	1.7450	1.9692	2.2935	2.0861	1.7016	1.8477	1.6604	2.9998
	1.8057	1.9776	2.2800	2.1107	1.7934	1.8926	1.7511	2.9183
11	1.9768	1.6407	2.0796	1.6679	1.7815	1.4876	1.4429	3.9174
	1.9491	1.5948	2.0245	1.5667	1.7199	1.4356	1.4167	3.6531
	1.9404	1.5608	1.9878	1.5378	1.7253	1.4404	1.4284	3.5542
	1.9392	1.5627	1.9897	1.5623	1.7590	1.4964	1.4718	3.5257
	1.9852	1.6248	2.0382	1.6424	1.8371	1.6083	1.5565	3.5271
	2.0334	1.7073	2.0867	1.7386	1.9119	1.7294	1.6636	3.4700
	2.0606	1.7822	2.1112	1.8210	1.9581	1.8367	1.7819	3.3219
12	1.6804	2.0010	1.6645	1.7810	2.0013	1.4579	2.3508	
	1.6079	1.9453	1.5876	1.7197	1.9632	1.4478	2.2283	
	1.5599	1.9157	1.5262	1.7253	1.9869	1.4664	2.2218	
	1.5545	1.9143	1.5286	1.7590	2.0382	1.5248	2.2616	
	1.6191	1.9634	1.6025	1.8372	2.1287	1.6153	2.3455	
	1.6979	2.0178	1.7017	1.9120	2.2022	1.7259	2.4084	
	1.7743	2.0499	1.7935	1.9582	2.2234	1.8196	2.4056	
13	1.7667	1.7259	1.7467	1.4869	1.4573	2.4517	4.8954	
	1.7227	1.6961	1.6677	1.4352	1.4475	2.3801	4.7011	
	1.7195	1.7033	1.6637	1.4401	1.4662	2.3992	4.6610	
	1.7397	1.7335	1.6956	1.4963	1.5246	2.4484	4.6560	
	1.8065	1.8050	1.7727	1.6084	1.6153	2.5210	4.6211	
	1.8731	1.8723	1.8478	1.7295	1.7259	2.5514	4.4376	
	1.9198	1.9156	1.8927	1.8369	1.8197	2.4927	4.1075	
14	1.4973	1.4977	1.4949	1.4414	2.3485	4.8075		
	1.4922	1.4928	1.4706	1.4158	2.2270	4.6151		
	1.4863	1.4868	1.4736	1.4279	2.2209	4.5747		
	1.4913	1.4926	1.4885	1.4714	2.2610	4.5782		
	1.5602	1.5615	1.5597	1.5563	2.3452	4.5595		
	1.6529	1.6556	1.6604	1.6636	2.4083	4.3882		
	1.7405	1.7437	1.7512	1.7821	2.4057	4.0640		
15	3.1546	3.1804	3.3232	3.8686	4	EFPD 118 % POWER		
	2.9725	2.9917	3.1099	3.6188	50	EFPD 118 % POWER		
	2.8881	2.9008	3.0179	3.5259	100	EFPD 118 % POWER		
	2.8579	2.8668	2.9898	3.4983	150	EFPD 118 % POWER		
	2.8711	2.8781	3.0089	3.5039	225	EFPD 118 % POWER		
	2.8607	2.8586	2.9992	3.4470	325	EFPD 118 % POWER		
	2.7988	2.7776	2.9181	3.3008	450	EFPD 118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 270 of 350

TABLE A-2 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) NORMAL OPERATION

THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4859	* 1.8949	* 1.5116	* 1.8927	* 1.6110	* 1.6877	* 1.4307	* 2.9887 *
	* 1.6019	* 2.0013	* 1.5121	* 1.8728	* 1.5465	* 1.6517	* 1.4304	* 2.8246 *
	* 1.7041	* 2.0833	* 1.5180	* 1.8612	* 1.4973	* 1.6444	* 1.4200	* 2.7361 *
	* 1.7810	* 2.1371	* 1.5314	* 1.8504	* 1.4835	* 1.6552	* 1.4178	* 2.6946 *
	* 1.8633	* 2.1836	* 1.5853	* 1.8765	* 1.5297	* 1.7039	* 1.4705	* 2.6844 *
	* 1.8885	* 2.1875	* 1.6455	* 1.9153	* 1.5983	* 1.7612	* 1.5531	* 2.6655 *
	* 1.8982	* 2.1532	* 1.7078	* 1.9476	* 1.6767	* 1.8107	* 1.6414	* 2.6127 *
9	* 1.8949	* 1.8605	* 1.6405	* 1.5724	* 1.9134	* 1.6472	* 1.4308	* 3.0089 *
	* 2.0013	* 1.9983	* 1.7307	* 1.5333	* 1.8669	* 1.6246	* 1.4303	* 2.8360 *
	* 2.0833	* 2.1015	* 1.7612	* 1.4961	* 1.8337	* 1.6274	* 1.4202	* 2.7413 *
	* 2.1371	* 2.1670	* 1.7852	* 1.4909	* 1.8229	* 1.6491	* 1.4188	* 2.6957 *
	* 2.1836	* 2.2100	* 1.8266	* 1.5347	* 1.8518	* 1.7029	* 1.4715	* 2.6825 *
	* 2.1875	* 2.2085	* 1.8593	* 1.6074	* 1.8977	* 1.7616	* 1.5555	* 2.6546 *
	* 2.1532	* 2.1675	* 1.8727	* 1.6838	* 1.9338	* 1.8084	* 1.6442	* 2.5856 *
10	* 1.5116	* 1.6407	* 1.9351	* 1.9860	* 1.5902	* 1.6622	* 1.4249	* 3.1481 *
	* 1.5121	* 1.7310	* 2.0348	* 1.9443	* 1.5227	* 1.5911	* 1.4046	* 2.9533 *
	* 1.5180	* 1.7627	* 2.0761	* 1.9006	* 1.4599	* 1.5826	* 1.4039	* 2.8558 *
	* 1.5314	* 1.7866	* 2.0918	* 1.8889	* 1.4539	* 1.6060	* 1.4113	* 2.8119 *
	* 1.5853	* 1.8278	* 2.1268	* 1.9185	* 1.5109	* 1.6665	* 1.4685	* 2.7999 *
	* 1.6455	* 1.8602	* 2.1463	* 1.9580	* 1.5988	* 1.7321	* 1.5588	* 2.7749 *
	* 1.7078	* 1.8734	* 2.1358	* 1.9856	* 1.6907	* 1.7804	* 1.6501	* 2.7023 *
11	* 1.8927	* 1.5759	* 1.9885	* 1.5927	* 1.6921	* 1.4140	* 1.3714	* 3.6836 *
	* 1.8728	* 1.5359	* 1.9449	* 1.5020	* 1.6383	* 1.3682	* 1.3496	* 3.4456 *
	* 1.8612	* 1.4984	* 1.9020	* 1.4703	* 1.6427	* 1.3694	* 1.3562	* 3.3437 *
	* 1.8504	* 1.4929	* 1.8902	* 1.4860	* 1.6675	* 1.4166	* 1.3923	* 3.3018 *
	* 1.8764	* 1.5363	* 1.9195	* 1.5499	* 1.7307	* 1.5130	* 1.4629	* 3.2781 *
	* 1.9153	* 1.6086	* 1.9588	* 1.6344	* 1.7966	* 1.6226	* 1.5600	* 3.2151 *
	* 1.9476	* 1.6848	* 1.9861	* 1.7180	* 1.8459	* 1.7298	* 1.6769	* 3.0846 *
12	* 1.6110	* 1.9147	* 1.5898	* 1.6917	* 1.9031	* 1.3848	* 2.2068	*
	* 1.5465	* 1.8681	* 1.5228	* 1.6381	* 1.8727	* 1.3785	* 2.0970	*
	* 1.4973	* 1.8356	* 1.4601	* 1.6427	* 1.8912	* 1.3919	* 2.0863	*
	* 1.4835	* 1.8245	* 1.4541	* 1.6675	* 1.9318	* 1.4408	* 2.1158	*
	* 1.5297	* 1.8531	* 1.5110	* 1.7308	* 2.0023	* 1.5185	* 2.1792	*
	* 1.5983	* 1.8988	* 1.5989	* 1.7967	* 2.0635	* 1.6179	* 2.2305	*
	* 1.6767	* 1.9349	* 1.6908	* 1.8460	* 2.0895	* 1.7118	* 2.2314	*
13	* 1.6877	* 1.6472	* 1.6610	* 1.4134	* 1.3843	* 2.3065	* 4.6181	*
	* 1.6517	* 1.6247	* 1.5905	* 1.3678	* 1.3782	* 2.2445	* 4.4456	*
	* 1.6444	* 1.6276	* 1.5822	* 1.3692	* 1.3917	* 2.2568	* 4.3942	*
	* 1.6552	* 1.6493	* 1.6057	* 1.4166	* 1.4407	* 2.2927	* 4.3679	*
	* 1.7039	* 1.7031	* 1.6664	* 1.5131	* 1.5185	* 2.3454	* 4.3088	*
	* 1.7612	* 1.7617	* 1.7321	* 1.6227	* 1.6179	* 2.3649	* 4.1229	*
	* 1.8107	* 1.8085	* 1.7805	* 1.7299	* 1.7119	* 2.3127	* 3.8139	*
14	* 1.4307	* 1.4305	* 1.4237	* 1.3700	* 2.2047	* 4.5298	*	
	* 1.4304	* 1.4301	* 1.4038	* 1.3488	* 2.0958	* 4.3590	*	
	* 1.4200	* 1.4200	* 1.4033	* 1.3557	* 2.0855	* 4.3096	*	
	* 1.4178	* 1.4187	* 1.4110	* 1.3920	* 2.1153	* 4.2929	*	
	* 1.4705	* 1.4715	* 1.4684	* 1.4628	* 2.1789	* 4.2486	*	
	* 1.5531	* 1.5555	* 1.5589	* 1.5600	* 2.2305	* 4.0734	*	
	* 1.6414	* 1.6443	* 1.6502	* 1.6771	* 2.2315	* 3.7759	*	
15	* 2.9887	* 3.0078	* 3.1442	* 3.6370	* 4 EFPD	118 % POWER		
	* 2.8246	* 2.8352	* 2.9509	* 3.4135	* 50 EFPD	118 % POWER		
	* 2.7361	* 2.7407	* 2.8541	* 3.3165	* 100 EFPD	118 % POWER		
	* 2.6946	* 2.6952	* 2.8106	* 3.2758	* 150 EFPD	118 % POWER		
	* 2.6844	* 2.6821	* 2.7990	* 3.2560	* 225 EFPD	118 % POWER		
	* 2.6655	* 2.6544	* 2.7744	* 3.1929	* 325 EFPD	118 % POWER		
	* 2.6127	* 2.5855	* 2.7020	* 3.0627	* 450 EFPD	118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 271 of 350

THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	1.3911	1.8014	1.4221	1.7989	1.5133	1.5925	1.3391	2.8842
	1.5113	1.9276	1.4337	1.7927	1.4668	1.5709	1.3483	2.7441
	1.6054	2.0069	1.4362	1.7771	1.4165	1.5627	1.3365	2.6533
	1.6661	2.0464	1.4398	1.7579	1.3943	1.5662	1.3266	2.5982
	1.7215	2.0660	1.4720	1.7631	1.4202	1.5957	1.3611	2.5583
	1.7423	2.0599	1.5229	1.7914	1.4768	1.6419	1.4313	2.5249
	1.7574	2.0294	1.5862	1.8266	1.5554	1.6939	1.5180	2.4795
9	1.8014	1.7649	1.5504	1.4795	1.8128	1.5521	1.3394	2.9110
	1.9276	1.9120	1.6499	1.4550	1.7828	1.5431	1.3479	2.7671
	2.0069	2.0100	1.6787	1.4157	1.7483	1.5448	1.3363	2.6725
	2.0464	2.0626	1.6931	1.4021	1.7300	1.5580	1.3272	2.6142
	2.0660	2.0909	1.7119	1.4255	1.7399	1.5930	1.3619	2.5738
	2.0599	2.0835	1.7365	1.4872	1.7749	1.6404	1.4333	2.5346
	2.0294	2.0485	1.7534	1.5634	1.8144	1.6889	1.5203	2.4739
10	1.4221	1.5506	1.8385	1.8964	1.4890	1.5624	1.3306	3.0444
	1.4337	1.6502	1.9491	1.8602	1.4374	1.5060	1.3204	2.8755
	1.4362	1.6802	1.9952	1.8163	1.3772	1.4963	1.3174	2.7764
	1.4398	1.6945	2.0118	1.7986	1.3620	1.5110	1.3165	2.7214
	1.4720	1.7131	2.0222	1.8091	1.3986	1.5526	1.3568	2.6854
	1.5229	1.7375	2.0339	1.8394	1.4742	1.6085	1.4349	2.6556
	1.5862	1.7541	2.0314	1.8721	1.5655	1.6591	1.5243	2.5905
11	1.7989	1.4828	1.8979	1.4946	1.5885	1.3202	1.2799	3.5756
	1.7927	1.4576	1.8608	1.4200	1.5519	1.2855	1.2685	3.3670
	1.7771	1.4180	1.8170	1.3865	1.5564	1.2841	1.2722	3.2603
	1.7579	1.4041	1.7992	1.3906	1.5723	1.3198	1.2968	3.2013
	1.7631	1.4271	1.8098	1.4356	1.6140	1.3973	1.3485	3.1418
	1.7914	1.4884	1.8401	1.5079	1.6701	1.4950	1.4339	3.0644
	1.8266	1.5644	1.8725	1.5909	1.7217	1.6002	1.5473	2.9423
12	1.5133	1.8142	1.4887	1.5881	1.7853	1.2910	2.1224	
	1.4668	1.7840	1.4373	1.5518	1.7731	1.2956	2.0318	
	1.4165	1.7502	1.3773	1.5563	1.7888	1.3055	2.0162	
	1.3943	1.7317	1.3622	1.5724	1.8162	1.3420	2.0299	
	1.4202	1.7413	1.3987	1.6141	1.8656	1.3984	2.0666	
	1.4768	1.7760	1.4743	1.6702	1.9171	1.4842	2.1072	
	1.5554	1.8155	1.5656	1.7218	1.9498	1.5763	2.1160	
13	1.5925	1.5521	1.5614	1.3197	1.2906	2.2095	4.4670	
	1.5709	1.5433	1.5054	1.2851	1.2953	2.1677	4.3441	
	1.5627	1.5450	1.4959	1.2839	1.3054	2.1757	4.2912	
	1.5662	1.5582	1.5108	1.3198	1.3420	2.1947	4.2378	
	1.5957	1.5932	1.5525	1.3974	1.3984	2.2218	4.1383	
	1.6419	1.6405	1.6086	1.4951	1.4843	2.2292	3.9487	
	1.6939	1.6890	1.6592	1.6003	1.5764	2.1884	3.6587	
14	1.3391	1.3391	1.3294	1.2786	2.1204	4.3868		
	1.3483	1.3476	1.3198	1.2677	2.0307	4.2647		
	1.3365	1.3362	1.3168	1.2717	2.0154	4.2105		
	1.3266	1.3271	1.3162	1.2965	2.0294	4.1667		
	1.3611	1.3619	1.3567	1.3484	2.0664	4.0819		
	1.4313	1.4333	1.4350	1.4340	2.1072	3.9033		
	1.5180	1.5204	1.5244	1.5475	2.1161	3.6183		
15	2.8842	2.9093	3.0397	3.5389	4	EFFD 118 % POWER		
	2.7441	2.7660	2.8733	3.3428	50	EFFD 118 % POWER		
	2.6533	2.6719	2.7747	3.2387	100	EFFD 118 % POWER		
	2.5982	2.6138	2.7202	3.1785	150	EFFD 118 % POWER		
	2.5583	2.5735	2.6846	3.1235	225	EFFD 118 % POWER		
	2.5249	2.5344	2.6551	3.0464	325	EFFD 118 % POWER		
	2.4795	2.4738	2.5903	2.9261	450	EFFD 118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 272 of 350

TABLE A-2 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) NORMAL OPERATION

THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3310	* 1.7321	* 1.3622	* 1.7294	* 1.4522	* 1.5293	* 1.2832	* 2.7858
	* 1.4653	* 1.8772	* 1.3925	* 1.7462	* 1.4249	* 1.5265	* 1.3073	* 2.6805
	* 1.5546	* 1.9522	* 1.3935	* 1.7308	* 1.3778	* 1.5190	* 1.2962	* 2.5918
	* 1.5984	* 1.9725	* 1.3834	* 1.6952	* 1.3439	* 1.5119	* 1.2760	* 2.5200
	* 1.6231	* 1.9594	* 1.3889	* 1.6690	* 1.3413	* 1.5142	* 1.2864	* 2.4382
	* 1.6208	* 1.9300	* 1.4191	* 1.6777	* 1.3785	* 1.5373	* 1.3348	* 2.3737
	* 1.6272	* 1.8952	* 1.4758	* 1.7077	* 1.4504	* 1.5846	* 1.4154	* 2.3264
9	* 1.7321	* 1.6955	* 1.4850	* 1.4186	* 1.7401	* 1.4887	* 1.2831	* 2.8129
	* 1.8772	* 1.8605	* 1.6021	* 1.4142	* 1.7333	* 1.4980	* 1.3066	* 2.7043
	* 1.9522	* 1.9552	* 1.6313	* 1.3749	* 1.7010	* 1.5001	* 1.2959	* 2.6120
	* 1.9725	* 1.9887	* 1.6293	* 1.3476	* 1.6668	* 1.5026	* 1.2762	* 2.5365
	* 1.9594	* 1.9840	* 1.6203	* 1.3442	* 1.6462	* 1.5108	* 1.2868	* 2.4540
	* 1.9300	* 1.9533	* 1.6243	* 1.3866	* 1.6617	* 1.5354	* 1.3363	* 2.3833
	* 1.8952	* 1.9141	* 1.6373	* 1.4561	* 1.6961	* 1.5797	* 1.4173	* 2.3216
10	* 1.3622	* 1.4852	* 1.7675	* 1.8231	* 1.4267	* 1.4950	* 1.2720	* 2.9423
	* 1.3925	* 1.6024	* 1.8982	* 1.8095	* 1.3956	* 1.4598	* 1.2786	* 2.8111
	* 1.3935	* 1.6329	* 1.9430	* 1.7656	* 1.3392	* 1.4497	* 1.2758	* 2.7137
	* 1.3834	* 1.6307	* 1.9405	* 1.7316	* 1.3112	* 1.4513	* 1.2630	* 2.6392
	* 1.3889	* 1.6214	* 1.9186	* 1.7124	* 1.3226	* 1.4682	* 1.2811	* 2.5597
	* 1.4191	* 1.6252	* 1.9065	* 1.7223	* 1.3718	* 1.4999	* 1.3358	* 2.4954
	* 1.4758	* 1.6380	* 1.8994	* 1.7500	* 1.4563	* 1.5469	* 1.4190	* 2.4294
11	* 1.7294	* 1.4219	* 1.8246	* 1.4283	* 1.5199	* 1.2620	* 1.2235	* 3.4521
	* 1.7462	* 1.4169	* 1.8102	* 1.3786	* 1.5042	* 1.2443	* 1.2278	* 3.2907
	* 1.7308	* 1.3772	* 1.7663	* 1.3465	* 1.5079	* 1.2418	* 1.2298	* 3.1854
	* 1.6952	* 1.3496	* 1.7322	* 1.3383	* 1.5132	* 1.2642	* 1.2422	* 3.1018
	* 1.6690	* 1.3458	* 1.7129	* 1.3557	* 1.5292	* 1.3187	* 1.2718	* 2.9951
	* 1.6777	* 1.3877	* 1.7230	* 1.4035	* 1.5582	* 1.3893	* 1.3320	* 2.8775
	* 1.7077	* 1.4571	* 1.7504	* 1.4789	* 1.6049	* 1.4871	* 1.4376	* 2.7574
12	* 1.4522	* 1.7414	* 1.4264	* 1.5196	* 1.7081	* 1.2338	* 2.0411	
	* 1.4249	* 1.7346	* 1.3956	* 1.5041	* 1.7187	* 1.2538	* 1.9778	
	* 1.3778	* 1.7029	* 1.3393	* 1.5078	* 1.7338	* 1.2620	* 1.9604	
	* 1.3439	* 1.6685	* 1.3114	* 1.5133	* 1.7462	* 1.2856	* 1.9564	
	* 1.3413	* 1.6475	* 1.3228	* 1.5293	* 1.7646	* 1.3188	* 1.9602	
	* 1.3785	* 1.6629	* 1.3719	* 1.5583	* 1.7865	* 1.3775	* 1.9672	
	* 1.4504	* 1.6971	* 1.4564	* 1.6050	* 1.8115	* 1.4603	* 1.9714	
13	* 1.5293	* 1.4888	* 1.4940	* 1.2615	* 1.2333	* 2.1230	* 4.3025	
	* 1.5265	* 1.4982	* 1.4593	* 1.2439	* 1.2535	* 2.1084	* 4.2394	
	* 1.5190	* 1.5004	* 1.4493	* 1.2415	* 1.2618	* 2.1146	* 4.1850	
	* 1.5119	* 1.5028	* 1.4511	* 1.2641	* 1.2855	* 2.1154	* 4.0970	
	* 1.5142	* 1.5110	* 1.4681	* 1.3188	* 1.3188	* 2.1081	* 3.9376	
	* 1.5373	* 1.5356	* 1.4999	* 1.3894	* 1.3776	* 2.0810	* 3.7172	
	* 1.5846	* 1.5798	* 1.5470	* 1.4873	* 1.4604	* 2.0346	* 3.4349	
14	* 1.2832	* 1.2829	* 1.2709	* 1.2223	* 2.0392	* 4.2259		
	* 1.3073	* 1.3064	* 1.2780	* 1.2271	* 1.9767	* 4.1624		
	* 1.2962	* 1.2956	* 1.2753	* 1.2293	* 1.9597	* 4.1077		
	* 1.2760	* 1.2761	* 1.2628	* 1.2419	* 1.9559	* 4.0286		
	* 1.2864	* 1.2868	* 1.2811	* 1.2716	* 1.9600	* 3.8841		
	* 1.3348	* 1.3364	* 1.3358	* 1.3321	* 1.9672	* 3.6743		
	* 1.4154	* 1.4174	* 1.4191	* 1.4378	* 1.9715	* 3.3972		
15	* 2.7858	* 2.8113	* 2.9372	* 3.4177	* 4 EFPD	118 % POWER		
	* 2.6805	* 2.7032	* 2.8089	* 3.2677	* 50 EFPD	118 % POWER		
	* 2.5918	* 2.6115	* 2.7121	* 3.1649	* 100 EFPD	118 % POWER		
	* 2.5200	* 2.5361	* 2.6380	* 3.0800	* 150 EFPD	118 % POWER		
	* 2.4382	* 2.4537	* 2.5590	* 2.9779	* 225 EFPD	118 % POWER		
	* 2.3737	* 2.3831	* 2.4950	* 2.8611	* 325 EFPD	118 % POWER		
	* 2.3264	* 2.3215	* 2.4292	* 2.7423	* 450 EFPD	118 % POWER		

MCEI-0400-420
Appendix A, Rev. 0
Page 273 of 350

THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3167	* 1.6987	* 1.3428	* 1.6911	* 1.4263	* 1.4958	* 1.2635	* 2.6879
	* 1.4732	* 1.8586	* 1.3976	* 1.7379	* 1.4261	* 1.5211	* 1.3118	* 2.6358
	* 1.5628	* 1.9311	* 1.4009	* 1.7288	* 1.3849	* 1.5164	* 1.3052	* 2.5566
	* 1.5923	* 1.9334	* 1.3792	* 1.6777	* 1.3383	* 1.4920	* 1.2747	* 2.4667
	* 1.5855	* 1.8855	* 1.3556	* 1.6198	* 1.3096	* 1.4667	* 1.2594	* 2.3463
	* 1.5526	* 1.8279	* 1.3596	* 1.5998	* 1.3223	* 1.4651	* 1.2785	* 2.2372
	* 1.5379	* 1.7773	* 1.3976	* 1.6111	* 1.3732	* 1.4918	* 1.3387	* 2.1630
9	* 1.6987	* 1.6613	* 1.4531	* 1.3990	* 1.6970	* 1.4557	* 1.2631	* 2.7097
	* 1.8586	* 1.8515	* 1.5951	* 1.4188	* 1.7221	* 1.4919	* 1.3111	* 2.6501
	* 1.9311	* 1.9476	* 1.6278	* 1.3831	* 1.6978	* 1.4980	* 1.3049	* 2.5651
	* 1.9334	* 1.9629	* 1.6116	* 1.3444	* 1.6484	* 1.4851	* 1.2748	* 2.4706
	* 1.8855	* 1.9110	* 1.5732	* 1.3124	* 1.5957	* 1.4655	* 1.2598	* 2.3469
	* 1.8279	* 1.8473	* 1.5507	* 1.3281	* 1.5834	* 1.4645	* 1.2798	* 2.2310
	* 1.7773	* 1.7902	* 1.5474	* 1.3793	* 1.5993	* 1.4897	* 1.3402	* 2.1423
10	* 1.3428	* 1.4533	* 1.7297	* 1.7747	* 1.4075	* 1.4639	* 1.2541	* 2.8369
	* 1.3976	* 1.5954	* 1.8882	* 1.7995	* 1.4032	* 1.4550	* 1.2838	* 2.7606
	* 1.4009	* 1.6294	* 1.9277	* 1.7562	* 1.3508	* 1.4474	* 1.2833	* 2.6723
	* 1.3792	* 1.6130	* 1.8978	* 1.7061	* 1.3092	* 1.4363	* 1.2614	* 2.5764
	* 1.3556	* 1.5744	* 1.8416	* 1.6504	* 1.2926	* 1.4256	* 1.2539	* 2.4488
	* 1.3596	* 1.5516	* 1.7993	* 1.6305	* 1.3133	* 1.4269	* 1.2787	* 2.3297
	* 1.3976	* 1.5481	* 1.7693	* 1.6363	* 1.3758	* 1.4535	* 1.3410	* 2.2362
11	* 1.6911	* 1.4024	* 1.7772	* 1.4013	* 1.4876	* 1.2430	* 1.2064	* 3.3149
	* 1.7379	* 1.4215	* 1.8003	* 1.3797	* 1.4981	* 1.2499	* 1.2325	* 3.2194
	* 1.7288	* 1.3855	* 1.7567	* 1.3507	* 1.5042	* 1.2487	* 1.2353	* 3.1247
	* 1.6777	* 1.3465	* 1.7074	* 1.3311	* 1.4983	* 1.2591	* 1.2376	* 3.0200
	* 1.6198	* 1.3140	* 1.6514	* 1.3216	* 1.4848	* 1.2883	* 1.2439	* 2.8643
	* 1.5998	* 1.3292	* 1.6312	* 1.3440	* 1.4852	* 1.3276	* 1.2749	* 2.6968
	* 1.6111	* 1.3803	* 1.6368	* 1.3982	* 1.5100	* 1.4030	* 1.3573	* 2.5503
12	* 1.4263	* 1.6983	* 1.4072	* 1.4873	* 1.6720	* 1.2160	* 1.9658	
	* 1.4261	* 1.7234	* 1.4031	* 1.4980	* 1.7124	* 1.2583	* 1.9388	
	* 1.3849	* 1.6998	* 1.3510	* 1.5041	* 1.7290	* 1.2676	* 1.9246	
	* 1.3383	* 1.6501	* 1.3094	* 1.4983	* 1.7221	* 1.2786	* 1.9044	
	* 1.3096	* 1.5970	* 1.2928	* 1.4849	* 1.7058	* 1.2895	* 1.8747	
	* 1.3223	* 1.5845	* 1.3134	* 1.4853	* 1.6962	* 1.3178	* 1.8420	
	* 1.3732	* 1.6003	* 1.3758	* 1.5101	* 1.6932	* 1.3786	* 1.8194	
13	* 1.4958	* 1.4558	* 1.4630	* 1.2425	* 1.2156	* 2.0496	* 4.1291	
	* 1.5211	* 1.4921	* 1.4545	* 1.2495	* 1.2580	* 2.0702	* 4.1393	
	* 1.5163	* 1.4982	* 1.4470	* 1.2486	* 1.2674	* 2.0791	* 4.0924	
	* 1.4920	* 1.4854	* 1.4360	* 1.2590	* 1.2785	* 2.0621	* 3.9743	
	* 1.4667	* 1.4657	* 1.4255	* 1.2884	* 1.2895	* 2.0154	* 3.7513	
	* 1.4651	* 1.4646	* 1.4269	* 1.3277	* 1.3178	* 1.9507	* 3.4771	
	* 1.4918	* 1.4897	* 1.4536	* 1.4031	* 1.3787	* 1.8794	* 3.1668	
14	* 1.2635	* 1.2629	* 1.2530	* 1.2052	* 1.9641	* 4.0588		
	* 1.3118	* 1.3109	* 1.2831	* 1.2318	* 1.9378	* 4.0665		
	* 1.3052	* 1.3048	* 1.2829	* 1.2349	* 1.9239	* 4.0165		
	* 1.2747	* 1.2748	* 1.2611	* 1.2373	* 1.9040	* 3.9054		
	* 1.2594	* 1.2598	* 1.2539	* 1.2437	* 1.8745	* 3.6998		
	* 1.2785	* 1.2798	* 1.2788	* 1.2749	* 1.8420	* 3.4420		
	* 1.3387	* 1.3402	* 1.3410	* 1.3574	* 1.8196	* 3.1368		
15	* 2.6879	* 2.7088	* 2.8336	* 3.2742	* 4 EFPD	118 % POWER		
	* 2.6358	* 2.6494	* 2.7585	* 3.1909	* 50 EFPD	118 % POWER		
	* 2.5566	* 2.5645	* 2.6706	* 3.1004	* 100 EFPD	118 % POWER		
	* 2.4667	* 2.4702	* 2.5752	* 2.9960	* 150 EFPD	118 % POWER		
	* 2.3463	* 2.3466	* 2.4481	* 2.8458	* 225 EFPD	118 % POWER		
	* 2.2372	* 2.2308	* 2.3292	* 2.6795	* 325 EFPD	118 % POWER		
	* 2.1630	* 2.1422	* 2.2359	* 2.5316	* 450 EFPD	118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 274 of 350

TABLE A-2 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) NORMAL OPERATION

THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3021	* 1.6690	* 1.3107	* 1.6451	* 1.3797	* 1.4456	* 1.2266	* 2.6466 *
	* 1.4833	* 1.8735	* 1.3971	* 1.7333	* 1.4209	* 1.5079	* 1.3069	* 2.6704 *
	* 1.5761	* 1.9559	* 1.4080	* 1.7351	* 1.3914	* 1.5129	* 1.3135	* 2.6131 *
	* 1.5921	* 1.9448	* 1.3778	* 1.6759	* 1.3366	* 1.4833	* 1.2765	* 2.5050 *
	* 1.5542	* 1.8650	* 1.3278	* 1.5906	* 1.2843	* 1.4336	* 1.2371	* 2.3429 *
	* 1.4898	* 1.7721	* 1.3015	* 1.5406	* 1.2674	* 1.4070	* 1.2250	* 2.1889 *
	* 1.4486	* 1.6919	* 1.3143	* 1.5266	* 1.2929	* 1.4077	* 1.2580	* 2.0782 *
9	* 1.6690	* 1.6253	* 1.4161	* 1.3587	* 1.6414	* 1.4097	* 1.2266	* 2.6781 *
	* 1.8735	* 1.8467	* 1.5872	* 1.4160	* 1.7097	* 1.4810	* 1.3068	* 2.6970 *
	* 1.9559	* 1.9504	* 1.6280	* 1.3901	* 1.7028	* 1.4953	* 1.3134	* 2.6339 *
	* 1.9448	* 1.9551	* 1.6022	* 1.3446	* 1.6459	* 1.4737	* 1.2768	* 2.5218 *
	* 1.8650	* 1.8867	* 1.5369	* 1.2865	* 1.5678	* 1.4307	* 1.2375	* 2.3567 *
	* 1.7721	* 1.7920	* 1.4844	* 1.2721	* 1.5250	* 1.4050	* 1.2263	* 2.1960 *
	* 1.6919	* 1.7082	* 1.4575	* 1.2983	* 1.5154	* 1.4041	* 1.2594	* 2.0697 *
10	* 1.3107	* 1.4164	* 1.6872	* 1.7306	* 1.3640	* 1.4212	* 1.2209	* 2.8038 *
	* 1.3971	* 1.5875	* 1.8809	* 1.7925	* 1.3988	* 1.4505	* 1.2831	* 2.8086 *
	* 1.4080	* 1.6296	* 1.9397	* 1.7671	* 1.3579	* 1.4523	* 1.2912	* 2.7420 *
	* 1.3778	* 1.6037	* 1.9126	* 1.7095	* 1.3070	* 1.4334	* 1.2645	* 2.6311 *
	* 1.3278	* 1.5381	* 1.8263	* 1.6299	* 1.2643	* 1.3987	* 1.2320	* 2.4631 *
	* 1.3015	* 1.4853	* 1.7520	* 1.5798	* 1.2584	* 1.3692	* 1.2251	* 2.3015 *
	* 1.3143	* 1.4581	* 1.6967	* 1.5621	* 1.2926	* 1.3691	* 1.2595	* 2.1679 *
11	* 1.6451	* 1.3619	* 1.7321	* 1.3613	* 1.4476	* 1.2122	* 1.1782	* 3.3106 *
	* 1.7333	* 1.4188	* 1.7932	* 1.3753	* 1.4948	* 1.2525	* 1.2352	* 3.3025 *
	* 1.7351	* 1.3925	* 1.7678	* 1.3555	* 1.5109	* 1.2578	* 1.2457	* 3.2301 *
	* 1.6759	* 1.3467	* 1.7101	* 1.3278	* 1.4909	* 1.2591	* 1.2392	* 3.1045 *
	* 1.5906	* 1.2882	* 1.6304	* 1.2932	* 1.4498	* 1.2622	* 1.2223	* 2.8924 *
	* 1.5406	* 1.2732	* 1.5804	* 1.2878	* 1.4243	* 1.2708	* 1.2219	* 2.6660 *
	* 1.5266	* 1.2992	* 1.5624	* 1.3144	* 1.4209	* 1.3174	* 1.2745	* 2.4731 *
12	* 1.3797	* 1.6427	* 1.3638	* 1.4473	* 1.6236	* 1.1892	* 1.9607	*
	* 1.4209	* 1.7111	* 1.3988	* 1.4947	* 1.7047	* 1.2620	* 1.9824	*
	* 1.3914	* 1.7048	* 1.3581	* 1.5109	* 1.7312	* 1.2791	* 1.9783	*
	* 1.3366	* 1.6476	* 1.3072	* 1.4910	* 1.7145	* 1.2810	* 1.9433	*
	* 1.2843	* 1.5692	* 1.2645	* 1.4499	* 1.6708	* 1.2672	* 1.8776	*
	* 1.2674	* 1.5262	* 1.2585	* 1.4244	* 1.6351	* 1.2625	* 1.8025	*
	* 1.2929	* 1.5164	* 1.2927	* 1.4210	* 1.6092	* 1.2935	* 1.7486	*
13	* 1.4456	* 1.4098	* 1.4204	* 1.2117	* 1.1889	* 2.0366	* 4.1255	*
	* 1.5079	* 1.4812	* 1.4500	* 1.2521	* 1.2617	* 2.1085	* 4.2350	*
	* 1.5129	* 1.4955	* 1.4519	* 1.2576	* 1.2789	* 2.1261	* 4.2113	*
	* 1.4833	* 1.4739	* 1.4332	* 1.2590	* 1.2809	* 2.0916	* 4.0672	*
	* 1.4336	* 1.4309	* 1.3986	* 1.2623	* 1.2672	* 2.0083	* 3.7768	*
	* 1.4070	* 1.4051	* 1.3692	* 1.2709	* 1.2626	* 1.9079	* 3.4341	*
	* 1.4077	* 1.4042	* 1.3692	* 1.3175	* 1.2936	* 1.8049	* 3.0698	*
14	* 1.2266	* 1.2263	* 1.2199	* 1.1771	* 1.9590	* 4.0593	*	*
	* 1.3069	* 1.3066	* 1.2824	* 1.2345	* 1.9813	* 4.1650	*	*
	* 1.3135	* 1.3133	* 1.2908	* 1.2452	* 1.9776	* 4.1392	*	*
	* 1.2765	* 1.2767	* 1.2642	* 1.2389	* 1.9428	* 4.0036	*	*
	* 1.2371	* 1.2375	* 1.2319	* 1.2221	* 1.8774	* 3.7285	*	*
	* 1.2250	* 1.2263	* 1.2251	* 1.2219	* 1.8025	* 3.3982	*	*
	* 1.2580	* 1.2595	* 1.2596	* 1.2746	* 1.7487	* 3.0403	*	*
15	* 2.6466	* 2.6767	* 2.8008	* 3.2716	* 4 EFPD	118 % POWER		
	* 2.6704	* 2.6963	* 2.8064	* 3.2728	* 50 EFPD	118 % POWER		
	* 2.6131	* 2.6333	* 2.7403	* 3.2051	* 100 EFPD	118 % POWER		
	* 2.5050	* 2.5214	* 2.6300	* 3.0788	* 150 EFPD	118 % POWER		
	* 2.3429	* 2.3564	* 2.4624	* 2.8725	* 225 EFPD	118 % POWER		
	* 2.1889	* 2.1958	* 2.3010	* 2.6488	* 325 EFPD	118 % POWER		
	* 2.0782	* 2.0696	* 2.1677	* 2.4550	* 450 EFPD	118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 275 of 350

THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	1.3607	1.7166	1.3283	1.6457	1.3268	1.4554	1.2495	2.6260
	1.5910	1.9709	1.4722	1.7955	1.4818	1.5677	1.3803	2.7496
	1.7025	2.0739	1.5072	1.8213	1.4853	1.5942	1.4117	2.7353
	1.7106	2.0550	1.4771	1.7638	1.4311	1.5624	1.3745	2.6285
	1.6393	1.9392	1.4005	1.6527	1.3543	1.4877	1.3113	2.4325
	1.5311	1.7958	1.3364	1.5649	1.3044	1.4295	1.2627	2.2343
	1.4429	1.6691	1.3078	1.5110	1.2907	1.3908	1.2567	2.0660
9	1.7166	1.6811	1.4634	1.3325	1.6448	1.4305	1.2502	2.6613
	1.9709	1.9477	1.6570	1.4818	1.7711	1.5487	1.3814	2.7843
	2.0739	2.0671	1.7128	1.4807	1.7869	1.5820	1.4122	2.7663
	2.0550	2.0611	1.6833	1.4398	1.7324	1.5557	1.3758	2.6568
	1.9392	1.9549	1.5898	1.3581	1.6287	1.4881	1.3123	2.4577
	1.7958	1.8131	1.4983	1.3066	1.5486	1.4287	1.2641	2.2516
	1.6691	1.6830	1.4323	1.2950	1.5004	1.3872	1.2581	2.0711
10	1.3283	1.4637	1.7326	1.7354	1.3113	1.4362	1.2453	2.7910
	1.4722	1.6586	1.9716	1.8460	1.4623	1.5185	1.3597	2.9044
	1.5072	1.7145	2.0472	1.8522	1.4510	1.5422	1.3895	2.8836
	1.4771	1.6848	2.0175	1.7964	1.4002	1.5185	1.3669	2.7717
	1.4005	1.5911	1.9013	1.6910	1.3337	1.4556	1.3094	2.5660
	1.3364	1.4993	1.7826	1.6034	1.2954	1.3922	1.2632	2.3538
	1.3078	1.4330	1.6833	1.5447	1.2873	1.3531	1.2580	2.1650
11	1.6457	1.3350	1.7368	1.3322	1.4681	1.2354	1.2041	3.3320
	1.7955	1.4846	1.8468	1.4420	1.5662	1.3282	1.3124	3.4518
	1.8213	1.4833	1.8529	1.4475	1.5953	1.3566	1.3441	3.4268
	1.7638	1.4421	1.7970	1.4213	1.5675	1.3518	1.3367	3.2913
	1.6527	1.3599	1.6915	1.3633	1.5017	1.3313	1.3018	3.0298
	1.5649	1.3078	1.6041	1.3211	1.4446	1.3060	1.2625	2.7413
	1.5110	1.2960	1.5451	1.3105	1.4003	1.3110	1.2730	2.4777
12	1.3268	1.6461	1.3114	1.4679	1.6507	1.2217	1.9825	
	1.4818	1.7724	1.4625	1.5661	1.7848	1.3435	2.0785	
	1.4853	1.7889	1.4512	1.5953	1.8321	1.3816	2.1055	
	1.4311	1.7342	1.4004	1.5676	1.8107	1.3773	2.0631	
	1.3543	1.6301	1.3339	1.5018	1.7349	1.3416	1.9597	
	1.3044	1.5499	1.2955	1.4447	1.6578	1.3023	1.8418	
	1.2907	1.5014	1.2874	1.4004	1.5894	1.2916	1.7385	
13	1.4554	1.4306	1.4354	1.2349	1.2213	2.0726	4.1997	
	1.5677	1.5489	1.5180	1.3279	1.3433	2.2113	4.4395	
	1.5942	1.5823	1.5418	1.3564	1.3815	2.2542	4.4629	
	1.5624	1.5560	1.5183	1.3517	1.3772	2.2130	4.3032	
	1.4877	1.4883	1.4555	1.3313	1.3416	2.0932	3.9404	
	1.4295	1.4289	1.3922	1.3061	1.3024	1.9478	3.5034	
	1.3908	1.3873	1.3532	1.3111	1.2916	1.7935	3.0540	
14	1.2495	1.2500	1.2444	1.2031	1.9809	4.1344		
	1.3803	1.3813	1.3590	1.3117	2.0774	4.3679		
	1.4117	1.4121	1.3891	1.3436	2.1047	4.3891		
	1.3745	1.3757	1.3665	1.3363	2.0626	4.2396		
	1.3113	1.3123	1.3094	1.3016	1.9595	3.8950		
	1.2627	1.2641	1.2632	1.2625	1.8417	3.4713		
	1.2567	1.2581	1.2580	1.2731	1.7386	3.0265		
15	2.6260	2.6600	2.7882	3.2954	4 EFPD	118 % POWER		
	2.7496	2.7836	2.9025	3.4219	50 EFPD	118 % POWER		
	2.7353	2.7658	2.8821	3.3957	100 EFPD	118 % POWER		
	2.6285	2.6564	2.7705	3.2601	150 EFPD	118 % POWER		
	2.4325	2.4574	2.5652	3.0042	225 EFPD	118 % POWER		
	2.2343	2.2514	2.3533	2.7206	325 EFPD	118 % POWER		
	2.0660	2.0709	2.1647	2.4574	450 EFPD	118 % POWER		

MCEI-0400-420
Appendix A, Rev. 0
Page 276 of 350

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	1.4820	1.9833	1.3283	1.8420	1.3268	1.6476	1.2996	2.8798
	1.8280	2.3369	1.5649	2.0854	1.5236	1.8405	1.5057	3.1426
	2.0099	2.4931	1.6822	2.1507	1.6145	1.9048	1.5827	3.1995
	2.0399	2.4722	1.6989	2.0996	1.6269	1.8722	1.5872	3.1011
	1.9482	2.2927	1.6411	1.9541	1.5800	1.7608	1.5438	2.8569
	1.7762	2.0552	1.5517	1.7991	1.5174	1.6398	1.4844	2.5819
	1.6162	1.8286	1.4673	1.6643	1.4548	1.5310	1.4253	2.3040
9	1.9833	2.0125	1.6778	1.3325	1.8331	1.6555	1.3032	2.9143
	2.3369	2.3706	1.9326	1.5470	2.0442	1.8516	1.5080	3.1780
	2.4931	2.5227	2.0293	1.6380	2.1069	1.9175	1.5850	3.2350
	2.4722	2.4964	1.9973	1.6448	2.0589	1.8845	1.5893	3.1358
	2.2927	2.3149	1.8608	1.5904	1.9207	1.7736	1.5454	2.8891
	2.0552	2.0747	1.6971	1.5214	1.7755	1.6486	1.4864	2.6059
	1.8286	1.8391	1.5506	1.4551	1.6479	1.5312	1.4272	2.3126
10	1.3283	1.6794	2.0507	1.8886	1.3113	1.6467	1.3097	3.0653
	1.5649	1.9344	2.3577	2.1110	1.4928	1.8111	1.5072	3.3304
	1.6822	2.0312	2.4694	2.1776	1.5798	1.8690	1.5842	3.3880
	1.6989	1.9992	2.4239	2.1301	1.5964	1.8403	1.5882	3.2854
	1.6411	1.8624	2.2496	1.9911	1.5592	1.7374	1.5437	3.0281
	1.5517	1.6982	2.0384	1.8371	1.5106	1.6171	1.4864	2.7354
	1.4673	1.5513	1.8393	1.6962	1.4539	1.4973	1.4277	2.4217
11	1.8420	1.3350	1.8901	1.3322	1.6611	1.3079	1.3509	3.7139
	2.0854	1.5494	2.1115	1.5268	1.8408	1.5030	1.5399	4.0109
	2.1507	1.6404	2.1784	1.6198	1.9030	1.5932	1.6135	4.0698
	2.0996	1.6470	2.1308	1.6366	1.8755	1.6134	1.6130	3.9384
	1.9541	1.5922	1.9917	1.5976	1.7698	1.5886	1.5593	3.6057
	1.7791	1.5228	1.8378	1.5365	1.6485	1.5398	1.4938	3.2128
	1.6643	1.4563	1.6967	1.4713	1.5332	1.4825	1.4471	2.8075
12	1.3268	1.8350	1.3114	1.6609	1.9277	1.3531	2.2063	
	1.5236	2.0463	1.4930	1.8407	2.1430	1.5564	2.4219	
	1.6145	2.1089	1.5800	1.9030	2.2215	1.6371	2.5053	
	1.6269	2.0608	1.5966	1.8757	2.1894	1.6436	2.4710	
	1.5800	1.9223	1.5594	1.7700	2.0599	1.5937	2.3282	
	1.5174	1.7768	1.5107	1.6486	1.9017	1.5325	2.1502	
	1.4548	1.6489	1.4539	1.5332	1.7431	1.4616	1.9560	
13	1.6476	1.6557	1.6459	1.3077	1.3528	2.3630	4.7839	
	1.8405	1.8518	1.8106	1.5029	1.5562	2.6096	5.2122	
	1.9048	1.9178	1.8687	1.5931	1.6370	2.7030	5.3117	
	1.8722	1.8848	1.8401	1.6134	1.6435	2.6604	5.1298	
	1.7608	1.7738	1.7373	1.5887	1.5937	2.4876	4.6456	
	1.6398	1.6487	1.6171	1.5399	1.5325	2.2620	4.0283	
	1.5310	1.5313	1.4973	1.4826	1.4617	2.0166	3.3878	
14	1.2996	1.3029	1.3089	1.3497	2.2048	4.7130		
	1.5							

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 277 of 350

THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 3.6071	* 4.4249	* 3.2571	* 4.0424	* 3.1719	* 3.9352	* 3.4459	* 6.5340
	* 4.5050	* 5.2924	* 3.9124	* 4.6364	* 3.7290	* 4.4974	* 4.0481	* 7.2981
	* 4.9119	* 5.6326	* 4.1950	* 4.8120	* 3.9516	* 4.6591	* 4.2355	* 7.4756
	* 4.8916	* 5.5120	* 4.1662	* 4.6615	* 3.9278	* 4.5200	* 4.1727	* 7.1975
	* 4.4831	* 4.9466	* 3.8710	* 4.2092	* 3.6794	* 4.1011	* 3.8932	* 6.4532
	* 3.8213	* 4.1759	* 3.4167	* 3.6528	* 3.3157	* 3.5840	* 3.5027	* 5.5250
	* 3.1840	* 3.4256	* 2.9490	* 3.1157	* 2.9158	* 3.0671	* 3.0644	* 4.5704
9	* 4.4249	* 4.5955	* 4.0201	* 3.2145	* 4.0340	* 4.0158	* 3.4580	* 6.6433
	* 5.2924	* 5.4717	* 4.7049	* 3.8053	* 4.6107	* 4.5624	* 4.0577	* 7.4130
	* 5.6326	* 5.7892	* 4.9342	* 4.0358	* 4.7777	* 4.7173	* 4.2436	* 7.5899
	* 5.5119	* 5.6366	* 4.7968	* 4.0023	* 4.6291	* 4.5721	* 4.1799	* 7.3063
	* 4.9466	* 5.0352	* 4.3169	* 3.7342	* 4.1864	* 4.1401	* 3.8986	* 6.5498
	* 4.1759	* 4.2394	* 3.7045	* 3.3389	* 3.6458	* 3.6041	* 3.5093	* 5.5946
	* 3.4256	* 3.4676	* 3.1090	* 2.9201	* 3.1172	* 3.0773	* 3.0699	* 4.6010
10	* 3.2571	* 4.0236	* 4.5522	* 4.1118	* 3.1693	* 3.9625	* 3.4889	* 6.8641
	* 3.9124	* 4.7100	* 5.2932	* 4.6955	* 3.6964	* 4.4683	* 4.0752	* 7.6424
	* 4.1950	* 4.9394	* 5.5312	* 4.8700	* 3.9118	* 4.6225	* 4.2550	* 7.8236
	* 4.1662	* 4.8015	* 5.3646	* 4.7248	* 3.8970	* 4.4905	* 4.1899	* 7.5367
	* 3.8710	* 4.3207	* 4.8113	* 4.2789	* 3.6675	* 4.0903	* 3.9057	* 6.7627
	* 3.4167	* 3.7071	* 4.1065	* 3.7213	* 3.3169	* 3.5773	* 3.5224	* 5.7888
	* 2.9490	* 3.1105	* 3.4192	* 3.1658	* 2.9144	* 3.0448	* 3.0805	* 4.7633
11	* 4.0424	* 3.2189	* 4.1126	* 3.2302	* 3.9576	* 3.1994	* 3.6580	* 8.0506
	* 4.6364	* 3.8105	* 4.6965	* 3.7865	* 4.4692	* 3.7410	* 4.2461	* 8.9147
	* 4.8120	* 4.0410	* 4.8717	* 4.0100	* 4.6268	* 3.9441	* 4.4123	* 9.1039
	* 4.6615	* 4.0071	* 4.7263	* 3.9892	* 4.5010	* 3.9200	* 4.3283	* 8.7539
	* 4.2092	* 3.7382	* 4.2811	* 3.7487	* 4.0986	* 3.7006	* 4.0040	* 7.8098
	* 3.6528	* 3.3418	* 3.7227	* 3.3725	* 3.5863	* 3.3400	* 3.5844	* 6.6126
	* 3.1157	* 2.9225	* 3.1666	* 2.9509	* 3.0586	* 2.9324	* 3.1651	* 5.3770
12	* 3.1719	* 4.0376	* 3.1700	* 3.9575	* 4.3659	* 3.6189	* 5.1666	
	* 3.7290	* 4.6146	* 3.6970	* 4.4694	* 4.9492	* 4.2311	* 5.7966	
	* 3.9516	* 4.7815	* 3.9125	* 4.6272	* 5.1247	* 4.4233	* 6.0077	
	* 3.9278	* 4.6327	* 3.8977	* 4.5014	* 4.9780	* 4.3566	* 5.8610	
	* 3.6794	* 4.1894	* 3.6681	* 4.0990	* 4.5159	* 4.0421	* 5.3474	
	* 3.3157	* 3.6480	* 3.3173	* 3.5866	* 3.9152	* 3.6182	* 4.6562	
	* 2.9158	* 3.1189	* 2.9146	* 3.0587	* 3.3015	* 3.1526	* 3.9115	
13	* 3.9352	* 4.0162	* 3.9620	* 3.1990	* 3.6180	* 5.5235	* 10.6395	
	* 4.4974	* 4.5632	* 4.4683	* 3.7407	* 4.2306	* 6.2105	* 11.8263	
	* 4.6591	* 4.7180	* 4.6225	* 3.9440	* 4.4229	* 6.4331	* 12.0882	
	* 4.5200	* 4.5728	* 4.4906	* 3.9201	* 4.3565	* 6.2579	* 11.5736	
	* 4.1011	* 4.1407	* 4.0905	* 3.7009	* 4.0421	* 5.6643	* 10.1955	
	* 3.5840	* 3.6045	* 3.5774	* 3.3402	* 3.6183	* 4.8607	* 8.4003	
	* 3.0671	* 3.0776	* 3.0450	* 2.9326	* 3.1528	* 3.9962	* 6.5586	
14	* 3.4459	* 3.4574	* 3.4872	* 3.6554	* 5.1634	* 10.5373		
	* 4.0481	* 4.0574	* 4.0740	* 4.2444	* 5.7945	* 11.7062		
	* 4.2355	* 4.2434	* 4.2542	* 4.4110	* 6.0061	* 11.9574		
	* 4.1727	* 4.1798	* 4.1895	* 4.3275	* 5.8600	* 11.4642		
	* 3.8932	* 3.8987	* 3.9057	* 4.0038	* 5.3469	* 10.1256		
	* 3.5027	* 3.5094	* 3.5225	* 3.5846	* 4.6563	* 8.3564		
	* 3.0644	* 3.0699	* 3.0806	* 3.1654	* 3.9117	* 6.5278		
15	* 6.5340	* 6.6408	* 6.8590	* 8.0609	* 4 EFPD	118 % POWER		
	* 7.2981	* 7.4110	* 7.6387	* 8.9282	* 50 EFPD	118 % POWER		
	* 7.4756	* 7.5882	* 7.8205	* 9.1115	* 100 EFPD	118 % POWER		
	* 7.1975	* 7.3051	* 7.5343	* 8.7480	* 150 EFPD	118 % POWER		
	* 6.4532	* 6.5490	* 6.7612	* 7.8001	* 225 EFPD	118 % POWER		
	* 5.5250	* 5.5942	* 5.7880	* 6.6015	* 325 EFPD	118 % POWER		
	* 4.5704	* 4.6008	* 4.7631	* 5.3609	* 450 EFPD	118 % POWER		

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 278 of 350

TABLE A-3

F-DEL-H & M-DEL-H VALUES - NORMAL OPERATION

AT 100% POWER, 4 EFPD

	H	G	F	E	D	C	B	A
8	* 1.4253	* 1.2149	* 1.4138	* 1.2196	* 1.3072	* 1.3363	* 1.3995	* 0.6795 *
	* 1.2390	* 1.4605	* 1.2780	* 1.4425	* 1.3315	* 1.2956	* 1.2671	* 2.3860 *
9	* 1.2149	* 1.2352	* 1.3961	* 1.3567	* 1.1945	* 1.3592	* 1.3975	* 0.6749 *
	* 1.4605	* 1.4417	* 1.2802	* 1.3071	* 1.4530	* 1.2774	* 1.2709	* 2.4046 *
10	* 1.4138	* 1.3960	* 1.1927	* 1.1669	* 1.3119	* 1.3275	* 1.3917	* 0.6402 *
	* 1.2780	* 1.2802	* 1.4788	* 1.5100	* 1.3644	* 1.3446	* 1.2871	* 2.5667 *
11	* 1.2196	* 1.3551	* 1.1664	* 1.3401	* 1.3170	* 1.4265	* 1.4317	* 0.5502 *
	* 1.4425	* 1.3084	* 1.5103	* 1.3290	* 1.3428	* 1.2824	* 1.2761	* 3.1103 *
12	* 1.3072	* 1.1939	* 1.3123	* 1.3174	* 1.1786	* 1.4342	* 0.8976 *	
	* 1.3315	* 1.4534	* 1.3640	* 1.3424	* 1.4854	* 1.2512	* 1.9328 *	
13	* 1.3363	* 1.3592	* 1.3284	* 1.4274	* 1.4348	* 0.8721	* 0.4383 *	
	* 1.2956	* 1.2773	* 1.3437	* 1.2818	* 1.2507	* 1.9660	* 3.7608 *	
14	* 1.3995	* 1.3978	* 1.3926	* 1.4333	* 0.8985	* 0.4443 *		
	* 1.2671	* 1.2707	* 1.2863	* 1.2747	* 1.9306	* 3.7098 *		
15	* 0.6795	* 0.6752	* 0.6411	* 0.5545	* F-DEL-H			
	* 2.3860	* 2.4037	* 2.5633	* 3.0840	* M-DEL-H			

AT 100% POWER, 50 EFPD

	H	G	F	E	D	C	B	A
8	* 1.3119	* 1.1019	* 1.3968	* 1.1798	* 1.3560	* 1.3149	* 1.4116	* 0.6895 *
	* 1.3520	* 1.5966	* 1.3094	* 1.5300	* 1.3209	* 1.3551	* 1.2601	* 2.4585 *
9	* 1.1019	* 1.1108	* 1.2822	* 1.3794	* 1.1780	* 1.3297	* 1.4088	* 0.6864 *
	* 1.5966	* 1.5901	* 1.4083	* 1.3144	* 1.5183	* 1.3435	* 1.2676	* 2.4718 *
10	* 1.3968	* 1.2814	* 1.0936	* 1.1437	* 1.3683	* 1.3285	* 1.4185	* 0.6537 *
	* 1.3094	* 1.4090	* 1.6214	* 1.5732	* 1.3425	* 1.3745	* 1.2916	* 2.6203 *
11	* 1.1798	* 1.3776	* 1.1434	* 1.3935	* 1.3064	* 1.4710	* 1.4558	* 0.5639 *
	* 1.5300	* 1.3158	* 1.5733	* 1.3152	* 1.3987	* 1.2479	* 1.2595	* 3.1356 *
12	* 1.3560	* 1.1774	* 1.3684	* 1.3066	* 1.1551	* 1.4438	* 0.9058 *	
	* 1.3209	* 1.5190	* 1.3424	* 1.3984	* 1.5638	* 1.2629	* 1.9558 *	
13	* 1.3149	* 1.3297	* 1.3291	* 1.4716	* 1.4442	* 0.8629	* 0.4388 *	
	* 1.3551	* 1.3435	* 1.3738	* 1.2474	* 1.2626	* 2.0307	* 3.8611 *	
14	* 1.4116	* 1.4091	* 1.4193	* 1.4568	* 0.9065	* 0.4448 *		
	* 1.2601	* 1.2673	* 1.2909	* 1.2587	* 1.9542	* 3.8094 *		
15	* 0.6895	* 0.6866	* 0.6543	* 0.5662	* F-DEL-H			
	* 2.4585	* 2.4711	* 2.6178	* 3.1196	* M-DEL-H			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 279 of 350

TABLE A-3 (CONTINUED)

F-DEL-H & M-DEL-H VALUES - NORMAL OPERATION

AT 100% POWER, 100 EFPD

	H	G	F	E	D	C	B	A
8	* 1.2357	* 1.0371	* 1.3900	* 1.1600	* 1.4029	* 1.2995	* 1.4261	* 0.7013
	* 1.4255	* 1.6891	* 1.3100	* 1.5441	* 1.2758	* 1.3692	* 1.2450	* 2.4202
9	* 1.0371	* 1.0375	* 1.2364	* 1.4071	* 1.1775	* 1.3082	* 1.4243	* 0.6991
	* 1.6891	* 1.6933	* 1.4552	* 1.2819	* 1.5226	* 1.3633	* 1.2667	* 2.4303
10	* 1.3900	* 1.2356	* 1.0475	* 1.1445	* 1.4289	* 1.3166	* 1.4255	* 0.6663
	* 1.3100	* 1.4560	* 1.6887	* 1.5697	* 1.2844	* 1.3830	* 1.2793	* 2.6129
11	* 1.1600	* 1.4054	* 1.1443	* 1.4256	* 1.2940	* 1.4811	* 1.4527	* 0.5736
	* 1.5441	* 1.2831	* 1.5699	* 1.2866	* 1.4098	* 1.2400	* 1.2603	* 3.0770
12	* 1.4029	* 1.1764	* 1.4289	* 1.2941	* 1.1311	* 1.4355	* 0.9028	*
	* 1.2758	* 1.5236	* 1.2844	* 1.4096	* 1.5925	* 1.2674	* 1.9572	*
13	* 1.2995	* 1.3082	* 1.3170	* 1.4814	* 1.4358	* 0.8517	* 0.4406	*
	* 1.3692	* 1.3633	* 1.3825	* 1.2397	* 1.2671	* 2.0515	* 3.8373	*
14	* 1.4261	* 1.4245	* 1.4260	* 1.4534	* 0.9033	* 0.4464	*	*
	* 1.2450	* 1.2665	* 1.2787	* 1.2596	* 1.9559	* 3.7870	*	*
15	* 0.7013	* 0.6992	* 0.6667	* 0.5753	F-DEL-H			
	* 2.4202	* 2.4297	* 2.6109	* 3.0650	M-DEL-H			

AT 100% POWER, 150 EFPD

	H	G	F	E	D	C	B	A
8	* 1.1986	* 1.0044	* 1.3984	* 1.1582	* 1.4401	* 1.2874	* 1.4526	* 0.7135
	* 1.4417	* 1.7413	* 1.3021	* 1.5227	* 1.2447	* 1.3838	* 1.2220	* 2.3797
9	* 1.0044	* 1.0007	* 1.2108	* 1.4343	* 1.1767	* 1.2910	* 1.4501	* 0.7116
	* 1.7413	* 1.7523	* 1.4649	* 1.2594	* 1.5250	* 1.3815	* 1.2271	* 2.3880
10	* 1.3984	* 1.2101	* 1.0282	* 1.1432	* 1.4648	* 1.3012	* 1.4483	* 0.6779
	* 1.3021	* 1.4656	* 1.7193	* 1.5705	* 1.2524	* 1.3952	* 1.2572	* 2.5269
11	* 1.1582	* 1.4328	* 1.1429	* 1.4407	* 1.2786	* 1.4715	* 1.4420	* 0.5831
	* 1.5227	* 1.2605	* 1.5707	* 1.2724	* 1.4044	* 1.2457	* 1.2663	* 3.0221
12	* 1.4401	* 1.1758	* 1.4647	* 1.2786	* 1.1115	* 1.4190	* 0.8986	*
	* 1.2447	* 1.5260	* 1.2524	* 1.4043	* 1.5905	* 1.2800	* 1.9614	*
13	* 1.2874	* 1.2909	* 1.3015	* 1.4718	* 1.4192	* 0.8451	* 0.4457	*
	* 1.3838	* 1.3815	* 1.3948	* 1.2455	* 1.2798	* 2.0258	* 3.7813	*
14	* 1.4526	* 1.4503	* 1.4487	* 1.4426	* 0.8990	* 0.4515	*	*
	* 1.2220	* 1.2269	* 1.2568	* 1.2656	* 1.9604	* 3.7330	*	*
15	* 0.7135	* 0.7117	* 0.6783	* 0.5841	F-DEL-H			
	* 2.3797	* 2.3876	* 2.5252	* 3.0141	M-DEL-H			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 280 of 350

TABLE A-3 (CONTINUED)

F-DEL-H & M-DEL-H VALUES - NORMAL OPERATION

AT 100% POWER, 225 EFPD

	H	G	F	E	D	C	B	A
8	* 1.1840	* 0.9874	* 1.4041	* 1.1527	* 1.4588	* 1.2691	* 1.4723	* 0.7321 *
	* 1.4619	* 1.7744	* 1.2768	* 1.5063	* 1.2320	* 1.3810	* 1.2068	* 2.2803 *
9	* 0.9874	* 0.9802	* 1.1908	* 1.4520	* 1.1696	* 1.2697	* 1.4695	* 0.7301 *
	* 1.7744	* 1.7907	* 1.4711	* 1.2421	* 1.5108	* 1.3821	* 1.2118	* 2.2883 *
10	* 1.4041	* 1.1901	* 1.0187	* 1.1359	* 1.4786	* 1.2797	* 1.4642	* 0.6953 *
	* 1.2768	* 1.4718	* 1.7104	* 1.5477	* 1.2286	* 1.3855	* 1.2294	* 2.4646 *
11	* 1.1527	* 1.4507	* 1.1357	* 1.4482	* 1.2553	* 1.4611	* 1.4367	* 0.5993 *
	* 1.5063	* 1.2304	* 1.5480	* 1.2291	* 1.4021	* 1.2376	* 1.2561	* 2.9019 *
12	* 1.4588	* 1.1687	* 1.4785	* 1.2553	* 1.0912	* 1.4116	* 0.8969	*
	* 1.2320	* 1.5116	* 1.2287	* 1.4021	* 1.5877	* 1.2631	* 1.9225	*
13	* 1.2691	* 1.2696	* 1.2799	* 1.4612	* 1.4117	* 0.8457	* 0.4604	*
	* 1.3810	* 1.3822	* 1.3853	* 1.2375	* 1.2630	* 2.0148	* 3.6487	*
14	* 1.4723	* 1.4696	* 1.4645	* 1.4371	* 0.8972	* 0.4661	*	
	* 1.2068	* 1.2118	* 1.2291	* 1.2557	* 1.9217	* 3.6045	*	
15	* 0.7321	* 0.7302	* 0.6956	* 0.5994	* F-DEL-H			
	* 2.2803	* 2.2880	* 2.4633	* 2.8980	* M-DEL-H			

AT 100% POWER, 325 EFPD

	H	G	F	E	D	C	B	A
8	* 1.2017	* 0.9910	* 1.3989	* 1.1403	* 1.4507	* 1.2435	* 1.4685	* 0.7548 *
	* 1.4524	* 1.7422	* 1.2736	* 1.5232	* 1.2025	* 1.3819	* 1.1727	* 2.2087 *
9	* 0.9910	* 0.9820	* 1.1774	* 1.4410	* 1.1538	* 1.2440	* 1.4660	* 0.7528 *
	* 1.7422	* 1.7627	* 1.4941	* 1.2191	* 1.5040	* 1.3834	* 1.1782	* 2.2162 *
10	* 1.3989	* 1.1770	* 1.0160	* 1.1227	* 1.4602	* 1.2541	* 1.4606	* 0.7177 *
	* 1.2736	* 1.4947	* 1.7103	* 1.5639	* 1.2202	* 1.4002	* 1.1952	* 2.3426 *
11	* 1.1403	* 1.4400	* 1.1225	* 1.4318	* 1.2283	* 1.4316	* 1.4253	* 0.6239 *
	* 1.5232	* 1.2197	* 1.5642	* 1.2400	* 1.4290	* 1.2378	* 1.2423	* 2.7424 *
12	* 1.4507	* 1.1531	* 1.4601	* 1.2282	* 1.0745	* 1.4035	* 0.9023	*
	* 1.2025	* 1.5047	* 1.2203	* 1.4290	* 1.6066	* 1.2449	* 1.9080	*
13	* 1.2435	* 1.2439	* 1.2541	* 1.4316	* 1.4035	* 0.8593	* 0.4891	*
	* 1.3819	* 1.3835	* 1.4001	* 1.2378	* 1.2448	* 1.9406	* 3.3660	*
14	* 1.4685	* 1.4660	* 1.4607	* 1.4254	* 0.9025	* 0.4946	*	
	* 1.1727	* 1.1782	* 1.1951	* 1.2420	* 1.9076	* 3.3284	*	
15	* 0.7548	* 0.7528	* 0.7179	* 0.6238	* F-DEL-H			
	* 2.2087	* 2.2160	* 2.3418	* 2.7399	* M-DEL-H			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 281 of 350

TABLE A-3 (CONTINUED)

F-DEL-H & M-DEL-H VALUES - NORMAL OPERATION

AT 100% POWER, 450 EFPD

	H	G	F	E	D	C	B	A
8	* 1.2311	* 1.0101	* 1.3802	* 1.1233	* 1.4147	* 1.2127	* 1.4381	* 0.7793
	* 1.4012	* 1.7206	* 1.2740	* 1.5214	* 1.2362	* 1.3903	* 1.1972	* 2.0967
9	* 1.0101	* 1.0017	* 1.1683	* 1.4067	* 1.1335	* 1.2157	* 1.4364	* 0.7770
	* 1.7206	* 1.7390	* 1.4872	* 1.2307	* 1.5043	* 1.3893	* 1.2022	* 2.1040
10	* 1.3802	* 1.1680	* 1.0199	* 1.1072	* 1.4168	* 1.2256	* 1.4330	* 0.7438
	* 1.2740	* 1.4876	* 1.6899	* 1.5602	* 1.2366	* 1.4080	* 1.2168	* 2.2161
11	* 1.1233	* 1.4060	* 1.1070	* 1.3953	* 1.1979	* 1.3868	* 1.4004	* 0.6562
	* 1.5214	* 1.2312	* 1.5604	* 1.2518	* 1.4370	* 1.2566	* 1.2658	* 2.5630
12	* 1.4147	* 1.1330	* 1.4167	* 1.1978	* 1.0635	* 1.3885	* 0.9158	*
	* 1.2362	* 1.5049	* 1.2367	* 1.4371	* 1.5895	* 1.2371	* 1.8412	*
13	* 1.2127	* 1.2156	* 1.2255	* 1.3867	* 1.3885	* 0.8849	* 0.5318	*
	* 1.3903	* 1.3894	* 1.4080	* 1.2566	* 1.2371	* 1.8840	* 3.1015	*
14	* 1.4381	* 1.4364	* 1.4330	* 1.4003	* 0.9158	* 0.5376	*	*
	* 1.1972	* 1.2022	* 1.2168	* 1.2657	* 1.8409	* 3.0685	*	*
15	* 0.7793	* 0.7771	* 0.7439	* 0.6554	* F-DEL-H			
	* 2.0967	* 2.1038	* 2.2155	* 2.5624	* M-DEL-H			

AT 75% POWER, 4 EFPD

	H	G	F	E	D	C	B	A
8	* 1.2769	* 1.2025	* 1.4235	* 1.2286	* 1.3354	* 1.3719	* 1.4415	* 0.6900
	* 1.5243	* 1.7984	* 1.5033	* 1.6627	* 1.5342	* 1.4750	* 1.4491	* 2.7970
9	* 1.2025	* 1.2349	* 1.4069	* 1.3695	* 1.2158	* 1.3953	* 1.4381	* 0.6851
	* 1.7984	* 1.7101	* 1.4814	* 1.5173	* 1.6596	* 1.4555	* 1.4587	* 2.8136
10	* 1.4235	* 1.4067	* 1.1977	* 1.1713	* 1.3153	* 1.3515	* 1.4222	* 0.6462
	* 1.5033	* 1.4814	* 1.7235	* 1.7406	* 1.6048	* 1.5286	* 1.4898	* 3.0113
11	* 1.2286	* 1.3677	* 1.1708	* 1.3200	* 1.2994	* 1.4309	* 1.4425	* 0.5492
	* 1.6627	* 1.5185	* 1.7408	* 1.6325	* 1.6407	* 1.5304	* 1.5108	* 3.6399
12	* 1.3354	* 1.2152	* 1.3157	* 1.2998	* 1.0969	* 1.3978	* 0.8821	*
	* 1.5342	* 1.6599	* 1.6046	* 1.6402	* 1.8207	* 1.5102	* 2.3322	*
13	* 1.3719	* 1.3953	* 1.3524	* 1.4319	* 1.3984	* 0.8248	* 0.4177	*
	* 1.4750	* 1.4554	* 1.5276	* 1.5296	* 1.5096	* 2.3687	* 4.6723	*
14	* 1.4415	* 1.4384	* 1.4233	* 1.4443	* 0.8831	* 0.4236	*	*
	* 1.4491	* 1.4583	* 1.4887	* 1.5088	* 2.3294	* 4.6089	*	*
15	* 0.6900	* 0.6854	* 0.6470	* 0.5535	* F-DEL-H			
	* 2.7970	* 2.8125	* 3.0069	* 3.6050	* M-DEL-H			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 282 of 350

TABLE A-3 (CONTINUED)

F-DEL-H & M-DEL-H VALUES - NORMAL OPERATION

AT 75% POWER, 50 EFPD

	H	G	F	E	D	C	B	A
8	* 1.1500	* 1.0841	* 1.4017	* 1.1857	* 1.3851	* 1.3495	* 1.4561	* 0.7018 *
	* 1.6534	* 1.9838	* 1.5196	* 1.7594	* 1.5135	* 1.5389	* 1.4456	* 2.8659 *
9	* 1.0841	* 1.0997	* 1.2867	* 1.3908	* 1.1981	* 1.3645	* 1.4502	* 0.6984 *
	* 1.9838	* 1.9462	* 1.6262	* 1.5186	* 1.7306	* 1.5276	* 1.4575	* 2.8787 *
10	* 1.4017	* 1.2858	* 1.0903	* 1.1471	* 1.3789	* 1.3483	* 1.4462	* 0.6615 *
	* 1.5196	* 1.6270	* 1.9191	* 1.8215	* 1.5767	* 1.5768	* 1.4872	* 3.0665 *
11	* 1.1857	* 1.3889	* 1.1465	* 1.3748	* 1.3000	* 1.4757	* 1.4710	* 0.5645 *
	* 1.7594	* 1.5198	* 1.8220	* 1.5702	* 1.6571	* 1.5142	* 1.4999	* 3.6741 *
12	* 1.3851	* 1.1975	* 1.3789	* 1.3002	* 1.0869	* 1.4140	* 0.8927	*
	* 1.5135	* 1.7311	* 1.5765	* 1.6568	* 1.8606	* 1.5304	* 2.3734	*
13	* 1.3495	* 1.3645	* 1.3491	* 1.4764	* 1.4145	* 0.8162	* 0.4188	*
	* 1.5389	* 1.5276	* 1.5760	* 1.5135	* 1.5299	* 2.4625	* 4.8187	*
14	* 1.4561	* 1.4505	* 1.4470	* 1.4722	* 0.8934	* 0.4246	*	*
	* 1.4456	* 1.4572	* 1.4863	* 1.4986	* 2.3713	* 4.7541	*	*
15	* 0.7018	* 0.6986	* 0.6621	* 0.5668	* F-DEL-H			
	* 2.8659	* 2.8777	* 3.0630	* 3.6521	* M-DEL-H			

AT 75% POWER, 100 EFPD

	H	G	F	E	D	C	B	A
8	* 1.0632	* 1.0152	* 1.3937	* 1.1710	* 1.4358	* 1.3344	* 1.4748	* 0.7156 *
	* 1.7541	* 2.1082	* 1.5252	* 1.7708	* 1.4690	* 1.5613	* 1.4607	* 2.8273 *
9	* 1.0152	* 1.0214	* 1.2376	* 1.4248	* 1.1933	* 1.3429	* 1.4709	* 0.7130 *
	* 2.1082	* 2.0871	* 1.6889	* 1.4865	* 1.7455	* 1.5567	* 1.4632	* 2.8360 *
10	* 1.3937	* 1.2368	* 1.0431	* 1.1441	* 1.4402	* 1.3381	* 1.4618	* 0.6757 *
	* 1.5252	* 1.6898	* 1.9948	* 1.8301	* 1.5252	* 1.6002	* 1.4887	* 3.0155 *
11	* 1.1710	* 1.4231	* 1.1435	* 1.4073	* 1.2869	* 1.4846	* 1.4698	* 0.5752 *
	* 1.7708	* 1.4878	* 1.8306	* 1.5339	* 1.6759	* 1.5000	* 1.5185	* 3.6139 *
12	* 1.4358	* 1.1922	* 1.4402	* 1.2870	* 1.0714	* 1.4045	* 0.8898	*
	* 1.4690	* 1.7461	* 1.5251	* 1.6757	* 1.8982	* 1.5362	* 2.3738	*
13	* 1.3344	* 1.3428	* 1.3387	* 1.4850	* 1.4048	* 0.8026	* 0.4197	*
	* 1.5613	* 1.5567	* 1.5996	* 1.4995	* 1.5358	* 2.4890	* 4.7915	*
14	* 1.4748	* 1.4711	* 1.4624	* 1.4706	* 0.8903	* 0.4254	*	*
	* 1.4607	* 1.4629	* 1.4879	* 1.5173	* 2.3720	* 4.7286	*	*
15	* 0.7156	* 0.7132	* 0.6762	* 0.5768	* F-DEL-H			
	* 2.8273	* 2.8352	* 3.0127	* 3.5969	* M-DEL-H			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 283 of 350

TABLE A-3 (CONTINUED)

F-DEL-H & M-DEL-H VALUES - NORMAL OPERATION

AT 75% POWER, 150 EFPD

	H	G	F	E	D	C	B	A
8	* 1.0154	* 0.9807	* 1.4043	* 1.1720	* 1.4786	* 1.3238	* 1.5070	* 0.7304
	* 1.8132	* 2.1809	* 1.5156	* 1.7726	* 1.4279	* 1.5713	* 1.4026	* 2.7756
9	* 0.9807	* 0.9828	* 1.2122	* 1.4569	* 1.1951	* 1.3272	* 1.5021	* 0.7281
	* 2.1809	* 2.1698	* 1.7245	* 1.4496	* 1.7462	* 1.5704	* 1.4072	* 2.7819
10	* 1.4043	* 1.2113	* 1.0277	* 1.1449	* 1.4783	* 1.3237	* 1.4882	* 0.6893
	* 1.5156	* 1.7255	* 2.0263	* 1.8319	* 1.4712	* 1.6026	* 1.4423	* 2.9552
11	* 1.1720	* 1.4553	* 1.1445	* 1.4313	* 1.2698	* 1.4735	* 1.4617	* 0.5855
	* 1.7726	* 1.4508	* 1.8324	* 1.5141	* 1.6890	* 1.5059	* 1.5000	* 3.5379
12	* 1.4786	* 1.1941	* 1.4783	* 1.2698	* 1.0534	* 1.3831	* 0.8841	*
	* 1.4279	* 1.7472	* 1.4712	* 1.6888	* 1.9226	* 1.5206	* 2.3736	*
13	* 1.3238	* 1.3272	* 1.3241	* 1.4737	* 1.3834	* 0.7907	* 0.4228	*
	* 1.5713	* 1.5705	* 1.6021	* 1.5056	* 1.5203	* 2.4996	* 4.7274	*
14	* 1.5070	* 1.5022	* 1.4887	* 1.4624	* 0.8846	* 0.4284	*	*
	* 1.4026	* 1.4070	* 1.4416	* 1.4991	* 2.3721	* 4.6668	*	*
15	* 0.7304	* 0.7283	* 0.6898	* 0.5864	* F-DEL-H			
	* 2.7756	* 2.7813	* 2.9528	* 3.5255	* M-DEL-H			

AT 75% POWER, 225 EFPD

	H	G	F	E	D	C	B	A
8	* 0.9867	* 0.9620	* 1.4125	* 1.1705	* 1.5048	* 1.3097	* 1.5354	* 0.7534
	* 1.8489	* 2.2306	* 1.5121	* 1.7791	* 1.3982	* 1.5865	* 1.3729	* 2.6978
9	* 0.9620	* 0.9609	* 1.1940	* 1.4801	* 1.1921	* 1.3093	* 1.5296	* 0.7510
	* 2.2306	* 2.1828	* 1.7585	* 1.4277	* 1.7507	* 1.5887	* 1.3770	* 2.7032
10	* 1.4125	* 1.1933	* 1.0196	* 1.1414	* 1.4942	* 1.3031	* 1.5104	* 0.7100
	* 1.5121	* 1.7594	* 2.0095	* 1.8371	* 1.4414	* 1.6154	* 1.4057	* 2.8690
11	* 1.1705	* 1.4787	* 1.1409	* 1.4403	* 1.2451	* 1.4632	* 1.4547	* 0.6030
	* 1.7791	* 1.4287	* 1.8374	* 1.5022	* 1.7085	* 1.4823	* 1.4870	* 3.4219
12	* 1.5048	* 1.1913	* 1.4941	* 1.2451	* 1.0287	* 1.3564	* 0.8800	*
	* 1.3982	* 1.7516	* 1.4414	* 1.7084	* 1.9486	* 1.5174	* 2.3644	*
13	* 1.3097	* 1.3092	* 1.3033	* 1.4633	* 1.3565	* 0.7819	* 0.4338	*
	* 1.5865	* 1.5887	* 1.6151	* 1.4822	* 1.5172	* 2.4898	* 4.4756	*
14	* 1.5354	* 1.5297	* 1.5108	* 1.4552	* 0.8802	* 0.4392	*	*
	* 1.3729	* 1.3769	* 1.4052	* 1.4862	* 2.3633	* 4.4212	*	*
15	* 0.7534	* 0.7511	* 0.7103	* 0.6031	* F-DEL-H			
	* 2.6978	* 2.7027	* 2.8672	* 3.4155	* M-DEL-H			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 284 of 350

TABLE A-3 (CONTINUED)

F-DEL-H & M-DEL-H VALUES - NORMAL OPERATION

AT 75% POWER, 325 EFPD

	H	G	F	E	D	C	B	A
8	* 0.9800	* 0.9629	* 1.4109	* 1.1637	* 1.4987	* 1.2902	* 1.5426	* 0.7827 *
	* 1.8003	* 2.1845	* 1.4940	* 1.7622	* 1.4050	* 1.5805	* 1.3665	* 2.5509 *
9	* 0.9629	* 0.9620	* 1.1836	* 1.4761	* 1.1819	* 1.2888	* 1.5365	* 0.7802 *
	* 2.1845	* 2.1903	* 1.7451	* 1.4363	* 1.7359	* 1.5820	* 1.3694	* 2.5536 *
10	* 1.4109	* 1.1830	* 1.0196	* 1.1324	* 1.4761	* 1.2790	* 1.5142	* 0.7375 *
	* 1.4940	* 1.7458	* 2.0163	* 1.8166	* 1.4459	* 1.6062	* 1.3957	* 2.7046 *
11	* 1.1637	* 1.4751	* 1.1321	* 1.4217	* 1.2143	* 1.4306	* 1.4440	* 0.6299 *
	* 1.7622	* 1.4371	* 1.8169	* 1.5154	* 1.7033	* 1.5033	* 1.4842	* 3.2045 *
12	* 1.4987	* 1.1812	* 1.4760	* 1.2143	* 1.0006	* 1.3332	* 0.8819	*
	* 1.4050	* 1.7366	* 1.4461	* 1.7034	* 1.9308	* 1.5195	* 2.2899	*
13	* 1.2902	* 1.2887	* 1.2790	* 1.4306	* 1.3333	* 0.7815	* 0.4566	*
	* 1.5805	* 1.5821	* 1.6061	* 1.5032	* 1.5194	* 2.3881	* 4.2098	*
14	* 1.5426	* 1.5366	* 1.5143	* 1.4442	* 0.8821	* 0.4619	*	
	* 1.3665	* 1.3694	* 1.3955	* 1.4837	* 2.2892	* 4.1627	*	
15	* 0.7827	* 0.7802	* 0.7377	* 0.6297	* F-DEL-H			
	* 2.5509	* 2.5534	* 2.7033	* 3.1992	* M-DEL-H			

AT 75% POWER, 450 EFPD

	H	G	F	E	D	C	B	A
8	* 0.9866	* 0.9766	* 1.4002	* 1.1566	* 1.4731	* 1.2715	* 1.5285	* 0.8188 *
	* 1.7612	* 2.1560	* 1.5139	* 1.7860	* 1.4093	* 1.6117	* 1.3623	* 2.4680 *
9	* 0.9766	* 0.9800	* 1.1808	* 1.4532	* 1.1717	* 1.2719	* 1.5223	* 0.8158 *
	* 2.1560	* 2.1743	* 1.7659	* 1.4390	* 1.7604	* 1.6105	* 1.3627	* 2.4707 *
10	* 1.4002	* 1.1804	* 1.0298	* 1.1228	* 1.4406	* 1.2584	* 1.4971	* 0.7725 *
	* 1.5139	* 1.7665	* 2.0132	* 1.8401	* 1.4516	* 1.6304	* 1.3902	* 2.6047 *
11	* 1.1566	* 1.4524	* 1.1226	* 1.3807	* 1.1778	* 1.3877	* 1.4201	* 0.6665 *
	* 1.7860	* 1.4396	* 1.8403	* 1.5188	* 1.7403	* 1.5143	* 1.4735	* 3.0314 *
12	* 1.4731	* 1.1712	* 1.4404	* 1.1778	* 0.9621	* 1.2890	* 0.8888	*
	* 1.4093	* 1.7611	* 1.4517	* 1.7404	* 1.9432	* 1.4990	* 2.2520	*
13	* 1.2715	* 1.2719	* 1.2584	* 1.3876	* 1.2889	* 0.7795	* 0.4888	*
	* 1.6117	* 1.6106	* 1.6304	* 1.5144	* 1.4990	* 2.3196	* 3.8909	*
14	* 1.5285	* 1.5222	* 1.4971	* 1.4201	* 0.8888	* 0.4941	*	
	* 1.3623	* 1.3627	* 1.3902	* 1.4732	* 2.2516	* 3.8496	*	
15	* 0.8188	* 0.8158	* 0.7726	* 0.6658	* F-DEL-H			
	* 2.4680	* 2.4705	* 2.6041	* 3.0293	* M-DEL-H			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 285 of 350

TABLE A-3 (CONTINUED)

F-DEL-H & M-DEL-H VALUES - NORMAL OPERATION

AT 50% POWER, 4 EFPD								
	H	G	F	E	D	C	B	A
8	* 1.1808	* 1.1862	* 1.4309	* 1.2372	* 1.3695	* 1.4138	* 1.4924	* 0.7050
	* 1.4794	* 1.7346	* 1.4490	* 1.6269	* 1.4297	* 1.4226	* 1.3817	* 2.7533
9	* 1.1862	* 1.2299	* 1.4133	* 1.3826	* 1.2409	* 1.4373	* 1.4868	* 0.6997
	* 1.7346	* 1.6720	* 1.4442	* 1.4892	* 1.6133	* 1.4036	* 1.3923	* 2.7669
10	* 1.4309	* 1.4131	* 1.2001	* 1.1751	* 1.3276	* 1.3835	* 1.4580	* 0.6556
	* 1.4490	* 1.4440	* 1.6735	* 1.7041	* 1.5007	* 1.4801	* 1.4413	* 2.9721
11	* 1.2372	* 1.3808	* 1.1746	* 1.2997	* 1.2874	* 1.4338	* 1.4541	* 0.5500
	* 1.6269	* 1.4903	* 1.7041	* 1.5774	* 1.5569	* 1.4891	* 1.4865	* 3.6427
12	* 1.3695	* 1.2403	* 1.3277	* 1.2879	* 1.0488	* 1.3524	* 0.8654	*
	* 1.4297	* 1.6135	* 1.5003	* 1.5563	* 1.7295	* 1.4573	* 2.2780	*
13	* 1.4138	* 1.4374	* 1.3844	* 1.4349	* 1.3532	* 0.7721	* 0.3964	*
	* 1.4226	* 1.4034	* 1.4790	* 1.4883	* 1.4565	* 2.3076	* 4.5913	*
14	* 1.4924	* 1.4872	* 1.4591	* 1.4560	* 0.8665	* 0.4020	*	*
	* 1.3817	* 1.3919	* 1.4401	* 1.4842	* 2.2750	* 4.5301	*	*
15	* 0.7050	* 0.7000	* 0.6565	* 0.5543	* F-DEL-H			
	* 2.7533	* 2.7658	* 2.9674	* 3.6051	* M-DEL-H			

AT 50% POWER, 50 EFPD								
	H	G	F	E	D	C	B	A
8	* 1.0297	* 1.0636	* 1.4061	* 1.1927	* 1.4205	* 1.3913	* 1.5108	* 0.7194
	* 1.6528	* 1.9415	* 1.5094	* 1.7111	* 1.4895	* 1.5006	* 1.4089	* 2.7763
9	* 1.0636	* 1.0863	* 1.2908	* 1.4034	* 1.2226	* 1.4060	* 1.5009	* 0.7156
	* 1.9415	* 1.8975	* 1.5757	* 1.5041	* 1.6710	* 1.4902	* 1.4252	* 2.7850
10	* 1.4061	* 1.2899	* 1.0869	* 1.1513	* 1.3897	* 1.3761	* 1.4823	* 0.6733
	* 1.5094	* 1.5764	* 1.8604	* 1.7694	* 1.5606	* 1.5401	* 1.4643	* 2.9804
11	* 1.1927	* 1.4015	* 1.1507	* 1.3545	* 1.2890	* 1.4819	* 1.4877	* 0.5669
	* 1.7111	* 1.5053	* 1.7697	* 1.5567	* 1.6219	* 1.4737	* 1.4890	* 3.6400
12	* 1.4205	* 1.2220	* 1.3898	* 1.2893	* 1.0365	* 1.3732	* 0.8774	*
	* 1.4895	* 1.6713	* 1.5603	* 1.6215	* 1.8231	* 1.4803	* 2.2925	*
13	* 1.3913	* 1.4059	* 1.3767	* 1.4827	* 1.3737	* 0.7619	* 0.3973	*
	* 1.5006	* 1.4902	* 1.5392	* 1.4729	* 1.4797	* 2.3727	* 4.6700	*
14	* 1.5108	* 1.5012	* 1.4832	* 1.4889	* 0.8782	* 0.4029	*	*
	* 1.4089	* 1.4248	* 1.4634	* 1.4873	* 2.2902	* 4.6086	*	*
15	* 0.7194	* 0.7158	* 0.6739	* 0.5693	* F-DEL-H			
	* 2.7763	* 2.7840	* 2.9768	* 3.6151	* M-DEL-H			

MCEI-0400-420
Appendix A, Rev. 0
Page 286 of 350

F-DEL-H & M-DEL-H VALUES - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 0.8966	* 0.9910	* 1.4128	* 1.2047	* 1.4998	* 1.3959	* 1.5113	* 0.7293 *
	* 1.7666	* 2.0805	* 1.5181	* 1.7542	* 1.4385	* 1.5197	* 1.3932	* 2.8016 *
9	* 0.9910	* 1.0028	* 1.2489	* 1.4666	* 1.2361	* 1.4038	* 1.5380	* 0.7313 *
	* 2.0805	* 2.0552	* 1.6777	* 1.4652	* 1.7171	* 1.5156	* 1.3998	* 2.8082 *
10	* 1.4128	* 1.2480	* 1.0404	* 1.1629	* 1.4586	* 1.3791	* 1.5235	* 0.6972 *
	* 1.5181	* 1.6786	* 1.9468	* 1.8142	* 1.4941	* 1.5530	* 1.4385	* 2.9986 *
11	* 1.2047	* 1.4646	* 1.1623	* 1.3883	* 1.2749	* 1.4932	* 1.4981	* 0.5856 *
	* 1.7542	* 1.4664	* 1.8147	* 1.5138	* 1.6359	* 1.4511	* 1.4797	* 3.6270 *
12	* 1.4998	* 1.2354	* 1.4586	* 1.2751	* 0.9831	* 1.3363	* 0.8699	*
	* 1.4385	* 1.7176	* 1.4940	* 1.6356	* 1.8556	* 1.4793	* 2.3379	*
13	* 1.3959	* 1.4037	* 1.3795	* 1.4937	* 1.3368	* 0.7120	* 0.3898	*
	* 1.5197	* 1.5155	* 1.5523	* 1.4505	* 1.4788	* 2.4059	* 4.6623	*
14	* 1.5113	* 1.5383	* 1.5242	* 1.4992	* 0.8705	* 0.3951	*	
	* 1.3932	* 1.3995	* 1.4375	* 1.4781	* 2.3359	* 4.6021	*	
15	* 0.7293	* 0.7315	* 0.6978	* 0.5873	* F-DEL-H			
	* 2.8016	* 2.8074	* 2.9955	* 3.6080	* M-DEL-H			

	H	G	F	E	D	C	B	A
8	* 0.8689 *	* 0.9556 *	* 1.4201 *	* 1.2022 *	* 1.5402 *	* 1.3791 *	* 1.5310 *	* 0.7422 *
	* 1.8343 *	* 2.1563 *	* 1.5096 *	* 1.7545 *	* 1.3939 *	* 1.5291 *	* 1.3585 *	* 2.7419 *
9	* 0.9556 *	* 0.9617 *	* 1.2208 *	* 1.4975 *	* 1.2307 *	* 1.3819 *	* 1.5661 *	* 0.7449 *
	* 2.1563 *	* 2.1375 *	* 1.6834 *	* 1.4307 *	* 1.7224 *	* 1.5290 *	* 1.3636 *	* 2.7270 *
10	* 1.4201 *	* 1.2198 *	* 1.0239 *	* 1.1630 *	* 1.4989 *	* 1.3616 *	* 1.5480 *	* 0.7098 *
	* 1.5096 *	* 1.6842 *	* 1.9749 *	* 1.7850 *	* 1.4430 *	* 1.5581 *	* 1.4003 *	* 2.8728 *
11	* 1.2022 *	* 1.4958 *	* 1.1624 *	* 1.4161 *	* 1.2601 *	* 1.4822 *	* 1.4917 *	* 0.5955 *
	* 1.7545 *	* 1.4318 *	* 1.7853 *	* 1.4857 *	* 1.6436 *	* 1.4445 *	* 1.4531 *	* 3.5173 *
12	* 1.5402 *	* 1.2297 *	* 1.4987 *	* 1.2601 *	* 0.9734 *	* 1.3252 *	* 0.8670 *	
	* 1.3939 *	* 1.7226 *	* 1.4429 *	* 1.6433 *	* 1.8752 *	* 1.4813 *	* 2.3302 *	
13	* 1.3791 *	* 1.3818 *	* 1.3619 *	* 1.4826 *	* 1.3256 *	* 0.7082 *	* 0.3949 *	
	* 1.5291 *	* 1.5290 *	* 1.5575 *	* 1.4441 *	* 1.4809 *	* 2.4034 *	* 4.5776 *	
14	* 1.5310 *	* 1.5663 *	* 1.5486 *	* 1.4926 *	* 0.8675 *	* 0.4001 *		
	* 1.3585 *	* 1.3634 *	* 1.3995 *	* 1.4519 *	* 2.3285 *	* 4.5199 *		
15	* 0.7422 *	* 0.7450 *	* 0.7102 *	* 0.5965 *	F-DEL-H			
	* 2.7419 *	* 2.7263 *	* 2.8702 *	* 3.5026 *	M-DEL-H			

MCEI-0400-420
Appendix A, Rev. 0
Page 287 of 350

F-DEL-H & M-DEL-H VALUES - NORMAL OPERATION

	H	G	F	E	D	C	B	A
8	* 0.8497	* 0.9348	* 1.4287	* 1.2045	* 1.5702	* 1.3617	* 1.5128	* 0.7513
	* 1.8420	* 2.2054	* 1.4806	* 1.7217	* 1.3633	* 1.5111	* 1.3238	* 2.5956
9	* 0.9348	* 0.9334	* 1.1996	* 1.5250	* 1.2309	* 1.3606	* 1.5861	* 0.7574
	* 2.2054	* 2.1938	* 1.7082	* 1.4065	* 1.6913	* 1.5123	* 1.3283	* 2.5964
10	* 1.4287	* 1.1987	* 1.0066	* 1.1620	* 1.5283	* 1.3470	* 1.5769	* 0.7307
	* 1.4806	* 1.7089	* 1.9884	* 1.7767	* 1.4002	* 1.5399	* 1.3627	* 2.7639
11	* 1.2045	* 1.5234	* 1.1614	* 1.4294	* 1.2434	* 1.4838	* 1.4919	* 0.6171
	* 1.7217	* 1.4075	* 1.7770	* 1.4712	* 1.6292	* 1.3938	* 1.3939	* 3.3111
12	* 1.5702	* 1.2300	* 1.5281	* 1.2434	* 0.9509	* 1.3064	* 0.8698	*
	* 1.3633	* 1.6920	* 1.4002	* 1.6291	* 1.8645	* 1.4760	* 2.2672	*
13	* 1.3617	* 1.3605	* 1.3472	* 1.4841	* 1.3066	* 0.7030	* 0.4084	*
	* 1.5111	* 1.5124	* 1.5395	* 1.3932	* 1.4757	* 2.3840	* 4.4179	*
14	* 1.5128	* 1.5864	* 1.5773	* 1.4925	* 0.8702	* 0.4135	*	
	* 1.3238	* 1.3282	* 1.3622	* 1.3930	* 2.2659	* 4.3649	*	
15	* 0.7513	* 0.7575	* 0.7311	* 0.6172	* F-DEL-H			
	* 2.5956	* 2.5958	* 2.7619	* 3.3026	* M-DEL-H			

	H	G	F	E	D	C	B	A
8	* 0.8514	* 0.9336	* 1.4272	* 1.2000	* 1.5640	* 1.3364	* 1.4602	* 0.7626
	* 1.7602	* 2.2118	* 1.4769	* 1.7229	* 1.3321	* 1.5197	* 1.2851	* 2.4821
9	* 0.9336	* 0.9274	* 1.1858	* 1.5249	* 1.2230	* 1.3346	* 1.5873	* 0.7781
	* 2.2118	* 2.2068	* 1.7245	* 1.3773	* 1.6914	* 1.5196	* 1.2878	* 2.4814
10	* 1.4272	* 1.1852	* 0.9953	* 1.1547	* 1.5249	* 1.3309	* 1.5859	* 0.7575
	* 1.4769	* 1.7251	* 1.9878	* 1.7783	* 1.3671	* 1.5283	* 1.3217	* 2.6351
11	* 1.2000	* 1.5237	* 1.1543	* 1.4182	* 1.2221	* 1.4714	* 1.4954	* 0.6496
	* 1.7229	* 1.3780	* 1.7787	* 1.4472	* 1.6451	* 1.3667	* 1.3820	* 3.0692
12	* 1.5640	* 1.2222	* 1.5247	* 1.2221	* 0.9282	* 1.2912	* 0.8825	*
	* 1.3321	* 1.6921	* 1.3672	* 1.6451	* 1.7597	* 1.4443	* 2.1989	*
13	* 1.3364	* 1.3346	* 1.3309	* 1.4715	* 1.2913	* 0.7103	* 0.4362	*
	* 1.5197	* 1.5196	* 1.5281	* 1.3664	* 1.4442	* 2.3346	* 4.1610	*
14	* 1.4602	* 1.5874	* 1.5861	* 1.4957	* 0.8827	* 0.4412	*	*
	* 1.2851	* 1.2877	* 1.3214	* 1.3815	* 2.1979	* 4.1149	*	*
15	* 0.7626	* 0.7783	* 0.7577	* 0.6494	* F-DEL-H			
	* 2.4821	* 2.4810	* 2.6337	* 3.0623	* M-DEL-H			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 288 of 350

TABLE A-3 (CONTINUED)

F-DEL-H & M-DEL-H VALUES - NORMAL OPERATION

AT 50% POWER, 450 EFPD

	H	G	F	E	D	C	B	A
8	* 0.8537	* 0.9455	* 1.4155	* 1.1948	* 1.5392	* 1.3083	* 1.4063	* 0.7695
	* 1.5523	* 2.0326	* 1.4918	* 1.7461	* 1.3562	* 1.5490	* 1.2946	* 2.3918
9	* 0.9455	* 0.9368	* 1.1779	* 1.5031	* 1.2144	* 1.3098	* 1.5604	* 0.8086
	* 2.0326	* 2.1133	* 1.7462	* 1.4016	* 1.7149	* 1.5454	* 1.2956	* 2.3907
10	* 1.4155	* 1.1774	* 0.9860	* 1.1469	* 1.5001	* 1.3157	* 1.5723	* 0.7906
	* 1.4918	* 1.7468	* 1.9910	* 1.8029	* 1.3831	* 1.5409	* 1.3268	* 2.5271
11	* 1.1948	* 1.5022	* 1.1465	* 1.3854	* 1.1990	* 1.4481	* 1.4926	* 0.6951
	* 1.7461	* 1.4022	* 1.8031	* 1.4796	* 1.6680	* 1.3769	* 1.3495	* 2.8742
12	* 1.5392	* 1.2138	* 1.5000	* 1.1990	* 0.9004	* 1.2822	* 0.9073	*
	* 1.3562	* 1.7155	* 1.3832	* 1.6681	* 1.6649	* 1.4485	* 2.1291	*
13	* 1.3083	* 1.3097	* 1.3157	* 1.4480	* 1.2822	* 0.7247	* 0.4790	*
	* 1.5490	* 1.5455	* 1.5408	* 1.3768	* 1.4484	* 2.2731	* 3.8584	*
14	* 1.4063	* 1.5604	* 1.5723	* 1.4927	* 0.9074	* 0.4842	*	*
	* 1.2946	* 1.2956	* 1.3267	* 1.3492	* 2.1285	* 3.8179	*	*
15	* 0.7695	* 0.8087	* 0.7908	* 0.6943	* F-DEL-H			
	* 2.3918	* 2.3905	* 2.5262	* 2.8706	* M-DEL-H			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 289 of 350

* JOB/DATE PCJJ/29Dec2021 CREATED BY SMARG12 COMPILED 13Mar2020 COLR FILE
/nfe/mcd/nrh/mlc29/ma/pflr/pflrpe_ghost.clr
TABLE A-4

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	0.4304	0.5029	0.6209	0.5502	0.6239	0.5399	0.5302	0.2966
	3.3257	3.7763	3.0640	3.3973	2.9574	3.3989	3.4307	5.5282
9	0.5029	0.4921	0.5562	0.6264	0.5408	0.5228	0.5275	0.2946
	3.7763	3.9114	3.4039	2.9899	3.4331	3.5195	3.4615	5.5729
10	0.6209	0.5563	0.5065	0.5421	0.6095	0.5197	0.5140	0.2829
	3.0640	3.4045	3.7452	3.4778	3.1105	3.6428	3.6210	5.8345
11	0.5502	0.6265	0.5422	0.5912	0.5234	0.5510	0.4802	0.2372
	3.3973	2.9897	3.4771	3.1883	3.6077	3.3815	3.9657	7.3025
12	0.6239	0.5407	0.6096	0.5235	0.4220	0.4480	0.3435	
	2.9574	3.4336	3.1098	3.6070	3.9405	3.8055	4.8160	
13	0.5399	0.5229	0.5199	0.5513	0.4482	0.2957	0.1778	
	3.3989	3.5189	3.6415	3.3802	3.8044	4.9741	8.9750	
14	0.5302	0.5277	0.5144	0.4806	0.3438	0.1788		
	3.4307	3.4606	3.6186	3.9628	4.8123	8.9025		
15	0.2966	0.2947	0.2832	0.2360	F-SUB-Q			
	5.5282	5.5713	5.8288	7.2959	M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	1.0234	1.0768	1.4047	1.1528	1.3794	1.2087	1.2954	0.6635
	1.4976	1.8046	1.3827	1.6702	1.3706	1.5535	1.4364	2.5309
9	1.0768	1.0705	1.2555	1.4015	1.1317	1.1876	1.2897	0.6617
	1.8046	1.8344	1.5491	1.3703	1.6774	1.5846	1.4482	2.5460
10	1.4047	1.2555	1.0727	1.1262	1.3571	1.1677	1.2616	0.6267
	1.3827	1.5496	1.8113	1.7173	1.4269	1.6476	1.5091	2.6962
11	1.1528	1.4014	1.1265	1.3320	1.1821	1.2554	1.1881	0.5149
	1.6702	1.3705	1.7169	1.4425	1.6313	1.5150	1.6166	3.4447
12	1.3794	1.1317	1.3574	1.1823	0.9385	1.1491	0.7948	
	1.3706	1.6774	1.4266	1.6311	1.8613	1.5560	2.1307	
13	1.2087	1.1878	1.1681	1.2560	1.1496	0.7294	0.4010	
	1.5535	1.5844	1.6470	1.5144	1.5555	2.1657	4.1042	
14	1.2954	1.2901	1.2624	1.1893	0.7955	0.4046		
	1.4364	1.4479	1.5081	1.6151	2.1289	4.0562		
15	0.6635	0.6620	0.6274	0.5208	F-SUB-Q			
	2.5309	2.5448	2.6933	3.3854	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 290 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - POWER ESCALATION

	H	G	F	E	D	C	B	A
8	* 1.3852	* 1.2934	* 1.4486	* 1.3279	* 1.3399	* 1.3916	* 1.3901	* 0.7602
	* 1.3652	* 1.5350	* 1.3592	* 1.4742	* 1.4247	* 1.3692	* 1.3604	* 2.2423
9	* 1.2934	* 1.3116	* 1.4632	* 1.4077	* 1.2818	* 1.3984	* 1.3885	* 0.7597
	* 1.5350	* 1.5263	* 1.3581	* 1.3894	* 1.5014	* 1.3666	* 1.3648	* 2.2463
10	* 1.4486	* 1.4632	* 1.2948	* 1.2904	* 1.3196	* 1.3545	* 1.3705	* 0.7202
	* 1.3592	* 1.3581	* 1.5356	* 1.5280	* 1.4880	* 1.4444	* 1.4082	* 2.3840
11	* 1.3278	* 1.4078	* 1.2909	* 1.3488	* 1.3428	* 1.3695	* 1.3754	* 0.6034
	* 1.4742	* 1.3894	* 1.5275	* 1.4463	* 1.4409	* 1.4134	* 1.4202	* 2.9912
12	* 1.3399	* 1.2817	* 1.3198	* 1.3430	* 1.1879	* 1.3599	* 0.9390	*
	* 1.4247	* 1.5014	* 1.4878	* 1.4408	* 1.5789	* 1.3860	* 1.8475	*
13	* 1.3916	* 1.3986	* 1.3550	* 1.3702	* 1.3605	* 0.9011	* 0.4843	*
	* 1.3692	* 1.3664	* 1.4436	* 1.4129	* 1.3856	* 1.8689	* 3.5060	*
14	* 1.3901	* 1.3887	* 1.3713	* 1.3768	* 0.9401	* 0.4894	*	
	* 1.3604	* 1.3646	* 1.4073	* 1.4189	* 1.8457	* 3.4603	*	
15	* 0.7602	* 0.7600	* 0.7211	* 0.6109	* F-SUB-Q			
	* 2.2423	* 2.2456	* 2.3812	* 2.9361	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.6007	* 1.4218	* 1.5961	* 1.4195	* 1.4533	* 1.5063	* 1.5296	* 0.7900
	* 1.2415	* 1.4299	* 1.2660	* 1.4064	* 1.3372	* 1.2850	* 1.2554	* 2.1917
9	* 1.4218	* 1.4480	* 1.6142	* 1.5336	* 1.3689	* 1.5263	* 1.5284	* 0.7886
	* 1.4299	* 1.4118	* 1.2670	* 1.3045	* 1.4258	* 1.2720	* 1.2607	* 2.1993
10	* 1.5961	* 1.6143	* 1.4147	* 1.3816	* 1.4320	* 1.4695	* 1.5111	* 0.7481
	* 1.2660	* 1.2669	* 1.4327	* 1.4546	* 1.3882	* 1.3466	* 1.3011	* 2.3328
11	* 1.4195	* 1.5319	* 1.3819	* 1.4689	* 1.4614	* 1.5188	* 1.5275	* 0.6309
	* 1.4064	* 1.3063	* 1.4543	* 1.3556	* 1.3498	* 1.3009	* 1.3041	* 2.9121
12	* 1.4533	* 1.3689	* 1.4323	* 1.4616	* 1.3228	* 1.5337	* 1.0041	*
	* 1.3372	* 1.4259	* 1.3879	* 1.3496	* 1.4753	* 1.2704	* 1.7719	*
13	* 1.5063	* 1.5265	* 1.4703	* 1.5197	* 1.5343	* 0.9823	* 0.5137	*
	* 1.2850	* 1.2719	* 1.3459	* 1.3004	* 1.2699	* 1.7857	* 3.4078	*
14	* 1.5296	* 1.5287	* 1.5121	* 1.5292	* 1.0053	* 0.5202	*	*
	* 1.2554	* 1.2604	* 1.3003	* 1.3027	* 1.7699	* 3.3560	*	*
15	* 0.7900	* 0.7891	* 0.7492	* 0.6383	* F-SUB-Q			
	* 2.1917	* 2.1985	* 2.3298	* 2.8602	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 291 of 350

	H	G	F	E	D	C	B	A
8	* 1.7487	* 1.5038	* 1.7044	* 1.4833	* 1.5359	* 1.5809	* 1.6315	* 0.8245
	* 1.1983	* 1.4036	* 1.2430	* 1.4037	* 1.3156	* 1.2720	* 1.2216	* 2.1833
9	* 1.5038	* 1.5237	* 1.7042	* 1.6238	* 1.4267	* 1.6052	* 1.6309	* 0.8239
	* 1.4036	* 1.3949	* 1.2424	* 1.2847	* 1.4230	* 1.2561	* 1.2259	* 2.1870
10	* 1.7044	* 1.7042	* 1.4746	* 1.4325	* 1.5309	* 1.5548	* 1.6194	* 0.7811
	* 1.2430	* 1.2425	* 1.4322	* 1.4614	* 1.3621	* 1.3210	* 1.2589	* 2.3201
11	* 1.4833	* 1.6213	* 1.4325	* 1.5707	* 1.5541	* 1.6483	* 1.6598	* 0.6693
	* 1.4037	* 1.2867	* 1.4614	* 1.3252	* 1.3257	* 1.2527	* 1.2473	* 2.8461
12	* 1.5359	* 1.4265	* 1.5315	* 1.5546	* 1.4104	* 1.6737	* 1.0817	*
	* 1.3156	* 1.4233	* 1.3616	* 1.3254	* 1.4564	* 1.2239	* 1.7233	*
13	* 1.5809	* 1.6054	* 1.5558	* 1.6492	* 1.6744	* 1.0574	* 0.5432	*
	* 1.2720	* 1.2560	* 1.3202	* 1.2521	* 1.2234	* 1.7560	* 3.4036	*
14	* 1.6315	* 1.6313	* 1.6206	* 1.6617	* 1.0831	* 0.5505	*	*
	* 1.2216	* 1.2256	* 1.2580	* 1.2459	* 1.7213	* 3.3495	*	*
15	* 0.8245	* 0.8242	* 0.7822	* 0.6761	* F-SUB-Q			
	* 2.1833	* 2.1861	* 2.3169	* 2.7992	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 292 of 350

	H	G	F	E	D	C	B	A
8	* 1.8090	* 1.5360	* 1.7609	* 1.5157	* 1.5917	* 1.6313	* 1.7008	* 0.8360
	* 1.2053	* 1.4314	* 1.2482	* 1.4376	* 1.3328	* 1.2943	* 1.2299	* 2.2612
9	* 1.5360	* 1.5581	* 1.7497	* 1.6763	* 1.4651	* 1.6593	* 1.7001	* 0.8335
	* 1.4314	* 1.4127	* 1.2556	* 1.3004	* 1.4540	* 1.2744	* 1.2329	* 2.2688
10	* 1.7609	* 1.7496	* 1.5020	* 1.4566	* 1.5955	* 1.6160	* 1.6922	* 0.7908
	* 1.2482	* 1.2557	* 1.4594	* 1.4958	* 1.3503	* 1.3217	* 1.2554	* 2.3953
11	* 1.5157	* 1.6734	* 1.4563	* 1.6281	* 1.6146	* 1.7276	* 1.7432	* 0.6794
	* 1.4376	* 1.3027	* 1.4961	* 1.3242	* 1.3243	* 1.2380	* 1.2252	* 2.8859
12	* 1.5917	* 1.4646	* 1.5960	* 1.6151	* 1.4608	* 1.7556	* 1.1081	*
	* 1.3328	* 1.4544	* 1.3499	* 1.3239	* 1.4614	* 1.2121	* 1.7430	*
13	* 1.6313	* 1.6594	* 1.6173	* 1.7285	* 1.7564	* 1.0826	* 0.5490	*
	* 1.2943	* 1.2744	* 1.3208	* 1.2374	* 1.2116	* 1.7871	* 3.4987	*
14	* 1.7008	* 1.7005	* 1.6934	* 1.7453	* 1.1094	* 0.5569	*	
	* 1.2299	* 1.2327	* 1.2545	* 1.2237	* 1.7409	* 3.4402	*	
15	* 0.8360	* 0.8338	* 0.7919	* 0.6859	* F-SUB-Q			
	* 2.2612	* 2.2680	* 2.3921	* 2.8407	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 293 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8281	* 1.5445	* 1.7803	* 1.5252	* 1.6136	* 1.6505	* 1.7282	* 0.8383
	* 1.2350	* 1.4679	* 1.2629	* 1.4658	* 1.3530	* 1.3168	* 1.2456	* 2.3204
9	* 1.5445	* 1.5684	* 1.7650	* 1.6949	* 1.4789	* 1.6803	* 1.7275	* 0.8346
	* 1.4679	* 1.4395	* 1.2729	* 1.3190	* 1.4816	* 1.2945	* 1.2481	* 2.3329
10	* 1.7803	* 1.7649	* 1.5101	* 1.4635	* 1.6199	* 1.6390	* 1.7206	* 0.7921
	* 1.2629	* 1.2730	* 1.4863	* 1.5249	* 1.3646	* 1.3338	* 1.2637	* 2.4535
11	* 1.5252	* 1.6919	* 1.4631	* 1.6492	* 1.6364	* 1.7574	* 1.7744	* 0.6807
	* 1.4658	* 1.3214	* 1.5253	* 1.3441	* 1.3440	* 1.2509	* 1.2324	* 2.9389
12	* 1.6136	* 1.4783	* 1.6204	* 1.6368	* 1.4784	* 1.7860	* 1.1138	*
	* 1.3530	* 1.4821	* 1.3641	* 1.3436	* 1.4881	* 1.2252	* 1.7812	*
13	* 1.6505	* 1.6804	* 1.6403	* 1.7583	* 1.7868	* 1.0887	* 0.5493	*
	* 1.3168	* 1.2944	* 1.3330	* 1.2503	* 1.2246	* 1.8276	* 3.5890	*
14	* 1.7282	* 1.7279	* 1.7218	* 1.7765	* 1.1151	* 0.5573	*	*
	* 1.2456	* 1.2478	* 1.2628	* 1.2310	* 1.7791	* 3.5280	*	*
15	* 0.8383	* 0.8351	* 0.7932	* 0.6863	* F-SUB-Q			
	* 2.3204	* 2.3314	* 2.4502	* 2.8966	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8073	* 1.5334	* 1.7596	* 1.5147	* 1.5977	* 1.6414	* 1.7157	* 0.8440
	* 1.2955	* 1.5222	* 1.3156	* 1.5246	* 1.4109	* 1.3675	* 1.2954	* 2.3792
9	* 1.5334	* 1.5540	* 1.7492	* 1.6734	* 1.4693	* 1.6719	* 1.7151	* 0.8413
	* 1.5222	* 1.4946	* 1.3225	* 1.3774	* 1.5389	* 1.3427	* 1.2972	* 2.3864
10	* 1.7596	* 1.7490	* 1.4950	* 1.4531	* 1.6063	* 1.6330	* 1.7095	* 0.7979
	* 1.3156	* 1.3226	* 1.5467	* 1.5856	* 1.4098	* 1.3759	* 1.3086	* 2.5073
11	* 1.5147	* 1.6702	* 1.4517	* 1.6353	* 1.6298	* 1.7480	* 1.7658	* 0.6906
	* 1.5246	* 1.3801	* 1.5861	* 1.3941	* 1.3909	* 1.2900	* 1.2689	* 2.9739
12	* 1.5977	* 1.4687	* 1.6069	* 1.6303	* 1.4719	* 1.7768	* 1.1274	*
	* 1.4109	* 1.5395	* 1.4094	* 1.3905	* 1.5454	* 1.2715	* 1.8077	*
13	* 1.6414	* 1.6720	* 1.6343	* 1.7489	* 1.7775	* 1.0989	* 0.5548	*
	* 1.3675	* 1.3426	* 1.3748	* 1.2892	* 1.2710	* 1.8743	* 3.6639	*
14	* 1.7157	* 1.7155	* 1.7108	* 1.7679	* 1.1287	* 0.5633	*	*
	* 1.2954	* 1.2968	* 1.3077	* 1.2675	* 1.8056	* 3.5994	*	*
15	* 0.8440	* 0.8416	* 0.7990	* 0.6969	* F-SUB-Q			
	* 2.3792	* 2.3855	* 2.5039	* 2.9285	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 294 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - POWER ESCALATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE. LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8317	* 1.5395	* 1.7865	* 1.5228	* 1.6277	* 1.6647	* 1.7521	* 0.8392
	* 1.3215	* 1.5672	* 1.3423	* 1.5697	* 1.4349	* 1.3976	* 1.3142	* 2.4773
9	* 1.5395	* 1.5662	* 1.7684	* 1.7000	* 1.4853	* 1.6972	* 1.7514	* 0.8342
	* 1.5672	* 1.5358	* 1.3551	* 1.4050	* 1.5769	* 1.3701	* 1.3155	* 2.4912
10	* 1.7865	* 1.7683	* 1.5050	* 1.4572	* 1.6380	* 1.6597	* 1.7462	* 0.7917
	* 1.3423	* 1.3552	* 1.5916	* 1.6334	* 1.4274	* 1.3985	* 1.3236	* 2.6102
11	* 1.5228	* 1.6967	* 1.4566	* 1.6615	* 1.6540	* 1.7841	* 1.8042	* 0.6827
	* 1.5697	* 1.4077	* 1.6341	* 1.4151	* 1.4124	* 1.3040	* 1.2820	* 3.1051
12	* 1.6277	* 1.4846	* 1.6385	* 1.6545	* 1.4912	* 1.8135	* 1.1210	*
	* 1.4349	* 1.5776	* 1.4270	* 1.4120	* 1.5704	* 1.2823	* 1.8720	*
13	* 1.6647	* 1.6973	* 1.6609	* 1.7850	* 1.8143	* 1.0946	* 0.5480	*
	* 1.3976	* 1.3700	* 1.3975	* 1.3032	* 1.2818	* 1.9341	* 3.8051	*
14	* 1.7521	* 1.7519	* 1.7474	* 1.8062	* 1.1223	* 0.5560	*	
	* 1.3142	* 1.3151	* 1.3227	* 1.2805	* 1.8699	* 3.7404	*	
15	* 0.8392	* 0.8347	* 0.7928	* 0.6887	* F-SUB-Q			
	* 2.4773	* 2.4897	* 2.6067	* 3.0588	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.12825	* 1.5326	* 1.7845	* 1.5174	* 1.6302	* 1.6669	* 1.7594	* 0.8375
	* 1.3306	* 1.5730	* 1.3484	* 1.5788	* 1.4659	* 1.4348	* 1.3586	* 2.5765
9	* 1.5326	* 1.5604	* 1.7646	* 1.6978	* 1.4844	* 1.7009	* 1.7585	* 0.8318
	* 1.5730	* 1.5435	* 1.3649	* 1.4123	* 1.6103	* 1.4078	* 1.3601	* 2.5916
10	* 1.7845	* 1.7644	* 1.4980	* 1.4499	* 1.6423	* 1.6653	* 1.7541	* 0.7894
	* 1.3484	* 1.3650	* 1.6039	* 1.6534	* 1.4675	* 1.4461	* 1.3657	* 2.7125
11	* 1.5174	* 1.6944	* 1.4492	* 1.6629	* 1.6580	* 1.7931	* 1.8142	* 0.6816
	* 1.5788	* 1.4151	* 1.6542	* 1.4534	* 1.4604	* 1.3455	* 1.3220	* 3.2174
12	* 1.6302	* 1.4836	* 1.6428	* 1.6584	* 1.4932	* 1.8222	* 1.1216	*
	* 1.4659	* 1.6112	* 1.4670	* 1.4600	* 1.6254	* 1.3222	* 1.9376	*
13	* 1.6669	* 1.7010	* 1.6666	* 1.7940	* 1.8230	* 1.0945	* 0.5457	*
	* 1.4348	* 1.4077	* 1.4450	* 1.3446	* 1.3217	* 2.0013	* 3.9486	*
14	* 1.7594	* 1.7590	* 1.7559	* 1.8163	* 1.1229	* 0.5537	*	*
	* 1.3586	* 1.3598	* 1.3647	* 1.3205	* 1.9355	* 3.8812	*	*
15	* 0.8375	* 0.8323	* 0.7905	* 0.6875	* F-SUB-Q			
	* 2.5765	* 2.5900	* 2.7089	* 3.1701	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 295 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

	H	G	F	E	D	C	B	A
8	* 1.7989	* 1.5117	* 1.7562	* 1.4974	* 1.6084	* 1.6505	* 1.7406	* 0.8373
	* 1.3212	* 1.5578	* 1.3381	* 1.5619	* 1.4503	* 1.4145	* 1.3404	* 2.5246
9	* 1.5117	* 1.5381	* 1.7406	* 1.6695	* 1.4680	* 1.6852	* 1.7402	* 0.8329
	* 1.5578	* 1.5289	* 1.3514	* 1.4022	* 1.5892	* 1.3872	* 1.3418	* 2.5361
10	* 1.7562	* 1.7404	* 1.4757	* 1.4331	* 1.6223	* 1.6517	* 1.7374	* 0.7893
	* 1.3381	* 1.3516	* 1.5895	* 1.6334	* 1.4519	* 1.4253	* 1.3499	* 2.6623
11	* 1.4974	* 1.6660	* 1.4314	* 1.6415	* 1.6438	* 1.7762	* 1.7984	* 0.6858
	* 1.5619	* 1.4051	* 1.6353	* 1.4392	* 1.4437	* 1.3295	* 1.3104	* 3.1461
12	* 1.6084	* 1.4672	* 1.6228	* 1.6442	* 1.4793	* 1.8052	* 1.1263	*
	* 1.4503	* 1.5901	* 1.4514	* 1.4433	* 1.6089	* 1.3158	* 1.8999	*
13	* 1.6505	* 1.6852	* 1.6530	* 1.7774	* 1.8060	* 1.0962	* 0.5465	*
	* 1.4145	* 1.3871	* 1.4243	* 1.3287	* 1.3153	* 1.9773	* 3.9181	*
14	* 1.7406	* 1.7406	* 1.7391	* 1.8004	* 1.1275	* 0.5551	*	*
	* 1.3404	* 1.3415	* 1.3490	* 1.3090	* 1.8979	* 3.8465	*	*
15	* 0.8373	* 0.8332	* 0.7904	* 0.6915	* F-SUB-Q			
	* 2.5246	* 2.5352	* 2.6589	* 3.1018	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.8080	* 1.5074	* 1.7686	* 1.4954	* 1.6258	* 1.6615	* 1.7648	* 0.8273 *
	* 1.2867	* 1.5275	* 1.3003	* 1.5283	* 1.4030	* 1.3750	* 1.2939	* 2.4917 *
9	* 1.5074	* 1.5381	* 1.7452	* 1.6823	* 1.4729	* 1.6983	* 1.7640	* 0.8202 *
	* 1.5275	* 1.4957	* 1.3190	* 1.3606	* 1.5485	* 1.3473	* 1.2954	* 2.5125 *
10	* 1.7686	* 1.7450	* 1.4739	* 1.4245	* 1.6414	* 1.6666	* 1.7633	* 0.7779 *
	* 1.3003	* 1.3192	* 1.5558	* 1.6049	* 1.4036	* 1.3818	* 1.3029	* 2.6334 *
11	* 1.4954	* 1.6787	* 1.4236	* 1.6545	* 1.6554	* 1.7998	* 1.8240	* 0.6739 *
	* 1.5283	* 1.3635	* 1.6058	* 1.3964	* 1.4012	* 1.2827	* 1.2631	* 3.1202 *
12	* 1.6258	* 1.4720	* 1.6419	* 1.6558	* 1.4875	* 1.8285	* 1.1120	*
	* 1.4030	* 1.5494	* 1.4033	* 1.4009	* 1.5641	* 1.2691	* 1.8791	*
13	* 1.6615	* 1.6983	* 1.6679	* 1.8010	* 1.8293	* 1.0843	* 0.5362	*
	* 1.3750	* 1.3473	* 1.3808	* 1.2820	* 1.2686	* 1.9520	* 3.8859	*
14	* 1.7648	* 1.7644	* 1.7651	* 1.8260	* 1.1133	* 0.5443	*	
	* 1.2939	* 1.2951	* 1.3021	* 1.2618	* 1.8772	* 3.8185	*	
15	* 0.8273	* 0.8207	* 0.7789	* 0.6786	* F-SUB-Q			
	* 2.4917	* 2.5110	* 2.6302	* 3.0803	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 296 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7963	* 1.4927	* 1.7594	* 1.4826	* 1.6228	* 1.6568	* 1.7666	* 0.8192
	* 1.2524	* 1.4877	* 1.2608	* 1.4870	* 1.3569	* 1.3313	* 1.2478	* 2.4281
9	* 1.4927	* 1.5248	* 1.7333	* 1.6738	* 1.4655	* 1.6949	* 1.7659	* 0.8119
	* 1.4877	* 1.4552	* 1.2813	* 1.3193	* 1.5021	* 1.3032	* 1.2492	* 2.4491
10	* 1.7594	* 1.7331	* 1.4598	* 1.4097	* 1.6400	* 1.6655	* 1.7672	* 0.7694
	* 1.2608	* 1.2815	* 1.5150	* 1.5640	* 1.3553	* 1.3347	* 1.2554	* 2.5681
11	* 1.4826	* 1.6701	* 1.4087	* 1.6487	* 1.6521	* 1.8027	* 1.8283	* 0.6668
	* 1.4870	* 1.3221	* 1.5651	* 1.3519	* 1.3566	* 1.2368	* 1.2161	* 3.0392
12	* 1.6228	* 1.4645	* 1.6404	* 1.6525	* 1.4827	* 1.8307	* 1.1033	*
	* 1.3569	* 1.5031	* 1.3550	* 1.3563	* 1.5173	* 1.2248	* 1.8247	*
13	* 1.6568	* 1.6949	* 1.6667	* 1.8038	* 1.8314	* 1.0756	* 0.5291	*
	* 1.3313	* 1.3032	* 1.3338	* 1.2360	* 1.2244	* 1.8969	* 3.7914	*
14	* 1.7666	* 1.7663	* 1.7690	* 1.8303	* 1.1045	* 0.5372	*	*
	* 1.2478	* 1.2489	* 1.2546	* 1.2148	* 1.8228	* 3.7246	*	*
15	* 0.8192	* 0.8124	* 0.7705	* 0.6706	* F-SUB-Q			
	* 2.4281	* 2.4477	* 2.5649	* 3.0045	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7745	* 1.4721	* 1.7392	* 1.4635	* 1.6086	* 1.6432	* 1.7556	* 0.8128 *
	* 1.2258	* 1.4592	* 1.2340	* 1.4579	* 1.3252	* 1.2992	* 1.2153	* 2.3698 *
9	* 1.4721	* 1.5048	* 1.7129	* 1.6540	* 1.4507	* 1.6822	* 1.7548	* 0.8046 *
	* 1.4592	* 1.4267	* 1.2542	* 1.2921	* 1.4689	* 1.2708	* 1.2165	* 2.3921 *
10	* 1.7392	* 1.7127	* 1.4397	* 1.3902	* 1.6268	* 1.6542	* 1.7574	* 0.7630 *
	* 1.2340	* 1.2544	* 1.4866	* 1.5348	* 1.3209	* 1.2991	* 1.2210	* 2.5065 *
11	* 1.4635	* 1.6502	* 1.3892	* 1.6334	* 1.6396	* 1.7921	* 1.8185	* 0.6629 *
	* 1.4579	* 1.2950	* 1.5359	* 1.3191	* 1.3206	* 1.2020	* 1.1813	* 2.9573 *
12	* 1.6086	* 1.4497	* 1.6273	* 1.6401	* 1.4699	* 1.8196	* 1.0970	* *
	* 1.3252	* 1.4699	* 1.3206	* 1.3203	* 1.4790	* 1.1899	* 1.7728	* *
13	* 1.6432	* 1.6822	* 1.6554	* 1.7932	* 1.8203	* 1.0683	* 0.5244	* *
	* 1.2992	* 1.2708	* 1.2983	* 1.2013	* 1.1895	* 1.8444	* 3.6954	* *
14	* 1.7556	* 1.7553	* 1.7591	* 1.8205	* 1.0982	* 0.5323	* *	* *
	* 1.2153	* 1.2162	* 1.2199	* 1.1801	* 1.7711	* 3.6309	* *	* *
15	* 0.8128	* 0.8051	* 0.7640	* 0.6675	* F-SUB-Q			
	* 2.3698	* 2.3912	* 2.5035	* 2.9197	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 298 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7096	* 1.4097	* 1.6858	* 1.4076	* 1.5740	* 1.6056	* 1.7285	* 0.7820 *
	* 1.2312	* 1.4902	* 1.2465	* 1.4876	* 1.3323	* 1.3079	* 1.2138	* 2.4314 *
9	* 1.4097	* 1.4466	* 1.6569	* 1.6043	* 1.4085	* 1.6472	* 1.7276	* 0.7729 *
	* 1.4902	* 1.4536	* 1.2700	* 1.3069	* 1.4883	* 1.2756	* 1.2146	* 2.4577 *
10	* 1.6858	* 1.6566	* 1.3829	* 1.3339	* 1.5920	* 1.6194	* 1.7301	* 0.7316 *
	* 1.2465	* 1.2702	* 1.5182	* 1.5698	* 1.3200	* 1.2983	* 1.2136	* 2.5763 *
11	* 1.4076	* 1.6004	* 1.3328	* 1.5900	* 1.6000	* 1.7616	* 1.7890	* 0.6352 *
	* 1.4876	* 1.3101	* 1.5712	* 1.3215	* 1.3163	* 1.1930	* 1.1725	* 3.0337 *
12	* 1.5740	* 1.4073	* 1.5923	* 1.6003	* 1.4296	* 1.7857	* 1.0564 *	
	* 1.3323	* 1.4896	* 1.3198	* 1.3161	* 1.4740	* 1.1779	* 1.7967 *	
13	* 1.6056	* 1.6472	* 1.6206	* 1.7627	* 1.7863	* 1.0284	* 0.4991 *	
	* 1.3079	* 1.2757	* 1.2975	* 1.1923	* 1.1775	* 1.8623	* 3.8010 *	
14	* 1.7285	* 1.7280	* 1.7317	* 1.7909	* 1.0574	* 0.5067 *		
	* 1.2138	* 1.2143	* 1.2126	* 1.1714	* 1.7951	* 3.7340 *		
15	* 0.7820	* 0.7733	* 0.7325	* 0.6381	* F-SUB-Q			
	* 2.4314	* 2.4563	* 2.5733	* 3.0028	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6426	* 1.3684	* 1.6268	* 1.3705	* 1.5251	* 1.5674	* 1.6752	* 0.7752 *
	* 1.2403	* 1.4881	* 1.2522	* 1.4820	* 1.3341	* 1.2997	* 1.2148	* 2.3820 *
9	* 1.3684	* 1.4055	* 1.6106	* 1.5485	* 1.3748	* 1.6080	* 1.6744	* 0.7681 *
	* 1.4881	* 1.4505	* 1.2665	* 1.3132	* 1.4794	* 1.2674	* 1.2153	* 2.4015 *
10	* 1.6268	* 1.6103	* 1.3459	* 1.3068	* 1.5399	* 1.5768	* 1.6730	* 0.7256 *
	* 1.2522	* 1.2667	* 1.5129	* 1.5548	* 1.3223	* 1.2918	* 1.2159	* 2.5217 *
11	* 1.3705	* 1.5446	* 1.3050	* 1.5405	* 1.5582	* 1.7044	* 1.7290	* 0.6324 *
	* 1.4820	* 1.3165	* 1.5570	* 1.3210	* 1.3080	* 1.1938	* 1.1748	* 2.9570 *
12	* 1.5251	* 1.3736	* 1.5402	* 1.5585	* 1.3927	* 1.7261	* 1.0466	*
	* 1.3341	* 1.4807	* 1.3221	* 1.3077	* 1.4641	* 1.1789	* 1.7567	*
13	* 1.5674	* 1.6079	* 1.5779	* 1.7054	* 1.7267	* 1.0165	* 0.4960	*
	* 1.2997	* 1.2674	* 1.2910	* 1.1932	* 1.1785	* 1.8237	* 3.7082	*
14	* 1.6752	* 1.6748	* 1.6746	* 1.7308	* 1.0476	* 0.5031	*	
	* 1.2148	* 1.2151	* 1.2149	* 1.1737	* 1.7551	* 3.6456	*	
15	* 0.7752	* 0.7684	* 0.7265	* 0.6367	* F-SUB-Q			
	* 2.3820	* 2.4006	* 2.5189	* 2.9201	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 299 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - POWER ESCALATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5921	* 1.3360	* 1.5972	* 1.3511	* 1.5111	* 1.5543	* 1.6566	* 0.7562
	* 1.2470	* 1.4863	* 1.2435	* 1.4662	* 1.3134	* 1.2782	* 1.1978	* 2.3843
9	* 1.3360	* 1.3780	* 1.5838	* 1.5287	* 1.3626	* 1.5939	* 1.6554	* 0.7462
	* 1.4863	* 1.4428	* 1.2555	* 1.2973	* 1.4560	* 1.2466	* 1.1986	* 2.4138
10	* 1.5972	* 1.5835	* 1.3237	* 1.2846	* 1.5220	* 1.5585	* 1.6491	* 0.7053
	* 1.2435	* 1.2558	* 1.5004	* 1.5425	* 1.3038	* 1.2734	* 1.2022	* 2.5326
11	* 1.3511	* 1.5250	* 1.2834	* 1.5189	* 1.5377	* 1.6766	* 1.6982	* 0.6091
	* 1.4662	* 1.3004	* 1.5439	* 1.3053	* 1.2914	* 1.1820	* 1.1651	* 2.9963
12	* 1.5111	* 1.3615	* 1.5223	* 1.5380	* 1.3740	* 1.6935	* 1.0086	
	* 1.3134	* 1.4572	* 1.3036	* 1.2911	* 1.4454	* 1.1699	* 1.7767	
13	* 1.5543	* 1.5938	* 1.5595	* 1.6775	* 1.6941	* 0.9822	* 0.4773	
	* 1.2782	* 1.2467	* 1.2727	* 1.1814	* 1.1696	* 1.8391	* 3.7599	
14	* 1.6566	* 1.6557	* 1.6502	* 1.6999	* 1.0096	* 0.4837		
	* 1.1978	* 1.1984	* 1.2012	* 1.1640	* 1.7751	* 3.7000		
15	* 0.7562	* 0.7466	* 0.7062	* 0.6127	* F-SUB-Q			
	* 2.3843	* 2.4126	* 2.5298	* 2.9612	* M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4711	* 1.2551	* 1.5119	* 1.3044	* 1.4409	* 1.4892	* 1.5714	* 0.7375
	* 1.3232	* 1.5516	* 1.2859	* 1.4893	* 1.3506	* 1.3079	* 1.2379	* 2.4002
9	* 1.2551	* 1.2869	* 1.4797	* 1.4585	* 1.3125	* 1.5146	* 1.5692	* 0.7263
	* 1.5516	* 1.5151	* 1.3177	* 1.3331	* 1.4823	* 1.2860	* 1.2394	* 2.4342
10	* 1.5119	* 1.4794	* 1.2454	* 1.2367	* 1.4547	* 1.4905	* 1.5630	* 0.6857
	* 1.2859	* 1.3180	* 1.5641	* 1.5713	* 1.3368	* 1.3048	* 1.2436	* 2.5575
11	* 1.3044	* 1.4550	* 1.2356	* 1.4572	* 1.4642	* 1.5891	* 1.6049	* 0.5858
	* 1.4893	* 1.3363	* 1.5726	* 1.3335	* 1.3289	* 1.2217	* 1.2079	* 3.0585
12	* 1.4409	* 1.3114	* 1.4549	* 1.4645	* 1.3041	* 1.5932	* 0.9656	*
	* 1.3506	* 1.4835	* 1.3366	* 1.3287	* 1.4923	* 1.2183	* 1.8200	*
13	* 1.4892	* 1.5145	* 1.4913	* 1.5899	* 1.5937	* 0.9329	* 0.4545	*
	* 1.3079	* 1.2861	* 1.3041	* 1.2211	* 1.2179	* 1.8990	* 3.8770	*
14	* 1.5714	* 1.5695	* 1.5639	* 1.6064	* 0.9664	* 0.4604	*	*
	* 1.2379	* 1.2392	* 1.2428	* 1.2068	* 1.8185	* 3.8171	*	*
15	* 0.7375	* 0.7267	* 0.6864	* 0.5889	* F-SUB-Q			
	* 2.4002	* 2.4330	* 2.5548	* 3.0247	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 300 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 100% POWER, 4 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3114	* 1.0546	* 1.4725	* 1.1334	* 1.4681	* 1.2752	* 1.4663	* 0.6555 *
	* 1.4628	* 1.8193	* 1.3010	* 1.6903	* 1.3046	* 1.5042	* 1.3059	* 2.6663 *
9	* 1.0546	* 1.0445	* 1.2490	* 1.4581	* 1.1401	* 1.2702	* 1.4609	* 0.6466 *
	* 1.8193	* 1.8404	* 1.5358	* 1.3128	* 1.6796	* 1.5110	* 1.3106	* 2.6998 *
10	* 1.4725	* 1.2478	* 1.0221	* 1.1035	* 1.4800	* 1.2662	* 1.4471	* 0.6084 *
	* 1.3010	* 1.5373	* 1.8789	* 1.7342	* 1.2935	* 1.5127	* 1.3223	* 2.8453 *
11	* 1.1334	* 1.4553	* 1.1026	* 1.4543	* 1.2561	* 1.4627	* 1.3925	* 0.5128 *
	* 1.6903	* 1.3154	* 1.7356	* 1.3167	* 1.5246	* 1.3083	* 1.3721	* 3.4508 *
12	* 1.4681	* 1.1388	* 1.4800	* 1.2563	* 1.0845	* 1.3978	* 0.8452 *	
	* 1.3046	* 1.6815	* 1.2935	* 1.5244	* 1.7685	* 1.3682	* 2.0512 *	
13	* 1.2752	* 1.2701	* 1.2669	* 1.4631	* 1.3983	* 0.7966	* 0.3899 *	
	* 1.5042	* 1.5111	* 1.5119	* 1.3079	* 1.3678	* 2.1941	* 4.4654 *	
14	* 1.4663	* 1.4613	* 1.4481	* 1.3939	* 0.8459	* 0.3946 *		
	* 1.3059	* 1.3103	* 1.3215	* 1.3709	* 2.0498	* 4.4005 *		
15	* 0.6555	* 0.6469	* 0.6090	* 0.5159	F-SUB-Q			
	* 2.6663	* 2.6986	* 2.8427	* 3.4105	M-SUB-Q			

AT 100% POWER, 4 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.5266	* 0.4613	* 0.5861	* 0.5035	* 0.5983	* 0.5195	* 0.5407	* 0.2831 *
	* 3.6142	* 4.1231	* 3.2406	* 3.7697	* 3.1714	* 3.6555	* 3.5129	* 6.1308 *
9	* 0.4613	* 0.4456	* 0.5081	* 0.5894	* 0.5055	* 0.5098	* 0.5385	* 0.2779 *
	* 4.1231	* 4.2736	* 3.7409	* 3.2187	* 3.7554	* 3.7292	* 3.5270	* 6.2369 *
10	* 0.5861	* 0.5077	* 0.4484	* 0.4943	* 0.5971	* 0.5136	* 0.5323	* 0.2663 *
	* 3.2406	* 3.7442	* 4.2416	* 3.8382	* 3.1769	* 3.6967	* 3.5661	* 6.4564 *
11	* 0.5035	* 0.5886	* 0.4942	* 0.5849	* 0.5142	* 0.5838	* 0.5049	* 0.2320 *
	* 3.7697	* 3.2233	* 3.8391	* 3.2437	* 3.6926	* 3.2504	* 3.7556	* 7.5763 *
12	* 0.5983	* 0.5050	* 0.5970	* 0.5142	* 0.4668	* 0.5109	* 0.3532 *	
	* 3.1714	* 3.7590	* 3.1776	* 3.6924	* 4.0692	* 3.7141	* 4.8721 *	
13	* 0.5195	* 0.5098	* 0.5137	* 0.5839	* 0.5110	* 0.3333	* 0.1721 *	
	* 3.6555	* 3.7295	* 3.6962	* 3.2495	* 3.7132	* 5.2035	* 10.0503 *	
14	* 0.5407	* 0.5386	* 0.5326	* 0.5053	* 0.3534	* 0.1732 *		
	* 3.5129	* 3.5262	* 3.5641	* 3.7528	* 4.8690	* 9.9566 *		
15	* 0.2831	* 0.2781	* 0.2665	* 0.2304	F-SUB-Q			
	* 6.1308	* 6.2345	* 6.4514	* 7.5850	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 301 of 350

	H	G	F	E	D	C	B	A
8	* 1.1240	* 1.1844	* 1.5632	* 1.2701	* 1.5256	* 1.3436	* 1.4550	* 0.7222
	* 1.6986	* 2.0006	* 1.4516	* 1.7684	* 1.4421	* 1.6334	* 1.5196	* 2.7605
9	* 1.1844	* 1.1790	* 1.3923	* 1.5540	* 1.2453	* 1.3280	* 1.4483	* 0.7200
	* 2.0006	* 1.9856	* 1.6366	* 1.4434	* 1.7737	* 1.6575	* 1.5212	* 2.7608
10	* 1.5632	* 1.3923	* 1.1784	* 1.2363	* 1.5014	* 1.3004	* 1.4153	* 0.6811
	* 1.4516	* 1.6366	* 1.9573	* 1.8230	* 1.5007	* 1.7298	* 1.5669	* 2.8971
11	* 1.2701	* 1.5539	* 1.2366	* 1.4764	* 1.3047	* 1.4070	* 1.3293	* 0.5571
	* 1.7684	* 1.4437	* 1.8227	* 1.5888	* 1.7993	* 1.6707	* 1.7198	* 3.6924
12	* 1.5256	* 1.2453	* 1.5017	* 1.3049	* 1.0380	* 1.2823	* 0.8712	*
	* 1.4421	* 1.7738	* 1.5004	* 1.7989	* 2.1005	* 1.7400	* 2.4276	*
13	* 1.3436	* 1.3282	* 1.3010	* 1.4078	* 1.2828	* 0.7957	* 0.4279	*
	* 1.6334	* 1.6572	* 1.7291	* 1.6697	* 1.7394	* 2.4758	* 4.7967	*
14	* 1.4550	* 1.4487	* 1.4164	* 1.3309	* 0.8722	* 0.4318	*	*
	* 1.5196	* 1.5208	* 1.5657	* 1.7180	* 2.4253	* 4.7403	*	*
15	* 0.7222	* 0.7204	* 0.6819	* 0.5637	* F-SUB-Q			
	* 2.7605	* 2.7594	* 2.8937	* 3.6279	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 302 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

	H	G	F	E	D	C	B	A
8	* 1.5326	* 1.4269	* 1.6069	* 1.4658	* 1.4876	* 1.5593	* 1.5612	* 0.8291
	* 1.5503	* 1.7146	* 1.4385	* 1.5665	* 1.5046	* 1.4355	* 1.4279	* 2.4233
9	* 1.4269	* 1.4508	* 1.6301	* 1.5579	* 1.4165	* 1.5696	* 1.5594	* 0.8285
	* 1.7146	* 1.6526	* 1.4365	* 1.4740	* 1.5878	* 1.4297	* 1.4317	* 2.4258
10	* 1.6069	* 1.6300	* 1.4288	* 1.4195	* 1.4633	* 1.5150	* 1.5380	* 0.7842
	* 1.4385	* 1.4366	* 1.6386	* 1.6311	* 1.5690	* 1.5060	* 1.4720	* 2.5661
11	* 1.4658	* 1.5578	* 1.4200	* 1.4917	* 1.4985	* 1.5356	* 1.5396	* 0.6541
	* 1.5665	* 1.4741	* 1.6306	* 1.6222	* 1.6200	* 1.5684	* 1.5295	* 3.2233
12	* 1.4876	* 1.4165	* 1.4638	* 1.4990	* 1.3174	* 1.5178	* 1.0312	*
	* 1.5046	* 1.5878	* 1.5686	* 1.6198	* 1.7820	* 1.5550	* 2.1080	*
13	* 1.5593	* 1.5699	* 1.5156	* 1.5366	* 1.5185	* 0.9856	* 0.5182	*
	* 1.4355	* 1.4295	* 1.5051	* 1.5673	* 1.5544	* 2.1372	* 4.0987	*
14	* 1.5612	* 1.5598	* 1.5391	* 1.5414	* 1.0324	* 0.5237	*	*
	* 1.4279	* 1.4314	* 1.4710	* 1.5276	* 2.1057	* 4.0449	*	*
15	* 0.8291	* 0.8288	* 0.7853	* 0.6625	* F-SUB-Q			
	* 2.4233	* 2.4249	* 2.5628	* 3.1634	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.7627	* 1.5611	* 1.7668	* 1.5579	* 1.6090	* 1.6792	* 1.7089	* 0.8576 *
	* 1.4211	* 1.6327	* 1.3586	* 1.5151	* 1.4272	* 1.3627	* 1.3297	* 2.3856 *
9	* 1.5611	* 1.5948	* 1.7909	* 1.6891	* 1.5106	* 1.7050	* 1.7076	* 0.8558 *
	* 1.6327	* 1.5474	* 1.3546	* 1.4027	* 1.5258	* 1.3461	* 1.3346	* 2.3938 *
10	* 1.7668	* 1.7909	* 1.5542	* 1.5120	* 1.5855	* 1.6429	* 1.6870	* 0.8110 *
	* 1.3586	* 1.3545	* 1.5452	* 1.5725	* 1.4830	* 1.4235	* 1.3773	* 2.5408 *
11	* 1.5579	* 1.6870	* 1.5122	* 1.6201	* 1.6219	* 1.6936	* 1.7002	* 0.6812 *
	* 1.5151	* 1.4048	* 1.5722	* 1.5443	* 1.5285	* 1.4688	* 1.4276	* 3.1843 *
12	* 1.6090	* 1.5105	* 1.5862	* 1.6225	* 1.4604	* 1.7030	* 1.0974	*
	* 1.4272	* 1.5259	* 1.4826	* 1.5280	* 1.6786	* 1.4380	* 2.0388	*
13	* 1.6792	* 1.7052	* 1.6439	* 1.6947	* 1.7039	* 1.0700	* 0.5477	*
	* 1.3627	* 1.3459	* 1.4226	* 1.4677	* 1.4374	* 2.0583	* 4.0119	*
14	* 1.7089	* 1.7080	* 1.6882	* 1.7023	* 1.0988	* 0.5548	*	
	* 1.3297	* 1.3343	* 1.3763	* 1.4257	* 2.0363	* 3.9500	*	
15	* 0.8576	* 0.8563	* 0.8121	* 0.6892	* F-SUB-Q			
	* 2.3856	* 2.3929	* 2.5373	* 3.1273	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 303 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8606	* 1.6098	* 1.8336	* 1.5911	* 1.6571	* 1.7195	* 1.7695	* 0.8735 *
	* 1.3935	* 1.6333	* 1.3560	* 1.5298	* 1.4265	* 1.3689	* 1.3191	* 2.4074 *
9	* 1.6098	* 1.6399	* 1.8443	* 1.7423	* 1.5400	* 1.7481	* 1.7685	* 0.8729 *
	* 1.6333	* 1.5552	* 1.3584	* 1.4022	* 1.5398	* 1.3511	* 1.3244	* 2.4121 *
10	* 1.8336	* 1.8443	* 1.5883	* 1.5383	* 1.6451	* 1.6894	* 1.7513	* 0.8262 *
	* 1.3560	* 1.3584	* 1.5617	* 1.5941	* 1.4796	* 1.4229	* 1.3645	* 2.5700 *
11	* 1.5911	* 1.7397	* 1.5384	* 1.6809	* 1.6745	* 1.7693	* 1.7797	* 0.7001 *
	* 1.5298	* 1.4044	* 1.5940	* 1.5330	* 1.5206	* 1.4450	* 1.4014	* 3.1793 *
12	* 1.6571	* 1.5398	* 1.6458	* 1.6751	* 1.5118	* 1.7893	* 1.1394	*
	* 1.4265	* 1.5400	* 1.4792	* 1.5201	* 1.6758	* 1.4123	* 2.0228	*
13	* 1.7195	* 1.7483	* 1.6906	* 1.7703	* 1.7902	* 1.1124	* 0.5631	*
	* 1.3689	* 1.3509	* 1.4220	* 1.4442	* 1.4116	* 2.0501	* 4.0346	*
14	* 1.7695	* 1.7689	* 1.7526	* 1.7819	* 1.1409	* 0.5707	*	*
	* 1.3191	* 1.3241	* 1.3634	* 1.3995	* 2.0202	* 3.9710	*	*
15	* 0.8735	* 0.8733	* 0.8274	* 0.7077	F-SUB-Q			
	* 2.4074	* 2.4111	* 2.5663	* 3.1249	M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8920	* 1.6218	* 1.8528	* 1.5994	* 1.6712	* 1.7311	* 1.7913	* 0.8819 *
	* 1.4088	* 1.6601	* 1.3846	* 1.5683	* 1.4515	* 1.3946	* 1.3376	* 2.4499 *
9	* 1.6218	* 1.6486	* 1.8559	* 1.7567	* 1.5474	* 1.7611	* 1.7906	* 0.8813 *
	* 1.6601	* 1.5952	* 1.3901	* 1.4323	* 1.5744	* 1.3754	* 1.3424	* 2.4543 *
10	* 1.8528	* 1.8558	* 1.5915	* 1.5406	* 1.6681	* 1.7078	* 1.7767	* 0.8345 *
	* 1.3846	* 1.3902	* 1.6038	* 1.6393	* 1.5095	* 1.4489	* 1.3818	* 2.6095 *
11	* 1.5994	* 1.7539	* 1.5404	* 1.7027	* 1.6978	* 1.8037	* 1.8161	* 0.7125 *
	* 1.5683	* 1.4347	* 1.6394	* 1.5526	* 1.5413	* 1.4543	* 1.4204	* 3.2239 *
12	* 1.6712	* 1.5471	* 1.6688	* 1.6984	* 1.5310	* 1.8270	* 1.1642	*
	* 1.4515	* 1.5747	* 1.5092	* 1.5408	* 1.7025	* 1.4237	* 2.0341	*
13	* 1.7311	* 1.7613	* 1.7090	* 1.8048	* 1.8279	* 1.1345	* 0.5716	*
	* 1.3946	* 1.3752	* 1.4479	* 1.4535	* 1.4230	* 2.0768	* 4.1037	*
14	* 1.7913	* 1.7910	* 1.7781	* 1.8185	* 1.1658	* 0.5794	*	*
	* 1.3376	* 1.3420	* 1.3807	* 1.4184	* 2.0315	* 4.0378	*	*
15	* 0.8819	* 0.8816	* 0.8357	* 0.7198	F-SUB-Q			
	* 2.4499	* 2.4533	* 2.6056	* 3.1707	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 304 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.9150	* 1.6282	* 1.8729	* 1.6053	* 1.6922	* 1.7466	* 1.8196	* 0.8806
	* 1.4276	* 1.6933	* 1.4242	* 1.6244	* 1.4848	* 1.4302	* 1.3599	* 2.5316
9	* 1.6282	* 1.6559	* 1.8677	* 1.7756	* 1.5574	* 1.7785	* 1.8187	* 0.8787
	* 1.6933	* 1.6543	* 1.4374	* 1.4732	* 1.6219	* 1.4098	* 1.3656	* 2.5407
10	* 1.8729	* 1.8676	* 1.5951	* 1.5425	* 1.6948	* 1.7286	* 1.8073	* 0.8326
	* 1.4242	* 1.4375	* 1.6649	* 1.7030	* 1.5474	* 1.4859	* 1.4086	* 2.7086
11	* 1.6053	* 1.7725	* 1.5423	* 1.7254	* 1.7205	* 1.8374	* 1.8527	* 0.7116
	* 1.6244	* 1.4759	* 1.7033	* 1.5689	* 1.5619	* 1.4617	* 1.4457	* 3.3572
12	* 1.6922	* 1.5571	* 1.6955	* 1.7210	* 1.5490	* 1.8627	* 1.1686	*
	* 1.4848	* 1.6223	* 1.5471	* 1.5614	* 1.7317	* 1.4368	* 2.0774	*
13	* 1.7466	* 1.7787	* 1.7298	* 1.8385	* 1.8636	* 1.1389	* 0.5701	*
	* 1.4302	* 1.4097	* 1.4848	* 1.4608	* 1.4361	* 2.1300	* 4.2367	*
14	* 1.8196	* 1.8191	* 1.8087	* 1.8551	* 1.1701	* 0.5782	*	*
	* 1.3599	* 1.3652	* 1.4075	* 1.4439	* 2.0747	* 4.1661	*	*
15	* 0.8806	* 0.8791	* 0.8338	* 0.7185	* F-SUB-Q			
	* 2.5316	* 2.5397	* 2.7046	* 3.3033	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.9126	* 1.6196	* 1.8703	* 1.5982	* 1.6945	* 1.7469	* 1.8268	* 0.8769
	* 1.4681	* 1.7510	* 1.4958	* 1.7117	* 1.5495	* 1.4930	* 1.4119	* 2.6484
9	* 1.6196	* 1.6478	* 1.8613	* 1.7735	* 1.5549	* 1.7799	* 1.8260	* 0.8744
	* 1.7510	* 1.7215	* 1.5151	* 1.5472	* 1.6989	* 1.4713	* 1.4185	* 2.6607
10	* 1.8703	* 1.8612	* 1.5851	* 1.5324	* 1.7010	* 1.7345	* 1.8166	* 0.8287
	* 1.4958	* 1.5153	* 1.7593	* 1.7992	* 1.6181	* 1.5510	* 1.4656	* 2.8421
11	* 1.5982	* 1.7702	* 1.5321	* 1.7279	* 1.7254	* 1.8491	* 1.8664	* 0.7097
	* 1.7117	* 1.5501	* 1.7996	* 1.6058	* 1.5946	* 1.4884	* 1.4732	* 3.5266
12	* 1.6945	* 1.5544	* 1.7017	* 1.7259	* 1.5518	* 1.8751	* 1.1688	*
	* 1.5495	* 1.6994	* 1.6178	* 1.5941	* 1.7687	* 1.4601	* 2.1271	*
13	* 1.7469	* 1.7800	* 1.7360	* 1.8504	* 1.8760	* 1.1385	* 0.5672	*
	* 1.4930	* 1.4711	* 1.5498	* 1.4875	* 1.4594	* 2.1862	* 4.3563	*
14	* 1.8268	* 1.8265	* 1.8181	* 1.8688	* 1.1703	* 0.5754	*	*
	* 1.4119	* 1.4181	* 1.4644	* 1.4713	* 2.1244	* 4.2827	*	*
15	* 0.8769	* 0.8748	* 0.8299	* 0.7164	* F-SUB-Q			
	* 2.6484	* 2.6596	* 2.8379	* 3.4711	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 305 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

	H	G	F	E	D	C	B	A
8	* 1.9091	* 1.6088	* 1.8678	* 1.5891	* 1.6977	* 1.7463	* 1.8342	* 0.8701
	* 1.5363	* 1.8310	* 1.5652	* 1.8193	* 1.6278	* 1.5707	* 1.4771	* 2.8017
9	* 1.6088	* 1.6386	* 1.8542	* 1.7718	* 1.5512	* 1.7808	* 1.8333	* 0.8659
	* 1.8310	* 1.7908	* 1.5755	* 1.6364	* 1.7937	* 1.5472	* 1.4846	* 2.8234
10	* 1.8678	* 1.8540	* 1.5746	* 1.5218	* 1.7067	* 1.7381	* 1.8250	* 0.8213
	* 1.5652	* 1.5756	* 1.8515	* 1.9038	* 1.6828	* 1.6317	* 1.5363	* 3.0153
11	* 1.5891	* 1.7684	* 1.5213	* 1.7299	* 1.7278	* 1.8587	* 1.8772	* 0.7036
	* 1.8193	* 1.6395	* 1.9044	* 1.6631	* 1.6517	* 1.5349	* 1.5137	* 3.6946
12	* 1.6977	* 1.5506	* 1.7074	* 1.7283	* 1.5523	* 1.8849	* 1.1617	*
	* 1.6278	* 1.7944	* 1.6821	* 1.6512	* 1.8378	* 1.5063	* 2.2167	*
13	* 1.7463	* 1.7809	* 1.7396	* 1.8601	* 1.8858	* 1.1322	* 0.5617	*
	* 1.5707	* 1.5471	* 1.6305	* 1.5341	* 1.5056	* 2.2798	* 4.5517	*
14	* 1.8342	* 1.8338	* 1.8265	* 1.8796	* 1.1632	* 0.5700	*	*
	* 1.4771	* 1.4842	* 1.5351	* 1.5118	* 2.2139	* 4.4736	*	*
15	* 0.8701	* 0.8665	* 0.8225	* 0.7094	* F-SUB-Q			
	* 2.8017	* 2.8222	* 3.0110	* 3.6416	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.8627	* 1.5745	* 1.8222	* 1.5589	* 1.6603	* 1.7150	* 1.7981	* 0.8662
	* 1.6501	* 1.9417	* 1.6673	* 1.9424	* 1.7602	* 1.6916	* 1.5917	* 2.9701
9	* 1.5745	* 1.6028	* 1.8138	* 1.7274	* 1.5224	* 1.7494	* 1.7975	* 0.8636
	* 1.9417	* 1.9009	* 1.6740	* 1.7500	* 1.9353	* 1.6661	* 1.5999	* 2.9853
10	* 1.8222	* 1.8136	* 1.5393	* 1.4939	* 1.6716	* 1.7098	* 1.7906	* 0.8181
	* 1.6673	* 1.6741	* 1.9696	* 2.0232	* 1.7766	* 1.7231	* 1.6379	* 3.1985
11	* 1.5589	* 1.7239	* 1.4924	* 1.6941	* 1.6987	* 1.8256	* 1.8447	* 0.7060
	* 1.9424	* 1.7535	* 2.0239	* 1.7654	* 1.7513	* 1.6184	* 1.5933	* 3.8162
12	* 1.6603	* 1.5218	* 1.6722	* 1.6992	* 1.5265	* 1.8516	* 1.1622	*
	* 1.7602	* 1.9360	* 1.7759	* 1.7507	* 1.9547	* 1.6014	* 2.3021	*
13	* 1.7150	* 1.7495	* 1.7113	* 1.8270	* 1.8525	* 1.1297	* 0.5614	*
	* 1.6916	* 1.6660	* 1.7216	* 1.6172	* 1.6006	* 2.3893	* 4.7537	*
14	* 1.7981	* 1.7980	* 1.7920	* 1.8470	* 1.1637	* 0.5700	*	*
	* 1.5917	* 1.5995	* 1.6366	* 1.5913	* 2.2993	* 4.6692	*	*
15	* 0.8662	* 0.8639	* 0.8193	* 0.7124	* F-SUB-Q			
	* 2.9701	* 2.9841	* 3.1939	* 3.7582	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 306 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8632	* 1.5630	* 1.8260	* 1.5471	* 1.6703	* 1.7170	* 1.8130	* 0.8514
	* 1.7235	* 2.0470	* 1.7423	* 2.0478	* 1.8540	* 1.7930	* 1.6734	* 3.1991
9	* 1.5630	* 1.5946	* 1.8093	* 1.7325	* 1.5197	* 1.7532	* 1.8121	* 0.8459
	* 2.0470	* 2.0004	* 1.7572	* 1.8277	* 2.0433	* 1.7593	* 1.6825	* 3.2271
10	* 1.8260	* 1.8092	* 1.5298	* 1.4781	* 1.6831	* 1.7154	* 1.8056	* 0.8024
	* 1.7423	* 1.7574	* 2.0755	* 2.1337	* 1.8412	* 1.7936	* 1.6982	* 3.4193
11	* 1.5471	* 1.7290	* 1.4774	* 1.6998	* 1.7024	* 1.8400	* 1.8606	* 0.6899
	* 2.0478	* 1.8314	* 2.1346	* 1.8337	* 1.8195	* 1.6751	* 1.6481	* 4.0748
12	* 1.6703	* 1.5190	* 1.6837	* 1.7029	* 1.5271	* 1.8658	* 1.1416	*
	* 1.8540	* 2.0442	* 1.8405	* 1.8190	* 2.0325	* 1.6529	* 2.4386	*
13	* 1.7170	* 1.7533	* 1.7168	* 1.8414	* 1.8666	* 1.1117	* 0.5483	*
	* 1.7930	* 1.7592	* 1.7921	* 1.6739	* 1.6521	* 2.5268	* 5.0458	*
14	* 1.8130	* 1.8126	* 1.8070	* 1.8629	* 1.1430	* 0.5564	*	*
	* 1.6734	* 1.6820	* 1.6969	* 1.6460	* 2.4357	* 4.9592	*	*
15	* 0.8514	* 0.8465	* 0.8036	* 0.6959	F-SUB-Q			
	* 3.1991	* 3.2258	* 3.4145	* 4.0143	M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.8347	* 1.5354	* 1.7995	* 1.5217	* 1.6516	* 1.6969	* 1.7965	* 0.8396
	* 1.7336	* 2.0534	* 1.7494	* 2.0601	* 1.8955	* 1.8464	* 1.7443	* 3.3901
9	* 1.5354	* 1.5676	* 1.7813	* 1.7078	* 1.4995	* 1.7337	* 1.7958	* 0.8340
	* 2.0534	* 2.0097	* 1.7692	* 1.8377	* 2.0880	* 1.8100	* 1.7469	* 3.4111
10	* 1.7995	* 1.7811	* 1.5027	* 1.4519	* 1.6658	* 1.6984	* 1.7900	* 0.7907
	* 1.7494	* 1.7694	* 2.0920	* 2.1618	* 1.8976	* 1.8607	* 1.7593	* 3.5836
11	* 1.5217	* 1.7042	* 1.4512	* 1.6792	* 1.6839	* 1.8254	* 1.8466	* 0.6809
	* 2.0601	* 1.8415	* 2.1629	* 1.8874	* 1.8909	* 1.7354	* 1.7139	* 4.2736
12	* 1.6516	* 1.4987	* 1.6664	* 1.6844	* 1.5093	* 1.8503	* 1.1282	*
	* 1.8955	* 2.0891	* 1.8970	* 1.8904	* 2.1155	* 1.7229	* 2.5516	*
13	* 1.6969	* 1.7337	* 1.6998	* 1.8267	* 1.8511	* 1.0980	* 0.5398	*
	* 1.8464	* 1.8099	* 1.8592	* 1.7342	* 1.7221	* 2.6553	* 5.3461	*
14	* 1.7965	* 1.7963	* 1.7914	* 1.8489	* 1.1296	* 0.5478	*	*
	* 1.7443	* 1.7464	* 1.7580	* 1.7119	* 2.5487	* 5.2537	*	*
15	* 0.8396	* 0.8343	* 0.7919	* 0.6867	F-SUB-Q			
	* 3.3901	* 3.4098	* 3.5788	* 4.2128	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 307 of 350

	H	G	F	E	D	C	B	A
8	* 1.7652 *	* 1.4702 *	* 1.7356 *	* 1.4607 *	* 1.6047 *	* 1.6467 *	* 1.7545 *	* 0.8095 *
	* 1.7017 *	* 2.0117 *	* 1.7047 *	* 2.0058 *	* 1.8279 *	* 1.7880 *	* 1.6796 *	* 3.2593 *
9	* 1.4702 *	* 1.5040 *	* 1.7140 *	* 1.6481 *	* 1.4496 *	* 1.6849 *	* 1.7538 *	* 0.8024 *
	* 2.0117 *	* 1.9657 *	* 1.7294 *	* 1.7828 *	* 2.0211 *	* 1.7517 *	* 1.6820 *	* 3.2870 *
10	* 1.7356 *	* 1.7138 *	* 1.4397 *	* 1.3899 *	* 1.6215 *	* 1.6542 *	* 1.7503 *	* 0.7606 *
	* 1.7047 *	* 1.7296 *	* 2.0440 *	* 2.1078 *	* 1.8304 *	* 1.8005 *	* 1.6948 *	* 3.4500 *
11	* 1.4607 *	* 1.6444 *	* 1.3890 *	* 1.6274 *	* 1.6365 *	* 1.7834 *	* 1.8072 *	* 0.6571 *
	* 2.0058 *	* 1.7867 *	* 2.1091 *	* 1.8243 *	* 1.8291 *	* 1.6728 *	* 1.6467 *	* 4.0964 *
12	* 1.6047 *	* 1.4487 *	* 1.6220 *	* 1.6370 *	* 1.4644 *	* 1.8074 *	* 1.0906 *	
	* 1.8279 *	* 2.0223 *	* 1.8300 *	* 1.8286 *	* 2.0496 *	* 1.6564 *	* 2.4549 *	
13	* 1.6467 *	* 1.6849 *	* 1.6556 *	* 1.7846 *	* 1.8082 *	* 1.0608 *	* 0.5182 *	
	* 1.7880 *	* 1.7517 *	* 1.7992 *	* 1.6718 *	* 1.6558 *	* 2.5532 *	* 5.1093 *	
14	* 1.7545 *	* 1.7543 *	* 1.7522 *	* 1.8094 *	* 1.0918 *	* 0.5260 *		
	* 1.6796 *	* 1.6816 *	* 1.6937 *	* 1.6450 *	* 2.4524 *	* 5.0203 *		
15	* 0.8095 *	* 0.8029 *	* 0.7616 *	* 0.6617 *	F-SUB-Q			
	* 3.2593 *	* 3.2858 *	* 3.4457 *	* 4.0452 *	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 308 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7300	* 1.4364	* 1.7034	* 1.4292	* 1.5806	* 1.6199	* 1.7329	* 0.7919 *
	* 1.5731	* 1.8656	* 1.5763	* 1.8630	* 1.6919	* 1.6574	* 1.5519	* 3.0416 *
9	* 1.4364	* 1.4711	* 1.6788	* 1.6182	* 1.4233	* 1.6589	* 1.7320	* 0.7845 *
	* 1.8656	* 1.8228	* 1.6019	* 1.6503	* 1.8756	* 1.6219	* 1.5536	* 3.0717 *
10	* 1.7034	* 1.6786	* 1.4072	* 1.3577	* 1.5986	* 1.6308	* 1.7307	* 0.7432 *
	* 1.5763	* 1.6022	* 1.8987	* 1.9605	* 1.6899	* 1.6617	* 1.5621	* 3.2217 *
11	* 1.4292	* 1.6144	* 1.3567	* 1.6005	* 1.6113	* 1.7620	* 1.7870	* 0.6424 *
	* 1.8630	* 1.6540	* 1.9619	* 1.6869	* 1.6888	* 1.5400	* 1.5154	* 3.8193 *
12	* 1.5806	* 1.4223	* 1.5990	* 1.6117	* 1.4405	* 1.7851	* 1.0682	*
	* 1.6919	* 1.8768	* 1.6895	* 1.6884	* 1.8945	* 1.5244	* 2.2807	*
13	* 1.6199	* 1.6589	* 1.6321	* 1.7632	* 1.7859	* 1.0389	* 0.5052	*
	* 1.6574	* 1.6219	* 1.6605	* 1.5391	* 1.5238	* 2.3714	* 4.7732	*
14	* 1.7329	* 1.7324	* 1.7325	* 1.7891	* 1.0694	* 0.5130	*	*
	* 1.5519	* 1.5533	* 1.5611	* 1.5138	* 2.2785	* 4.6889	*	*
15	* 0.7919	* 0.7850	* 0.7442	* 0.6460	* F-SUB-Q			
	* 3.0416	* 3.0699	* 3.2177	* 3.7765	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6862	* 1.3983	* 1.6615	* 1.3928	* 1.5467	* 1.5856	* 1.6992	* 0.7763 *
	* 1.4744	* 1.7547	* 1.4808	* 1.7538	* 1.5870	* 1.5524	* 1.4504	* 2.8445 *
9	* 1.3983	* 1.4327	* 1.6372	* 1.5785	* 1.3911	* 1.6246	* 1.6985	* 0.7686 *
	* 1.7547	* 1.7146	* 1.5052	* 1.5520	* 1.7629	* 1.5201	* 1.4537	* 2.8728 *
10	* 1.6615	* 1.6369	* 1.3697	* 1.3224	* 1.5653	* 1.5980	* 1.6981	* 0.7282 *
	* 1.4808	* 1.5054	* 1.7882	* 1.8470	* 1.5823	* 1.5551	* 1.4627	* 3.0261 *
11	* 1.3928	* 1.5747	* 1.3209	* 1.5651	* 1.5776	* 1.7282	* 1.7539	* 0.6310 *
	* 1.7538	* 1.5556	* 1.8484	* 1.5813	* 1.5801	* 1.4390	* 1.4154	* 3.5730 *
12	* 1.5467	* 1.3901	* 1.5657	* 1.5781	* 1.4095	* 1.7510	* 1.0490	*
	* 1.5870	* 1.7642	* 1.5820	* 1.5798	* 1.7740	* 1.4237	* 2.1308	*
13	* 1.5856	* 1.6246	* 1.5993	* 1.7293	* 1.7517	* 1.0192	* 0.4950	*
	* 1.5524	* 1.5201	* 1.5541	* 1.4382	* 1.4232	* 2.2163	* 4.4748	*
14	* 1.6992	* 1.6989	* 1.6999	* 1.7559	* 1.0501	* 0.5026	*	*
	* 1.4504	* 1.4534	* 1.4618	* 1.4140	* 2.1287	* 4.3964	*	*
15	* 0.7763	* 0.7689	* 0.7292	* 0.6354	* F-SUB-Q			
	* 2.8445	* 2.8717	* 3.0224	* 3.5283	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 309 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6293	* 1.3541	* 1.6059	* 1.3502	* 1.4988	* 1.5410	* 1.6498	* 0.7628
	* 1.5185	* 1.8071	* 1.5279	* 1.8005	* 1.6299	* 1.5903	* 1.4880	* 2.8895
9	* 1.3541	* 1.3868	* 1.5851	* 1.5252	* 1.3511	* 1.5795	* 1.6492	* 0.7570
	* 1.8071	* 1.7668	* 1.5502	* 1.5999	* 1.8052	* 1.5553	* 1.4902	* 2.9102
10	* 1.6059	* 1.5848	* 1.3258	* 1.2868	* 1.5176	* 1.5548	* 1.6498	* 0.7158
	* 1.5279	* 1.5504	* 1.8424	* 1.8933	* 1.6302	* 1.5969	* 1.5020	* 3.0660
11	* 1.3502	* 1.5215	* 1.2850	* 1.5173	* 1.5345	* 1.6800	* 1.7053	* 0.6232
	* 1.8005	* 1.6037	* 1.8959	* 1.6278	* 1.6199	* 1.4770	* 1.4531	* 3.6195
12	* 1.4988	* 1.3501	* 1.5180	* 1.5350	* 1.3702	* 1.7015	* 1.0342	*
	* 1.6299	* 1.8065	* 1.6299	* 1.6195	* 1.8190	* 1.4603	* 2.1581	*
13	* 1.5410	* 1.5795	* 1.5560	* 1.6811	* 1.7022	* 1.0021	* 0.4871	*
	* 1.5903	* 1.5554	* 1.5959	* 1.4762	* 1.4598	* 2.2487	* 4.5486	*
14	* 1.6498	* 1.6496	* 1.6515	* 1.7073	* 1.0353	* 0.4951	*	
	* 1.4880	* 1.4899	* 1.5011	* 1.4516	* 2.1560	* 4.4635	*	
15	* 0.7628	* 0.7573	* 0.7167	* 0.6276	* F-SUB-Q			
	* 2.8895	* 2.9092	* 3.0624	* 3.5733	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6093	* 1.3274	* 1.5907	* 1.3261	* 1.4904	* 1.5242	* 1.6437	* 0.7396 *
	* 1.4171	* 1.7052	* 1.4275	* 1.7000	* 1.5242	* 1.4954	* 1.3894	* 2.7772 *
9	* 1.3274	* 1.3628	* 1.5627	* 1.5126	* 1.3325	* 1.5637	* 1.6429	* 0.7313 *
	* 1.7052	* 1.6635	* 1.4550	* 1.4957	* 1.7014	* 1.4601	* 1.3911	* 2.8081 *
10	* 1.5907	* 1.5625	* 1.3021	* 1.2562	* 1.5090	* 1.5392	* 1.6438	* 0.6922 *
	* 1.4275	* 1.4553	* 1.7368	* 1.7964	* 1.5208	* 1.4942	* 1.3980	* 2.9483 *
11	* 1.3261	* 1.5089	* 1.2551	* 1.5035	* 1.5165	* 1.6710	* 1.6975	* 0.5999 *
	* 1.7000	* 1.4992	* 1.7980	* 1.5253	* 1.5230	* 1.3775	* 1.3538	* 3.4868 *
12	* 1.4904	* 1.3314	* 1.5094	* 1.5169	* 1.3522	* 1.6917	* 1.0000	*
	* 1.5242	* 1.7028	* 1.5204	* 1.5226	* 1.7079	* 1.3654	* 2.0766	*
13	* 1.5242	* 1.5637	* 1.5403	* 1.6721	* 1.6924	* 0.9715	* 0.4686	*
	* 1.4954	* 1.4602	* 1.4932	* 1.3768	* 1.3649	* 2.1582	* 4.4049	*
14	* 1.6437	* 1.6433	* 1.6454	* 1.6994	* 1.0011	* 0.4759	*	
	* 1.3894	* 1.3908	* 1.3968	* 1.3524	* 2.0747	* 4.3263	*	
15	* 0.7396	* 0.7317	* 0.6932	* 0.6027	* F-SUB-Q			
	* 2.7772	* 2.8065	* 2.9448	* 3.4507	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 310 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5637 *	* 1.2896 *	* 1.5500 *	* 1.2907 *	* 1.4573 *	* 1.4905 *	* 1.6092 *	* 0.7211 *
	* 1.3568 *	* 1.6417 *	* 1.3715 *	* 1.6377 *	* 1.4640 *	* 1.4361 *	* 1.3329 *	* 2.6806 *
9	* 1.2896 *	* 1.3261 *	* 1.5232 *	* 1.4747 *	* 1.3008 *	* 1.5300 *	* 1.6082 *	* 0.7126 *
	* 1.6417 *	* 1.6004 *	* 1.3973 *	* 1.4382 *	* 1.6364 *	* 1.4008 *	* 1.3342 *	* 2.7109 *
10	* 1.5500 *	* 1.5229 *	* 1.2673 *	* 1.2228 *	* 1.4744 *	* 1.5043 *	* 1.6078 *	* 0.6741 *
	* 1.3715 *	* 1.3975 *	* 1.6719 *	* 1.7298 *	* 1.4552 *	* 1.4301 *	* 1.3373 *	* 2.8450 *
11	* 1.2907 *	* 1.4710 *	* 1.2217 *	* 1.4674 *	* 1.4810 *	* 1.6335 *	* 1.6593 *	* 0.5839 *
	* 1.6377 *	* 1.4417 *	* 1.7314 *	* 1.4584 *	* 1.4533 *	* 1.3157 *	* 1.2938 *	* 3.3588 *
12	* 1.4573 *	* 1.2998 *	* 1.4747 *	* 1.4813 *	* 1.3198 *	* 1.6528 *	* 0.9737 *	
	* 1.4640 *	* 1.6377 *	* 1.4549 *	* 1.4530 *	* 1.6284 *	* 1.3020 *	* 1.9901 *	
13	* 1.4905 *	* 1.5300 *	* 1.5054 *	* 1.6345 *	* 1.6534 *	* 0.9461 *	* 0.4554 *	
	* 1.4361 *	* 1.4008 *	* 1.4292 *	* 1.3150 *	* 1.3016 *	* 2.0658 *	* 4.2330 *	
14	* 1.6092 *	* 1.6085 *	* 1.6094 *	* 1.6612 *	* 0.9747 *	* 0.4624 *		
	* 1.3329 *	* 1.3339 *	* 1.3362 *	* 1.2926 *	* 1.9883 *	* 4.1582 *		
15	* 0.7211 *	* 0.7130 *	* 0.6750 *	* 0.5865 *	F-SUB-Q			
	* 2.6806 *	* 2.7095 *	* 2.8417 *	* 3.3247 *	M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4848	* 1.2375	* 1.4781	* 1.2424	* 1.3956	* 1.4377	* 1.5406	* 0.7070 *
	* 1.3500	* 1.6195	* 1.3616	* 1.6124	* 1.4499	* 1.4118	* 1.3201	* 2.5977 *
9	* 1.2375	* 1.2735	* 1.4632	* 1.4070	* 1.2552	* 1.4754	* 1.5398	* 0.7008 *
	* 1.6195	* 1.5779	* 1.3769	* 1.4283	* 1.6085	* 1.3768	* 1.3209	* 2.6189 *
10	* 1.4781	* 1.4630	* 1.2193	* 1.1853	* 1.4094	* 1.4469	* 1.5357	* 0.6614 *
	* 1.3616	* 1.3772	* 1.6462	* 1.6922	* 1.4398	* 1.4062	* 1.3242	* 2.7528 *
11	* 1.2424	* 1.4035	* 1.1836	* 1.4050	* 1.4248	* 1.5611	* 1.5842	* 0.5752 *
	* 1.6124	* 1.4318	* 1.6946	* 1.4393	* 1.4256	* 1.3006	* 1.2807	* 3.2336 *
12	* 1.3956	* 1.2541	* 1.4097	* 1.4252	* 1.2706	* 1.5785	* 0.9539	*
	* 1.4499	* 1.6099	* 1.4396	* 1.4253	* 1.5963	* 1.2861	* 1.9201	*
13	* 1.4377	* 1.4753	* 1.4479	* 1.5620	* 1.5791	* 0.9249	* 0.4479	*
	* 1.4118	* 1.3769	* 1.4053	* 1.2999	* 1.2857	* 1.9949	* 4.0700	*
14	* 1.5406	* 1.5402	* 1.5372	* 1.5860	* 0.9549	* 0.4545	*	
	* 1.3201	* 1.3207	* 1.3231	* 1.2795	* 1.9183	* 4.0012	*	
15	* 0.7070	* 0.7011	* 0.6623	* 0.5790	* F-SUB-Q			
	* 2.5977	* 2.6180	* 2.7497	* 3.1934	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 311 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4233	* 1.1949	* 1.4349	* 1.2112	* 1.3670	* 1.4090	* 1.5057	* 0.6825
	* 1.3467	* 1.6051	* 1.3418	* 1.5830	* 1.4171	* 1.3786	* 1.2927	* 2.5812
9	* 1.1949	* 1.2346	* 1.4223	* 1.3735	* 1.2298	* 1.4453	* 1.5043	* 0.6736
	* 1.6051	* 1.5576	* 1.3548	* 1.4001	* 1.5715	* 1.3447	* 1.2937	* 2.6132
10	* 1.4349	* 1.4221	* 1.1859	* 1.1516	* 1.3770	* 1.4132	* 1.4975	* 0.6361
	* 1.3418	* 1.3550	* 1.6200	* 1.6661	* 1.4085	* 1.3757	* 1.2992	* 2.7437
11	* 1.2112	* 1.3701	* 1.1506	* 1.3699	* 1.3901	* 1.5176	* 1.5377	* 0.5482
	* 1.5830	* 1.4035	* 1.6676	* 1.4106	* 1.3961	* 1.2777	* 1.2603	* 3.2502
12	* 1.3670	* 1.2288	* 1.3772	* 1.3904	* 1.2393	* 1.5306	* 0.9092	*
	* 1.4171	* 1.5728	* 1.4083	* 1.3958	* 1.5630	* 1.2660	* 1.9257	*
13	* 1.4090	* 1.4453	* 1.4142	* 1.5184	* 1.5312	* 0.8840	* 0.4267	*
	* 1.3786	* 1.3447	* 1.3749	* 1.2770	* 1.2656	* 1.9944	* 4.0894	*
14	* 1.5057	* 1.5047	* 1.4984	* 1.5393	* 0.9101	* 0.4326	*	*
	* 1.2927	* 1.2935	* 1.2983	* 1.2591	* 1.9241	* 4.0242	*	*
15	* 0.6825	* 0.6738	* 0.6369	* 0.5514	* F-SUB-Q			
	* 2.5812	* 2.6122	* 2.7407	* 3.2123	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3006	* 1.1106	* 1.3428	* 1.1575	* 1.2889	* 1.3347	* 1.4119	* 0.6589
	* 1.4231	* 1.6685	* 1.3819	* 1.6010	* 1.4514	* 1.4053	* 1.3309	* 2.5877
9	* 1.1106	* 1.1405	* 1.3143	* 1.2962	* 1.1715	* 1.3574	* 1.4099	* 0.6489
	* 1.6685	* 1.6289	* 1.4161	* 1.4327	* 1.5933	* 1.3819	* 1.3327	* 2.6247
10	* 1.3428	* 1.3140	* 1.1039	* 1.0973	* 1.3013	* 1.3360	* 1.4032	* 0.6123
	* 1.3819	* 1.4164	* 1.6818	* 1.6899	* 1.4380	* 1.4039	* 1.3382	* 2.7586
11	* 1.1575	* 1.2930	* 1.0964	* 1.2991	* 1.3088	* 1.4218	* 1.4369	* 0.5220
	* 1.6010	* 1.4361	* 1.6913	* 1.4346	* 1.4303	* 1.3150	* 1.3011	* 3.3027
12	* 1.2889	* 1.1705	* 1.3015	* 1.3090	* 1.1631	* 1.4239	* 0.8614	*
	* 1.4514	* 1.5947	* 1.4378	* 1.4301	* 1.6068	* 1.3125	* 1.9636	*
13	* 1.3347	* 1.3573	* 1.3368	* 1.4226	* 1.4244	* 0.8311	* 0.4026	*
	* 1.4053	* 1.3820	* 1.4031	* 1.3144	* 1.3121	* 2.0496	* 4.1956	*
14	* 1.4119	* 1.4102	* 1.4040	* 1.4383	* 0.8622	* 0.4079	*	*
	* 1.3309	* 1.3325	* 1.3375	* 1.2999	* 1.9620	* 4.1306	*	*
15	* 0.6589	* 0.6491	* 0.6130	* 0.5248	* F-SUB-Q			
	* 2.5877	* 2.6235	* 2.7558	* 3.2663	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 312 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 75% POWER, 4 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1465	* 0.9238	* 1.2930	* 0.9943	* 1.2966	* 1.1284	* 1.3019	* 0.5798
	* 1.5711	* 1.9533	* 1.3962	* 1.8144	* 1.4002	* 1.6147	* 1.4030	* 2.8703
9	* 0.9238	* 0.9154	* 1.0967	* 1.2811	* 1.0030	* 1.1246	* 1.2970	* 0.5717
	* 1.9533	* 1.9762	* 1.6484	* 1.4090	* 1.8031	* 1.6222	* 1.4082	* 2.9068
10	* 1.2930	* 1.0957	* 0.8959	* 0.9708	* 1.3072	* 1.1214	* 1.2837	* 0.5378
	* 1.3962	* 1.6499	* 2.0178	* 1.8620	* 1.3893	* 1.6259	* 1.4215	* 3.0644
11	* 0.9943	* 1.2786	* 0.9700	* 1.2824	* 1.1105	* 1.2928	* 1.2326	* 0.4524
	* 1.8144	* 1.4118	* 1.8635	* 1.4145	* 1.6379	* 1.4062	* 1.4763	* 3.7199
12	* 1.2966	* 1.0019	* 1.3072	* 1.1107	* 0.9563	* 1.2350	* 0.7461	*
	* 1.4002	* 1.8052	* 1.3893	* 1.6377	* 1.9015	* 1.4722	* 2.2096	*
13	* 1.1284	* 1.1246	* 1.1221	* 1.2932	* 1.2354	* 0.7022	* 0.3422	*
	* 1.6147	* 1.6223	* 1.6251	* 1.4058	* 1.4718	* 2.3643	* 4.8225	*
14	* 1.3019	* 1.2973	* 1.2845	* 1.2339	* 0.7467	* 0.3463	*	*
	* 1.4030	* 1.4079	* 1.4206	* 1.4749	* 2.2080	* 4.7524	*	*
15	* 0.5798	* 0.5720	* 0.5383	* 0.4553	* F-SUB-Q			
	* 2.8703	* 2.9055	* 3.0617	* 3.6765	* M-SUB-Q			

AT 75% POWER, 4 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.4528	* 0.3977	* 0.5058	* 0.4353	* 0.5185	* 0.4516	* 0.4715	* 0.2466
	* 3.8856	* 4.4312	* 3.4819	* 4.0510	* 3.4080	* 3.9287	* 3.7788	* 6.6037
9	* 0.3977	* 0.3842	* 0.4388	* 0.5091	* 0.4377	* 0.4435	* 0.4695	* 0.2421
	* 4.4312	* 4.5938	* 4.0198	* 3.4589	* 4.0360	* 4.0090	* 3.7943	* 6.7189
10	* 0.5058	* 0.4384	* 0.3871	* 0.4283	* 0.5175	* 0.4464	* 0.4637	* 0.2318
	* 3.4819	* 4.0233	* 4.5597	* 4.1268	* 3.4158	* 3.9764	* 3.8381	* 6.9574
11	* 0.4353	* 0.5084	* 0.4282	* 0.5062	* 0.4464	* 0.5072	* 0.4391	* 0.2016
	* 4.0510	* 3.4637	* 4.1277	* 3.4882	* 3.9721	* 3.4977	* 4.0451	* 8.1705
12	* 0.5185	* 0.4373	* 0.5174	* 0.4464	* 0.4051	* 0.4436	* 0.3068	*
	* 3.4080	* 4.0399	* 3.4165	* 3.9720	* 4.3779	* 4.0008	* 5.2518	*
13	* 0.4516	* 0.4435	* 0.4465	* 0.5074	* 0.4437	* 0.2892	* 0.1490	*
	* 3.9287	* 4.0094	* 3.9758	* 3.4967	* 3.9998	* 5.6109	* 10.8548	*
14	* 0.4715	* 0.4696	* 0.4640	* 0.4395	* 0.3070	* 0.1500	*	*
	* 3.7788	* 3.7935	* 3.8360	* 4.0420	* 5.2485	* 10.7537	*	*
15	* 0.2466	* 0.2422	* 0.2320	* 0.2003	* F-SUB-Q			
	* 6.6037	* 6.7163	* 6.9520	* 8.1801	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 313 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.4803	* 0.5598	* 0.7079	* 0.6162	* 0.7095	* 0.6167	* 0.6208	* 0.3299
	* 4.4359	* 5.0615	* 3.8504	* 4.3266	* 3.7019	* 4.2665	* 4.2375	* 7.2035
9	* 0.5598	* 0.5483	* 0.6274	* 0.7104	* 0.6059	* 0.6024	* 0.6175	* 0.3276
	* 5.0615	* 5.1600	* 4.3423	* 3.7639	* 4.3579	* 4.3841	* 4.2793	* 7.2656
10	* 0.7079	* 0.6274	* 0.5626	* 0.6066	* 0.6940	* 0.5935	* 0.6009	* 0.3140
	* 3.8504	* 4.3435	* 4.8881	* 4.4495	* 3.9042	* 4.5424	* 4.4364	* 7.5825
11	* 0.6162	* 0.7104	* 0.6067	* 0.6722	* 0.5906	* 0.6420	* 0.5585	* 0.2613
	* 4.3266	* 3.7641	* 4.4487	* 4.1735	* 4.7455	* 4.3310	* 4.9043	* 9.4831
12	* 0.7095	* 0.6059	* 0.6942	* 0.5907	* 0.4780	* 0.5174	* 0.3852	*
	* 3.7019	* 4.3580	* 3.9032	* 4.7444	* 5.1792	* 4.8837	* 6.3852	*
13	* 0.6167	* 0.6025	* 0.5938	* 0.6424	* 0.5177	* 0.3287	* 0.1913	*
	* 4.2665	* 4.3833	* 4.5403	* 4.3287	* 4.8817	* 6.6243	* 12.3373	*
14	* 0.6208	* 0.6177	* 0.6014	* 0.5591	* 0.3856	* 0.1924	*	*
	* 4.2375	* 4.2778	* 4.4325	* 4.8990	* 6.3791	* 12.2368	*	*
15	* 0.3299	* 0.3277	* 0.3144	* 0.2601	F-SUB-Q			
	* 7.2035	* 7.2631	* 7.5736	* 9.4709	M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2102	* 1.2773	* 1.7049	* 1.3734	* 1.6625	* 1.4717	* 1.6114	* 0.7775
	* 1.9136	* 2.3207	* 1.6589	* 2.0359	* 1.6406	* 1.8560	* 1.6984	* 3.1806
9	* 1.2773	* 1.2737	* 1.5145	* 1.6910	* 1.3472	* 1.4619	* 1.6036	* 0.7748
	* 2.3207	* 2.2970	* 1.8764	* 1.6518	* 2.0373	* 1.8739	* 1.7109	* 3.2029
10	* 1.7049	* 1.5145	* 1.2708	* 1.3341	* 1.6340	* 1.4289	* 1.5654	* 0.7321
	* 1.6589	* 1.8765	* 2.2653	* 2.1032	* 1.7186	* 1.9677	* 1.7689	* 3.3703
11	* 1.3734	* 1.6908	* 1.3344	* 1.6084	* 1.4176	* 1.5515	* 1.4658	* 0.5960
	* 2.0359	* 1.6522	* 2.1029	* 1.8081	* 2.0539	* 1.8625	* 1.9548	* 4.3274
12	* 1.6625	* 1.3472	* 1.6346	* 1.4183	* 1.1302	* 1.4089	* 0.9425	*
	* 1.6406	* 2.0375	* 1.7180	* 2.0535	* 2.3356	* 1.9175	* 2.7216	*
13	* 1.4717	* 1.4622	* 1.4297	* 1.5525	* 1.4096	* 0.8567	* 0.4514	*
	* 1.8560	* 1.8735	* 1.9668	* 1.8615	* 1.9167	* 2.7795	* 5.4897	*
14	* 1.6114	* 1.6042	* 1.5668	* 1.4678	* 0.9437	* 0.4556	*	*
	* 1.6984	* 1.7103	* 1.7673	* 1.9525	* 2.7187	* 5.4250	*	*
15	* 0.7775	* 0.7753	* 0.7330	* 0.6033	F-SUB-Q			
	* 3.1806	* 3.2010	* 3.3661	* 4.2507	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 314 of 350

	H	G	F	E	D	C	B	A
8	* 1.19056	* 1.6846	* 1.9223	* 1.6824	* 1.7583	* 1.8479	* 1.8878	* 0.9230
	* 1.6331	* 1.9021	* 1.5804	* 1.7676	* 1.6458	* 1.5600	* 1.5184	* 2.8020
9	* 1.6846	* 1.7267	* 1.9523	* 1.8306	* 1.6450	* 1.8799	* 1.8861	* 0.9212
	* 1.9021	* 1.8064	* 1.5701	* 1.6331	* 1.7651	* 1.5386	* 1.5245	* 2.8126
10	* 1.9223	* 1.9524	* 1.6797	* 1.6296	* 1.7354	* 1.8143	* 1.8616	* 0.8717
	* 1.5804	* 1.5701	* 1.8045	* 1.8414	* 1.7156	* 1.6292	* 1.5782	* 2.9942
11	* 1.6824	* 1.8281	* 1.6298	* 1.7621	* 1.7765	* 1.8635	* 1.8699	* 0.7293
	* 1.7676	* 1.6355	* 1.8411	* 1.7608	* 1.7225	* 1.6552	* 1.6482	* 3.7765
12	* 1.7583	* 1.6449	* 1.7362	* 1.7772	* 1.5913	* 1.8668	* 1.1868	
	* 1.6458	* 1.7652	* 1.7151	* 1.7219	* 1.8993	* 1.6199	* 2.3320	
13	* 1.8479	* 1.8801	* 1.8156	* 1.8649	* 1.8679	* 1.1531	* 0.5789	
	* 1.5600	* 1.5384	* 1.6281	* 1.6542	* 1.6191	* 2.3526	* 4.6717	
14	* 1.8878	* 1.8866	* 1.8632	* 1.8725	* 1.1884	* 0.5866		
	* 1.5184	* 1.5241	* 1.5769	* 1.6458	* 2.3289	* 4.5989		
15	* 0.9230	* 0.9216	* 0.8730	* 0.7379	* F-SUB-Q			
	* 2.8020	* 2.8114	* 2.9898	* 3.7089	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 315 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.9982	* 1.7258	* 1.9814	* 1.7064	* 1.7990	* 1.8793	* 1.9417	* 0.9351 *
	* 1.6353	* 1.9366	* 1.6066	* 1.8189	* 1.6725	* 1.5936	* 1.5316	* 2.8717 *
9	* 1.7258	* 1.7636	* 1.9963	* 1.8755	* 1.6660	* 1.9141	* 1.9403	* 0.9346 *
	* 1.9366	* 1.8484	* 1.6026	* 1.6624	* 1.8137	* 1.5706	* 1.5381	* 2.8780 *
10	* 1.9814	* 1.9963	* 1.7052	* 1.6470	* 1.7887	* 1.8533	* 1.9198	* 0.8833 *
	* 1.6066	* 1.6026	* 1.8550	* 1.9011	* 1.7423	* 1.6580	* 1.5915	* 3.0750 *
11	* 1.7064	* 1.8725	* 1.6471	* 1.8173	* 1.8248	* 1.9337	* 1.9445	* 0.7458 *
	* 1.8189	* 1.6652	* 1.9010	* 1.7838	* 1.7501	* 1.6622	* 1.6446	* 3.8318 *
12	* 1.7990	* 1.6658	* 1.7896	* 1.8254	* 1.6368	* 1.9489	* 1.2253	*
	* 1.6725	* 1.8140	* 1.7419	* 1.7495	* 1.9355	* 1.6239	* 2.3603	*
13	* 1.8793	* 1.9144	* 1.8547	* 1.9354	* 1.9500	* 1.1921	* 0.5925	*
	* 1.5936	* 1.5704	* 1.6568	* 1.6612	* 1.6230	* 2.3893	* 4.7865	*
14	* 1.9417	* 1.9408	* 1.9214	* 1.9473	* 1.2270	* 0.6005	*	*
	* 1.5316	* 1.5377	* 1.5901	* 1.6422	* 2.3572	* 4.7105	*	*
15	* 0.9351	* 0.9350	* 0.8847	* 0.7538	* F-SUB-Q			
	* 2.8717	* 2.8767	* 3.0703	* 3.7664	* M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 2.0148	* 1.7235	* 1.9848	* 1.7014	* 1.7995	* 1.8760	* 1.9493	* 0.9376 *
	* 1.6970	* 2.0135	* 1.6749	* 1.9038	* 1.7384	* 1.6602	* 1.5875	* 2.9844 *
9	* 1.7235	* 1.7580	* 1.9912	* 1.8753	* 1.6604	* 1.9118	* 1.9482	* 0.9370 *
	* 2.0135	* 1.9356	* 1.6762	* 1.7336	* 1.8930	* 1.6347	* 1.5936	* 2.9902 *
10	* 1.9848	* 1.9911	* 1.6942	* 1.6373	* 1.7991	* 1.8577	* 1.9317	* 0.8862 *
	* 1.6749	* 1.6763	* 1.9472	* 1.9955	* 1.8143	* 1.7234	* 1.6447	* 3.1869 *
11	* 1.7014	* 1.8721	* 1.6361	* 1.8263	* 1.8349	* 1.9547	* 1.9684	* 0.7541 *
	* 1.9038	* 1.7367	* 1.9957	* 1.8563	* 1.8247	* 1.7199	* 1.7006	* 3.9584 *
12	* 1.7995	* 1.6601	* 1.7999	* 1.8356	* 1.6444	* 1.9740	* 1.2430	*
	* 1.7384	* 1.8934	* 1.8139	* 1.8240	* 2.0236	* 1.6847	* 2.4407	*
13	* 1.8760	* 1.9121	* 1.8591	* 1.9564	* 1.9751	* 1.2072	* 0.5977	*
	* 1.6602	* 1.6345	* 1.7222	* 1.7189	* 1.6838	* 2.4900	* 5.0070	*
14	* 1.9493	* 1.9488	* 1.9334	* 1.9712	* 1.2447	* 0.6060	*	*
	* 1.5875	* 1.5932	* 1.6433	* 1.6980	* 2.4373	* 4.9259	*	*
15	* 0.9376	* 0.9375	* 0.8876	* 0.7617	* F-SUB-Q			
	* 2.9844	* 2.9890	* 3.1820	* 3.8933	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 316 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

	H	G	F	E	D	C	B	A
8	* 2.0197	* 1.7138	* 1.9869	* 1.6915	* 1.8054	* 1.8748	* 1.9616	* 0.9287
	* 1.7710	* 2.1095	* 1.7682	* 2.0236	* 1.8238	* 1.7467	* 1.6552	* 3.1582
9	* 1.7138	* 1.7486	* 1.9839	* 1.8777	* 1.6558	* 1.9123	* 1.9604	* 0.9267
	* 2.1095	* 2.0604	* 1.7793	* 1.8299	* 2.0003	* 1.7194	* 1.6627	* 3.1700
10	* 1.9869	* 1.9838	* 1.6818	* 1.6230	* 1.8112	* 1.8625	* 1.9469	* 0.8770
	* 1.7682	* 1.7795	* 2.0747	* 2.1272	* 1.9074	* 1.8128	* 1.7194	* 3.3875
11	* 1.6915	* 1.8743	* 1.6227	* 1.8339	* 1.8421	* 1.9730	* 1.9898	* 0.7471
	* 2.0236	* 1.8334	* 2.1276	* 1.9343	* 1.9099	* 1.7825	* 1.7640	* 4.2203
12	* 1.8054	* 1.6554	* 1.8121	* 1.8427	* 1.6486	* 1.9943	* 1.2372	
	* 1.8238	* 2.0008	* 1.9070	* 1.9092	* 2.1225	* 1.7535	* 2.5738	
13	* 1.8748	* 1.9125	* 1.8640	* 1.9747	* 1.9954	* 1.2018	* 0.5916	
	* 1.7467	* 1.7193	* 1.8114	* 1.7809	* 1.7526	* 2.6337	* 5.3250	
14	* 1.9616	* 1.9610	* 1.9487	* 1.9927	* 1.2389	* 0.6002		
	* 1.6552	* 1.6623	* 1.7180	* 1.7615	* 2.5702	* 5.2355		
15	* 0.9287	* 0.9271	* 0.8784	* 0.7544	F-SUB-Q			
	* 3.1582	* 3.1687	* 3.3823	* 4.1529	M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.9955	* 1.6866	* 1.9628	* 1.6667	* 1.7894	* 1.8554	* 1.9490	* 0.9164
	* 1.8891	* 2.2631	* 1.9172	* 2.2014	* 1.9615	* 1.8814	* 1.7725	* 3.4020
9	* 1.6866	* 1.7215	* 1.9555	* 1.8560	* 1.6363	* 1.8935	* 1.9480	* 0.9138
	* 2.2631	* 2.2186	* 1.9375	* 1.9836	* 2.1572	* 1.8504	* 1.7813	* 3.4180
10	* 1.9628	* 1.9554	* 1.6536	* 1.5959	* 1.7994	* 1.8477	* 1.9368	* 0.8651
	* 1.9172	* 1.9377	* 2.2636	* 2.3191	* 2.0487	* 1.9424	* 1.8377	* 3.6402
11	* 1.6667	* 1.8525	* 1.5956	* 1.8180	* 1.8282	* 1.9655	* 1.9842	* 0.7386
	* 2.2014	* 1.9876	* 2.3197	* 2.0495	* 2.0180	* 1.8803	* 1.8607	* 4.5106
12	* 1.7894	* 1.6358	* 1.8003	* 1.8288	* 1.6349	* 1.9872	* 1.2258	*
	* 1.9615	* 2.1578	* 2.0482	* 2.0172	* 2.2480	* 1.8475	* 2.7241	*
13	* 1.8554	* 1.8937	* 1.8492	* 1.9672	* 1.9882	* 1.1901	* 0.5837	*
	* 1.8814	* 1.8502	* 1.9408	* 1.8791	* 1.8465	* 2.8059	* 5.6812	*
14	* 1.9490	* 1.9486	* 1.9385	* 1.9870	* 1.2275	* 0.5923	*	
	* 1.7726	* 1.7808	* 1.8360	* 1.8581	* 2.7204	* 5.5844	*	
15	* 0.9164	* 0.9142	* 0.8664	* 0.7456	F-SUB-Q			
	* 3.4020	* 3.4165	* 3.6345	* 4.4395	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 317 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

	H	G	F	E	D	C	B	A
8	* 1.9695	* 1.6572	* 1.9383	* 1.6394	* 1.7736	* 1.8345	* 1.9355	* 0.9005 *
	* 2.0688	* 2.4669	* 2.0619	* 2.3744	* 2.0890	* 2.0070	* 1.8809	* 3.6347 *
9	* 1.6572	* 1.6929	* 1.9259	* 1.8342	* 1.6150	* 1.8736	* 1.9345	* 0.8958 *
	* 2.4669	* 2.4008	* 2.0959	* 2.1319	* 2.3105	* 1.9739	* 1.8902	* 3.6623 *
10	* 1.9383	* 1.9257	* 1.6247	* 1.5681	* 1.7862	* 1.8310	* 1.9247	* 0.8491 *
	* 2.0619	* 2.0961	* 2.4504	* 2.5028	* 2.1894	* 2.0769	* 1.9558	* 3.9105 *
11	* 1.6394	* 1.8305	* 1.5676	* 1.8008	* 1.8109	* 1.9543	* 1.9742	* 0.7253 *
	* 2.3744	* 2.1362	* 2.5036	* 2.2125	* 2.1787	* 2.0207	* 1.9906	* 4.8675 *
12	* 1.7736	* 1.6144	* 1.7870	* 1.8115	* 1.6181	* 1.9761	* 1.2061	*
	* 2.0890	* 2.3113	* 2.1890	* 2.1779	* 2.4360	* 1.9855	* 2.9537	*
13	* 1.8345	* 1.8737	* 1.8327	* 1.9559	* 1.9771	* 1.1718	* 0.5727	*
	* 2.0070	* 1.9737	* 2.0752	* 2.0190	* 1.9845	* 3.0442	* 6.1649	*
14	* 1.9355	* 1.9351	* 1.9264	* 1.9769	* 1.2077	* 0.5812	*	
	* 1.8809	* 1.8896	* 1.9541	* 1.9878	* 2.9498	* 6.0583	*	
15	* 0.9005	* 0.8965	* 0.8504	* 0.7313	* F-SUB-Q			
	* 3.6347	* 3.6607	* 3.9045	* 4.7963	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 1.8989	* 1.6031	* 1.8688	* 1.5902	* 1.7151	* 1.7808	* 1.8754	* 0.8873
	* 2.3294	* 2.7420	* 2.2907	* 2.6237	* 2.2930	* 2.1967	* 2.0651	* 3.9182
9	* 1.6031	* 1.6367	* 1.8616	* 1.7679	* 1.5674	* 1.8190	* 1.8749	* 0.8847
	* 2.7420	* 2.6751	* 2.3325	* 2.3669	* 2.5264	* 2.1587	* 2.0731	* 3.9339
10	* 1.8688	* 1.8614	* 1.5704	* 1.5232	* 1.7296	* 1.7803	* 1.8666	* 0.8373
	* 2.2907	* 2.3327	* 2.7234	* 2.7637	* 2.3984	* 2.2599	* 2.1335	* 4.1836
11	* 1.5902	* 1.7642	* 1.5217	* 1.7437	* 1.7599	* 1.8972	* 1.9177	* 0.7205
	* 2.6237	* 2.3722	* 2.7647	* 2.4592	* 2.4225	* 2.2278	* 2.1928	* 5.1417
12	* 1.7151	* 1.5668	* 1.7304	* 1.7605	* 1.5733	* 1.9189	* 1.1938	*
	* 2.2930	* 2.5274	* 2.3980	* 2.4216	* 2.7180	* 2.2142	* 3.2125	*
13	* 1.7808	* 1.8192	* 1.7819	* 1.8987	* 1.9199	* 1.1568	* 0.5669	*
	* 2.1967	* 2.1585	* 2.2580	* 2.2260	* 2.2130	* 3.3429	* 6.7319	*
14	* 1.8754	* 1.8754	* 1.8682	* 1.9203	* 1.1954	* 0.5757	*	*
	* 2.0651	* 2.0725	* 2.1315	* 2.1897	* 3.2082	* 6.6112	*	*
15	* 0.8873	* 0.8851	* 0.8386	* 0.7270	* F-SUB-Q			
	* 3.9182	* 3.9321	* 4.1772	* 5.0623	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 318 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	1.8766	1.5722	1.8502	1.5596	1.7054	1.7615	1.8685	0.8627
	2.5315	3.0183	2.4488	2.8265	2.4348	2.3419	2.1774	4.2141
9	1.5722	1.6086	1.8343	1.7525	1.5464	1.8011	1.8676	0.8570
	3.0183	2.9270	2.5072	2.5288	2.7075	2.3016	2.1887	4.2501
10	1.8502	1.8341	1.5419	1.4888	1.7212	1.7646	1.8599	0.8124
	2.4488	2.5075	2.9354	2.9835	2.5572	2.4182	2.2659	4.5420
11	1.5596	1.7487	1.4881	1.7294	1.7427	1.8894	1.9115	0.6965
	2.8265	2.5342	2.9848	2.6907	2.6505	2.4292	2.3423	5.6238
12	1.7054	1.5457	1.7219	1.7433	1.5556	1.9109	1.1596	
	2.4348	2.7087	2.5569	2.6496	2.9760	2.4056	3.5779	
13	1.7615	1.8012	1.7663	1.8909	1.9119	1.1258	0.5479	
	2.3419	2.3013	2.4163	2.4272	2.4043	3.7213	7.5165	
14	1.8685	1.8681	1.8615	1.9141	1.1611	0.5561		
	2.1774	2.1881	2.2640	2.3388	3.5732	7.3864		
15	0.8627	0.8574	0.8136	0.7026	F-SUB-Q			
	4.2141	4.2482	4.5351	5.5388	M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	1.8249	1.5257	1.8008	1.5158	1.6660	1.7195	1.8287	0.8413
	2.5549	3.0307	2.5661	2.9927	2.6373	2.5485	2.3600	4.5711
9	1.5257	1.5619	1.7832	1.7067	1.5077	1.7589	1.8280	0.8358
	3.0307	2.9592	2.5943	2.6759	2.9286	2.5035	2.3724	4.6098
10	1.8008	1.7830	1.4963	1.4452	1.6830	1.7255	1.8212	0.7917
	2.5661	2.5947	3.0840	3.1872	2.7672	2.6271	2.4553	4.9283
11	1.5158	1.7029	1.4444	1.6881	1.7027	1.8512	1.8739	0.6799
	2.9927	2.6817	3.1890	2.7655	2.7562	2.5208	2.4914	6.1127
12	1.6660	1.5069	1.6837	1.7032	1.5190	1.8719	1.1329	
	2.6373	2.9301	2.7662	2.7553	3.0974	2.5118	3.7546	
13	1.7195	1.7590	1.7271	1.8527	1.8729	1.0993	0.5337	
	2.5485	2.5033	2.6251	2.5189	2.5106	3.9193	7.9929	
14	1.8287	1.8286	1.8227	1.8763	1.1343	0.5417		
	2.3600	2.3718	2.4532	2.4883	3.7500	7.8537		
15	0.8413	0.8362	0.7929	0.6856	F-SUB-Q			
	4.5711	4.6077	4.9209	6.0220	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 319 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7489	* 1.4660	* 1.7264	* 1.4588	* 1.6027	* 1.6589	* 1.7629	* 0.8218
	* 2.5988	* 3.0731	* 2.5314	* 2.9198	* 2.5744	* 2.4812	* 2.3303	* 4.4961
9	* 1.4660	* 1.5004	* 1.7128	* 1.6360	* 1.4539	* 1.6978	* 1.7623	* 0.8177
	* 3.0731	* 3.0016	* 2.5912	* 2.6191	* 2.8532	* 2.4447	* 2.3459	* 4.5303
10	* 1.7264	* 1.7126	* 1.4370	* 1.3950	* 1.6205	* 1.6673	* 1.7565	* 0.7733
	* 2.5314	* 2.5916	* 3.0379	* 3.0987	* 2.7251	* 2.6107	* 2.4487	* 4.8933
11	* 1.4588	* 1.6323	* 1.3933	* 1.6247	* 1.6440	* 1.7865	* 1.8096	* 0.6684
	* 2.9198	* 2.6250	* 3.1025	* 2.8058	* 2.7890	* 2.5510	* 2.5194	* 6.1016
12	* 1.6027	* 1.4531	* 1.6211	* 1.6446	* 1.4673	* 1.8068	* 1.1101	
	* 2.5744	* 2.8548	* 2.7251	* 2.7881	* 3.1330	* 2.5434	* 3.7436	
13	* 1.6589	* 1.6979	* 1.6688	* 1.7879	* 1.8077	* 1.0747	* 0.5225	
	* 2.4812	* 2.4446	* 2.6089	* 2.5491	* 2.5422	* 3.9192	* 7.9768	
14	* 1.7629	* 1.7628	* 1.7580	* 1.8120	* 1.1115	* 0.5310		
	* 2.3303	* 2.3453	* 2.4468	* 2.5163	* 3.7391	* 7.8288		
15	* 0.8218	* 0.8180	* 0.7745	* 0.6739	* F-SUB-Q			
	* 4.4961	* 4.5284	* 4.8865	* 6.0153	* M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	1.7117	1.4248	1.6934	1.4197	1.5791	1.6269	1.7411	0.7926
	2.5157	2.9719	2.4363	2.8331	2.4725	2.3935	2.2321	4.4100
9	1.4248	1.4612	1.6724	1.6068	1.4221	1.6663	1.7404	0.7856
	2.9719	2.8978	2.5072	2.5206	2.7601	2.3565	2.2478	4.4619
10	1.6934	1.6721	1.3982	1.3502	1.5980	1.6382	1.7352	0.7442
	2.4363	2.5076	2.9496	3.0269	2.6189	2.5176	2.3489	4.8154
11	1.4197	1.6030	1.3493	1.5962	1.6134	1.7632	1.7882	0.6414
	2.8331	2.5264	3.0305	2.6780	2.6708	2.4338	2.3979	6.0277
12	1.5791	1.4212	1.5985	1.6138	1.4376	1.7832	1.0693	
	2.4725	2.7619	2.6190	2.6701	3.0068	2.4185	3.6201	
13	1.6269	1.6664	1.6397	1.7645	1.7840	1.0372	0.5010	
	2.3935	2.3564	2.5159	2.4323	2.4176	3.7770	7.6624	
14	1.7411	1.7409	1.7368	1.7905	1.0706	0.5086		
	2.2321	2.2472	2.3472	2.3952	3.6162	7.5279		
15	0.7926	0.7859	0.7453	0.6458	F-SUB-Q			
	4.4100	4.4601	4.8089	5.9501	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 320 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6564	* 1.3747	* 1.6409	* 1.3720	* 1.5360	* 1.5800	* 1.6977	* 0.7664 *
	* 2.2943	* 2.7257	* 2.2698	* 2.6467	* 2.3108	* 2.2459	* 2.0880	* 4.1213 *
9	* 1.3747	* 1.4112	* 1.6169	* 1.5580	* 1.3789	* 1.6195	* 1.6968	* 0.7590 *
	* 2.7257	* 2.6578	* 2.3269	* 2.3476	* 2.5834	* 2.2102	* 2.1018	* 4.1736 *
10	* 1.6409	* 1.6167	* 1.3496	* 1.3029	* 1.5557	* 1.5943	* 1.6934	* 0.7187 *
	* 2.2698	* 2.3273	* 2.7567	* 2.8272	* 2.4388	* 2.3534	* 2.1892	* 4.4918 *
11	* 1.3720	* 1.5543	* 1.3019	* 1.5505	* 1.5683	* 1.7198	* 1.7458	* 0.6198 *
	* 2.6467	* 2.3531	* 2.8297	* 2.4465	* 2.4404	* 2.2161	* 2.1823	* 5.5943 *
12	* 1.5360	* 1.3780	* 1.5562	* 1.5687	* 1.3965	* 1.7389	* 1.0349	*
	* 2.3108	* 2.5852	* 2.4381	* 2.4398	* 2.7490	* 2.2042	* 3.3259	*
13	* 1.5800	* 1.6195	* 1.5957	* 1.7211	* 1.7397	* 1.0036	* 0.4830	*
	* 2.2459	* 2.2102	* 2.3521	* 2.2148	* 2.2034	* 3.4724	* 7.0771	*
14	* 1.6977	* 1.6973	* 1.6953	* 1.7480	* 1.0361	* 0.4905	*	*
	* 2.0880	* 2.1013	* 2.1878	* 2.1799	* 3.3225	* 6.9512	*	*
15	* 0.7664	* 0.7595	* 0.7197	* 0.6232	F-SUB-Q			
	* 4.1213	* 4.1720	* 4.4862	* 5.5315	M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5946	* 1.3220	* 1.5808	* 1.3211	* 1.4850	* 1.5274	* 1.6438	* 0.7427 *
	* 2.1266	* 2.5249	* 2.0684	* 2.4159	* 2.1079	* 2.0492	* 1.9040	* 3.7623 *
9	* 1.3220	* 1.3576	* 1.5572	* 1.5015	* 1.3316	* 1.5661	* 1.6431	* 0.7355 *
	* 2.5249	* 2.4599	* 2.1342	* 2.1401	* 2.3582	* 2.0149	* 1.9159	* 3.8076 *
10	* 1.5808	* 1.5570	* 1.2979	* 1.2545	* 1.5046	* 1.5426	* 1.6408	* 0.6962 *
	* 2.0684	* 2.1345	* 2.5152	* 2.5770	* 2.2230	* 2.1425	* 1.9922	* 4.0970 *
11	* 1.3211	* 1.4978	* 1.2529	* 1.4978	* 1.5163	* 1.6657	* 1.6920	* 0.6019 *
	* 2.4159	* 2.1452	* 2.5805	* 2.2695	* 2.2649	* 2.0497	* 2.0167	* 5.0790 *
12	* 1.4850	* 1.3306	* 1.5051	* 1.5168	* 1.3498	* 1.6844	* 1.0042	*
	* 2.1079	* 2.3599	* 2.2232	* 2.2643	* 2.5514	* 2.0422	* 3.0793	*
13	* 1.5274	* 1.5662	* 1.5439	* 1.6669	* 1.6852	* 0.9731	* 0.4680	*
	* 2.0492	* 2.0150	* 2.1413	* 2.0485	* 2.0414	* 3.2147	* 6.5679	*
14	* 1.6438	* 1.6436	* 1.6426	* 1.6941	* 1.0054	* 0.4752	*	*
	* 1.9040	* 1.9155	* 1.9909	* 2.0145	* 3.0762	* 6.4519	*	*
15	* 0.7427	* 0.7358	* 0.6972	* 0.6060	F-SUB-Q			
	* 3.7623	* 3.8063	* 4.0919	* 5.0153	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 321 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	1.5223	1.2652	1.5095	1.2658	1.4221	1.4661	1.5762	0.7215
	2.1362	2.5331	2.0748	2.4162	2.1179	2.0544	1.9127	3.7394
9	1.2652	1.2984	1.4893	1.4337	1.2779	1.5038	1.5756	0.7162
	2.5331	2.4699	2.1332	2.1480	2.3628	2.0184	1.9235	3.7745
10	1.5095	1.4890	1.2415	1.2066	1.4412	1.4821	1.5742	0.6766
	2.0748	2.1336	2.5165	2.5667	2.2299	2.1408	1.9952	4.0618
11	1.2658	1.4301	1.2050	1.4347	1.4567	1.5991	1.6247	0.5878
	2.4162	2.1533	2.5703	2.2815	2.2707	2.0562	2.0228	4.9946
12	1.4221	1.2769	1.4416	1.4572	1.2964	1.6167	0.9786	
	2.1179	2.3646	2.2302	2.2701	2.5612	2.0528	3.0467	
13	1.4661	1.5038	1.4833	1.6002	1.6174	0.9457	0.4555	
	2.0544	2.0185	2.1396	2.0549	2.0520	3.2036	6.5387	
14	1.5762	1.5760	1.5759	1.6267	0.9797	0.4631		
	1.9127	1.9231	1.9939	2.0206	3.0436	6.4156		
15	0.7215	0.7165	0.6776	0.5919	F-SUB-Q			
	3.7394	3.7731	4.0569	4.9311	M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.4859 *	* 1.2257 *	* 1.4774 *	* 1.2287 *	* 1.3970 *	* 1.4325 *	* 1.5511 *	* 0.6916 *
	* 1.9580 *	* 2.3271 *	* 1.8956 *	* 2.2302 *	* 1.9407 *	* 1.8928 *	* 1.7512 *	* 3.5224 *
9	* 1.2257 *	* 1.2608 *	* 1.4506 *	* 1.4052 *	* 1.2453 *	* 1.4705 *	* 1.5503 *	* 0.6838 *
	* 2.3271 *	* 2.2556 *	* 1.9553 *	* 1.9632 *	* 2.1804 *	* 1.8566 *	* 1.7606 *	* 3.5717 *
10	* 1.4774 *	* 1.4503 *	* 1.2048 *	* 1.1642 *	* 1.4159 *	* 1.4491 *	* 1.5492 *	* 0.6470 *
	* 1.8956 *	* 1.9557 *	* 2.3175 *	* 2.3811 *	* 2.0363 *	* 1.9632 *	* 1.8207 *	* 3.8259 *
11	* 1.2287 *	* 1.4017 *	* 1.1628 *	* 1.4050 *	* 1.4220 *	* 1.5711 *	* 1.5976 *	* 0.5594 *
	* 2.2302 *	* 1.9681 *	* 2.3845 *	* 2.0924 *	* 2.0921 *	* 1.8697 *	* 1.8335 *	* 4.7046 *
12	* 1.3970 *	* 1.2443 *	* 1.4163 *	* 1.4224 *	* 1.2640 *	* 1.5879 *	* 0.9352 *	
	* 1.9407 *	* 2.1822 *	* 2.0367 *	* 2.0916 *	* 2.3517 *	* 1.8782 *	* 2.8659 *	
13	* 1.4325 *	* 1.4705 *	* 1.4503 *	* 1.5721 *	* 1.5886 *	* 0.9063 *	* 0.4334 *	
	* 1.8928 *	* 1.8567 *	* 1.9622 *	* 1.8686 *	* 1.8775 *	* 2.9971 *	* 6.1838 *	
14	* 1.5511 *	* 1.5507 *	* 1.5509 *	* 1.5995 *	* 0.9363 *	* 0.4402 *		
	* 1.7512 *	* 1.7603 *	* 1.8195 *	* 1.8316 *	* 2.8631 *	* 6.0727 *		
15	* 0.6916 *	* 0.6842 *	* 0.6478 *	* 0.5620 *	F-SUB-Q			
	* 3.5224 *	* 3.5704 *	* 3.8213 *	* 4.6562 *	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 322 of 350

	H	G	F	E	D	C	B	A
8	* 1.3411	* 1.1183	* 1.3426	* 1.1266	* 1.2797	* 1.3204	* 1.4201	* 0.6472
	* 1.7715	* 2.0951	* 1.7273	* 2.0212	* 1.7794	* 1.7255	* 1.6097	* 3.1857
9	* 1.1183	* 1.1526	* 1.3280	* 1.2788	* 1.1474	* 1.3555	* 1.4194	* 0.6416
	* 2.0951	* 2.0224	* 1.7525	* 1.7912	* 1.9838	* 1.6888	* 1.6163	* 3.2171
10	* 1.3426	* 1.3277	* 1.1040	* 1.0753	* 1.2927	* 1.3307	* 1.4140	* 0.6051
	* 1.7273	* 1.7529	* 2.0888	* 2.1369	* 1.8501	* 1.7714	* 1.6578	* 3.4367
11	* 1.1266	* 1.2755	* 1.0738	* 1.2839	* 1.3056	* 1.4337	* 1.4564	* 0.5251
	* 2.0212	* 1.7957	* 2.1400	* 1.8862	* 1.8696	* 1.6888	* 1.6540	* 4.1576
12	* 1.2797	* 1.1465	* 1.2930	* 1.3060	* 1.1612	* 1.4477	* 0.8727	*
	* 1.7794	* 1.9854	* 1.8505	* 1.8692	* 2.0976	* 1.6908	* 2.5356	*
13	* 1.3204	* 1.3554	* 1.3317	* 1.4346	* 1.4482	* 0.8442	* 0.4059	*
	* 1.7255	* 1.6889	* 1.7705	* 1.6879	* 1.6902	* 2.6454	* 5.4467	*
14	* 1.4201	* 1.4197	* 1.4152	* 1.4581	* 0.8736	* 0.4119	*	*
	* 1.6097	* 1.6160	* 1.6569	* 1.6523	* 2.5333	* 5.3540	*	*
15	* 0.6472	* 0.6419	* 0.6059	* 0.5285	* F-SUB-Q			
	* 3.1857	* 3.2160	* 3.4328	* 4.1063	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 323 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - POWER ESCALATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2725	* 1.0687	* 1.2900	* 1.0870	* 1.2394	* 1.2799	* 1.3727	* 0.6183
	* 1.7223	* 2.0197	* 1.6614	* 1.9467	* 1.7156	* 1.6634	* 1.5574	* 3.1271
9	* 1.0687	* 1.1059	* 1.2774	* 1.2356	* 1.1122	* 1.3132	* 1.3714	* 0.6104
	* 2.0197	* 1.9495	* 1.6858	* 1.7224	* 1.9095	* 1.6272	* 1.5633	* 3.1702
10	* 1.2900	* 1.2772	* 1.0628	* 1.0338	* 1.2493	* 1.2853	* 1.3644	* 0.5760
	* 1.6614	* 1.8861	* 2.0114	* 2.0641	* 1.7724	* 1.6999	* 1.5976	* 3.3731
11	* 1.0870	* 1.2324	* 1.0328	* 1.2386	* 1.2601	* 1.3784	* 1.3981	* 0.4954
	* 1.9467	* 1.7267	* 2.0661	* 1.7931	* 1.7859	* 1.6138	* 1.5893	* 4.0906
12	* 1.2394	* 1.1112	* 1.2496	* 1.2603	* 1.1205	* 1.3885	* 0.8231	*
	* 1.7156	* 1.9112	* 1.7721	* 1.7856	* 2.0132	* 1.6292	* 2.4727	*
13	* 1.2799	* 1.3132	* 1.2862	* 1.3792	* 1.3890	* 0.7986	* 0.3829	*
	* 1.6634	* 1.6273	* 1.6991	* 1.6130	* 1.6287	* 2.6096	* 5.3740	*
14	* 1.3727	* 1.3717	* 1.3653	* 1.3996	* 0.8240	* 0.3882	*	*
	* 1.5574	* 1.5630	* 1.5967	* 1.5878	* 2.4705	* 5.2877	*	*
15	* 0.6183	* 0.6106	* 0.5767	* 0.4982	* F-SUB-Q			
	* 3.1271	* 3.1692	* 3.3693	* 4.0434	* M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.1513	* 0.9838	* 1.1950	* 1.0290	* 1.1563	* 1.1996	* 1.2734	* 0.5911
	* 1.7733	* 2.0653	* 1.6786	* 1.9417	* 1.7413	* 1.6817	* 1.5915	* 3.1100
9	* 0.9838	* 1.0117	* 1.1687	* 1.1543	* 1.0485	* 1.2202	* 1.2716	* 0.5823
	* 2.0653	* 2.0036	* 1.7331	* 1.7386	* 1.9173	* 1.6580	* 1.5975	* 3.1594
10	* 1.1950	* 1.1684	* 0.9797	* 0.9770	* 1.1683	* 1.2021	* 1.2648	* 0.5490
	* 1.6786	* 1.7334	* 2.0568	* 2.0632	* 1.7818	* 1.7162	* 1.6263	* 3.3555
11	* 1.0290	* 1.1515	* 0.9766	* 1.1623	* 1.1739	* 1.2775	* 1.2924	* 0.4671
	* 1.9417	* 1.7428	* 2.0652	* 1.7857	* 1.7894	* 1.6347	* 1.6175	* 4.0926
12	* 1.1563	* 1.0476	* 1.1685	* 1.1741	* 1.0408	* 1.2780	* 0.7720	*
	* 1.7413	* 1.9189	* 1.7815	* 1.7891	* 2.0171	* 1.6495	* 2.4711	*
13	* 1.1996	* 1.2201	* 1.2029	* 1.2782	* 1.2785	* 0.7434	* 0.3579	*
	* 1.6817	* 1.6582	* 1.7154	* 1.6339	* 1.6490	* 2.6050	* 5.3696	*
14	* 1.2734	* 1.2719	* 1.2656	* 1.2937	* 0.7728	* 0.3627	*	*
	* 1.5915	* 1.5972	* 1.6254	* 1.6161	* 2.4690	* 5.2859	*	*
15	* 0.5911	* 0.5825	* 0.5497	* 0.4696	* F-SUB-Q			
	* 3.1100	* 3.1584	* 3.3520	* 4.0479	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 324 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - POWER ESCALATION

AT 50% POWER, 4 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.0041	* 0.8110	* 1.1385	* 0.8747	* 1.1496	* 1.0023	* 1.1614	* 0.5150 *
	* 1.9405	* 2.3833	* 1.6868	* 2.1877	* 1.6728	* 1.9279	* 1.6732	* 3.4381 *
9	* 0.8110	* 0.8036	* 0.9655	* 1.1291	* 0.8856	* 0.9995	* 1.1568	* 0.5077 *
	* 2.3833	* 2.4076	* 1.9937	* 1.6975	* 2.1636	* 1.9408	* 1.6838	* 3.4926 *
10	* 1.1385	* 0.9645	* 0.7870	* 0.8572	* 1.1595	* 0.9976	* 1.1442	* 0.4774 *
	* 1.6868	* 1.9957	* 2.4505	* 2.2528	* 1.6978	* 1.9878	* 1.7200	* 3.7094 *
11	* 0.8747	* 1.1268	* 0.8567	* 1.1355	* 0.9861	* 1.1479	* 1.0967	* 0.4009 *
	* 2.1877	* 1.7010	* 2.2547	* 1.7484	* 2.0136	* 1.7343	* 1.8187	* 4.5728 *
12	* 1.1496	* 0.8845	* 1.1595	* 0.9863	* 0.8465	* 1.0964	* 0.6618	*
	* 1.6728	* 2.1661	* 1.6978	* 2.0134	* 2.3656	* 1.8358	* 2.7580	*
13	* 1.0023	* 0.9995	* 0.9982	* 1.1484	* 1.0968	* 0.6218	* 0.3014	*
	* 1.9279	* 1.9410	* 1.9868	* 1.7338	* 1.8353	* 2.9709	* 6.1002	*
14	* 1.1614	* 1.1571	* 1.1450	* 1.0978	* 0.6623	* 0.3050	*	*
	* 1.6732	* 1.6835	* 1.7189	* 1.8170	* 2.7560	* 6.0114	*	*
15	* 0.5150	* 0.5080	* 0.4779	* 0.4035	* F-SUB-Q			
	* 3.4381	* 3.4910	* 3.7061	* 4.5196	* M-SUB-Q			

AT 50% POWER, 4 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.3900	* 0.3436	* 0.4376	* 0.3776	* 0.4510	* 0.3941	* 0.4129	* 0.2156 *
	* 4.7796	* 5.3974	* 4.2126	* 4.8719	* 4.0846	* 4.7044	* 4.5209	* 7.9231 *
9	* 0.3436	* 0.3319	* 0.3798	* 0.4411	* 0.3803	* 0.3873	* 0.4111	* 0.2117 *
	* 5.3974	* 5.5935	* 4.8662	* 4.1723	* 4.8527	* 4.8109	* 4.5505	* 8.0712 *
10	* 0.4376	* 0.3795	* 0.3349	* 0.3725	* 0.4507	* 0.3895	* 0.4058	* 0.2025 *
	* 4.2126	* 4.8706	* 5.5357	* 5.0007	* 4.1605	* 4.8611	* 4.6526	* 8.4274 *
11	* 0.3776	* 0.4405	* 0.3725	* 0.4398	* 0.3891	* 0.4426	* 0.3837	* 0.1759 *
	* 4.8719	* 4.1788	* 5.0046	* 4.2858	* 4.8867	* 4.3075	* 4.9806	* 10.0323 *
12	* 0.4510	* 0.3799	* 0.4507	* 0.3891	* 0.3530	* 0.3868	* 0.2676	*
	* 4.0846	* 4.8574	* 4.1614	* 4.8865	* 5.4317	* 4.9956	* 6.5558	*
13	* 0.3941	* 0.3873	* 0.3896	* 0.4427	* 0.3869	* 0.2519	* 0.1293	*
	* 4.7044	* 4.8113	* 4.8605	* 4.3063	* 4.9942	* 7.0470	* 13.7040	*
14	* 0.4129	* 0.4112	* 0.4060	* 0.3840	* 0.2678	* 0.1301	*	*
	* 4.5209	* 4.5496	* 4.6501	* 4.9767	* 6.5515	* 13.5762	*	*
15	* 0.2156	* 0.2117	* 0.2027	* 0.1747	* F-SUB-Q			
	* 7.9231	* 8.0691	* 8.4208	* 10.0449	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 325 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 30% POWER, 4 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 0.4918	* 0.5728	* 0.7310	* 0.6327	* 0.7344	* 0.6404	* 0.6523	* 0.3403
	* 4.4359	* 5.0615	* 3.8504	* 4.3266	* 3.7019	* 4.2665	* 4.2375	* 7.2035
9	* 0.5728	* 0.5613	* 0.6456	* 0.7332	* 0.6236	* 0.6281	* 0.6487	* 0.3380
	* 5.0615	* 5.1600	* 4.3423	* 3.7639	* 4.3579	* 4.3841	* 4.2793	* 7.2656
10	* 0.7310	* 0.6456	* 0.5765	* 0.6239	* 0.7199	* 0.6169	* 0.6307	* 0.3236
	* 3.8504	* 4.3435	* 4.8881	* 4.4495	* 3.9042	* 4.5424	* 4.4364	* 7.5825
11	* 0.6327	* 0.7332	* 0.6240	* 0.6955	* 0.6098	* 0.6718	* 0.5849	* 0.2684
	* 4.3266	* 3.7641	* 4.4487	* 4.1735	* 4.7455	* 4.3310	* 4.9043	* 9.4831
12	* 0.7344	* 0.6236	* 0.7201	* 0.6099	* 0.4949	* 0.5402	* 0.3979	*
	* 3.7019	* 4.3580	* 3.9032	* 4.7444	* 5.1792	* 4.8837	* 6.3852	*
13	* 0.6404	* 0.6283	* 0.6172	* 0.6723	* 0.5405	* 0.3383	* 0.1945	*
	* 4.2665	* 4.3833	* 4.5403	* 4.3287	* 4.8817	* 6.6243	* 12.3373	*
14	* 0.6523	* 0.6490	* 0.6314	* 0.5856	* 0.3983	* 0.1956	*	*
	* 4.2375	* 4.2778	* 4.4325	* 4.8990	* 6.3791	* 12.2368	*	*
15	* 0.3403	* 0.3382	* 0.3240	* 0.2672	F-SUB-Q			
	* 7.2035	* 7.2631	* 7.5736	* 9.4709	M-SUB-Q			

AT 30% POWER, 4 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2719	* 1.3447	* 1.8116	* 1.4502	* 1.7763	* 1.5792	* 1.7421	* 0.8225
	* 1.9136	* 2.3207	* 1.6589	* 2.0359	* 1.6406	* 1.8560	* 1.6984	* 3.1806
9	* 1.3447	* 1.3429	* 1.6064	* 1.7947	* 1.4252	* 1.5707	* 1.7333	* 0.8193
	* 2.3207	* 2.2970	* 1.8764	* 1.6518	* 2.0373	* 1.8739	* 1.7109	* 3.2029
10	* 1.8116	* 1.6063	* 1.3386	* 1.4083	* 1.7483	* 1.5328	* 1.6901	* 0.7732
	* 1.6589	* 1.8765	* 2.2653	* 2.1032	* 1.7186	* 1.9677	* 1.7689	* 3.3703
11	* 1.4502	* 1.7944	* 1.4086	* 1.7114	* 1.5159	* 1.6684	* 1.5779	* 0.6270
	* 2.0359	* 1.6522	* 2.1029	* 1.8081	* 2.0539	* 1.8625	* 1.9548	* 4.3274
12	* 1.7763	* 1.4252	* 1.7490	* 1.5167	* 1.2030	* 1.5112	* 0.9994	*
	* 1.6406	* 2.0375	* 1.7180	* 2.0535	* 2.3356	* 1.9175	* 2.7216	*
13	* 1.5792	* 1.5710	* 1.5337	* 1.6696	* 1.5121	* 0.9047	* 0.4690	*
	* 1.8560	* 1.8735	* 1.9668	* 1.8615	* 1.9167	* 2.7795	* 5.4897	*
14	* 1.7421	* 1.7340	* 1.6919	* 1.5803	* 1.0007	* 0.4734	*	*
	* 1.6984	* 1.7103	* 1.7673	* 1.9525	* 2.7187	* 5.4250	*	*
15	* 0.8225	* 0.8198	* 0.7743	* 0.6348	F-SUB-Q			
	* 3.1806	* 3.2010	* 3.3661	* 4.2507	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 326 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

	H	G	F	E	D	C	B	A
8	* 1.7597	* 1.6351	* 1.8710	* 1.6873	* 1.7477	* 1.8595	* 1.8774	* 0.9514
	* 1.7571	* 1.9910	* 1.6543	* 1.8069	* 1.7199	* 1.6254	* 1.6123	* 2.8160
9	* 1.6351	* 1.6715	* 1.9002	* 1.8013	* 1.6560	* 1.8769	* 1.8748	* 0.9507
	* 1.9910	* 1.9111	* 1.6501	* 1.6975	* 1.8174	* 1.6172	* 1.6176	* 2.8199
10	* 1.8710	* 1.9001	* 1.6422	* 1.6267	* 1.7174	* 1.8188	* 1.8459	* 0.8972
	* 1.6543	* 1.6503	* 1.8949	* 1.8895	* 1.7953	* 1.7049	* 1.6682	* 2.9924
11	* 1.6873	* 1.8010	* 1.6273	* 1.7385	* 1.7721	* 1.8314	* 1.8369	* 0.7422
	* 1.8069	* 1.6977	* 1.8890	* 1.8370	* 1.8066	* 1.7553	* 1.7451	* 3.7854
12	* 1.7477	* 1.6560	* 1.7182	* 1.7730	* 1.5408	* 1.7968	* 1.1917	*
	* 1.7199	* 1.8174	* 1.7948	* 1.8063	* 1.9894	* 1.7264	* 2.3768	*
13	* 1.8595	* 1.8772	* 1.8202	* 1.8329	* 1.7979	* 1.1305	* 0.5732	*
	* 1.6254	* 1.6169	* 1.7038	* 1.7543	* 1.7256	* 2.4101	* 4.7122	*
14	* 1.8774	* 1.8754	* 1.8475	* 1.8396	* 1.1934	* 0.5795	*	
	* 1.6123	* 1.6173	* 1.6669	* 1.7427	* 2.3739	* 4.6499	*	
15	* 0.9514	* 0.9511	* 0.8986	* 0.7519	* F-SUB-Q			
	* 2.8160	* 2.8188	* 2.9883	* 3.7144	* M-SUB-Q			

	H	G	F	E	D	C	B	A
8	* 2.0149	* 1.7794	* 2.0453	* 1.7808	* 1.8845	* 1.9920	* 2.0433	* 0.9794 *
	* 1.6331	* 1.9021	* 1.5804	* 1.7676	* 1.6458	* 1.5600	* 1.5184	* 2.8020 *
9	* 1.7794	* 1.8291	* 2.0797	* 1.9434	* 1.7567	* 2.0286	* 2.0412	* 0.9775 *
	* 1.9021	* 1.8064	* 1.5701	* 1.6331	* 1.7651	* 1.5386	* 1.5245	* 2.8126 *
10	* 2.0453	* 2.0798	* 1.7779	* 1.7227	* 1.8620	* 1.9619	* 2.0131	* 0.9237 *
	* 1.5804	* 1.5701	* 1.8045	* 1.8414	* 1.7156	* 1.6292	* 1.5782	* 2.9942 *
11	* 1.7808	* 1.9406	* 1.7230	* 1.8801	* 1.9063	* 2.0077	* 2.0164	* 0.7702 *
	* 1.7676	* 1.6355	* 1.8411	* 1.7608	* 1.7225	* 1.6552	* 1.6482	* 3.7765 *
12	* 1.8845	* 1.7566	* 1.8630	* 1.9072	* 1.7002	* 2.0054	* 1.2624	*
	* 1.6458	* 1.7652	* 1.7151	* 1.7219	* 1.8993	* 1.6199	* 2.3320	*
13	* 1.9920	* 2.0290	* 1.9634	* 2.0093	* 2.0066	* 1.2227	* 0.6043	*
	* 1.5600	* 1.5384	* 1.6281	* 1.6542	* 1.6191	* 2.3526	* 4.6717	*
14	* 2.0433	* 2.0418	* 2.0149	* 2.0194	* 1.2643	* 0.6125	*	
	* 1.5184	* 1.5241	* 1.5769	* 1.6458	* 2.3289	* 4.5989	*	
15	* 0.9794	* 0.9779	* 0.9252	* 0.7792	* F-SUB-Q			
	* 2.8020	* 2.8114	* 2.9898	* 3.7089	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 327 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OF MARGIN) - POWER ESCALATION

AT 30% POWER, 4 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 2.1036	* 1.8155	* 2.0989	* 1.7981	* 1.9208	* 2.0166	* 2.0929	* 0.9890
	* 1.6353	* 1.9366	* 1.6066	* 1.8189	* 1.6725	* 1.5936	* 1.5316	* 2.8717
9	* 1.8155	* 1.8604	* 2.1170	* 1.9827	* 1.7719	* 2.0567	* 2.0911	* 0.9886
	* 1.9366	* 1.8484	* 1.6026	* 1.6624	* 1.8137	* 1.5706	* 1.5381	* 2.8780
10	* 2.0989	* 2.1169	* 1.7973	* 1.7341	* 1.9115	* 1.9957	* 2.0675	* 0.9332
	* 1.6066	* 1.6026	* 1.8550	* 1.9011	* 1.7423	* 1.6580	* 1.5915	* 3.0750
11	* 1.7981	* 1.9794	* 1.7342	* 1.9316	* 1.9524	* 2.0755	* 2.0878	* 0.7854
	* 1.8189	* 1.6652	* 1.9010	* 1.7838	* 1.7501	* 1.6622	* 1.6446	* 3.8318
12	* 1.9208	* 1.7717	* 1.9125	* 1.9532	* 1.7420	* 2.0856	* 1.2992	*
	* 1.6725	* 1.8140	* 1.7419	* 1.7495	* 1.9355	* 1.6239	* 2.3603	*
13	* 2.0166	* 2.0570	* 1.9974	* 2.0774	* 2.0869	* 1.2601	* 0.6170	*
	* 1.5936	* 1.5704	* 1.6568	* 1.6612	* 1.6230	* 2.3893	* 4.7865	*
14	* 2.0929	* 2.0918	* 2.0694	* 2.0910	* 1.3012	* 0.6256	*	*
	* 1.5316	* 1.5377	* 1.5901	* 1.6422	* 2.3572	* 4.7105	*	*
15	* 0.9890	* 0.9890	* 0.9348	* 0.7939	F-SUB-Q			
	* 2.8717	* 2.8767	* 3.0703	* 3.7664	M-SUB-Q			

AT 30% POWER, 4 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 2.1091	* 1.8025	* 2.0902	* 1.7829	* 1.9110	* 2.0011	* 2.0890	* 0.9871
	* 1.6970	* 2.0135	* 1.6749	* 1.9038	* 1.7384	* 1.6602	* 1.5875	* 2.9844
9	* 1.8025	* 1.8437	* 2.0988	* 1.9714	* 1.7563	* 2.0421	* 2.0877	* 0.9866
	* 2.0135	* 1.9356	* 1.6762	* 1.7336	* 1.8930	* 1.6347	* 1.5936	* 2.9902
10	* 2.0902	* 2.0987	* 1.7758	* 1.7152	* 1.9120	* 1.9888	* 2.0686	* 0.9320
	* 1.6749	* 1.6763	* 1.9472	* 1.9955	* 1.8143	* 1.7234	* 1.6447	* 3.1869
11	* 1.7829	* 1.9678	* 1.7140	* 1.9307	* 1.9523	* 2.0863	* 2.1020	* 0.7907
	* 1.9038	* 1.7367	* 1.9957	* 1.8563	* 1.8247	* 1.7199	* 1.7006	* 3.9584
12	* 1.9110	* 1.7560	* 1.9130	* 1.9531	* 1.7408	* 2.1011	* 1.3118	*
	* 1.7384	* 1.8934	* 1.8139	* 1.8240	* 2.0236	* 1.6847	* 2.4407	*
13	* 2.0011	* 2.0424	* 1.9905	* 2.0882	* 2.1023	* 1.2700	* 0.6200	*
	* 1.6602	* 1.6345	* 1.7222	* 1.7189	* 1.6838	* 2.4900	* 5.0070	*
14	* 2.0890	* 2.0883	* 2.0706	* 2.1052	* 1.3137	* 0.6288	*	*
	* 1.5875	* 1.5932	* 1.6433	* 1.6980	* 2.4373	* 4.9259	*	*
15	* 0.9871	* 0.9871	* 0.9336	* 0.7987	F-SUB-Q			
	* 2.9844	* 2.9890	* 3.1820	* 3.8933	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 328 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 30% POWER, 4 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 2.0997	* 1.7804	* 2.0777	* 1.7606	* 1.9042	* 1.9859	* 2.0877	* 0.9720
	* 1.7710	* 2.1095	* 1.7682	* 2.0236	* 1.8238	* 1.7467	* 1.6552	* 3.1582
9	* 1.7804	* 1.8210	* 2.0760	* 1.9606	* 1.7396	* 2.0283	* 2.0864	* 0.9700
	* 2.1095	* 2.0604	* 1.7793	* 1.8299	* 2.0003	* 1.7194	* 1.6627	* 3.1700
10	* 2.0777	* 2.0759	* 1.7502	* 1.6881	* 1.9122	* 1.9802	* 2.0708	* 0.9170
	* 1.7682	* 1.7795	* 2.0747	* 2.1272	* 1.9074	* 1.8128	* 1.7194	* 3.3875
11	* 1.7606	* 1.9569	* 1.6879	* 1.9260	* 1.9467	* 2.0917	* 2.1109	* 0.7790
	* 2.0236	* 1.8334	* 2.1276	* 1.9343	* 1.9099	* 1.7825	* 1.7640	* 4.2203
12	* 1.9042	* 1.7392	* 1.9132	* 1.9475	* 1.7337	* 2.1088	* 1.2978	*
	* 1.8238	* 2.0008	* 1.9070	* 1.9092	* 2.1225	* 1.7535	* 2.5738	*
13	* 1.9859	* 2.0285	* 1.9818	* 2.0937	* 2.1101	* 1.2567	* 0.6104	*
	* 1.7467	* 1.7193	* 1.8114	* 1.7809	* 1.7526	* 2.6337	* 5.3250	*
14	* 2.0877	* 2.0871	* 2.0728	* 2.1141	* 1.2998	* 0.6193	*	*
	* 1.6552	* 1.6623	* 1.7180	* 1.7615	* 2.5702	* 5.2355	*	*
15	* 0.9720	* 0.9705	* 0.9185	* 0.7865	* F-SUB-Q			
	* 3.1582	* 3.1687	* 3.3823	* 4.1529	* M-SUB-Q			

AT 30% POWER, 4 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 2.0581	* 1.7382	* 2.0362	* 1.7215	* 1.8728	* 1.9497	* 2.0578	* 0.9524
	* 1.8891	* 2.2631	* 1.9172	* 2.2014	* 1.9615	* 1.8814	* 1.7725	* 3.4020
9	* 1.7382	* 1.7784	* 2.0296	* 1.9230	* 1.7060	* 1.9922	* 2.0568	* 0.9499
	* 2.2631	* 2.2186	* 1.9375	* 1.9836	* 2.1572	* 1.8504	* 1.7813	* 3.4180
10	* 2.0362	* 2.0294	* 1.7074	* 1.6476	* 1.8852	* 1.9488	* 2.0439	* 0.8983
	* 1.9172	* 1.9377	* 2.2636	* 2.3191	* 2.0487	* 1.9424	* 1.8377	* 3.6402
11	* 1.7215	* 1.9192	* 1.6470	* 1.8949	* 1.9169	* 2.0675	* 2.0888	* 0.7650
	* 2.2014	* 1.9876	* 2.3197	* 2.0495	* 2.0180	* 1.8803	* 1.8607	* 4.5106
12	* 1.8728	* 1.7054	* 1.8862	* 1.9177	* 1.7062	* 2.0852	* 1.2768	*
	* 1.9615	* 2.1578	* 2.0482	* 2.0172	* 2.2480	* 1.8475	* 2.7241	*
13	* 1.9497	* 1.9924	* 1.9504	* 2.0694	* 2.0864	* 1.2358	* 0.5983	*
	* 1.8814	* 1.8502	* 1.9408	* 1.8791	* 1.8465	* 2.8059	* 5.6812	*
14	* 2.0578	* 2.0575	* 2.0458	* 2.0919	* 1.2787	* 0.6072	*	*
	* 1.7726	* 1.7808	* 1.8360	* 1.8581	* 2.7204	* 5.5844	*	*
15	* 0.9524	* 0.9503	* 0.8998	* 0.7721	* F-SUB-Q			
	* 3.4020	* 3.4165	* 3.6345	* 4.4395	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 329 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 30% POWER, 4 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 2.0140	* 1.6936	* 1.9938	* 1.6793	* 1.8407	* 1.9111	* 2.0261	* 0.9287 *
	* 2.0688	* 2.4669	* 2.0619	* 2.3744	* 2.0890	* 2.0070	* 1.8809	* 3.6347 *
9	* 1.6936	* 1.7340	* 1.9814	* 1.8846	* 1.6698	* 1.9542	* 2.0250	* 0.9236 *
	* 2.4669	* 2.4008	* 2.0959	* 2.1319	* 2.3105	* 1.9739	* 1.8902	* 3.6623 *
10	* 1.9938	* 1.9813	* 1.6635	* 1.6055	* 1.8558	* 1.9132	* 2.0137	* 0.8750 *
	* 2.0619	* 2.0961	* 2.4504	* 2.5028	* 2.1894	* 2.0769	* 1.9558	* 3.9105 *
11	* 1.6793	* 1.8807	* 1.6050	* 1.8617	* 1.8827	* 2.0383	* 2.0608	* 0.7456 *
	* 2.3744	* 2.1362	* 2.5036	* 2.2125	* 2.1787	* 2.0207	* 1.9906	* 4.8675 *
12	* 1.8407	* 1.6692	* 1.8567	* 1.8834	* 1.6747	* 2.0562	* 1.2465	*
	* 2.0890	* 2.3113	* 2.1890	* 2.1779	* 2.4360	* 1.9855	* 2.9537	*
13	* 1.9111	* 1.9543	* 1.9148	* 2.0401	* 2.0574	* 1.2073	* 0.5828	*
	* 2.0070	* 1.9737	* 2.0752	* 2.0190	* 1.9845	* 3.0442	* 6.1649	*
14	* 2.0261	* 2.0257	* 2.0156	* 2.0638	* 1.2483	* 0.5916	*	
	* 1.8809	* 1.8896	* 1.9541	* 1.9878	* 2.9498	* 6.0583	*	
15	* 0.9287	* 0.9243	* 0.8765	* 0.7516	* F-SUB-Q			
	* 3.6347	* 3.6607	* 3.9045	* 4.7963	* M-SUB-Q			

AT 30% POWER, 4 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.9241	* 1.6244	* 1.9046	* 1.6148	* 1.7647	* 1.8381	* 1.9448	* 0.9074 *
	* 2.3294	* 2.7420	* 2.2907	* 2.6237	* 2.2930	* 2.1967	* 2.0651	* 3.9182 *
9	* 1.6244	* 1.6613	* 1.8975	* 1.8003	* 1.6063	* 1.8796	* 1.9442	* 0.9049 *
	* 2.7420	* 2.6751	* 2.3325	* 2.3669	* 2.5264	* 2.1587	* 2.0731	* 3.9339 *
10	* 1.9046	* 1.8973	* 1.5941	* 1.5466	* 1.7808	* 1.8426	* 1.9347	* 0.8557 *
	* 2.2907	* 2.3327	* 2.7234	* 2.7637	* 2.3984	* 2.2599	* 2.1335	* 4.1836 *
11	* 1.6148	* 1.7964	* 1.5450	* 1.7865	* 1.8130	* 1.9604	* 1.9833	* 0.7345 *
	* 2.6237	* 2.3722	* 2.7647	* 2.4592	* 2.4225	* 2.2278	* 2.1928	* 5.1417 *
12	* 1.7647	* 1.6056	* 1.7816	* 1.8137	* 1.6139	* 1.9786	* 1.2232	*
	* 2.2930	* 2.5274	* 2.3980	* 2.4216	* 2.7180	* 2.2142	* 3.2125	*
13	* 1.8381	* 1.8798	* 1.8444	* 1.9621	* 1.9797	* 1.1818	* 0.5723	*
	* 2.1967	* 2.1585	* 2.2580	* 2.2260	* 2.2130	* 3.3429	* 6.7319	*
14	* 1.9448	* 1.9448	* 1.9365	* 1.9862	* 1.2249	* 0.5813	*	
	* 2.0651	* 2.0725	* 2.1315	* 2.1897	* 3.2082	* 6.6112	*	
15	* 0.9074	* 0.9053	* 0.8571	* 0.7411	* F-SUB-Q			
	* 3.9182	* 3.9321	* 4.1772	* 5.0623	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 330 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 30% POWER, 4 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8	* 1.8831	* 1.5768	* 1.8675	* 1.5686	* 1.7373	* 1.8003	* 1.9185	* 0.8743
	* 2.5315	* 3.0183	* 2.4488	* 2.8265	* 2.4348	* 2.3419	* 2.1774	* 4.2141

9	* 1.5768	* 1.6169	* 1.8512	* 1.7676	* 1.5696	* 1.8426	* 1.9176	* 0.8687
	* 3.0183	* 2.9270	* 2.5072	* 2.5288	* 2.7075	* 2.3016	* 2.1887	* 4.2501

10	* 1.8675	* 1.8510	* 1.5495	* 1.4969	* 1.7551	* 1.8083	* 1.9089	* 0.8227
	* 2.4488	* 2.5075	* 2.9354	* 2.9835	* 2.5572	* 2.4182	* 2.2659	* 4.5420

11	* 1.5686	* 1.7637	* 1.4962	* 1.7552	* 1.7778	* 1.9333	* 1.9578	* 0.7037
	* 2.8265	* 2.5342	* 2.9848	* 2.6907	* 2.6505	* 2.4292	* 2.3423	* 5.6238

12	* 1.7373	* 1.5689	* 1.7559	* 1.7784	* 1.5803	* 1.9513	* 1.1772	*
	* 2.4348	* 2.7087	* 2.5569	* 2.6496	* 2.9760	* 2.4056	* 3.5779	*

13	* 1.8003	* 1.8427	* 1.8101	* 1.9350	* 1.9524	* 1.1395	* 0.5483	*
	* 2.3419	* 2.3013	* 2.4163	* 2.4272	* 2.4043	* 3.7213	* 7.5165	*

14	* 1.9185	* 1.9182	* 1.9106	* 1.9606	* 1.1788	* 0.5566	*	
	* 2.1774	* 2.1881	* 2.2640	* 2.3388	* 3.5732	* 7.3864	*	

15	* 0.8743	* 0.8691	* 0.8240	* 0.7098	F-SUB-Q			
	* 4.2141	* 4.2482	* 4.5351	* 5.5388	M-SUB-Q			

AT 30% POWER, 4 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8	* 1.8127	* 1.5148	* 1.7992	* 1.5095	* 1.6802	* 1.7393	* 1.8582	* 0.8444
	* 2.5549	* 3.0307	* 2.5661	* 2.9927	* 2.6373	* 2.5485	* 2.3600	* 4.5711

9	* 1.5148	* 1.5541	* 1.7812	* 1.7043	* 1.5150	* 1.7808	* 1.8575	* 0.8391
	* 3.0307	* 2.9592	* 2.5943	* 2.6759	* 2.9286	* 2.5035	* 2.3724	* 4.6098

10	* 1.7992	* 1.7810	* 1.4887	* 1.4391	* 1.6989	* 1.7499	* 1.8498	* 0.7942
	* 2.5661	* 2.5947	* 3.0840	* 3.1872	* 2.7672	* 2.6271	* 2.4553	* 4.9283

11	* 1.5095	* 1.7005	* 1.4380	* 1.6963	* 1.7192	* 1.8748	* 1.8995	* 0.6805
	* 2.9927	* 2.6817	* 3.1890	* 2.7655	* 2.7562	* 2.5208	* 2.4914	* 6.1127

12	* 1.6802	* 1.5142	* 1.6997	* 1.7198	* 1.5277	* 1.8920	* 1.1389	*
	* 2.6373	* 2.9301	* 2.7662	* 2.7553	* 3.0974	* 2.5118	* 3.7546	*

13	* 1.7393	* 1.7809	* 1.7516	* 1.8764	* 1.8930	* 1.1019	* 0.5292	*
	* 2.5485	* 2.5033	* 2.6251	* 2.5189	* 2.5106	* 3.9193	* 7.9929	*

14	* 1.8582	* 1.8581	* 1.8515	* 1.9022	* 1.1405	* 0.5372	*	
	* 2.3600	* 2.3718	* 2.4532	* 2.4883	* 3.7500	* 7.8537	*	

15	* 0.8444	* 0.8395	* 0.7954	* 0.6862	F-SUB-Q			
	* 4.5711	* 4.6077	* 4.9209	* 6.0220	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 331 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 30% POWER, 4 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.7191	* 1.4409	* 1.7067	* 1.4384	* 1.5999	* 1.6602	* 1.7720	* 0.8167
	* 2.5988	* 3.0731	* 2.5314	* 2.9198	* 2.5744	* 2.4812	* 2.3303	* 4.4961
9	* 1.4409	* 1.4774	* 1.6927	* 1.6169	* 1.4460	* 1.7005	* 1.7714	* 0.8127
	* 3.0731	* 3.0016	* 2.5912	* 2.6191	* 2.8532	* 2.4447	* 2.3459	* 4.5303
10	* 1.7067	* 1.6925	* 1.4154	* 1.3753	* 1.6186	* 1.6727	* 1.7649	* 0.7681
	* 2.5314	* 2.5916	* 3.0379	* 3.0987	* 2.7251	* 2.6107	* 2.4487	* 4.8933
11	* 1.4384	* 1.6132	* 1.3736	* 1.6157	* 1.6424	* 1.7898	* 1.8147	* 0.6624
	* 2.9198	* 2.6250	* 3.1025	* 2.8058	* 2.7890	* 2.5510	* 2.5194	* 6.1016
12	* 1.5999	* 1.4452	* 1.6193	* 1.6429	* 1.4603	* 1.8068	* 1.1047	*
	* 2.5744	* 2.8548	* 2.7251	* 2.7881	* 3.1330	* 2.5434	* 3.7436	*
13	* 1.6602	* 1.7006	* 1.6743	* 1.7913	* 1.8077	* 1.0665	* 0.5132	*
	* 2.4812	* 2.4446	* 2.6089	* 2.5491	* 2.5422	* 3.9192	* 7.9768	*
14	* 1.7720	* 1.7719	* 1.7664	* 1.8172	* 1.1061	* 0.5216	*	*
	* 2.3303	* 2.3453	* 2.4468	* 2.5163	* 3.7391	* 7.8288	*	*
15	* 0.8167	* 0.8131	* 0.7692	* 0.6678	* F-SUB-Q			
	* 4.4961	* 4.5284	* 4.8865	* 6.0153	* M-SUB-Q			

AT 30% POWER, 4 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.6645	* 1.3850	* 1.6559	* 1.3846	* 1.5590	* 1.6100	* 1.7307	* 0.7795
	* 2.5157	* 2.9719	* 2.4363	* 2.8331	* 2.4725	* 2.3935	* 2.2321	* 4.4100
9	* 1.3850	* 1.4231	* 1.6346	* 1.5711	* 1.3989	* 1.6504	* 1.7299	* 0.7727
	* 2.9719	* 2.8978	* 2.5072	* 2.5206	* 2.7601	* 2.3565	* 2.2478	* 4.4619
10	* 1.6559	* 1.6343	* 1.3619	* 1.3168	* 1.5788	* 1.6252	* 1.7241	* 0.7314
	* 2.4363	* 2.5076	* 2.9496	* 3.0269	* 2.6189	* 2.5176	* 2.3489	* 4.8154
11	* 1.3846	* 1.5673	* 1.3157	* 1.5704	* 1.5939	* 1.7470	* 1.7736	* 0.6290
	* 2.8331	* 2.5264	* 3.0305	* 2.6780	* 2.6708	* 2.4338	* 2.3979	* 6.0277
12	* 1.5590	* 1.3981	* 1.5794	* 1.5944	* 1.4152	* 1.7637	* 1.0529	*
	* 2.4725	* 2.7619	* 2.6190	* 2.6701	* 3.0068	* 2.4185	* 3.6201	*
13	* 1.6100	* 1.6504	* 1.6267	* 1.7484	* 1.7646	* 1.0184	* 0.4871	*
	* 2.3935	* 2.3564	* 2.5159	* 2.4323	* 2.4176	* 3.7770	* 7.6624	*
14	* 1.7307	* 1.7305	* 1.7256	* 1.7760	* 1.0542	* 0.4946	*	*
	* 2.2321	* 2.2472	* 2.3472	* 2.3952	* 3.6162	* 7.5279	*	*
15	* 0.7795	* 0.7730	* 0.7325	* 0.6333	* F-SUB-Q			
	* 4.4100	* 4.4601	* 4.8089	* 5.9501	* M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 332 of 350

TABLE A-4 (CONTINUED)

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 30% POWER, 4 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5930	* 1.3217	* 1.5868	* 1.3236	* 1.4997	* 1.5460	* 1.6683	* 0.7456 *
	* 2.2943	* 2.7257	* 2.2698	* 2.6467	* 2.3108	* 2.2459	* 2.0880	* 4.1213 *
9	* 1.3217	* 1.3592	* 1.5627	* 1.5068	* 1.3416	* 1.5858	* 1.6674	* 0.7384 *
	* 2.7257	* 2.6578	* 2.3269	* 2.3476	* 2.5834	* 2.2102	* 2.1018	* 4.1736 *
10	* 1.5868	* 1.5624	* 1.3002	* 1.2567	* 1.5199	* 1.5636	* 1.6626	* 0.6988 *
	* 2.2698	* 2.3273	* 2.7567	* 2.8272	* 2.4388	* 2.3534	* 2.1892	* 4.4918 *
11	* 1.3236	* 1.5031	* 1.2558	* 1.5087	* 1.5319	* 1.6848	* 1.7120	* 0.6014 *
	* 2.6467	* 2.3531	* 2.8297	* 2.4465	* 2.4404	* 2.2161	* 2.1823	* 5.5943 *
12	* 1.4997	* 1.3407	* 1.5205	* 1.5324	* 1.3594	* 1.7006	* 1.0080	*
	* 2.3108	* 2.5852	* 2.4381	* 2.4398	* 2.7490	* 2.2042	* 3.3259	*
13	* 1.5460	* 1.5858	* 1.5650	* 1.6861	* 1.7014	* 0.9748	* 0.4647	*
	* 2.2459	* 2.2102	* 2.3521	* 2.2148	* 2.2034	* 3.4724	* 7.0771	*
14	* 1.6683	* 1.6679	* 1.6646	* 1.7143	* 1.0092	* 0.4719	*	*
	* 2.0880	* 2.1013	* 2.1878	* 2.1799	* 3.3225	* 6.9512	*	*
15	* 0.7456	* 0.7389	* 0.6999	* 0.6047	* F-SUB-Q			
	* 4.1213	* 4.1720	* 4.4862	* 5.5315	* M-SUB-Q			

AT 30% POWER, 4 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.5169	* 1.2574	* 1.5120	* 1.2608	* 1.4339	* 1.4777	* 1.5969	* 0.7148 *
	* 2.1266	* 2.5249	* 2.0684	* 2.4159	* 2.1079	* 2.0492	* 1.9040	* 3.7623 *
9	* 1.2574	* 1.2934	* 1.4883	* 1.4364	* 1.2813	* 1.5161	* 1.5962	* 0.7080 *
	* 2.5249	* 2.4599	* 2.1342	* 2.1401	* 2.3582	* 2.0149	* 1.9159	* 3.8076 *
10	* 1.5120	* 1.4881	* 1.2368	* 1.1976	* 1.4537	* 1.4956	* 1.5925	* 0.6697 *
	* 2.0684	* 2.1345	* 2.5152	* 2.5770	* 2.2230	* 2.1425	* 1.9922	* 4.0970 *
11	* 1.2608	* 1.4329	* 1.1960	* 1.4415	* 1.4645	* 1.6132	* 1.6404	* 0.5778 *
	* 2.4159	* 2.1452	* 2.5805	* 2.2695	* 2.2649	* 2.0497	* 2.0167	* 5.0790 *
12	* 1.4339	* 1.2804	* 1.4542	* 1.4650	* 1.2995	* 1.6288	* 0.9675	*
	* 2.1079	* 2.3599	* 2.2232	* 2.2643	* 2.5514	* 2.0422	* 3.0793	*
13	* 1.4777	* 1.5162	* 1.4970	* 1.6144	* 1.6296	* 0.9350	* 0.4456	*
	* 2.0492	* 2.0150	* 2.1413	* 2.0485	* 2.0414	* 3.2147	* 6.5679	*
14	* 1.5969	* 1.5966	* 1.5943	* 1.6425	* 0.9687	* 0.4525	*	*
	* 1.9040	* 1.9155	* 1.9909	* 2.0145	* 3.0762	* 6.4519	*	*
15	* 0.7148	* 0.7083	* 0.6707	* 0.5817	* F-SUB-Q			
	* 3.7623	* 3.8063	* 4.0919	* 5.0153	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 333 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

AT 30% POWER, 4 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	1.4324	1.1909	1.4278	1.1951	1.3579	1.4024	1.5136	0.6869
	2.1362	2.5331	2.0748	2.4162	2.1179	2.0544	1.9127	3.7394
9	1.1909	1.2237	1.4077	1.3567	1.2164	1.4392	1.5129	0.6820
	2.5331	2.4699	2.1332	2.1480	2.3628	2.0184	1.9235	3.7745
10	1.4278	1.4074	1.1707	1.1396	1.3769	1.4205	1.5103	0.6439
	2.0748	2.1336	2.5165	2.5667	2.2299	2.1408	1.9952	4.0618
11	1.1951	1.3532	1.1380	1.3655	1.3911	1.5310	1.5570	0.5583
	2.4162	2.1533	2.5703	2.2815	2.2707	2.0562	2.0228	4.9946
12	1.3579	1.2156	1.3773	1.3915	1.2343	1.5455	0.9324	
	2.1179	2.3646	2.2302	2.2701	2.5612	2.0528	3.0467	
13	1.4024	1.4392	1.4218	1.5321	1.5462	0.8988	0.4291	
	2.0544	2.0185	2.1396	2.0549	2.0520	3.2036	6.5387	
14	1.5136	1.5134	1.5120	1.5590	0.9335	0.4363		
	1.9127	1.9231	1.9939	2.0206	3.0436	6.4156		
15	0.6869	0.6823	0.6448	0.5621	F-SUB-Q			
	3.7394	3.7731	4.0569	4.9311	M-SUB-Q			

AT 30% POWER, 4 EFDP, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3830 *	* 1.1408 *	* 1.3822 *	* 1.1476 *	* 1.3190 *	* 1.3545 *	* 1.4723 *	* 0.6512 *
	* 1.9580 *	* 2.3271 *	* 1.8956 *	* 2.2302 *	* 1.9407 *	* 1.8928 *	* 1.7512 *	* 3.5224 *
9	* 1.1408 *	* 1.1751 *	* 1.3558 *	* 1.3153 *	* 1.1720 *	* 1.3911 *	* 1.4715 *	* 0.6438 *
	* 2.3271 *	* 2.2556 *	* 1.9553 *	* 1.9632 *	* 2.1804 *	* 1.8566 *	* 1.7606 *	* 3.5717 *
10	* 1.3822 *	* 1.3556 *	* 1.1234 *	* 1.0876 *	* 1.3375 *	* 1.3731 *	* 1.4692 *	* 0.6089 *
	* 1.8956 *	* 1.9557 *	* 2.3175 *	* 2.3811 *	* 2.0363 *	* 1.9632 *	* 1.8207 *	* 3.8259 *
11	* 1.1476 *	* 1.3119 *	* 1.0861 *	* 1.3224 *	* 1.3425 *	* 1.4870 *	* 1.5135 *	* 0.5255 *
	* 2.2302 *	* 1.9681 *	* 2.3845 *	* 2.0924 *	* 2.0921 *	* 1.8697 *	* 1.8335 *	* 4.7046 *
12	* 1.3190 *	* 1.1710 *	* 1.3379 *	* 1.3429 *	* 1.1898 *	* 1.5007 *	* 0.8813 *	
	* 1.9407 *	* 2.1822 *	* 2.0367 *	* 2.0916 *	* 2.3517 *	* 1.8782 *	* 2.8659 *	
13	* 1.3545 *	* 1.3911 *	* 1.3743 *	* 1.4880 *	* 1.5014 *	* 0.8518 *	* 0.4039 *	
	* 1.8928 *	* 1.8567 *	* 1.9622 *	* 1.8686 *	* 1.8775 *	* 2.9971 *	* 6.1838 *	
14	* 1.4723 *	* 1.4719 *	* 1.4708 *	* 1.5154 *	* 0.8823 *	* 0.4103 *		
	* 1.7512 *	* 1.7603 *	* 1.8195 *	* 1.8316 *	* 2.8631 *	* 6.0727 *		
15	* 0.6512 *	* 0.6442 *	* 0.6097 *	* 0.5279 *	F-SUB-Q			
	* 3.5224 *	* 3.5704 *	* 3.8213 *	* 4.6562 *	M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 334 of 350

F-SUB-O & M-SUB-O VALUES (F-SUB-O OP MARGIN) - POWER ESCALATION

AT 30% POWER, 4 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.3146 *	* 1.0845 *	* 1.3172 *	* 1.0929 *	* 1.2610 *	* 1.2944 *	* 1.4082 *	* 0.6213 *
	* 1.8157 *	* 2.1846 *	* 1.7798 *	* 2.0992 *	* 1.8283 *	* 1.7841 *	* 1.6504 *	* 3.3389 *
9	* 1.0845 *	* 1.1186 *	* 1.2922 *	* 1.2546 *	* 1.1189 *	* 1.3300 *	* 1.4071 *	* 0.6138 *
	* 2.1846 *	* 2.1189 *	* 1.8284 *	* 1.8444 *	* 2.0552 *	* 1.7475 *	* 1.6585 *	* 3.3863 *
10	* 1.3172 *	* 1.2919 *	* 1.0697 *	* 1.0361 *	* 1.2774 *	* 1.3112 *	* 1.4038 *	* 0.5802 *
	* 1.7798 *	* 1.8288 *	* 2.1753 *	* 2.2380 *	* 1.9103 *	* 1.8408 *	* 1.7084 *	* 3.6182 *
11	* 1.0929 *	* 1.2513 *	* 1.0346 *	* 1.2622 *	* 1.2812 *	* 1.4201 *	* 1.4454 *	* 0.5006 *
	* 2.0992 *	* 1.8491 *	* 2.2412 *	* 1.9442 *	* 1.9398 *	* 1.7455 *	* 1.7165 *	* 4.4243 *
12	* 1.2610 *	* 1.1179 *	* 1.2778 *	* 1.2816 *	* 1.1353 *	* 1.4327 *	* 0.8393 *	
	* 1.8283 *	* 2.0570 *	* 1.9106 *	* 1.9394 *	* 2.1821 *	* 1.7427 *	* 2.6726 *	
13	* 1.2944 *	* 1.3300 *	* 1.3123 *	* 1.4211 *	* 1.4333 *	* 0.8114 *	* 0.3843 *	
	* 1.7841 *	* 1.7476 *	* 1.8398 *	* 1.7446 *	* 1.7421 *	* 2.7980 *	* 5.7840 *	
14	* 1.4082 *	* 1.4075 *	* 1.4054 *	* 1.4471 *	* 0.8402 *	* 0.3903 *		
	* 1.6504 *	* 1.6581 *	* 1.7074 *	* 1.7148 *	* 2.6701 *	* 5.6812 *		
15	* 0.6213 *	* 0.6142 *	* 0.5810 *	* 0.5027 *	F-SUB-Q			
	* 3.3389 *	* 3.3851 *	* 3.6139 *	* 4.3798 *	M-SUB-Q			

AT 30% POWER, 4 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
8	* 1.2225	* 1.0210	* 1.2299	* 1.0306	* 1.1823	* 1.2215	* 1.3181	* 0.5965 *
	* 1.7715	* 2.0951	* 1.7273	* 2.0212	* 1.7794	* 1.7255	* 1.6097	* 3.1857 *
9	* 1.0210	* 1.0523	* 1.2153	* 1.1723	* 1.0575	* 1.2543	* 1.3173	* 0.5916 *
	* 2.0951	* 2.0224	* 1.7525	* 1.7912	* 1.9838	* 1.6888	* 1.6163	* 3.2171 *
10	* 1.2299	* 1.2150	* 1.0086	* 0.9842	* 1.1947	* 1.2329	* 1.3118	* 0.5575 *
	* 1.7273	* 1.7529	* 2.0888	* 2.1369	* 1.8501	* 1.7714	* 1.6578	* 3.4367 *
11	* 1.0306	* 1.1692	* 0.9828	* 1.1828	* 1.2057	* 1.3269	* 1.3491	* 0.4829 *
	* 2.0212	* 1.7957	* 2.1400	* 1.8862	* 1.8696	* 1.6888	* 1.6540	* 4.1576 *
12	* 1.1823	* 1.0567	* 1.1950	* 1.2061	* 1.0696	* 1.3381	* 0.8048	*
	* 1.7794	* 1.9854	* 1.8505	* 1.8692	* 2.0976	* 1.6908	* 2.5356	*
13	* 1.2215	* 1.2542	* 1.2339	* 1.3278	* 1.3386	* 0.7766	* 0.3705	*
	* 1.7255	* 1.6889	* 1.7705	* 1.6879	* 1.6902	* 2.6454	* 5.4467	*
14	* 1.3181	* 1.3177	* 1.3127	* 1.3507	* 0.8056	* 0.3760	*	
	* 1.6097	* 1.6160	* 1.6569	* 1.6523	* 2.5333	* 5.3540	*	
15	* 0.5965	* 0.5918	* 0.5582	* 0.4860	* F-SUB-Q			
	* 3.1857	* 3.2160	* 3.4328	* 4.1063	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 335 of 350

	H	G	F	E	D	C	B	A
8	* 1.0293	* 0.8801	* 1.0736	* 0.9237	* 1.0463	* 1.0871	* 1.1573	* 0.5341
	* 1.7733	* 2.0653	* 1.6786	* 1.9417	* 1.7413	* 1.6817	* 1.5915	* 3.1100
9	* 0.8801	* 0.9061	* 1.0489	* 1.0376	* 0.9467	* 1.1059	* 1.1556	* 0.5263
	* 2.0653	* 2.0036	* 1.7331	* 1.7386	* 1.9173	* 1.6580	* 1.5975	* 3.1594
10	* 1.0736	* 1.0486	* 0.8778	* 0.8786	* 1.0578	* 1.0903	* 1.1488	* 0.4958
	* 1.6786	* 1.7334	* 2.0568	* 2.0632	* 1.7818	* 1.7162	* 1.6263	* 3.3555
11	* 0.9237	* 1.0350	* 0.8783	* 1.0491	* 1.0619	* 1.1577	* 1.1719	* 0.4210
	* 1.9417	* 1.7428	* 2.0652	* 1.7857	* 1.7894	* 1.6347	* 1.6175	* 4.0926
12	* 1.0463	* 0.9459	* 1.0580	* 1.0621	* 0.9394	* 1.1568	* 0.6975	*
	* 1.7413	* 1.9189	* 1.7815	* 1.7891	* 2.0171	* 1.6495	* 2.4711	*
13	* 1.0871	* 1.1058	* 1.0910	* 1.1583	* 1.1572	* 0.6703	* 0.3204	*
	* 1.6817	* 1.6582	* 1.7154	* 1.6339	* 1.6490	* 2.6050	* 5.3696	*
14	* 1.1573	* 1.1558	* 1.1496	* 1.1732	* 0.6982	* 0.3247	*	*
	* 1.5915	* 1.5972	* 1.6254	* 1.6161	* 2.4690	* 5.2859	*	*
15	* 0.5341	* 0.5265	* 0.4964	* 0.4232	* F-SUB-Q			
	* 3.1100	* 3.1584	* 3.3520	* 4.0479	* M-SUB-Q			

MCEI-0400-420
Appendix A, Rev. 0
Page 336 of 350

F-SUB-Q & M-SUB-Q VALUES (F-SUB-Q OP MARGIN) - POWER ESCALATION

	H	G	F	E	D	C	B	A
8	* 0.3396	* 0.3001	* 0.3828	* 0.3311	* 0.3966	* 0.3474	* 0.3649	* 0.1900
	* 4.7796	* 5.3974	* 4.2126	* 4.8719	* 4.0846	* 4.7044	* 4.5209	* 7.9231
9	* 0.3001	* 0.2898	* 0.3324	* 0.3867	* 0.3340	* 0.3416	* 0.3632	* 0.1866
	* 5.3974	* 5.5935	* 4.8662	* 4.1723	* 4.8527	* 4.8109	* 4.5505	* 8.0712
10	* 0.3828	* 0.3321	* 0.2933	* 0.3275	* 0.3967	* 0.3434	* 0.3583	* 0.1784
	* 4.2126	* 4.8706	* 5.5357	* 5.0007	* 4.1605	* 4.8611	* 4.6526	* 8.4274
11	* 0.3311	* 0.3861	* 0.3274	* 0.3864	* 0.3426	* 0.3901	* 0.3382	* 0.1547
	* 4.8719	* 4.1788	* 5.0046	* 4.2858	* 4.8867	* 4.3075	* 4.9806	* 10.0323
12	* 0.3966	* 0.3337	* 0.3967	* 0.3426	* 0.3107	* 0.3404	* 0.2355	
	* 4.0846	* 4.8574	* 4.1614	* 4.8865	* 5.4317	* 4.9956	* 6.5558	
13	* 0.3474	* 0.3416	* 0.3435	* 0.3902	* 0.3405	* 0.2213	* 0.1130	
	* 4.7044	* 4.8113	* 4.8605	* 4.3063	* 4.9942	* 7.0470	* 13.7040	
14	* 0.3649	* 0.3633	* 0.3585	* 0.3386	* 0.2357	* 0.1138		
	* 4.5209	* 4.5496	* 4.6501	* 4.9767	* 6.5515	* 13.5762		
15	* 0.1900	* 0.1866	* 0.1786	* 0.1536	F-SUB-Q			
	* 7.9231	* 8.0691	* 8.4208	* 10.0449	M-SUB-Q			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 337 of 350

TABLE A-5

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 24 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	3.3796	4.1361	3.2124	3.9077	3.2151	3.9948	3.6616	6.4828
9*	4.1361	4.2865	3.8504	3.1904	3.9832	4.0944	3.6659	6.5056
10*	3.2124	3.8501	4.2232	3.9163	3.1836	3.9800	3.6920	6.6375
11*	3.9077	3.1898	3.9154	3.1974	3.8907	3.3246	3.8522	7.9253
12*	3.2151	3.9828	3.1829	3.8900	4.2485	3.6986	5.0882	
13*	3.9948	4.0939	3.9786	3.3238	3.6975	5.2716	9.4954	
14*	3.6616	3.6650	3.6898	3.8495	5.0843	9.4155		
15 *	6.4828	6.5026	6.6310	7.9190				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 23 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.5181	1.9739	1.4399	1.8870	1.4703	1.8052	1.5138	2.9234
9*	1.9739	2.0076	1.7275	1.4415	1.9242	1.8247	1.5149	2.9200
10*	1.4399	1.7275	2.0209	1.9084	1.4471	1.7740	1.5219	3.0264
11*	1.8870	1.4415	1.9080	1.4463	1.7647	1.4902	1.5672	3.6904
12*	1.4703	1.9242	1.4469	1.7645	2.0014	1.5134	2.2507	
13*	1.8052	1.8245	1.7734	1.4898	1.5130	2.2960	4.3295	
14*	1.5138	1.5145	1.5209	1.5658	2.2488	4.2773		
15 *	2.9234	2.9186	3.0232	3.6277				

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 338 of 350

TABLE A-5 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 22 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8*	1.3966	1.6927	1.4362	1.6771	1.5471	1.5954	1.4424	2.6003
9*	1.6927	1.6849	1.5099	1.4718	1.7380	1.5804	1.4426	2.5998
10*	1.4362	1.5100	1.7157	1.7172	1.5195	1.5760	1.4390	2.6924
11*	1.6771	1.4718	1.7166	1.4656	1.5648	1.4002	1.3893	3.2228
12*	1.5471	1.7379	1.5191	1.5647	1.7103	1.3602	1.9677	
13*	1.5954	1.5802	1.5753	1.3998	1.3597	1.9969	3.7304	
14*	1.4424	1.4423	1.4381	1.3880	1.9657	3.6808		
15 *	2.6003	2.5989	2.6892	3.1643				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 21 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8*	1.2857	1.5994	1.3403	1.6202	1.4606	1.5082	1.3404	2.5681
9*	1.5994	1.5791	1.4159	1.3975	1.6661	1.4827	1.3401	2.5627
10*	1.3403	1.4159	1.6209	1.6563	1.4323	1.5005	1.3399	2.6665
11*	1.6202	1.3991	1.6560	1.3897	1.4763	1.3023	1.2894	3.1801
12*	1.4606	1.6661	1.4318	1.4759	1.6148	1.2592	1.9097	
13*	1.5082	1.4826	1.4997	1.3019	1.2587	1.9298	3.6747	
14*	1.3404	1.3398	1.3386	1.2881	1.9076	3.6175		
15 *	2.5681	2.5612	2.6629	3.1242				

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 339 of 350

TABLE A-5 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 20 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.2669	1.6003	1.3311	1.6287	1.4508	1.5048	1.3215	2.5841
9*	1.6003	1.5864	1.4154	1.3911	1.6725	1.4768	1.3205	2.5791
10*	1.3311	1.4154	1.6329	1.6747	1.4223	1.4946	1.3196	2.6803
11*	1.6287	1.3931	1.6745	1.3831	1.4708	1.2825	1.2667	3.1877
12*	1.4508	1.6726	1.4218	1.4704	1.6154	1.2381	1.9013	
13*	1.5048	1.4767	1.4935	1.2820	1.2375	1.9280	3.7178	
14*	1.3215	1.3201	1.3186	1.2653	1.8991	3.6584		
15 *	2.5841	2.5775	2.6765	3.1341				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 19 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.2905	1.6348	1.3569	1.6726	1.4814	1.5373	1.3412	2.6380
9*	1.6348	1.6261	1.4484	1.4230	1.7148	1.5069	1.3394	2.6360
10*	1.3569	1.4485	1.6806	1.7249	1.4445	1.5130	1.3299	2.7338
11*	1.6726	1.4253	1.7250	1.4106	1.4987	1.2982	1.2763	3.2243
12*	1.4814	1.7150	1.4439	1.4982	1.6526	1.2557	1.9270	
13*	1.5373	1.5068	1.5117	1.2977	1.2551	1.9672	3.8212	
14*	1.3412	1.3391	1.3285	1.2748	1.9246	3.7588		
15 *	2.6380	2.6343	2.7300	3.1720				

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 340 of 350

TABLE A-5 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 18 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8*	1.3262	1.6987	1.3964	1.7346	1.5182	1.5792	1.3668	2.7419
9*	1.6987	1.6853	1.4965	1.4650	1.7690	1.5460	1.3649	2.7399
10*	1.3964	1.4966	1.7454	1.7925	1.4733	1.5440	1.3495	2.8412
11*	1.7346	1.4675	1.7927	1.4436	1.5309	1.3188	1.2945	3.3505
12*	1.5182	1.7694	1.4727	1.5304	1.6911	1.2741	1.9899	
13*	1.5792	1.5459	1.5428	1.3183	1.2735	2.0330	3.9801	
14*	1.3668	1.3645	1.3481	1.2929	1.9874	3.9125		
15 *	2.7419	2.7381	2.8355	3.2978				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 17 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8*	1.4040	1.8055	1.4702	1.8315	1.5871	1.6510	1.4213	2.8796
9*	1.8055	1.7821	1.5779	1.5410	1.8558	1.6148	1.4192	2.8794
10*	1.4702	1.5780	1.8462	1.8952	1.5378	1.6081	1.4007	2.9861
11*	1.8315	1.5438	1.8956	1.5129	1.6004	1.3727	1.3436	3.5179
12*	1.5871	1.8563	1.5372	1.5999	1.7728	1.3269	2.0859	
13*	1.6510	1.6147	1.6067	1.3721	1.3263	2.1368	4.2028	
14*	1.4213	1.4188	1.3992	1.3420	2.0834	4.1304		
15 *	2.8796	2.8775	2.9801	3.4636				

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 341 of 350

TABLE A-5 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 16 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8*	1.5117	1.9379	1.5634	1.9540	1.6723	1.7417	1.4904	3.0589
9*	1.9379	1.9044	1.6809	1.6356	1.9650	1.7018	1.4883	3.0603
10*	1.5634	1.6811	1.9723	2.0234	1.6218	1.6940	1.4693	3.1765
11*	1.9540	1.6387	2.0240	1.6034	1.6960	1.4464	1.4108	3.7481
12*	1.6723	1.9656	1.6211	1.6954	1.8879	1.4003	2.2233	
13*	1.7417	1.7018	1.6925	1.4459	1.3996	2.2852	4.5060	
14*	1.4904	1.4879	1.4677	1.4091	2.2206	4.4270		
15 *	3.0589	3.0583	3.1701	3.6949				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 15 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8*	1.6640	2.1115	1.7080	2.1209	1.8113	1.8783	1.6089	3.2313
9*	2.1115	2.0750	1.8308	1.7838	2.1217	1.8358	1.6072	3.2395
10*	1.7080	1.8310	2.1466	2.1981	1.7656	1.8338	1.5927	3.3772
11*	2.1209	1.7872	2.1988	1.7502	1.8444	1.5738	1.5299	3.9633
12*	1.8113	2.1224	1.7649	1.8438	2.0577	1.5252	2.3745	
13*	1.8783	1.8357	1.8322	1.5727	1.5245	2.4550	4.8194	
14*	1.6089	1.6068	1.5910	1.5281	2.3717	4.7320		
15 *	3.2313	3.2382	3.3724	3.9037				

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 342 of 350

TABLE A-5 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 14 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.7467	2.2232	1.7873	2.2231	1.8872	1.9653	1.6696	3.4388
9*	2.2232	2.1832	1.9294	1.8570	2.2294	1.9206	1.6692	3.4517
10*	1.7873	1.9296	2.2568	2.3099	1.8550	1.9302	1.6653	3.6025
11*	2.2231	1.8604	2.3108	1.8515	1.9576	1.6564	1.6064	4.2645
12*	1.8872	2.2303	1.8543	1.9570	2.1871	1.6104	2.5649	
13*	1.9653	1.9205	1.9286	1.6555	1.6096	2.6526	5.2158	
14*	1.6696	1.6688	1.6636	1.6045	2.5619	5.1260		
15 *	3.4388	3.4495	3.5975	4.2018				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 13 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.8171	2.3053	1.8525	2.3136	1.9812	2.0758	1.7659	3.6277
9*	2.3053	2.2651	2.0000	1.9297	2.3385	2.0335	1.7661	3.6470
10*	1.8525	2.0002	2.3497	2.4198	1.9629	2.0467	1.7616	3.8110
11*	2.3136	1.9335	2.4209	1.9458	2.0811	1.7535	1.6987	4.5073
12*	1.9812	2.3395	1.9623	2.0805	2.3199	1.7094	2.7243	
13*	2.0758	2.0335	2.0451	1.7525	1.7086	2.8134	5.4831	
14*	1.7659	1.7657	1.7597	1.6967	2.7214	5.3883		
15 *	3.6277	3.6449	3.8061	4.4409				

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 343 of 350

TABLE A-5 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 12 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.7889	2.2627	1.8293	2.2691	1.9666	2.0529	1.7624	3.6154
9*	2.2627	2.2274	1.9758	1.9025	2.3154	2.0097	1.7634	3.6332
10*	1.8293	1.9760	2.3104	2.3710	1.9577	2.0473	1.7704	3.8078
11*	2.2691	1.9062	2.3736	1.9496	2.0832	1.7578	1.7116	4.4966
12*	1.9666	2.3165	1.9571	2.0826	2.3291	1.7264	2.7108	
13*	2.0529	2.0097	2.0457	1.7569	1.7257	2.8316	5.5721	
14*	1.7624	1.7630	1.7692	1.7098	2.7078	5.4692		
15 *	3.6154	3.6318	3.8028	4.4343				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 11 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.7250	2.1984	1.7589	2.1959	1.8868	1.9892	1.6953	3.5407
9*	2.1984	2.1576	1.9081	1.8259	2.2335	1.9469	1.6975	3.5707
10*	1.7589	1.9083	2.2387	2.3053	1.8915	1.9898	1.7084	3.7423
11*	2.1959	1.8296	2.3067	1.8746	2.0274	1.7002	1.6537	4.4392
12*	1.8868	2.2347	1.8911	2.0268	2.2611	1.6693	2.6787	
13*	1.9892	1.9470	1.9883	1.6994	1.6686	2.7840	5.4930	
14*	1.6953	1.6971	1.7073	1.6519	2.6760	5.3965		
15 *	3.5407	3.5687	3.7377	4.3840				

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 344 of 350

TABLE A-5 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 10 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.6455	2.0895	1.6683	2.0859	1.7794	1.8725	1.5906	3.3406
9*	2.0895	2.0504	1.8135	1.7300	2.1147	1.8312	1.5919	3.3670
10*	1.6683	1.8138	2.1279	2.1906	1.7705	1.8615	1.5957	3.5257
11*	2.0859	1.7334	2.1920	1.7708	1.8966	1.5875	1.5408	4.1684
12*	1.7794	2.1160	1.7701	1.8961	2.1269	1.5557	2.5062	
13*	1.8725	1.8313	1.8603	1.5868	1.5552	2.6114	5.1929	
14*	1.5906	1.5916	1.5942	1.5393	2.5037	5.1007		
15 *	3.3406	3.3651	3.5213	4.1220				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 9 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.5535	1.9795	1.5767	1.9768	1.6804	1.7667	1.4973	3.1546
9*	1.9795	1.9420	1.7143	1.6373	1.9997	1.7259	1.4980	3.1822
10*	1.5767	1.7146	2.0180	2.0781	1.6649	1.7479	1.4963	3.3272
11*	1.9768	1.6407	2.0796	1.6679	1.7815	1.4876	1.4429	3.9174
12*	1.6804	2.0010	1.6645	1.7810	2.0013	1.4579	2.3508	
13*	1.7667	1.7259	1.7467	1.4869	1.4573	2.4517	4.8954	
14*	1.4973	1.4977	1.4949	1.4414	2.3485	4.8075		
15 *	3.1546	3.1804	3.3232	3.8686				

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 345 of 350

TABLE A-5 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 8 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8*	1.4859	1.8949	1.5116	1.8927	1.6110	1.6877	1.4307	2.9887
9*	1.8949	1.8605	1.6405	1.5724	1.9134	1.6472	1.4308	3.0089
10*	1.5116	1.6407	1.9351	1.9860	1.5902	1.6622	1.4249	3.1481
11*	1.8927	1.5759	1.9885	1.5927	1.6921	1.4140	1.3714	3.6836
12*	1.6110	1.9147	1.5898	1.6917	1.9031	1.3848	2.2068	
13*	1.6877	1.6472	1.6610	1.4134	1.3843	2.3065	4.6181	
14*	1.4307	1.4305	1.4237	1.3700	2.2047	4.5298		
15 *	2.9887	3.0078	3.1442	3.6370				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 7 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A

8*	1.3911	1.8014	1.4221	1.7989	1.5133	1.5925	1.3391	2.8842
9*	1.8014	1.7649	1.5504	1.4795	1.8128	1.5521	1.3394	2.9110
10*	1.4221	1.5506	1.8385	1.8964	1.4890	1.5624	1.3306	3.0444
11*	1.7989	1.4828	1.8979	1.4946	1.5885	1.3202	1.2799	3.5756
12*	1.5133	1.8142	1.4887	1.5881	1.7853	1.2910	2.1224	
13*	1.5925	1.5521	1.5614	1.3197	1.2906	2.2095	4.4670	
14*	1.3391	1.3391	1.3294	1.2786	2.1204	4.3868		
15 *	2.8842	2.9093	3.0397	3.5389				

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 346 of 350

TABLE A-5 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 6 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.3310	1.7321	1.3622	1.7294	1.4522	1.5293	1.2832	2.7858
9*	1.7321	1.6955	1.4850	1.4186	1.7401	1.4887	1.2831	2.8129
10*	1.3622	1.4852	1.7675	1.8231	1.4267	1.4950	1.2720	2.9423
11*	1.7294	1.4219	1.8246	1.4283	1.5199	1.2620	1.2235	3.4521
12*	1.4522	1.7414	1.4264	1.5196	1.7081	1.2338	2.0411	
13*	1.5293	1.4888	1.4940	1.2615	1.2333	2.1230	4.3025	
14*	1.2832	1.2829	1.2709	1.2223	2.0392	4.2259		
15 *	2.7858	2.8113	2.9372	3.4177				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 5 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.3167	1.6987	1.3428	1.6911	1.4263	1.4958	1.2635	2.6879
9*	1.6987	1.6613	1.4531	1.3990	1.6970	1.4557	1.2631	2.7097
10*	1.3428	1.4533	1.7297	1.7747	1.4075	1.4639	1.2541	2.8369
11*	1.6911	1.4024	1.7772	1.4013	1.4876	1.2430	1.2064	3.3149
12*	1.4263	1.6983	1.4072	1.4873	1.6720	1.2160	1.9658	
13*	1.4958	1.4558	1.4630	1.2425	1.2156	2.0496	4.1291	
14*	1.2635	1.2629	1.2530	1.2052	1.9641	4.0588		
15 *	2.6879	2.7088	2.8336	3.2742				

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 347 of 350

TABLE A-5 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 4 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.3021	1.6690	1.3107	1.6451	1.3797	1.4456	1.2266	2.6466
9*	1.6690	1.6253	1.4161	1.3587	1.6414	1.4097	1.2266	2.6781
10*	1.3107	1.4164	1.6872	1.7306	1.3640	1.4212	1.2209	2.8038
11*	1.6451	1.3619	1.7321	1.3613	1.4476	1.2122	1.1782	3.3106
12*	1.3797	1.6427	1.3638	1.4473	1.6236	1.1892	1.9607	
13*	1.4456	1.4098	1.4204	1.2117	1.1889	2.0366	4.1255	
14*	1.2266	1.2263	1.2199	1.1771	1.9590	4.0593		
15 *	2.6466	2.6767	2.8008	3.2716				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 3 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.3607	1.7166	1.3325	1.6457	1.3963	1.4554	1.2495	2.6260
9*	1.7166	1.6811	1.4634	1.3743	1.6448	1.4305	1.2502	2.6613
10*	1.3325	1.4637	1.7326	1.7354	1.3764	1.4362	1.2453	2.7910
11*	1.6457	1.3777	1.7368	1.3690	1.4681	1.2354	1.2041	3.3320
12*	1.3963	1.6461	1.3762	1.4679	1.6507	1.2217	1.9825	
13*	1.4554	1.4306	1.4354	1.2349	1.2213	2.0726	4.1997	
14*	1.2495	1.2500	1.2444	1.2031	1.9809	4.1344		
15 *	2.6260	2.6600	2.7882	3.2954				

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 348 of 350

TABLE A-5 (CONTINUED)

M-SUB-C VALUES (F-SUB-Q RPS MARGIN) POWER ESCALATION

AT 118% POWER, 4 EFPD, THIS IS LEVEL 2 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	1.4820	1.9833	1.3283	1.8420	1.3268	1.6476	1.2996	2.8798
9*	1.9833	2.0125	1.6778	1.3325	1.8331	1.6555	1.3032	2.9143
10*	1.3283	1.6794	2.0507	1.8886	1.3113	1.6467	1.3097	3.0653
11*	1.8420	1.3350	1.8901	1.3322	1.6611	1.3079	1.3509	3.7139
12*	1.3268	1.8350	1.3114	1.6609	1.9277	1.3531	2.2063	
13*	1.6476	1.6557	1.6459	1.3077	1.3528	2.3630	4.7839	
14*	1.2996	1.3029	1.3089	1.3497	2.2048	4.7130		
15 *	2.8798	2.9130	3.0626	3.6713				

AT 118% POWER, 4 EFPD, THIS IS LEVEL 1 OF 24
(LEVEL 24 = TOP OF CORE, LEVEL 1 = BOTTOM)

	H	G	F	E	D	C	B	A
*****	*****	*****	*****	*****	*****	*****	*****	*****
8*	3.6071	4.4249	3.2571	4.0424	3.1719	3.9352	3.4459	6.5340
9*	4.4249	4.5955	4.0201	3.2145	4.0340	4.0158	3.4580	6.6433
10*	3.2571	4.0236	4.5522	4.1118	3.1693	3.9625	3.4889	6.8641
11*	4.0424	3.2189	4.1126	3.2302	3.9576	3.1994	3.6580	8.0506
12*	3.1719	4.0376	3.1700	3.9575	4.3659	3.6189	5.1666	
13*	3.9352	4.0162	3.9620	3.1990	3.6180	5.5235	10.6395	
14*	3.4459	3.4574	3.4872	3.6554	5.1634	10.5373		
15 *	6.5340	6.6408	6.8590	8.0609				

MCEI-0400-420
Appendix A, Rev. 0
Page 349 of 350

F-DEL-H & M-DEL-H VALUES - POWER ESCALATION

	H	G	F	E	D	C	B	A
8	* 1.4117 *	* 1.2141 *	* 1.4143 *	* 1.2205 *	* 1.3089 *	* 1.3380 *	* 1.4015 *	* 0.6805 *
	* 1.2390 *	* 1.4605 *	* 1.2780 *	* 1.4425 *	* 1.3315 *	* 1.2956 *	* 1.2671 *	* 2.3860 *
9	* 1.2141 *	* 1.2352 *	* 1.3967 *	* 1.3578 *	* 1.1959 *	* 1.3609 *	* 1.3994 *	* 0.6759 *
	* 1.4605 *	* 1.4417 *	* 1.2802 *	* 1.3071 *	* 1.4530 *	* 1.2774 *	* 1.2709 *	* 2.4046 *
10	* 1.4143 *	* 1.3965 *	* 1.1933 *	* 1.1676 *	* 1.3119 *	* 1.3280 *	* 1.3930 *	* 0.6410 *
	* 1.2780 *	* 1.2802 *	* 1.4788 *	* 1.5100 *	* 1.3644 *	* 1.3446 *	* 1.2871 *	* 2.5667 *
11	* 1.2205 *	* 1.3561 *	* 1.1671 *	* 1.3385 *	* 1.3145 *	* 1.4263 *	* 1.4321 *	* 0.5506 *
	* 1.4425 *	* 1.3084 *	* 1.5103 *	* 1.3290 *	* 1.3428 *	* 1.2824 *	* 1.2761 *	* 3.1103 *
12	* 1.3089 *	* 1.1953 *	* 1.3123 *	* 1.3148 *	* 1.1679 *	* 1.4314 *	* 0.8968 *	
	* 1.3315 *	* 1.4534 *	* 1.3640 *	* 1.3424 *	* 1.4854 *	* 1.2512 *	* 1.9328 *	
13	* 1.3380 *	* 1.3609 *	* 1.3290 *	* 1.4272 *	* 1.4319 *	* 0.8690 *	* 0.4374 *	
	* 1.2956 *	* 1.2773 *	* 1.3437 *	* 1.2818 *	* 1.2507 *	* 1.9660 *	* 3.7608 *	
14	* 1.4015 *	* 1.3997 *	* 1.3940 *	* 1.4336 *	* 0.8977 *	* 0.4434 *		
	* 1.2671 *	* 1.2707 *	* 1.2863 *	* 1.2747 *	* 1.9306 *	* 3.7098 *		
15	* 0.6805 *	* 0.6762 *	* 0.6418 *	* 0.5548 *	F-DEL-H			
	* 2.3860 *	* 2.4037 *	* 2.5633 *	* 3.0840 *	M-DEL-H			

	H	G	F	E	D	C	B	A
8	* 1.4040 *	* 1.2092 *	* 1.4157 *	* 1.2165 *	* 1.3138 *	* 1.3496 *	* 1.4157 *	* 0.6772 *
	* 1.5243 *	* 1.7984 *	* 1.5033 *	* 1.6627 *	* 1.5342 *	* 1.4750 *	* 1.4491 *	* 2.7970 *
9	* 1.2092 *	* 1.2331 *	* 1.3999 *	* 1.3551 *	* 1.1983 *	* 1.3739 *	* 1.4140 *	* 0.6729 *
	* 1.7984 *	* 1.7101 *	* 1.4814 *	* 1.5173 *	* 1.6596 *	* 1.4555 *	* 1.4587 *	* 2.8136 *
10	* 1.4157 *	* 1.3998 *	* 1.1901 *	* 1.1626 *	* 1.3175 *	* 1.3403 *	* 1.4063 *	* 0.6375 *
	* 1.5033 *	* 1.4814 *	* 1.7235 *	* 1.7406 *	* 1.6048 *	* 1.5286 *	* 1.4898 *	* 3.0113 *
11	* 1.2165 *	* 1.3534 *	* 1.1621 *	* 1.3394 *	* 1.3216 *	* 1.4359 *	* 1.4411 *	* 0.5457 *
	* 1.6627 *	* 1.5185 *	* 1.7408 *	* 1.6325 *	* 1.6407 *	* 1.5304 *	* 1.5108 *	* 3.6399 *
12	* 1.3138 *	* 1.1977 *	* 1.3179 *	* 1.3219 *	* 1.1677 *	* 1.4371 *	* 0.8941 *	
	* 1.5342 *	* 1.6599 *	* 1.6046 *	* 1.6402 *	* 1.8207 *	* 1.5102 *	* 2.3322 *	
13	* 1.3496 *	* 1.3740 *	* 1.3414 *	* 1.4369 *	* 1.4377 *	* 0.8641 *	* 0.4297 *	
	* 1.4750 *	* 1.4554 *	* 1.5276 *	* 1.5296 *	* 1.5096 *	* 2.3687 *	* 4.6723 *	
14	* 1.4157 *	* 1.4143 *	* 1.4073 *	* 1.4428 *	* 0.8952 *	* 0.4357 *		
	* 1.4491 *	* 1.4583 *	* 1.4887 *	* 1.5088 *	* 2.3294 *	* 4.6089 *		
15	* 0.6772 *	* 0.6731 *	* 0.6383 *	* 0.5499 *	F-DEL-H			
	* 2.7970 *	* 2.8125 *	* 3.0069 *	* 3.6050 *	M-DEL-H			

McGuire 1 Cycle 29 Core Operating Limits Report

MCEI-0400-420
Appendix A, Rev. 0
Page 350 of 350

TABLE A-6 (CONTINUED)

F-DEL-H & M-DEL-H VALUES - POWER ESCALATION

AT 50% POWER, 4 EFPD

	H	G	F	E	D	C	B	A
8	* 1.3909	* 1.1997	* 1.4127	* 1.2093	* 1.3191	* 1.3613	* 1.4322	* 0.6755 *
	* 1.4794	* 1.7346	* 1.4490	* 1.6269	* 1.4297	* 1.4226	* 1.3817	* 2.7533 *
9	* 1.1997	* 1.2264	* 1.3983	* 1.3496	* 1.2001	* 1.3871	* 1.4307	* 0.6715 *
	* 1.7346	* 1.6720	* 1.4442	* 1.4892	* 1.6133	* 1.4036	* 1.3923	* 2.7669 *
10	* 1.4127	* 1.3982	* 1.1832	* 1.1552	* 1.3237	* 1.3541	* 1.4218	* 0.6356 *
	* 1.4490	* 1.4440	* 1.6735	* 1.7041	* 1.5007	* 1.4801	* 1.4413	* 2.9721 *
11	* 1.2093	* 1.3479	* 1.1548	* 1.3399	* 1.3289	* 1.4469	* 1.4526	* 0.5422 *
	* 1.6269	* 1.4903	* 1.7041	* 1.5774	* 1.5569	* 1.4891	* 1.4865	* 3.6427 *
12	* 1.3191	* 1.1995	* 1.3242	* 1.3293	* 1.1677	* 1.4442	* 0.8932	*
	* 1.4297	* 1.6135	* 1.5003	* 1.5563	* 1.7295	* 1.4573	* 2.2780	*
13	* 1.3613	* 1.3872	* 1.3552	* 1.4480	* 1.4449	* 0.8606	* 0.4229	*
	* 1.4226	* 1.4034	* 1.4790	* 1.4883	* 1.4565	* 2.3076	* 4.5913	*
14	* 1.4322	* 1.4311	* 1.4230	* 1.4544	* 0.8943	* 0.4288	*	
	* 1.3817	* 1.3919	* 1.4401	* 1.4842	* 2.2750	* 4.5301	*	
15	* 0.6755	* 0.6718	* 0.6365	* 0.5465	* F-DEL-H			
	* 2.7533	* 2.7658	* 2.9674	* 3.6051	* M-DEL-H			

AT 30% POWER, 4 EFPD

	H	G	F	E	D	C	B	A
8	* 1.3768	* 1.1891	* 1.4077	* 1.2016	* 1.3239	* 1.3716	* 1.4478	* 0.6750 *
	* 1.4794	* 1.7346	* 1.4490	* 1.6269	* 1.4297	* 1.4226	* 1.3817	* 2.7533 *
9	* 1.1891	* 1.2182	* 1.3940	* 1.3435	* 1.2016	* 1.3987	* 1.4465	* 0.6712 *
	* 1.7346	* 1.6720	* 1.4442	* 1.4892	* 1.6133	* 1.4036	* 1.3923	* 2.7669 *
10	* 1.4077	* 1.3939	* 1.1752	* 1.1477	* 1.3296	* 1.3680	* 1.4365	* 0.6346 *
	* 1.4490	* 1.4440	* 1.6735	* 1.7041	* 1.5007	* 1.4801	* 1.4413	* 2.9721 *
11	* 1.2016	* 1.3418	* 1.1473	* 1.3402	* 1.3353	* 1.4571	* 1.4638	* 0.5398 *
	* 1.6269	* 1.4903	* 1.7041	* 1.5774	* 1.5569	* 1.4891	* 1.4865	* 3.6427 *
12	* 1.3239	* 1.2010	* 1.3302	* 1.3358	* 1.1678	* 1.4512	* 0.8933	*
	* 1.4297	* 1.6135	* 1.5003	* 1.5563	* 1.7295	* 1.4573	* 2.2780	*
13	* 1.3716	* 1.3988	* 1.3690	* 1.4583	* 1.4519	* 0.8581	* 0.4172	*
	* 1.4226	* 1.4034	* 1.4790	* 1.4883	* 1.4565	* 2.3076	* 4.5913	*
14	* 1.4478	* 1.4470	* 1.4378	* 1.4658	* 0.8944	* 0.4231	*	
	* 1.3817	* 1.3919	* 1.4401	* 1.4842	* 2.2750	* 4.5301	*	
15	* 0.6750	* 0.6715	* 0.6356	* 0.5441	* F-DEL-H			
	* 2.7533	* 2.7658	* 2.9674	* 3.6051	* M-DEL-H			