

**From:** [Ullrich, Betsy](#)  
**To:** [shinkyu.park@cbp.dhs.gov](mailto:shinkyu.park@cbp.dhs.gov)  
**Subject:** FW: a question about your license amendment request  
**Date:** Thursday, May 19, 2022 11:26:00 AM

---

Sorry for mis-typing.  
Betsy

---

**From:** Ullrich, Betsy  
**Sent:** Thursday, May 19, 2022 11:20 AM  
**To:** [shinkyu.park@cpb.dhs.gov](mailto:shinkyu.park@cpb.dhs.gov)  
**Subject:** a question about your license amendment request

Dr. Park,

You listed depleted uranium as a 25-kg sealed source from Spectrum Techniques, Model EU-152. I cannot find Spectrum Techniques in our Sealed Source and Device Registry. In addition, I am curious if this is actually a sealed source. I am familiar with DU slabs being used for calibration but those slabs were DU metal, and not clad or sealed.

Please let me know the actual form of this source.

Thanks,  
Betsy

Betsy Ullrich, Senior Health Physicist  
USNRC Region I  
2100 Renaissance Boulevard, Suite 100  
King of Prussia, PA 19406  
610-337-5040 (office)  
240-704-4575 (cell)  
[Elizabeth.ullrich@nrc.gov](mailto:Elizabeth.ullrich@nrc.gov)