

Facility: <u>PALISADES NUCLEAR PLANT</u>		Date of Exam: <u>2/13 - 2/20 2017</u>		Exam Level: RO <input checked="" type="checkbox"/> SRO <input checked="" type="checkbox"/>		
Item Description	Initial					
	a	b*(*)	c#			
1. Questions and answers are technically accurate and applicable to the facility.	Rob	BAB	RLW			
2. a. NRC K/As are referenced for all questions. b. Facility learning objectives are referenced as available.	Rob	BAB	RLW			
3. SRO questions are appropriate in accordance with Section D.2.d of ES-401	Rob	BAB	RLW			
4. The sampling process was random and systematic (If more than 4 RO or 2 SRO questions were repeated from the last two NRC licensing exams, consult the NRR/NRO OL program office).	Rob	BAB	RLW			
5. Question duplication from the licensee screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate  <input checked="" type="checkbox"/> The audit exam was systematically and randomly developed; or <input type="checkbox"/> the audit exam was completed before the license exam was started; or <input checked="" type="checkbox"/> the examinations were developed independently; or <input type="checkbox"/> the licensee certifies that there is no duplication; or <input type="checkbox"/> other (explain)	Rob	BAB	RLW			
6. Bank use meets limits (no more than 75 percent from the bank, at least 10 percent new, and the rest new or modified); enter the actual RO / SRO-only question distribution(s) at right	Bank 16 / 6	Modified 12 / 3	New 47 / 16	-	-	-
7. Between 50 and 60 percent of the questions on the RO exam are written at the comprehension/ analysis level; the SRO exam may exceed 60 percent if the randomly selected K/As support the higher cognitive levels; enter the actual RO / SRO question distribution(s) at right.	Memory 30 / 6	C/A 45 / 19		-	-	-
8. References/handouts provided do not give away answers or aid in the elimination of distractors.	Rob	BAB	RLW			
9. Question content conforms to specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.	Rob	BAB	RLW			
10. Question psychometric quality and format meet the guidelines in ES Appendix B.	Rob	BAB	RLW			
11. The exam contains the required number of one-point, multiple choice items; the total is correct and agrees with the value on the cover sheet.	Rob	BAB	RLW			
Printed Name / Signature		Date				
a. Author	Randal Dean Baker / <u>Randal Dean Baker</u>	01/26/2017				
b. Facility Reviewer (*)	Bryan Bergeon / <u>Bryan Bergeon</u>	1/26/2017				
c. NRC Chief Examiner (#)	Raymond K. Walton / <u>Raymond K. Walton</u>	1/27/2017				
d. NRC Regional Supervisor	Robert Orlikowski / <u>Robert Orlikowski</u>	2/7/2017				
Note: * The facility reviewer's initials or signature are not applicable for NRC-developed examinations. # Independent NRC reviewer initials items in Column "c"; chief examiner concurrence required. ** Written Examination Developed as part of Examiner Qualification.						