

Facility: DRESDEN

Date of Exam: 4-19-21

Exam Level:

RO

☒

SRO

☒

Item Description				Initial		
				a	b*	c*
1.	Questions and answers are technically accurate and applicable to the facility.			W	J	CDJ
2.	a. NRC K/As are referenced for all questions. b. Facility learning objectives are referenced as available. c. Correct answer explanation and distractor analysis is provided (ES-401, D.2.g)			W	J	CDJ
3.	SRO questions are appropriate in accordance with Section D.2.d of ES-401			W	J	CDJ
4.	The sampling process was random and systematic. (If more than four RO or two SRO questions were repeated from the last two NRC licensing exams, consult the NRR/NRO OL program office).			W	J	CDJ
5.	Question duplication from the licensee screening/audit exam was controlled as indicated below (check the item that applies) and appears appropriate:  <input type="checkbox"/> The audit exam was systematically and randomly developed, or <input type="checkbox"/> the audit exam was completed before the licensee exam was started, or <input type="checkbox"/> the examinations were developed independently, or <input checked="" type="checkbox"/> the licensee certifies that there is no duplication, or <input type="checkbox"/> other (explain).			W	J	CDJ
6.	Bank use meets limits (no more than 75% from the bank, at least 10% new, and the rest new or modified); enter the actual RO/SRO-only question distribution(s) at right.	Bank	Modified	New	N/A	N/A
		46 / 5	2 / 3	27 / 17	W	J
7.	Between 38 and 45 questions of the questions on the RO exam and at least 13 questions of the questions on the SRO-only portion of the exam are written at the comprehension/analysis level (see ES-401, D.2.c); enter the actual RO/SRO-only question distribution(s) at right.	Memory		C/A	N/A	N/A
		32 / 5 7		43 / 20 18	W	J
8.	References/handouts provided do not give away answers or aid in the elimination of distractors.			W	J	CDJ
9.	Question content conforms to specific K/A statements in the previously approved examination outline and is appropriate for the tier to which they are assigned; deviations are justified.			W	J	CDJ
10.	Question psychometric quality and format meet the guidelines in Appendix B.			W	J	CDJ
11.	The exam contains the required number of one-point, multiple-choice items; the total is correct and agrees with the value on the cover sheet.			W	J	CDJ
Printed Name/Signature				Date		
a.	Author	Franklin D. Winter Jr. / Franklin D. Winter			2-1-21	
b.	Facility Reviewer (*)	Joah Smith / [Signature]			2/2/2021	
c.	NRC Chief Examiner (#)	CDJ Chuck Zola /				
d.	NRC Regional Supervisor					

Note: \* The facility reviewer's initials or signature are not applicable for NRC-developed examinations.  
# Independent NRC reviewer initials items in Column "c"; chief examiner concurrence is required.