



UNITED STATES
NUCLEAR REGULATORY COMMISSION
WASHINGTON, D.C. 20555-0001

December 13, 2022

Denise Elisio
Holtec International
Holtec Technology Campus
1 Holtec Blvd.
Camden, NJ 08104

SUBJECT: AMENDMENT NO. 16 TO CERTIFICATE OF COMPLIANCE NO. 1014 FOR
THE HI-STORM 100 MULTIPURPOSE CANISTER STORAGE SYSTEM –
REQUEST FOR ADDITIONAL INFORMATION BATCH 5

Dear Denise Elisio:

By letter dated March 9, 2021 (Agencywide Document Access and Management System {ADAMS} Accession No. ML21068A360) and supplemented by letters dated August 11, 2021 (ML21223A045), February 17, 2022 (ML22048C222), August 31, 2022 (ML22243A269), September 9, 2022 (ML22249A347), and October 3, 2022 (ML22276A286), Holtec International (Holtec) submitted to the U.S. Nuclear Regulatory Commission (NRC) a request to amend the Certificate of Compliance No. 1014 for HI-STORM 100 Multipurpose Canister Storage System.

The staff reviewed the application and supplemental information, and determined additional information is needed to complete this review. The enclosed requests for additional information (RAI) contain one additional thermal RAI and four confinement RAIs that are related to your response to RAI 9-1 (ML22276A286). We request that you provide the responses to these RAIs within 30 days from the date of this letter. If you are unable to meet this deadline, please notify us in writing, within 2 weeks of receipt of this letter, of your new submittal date and the reasons for the delay.

A document transmitted by this letter contains **Proprietary Information**. When separated from Enclosure 2, this letter and Enclosure 1 are decontrolled.

D. Elisio

2

Please reference Docket No. 72-1014, CAC No. 001028 and EPID No. L-2021-LLA-0039 in future correspondence related to this licensing action. If you have any questions, please contact me at 301-415-1018.

Sincerely,



Signed by Chen, Yen-Ju
on 12/13/22

Yen-Ju Chen, Sr. Project Manager
Storage and Transportation Licensing Branch
Division of Fuel Management
Office of Nuclear Material Safety
and Safeguards

Docket No.: 72-1014
CAC No.: 001028
EPID No.: L-2021-LLA-0039

Enclosures:

1. Thermal RAI
2. Clarification Questions
for RAI 9-1 (Proprietary)

OFFICIAL USE ONLY—PROPRIETARY INFORMATION

D. Elisio

3

SUBJECT: AMENDMENT NO. 16 TO CERTIFICATE OF COMPLIANCE NO. 1014 FOR
THE HI-STORM 100 MULTIPURPOSE CANISTER STORAGE SYSTEM –
REQUEST FOR ADDITIONAL INFORMATION BATCH 5, DATED: December 13, 2022

DISTRIBUTION:

YKim, DFM
EGoldfeiz, DFM
JPiotter, DFM

**ADAMS Accession Nos: ML22335A455 (pkg), ML22335A456 (ltr) ML22335A457 (Enc1)
ML22335A458 (Enc2)**

OFFICE:	DFM	DFM	DFM	DFM	DFM
NAME:	YChen	WWheatley	JChang	LHowe	JWoodfield
DATE:	12/01/2022	12/02/2022	12/05/2022	12/01/2022	12/0212/2022
OFFICE:	DFM	DFM	DFM	DFM	
NAME:	DMarcano	TBoyce	ARivera-Varona	DHabib for YDiaz- Sanabria	
DATE:	12/09/2022	12/08/2022	12/05/2022	12/13/2022	

OFFICIAL USE ONLY

OFFICIAL USE ONLY – PROPRIETARY INFORMATION