

COLORADO OFFICE
10758 W. CENTENNIAL RD., STE. 200
LITTLETON, CO 80127
TEL: (866) 981-4588
FAX: (720) 981-5643



LOST CREEK ISR, LLC

WYOMING OFFICE
5880 ENTERPRISE DR., STE. 200
CASPER, WY 82609
TEL: (307) 265-2373
FAX: (307) 265-2801

August 27, 2015

Document Control Desk
U.S. Nuclear Regulatory Commission
Washington, DC 20555-0001

**Re: Semi-Annual Effluent and Environmental Monitoring Report 1st Half 2015
Lost Creek ISR Project License SUA-1598 Docket 40-9068**

To Whom It May Concern:

The attached Effluent and Environmental Monitoring Report for the first half of 2015 has been submitted in accordance with License Condition 11.1(D) for Lost Creek ISR, LLC's (LCI) Lost Creek ISR Project License SUA-1598. License Condition 11.1(D) requires semi-annual reporting of the operational monitoring program consistent with NRC Regulatory Guide (RG) 4.14, pursuant to 10 CFR 40.65, and as described in LCI's NRC License Application Technical Report (TR) Section 5.7.7.

If you have any questions regarding this letter or require additional information please contact me at the Casper office.

Sincerely,

Michael D. Gaither
Manager EHS and Regulatory Affairs
Ur-Energy USA, Inc

Attachment: **Semi-Annual Effluent and Environmental Monitoring Report for 1st Half 2015**

Cc: Deputy Director, Decommissioning and Uranium Recovery Licensing Directorate
Division of Waste Management and Environmental Protection
Office of Federal and State Materials and Environmental Management Programs
U.S. Nuclear Regulatory Commission
Mail Stop T-8F5
11545 Rockville Pike, Two White Flint North
Rockville, MD 20852-2738
John Saxton, NRC (via e-mail)
Brian Wood, WDEQ-LQD, Lander (via e-mail)
Theresa Horne, Ur-Energy, Littleton (via e-mail)

NH5507

SEMI-ANNUAL EFFLUENT AND ENVIRONMENTAL MONITORING REPORT

Lost Creek ISR Project



**LOST CREEK ISR, LLC
SWEETWATER COUNTY, WY**

**NRC License SUA-1598
Docket 40-9068**

January 1, 2015 to June 30, 2015

August 27, 2015



TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	RADIOLOGICAL PARTICULATES IN AIR.....	4
3.0	SURFACE WATER	4
4.0	PUBLIC GROUNDWATER.....	4
5.0	SOILS	5
6.0	PASSIVE GAMMA RADIATION	5
7.0	PASSIVE RADON.....	5

TABLES

Table 1: Radiological Air Particulate Data

Table 2: Surface Water Sample Data

Table 3: Groundwater Sample Data

Table 4: Soil Sample Data

Table 5: Passive Gamma Data

Table 6: Passive Radon Data



1.0 INTRODUCTION

Environmental monitoring of air, water, and soil was conducted to quantify radiological effluents as a result of operations at Lost Creek ISR, LLC's (LCI) Lost Creek ISR Project (LC-ISR) in Sweetwater County, Wyoming. Sampling and monitoring was performed during the reporting period consistent with NRC Regulatory Guide (RG) 4.14, as described in LCI's NRC License Application Technical Report (TR) Section 5.7.7, and as detailed in the LC-ISR Environmental Monitoring Program Standard Operating Procedures. The reporting period is January 1, 2015 through June 30, 2015.

The sampling and monitoring is divided into the following categories:

- Radiological particulates in air
- Non-routine surface water
- Groundwater
- Soils
- Passive Gamma Radiation
- Passive Radon

The operational monitoring data is provided on **Tables 1** through **6**. Sample locations with descriptions are identified on the following summary table:

Monitoring Category	Sample or Monitoring Location	Description
Radiological Particulates in Air; Soils (Data Table 1 and Table 4)	HV-1	Nearest residence monitor located in Town of Bairoil about 15 miles to the northeast of LC. This location is the nearest fulltime residence to LC.
	HV-2	Located downwind approximately 50 ft to the east of the Plant. This location is the highest expected concentration of effluents from operations.
	HV-3	Boundary monitor located approximately 3 miles upwind of the plant in the southwest corner on the edge of the site License boundary. Represents background.
	HV-4	Boundary monitor located downwind approximately 2.5 miles to the east on the site License boundary.
	HV-5	Boundary monitor located approximately 0.75 miles to the northwest of the processing facility generally upwind of the Plant.



Monitoring Category	Sample or Monitoring Location	Description
Non-Routine Surface Water (Data Table 2)	LC1	Autosampler to capture western-draw inflow in the NW area
	LC2	Autosampler to capture middle-draw outflow at mid-south boundary
	LC3	Autosampler to capture middle-draw outflow at mid-south boundary
	LC4	Autosampler to capture eastern-draw south boundary outflow from Battle Spring Draw
	LC5	Autosampler to capture Crooked Well Reservoir within Battle Spring Draw
	LC6	Autosampler to capture eastern-draw (Battle Spring Draw) inflow at north boundary of eastern leg
	LC7	Autosampler to capture middle-draw outflow at southern corner
	LC8	Autosampler to capture western-draw outflow at south boundary of southern leg
	LC9	Autosampler to capture western-draw outflow at south boundary of southern leg
	LC10	Autosampler to capture middle-draw outflow at mid-south boundary
	LC11	Autosampler to capture middle-draw inflow at mid-north boundary
	LC12	Autosampler to capture middle-draw inflow at mid-north boundary
	LC13	Autosampler to capture mid-draw outflow at mid-south boundary
Groundwater (Data Table 3)	BLM-4451	Private stock well (BLM Battle Spring Draw Well No. 4451) east of permit boundary
	BLM-4775	Private stock well (BLM Boundary Well No. 4775) north east of permit boundary
	BLM-4777	Private stock well (BLM Battle Spring Well No. 4777) south of permit boundary
	BLM-EEN	Private stock well (BLM East Eagle Nest Draw Well) northwest of permit boundary



Monitoring Category	Sample or Monitoring Location	Description
Passive Gamma Radiation and Passive Radon (Data Table 5 and Table 6)	PR-1	Co-located at the HV-1 air sampling station in Bairoil
	PR-2	Co-located with HV-3 representing background
	PR-3	Co-located with HV-5
	PR-4	Located just to the north of the Plant
	PR-5	Co-located with HV-2
	PR-6	Located on the NE edge of the License boundary approximately 1.5 mi to the ENE of the Plant
	PR-7	Located on the western edge of the License boundary approximately 2 mi SW of the Plant
	PR-8	Located on the east edge of the southern leg of the License boundary approximately 2 mi S of the Plant
	PR-9	Located mid-site to sample area over the ore body within Mine Unit 1 approximately 0.5 mi S of the Plant.
	PR-10	Co-located with HV-4
	PR-11	Located on a mid-southern corner of the License boundary approximately 1.5 mi S of the Plant
	PR-12	Located on the south edge of the east leg of the License boundary approximately 1.5 mi ESE of the Plant
Supplemental Passive Radon (Data Table 6)	Pond 1	Located on the fence just downwind to the east of the Plant on the west edge of the Storage Ponds.
	Pond 2	Located on the fence just downwind to the east of the Plant on the west edge of the Storage Ponds.
	Pond 3	Located on the fence just downwind to the east of the Plant on the west edge of the Storage Ponds.
	Pond 4	Located on the fence just downwind to the east of the Plant on the west edge of the Storage Ponds.
	Pond 5	Located on the fence just downwind to the east of the Plant on the west edge of the Storage Ponds.
	Pond 6	Located on the fence just downwind to the east of the Plant on the west edge of the Storage Ponds.
	N Pond East	Located at the fence on the east end of the Storage Pond area downwind of the Plant.
	S Pond East	Located at the fence on the east end of the Storage Pond area downwind of the Plant.
	North Vent	Mounted on the center of the HVAC exhaust vent screen within the Plant on the north vent on the west wall.
	South Vent	Mounted on the center of the HVAC exhaust vent screen within the Plant on the south vent on the west wall.
	Shop Vent	Mounted on the exhaust vent on the east wall of the Plant shop area



2.0 RADIOLOGICAL PARTICULATES IN AIR

Operational air particulate sampling for LC-ISR was conducted at five locations HV-1 through HV-5. Samples were collected on glass fiber filter paper using F&J Specialty air sampling model DF-40L-8 and operating at a rate of 30 L/min. Filters were typically changed weekly, batched, and submitted for quarterly composite analysis. The filters were sent to Energy Labs in Casper, Wyoming for analysis of U-nat, Ra-226, Th-230, and Pb-210. Analytical data is provided on **Table 1**.

All radionuclide concentrations were significantly less than the Effluent Concentration Limit (ECL) and not discernable from background levels. All concentrations were below the ALARA constraint value of 20% of the ECL.

Calibration of each air sampler flow rate is performed annually with an F&J Specialty air flow calibrator model CD-802V.2-1-O. The air flow calibrator is sent to the manufacturer annually for calibration.

3.0 SURFACE WATER

As stated in TR Section 5.7.8.2, surface water samples are not routinely collected since surface water does not typically exist due to the ephemeral nature of drainages at the site. However, the existing automatic storm water samplers at locations LC1 through LC13 remain in place to allow for monitoring of runoff following any unplanned releases if necessary. If sufficient runoff from precipitation events has occurred, surface water may have accumulated in the sampler and be retrieved for analysis. Analytical parameters that will be requested include suspended and dissolved U-nat, Ra-226, and if feasible Th-230. The analysis of Pb-210 and Po-210 required in RG 4.14 is typically not feasible due to volume being limited to 1 liter.

No storm water had accumulated in the samplers during the reporting period and therefore no results are available to report (**Table 2**).

4.0 PUBLIC GROUNDWATER

The public groundwater wells near the project area are Bureau of Land Management (BLM) wells used for stock watering purposes. Four BLM wells, BLM-4451, BLM-4775, BLM-4777 and BLM-EEN, are in operation intermittently and sampled quarterly if they are operating. As described in TR Section 5.7.8.2 *Private Well Monitoring* samples are to be analyzed for U-nat and Ra-226 only. Only one well was in operation during the reporting period and samples were collected from the outflow of BLM-4777. Samples were submitted for analysis to Energy Laboratories in Casper, WY and the resulting data is provided on **Table 3**. However, analysis request was erroneously designated as "total" versus the required "dissolved" and "suspended". The "total" results are consistent with historic "dissolved" results and the "suspended" fractions are historically insignificant or non-detect. The groundwater from the well has detectable



concentrations of total U-nat and Ra-226 consistent with pre-operational concentrations and significantly less than the ECL for each constituent.

5.0 SOILS

Soil sampling is conducted annually during operations in accordance with RG 4.14 typically in the spring. Soil samples were collected on June 22, 2015 at the five air sampler locations and the results are provided on **Table 4**. Analysis includes U-nat, Ra-226, Th-230, and Pb-210 all of which had quantities consistent with background levels.

6.0 PASSIVE GAMMA RADIATION

Gamma radiation is measured on a quarterly basis by the use of environmental dosimeters placed at the passive radiation (PR) sampling locations PR-1 through PR-12. Potential exposure rates were determined by the use of X9 Environmental/Low Level dosimetry badges supplied by Landauer. The dosimeters were deployed for the approximate duration of each calendar quarter and sent to Landauer for analysis. The data is reported by the lab in gross and net dose in mrem for the monitoring quarter. The net exposure rate is the gross measured dose rate minus the dose value of the deploy-control dosimeter. The results of dosimeter exposure are provided in milliroentgens per quarter (mR/qtr) and (mR/day) on **Table 5**. The gamma rates are consistent with background levels and with data from the previous reporting period.

7.0 PASSIVE RADON

Radon-222 (Rn-222) gas is quantified using Landauer Radtrak® long-term monitors equipped with a thoron-proof filter in order to measure only Rn-222. Radon quantities in air are determined on a quarterly basis (**Table 6**) using radon detectors at sampling locations co-located with the environmental dosimeters at PR-1 through PR-12. Five monitors, PR-1, PR-2, PR-3, PR-5, and PR-10, are co-located with the air particulate sampling locations HV-1 through HV-5. Background values are represented by PR-2 (co-located with HV-3) and have not been subtracted from the results. The detection limit specified by the manufacturer for Radtrak monitors is 0.33 pCi/L ($3.3\text{E-}10$ $\mu\text{Ci/mL}$) over 90 days. The radon concentrations are consistent with background level and are less than results from the previous reporting period. All radon values are well below the ECL.

Supplemental Passive Radon

To aid in quantifying radon potentially released from the Plant, additional Radtrak monitors have been deployed at areas within or directly adjacent to the Plant. These monitors are intended to detect radon potentially vented out of the Plant by the use of the HVAC system. Two monitors (North Vent and South Vent) are affixed on the main HVAC exhaust vents in the Plant, one monitor (Shop Vent) is affixed on the shop area exhaust vent on the east wall, and eight monitors (Pond-1 through 6, N Pond East, and S Pond East) are affixed to the Storage Pond perimeter fence at locations directly downwind of the Plant. A Radtrak monitor was placed at the sample location "Shop Vent" during mid-1st quarter to measure radon exiting the Plant since



it is the main exhaust point under normal operating conditions. The supplemental Rn-222 results are included on **Table 6**. The results are all consistent with background levels with the exception of South Vent which is slightly above background during the third quarter 2014.

**Table 1: Radiological Air Particulate Data
First Half of 2015
Lost Creek ISR Project SUA-1598**

Sample Location	Sample Period	Radionuclide	Measured Conc.	Error Estimate (Precision)	Lab MDC or Reporting Limit (RL)	RG 4.14 LLD	ECL	% ECL*
			$\mu\text{Ci/mL}$	$\pm \mu\text{Ci/mL}$	$\mu\text{Ci/mL}$	$\mu\text{Ci/mL}$	$\mu\text{Ci/mL}$	
HV-1	2015 Q1	U-nat (W)	2.10E-16	--	1.00E-16 (RL)	1.00E-16	9.00E-13	0.0%
		Th-230 (Y)	7.00E-17	7.10E-17	1.20E-16	1.00E-16	3.00E-14	0.2%
		Ra-226	3.50E-16	8.80E-17	6.70E-17	1.00E-16	9.00E-13	0.0%
		Pb-210	1.50E-14	3.40E-15	3.20E-15	2.00E-15	6.00E-13	2.5%
	2015 Q2	U-nat (W)	1.50E-16	--	1.00E-16 (RL)	1.00E-16	9.00E-13	0.0%
		Th-230 (Y)	9.20E-17	6.50E-17	9.50E-17	1.00E-16	3.00E-14	0.3%
		Ra-226	3.90E-16	1.90E-16	2.90E-16	1.00E-16	9.00E-13	0.0%
		Pb-210	1.00E-14	2.00E-15	2.00E-15	2.00E-15	6.00E-13	1.7%
HV-2	2015 Q1	U-nat (W)	4.20E-15	--	1.00E-16 (RL)	1.00E-16	9.00E-13	0.5%
		Th-230 (Y)	8.00E-17	5.10E-17	6.80E-17	1.00E-16	3.00E-14	0.3%
		Ra-226	3.20E-16	8.20E-17	6.10E-17	1.00E-16	9.00E-13	0.0%
		Pb-210	2.10E-14	4.00E-15	2.90E-15	2.00E-15	6.00E-13	3.5%
	2015 Q2	U-nat (W)	1.10E-14	--	1.00E-16 (RL)	1.00E-16	9.00E-13	1.2%
		Th-230 (Y)	9.40E-17	5.40E-17	6.90E-17	1.00E-16	3.00E-14	0.3%
		Ra-226	2.90E-16	1.60E-16	2.10E-16	1.00E-16	9.00E-13	0.0%
		Pb-210	1.00E-14	2.00E-15	1.00E-15	2.00E-15	6.00E-13	1.7%
HV-3 (background)	2015 Q1	U-nat (W)	3.80E-16	--	1.00E-16 (RL)	1.00E-16	9.00E-13	0.0%
		Th-230 (Y)	1.20E-16	6.30E-17	7.30E-17	1.00E-16	3.00E-14	0.4%
		Ra-226	3.70E-16	9.30E-17	7.00E-17	1.00E-16	9.00E-13	0.0%
		Pb-210	1.80E-14	3.80E-15	3.40E-15	2.00E-15	6.00E-13	3.0%
	2015 Q2	U-nat (W)	1.80E-16	--	1.00E-16 (RL)	1.00E-16	9.00E-13	0.0%
		Th-230 (Y)	1.40E-16	5.90E-17	6.00E-17	1.00E-16	3.00E-14	0.5%
		Ra-226	2.60E-16	2.00E-16	2.00E-16	1.00E-16	9.00E-13	0.0%
		Pb-210	1.00E-14	2.00E-15	1.00E-15	2.00E-15	6.00E-13	1.7%
HV-4	2015 Q1	U-nat (W)	4.10E-16	--	1.00E-16 (RL)	1.00E-16	9.00E-13	0.0%
		Th-230 (Y)	1.10E-16	5.60E-17	6.60E-17	1.00E-16	3.00E-14	0.4%
		Ra-226	3.00E-16	7.70E-17	5.50E-17	1.00E-16	9.00E-13	0.0%
		Pb-210	2.20E-14	4.10E-15	2.70E-15	2.00E-15	6.00E-13	3.7%
	2015 Q2	U-nat (W)	1.40E-16	--	1.00E-16 (RL)	1.00E-16	9.00E-13	0.0%
		Th-230 (Y)	1.50E-16	6.30E-17	5.70E-17	1.00E-16	3.00E-14	0.5%
		Ra-226	3.20E-16	1.60E-16	2.20E-16	1.00E-16	9.00E-13	0.0%
		Pb-210	1.00E-14	2.00E-15	1.00E-15	2.00E-15	6.00E-13	1.7%
HV-5	2015 Q1	U-nat (W)	2.50E-16	--	1.00E-16 (RL)	1.00E-16	9.00E-13	0.0%
		Th-230 (Y)	8.00E-17	7.80E-17	1.30E-16	1.00E-16	3.00E-14	0.3%
		Ra-226	3.80E-16	8.60E-17	9.60E-17	1.00E-16	9.00E-13	0.0%
		Pb-210	1.60E-14	3.80E-15	4.20E-15	2.00E-15	6.00E-13	2.7%
	2015 Q2	U-nat (W)	2.40E-16	--	1.00E-16 (RL)	1.00E-16	9.00E-13	0.0%
		Th-230 (Y)	1.50E-16	6.20E-17	5.60E-17	1.00E-16	3.00E-14	0.5%
		Ra-226	3.90E-16	1.90E-16	2.20E-16	1.00E-16	9.00E-13	0.0%
		Pb-210	1.00E-14	2.00E-15	1.00E-15	2.00E-15	6.00E-13	1.7%

* The %ECL should be less than 20% to meet the 10 CFR 20.1101(d) ALARA constraint

MDC: Minimum detectable concentration

LLD: Lower limit of detection

ECL: Effluent Concentration Limit (10 CFR 20 App B Table 2)

Italics: Indicates non-detect. Number represents detection limit

W or Y: Solubility class W or Y

**Table 2: Surface Water Sample Data
First Half 2015
Lost Creek ISR Project SUA-1598**

Sample Location	Sample Date	Sample Type	Radio-nuclide	Measured Conc.	Error Estimate (Precision)	Lab MDC or Reporting Limit (RL)	RG 4.14 LLD	Comments
				$\mu\text{Ci/mL}$	$\pm \mu\text{Ci/mL}$	$\mu\text{Ci/mL}$	$\mu\text{Ci/mL}$	
LC1	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC2	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC3	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC4	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC5	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC6	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC7	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC8	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC9	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC10	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC11	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC12	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	
LC13	N/A	Stormwater	U-nat	--	--	--	2.00E-10	No sample/Insufficient runoff
			Ra-226	--	--	--	2.00E-10	
			Th-230	--	--	--	2.00E-10	

LLD: Lower Limit of Detection

Table 3: Groundwater Sample Data
First Half 2015
Lost Creek ISR Project SUA-1598

Sample Location	Sample Date	Radionuclide	Measured Conc.	Error Estimate (Precision)	Lab LLD or Reporting Limit (RL)	RG 4.14 LLD	ECL	% ECL	Comments
			$\mu\text{Ci/mL}$	$\pm \mu\text{Ci/mL}$	$\mu\text{Ci/mL}$	$\mu\text{Ci/mL}$	$\mu\text{Ci/mL}$		
BLM-4451	(2015Q1)	U-nat (diss)	--	--	--	2.00E-10	3.00E-07		Well not operating
		U-nat (susp)	--	--	--	2.00E-10	3.00E-07		
		Ra-226 (diss)	--	--	--	2.00E-10	6.00E-08		
		Ra-226 (susp)	--	--	--	2.00E-10	6.00E-08		
	(2015Q2)	U-nat (diss)	--	--	--	2.00E-10	3.00E-07		Well not operating
		U-nat (susp)	--	--	--	2.00E-10	3.00E-07		
		Ra-226 (diss)	--	--	--	2.00E-10	6.00E-08		
		Ra-226 (susp)	--	--	--	2.00E-10	6.00E-08		
BLM-4775	(2015Q1)	U-nat (diss)	--	--	--	2.00E-10	3.00E-07		Well not operating
		U-nat (susp)	--	--	--	2.00E-10	3.00E-07		
		Ra-226 (diss)	--	--	--	2.00E-10	6.00E-08		
		Ra-226 (susp)	--	--	--	2.00E-10	6.00E-08		
	(2015Q2)	U-nat (diss)	--	--	--	2.00E-10	3.00E-07		Well not operating
		U-nat (susp)	--	--	--	2.00E-10	3.00E-07		
		Ra-226 (diss)	--	--	--	2.00E-10	6.00E-08		
		Ra-226 (susp)	--	--	--	2.00E-10	6.00E-08		
BLM-4777	1/28/2015	U-nat (total)*	1.88E-08	--	2.03E-10	2.00E-10	3.00E-07	6%	
		Ra-226 (total)*	1.70E-08	3.30E-09	1.60E-10	2.00E-10	6.00E-08		
	(2015Q2)	U-nat (diss)				2.00E-10	3.00E-07		Well not operating
		U-nat (susp)				2.00E-10	3.00E-07		
		Ra-226 (diss)				2.00E-10	6.00E-08		
		Ra-226 (susp)				2.00E-10	6.00E-08		
	(2015Q1)	U-nat (diss)	--	--	--	2.00E-10	3.00E-07		Well not operating
		U-nat (susp)	--	--	--	2.00E-10	3.00E-07		
		Ra-226 (diss)	--	--	--	2.00E-10	6.00E-08		
		Ra-226 (susp)	--	--	--	2.00E-10	6.00E-08		
BLM-EEN	(2015Q1)	U-nat (diss)	--	--	--	2.00E-10	3.00E-07		Well not operating
		U-nat (susp)	--	--	--	2.00E-10	3.00E-07		
		Ra-226 (diss)	--	--	--	2.00E-10	6.00E-08		
		Ra-226 (susp)	--	--	--	2.00E-10	6.00E-08		
	(2015Q2)	U-nat (diss)	--	--	--	2.00E-10	3.00E-07		Well not operating
		U-nat (susp)	--	--	--	2.00E-10	3.00E-07		
		Ra-226 (diss)	--	--	--	2.00E-10	6.00E-08		
		Ra-226 (susp)	--	--	--	2.00E-10	6.00E-08		

Italics: Indicates non-detect. Number represents detection limit

ECL: Effluent Concentration Limit from 10 CFR 20 Appendix B Table 2

* Sampler error on analyte request

Table 4: Soil Sample Data
First Half 2015
Lost Creek ISR Project SUA-1598

Sample Location	Sample Date	Radio-nuclide	Measured Conc.	Error Estimate (Precision)	Lab MDC or Reporting Limit	RG 4.14 LLD	Comments
			$\mu\text{Ci/g}$	$\pm \mu\text{Ci/g}$	$\mu\text{Ci/g}$	$\mu\text{Ci/g}$	
HV-1	6/22/2015	U-nat	2.10E-06	--	3.39E-08	2.00E-07	
		Th-230	5.00E-07	1.00E-07	2.00E-07	2.00E-07	
		Ra-226	1.60E-06	3.00E-07	4.00E-08	2.00E-07	
		Pb-210	1.00E-06	2.00E-07	1.00E-07	2.00E-07	
HV-2	6/22/2015	U-nat	1.02E-06	--	3.39E-08	2.00E-07	
		Th-230	6.00E-07	1.00E-07	2.00E-07	2.00E-07	
		Ra-226	1.70E-06	3.00E-07	4.00E-08	2.00E-07	
		Pb-210	9.00E-07	2.00E-07	1.00E-07	2.00E-07	
HV-3 (background)	6/22/2015	U-nat	9.48E-07	--	3.39E-08	2.00E-07	
		Ra-226	1.30E-06	3.00E-07	4.00E-08	2.00E-07	
		Th-230	6.00E-07	1.00E-07	2.00E-07	2.00E-07	
		Pb-210	7.00E-07	2.00E-07	1.00E-07	2.00E-07	
HV-4	6/22/2015	U-nat	2.17E-06	--	3.39E-08	2.00E-07	
		Th-230	5.00E-07	1.00E-07	2.00E-07	2.00E-07	
		Ra-226	1.70E-06	3.00E-07	4.00E-08	2.00E-07	
		Pb-210	8.00E-07	2.00E-07	1.00E-07	2.00E-07	
HV-4 Dup RPD	6/22/2015	U-nat	2.37E-06	--	3.39E-08	2.00E-07	
			6				
		Th-230	9.00E-07	2.00E-07	2.00E-07	2.00E-07	
			35				
		Ra-226	2.20E-06	4.00E-07	4.00E-08	2.00E-07	
RPD			16				
		Pb-210	8.00E-07	2.00E-07	1.00E-07	2.00E-07	
RPD			0				
HV-5	6/22/2015	U-nat	8.12E-07	--	3.39E-08	2.00E-07	
		Th-230	4.00E-07	1.00E-07	2.00E-07	2.00E-07	
		Ra-226	9.00E-07	2.00E-07	4.00E-08	2.00E-07	
		Pb-210	6.00E-07	1.00E-07	1.00E-07	2.00E-07	

MDC: Minimum detectable concentration

LLD: Lower limit of detection

RPD: Relative Percent Difference

**Table 5: Passive Gamma Data
First Half 2015
Lost Creek ISR Project SUA-1598**

Sample Location	Sample Period	Start Date	End Date	Deploy Duration	Gross Exposure	Net Exposure*	Net Exposure Rate	Comments
				days	mR/qtr	mR/qtr	mR/day	
Deploy Control	2015Q1	9-Jan-2015	7-Apr-2015	88	40.5	n/a	n/a	
	2015Q2	7-Apr-2015	2-Jul-2015	86	40.1	n/a	n/a	
PR-1	2015Q1	9-Jan-2015	6-Apr-2015	87	50.1	9.6	0.11	At HV-1
	2015Q2	6-Apr-2015	29-Jun-2015	84	48.8	8.7	0.10	
PR-2	2015Q1	8-Jan-2015	6-Apr-2015	88	55.0	14.5	0.16	At HV-3
	2015Q2	6-Apr-2015	29-Jun-2015	84	49.3	9.2	0.11	
PR-3	2015Q1	8-Jan-2015	6-Apr-2015	88	56.2	15.6	0.18	At HV-5
	2015Q2	6-Apr-2015	29-Jun-2015	84	56.6	16.5	0.20	
PR-4	2015Q1	8-Jan-2015	7-Apr-2015	89	62.5	22.0	0.25	
	2015Q2	7-Apr-2015	29-Jun-2015	83	58.3	18.2	0.22	
PR-5	2015Q1	8-Jan-2015	7-Apr-2015	89	67.6	27.0	0.30	At HV-2
	2015Q2	7-Apr-2015	29-Jun-2015	83	57.4	17.2	0.21	
PR-6	2015Q1	8-Jan-2015	6-Apr-2015	88	56.5	15.9	0.18	
	2015Q2	6-Apr-2015	2-Jul-2015	87	57.7	17.5	0.20	
PR-7	2015Q1	8-Jan-2015	6-Apr-2015	88	55.1	14.6	0.17	
	2015Q2	6-Apr-2015	2-Jul-2015	87	60.3	20.2	0.23	
PR-8	2015Q1	8-Jan-2015	6-Apr-2015	88	56.0	15.4	0.18	
	2015Q2	6-Apr-2015	2-Jul-2015	87	51.7	11.5	0.13	
PR-9	2015Q1	8-Jan-2015	6-Apr-2015	88	62.8	22.2	0.25	
	2015Q2	6-Apr-2015	2-Jul-2015	87	69.1	28.9	0.33	
PR-10	2015Q1	8-Jan-2015	6-Apr-2015	88	74.2	33.7	0.38	At HV-4
	2015Q2	6-Apr-2015	29-Jun-2015	84	73.6	33.4	0.40	
PR-10 Dup <i>RPD</i>	2015Q1	8-Jan-2015	6-Apr-2015	88	71.7	31.1	0.35	
	2015Q2	6-Apr-2015	29-Jun-2015	84	69.9	29.8	0.35	
<i>RPD</i>					5	11		
PR-11	2015Q1	8-Jan-2015	6-Apr-2015	88	56.4	15.9	0.18	
	2015Q2	6-Apr-2015	2-Jul-2015	87	55.4	15.3	0.18	
PR-12	2015Q1	8-Jan-2015	6-Apr-2015	88	48.9	8.4	0.10	
	2015Q2	6-Apr-2015	29-Jun-2015	84	53.4	13.3	0.16	

* Net exposure is gross exposure minus deploy control exposure
RPD: Relative percent difference

Table 6: Passive Radon Data
First Half 2015
Lost Creek ISR Project SUA-1598

Sample Location	Sample Period	Start Date	End Date	Period Duration	Rn-222 Conc.	Error Estimate	Rn-222 Avg. Conc.	Error Estimate	RG 4.14 LLD	ECL	% ECL	Comments
				days	$\mu\text{Ci/mL-days}$	$\pm \mu\text{Ci/mL-days}$	$\mu\text{Ci/mL}$	$\pm \mu\text{Ci/mL}$	$\mu\text{Ci/mL}$	$\mu\text{Ci/mL}$		
PR-1 (HV-1)	2015Q1	9-Jan-2015	6-Apr-2015	87	5.18E-08	5.10E-09	5.95E-10	4.00E-11	2.00E-10	1.00E-08	6.0%	
	2015Q2	6-Apr-2015	29-Jun-2015	84	3.00E-08	--	3.57E-10	--	2.00E-10	1.00E-08	3.6%	
PR-2 (HV-3, bkg)	2015Q1	8-Jan-2015	6-Apr-2015	88	2.00E-07	1.24E-08	2.27E-09	1.41E-10	2.00E-10	1.00E-08	22.7%	
	2015Q2	6-Apr-2015	29-Jun-2015	84	1.04E-07	7.80E-09	1.24E-09	9.29E-11	2.00E-10	1.00E-08	12.4%	
PR-3 (HV-5)	2015Q1	8-Jan-2015	6-Apr-2015	88	8.71E-08	7.36E-09	9.90E-10	4.00E-11	2.00E-10	1.00E-08	9.9%	
	2015Q2	6-Apr-2015	29-Jun-2015	84	7.98E-08	6.52E-09	9.50E-10	7.76E-11	2.00E-10	1.00E-08	9.5%	
PR-4	2015Q1	8-Jan-2015	7-Apr-2015	89	1.27E-07	9.40E-09	1.43E-09	4.00E-11	2.00E-10	1.00E-08	14.3%	
	2015Q2	7-Apr-2015	29-Jun-2015	83	6.55E-08	5.64E-09	7.89E-10	6.80E-11	2.00E-10	1.00E-08	7.9%	
PR-5 (HV-2)	2015Q1	8-Jan-2015	7-Apr-2015	89	8.90E-08	7.47E-09	1.00E-09	8.39E-11	2.00E-10	1.00E-08	10.0%	
	2015Q2	7-Apr-2015	29-Jun-2015	83	8.84E-08	7.01E-09	1.07E-09	8.45E-11	2.00E-10	1.00E-08	10.7%	
PR-6	2015Q1	8-Jan-2015	6-Apr-2015	88	8.33E-08	7.14E-09	9.47E-10	8.11E-11	2.00E-10	1.00E-08	9.5%	
	2015Q2	6-Apr-2015	2-Jul-2015	87	3.69E-08	3.60E-09	4.24E-10	4.14E-11	2.00E-10	1.00E-08	4.2%	
PR-7	2015Q1	8-Jan-2015	6-Apr-2015	88	1.32E-07	9.70E-09	1.50E-09	1.10E-10	2.00E-10	1.00E-08	15.0%	
	2015Q2	6-Apr-2015	2-Jul-2015	87	--	--	--	--	2.00E-10	1.00E-08	--	Damaged
PR-8	2015Q1	8-Jan-2015	6-Apr-2015	88	3.26E-07	1.66E-08	3.71E-09	1.89E-10	2.00E-10	1.00E-08	37.1%	
	2015Q2	6-Apr-2015	2-Jul-2015	87	9.32E-08	1.10E-09	1.07E-09	1.26E-11	2.00E-10	1.00E-08	10.7%	
PR-9	2015Q1	8-Jan-2015	6-Apr-2015	88	3.00E-08	--	3.41E-10	--	2.00E-10	1.00E-08	3.4%	
	2015Q2	6-Apr-2015	2-Jul-2015	87	5.50E-08	4.94E-09	6.32E-10	5.68E-11	2.00E-10	1.00E-08	6.3%	
PR-10 (HV-4)	2015Q1	8-Jan-2015	6-Apr-2015	88	1.77E-07	1.16E-08	2.01E-09	1.32E-10	2.00E-10	1.00E-08	20.1%	
	2015Q2	6-Apr-2015	29-Jun-2015	84	5.22E-08	4.74E-09	6.21E-10	5.64E-11	2.00E-10	1.00E-08	6.2%	
PR-10Dup RPD	2015Q1	8-Jan-2015	6-Apr-2015	88	1.43E-07	1.01E-08	1.62E-09 22	1.15E-10	2.00E-10	1.00E-08	16.2%	
	2015Q2	6-Apr-2015	29-Jun-2015	84	9.18E-08	7.28E-09	1.09E-09 55	8.67E-11	2.00E-10	1.00E-08	10.9%	
PR-11	2015Q1	8-Jan-2015	6-Apr-2015	88	1.18E-07	9.00E-09	1.34E-09	1.02E-10	2.00E-10	1.00E-08	13.4%	
	2015Q2	6-Apr-2015	2-Jul-2015	87	6.46E-08	5.58E-09	7.43E-10	6.41E-11	2.00E-10	1.00E-08	7.4%	
PR-12	2015Q1	8-Jan-2015	6-Apr-2015	88	1.28E-07	9.50E-09	1.46E-09	1.08E-10	2.00E-10	1.00E-08	14.6%	
	2015Q2	6-Apr-2015	29-Jun-2015	84	--	--	--	--	2.00E-10	1.00E-08	--	Damaged
Ponds 1	2015Q1	9-Jan-2015	9-Apr-2015	90	1.05E-07	8.40E-09	1.17E-09	9.33E-11	2.00E-10	1.00E-08	11.7%	
	2015Q2	9-Apr-2015	2-Jul-2015	84	1.15E-07	9.90E-09	1.36E-09	1.18E-10	2.00E-10	1.00E-08	13.6%	

**Table 6: Passive Radon Data
First Half 2015
Lost Creek ISR Project SUA-1598**

Sample Location	Sample Period	Start Date	End Date	Period Duration	Rn-222 Conc.	Error Estimate	Rn-222 Avg. Conc.	Error Estimate	RG 4.14 LLD	ECL	% ECL	Comments
				days	µCi/mL-days	+/- µCi/mL-days	µCi/mL	+/- µCi/mL	µCi/mL	µCi/mL		
Ponds 2	2015Q1	--	--	--	--	--	--	--	2.00E-10	1.00E-08	--	
	2015Q2	--	--	--	--	--	--	--	2.00E-10	1.00E-08	--	
Ponds 3	2015Q1	9-Jan-2015	9-Apr-2015	90	1.44E-07	1.02E-08	1.60E-09	1.13E-10	2.00E-10	1.00E-08	16.0%	
	2015Q2	9-Apr-2015	29-Jun-2015	81	1.18E-07	1.01E-08	1.46E-09	1.25E-10	2.00E-10	1.00E-08	14.6%	
Ponds 4	2015Q1	9-Jan-2015	9-Apr-2015	90	9.38E-08	7.74E-09	1.04E-09	8.60E-11	2.00E-10	1.00E-08	10.4%	
	2015Q2	9-Apr-2015	2-Jul-2015	84	9.53E-08	9.00E-09	1.13E-09	1.07E-10	2.00E-10	1.00E-08	11.3%	
Ponds 5	2015Q1	--	--	--	--	--	--	--	2.00E-10	1.00E-08	--	
	2015Q2	--	--	--	--	--	--	--	2.00E-10	1.00E-08	--	
Ponds 6	2015Q1	9-Jan-2015	9-Apr-2015	90	9.48E-08	7.79E-09	1.05E-09	8.66E-11	2.00E-10	1.00E-08	10.5%	
	2015Q2	9-Apr-2015	2-Jul-2015	84	8.98E-08	8.72E-09	1.07E-09	1.04E-10	2.00E-10	1.00E-08	10.7%	
N Pond East	2015Q1	9-Jan-2015	9-Apr-2015	90	1.01E-07	8.10E-09	1.12E-09	9.00E-11	2.00E-10	1.00E-08	11.2%	
	2015Q2	9-Apr-2015	2-Jul-2015	84	1.19E-07	1.02E-08	1.42E-09	1.21E-10	2.00E-10	1.00E-08	14.2%	
S Pond East	2015Q1	9-Jan-2015	9-Apr-2015	90	1.11E-07	8.60E-09	1.23E-09	9.56E-11	2.00E-10	1.00E-08	12.3%	
	2015Q2	9-Apr-2015	2-Jul-2015	84	2.87E-06	5.38E-08	3.42E-08	6.40E-10	2.00E-10	1.00E-08	341.7%	Found on ground
North Vent (HVAC)	2015Q1	19-Jan-2015	8-Apr-2015	79	3.02E-07	3.80E-09	3.82E-09	4.81E-11	2.00E-10	1.00E-08	38.2%	
	2015Q2	8-Apr-2015	2-Jul-2015	85	3.25E-07	1.71E-08	3.82E-09	2.01E-10	2.00E-10	1.00E-08	38.2%	
South Vent (HVAC)	2015Q1	19-Jan-2015	8-Apr-2015	79	2.97E-07	3.80E-09	3.76E-09	4.81E-11	2.00E-10	1.00E-08	37.6%	
	2015Q2	8-Apr-2015	2-Jul-2015	85	3.41E-07	1.76E-08	4.01E-09	2.07E-10	2.00E-10	1.00E-08	40.1%	
Shop Vent	2015Q1	27-Feb-2015	8-Apr-2015	40	2.04E-07	1.26E-08	5.11E-09	3.15E-10	2.00E-10	1.00E-08	51.1%	
	2015Q2	8-Apr-2015	2-Jul-2015	85	3.57E-07	1.80E-08	4.20E-09	2.12E-10	2.00E-10	1.00E-08	42.0%	
Shop Vent Dup RPD	2015Q1	27-Feb-2015	8-Apr-2015	40	1.83E-07	1.18E-08	4.58E-09	2.95E-10	2.00E-10	1.00E-08	45.8%	
	2015Q2	8-Apr-2015	2-Jul-2015	85	3.43E-07	1.76E-08	4.04E-09	2.07E-10	2.00E-10	1.00E-08	40.4%	

LLD: Lower Limit of Detection as suggested in Regulatory Guide (RG) 4.14
ECL: Effluent Concentration Limit from 10 CFR 20 App B Table 2
Italics: Indicates non-detect. Number represents detection limit