

United States Senate  
COMMITTEE ON ENVIRONMENT AND PUBLIC WORKS  
WASHINGTON, D.C. 20510

March 12, 1984

The Honorable Nunzio J. Palladino  
Chairman  
U.S. Nuclear Regulatory Commission  
Washington, D.C. 20555

Dear Joe:

Several matters have been brought to our attention regarding enforcement of the Uranium Mill Tailings Radiation Control Act of 1978 (UMTRCA), as amended by the Nuclear Regulatory Commission Authorization for Fiscal Years 1982 and 1983 (P.L. 97-415), which we believe warrant prompt attention.

We understand that the Commission is now proceeding with enforcement of the Environmental Protection Agency's recently promulgated general environmental standards on an ad hoc basis in ongoing licensing activities, prior to conforming its own regulations to the EPA standards.

According to an analysis prepared by the Office of the Executive Legal Director, Agreement States regulating uranium mills are legally obligated to implement and enforce the EPA standards on an ad hoc basis after December 6, 1983. Similarly, we understand that, based upon this same legal analysis, the Commission has also informed its licensees that the Commission is now under an obligation to implement and enforce the new EPA standards and will therefore apply these standards in all ongoing and future licensing reviews.

It appears to us that the approach being taken by the Commission--and, in particular, the decision to implement EPA's standards on an ad hoc basis prior to completion of the conforming process--is fundamentally at odds with the mandate of Public Law 97-415. The principal purpose of the 1983 amendments to UMTRCA was to restore order to a regulatory scheme that had fallen into disarray as a result of insufficient coordination between EPA and NRC in the regulation of uranium mill tailings. Indeed, we have taken great care in the legislative history to point out that UMTRCA establishes a process for the orderly integration of EPA's general environmental standards with NRC's detailed regulatory requirements that, if followed, should serve to avoid the unfortunate absurdities that have already needlessly delayed this program and, in the process, generated a good deal of confusion for the Agreement States and licensees.

It is for this reason that the Congress set out, in considerable detail, the steps to be taken by EPA and NRC in establishing the regulatory program for uranium mill tailings. The legislation makes it abundantly clear that UMTRCA requires a regulatory program consisting of both general environmental standards and detailed regulatory requirements, the former to be promulgated by EPA, the latter by NRC. And more importantly, we have gone to great length to point out that the process for coordinating the EPA and NRC requirements--the so-called "conforming" process--is to be completed first, prior to implementation of the regulatory program. To approach this process in any other fashion--including the approach recommended by your staff--is not only contrary to what the legislation calls for, but will also subject licensees and Agreement States to the very same regulatory uncertainty that we were trying to avoid in the first place. Accordingly, we earnestly urge you to reconsider this matter.

We trust that, upon further reflection, the Commission will be in a position to proceed with a single rulemaking for the purpose of conforming its regulations to the EPA standards--a rulemaking that will include both those changes necessary to reconcile any legal inconsistencies between the EPA and NRC requirements, as well as those changes of a discretionary nature that may depend upon additional policy and technical justification. Once this rulemaking is complete, and following a suitable opportunity for the Agreement States to put their own regulatory programs in place, it is our view that this, then, is the point at which the Commission should proceed with implementation of the UMTRCA regulatory program. We reemphasize, of course, that the Commission is authorized to regulate uranium mill tailings on a licensee-by-licensee basis should the need arise, in order to protect the public health, safety, and the environment.

We appreciate the opportunity to express our views on this matter and do very much look forward to the Commission's response.



Pete V. Domenici  
Member  
Subcommittee on Nuclear  
Regulation

Most sincerely,



Alan R. Simpson  
Chairman  
Subcommittee on Nuclear Regulation

MORRIS K. UDALL, ARIZ., CHAIRMAN

ABRAHAM KATZ, JR., TEX.  
SEBERLING, OHIO  
BOELLA WONG PAT, GUAM  
WEAVER, OREG.  
J. FLORIO, N.J.  
PHILIP R. SHARP, IND.  
EDWARD J. MARKEY, MASS.  
BALTASAR CONTRADA, P.R.  
AUSTIN J. MURPHY, PA.  
NICK JOE RAHALL, E.W. VA.  
BRUCE F. VENTO, MINN.  
JERRY HUCKABY, LA.  
JERRY M. PATTERSON, CALIF.  
RAY EGGOVSKEL, COLO.  
DALE E. KALDE, MICH.  
TONY COLEMAN, CALIF.  
BEVERLY S. BYRON, MD.  
RON DE LUCA, N.Y.  
SAMUEL GLADWINSON, CONN.  
WILLIAM PATMAN, TEX.  
PETER H. EASTMAYR, PA.  
JAMES MOODY, WIS.  
ALAN S. MOLLOHAN, W. VA.  
JAMES MCKILLIPS CLARK, N.C.  
JAMES F. MANDULY, JR., ARIZ.  
RICHARD H. LEHMAN, CALIF.  
SARA BURTON, CALIF.

MANUEL LILIAN, JR., N. MEX.  
DON YOUNG, ALASKA  
ROBERT J. LAGOMARINO, CALIF.  
DAN MARSHALL, UTAH  
RON MARSHALL, MONT.  
RICHARD S. CHENEY, WYO.  
CHARLES PASCHAY, JR., CALIF.  
LARRY CRAIG, IDAHO  
HARVEY BROWN, COLO.  
DENNY SMITH, OREG.  
JAMES V. HANSEN, UTAH  
BILL SWENSON, MD.  
JOHN MCCAIN, ARIZ.  
BARBARA VUCANOVICH, NEV.

## COMMITTEE ON INTERIOR AND INSULAR AFFAIRS

U.S. HOUSE OF REPRESENTATIVES  
WASHINGTON, D.C. 20515

STANLEY SCOVILLE  
STAFF DIRECTOR  
AND COUNSEL

ROY JONES  
ASSOCIATE STAFF DIRECTOR

LEE McELVAIN  
GENERAL COUNSEL

TIMOTHY W. GLIDDEN  
REPUBLICAN COUNSEL

March 23, 1984

The Honorable Nunzio Palladino  
Chairman  
United States Nuclear Regulatory Commission  
Washington, D.C. 20555

Dear Chairman Palladino:

I am writing to express my concern regarding the continuing inability of the NRC and EPA staffs to resolve differences regarding NRC consistency with the EPA standards for uranium mill tailings control. A recent letter from NRC Executive Director William Dirks to EPA Assistant Administrator Joseph Cannon (copy enclosed) summarized major differences in the negotiations. I would like to comment on several issues raised in that letter.

Congressional intent in providing for the Environmental Protection Agency a standards-setting role for uranium mill tailings assumed that such role would be defined by interagency agreements developed pursuant to Reorganization Plan No. 3 of 1970.

Under those agreements, the EPA standard would pertain to contamination or activities outside the boundary of the regulated facility, and would not include detailed engineering requirements or site-specific requirements. No subsequent interagency agreements have modified this definition of the EPA's standard-setting role, and substantial legislative history exists to indicate that Congress has continued to endorse this approach.

In complying with the requirements of the Uranium Mill Tailings Control Act for conformance or consistency with EPA standards, the Commission should bear in mind that this requirement applies only to that which EPA has promulgated which meets the definition of a generally applicable environmental standard. While some performance or implementation guidance may be relevant to conformance and consistency, site-specific engineering detail requirements would not.

8501230053

The Uranium Mill Tailings Control Act and its legislative history clearly and strongly give to the NRC the primary licensing role for tailings sites, and prohibit dual regulation or permitting by any additional Federal agency. Although the Administrator was given a concurrence role in NRC's standards conformance action, EPA concurrence on a license-by-license or site-by-site basis was not intended and violates the lead agency regulatory system.


In these instances, I am in agreement with the NRC staff position, and I urge the Commission not to establish a precedent redefining the agencies' respective roles by adopting EPA standards which are in conflict with them.

With respect to the "flexibility" issue, I am dismayed to see in the staff position an argument to which I vehemently objected earlier this year. The staff argues that P.L. 97-415 requires that licensees be given flexibility in meeting NRC and EPA regulations and standards for tailings control, and that therefore if alternate approaches are not available for meeting a standard, the standard is in violation of the law.

As I have clearly stated, the law allows licensees flexibility to propose alternate ways to meet the standards that are promulgated; it does not require that there be more than one way to meet any given standard in order for the standard to be valid. The NRC and its licensees can work together to determine how standards can be met, as long as they are met.

Concern among some of my colleagues about the clash between NRC and EPA on standards-setting issues will soon reach crisis proportions, if it has not already. We are also concerned that NRC regulations for tailings control go into effect without further delay. I advise the Commission to conform to that which is generally applicable in the EPA standards, to reassert the definition of roles now existing between the two agencies, and to promptly finalize and implement the tailings control requirements of 10 CFR Part 40.

Sincerely



MORRIS K. UDALL  
Chairman

Enclosure

cc: Honorable William D. Ruckelshaus  
Administrator  
Environmental Protection Agency

213

DATE OF DOCUMENT <b>11 02 84</b>	DATE RECEIVED <b>11 06 84</b>	DUE DATE <b>11 15 84</b>	REVISED DUE DATE	COMPLETION DATE	CONTROL NUMBER <b>841147</b>
OFFICE ASSIGNED <b>WM</b>		NAME OF ORIGINATOR AND OFFICE <b>Chilk S COM</b>			
REFERRED TO <i>WMPC</i>		DESCRIPTION <b>Commission Action on Uranium Mill Tailings Regulations</b> <i>11-15- submitted to PSB letters to Lambert Simpson &amp; Udall / Home memo to Chilk from Car...</i>			
TRANSITION TYPE (Code Option)		REMARKS			
1. Add new items 2. Delete items 3. Change item date 4. Update item status (close out) 5. Revised due date 6. Correct item status		<i>11-15- submitted to PSB letters to Lambert Simpson &amp; Udall / Home memo to Chilk from Car...</i> <i>11-15- submitted to PSB letters to Lambert Simpson &amp; Udall / Home memo to Chilk from Car...</i>			
DISTRIBUTION <i>WMPC</i>					

NRC FORM 300 (1-79)

U.S. NUCLEAR REGULATORY COMMISSION

WORK ITEM TRACKING SYSTEM (WITS, NMSS)

FROM

Samuel J. Chilk

DATE OF DOCUMENT

11-2-84

DATE RECEIVED

11-3-84

NO

WMPC 114

LTR

MEMO

REPORT

OTHER

TO

William J. Dircks

ORIG

CC

OTHER

ACTION NECESSARY ☐CONCURRENCE ☐

DATE ANSWERED

NO ACTION NECESSARY ☐COMMENT ☐

BY 11/15/84

CLASSIF

POST OFFICE

FILE CODE

REG NO

DESCRIPTION (Must Be Unclassified)

COMMISSION ACTION ON URANIUM MILL  
TAILINGS REGULATIONS

REFERRED TO

DATE

RECEIVED BY

DATE

Surmeier

11/7

Lambert

11/8

ENCLOSURES

H. ARKS

U. S. NUCLEAR REGULATORY COMMISSION

MAIL CONTROL FORM



PR 410  
49 FR 46418  
AR 50-2  
PDR

UNITED STATES  
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555

September 30, 1985

IN RESPONSE, PLEASE  
REFER TO: M850917C

ACTION - Davis  
Cys: Dircks  
Roe  
Rehm  
Stello  
GCunningham  
RMartin, RIV  
DSmith, URFO  
Fonner  
Dragonette  
Felton  
Philips  
Besaw  
Shelton

MEMORANDUM FOR: William J. Dircks, Executive Director  
for Operations

Herzel H.E. Plaine, General Counsel

FROM: Samuel J. Chilk, Secretary

SUBJECT: STAFF REQUIREMENTS MEMORANDUM - AFFIRMATION/  
DISCUSSION AND VOTE, 3:30 P.M., TUESDAY,  
SEPTEMBER 17, 1985, COMMISSIONERS' CONFERENCE  
ROOM, D.C. OFFICE (OPEN TO PUBLIC ATTENDANCE)

I. SECY-85-295 - Commission Review of ALAB-800 (Shoreham  
"Vital Equipment" Decision)

The Commission, by a 5-0 vote, approved an order that announces that the Commission will defer indefinitely publication of an opinion explaining the Commission's June 11, 1985 decision requiring LILCO to treat part of its alternate AC system as vital equipment.

(Subsequently, on September 24, 1985 the Secretary signed the order.)

II. SECY-85-178 - Final Amendments to Uranium Mill Tailings  
Rule to Implement EPA Stability and Radon Release Standards

The Commission, by a 5-0 vote, approved final amendments to 10 CFR Part 40 that conform to and implement stability and radon release provisions of the EPA's final standards for uranium and thorium mill tailings as contained in SECY-85-178.

The Federal Register Notice should be forwarded for signature and publication in the Federal Register.

(EDO) (NMSS)

(SECY Suspense: 10/18/85)

The Commission also requests that the staff provide it with the proposed rule dealing with the ground-water provisions of the UMRCA as soon as possible.

(EDO) (NMSS)

cc: Chairman Palladino  
Commissioner Roberts  
Commissioner Asselstine  
Commissioner Bernthal  
Commissioner Zech  
Commission Staff Offices  
PDR - Advance  
DCS - 016 Phillips

Red'd ON. EDO  
Date 10-1-85  
Time 3:15

251002-0006

205

DATE OF DOCUMENT 09/30/85	DATE RECEIVED 10/01/85	DUE DATE 10/15/85	REVISED DUE DATE	COMPLETION DATE	CONTROL NUMBER 880954
OFFICE ASSIGNED WM		NAME OF ORIGINATOR AND OFFICE Chilk, S. - SECY			
REFERRED TO		DESCRIPTION  STAFF REQUIREMENTS MEMORANDUM - AFFIRMATION/ DISCUSSION AND VOTE, 3:30 P.M., TUESDAY, SEPTEMBER 17, 1985, COMMISSIONERS' CONFERENCE ROOM, D. C. OFFICE (OPEN TO PUBLIC ATTENDANCE)  CLOSED 10/3/85 by memorandum to Joe Felton, Division of Rules and Records from RE Browning, WM			
TRANSITION TYPE (Code Option)		REMARKS			
1. Add new items 2. Delete items 3. Change item date 4. Update item status (close out) 5. Revised due date 6. Correct item status		This action is for the first suspense date of publication in the Federal Register.			
TRIBUTION					
NRC FORM 300 (1-79)		U.S. NUCLEAR REGULATORY COMMISSION			
WORK ITEM TRACKING SYSTEM (WITS, NMSS)					

grain is being sacked, or while the grain is at rest in a warehouse or holding facility in accordance with the instructions.

(3) "OUT" movements (other than export). Each checkweighing of an "OUT" movement of nonexport sacked grain shall be based on an official weight sample obtained from the grain as the grain is being loaded in the carrier or container, or while the grain is at rest in the carrier and container, or while the grain is at rest in a warehouse or holding facility, or while the grain is being sacked in accordance with procedures prescribed in the instructions.

(4) "LOCAL" weighing. Each checkweighing of a "LOCAL" movement of sacked grain shall be based on an official weight sample obtained while the grain is at rest or while the grain is being transferred in accordance with procedures prescribed in the instructions.

§§ 800.100-800.103 [Removed]

6. Sections 800.100, 800.101, 800.102, and 800.103 would be removed.

(Pub. L. 94-582, 90 Stat. 2869, as amended (7 U.S.C. 71 et seq.))

Dated: November 8, 1984.

Kenneth A. Gilles,  
Administrator.

(FR Doc. 84-30870 Filed 11-23-84; 8:45 am)

BILLING CODE 3410-EN-M

## NUCLEAR REGULATORY COMMISSION

### 10 CFR Part 40

#### Uranium Mill Tailings Regulations: Conforming NRC Requirements to EPA Standards

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Proposed rule.

**SUMMARY:** The Nuclear Regulatory Commission (NRC) is proposing to amend its regulations governing the disposal of uranium mill tailings. The proposed rule changes are intended to conform existing NRC regulations to the regulations published by the Environmental Protection Agency for the protection of the environment from these wastes. This action is being taken to comply with the legislative mandate set out in the Uranium Mill Tailings Radiation Control Act and the NRC Authorization Act for FY 1983.

**DATE:** The comment period expires on January 10, 1985. Comments received after this date will be considered if it is practical to do so but assurance of

consideration may not be given except for comments received on or before this date.

**ADDRESSES:** Mail comments to Secretary, U.S. Nuclear Regulatory Commission, Washington, DC 20555. Attention: Docketing and Service Branch. Deliver comments to Room 1121, 1717 H Street NW, Washington, DC between 8:15 a.m. and 5:00 p.m. weekdays.

#### FOR FURTHER INFORMATION CONTACT:

Robert Fonner, Office of the Executive Legal Director, telephone (301) 492-8892, or Kitty S. Dragonette, Division of Waste Management, U.S. Nuclear Regulatory Commission, Washington, DC 20555, telephone (301) 427-4300.

**SUPPLEMENTARY INFORMATION:** The Nuclear Regulatory Commission (NRC or Commission) is proposing modifications to its regulations for the purpose of conforming them to generally applicable requirements recently promulgated by the Environmental Protection Agency (EPA). These new EPA requirements are contained in Subparts D and E of 40 CFR Part 192 (48 FR 45949, October 7, 1983), are applicable to the management of uranium and thorium byproduct material, and became effective for NRC and Agreement State licensees and license applicants on December 6, 1983. The action proposed herein would modify previously existing regulations of the Commission to conform them to the new EPA requirements, and would incorporate certain of the new EPA requirements into the Commission's regulations. The affected Commission regulations are contained in Appendix A to 10 CFR Part 40, which was promulgated in final form on October 3, 1980 (45 FR 65521).

The modifications to Commission regulations proposed herein will incorporate within NRC regulations some of the new EPA requirements. The action that the Commission will take with respect to the remainder of these new EPA requirements is the subject of an Advanced Notice of Proposed Rulemaking (ANPRM), which requests comment on that subject, also issued this day. These new EPA requirements were developed and issued by EPA pursuant to section 275h of the Atomic Energy Act (42 U.S.C. 2022), as added by section 206 of Pub. L. 95-604, the Uranium Mill Tailings Radiation Control Act of 1978 (UMTRCA). Under section 18(a) of Pub. L. 97-415, the Nuclear Regulatory Commission Authorization Act for fiscal years 1982 and 1983, the Commission was directed to conform its regulations to EPA's with notice and

opportunity for public comment. Today's proposal addresses that responsibility.

#### Previous Actions

In keeping with section 18(a) of the NRC Authorization Act, the Commission suspended portions of its October 3, 1980 mill tailings regulations after notice and opportunity for public comment (48 FR 35350, August 4, 1983). As required by the Act, this suspension terminated automatically April 1, 1984. These portions of the Commission's regulations which were suspended were those that were determined to be in conflict or inconsistent with EPA's proposed requirements. More specifically, the suspended portions were those that would require a major commitment or major action by licensees which would be unnecessary if: (1) The EPA proposed standards were promulgated in final form without modification, and (2) the Commission's regulations were modified to conform to the EPA standards. The objective of the suspension was to avoid a situation where a licensee or applicant might make a major commitment or take a major action which would be unnecessary or ill-advised after subsequent rulemaking to modify permanently the existing regulations on the basis of EPA's final standards.

The final EPA standards are very similar to those that were proposed. Nevertheless, the Commission has reconsidered the appropriateness of changes to Appendix A to 10 CFR Part 40 in light of the new EPA standards, and the need for additional supporting documentation. The changes proposed today are more modest than the previous suspension.

#### Scope of This Proposal

In addition to conforming its existing regulations to new EPA standards, under the provisions of the UMTRCA, the Commission has a further legislated responsibility: it must establish general requirements, for the management of byproduct material, with EPA concurrence, which are, to the maximum extent practicable, at least comparable to requirements applicable to the management of similar hazardous material regulated by the EPA under the Solid Waste Disposal Act (SWDA), as amended. The Commission deliberated as to how best to deal with these related rulemaking needs and decided on the course of action resulting in this proposal and the accompanying ANPRM. This proposal addresses all the changes to the existing Commission regulations in Appendix A to 10 CFR Part 40 that can be legally promulgated without additional supporting

cc: NRC  
NRC  
LBM

Kenneth A. Gilles  
USA  
J. Lambert

Robert Fonner  
RF  
Kitty S. Dragonette

File 205

documentation. Other changes to the Commission's regulations for mill tailings management resulting from the EPA standard are the subject of the accompanying ANPRM.

The content of these two rulemakings also may be characterized in terms of the need for EPA concurrence, although that was not the deciding factor. This proposal consists of modifications not requiring EPA concurrence, including conforming changes to existing NRC rules and incorporation of EPA requirements not deriving from the SWDA. Those modifications that are the subject of the ANPRM accompanying this proposal deriving from the SWDA require EPA concurrence pursuant to section 84 of the Atomic Energy Act. Modifications addressed in the ANPRM include: (1) Incorporation into NRC regulations of SWDA requirements already imposed by the EPA, (2) any further modifications to NRC regulations necessary to establish SWDA-comparable requirements as called for by the UMTRCA, and (3) any further modifications needed to address prescriptive provisions that were suspended prior to April 1, 1984 but not proposed for modification by this action. This course of action was chosen to allow the Commission to both conform its regulations to EPA's and incorporate non-SWDA provisions in a prompt and orderly manner and deal with the complex of SWDA requirements and issues in a separate, comprehensive and unified rulemaking.

#### Content of This Proposal

The new EPA requirements in 40 CFR Part 192, (48 FR 45926) included by reference several sections from 40 CFR Part 264, promulgated by the EPA pursuant to authority provided by the Resource Conservation and Recovery Act (RCRA), which modified the SWDA. These SWDA (or RCRA) requirements imposed under 40 CFR Part 192 are addressed in the ANPRM accompanying this proposal. The few conforming changes to NRC's existing Appendix A regulations made necessary by these newly imposed SWDA requirements are addressed in this document, as are conforming changes and other changes necessary to reflect and incorporate the non-SWDA elements of EPA's new requirements. These non-SWDA provisions include requirements to—

(1) Adhere to applicable requirements in 40 CFR Part 190, "Environmental Radiation Protection Standards for Nuclear Power Operations" for uranium byproduct material, and essentially the same requirements for thorium byproduct material;

(2) Adhere to applicable requirements in 40 CFR Part 440, "Ore Mining and Dressing Point Source Category: Effluent Limitations Guidelines and New Source Performance Standards, Subpart C, Uranium, Radium, and Vanadium Ores Subcategory."

(3) Maintain releases of radon to the atmosphere during operations as low as is practicable;

(4) Close disposal areas so as to provide reasonable assurance of effective control for 1,000 years, to the extent reasonably achievable, and, in any case, for at least 200 years;

(5) Limit average post-closure releases of radioactive radon gas to no more than 20 picocuries per square meter per second ( $\text{pCi}/\text{m}^2\text{-s}$ ); and

(6) Set limits for residual concentrations of radioactive radium left in soil, above background, in onsite areas not subject to the closure requirements for longevity and radon release control.

#### Proposed Modifications and Rationale

In accordance with the above, the Commission proposes the following modifications to Appendix A to 10 CFR Part 40:

##### 1. Introduction

(a) In the second sentence of the third paragraph, change "amendability" to "amenability."

*Reason:* This change corrects a typographical error.

(b) Delete the fourth paragraph in its entirety.

*Reason:* This change deletes an information submittal requirement which was established in connection with implementation of the original Appendix A criteria. The due date originally set for submittals is past. A new due date for revised submittals is not considered necessary.

(c) Add the following paragraph at the end: "Licensees or applicants may propose alternatives to the specific requirements in this Appendix. The alternative proposals may take into account local or regional conditions, including geology, topography, hydrology, and meteorology. The Commission may find that the proposed alternatives meet the Commission's requirements if the alternatives will achieve a level of stabilization and containment of the sites concerned, and a level of protection for public health, safety, and the environment from radiological and nonradiological hazards associated with the sites, which is equivalent to, to the extent practicable, or more stringent than the level which would be achieved by the requirements of this Appendix and the

standards promulgated by the Environmental Protection Agency in 40 CFR Part 192, Subparts D and E."

*Reason:* The flexibility to propose alternatives to the Commission's and EPA standards was included in Pub. L. 97-415 changes to the AEA. The added paragraph paraphrases the language in Section 84c. The added paragraph explicitly acknowledges the legislative intent and provides licensees and applicants the opportunity to propose alternatives as a routine licensing matter. Licensees would have to provide a site specific rationale to enable the Commission to make the required finding. This generic approach was taken instead of modifying individual criteria to provide flexibility. A generic approach avoids the chance of not identifying all areas where flexibility may be needed and preserves the existing support for Appendix A. Administratively, alternatives are easier to process under an explicit provision than exceptions to rules.

##### 2. Criterion 1

(a) In the first paragraph delete the phrase " \* \* \* for thousands of years \* \* \* " and insert " \* \* \* ."

*Reason:* The thousands of years language conflicts with the 40 CFR 192.32(b) standard of design of control measures to be effective for 1,000 years.

(b) In the second listed item of the first paragraph, delete the word "usable."

*Reason:* Both 40 CFR 264.221 and 40 CFR 264.92, which are included by reference in 40 CFR 192.32(a), require isolation of contaminants from all qualities of groundwater, not just usable groundwater sources.

##### 3. Criterion 3

(a) Delete the modifiers "high quality" for groundwater in the second sentence of the second paragraph.

*Reason:* The EPA standards require protection of all qualities of groundwater, not just high quality sources.

##### 4. Criterion 4

(a) Revise paragraph (a) by deleting "maximum possible flood" and inserting "Probable Maximum Flood."

*Reason:* Probable Maximum Flood reflects the appropriate hydrologic terms for a design basis and the original intent of the provision when Appendix A was promulgated.

##### 5. Criterion 5

(a) In the first paragraph, delete the first two sentences beginning "Steps shall be taken \* \* \* " and ending

"potential uses." and the phrase " \* \* \* in order to accomplish this objective." in the third sentence.

*Reason:* The EPA groundwater protection standards referenced in 40 CFR 192.32(a) do not permit any seepage to groundwater.

(b) In the first listed item under the first paragraph beginning with "Installation of \* \* \*" delete the words "low permeability" as a characteristic of bottom liners.

*Reason:* The EPA groundwater protection standard referenced in 40 CFR 192.32(a) requires a liner that prevents migration of wastes out of the impoundment into the adjacent soil and groundwater. Low permeability implies that some migration is allowed.

(c) In the second paragraph beginning "Where groundwater impacts \* \* \*" delete the phrase "to its potential use before milling operations began to the maximum extent practicable."

*Reason:* The EPA standard in 40 CFR 192.33, by referencing 40 CFR 264.100, requires a corrective action program to restore groundwater to standards established under 40 CFR 264.92-264.94. This standard is essentially a nondegradation standard. Restoration of groundwater quality only to the extent necessary to restore its potential use is inconsistent with EPA standard.

(d) Delete in its entirety the third paragraph beginning "While the primary method of protecting groundwater shall be isolation \* \* \*" and ending " \* \* \* from current or potential uses."

*Reason:* The EPA standards for groundwater protection in 40 CFR 192.32(a) protect groundwater primarily on the basis of background-level concentration limits for hazardous constituents, and not in terms of current or potential uses. The deleted sentence allowed consideration of tailings in contact with groundwater. The EPA standard permits no seepage to groundwater.

(e) In the first sentence of the fifth paragraph beginning "This information shall be gathered \* \* \*" delete the word "usable" where it modifies "groundwater."

*Reason:* The EPA standard in 40 CFR 192.32(a) does not distinguish between "usable" and nonusable aquifers. The groundwater protection standard applies universally to aquifers of any quality or potential use.

#### 6. Criterion 6

(a) Delete the first sentence in entirety, beginning with "Sufficient earth cover \* \* \*" and ending with " \* \* \* meter per second.", and in its place insert "In cases where waste byproduct material is to be permanently disposed,

an earthen cover shall be placed over tailings or wastes at the end of milling operations and the waste disposal area shall be closed in accordance with a design <sup>1</sup> which shall provide reasonable assurance of control of radiological hazards to: (i) Be effective for one thousand years, to the extent reasonably achievable, and, in any case, for at least 200 years, and (ii) limit releases of radon-222 from uranium byproduct materials, and radon-220 from thorium byproduct materials, to the atmosphere so as to not exceed an average <sup>2</sup> release rate of 20 picocuries per square meter per second (pCi/m<sup>2</sup>s)."

*Reason:* The change replaces previous Commission requirements for minimum cover thickness and post-closure radon control with the EPA standards for longevity and radon control. The EPA standard in 40 CFR 192.32(b) for environmental protection after closure specifies that the control method must provide reasonable assurance that releases of radon-222 do not exceed 20 picocuries per square meter per second, rather than 2 picocuries. Under the EPA standard the thickness of cover will be a function of longevity and radon release and will be determined based on meeting the 20 value instead of 2. The three meter minimum prescriptive requirement was developed to achieve a 2 picocurie emanation rate based on the assumed typical soil conditions.

(b) Add to Criterion 6 the following two footnotes which accompany the revised first sentence: footnote: (1) "The standard applies to design. Monitoring for radon after installation of an appropriately designed cover is not required." and footnote (2) "This average shall apply to the entire surface of each disposal area over periods of at least one year, but short compared to 100 years. Radon will come from both uranium byproduct materials and from covering materials. Radon emissions from covering materials should be estimated as part of developing a closure plan for each site. The standard, however, applies only to emissions from byproduct materials to the atmosphere."

*Reason:* This change fully incorporates the EPA radon control standard.

(c) In the fifth sentence of the first paragraph, replace "non-soiled" with "non-soil," and replace the words "to reduce tailings cover \* \* \* three meters" with the words "as to the materials."

*Reason:* The first change corrects a typographical error. The second is an editorial change to be consistent with the deletion of the three meter minimum requirement as discussed in (a) above.

(d) At the end of Criterion 6, add a new paragraph to read: "The design requirements in this Criterion for longevity and control of radon releases shall apply to any portion of a licensed and/or disposal site unless such portion contains a concentration of radium in land, averaged over areas of 100 square meters, which, as a result of byproduct material does not exceed the background level by more than: (i) 5 picocuries per gram (pCi/g) of radium-226, or, in the case of thorium byproduct material, radium-228, averaged over the first 15 centimeters (cm) below the surface, and (ii) 15 pCi/g of radium-226, or, in the case of thorium byproduct material, radium-228, averaged over 15-cm thick layers more than 15 cm below the surface."

*Reason:* This change incorporates the EPA requirements for site cleanup outside the actual disposal area, in areas where the longevity and radon control closure standards are not applicable (see 40 CFR 192.32(b)(2) and 192.41).

#### 7. Criterion 8

(a) At the end of the first full paragraph, add a new sentence to read "During operations and prior to closure, radiation doses from radon emissions from surface impoundments shall be kept as low as is practicable."

*Reason:* This change incorporates the EPA requirement imposed under 40 CFR 192.32(a)(4).

(b) Following the third full paragraph of Criterion 8, just before Criterion 8A, insert the following two new paragraphs:

"Milling operations producing or involving thorium byproduct material shall be conducted in such a manner as to provide reasonable assurance that the annual dose equivalent does not exceed 25 millirems to the whole body, 75 millirems to the thyroid, and 25 millirems to any other organ of any member of the public as a result of exposure to the planned discharge of radioactive materials, radon-220 and its daughters excepted, to the general environment."

"Uranium and thorium byproduct materials shall be managed so as to conform to the applicable provisions of Title 40 of the Code of Federal Regulations, Part 440, Ore Mining and Dressing Point Source Category: Effluent Limitations Guidelines and New Source Performance Standards, Subpart C, Uranium, Radium, and Vanadium Ores Subcategory, as codified on January 1, 1983."

*Reason:* These new paragraphs incorporate EPA requirements imposed

under 40 CFR 192.41(d) and 40 CFR 192.52(a)(3), respectively.

8. Criteria 2, 7, 9, 10, 11, and 12 are not affected by the new EPA standards or editorial changes and no modification is proposed for any portion of those criteria.

#### Commission Authority and Responsibility

Section 84c. of the Atomic Energy Act state that: A Licensee may propose alternatives to specific requirements adopted and enforced by the Commission under this act. Such alternative proposals may take into account local or regional conditions, including geology, topography, hydrology and meteorology. The Commission may treat such alternatives as satisfying Commission requirements if the Commission determines that such alternatives will achieve a level of stabilization and containment of the sites concerned, and a level of protection for public health, safety, and the environment from radiological and nonradiological hazards associated with such sites, which is equivalent to, to the extent practicable, or more stringent than the level which would be achieved by standards and requirements adopted and enforced by the Commission for the same purpose and any final standards promulgated by the Administrator of the Environmental Protection Agency in accordance with section 275.

The Commission historically has had the authority and responsibility to regulate the activities of persons licensed under the Atomic Energy Act of 1954, as amended. Consistent with that authority and in accordance with section 84c. of that Act, the Commission has the discretion to review and approve site specific alternatives to standards promulgated by the Commission and by the Administrator of the Environmental Protection Agency. In the exercise of this authority, Section 84c. does not require the Commission to obtain the concurrence of the Administrator in any site specific alternative which satisfies Commission requirements for the level of protection for public health, safety, and the environment from radiological and nonradiological hazards at uranium mill tailing sites. As an example, the Commission need not seek concurrence of the Administrator in case-by-case determinations of alternative concentration limits and delisting of hazardous constituents for specific sites. It should be understood that the proposed conforming regulations deal with the exercise of the Commission's responsibility and authority under the Atomic Energy Act of 1954, solely as

regards uranium mill tailings sites and have no broader connotation.

The Commission believes that licensee proposals for alternatives can be an important and effective way to help deal with the problems associated with implementing the new EPA standards. The Commission expects that it may require several years to have its conforming regulations fully in place. It expects to use the flexibility provided by section 84 in the interim to consider and approve alternative proposals from licensees. Section 84c. provides NRC sufficient authority to independently approve alternatives so long as the Commission can make the required determination.

#### Impact of the Proposed Amendments

The Commission's action in proposing these modifications to its regulations in Appendix A to 10 CFR Part 40 is to conform them to the new EPA standards. These changes are for the purpose of avoiding conflicts and inconsistencies, and for clarifying previously existing language so as to be compatible with the new requirements. The action proposed here by the Commission is a consequence of previous actions taken by the Congress and the EPA, and is legally mandated in section 275b(3) of the Atomic Energy Act of 1954, as amended.

Commission action in this case is essentially nondiscretionary in nature, and for purposes of environmental analysis, rests upon existing environmental and other impact evaluations in the following documents: (1) "Final Environmental Impact Statement for Standards for the Control of Byproduct Materials from Uranium Ore Processing (40 CFR Part 192)," Volumes 1 and 2, EPA 520/1-83-008-1 and 2, September 1983, and (2) "Regulatory Impact Analysis of Final Environmental Standards for Uranium Mill Tailing at Active Sites," EPA 520/1-83-010 September 1983, both prepared in support of Subparts D and E of 40 CFR Part 192, and (3) "Final Generic Environmental Impact Statement on Uranium Milling," NUREG-0706, September 1980, prepared in support of Appendix A of 10 CFR Part 40. The Commission believes that these supporting analyses for the new EPA standards and the existing Commission regulations provide a more than adequate environmental review for the standards addressed herein, and that no additional impact analysis is warranted by the conforming actions proposed herein. The EPA engaged in and completed a NEPA process with full consideration of environmental concerns, and for the purposes of this

rulemaking action, can be viewed as the lead agency.

#### Paperwork Reduction Act Statement

This proposed rule does not contain a new or amended information collection requirement subject to the requirements of the Paperwork Reduction Act of 1980 (44 U.S.C. 3501 et seq.). Existing requirements were approved by the Office of Management and Budget approval number 3150-0020.

#### Regulatory Flexibility Certification

As required by the Regulatory Flexibility Act of 1980, 5 U.S.C. 605(b), the Commission certifies that this rule will not, if promulgated, have a significant economic impact upon a substantial number of small entities. Therefore, we have not performed a Regulatory Flexibility Analysis. The basis for this finding is that of the licensed uranium mills, only one qualifies as a small entity. Almost all the mills are owned by large corporations. Three of the mills are partly-owned by companies that could qualify as small businesses, according to the Small Business Administration generic small entity definition of 500 employees. However, under the Regulatory Flexibility Act, a small business is one that is independently owned and operated. Since these three mills are not independently owned they do not qualify as small entities.

#### List of Subjects in 10 CFR Part 40

Government contracts, Hazardous materials-transportation, Nuclear materials, Penalty, Reporting and recordkeeping requirements, Source material, and Uranium.

Under the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974, as amended, 5 U.S.C. 553, and the Uranium Mill Tailings Radiation Control Act of 1978, as amended, the NRC is proposing the following amendments to 10 CFR Part 40.

#### PART 40—DOMESTIC LICENSING OF SOURCE MATERIAL

1. The authority citation for Part 40 is revised to read as follows:

Authority: Secs. 82, 83, 84, 85, 81, 161, 182, 183, 186, 68 Stat. 932, 933, 935, 948, 953, 954, 955, as amended, secs. 11e(2), 83, 84, Pub. L. 95-604, 92 Stat. 3033, as amended, 3039, sec. 234, 83 Stat. 444, as amended (42 U.S.C. 2014(e)(2), 2092, 2093, 2094, 2095, 2111, 2113, 2114, 2201, 2232, 2233, 2236, 2282); secs. 274, Pub. L. 95-373, 73 Stat. 688 (42 U.S.C. 2021); sec. 201, as amended, 202, 206, 88 Stat. 1242, as amended, 1244, 1246 (42 U.S.C. 5841, 5842, 5846). Section 275, 92 Stat. 3021, as amended by Pub. L. 97-415, 96 Stat. 2067 (42 U.S.C. 2022).

Section 40.7 also issued under Pub. L. 95-601, sec. 10.92 Stat. 2951 (42 U.S.C. 5851). Section 40.31(g) also issued under sec. 122, 66 Stat. 939 (42 U.S.C. 2152). Section 40.46 also issued under sec. 184, 66 Stat. 954, as amended (42 U.S.C. 2234). Section 40.71 also issued under sec. 187, 66 Stat. 955 (42 U.S.C. 2237).

For the purposes of sec. 223, 66 Stat. 956, as amended (42 U.S.C. 2273): §§ 40.3, 40.25(d)(1)-(3), 40.35(a)-(d), 40.41 (b) and (c), 40.46, 40.51 (a) and (c), and 40.63 are issued under sec. 181b, 66 Stat. 948, as amended, (42 U.S.C. 2201(b)); and §§ 40.25 (c) and (d) (3) and (4), 40.26(c)(2), 40.35(e), 40.42, 40.61, 40.62, 40.64 and 40.65 are issued under sec. 181o, 66 Stat. 950, as amended (42 U.S.C. 2201(o)).

#### Appendix A—[Amended]

2. Appendix A to Part 40 is revised to read as follows:

#### Appendix A to Part 40—Criteria Relating to the Operation of Uranium Mills and the Disposition of Tailings or Wastes Produced by the Extraction or Concentration of Source Material From Ores Processed Primarily for Their Source Material Content

##### Introduction

Every applicant for a license to possess and use source material in conjunction with uranium or thorium milling, or byproduct material at sites formerly associated with such milling, is required by the provisions of § 40.31(h) to include in a license application proposed specifications relating to milling operations and the disposition of tailings or wastes resulting from such milling activities. This appendix establishes technical, financial, ownership, and long-term site surveillance criteria relating to the siting, operation, decontamination, decommissioning, and reclamation of mills and tailings or waste systems and sites at which such mills and systems are located. As used in this appendix, the term "as low as is reasonably achievable" has the same meaning as in § 20.1(c) of 10 CFR Part 20 of this chapter.

In many cases, flexibility is provided in the criteria to allow achieving an optimum tailings disposal program on a site-specific basis. However, in such cases the objectives, technical alternatives and concerns which must be taken into account in developing a tailings program are identified. As provided by the provisions of § 40.31(h) applications for licenses must clearly demonstrate how the criteria have been addressed.

The specifications shall be developed considering the expected full capacity of tailings or waste systems and the lifetime of mill operations. Where later expansions of systems or operations may be likely (for example, where large quantities of ore now marginally uneconomical may be stockpiled), the amendability of the disposal system to accommodate increased capacities without degradation in long-term stability and other performance factors shall be evaluated.

Licensees or applicants may propose alternatives to the specific requirements in this Appendix. The alternative proposals may

take into account local or regional conditions, including geology, topography, hydrology, and meteorology. The Commission may find that the proposed alternatives meet the Commission's requirements if the alternatives will achieve a level of stabilization and containment of the sites concerned, and a level of protection for public health, safety, and the environment from radiological and nonradiological hazards associated with the sites, which is equivalent to, to the extent practicable, or more stringent than the level which would be achieved by the requirements of this Appendix and the standards promulgated by the Environmental Protection Agency in 40 CFR Part 192, Subparts D and E.

##### 1. Technical Criteria

Criterion 1—In selecting among alternative tailings disposal sites or judging the adequacy of existing tailings sites, the following site features, which will determine the extent to which a program meets the broad objective of isolating the tailings and associated contaminants from man and the environment for 1,000 years, thereafter, without ongoing active maintenance shall be considered:

- Remoteness from populated areas;
- Hydrologic and other natural conditions as they contribute to continued immobilization and isolation of contaminants from groundwater sources; and
- Potential for minimizing erosion, disturbance, and dispersion by natural forces over the long term.

The site selection process shall be an optimization to the maximum extent reasonably achievable in terms of these features.

In the selection of disposal sites, primary emphasis shall be given to isolation of tailings or wastes, a matter having long-term impacts, as opposed to consideration only of short-term convenience or benefits, such as minimization of transportation or land acquisition costs. While isolation of tailings will be a function of both site and engineering design, overriding consideration shall be given to siting features given the long-term nature of the tailings hazards.

Tailings shall be disposed of in a manner that no active maintenance is required to preserve conditions of the site.

Criterion 2—To avoid proliferation of small waste disposal sites and thereby reduce perpetual surveillance obligations, byproduct material from in situ extraction operations, such as residues from solution evaporation or contaminated control processes, and wastes from small remote above ground extraction operations shall be disposed of at existing large mill tailings disposal sites; unless, considering the nature of the wastes, such as their volume and specific activity, and the costs and environmental impacts of transporting the wastes to a large disposal site, such offsite disposal is demonstrated to be impracticable or the advantages of onsite burial clearly outweigh the benefits of reducing the perpetual surveillance obligations.

Criterion 3—The "prime option" for disposal of tailings is placement below grade, either in mines or specially excavated pits

(that is, where the need for any specially constructed retention structure is eliminated).

The evaluation of alternative sites and disposal methods performed by mill operators in support of their proposed tailings disposal program (provided in applicants' environmental reports) shall reflect serious consideration of this disposal mode. In some instances, below grade disposal may not be the most environmentally sound approach, such as might be the case if a groundwater formation is relatively close to the surface or not very well isolated by overlying soils and rock. Also, geologic and topographic conditions might make full below grade burial impracticable; for example, bedrock may be sufficiently near the surface that blasting would be required to excavate a disposal pit at excessive cost, and more suitable alternative sites are not available. Where full below grade burial is not practicable, the size of retention structures, and size and steepness of slopes of associated exposed embankments shall be minimized by excavation to the maximum extent reasonably achievable or appropriate given the geologic and hydrologic conditions at a site. In these cases, it must be demonstrated that an above grade disposal program will provide reasonably equivalent isolation of the tailings from natural erosional forces.

Criterion 4—The following site and design criteria shall be adhered to whether tailings or wastes are disposed of above or below grade.

(a) Upstream rainfall catchment areas must be minimized to decrease erosion potential and the size of the Probable Maximum Flood which could erode or wash out sections of the tailings disposal area.

(b) Topographic features should provide good wind protection.

(c) Embankment and cover slopes shall be relatively flat after final stabilization to minimize erosion potential and to provide conservative factors of safety assuring long-term stability. The broad objective should be to contour final slopes to grades which are as close as possible to those which would be provided if tailings were disposed of below grade; this could, for example, lead to slopes about 10 horizontal to 1 vertical (10h:1v) or less steep. In general, slopes should not be steeper than about 5h:1v. Where steeper slopes are proposed, reasons why a slope less steep than 5h:1v would be impracticable should be provided, and compensating factors and conditions which make such slopes acceptable should be identified.

(d) A full self-sustaining vegetative cover shall be established or rock cover employed to reduce wind and water erosion to negligible levels.

Where a full vegetative cover is not likely to be self-sustaining due to climatic or other conditions, such as in semi-arid and arid regions, rock cover shall be employed on slopes of the impoundment system. The NRC will consider relaxing this requirement for extremely gentle slopes such as those which they may exist on the top of the pile.

The following factors shall be considered in establishing the final rock cover design to avoid displacement of rock particles by

human and animal traffic or by natural process, and to preclude undercutting and piping:

- Shape, size, composition, and gradation of rock particles (excepting bedding material average particles size shall be at least cobble size or greater);

- Rock cover thickness and zoning of particles by size; and

- Steepness of underlying slopes.

Individual rock fragments shall be dense, sound, and resistant to abrasion, and shall be free from cracks, seams, and other defects that would tend to unduly increase their destruction by water and frost actions. Weak, friable, or laminated aggregate shall not be used.

Rock covering of slopes may not be required where top covers are very thick (on the order of 10m or greater); impoundment slopes are very gentle (on the order of 10 h:1 v or less); bulk cover materials have inherently favorable erosion resistance characteristics; and, there is negligible drainage catchment area upstream of the pile and good wind protection as described in points (a) and (b) of this Criterion.

Furthermore, all impoundment surfaces shall be contoured to avoid areas of concentrated surface runoff or abrupt or sharp changes in slope gradient. In addition to rock cover on slopes, areas toward which surface runoff might be directed shall be well protected with substantial rock cover (rip rap). In addition to providing for stability of the impoundment system itself, overall stability, erosion potential, and geomorphology of surrounding terrain shall be evaluated to assure that there are not ongoing or potential processes, such as gully erosion, which would lead to impoundment instability.

(e) The impoundment shall not be located near a capable fault that could cause a maximum credible earthquake larger than that which the impoundment could reasonably be expected to withstand. As used in this criterion, the term "capable fault" has the same meaning as defined in section III(g) of Appendix A of 10 CFR 100. The term "maximum credible earthquake" means the earthquake which cause the maximum vibratory ground motion based upon an evaluation of earthquake potential considering the regional and local geology and seismology and specific characteristics of local subsurface material.

(f) The impoundment, where feasible, should be designed to incorporate features which will promote deposition. For example, design features which promote deposition of sediment suspended in any runoff which flows into the impoundment area might be utilized; the object of such a design feature would be to enhance the thickness of cover over time.

Criterion 5—The following shall be considered:

- Installation of bottom liners (Where synthetic liners are used, a leakage detection system shall be installed immediately below the liner to ensure major failures are detected if they occur. This is in addition to the groundwater monitoring program conducted as provided in Criterion 7. Where clay liners are proposed or relatively thin, in-situ clay

soils are to be relied upon for seepage control, tests shall be conducted with representative tailings solutions and clay materials to confirm that no significant deterioration of permeability or stability properties will occur with continuous exposure of clay to tailings solutions. Tests shall be run for a sufficient period of time to reveal any effects if they are going to occur (in some cases deterioration has been observed to occur rather rapidly after about nine months of exposure).

- Mill process designs which provide the maximum practicable recycle of solutions and conservation of water to reduce the net input of liquid to the tailings impoundment.

- Dewatering of tailings by process devices and/or in-situ drainage systems (At new sites, tailings shall be dewatered by a drainage system installed at the bottom of the impoundment to lower the phreatic surface and reduce the driving head for seepage, unless tests show tailings are not amenable to such a system. Where in-situ dewatering is to be conducted, the impoundment bottom shall be graded to assure that the drains are at a low point. The drains shall be protected by suitable filter materials to assure that drains remain free running. The drainage system shall also be adequately sized to assure good drainage).

- Neutralization to promote immobilization of toxic substances.

Where groundwater impacts are occurring at an existing site due to seepage, action shall be taken to alleviate conditions that lead to excessive seepage impacts and restore groundwater quality. The specific seepage control and groundwater protection method, or combination of methods, to be used must be worked out on a site-specific basis. Technical specifications shall be prepared to control installation of seepage control systems. A quality assurance, testing, and inspection program, which includes supervision by a qualified engineer or scientist, shall be established to assure the specifications are met.

In support of a tailings disposal system proposal, the applicant/operator shall supply information concerning the following:

- The chemical and radioactive characteristics of the waste solutions.

- The characteristics of the underlying soil and geologic formations particularly as they will control transport of contaminants and solutions. This shall include detailed information concerning extent, thickness, uniformity, shape, and orientation of underlying strata. Hydraulic gradients and conductivities of the various formations shall be determined.

This information shall be gathered from borings and field survey methods taken within the proposed impoundment area and in surrounding areas where contaminants might migrate to groundwater. The information gathered on boreholes shall include both geologic and geophysical logs in sufficient number and degree of sophistication to allow determining significant discontinuities, fractures, and channeled deposits of high hydraulic conductivity. If field survey methods are used, they should be in addition to and calibrated with borehole logging. Hydrologic

parameters such as permeability shall not be determined on the basis of laboratory analysis of samples alone; a sufficient amount of field testing (e.g., pump tests) shall be conducted to assure actual field properties are adequately understood. Testing shall be conducted to allow estimating chemisorption/attenuation properties of underlying soil and rock.

- Location, extent, quality, capacity and current uses of any groundwater at and near the site.

Furthermore, steps shall be taken during stockpiling of ore to minimize penetration of radionuclides into underlying soils; suitable methods include lining and/or compaction of ore storage areas.

Criterion 6—In cases where waste byproduct material is to be permanently disposed on an earthen cover shall be placed over tailings or wastes at the end of milling operations and, the waste disposal area shall be closed in accordance with a design<sup>1</sup> which shall provide reasonable assurance of control of radiological hazards to: (i) Be effective for 1,000 years, to the extent reasonably achievable, and, in any case, for at least 200 years, and (ii) limit releases of radon-222 from uranium byproduct materials, and radon-220 from thorium byproduct materials, to the atmosphere so as to not exceed an average<sup>2</sup> release rate of 20 picocuries per square meter per second (pCi/m<sup>2</sup>s). In computing required tailings cover thicknesses, moisture in soils in excess of amounts found normally in similar soils in similar circumstances shall not be considered. Direct gamma exposure from the tailings or wastes should be reduced to background levels. The effects of any thin synthetic layer shall not be taken into account in determining the calculated radon exhalation level. If non-soil materials are proposed as cover materials, it must be demonstrated that such materials will not crack or degrade by differential settlement, weathering, or other mechanism, over long-term time intervals.

Near surface cover materials (i.e., within the top three meters) shall not include waste or rock that contains elevated levels of radium; soils used for near surface cover must be essentially the same, as far as radioactivity is concerned, as that of surrounding surface soils. This is to ensure that surface radon exhalation is not significantly above background because of the cover material itself.

The design requirements in this criterion for longevity and control of radon releases shall apply to any portion of a licensed and/or disposal site unless such portion contains a concentration of radium in land, averaged

<sup>1</sup> The standard applies to design. Monitoring for radon after installation of an appropriately designed cover is not required.

<sup>2</sup> This average shall apply to the entire surface of each disposal area over periods of at least 1 year, but short compared to 100 years. Radon will come from both uranium byproduct materials and from covering materials. Radon emissions from covering materials should be estimated as part of developing a closure plan for each site. The standard, however, applies only to emissions from uranium byproduct materials to the atmosphere.

over areas of 100 square meters, which, as a result of byproduct material does not exceed the background level by more than: (i) 5 picocuries per gram (pCi/g) of radium-226, or, in the case of thorium byproduct material, radium-228, averaged over the first 15 centimeters (cm) below the surface, and (ii) 15 pCi/g of radium-226, or, in the case of thorium byproduct material, radium-228, averaged over 15-cm thick layers more than 15 cm below the surface.

Criterion 7—At least one full year prior to any major site construction, a preoperational monitoring program shall be conducted to provide complete baseline data on a milling site and its environs. Throughout the construction and operating phases of the mill, an operational monitoring program shall be conducted to measure or evaluate compliance with applicable standards and regulations; to evaluate performance of control systems and procedures; to evaluate environmental impacts of operation; and to detect potential long-term effects.

Criterion 8—Milling operations shall be conducted so that all airborne effluent releases are reduced to levels as low as is reasonably achievable. The primary means of accomplishing this shall be by means of emission controls. Institutional controls, such as extending the site boundary and exclusion area, may be employed to ensure that offsite exposure limits are met, but only after all practicable measures have been taken to control emissions at the source.

Notwithstanding the existence of individual dose standards, strict control of emissions is necessary to assure that population exposures are reduced to the maximum extent reasonably achievable and to avoid site contamination. The greatest potential sources of offsite radiation exposure (aside from radon exposure) are dusting from dry surfaces of the tailing disposal area not covered by tailings solution and emissions from yellowcake drying and packaging operations. During operations and prior to closure, radiation doses from radon emissions from surface impoundments of uranium or thorium byproduct materials shall be kept as low as is practicable.

Checks shall be made and logged hourly of all parameters (e.g., differential pressures and scrubber water flow rates) which determine the efficiency of yellowcake stack emission control equipment operation. It shall be determined whether or not conditions are within a range prescribed to ensure that the equipment is operating consistently near peak efficiency; corrective action shall be taken when performance is outside of prescribed ranges. Effluent control devices shall be operative at all times during drying and packaging operations and whenever air is exhausting from the yellowcake stack. Drying and packaging operations shall terminate when controls are inoperative. When checks indicate the equipment is not operating within the range prescribed for peak efficiency, actions shall be taken to restore parameters to the prescribed range. When this cannot be done without shutdown and repairs, drying and packaging operations shall cease as soon as practicable. Operations may not be re-started after cessation due to off-normal performance until

needed corrective actions have been identified and implemented. All such cessations, corrective actions, and re-starts shall be reported to the appropriate NRC regional office as indicated in Criterion 8A, in writing, within 10 days of the subsequent restart.

To control dusting from tailings, that portion not covered by standing liquids shall be wetted or chemically stabilized to prevent or minimize blowing and dusting to the maximum extent reasonably achievable. This requirement may be relaxed if tailings are effectively sheltered from wind, such as may be the case where they are disposed of below grade and the tailings surface is not exposed to wind. Consideration shall be given in planning tailings disposal programs to methods which would allow phased covering and reclamation of tailings impoundments since this will help in controlling particulate and radon emissions during operation. To control dusting from diffuse sources, such as tailings and ore pads where automatic controls do not apply, operators shall develop written operating procedures specifying the methods of control which will be utilized.

Milling operations producing or involving thorium byproduct material shall be conducted in such a manner as to provide reasonable assurance that the annual dose equivalent does not exceed 25 millirems to the whole body, 75 millirems to the thyroid, and 25 millirems to any other organ of any member of the public as a result of exposures to the planned discharge of radioactive materials, radon-220 and its daughters excepted, to the general environment.

Uranium and thorium byproduct materials shall be managed so as to conform to the applicable provisions of Title 40 of the Code of Federal Regulations, Part 440, "Ore Mining and Dressing Point Source Category: Effluent Limitations Guidelines and New Source Performance Standards, Subpart C, Uranium, Radium, and Vanadium Ores Subcategory," as codified on January 1, 1983.

Criteria 8A—Daily inspections of tailings or waste retention systems shall be conducted by a qualified engineer or scientist and documented. The appropriate NRC regional office as indicated in Appendix D of 10 CFR Part 20, or the Director, Office of Inspection and Enforcement, U.S. Nuclear Regulatory Commission, Washington, DC 20555, shall be immediately notified of any failure in a tailings or waste retention system which results in a release of tailings or waste into unrestricted areas, and/or of any unusual conditions (conditions not contemplated in the design of the retention system) which, if not corrected could indicate the potential or lead to failure of the system and result in a release of tailings or waste into unrestricted areas.

## II. Financial Criteria

Criterion 9—Financial surety arrangements shall be established by each mill operator prior to the commencement of operations to assure that sufficient funds will be available to carry out the decontamination and decommissioning of the mill and site and for the reclamation of any tailings or waste disposal areas. The amount of funds to be ensured by such surety arrangements shall be

based on Commission-approved cost estimates in a Commission-approved plan for: (1) Decontamination and decommissioning of mill buildings and the milling site to levels which would allow unrestricted use of these areas upon decommissioning, and (2) the reclamation of tailings and/or waste disposal areas in accordance with technical criteria delineated in Section I of this Appendix. The licensee shall submit this plan in conjunction with an environmental report that addresses the expected environmental impacts of the milling operation, decommissioning and tailings reclamation, and evaluates alternatives for mitigating these impacts. The surety shall also cover the payment of the charge for long-term surveillance and control required by Criterion 10. In establishing specific surety arrangements, the licensee's cost estimates shall take into account total costs that would be incurred if an independent contractor were hired to perform the decommissioning and reclamation work. In order to avoid unnecessary duplication and expense, the Commission may accept financial sureties that have been consolidated with financial or surety arrangements established to meet requirements of other Federal or state agencies and/or local governing bodies for such decommissioning, decontamination, reclamation, and long-term site surveillance and control, provided such arrangements are considered adequate to satisfy these requirements and that the portion of the surety which covers the decommissioning and reclamation of the mill, mill tailings site and associated areas, and the long-term funding charge is clearly identified and committed for use in accomplishing these activities. The licensee's surety mechanism will be reviewed annually by the Commission to assure that sufficient funds would be available for completion of the reclamation plan if the work had to be performed by an independent contractor. The amount of surety liability should be adjusted to recognize any increases or decreases resulting from inflation, changes in engineering plans, activities performed, and any other conditions affecting costs. Regardless of whether reclamation is phased through the life of the operation or takes place at the end of operations, an appropriate portion of surety liability shall be retained until final compliance with the reclamation plan is determined. This will yield a surety that is at least sufficient at all times to cover the costs of decommissioning and reclamation of the areas that are expected to be disturbed before the next license renewal. The term of the surety mechanism must be open ended, unless it can be demonstrated that another arrangement would provide an equivalent level of assurance. This assurance could be provided with a surety instrument which is written for a specified period of time (e.g., 5 years) yet which must be automatically renewed unless the surety notifies the beneficiary (the Commission or the State regulatory agency) and the principal (the licensee) some reasonable time (e.g., 90 days) prior to the renewal date of their intention not to renew. In such a situation the surety

requirement still exists and the licensee would be required to submit an acceptable replacement surety within a brief period of time to allow at least 60 days for the regulatory agency to collect.

Proof of forfeiture must not be necessary to collect the surety so that in the event that the licensee could not provide an acceptable replacement surety within the required time, the surety shall be automatically collected prior to its expiration. The conditions described above would have to be clearly stated on any surety instrument which is not open-ended, and must be agreed to by all parties. Financial surety arrangements generally acceptable to the Commission are:

- (a) Surety bonds;
- (b) Cash deposits;
- (c) Certificates of deposit;
- (d) Deposits of government securities;
- (e) Irrevocable letters or lines of credit; and
- (f) Combinations of the above or such other

types of arrangements as may be approved by the Commission. However, self insurance, or any arrangement which essentially constitutes self insurance (e.g., a contract with a state or Federal agency), will not satisfy the surety requirement since this provides no additional assurance other than that which already exists through license requirements.

**Criterion 10—**A minimum charge of \$250,000 (1978 dollars) to cover the costs of long-term surveillance shall be paid by each mill operator to the general treasury of the United States or to an appropriate State agency prior to the termination of a uranium or thorium mill license.

If site surveillance or control requirements at a particular site are determined, on the basis of a site-specific evaluation, to be significantly greater than those specified in Criterion 12 (e.g., if fencing is determined to be necessary), variance in funding requirements may be specified by the Commission. In any case, the total charge to cover the costs of long-term surveillance shall be such that, with an assumed 1 percent annual real interest rate, the collected funds will yield interest in an amount sufficient to cover the annual costs of site surveillance. The total charge will be adjusted annually prior to actual payment to recognize inflation. The inflation rate to be used is that indicated by the change in the Consumer Price Index published by the U.S. Department of Labor, Bureau of Labor Statistics.

### III. Site and Byproduct Material Ownership

#### Criterion 11—

A. These criteria relating to ownership of tailings and their disposal sites become effective on November 8, 1981, and apply to all licenses terminated, issued, or renewed after that date.

B. Any uranium or thorium milling license or tailings license shall contain such terms and conditions as the Commission determines necessary to assure that prior to termination of the license, the licensee will comply with ownership requirements of this criterion for sites used for tailings disposal.

C. Title to the byproduct material licensed under this Part and land, including any interests therein (other than land owned by the United States or by a State) which is used

for the disposal of any such byproduct material, or is essential to ensure the long term stability of such disposal site, shall be transferred to the United States or the State in which such land is located, at the option of such State. In view of the fact that physical isolation must be the primary means of long-term control, and Government land ownership is a desirable supplementary measure, ownership of certain severable subsurface interests (for example, mineral rights) may be determined to be unnecessary to protect the public health and safety and the environment. In any case, however, the applicant/operator must demonstrate a serious effort to obtain such subsurface rights, and must, in the event that certain rights cannot be obtained, provide notification in local public land records of the fact that the land is being used for the disposal of radioactive material and is subject to either an NRC general or specific license prohibiting the disruption and disturbance of the tailings. In some rare cases, such as may occur with deep burial where no ongoing site surveillance will be required, surface land ownership transfer requirements may be waived. For licenses issued before November 8, 1981, the Commission may take into account the status of the ownership of such land, and interests therein, and the ability of a licensee to transfer title and custody thereof to the United States or a State.

D. If the Commission subsequent to title transfer determines that use of the surface or subsurface estates, or both, of the land transferred to the United States or to a State will not endanger the public health, safety, welfare, or environment, the Commission may permit the use of the surface or subsurface estates, or both, of such land in a manner consistent with the provisions provided in these criteria. If the Commission permits such use of such land, it will provide the person who transferred such land with the right of first refusal with respect to such use of such land.

E. Material and land transferred to the United States or a State in accordance with this Criterion shall be transferred without cost to the United States or a State other than administrative and legal costs incurred in carrying out such transfer.

F. The provisions of this Part respecting transfer of title and custody to land and tailings and wastes shall not apply in the case of lands held in trust by the United States for any Indian tribe or lands owned by such Indian tribe subject to a restriction against alienation imposed by the United States. In the case of such lands which are used for the disposal of byproduct material, as defined in this Part, the licensee shall enter into arrangements with the Commission as may be appropriate to assure the long-term surveillance of such lands by the United States.

### IV. Long-Term Site Surveillance

**Criterion 12—**The final disposition of tailings or wastes at milling sites should be such that ongoing active maintenance is not necessary to preserve isolation. As a minimum, annual site inspections shall be conducted by the government agency

retaining ultimate custody of the site where tailings, or wastes are stored to confirm the integrity of the stabilized tailings or waste systems and to determine the need, if any, for maintenance and/or monitoring. Results of the inspection shall be reported to the Commission within 60 days following each inspection. The Commission may require more frequent site inspections if, on the basis of a site-specific evaluation, such a need appears necessary due to the features of a particular tailings or waste disposal system.

Dated at Washington, DC, this 20th day of November 1984.

For the Nuclear Regulatory Commission,

Samuel J. Chalk,

Secretary of the Commission.

(FR Doc. 84-30948 Filed 11-23-84; 8:45 am)

BILLING CODE 7590-01-M

### 10 CFR Part 40

#### Uranium Mill Tailings Regulations; Ground Water Protection and Other Issues

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Advanced notice of proposed rulemaking.

**SUMMARY:** The Nuclear Regulatory Commission (NRC) is considering further amendments to its uranium mill tailings regulations. The future rulemaking proceeding for which this notice is issued is primarily intended to incorporate ground water protection provisions and other requirements established by the Environmental Protection Agency for similar hazardous wastes into NRC regulations. This action is necessary to make NRC requirements similar to EPA standards as required by provisions of the Uranium Mill Tailings Radiation Control Act.

**DATE:** The comment period expires January 25, 1985. Comments received after this date will be considered if it is practical to do so but assurance of consideration may not be given except as to comments received on or before this date.

**ADDRESSES:** Mail comments to Secretary, U.S. Nuclear Regulatory Commission, Washington, DC 20555, Attention: Docketing and Service Branch, or deliver comments to Room 1121, 1717 H Street NW, Washington, DC between 8:15 a.m. and 5:00 p.m. weekdays.

**FOR FURTHER INFORMATION CONTACT:** Robert Fonner, Office of Executive Legal Director, telephone (301) 492-8692, or Kitty S. Dragonette, Division of Waste Management, U.S. Nuclear Regulatory

Commission, Washington, DC 20555, telephone (301) 427-4300.

**SUPPLEMENTARY INFORMATION:** The Nuclear Regulatory Commission has today proposed modifications to its existing mill tailings regulations in Appendix A to 10 CFR Part 40 for the purpose of conforming them to generally applicable standards promulgated by the Environmental Protection Agency (EPA) on September 30, 1983 (see 48 FR 45926; October 7, 1983). This advance notice of proposed rulemaking (ANPRM) announces that the Commission is considering proposing further modifications to its regulations in 10 CFR Part 40, to satisfy certain provisions of the Uranium Mill Tailings Radiation Control Act of 1978 (UMTRCA), and requests public comments on pertinent issues and questions.

On October 7, 1983, the EPA published generally applicable standards for the management of uranium and thorium byproduct material. The standards were developed by the EPA in a manner to satisfy the provisions of section 275 of the Atomic Energy Act, as amended, that for nonradiological hazards, the standards " \* \* \* shall provide for the protection of human health and the environment consistent with the standards required under Subtitle C of the Solid Waste Disposal Act, as amended, which are applicable to such hazards." To achieve this goal the EPA included within its requirements published October 7, 1983, selected provisions from its regulations issued under the Solid Waste Disposal Act (SWDA) by cross referencing the SWDA provisions. These specific provisions are now in effect and the NRC is considering undertaking a rulemaking which would clarify its regulations by including within them those SWDA requirements selected by the EPA for application to uranium and thorium mill tailings.

The rulemaking under consideration would also be intended to satisfy a requirement placed upon the NRC under section 84 of the Atomic Energy Act of 1954, as amended, to " \* \* \* insure that the management of any byproduct material \* \* \* is carried out in such manner as conforms to general requirements established by the Commission, with the concurrence of the (EPA) Administrator, which are, to the maximum extent practicable, at least comparable to requirements applicable to the possession, transfer, and disposal of similar hazardous material regulated by the Administrator under the Solid Waste Disposal Act, as amended." The rulemaking under consideration, which is the primary subject of this ANPRM,

would then incorporate within NRC regulations elements of EPA's SWDA requirements already imposed by EPA, and establish any further requirements necessary for the NRC to have SWDA-comparable standards as called for by Section 84 of the Atomic Energy Act of 1954, as amended.

The Commission considered further revisions to Appendix A to conform it to the physical stability aspects of the EPA standard, but did not propose them. The EPA standard requires that the final cover design provide reasonable assurance of effective control "for one thousand years, to the extent reasonably achievable, and in any case, for at least 200 years." The EPA's numerical longevity standard takes a different approach to stability than do the NRC requirements. In Appendix A, the NRC established numerous prescriptive requirements for specific design features in order to assure stability without active maintenance for an indefinite period of time following closure. The EPA rule sets a performance standard for a limited time period. In addition, the preamble to the EPA standard and the supporting environmental evaluation indicate that the EPA consciously considered the acceptability of relying on active maintenance to provide stability following closure, and did not prohibit it. Rather, the EPA standard requires that, for nonradiological hazards the need for active maintenance only be minimized. NRC's Appendix A flatly prohibits any planned reliance on active maintenance.

The Commission requests comments on whether it should delete or modify additional provisions of Appendix A including prescriptive requirements for specific design features which may not be necessary to meet the EPA standard. The prescriptive requirements in question include those for minimizing upstream drainage area, siting where there is good wind protection, relatively flat slopes, mandatory vegetative or rock cover, cobble size rock, high quality rock cover, and rock armoring. The Commission also considered deleting the prohibition on reliance on active maintenance, modifying Criterion 3 mandating below grade disposal as the prime option, and deleting the requirement for background radium concentrations in cover materials. Relief from these retained provisions is available through case-by-case proposals by licensees as noted in proposed additions to the Introduction of Appendix A of 10 CFR 40. The Commission seeks comment on whether this is sufficient flexibility in view of the Commission's intent to consider

alternative proposals as routine licensing actions.

## I. Background on the Ground Water Issue

The SWDA requirements imposed by the EPA in its rule published October 7, 1983 (48 FR 45926) were described by the EPA in that Notice as follows: "Consistent with the standards EPA issued under the SWDA for hazardous wastes (47 FR 32274-32388, July 26, 1982) the standard for tailings piles has two parts: (1) A 'primary' standard that requires use of a liner designed to prevent migration of hazardous substances out of the impoundment, and (2) a 'secondary' ground water protection standard requiring, in effect, that any hazardous constituents that leak from the waste not be allowed to degrade ground water. The primary standard applies to new portions of new or existing waste depositories. The secondary standard applies to new and existing portions, the point of compliance being at the edge of the waste impoundment. The specific hazardous substances and concentrations (i.e., background levels) that define noncompliance with the secondary standard at each site will be established for uranium mill tailings by NRC and Agreement States. The SWDA rules, however, permit alternate concentration limits to be established when they will not pose " \* \* \* a substantial present or potential hazard to human health or the environment" as long as the alternate concentration limit is not exceeded. The rule also allow (sic) 'hazardous constituents' to be exempted from coverage by the permit based on the same criterion. EPA determines the alternate concentration standard or exemption under the SWDA. EPA's concurrence would be required under the proposed standards for tailings."

The EPA went on to further describe the primary standard, primarily consisting of the liner design requirements, and clarify the secondary standard, by saying:

"The primary standard, 40 CFR 264.221, can usually be satisfied only by using liner materials (such as plastics) that can retain all wastes. Exemptions permitting use of other liner materials (such as clay) that may release water or small quantities of other substances or, in some cases, permitting no liner may be granted only if migration of hazardous constituents into the ground water or surface water would be prevented indefinitely \* \* \*"

"Under these standards, all new waste storage areas (whether new

waste facilities or expansions of existing piles) are subject to the primary standard—the liner requirement. If new wastes are added to an existing pile, however, the pile must comply with the secondary standard—the hazardous constituent concentration standards for health and environmental protection. Whether for a new or existing pile, if the secondary standards are found not to be satisfied and subsequent corrective actions fail to achieve compliance in a reasonable time, the operator must cease depositing waste on that pile."

Also in its October 7, 1983 Notice, the EPA stated that "EPA's responsibilities to establish standards under section 206 of UMTRCA are carried out through adoption of all or part of the following sections of the SWDA regulations:

i. Subpart F:

40 CFR 264.92 Ground water protection standard

40 CFR 264.93 Hazardous constituents

40 CFR 264.94 Concentration limits

(These three sections are modified and adopted as § 192.32(a)(2))

40 CFR 264.100 Corrective action program

(This section is modified and adopted as § 192.33)

ii. Subpart G:

40 CFR 264.111 Closure performance standard

(This section is adopted as part of § 192.32(b)(1))

iii. Subpart K:

40 CFR 264.221 Design and operating requirements for surface impoundments

(This section is modified and adopted as § 192.32(a)(1))"

"NRC's responsibilities under UMTRCA are to implement EPA's standard and to " \* \* \* insure that the management of any byproduct material \* \* \* is carried out in such a manner as \* \* \* conforms to general requirements established by the Commission, with the concurrence of the Administrator, which are, to the maximum extent practicable, at least comparable to requirements applicable to the possession, transfer, and disposal of similar hazardous material regulated by the Administrator under the SWDA, as amended." EPA will insure that NRC's regulations satisfy these admonitions through its concurrence role. Relevant SWDA regulations are those embedded in Subparts A (except Section 264.3), B, C, D, E, F, G, H, and K. Examples of areas which NRC must address in discharging these responsibilities involve functions under the six sections listed immediately above which are incorporated into these EPA standards,

and the following sections of the SWDA regulations:

i. Subpart F:

40 CFR 264.91 Required programs

40 CFR 264.95 Point of compliance

40 CFR 264.96 Compliance period

40 CFR 264.97 General ground water monitoring requirements

40 CFR 264.98 Detection monitoring program

40 CFR 264.99 Compliance monitoring program

ii. Subpart G:

40 CFR 264.117 Post-closure care and use of property

iii. Subpart K:

40 CFR 264.226 Monitoring and inspection (of impoundment liners), as applicable

40 CFR 264.228 Closure and postclosure care, as applicable."

The above quotations from the EPA's October 7, 1983 Notice serve to clarify the substance of EPA's standards, the respective agency responsibilities under the UMTRCA, and the nature and scope of the rulemaking the NRC is herein considering undertaking. The NRC has reviewed the language quoted and, with the exception of the jurisdictional concerns discussed in the following section, believes it to be factually correct and a fair representation of the issues addressed.

## II. Commission Authority and Responsibility

Section 84c. of the Atomic Energy Act states that: A Licensee may propose alternatives to specific requirements adopted and enforced by the Commission under this act. Such alternative proposals may take into account local or regional conditions, including geology, topography, hydrology and meteorology. The Commission may treat such alternatives as satisfying Commission requirements if the Commission determines that such alternatives will achieve a level of stabilization and containment of the sites concerned, and a level of protection for public health, safety, and the environment from radiological and nonradiological hazards associated with such sites, which is equivalent to, to the extent practicable, or more stringent than the level which would be achieved by standards and requirements adopted and enforced by the Commission for the same purpose and any final standards promulgated by the Administrator of the Environmental Protection Agency in accordance with section 275.

The Commission historically has had the authority and responsibility to regulate the activities of persons licensed under the Atomic Energy Act of

1954, as amended. Consistent with that authority and in accordance with section 84c. of that Act, the Commission has the discretion to review and approve site specific alternatives to standards promulgated by the Commission and by the Administrator of the Environmental Protection Agency. In the exercise of this authority, section 84c. does not require the Commission to obtain the concurrence of the Administrator in any site specific alternative which satisfies Commission requirements for the level of protection for public health, safety, and the environment from radiological and nonradiological hazards at uranium mill tailings sites. As an example, the Commission need not seek concurrence of the Administrator in case-by-case determinations of alternative concentration limits and delisting of hazardous constituents for specific sites. It should be understood that the proposed conforming regulations deal with the exercise of the Commission's responsibility and authority under the Atomic Energy Act of 1954, solely as regards uranium mill tailings sites and have no broader connotation.

The Commission believes that licensee proposals for alternatives can be an important and effective way to help deal with the problems associated with implementing the new EPA standards. The Commission expects that it may require several years to have its conforming regulations fully in place. It expects to use the flexibility provided by section 84 in the interim to consider and approve alternative proposals from licensees. Section 84c. provides NRC sufficient authority to independently approve alternatives so long as the Commission can make the required determination.

## III. Issues for Public Comments

The NRC requests public comment on the general question of how best to proceed to fulfill its responsibilities under the Atomic Energy Act, with respect to establishing SWDA-comparable requirements for the management of mill tailings, to the maximum extent practicable. In this context, comments are requested on choices and decisions the NRC must make concerning issues and actions that are within its discretion. Comments on the basic value, validity, lawfulness, or appropriateness of the EPA's SWDA regulations, the SWDA, or the UMTRCA are not requested.

### A. Tentative NRC Approach for Ground Water Protection

The NRC has developed a tentative approach to place SWDA-comparable requirements in its regulations, based on planning and development efforts conducted to date. This approach is tentative, and is made a part of this public announcement so efforts spent in providing public comment might be better guided. It involves the development of additions to NRC regulations (either a block insert at the end of 10 CFR Part 40 or perhaps by creation of a new Part 41) which would contain the entire set of SWDA-comparable requirements.

The additions would be organized in terms of design, operating, closure, and post-closure requirements, and would to the fullest extent feasible, be a complete statement of the requirements without reference to EPA requirements in Title 40 of the Code of Federal Regulations. In this way, the requirements could be stated in a self-contained, unified manner in one place. Coverage would include at least the SWDA requirements already imposed by EPA (40 CFR 264.92-94, 264.100, 264.111, and 264.221), and appropriate portions of the SWDA requirements mentioned by the EPA explicitly as "examples of areas which NRC must address" (these include 40 CFR 264.95-99, 264.117, 264.226, and 264.228).

The rulemaking being considered for proposal by the NRC may include most of Subpart F (40 CFR 264.90-100), due to the close relationship and interdependency of the separate provisions, and because all but 40 CFR 264.90, "Applicability," is either imposed or mentioned as an example by the EPA.

The remainder of the EPA's SWDA regulations, including Subpart A (except § 264.3), B, C, D, E, F, G, H, and K would be reviewed in developing a proposal to determine which of those requirements would need to be incorporated in NRC regulations to establish NRC requirements which are to the maximum extent practicable, at least comparable to the EPA's SWDA requirements for similar hazardous material.

In developing this proposal the NRC would distinguish between substantive requirements and EPA's procedural permitting requirements because it does not believe the UMTRCA mandate requires the NRC to adopt any portion of the procedural permitting aspects of EPA's regulations. The NRC's established procedures for licensing, inspection, and enforcement would be used with respect to implementation.

### B. Issues and Questions

The NRC seeks public input with respect to all aspects of the question of how best to fulfill its responsibilities under section 275 and 84 of the Atomic Energy Act of 1954, as amended, for protection of ground water. The NRC also seeks public comment with respect to the following issues and questions (In providing public comment, commenters are requested to provide the basis in fact for any opinions offered or assertions made):

(1) Should the SWDA-comparable requirements be placed in NRC regulations be explicitly restated to precisely duplicate EPA's language, or should substantive requirements be paraphrased?

(2) Should all of Subpart F be included? What should not be included?

(3) What should be included in a listing of hazardous constituents for mill tailings to replace the 375-item long list in Appendix VIII to 40 CFR Part 261 referenced in 40 CFR 264.93? Should constituents not usually present or not present above trace levels be included? What criteria should be applied to decide what constituents should be included?

(4) The NRC must establish SWDA-comparable requirements to the maximum extent practicable. In this context, what is practicable given current practice and the current state of technology?

(5) Should NRC retain the basic sequence embodied in Subpart F where licensees who detect ground water contamination progress through a graduated scale of action, from detection monitoring, through compliance monitoring, and on to corrective action, with significant time delays allowed between steps while plans and programs are being developed, reviewed, and implemented? Would it be advisable, practicable or appropriate to require, for example, that all NRC licensees have approved compliance monitoring programs that are automatically activated and implemented when needed?

(6) Should the basic SWDA scheme for the timing and duration of a "compliance" period, a "closure" period, and a "post-closure care" period be maintained? What modifications, deletions, additions should be made?

(7) To what extent, how, and under what conditions should leak detection systems under single-liner impoundments be allowed to fulfill the requirements for a detection monitoring program that otherwise requires a monitoring well in the uppermost aquifer?

(8) How detailed should NRC's regulations be, and what should and should not be required in areas such as well construction, sampling and sample analysis, determinations of annual average and seasonal background concentrations, minimum detection levels, statistical treatment of data and determinations of statistically significant differences, recordkeeping and reporting, quality assurance, etc.?

(9) To what extent must the NRC provide supporting environmental impact analyses considering the nature of the requirements under consideration, some of which have already been imposed by EPA and are effective? If supporting environmental evaluations are needed for SWDA-comparable rule changes except for the requirements already imposed by the EPA, should the NRC continue to proceed with only a single rulemaking to establish a complete set of SWDA-comparable requirements?

(10) Is the flexibility cited in the proposed addition to the Introduction of Appendix A 10 CFR Part 40 sufficient or should the NRC develop and support additional modifications to conform to the physical stability aspects of the EPA standard?

### List of Subjects in 10 CFR Part 40

Government contracts, Hazardous material—transportation, Nuclear materials, Penalty, Reporting and recordkeeping requirements, Source material, and Uranium.

Dated at Washington, DC, this 20th day of November 1984.

For the Nuclear Regulatory Commission,  
Samuel J. Chilk,

Secretary of the Commission.

(FR Doc. 84-30967, Filed 11-23-84; 8:45 am)

BILLING CODE 7590-01-M

### 10 CFR Parts 50 and 55

#### Operator's Licenses and Conforming Amendment

AGENCY: Nuclear Regulatory Commission.

ACTION: Proposed rule.

**SUMMARY:** The Nuclear Regulatory Commission is proposing to amend its regulations to (1) clarify the regulations for the issuance of licenses to operators and senior operators; (2) revise the requirements and scope of written examinations and operating tests for operators and senior operators, including a requirement for a simulation facility; (3) codify procedures for the administration of requalification examinations; and (4) describe the form

PR 40  
49 FR 46418  
AB50-2  
PDR

cc: REB  
MSB  
LBH

Kitty  
JOB

File 203

2293

## Proposed Rules

Federal Register

Vol. 50, No. 11

Wednesday, January 16, 1985

This section of the FEDERAL REGISTER contains notices to the public of the proposed issuance of rules and regulations. The purpose of these notices is to give interested persons an opportunity to participate in the rule making prior to the adoption of the final rules.

### NUCLEAR REGULATORY COMMISSION

#### 10 CFR Part 40

#### Uranium Mill Tailings Regulations; Conforming NRC Requirements to EPA Standards

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Proposed rule; extension of comment period.

**SUMMARY:** On November 26, 1984, (49 FR 46418), the NRC published for public comment a proposed rule amending its regulations governing the disposal of uranium mill tailings. The proposed changes are intended to conform existing NRC regulations to the regulations published by the Environmental Protection Agency. The comment period for this proposed rule was to have expired on January 10, 1985. A number of commenters have requested an extension of the comment period. In view of the importance of the proposed rule, and the desire of the Commission to allow all parties to fully express their views, the NRC has decided to extend the comment period for an additional thirty days. The extended comment period now expires on February 10, 1985.

**DATES:** The comment period has been extended and now expires February 10, 1985. Comments received after this date will be considered if it is practical to do so but assurance of consideration cannot be given except as to comments received before this date.

**ADDRESSES:** Send written comments or suggestions to the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, D.C. 20555. Attention: Docketing and Service Branch. Copies of comments received may be examined at the NRC Public Document Room, 1717 H Street NW, Washington, D.C.

**FOR FURTHER INFORMATION CONTACT:** Robert Fonner, Office of the Executive Legal Director, on (301) 492-8692, or Kitty S. Dragonette, Division of Waste Management on (301) 427-4300, U.S. Nuclear Regulatory Commission, Washington, D.C. 20555.

Dated at Washington, D.C., this 11th day of January, 1985.

For the Nuclear Regulatory Commission.

Samuel J. Chilk,

Secretary of the Commission.

(FR Doc. 85-1258 Filed 1-15-85; 8:45 am)

BILLING CODE 7580-01-M

#### 10 CFR Part 40

#### Uranium Mill Tailings Regulation; Ground Water Protection and Other Issues

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Advanced notice of proposed rulemaking; extension of comment period.

**SUMMARY:** On November 26, 1984 (49 FR 46425), the NRC published for public comment an Advanced Notice of Proposed Rulemaking indicating that the NRC is considering further amendments to its uranium mill tailings regulations to incorporate ground water protection provisions and other requirements established by EPA for similar hazardous wastes into NRC regulations. The comment period for this proposed rule was to have expired January 25, 1985. A number of commenters have requested an extension of the comment period. In view of the importance of the proposed rule, and the desire of the Commission to allow all parties to fully express their views, the NRC has decided to extend the comment period. The extended comment now expires on March 1, 1985.

**DATES:** The comment period has been extended and now expires March 1, 1985. Comments received after this date will be considered if it is practical to do so but assurance of consideration cannot be given except as to comments received before this date.

**ADDRESSES:** Send written comments or suggestions to the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, D.C. 20555. Attention: Docketing and Service Branch. Copies of comments received

may be examined at the NRC Public Document Room, 1717 H Street NW, Washington, D.C.

**FOR FURTHER INFORMATION CONTACT:** Robert Fonner, Office of the Executive Legal Director, on (301) 492-8692, or Kitty S. Dragonette, Division of Waste Management on (301) 492-4300, U.S. Nuclear Regulatory Commission, Washington, D.C. 20555.

Dated at Washington D.C., this 11th day of January 1985.

For the Nuclear Regulatory Commission.

Samuel J. Chilk,

Secretary of the Commission.

(FR Doc. 85-1257 Filed 1-15-85; 8:45 am)

BILLING CODE 7580-01-M

### DEPARTMENT OF TRANSPORTATION

#### Federal Aviation Administration

#### 14 CFR Part 39

(Docket No. 84-NM-131-AD)

#### Airworthiness Directives; Boeing Model 757 Series Airplanes Equipped With Certain Air Cruisers Slides

**AGENCY:** Federal Aviation Administration (FAA) DOT.

**ACTION:** Notice of Proposed Rulemaking (NPRM).

**SUMMARY:** This notice proposes a new airworthiness directive (AD) which would require inspection and replacement, as necessary, of certain Air Cruisers evacuation slides installed on Boeing Model 757 airplanes. This notice is prompted by reports of excessive slide fabric porosity, which results in leakage of the evacuation slide could result in an unuseable slide and jeopardize successful emergency evacuation of an airplane.

**DATE:** Comments must be received on or before March 8, 1985.

**ADDRESSES:** Send comments to Seattle Aircraft Certification Office, FAA, Northwest Mountain Region, 17900 Pacific Highway South, C-68906, Seattle, Washington 98168.

The service documents cited in this AD may be obtained upon request from the Boeing Commercial Airplane Company, P.O. Box 3707, Seattle, Washington 98124 or may be examined at the FAA, Seattle Aircraft Certification

**NUCLEAR REGULATORY  
COMMISSION****10 CFR Parts 40 and 150****Uranium Mill Tailings Regulations;  
Conforming NRC Requirements to EPA  
Standards****AGENCY:** Nuclear Regulatory  
Commission.**ACTION:** Final rule.

**SUMMARY:** The Nuclear Regulatory Commission (NRC) is issuing amendments to its regulations governing the disposal of uranium mill tailings. These changes conform existing NRC regulations to the regulations published by the Environmental Protection Agency (EPA) for the protection of the environment from these wastes. The changes also incorporate some of the EPA requirements. Commission plans for the remainder of the EPA requirements dealing with ground-water protection was the subject of a separate rulemaking notice. This action is being taken to comply with the legislative mandate set out in the Uranium Mill Tailings Radiation Control Act (UMTRCA) and the NRC Authorization Act for FY 1983.

**EFFECTIVE DATE:** November 15, 1985.

**ADDRESS:** Comments received on the proposed rule as well as the Regulatory Impact Analysis and the Final Environmental Impact Statement prepared by EPA and NUREG-0706 prepared by NRC may be examined at the Commission's Public Docket Room, 1717 H Street NW., Washington, DC between 8:15 a.m. and 5:00 p.m. weekdays.

**FOR FURTHER INFORMATION CONTACT:** Robert Fanner, Office of the Executive Legal Director, telephone (301) 492-8692, or Kitty S. Dragonette, Division of Waste Management, U.S. Nuclear Regulatory Commission, Washington, DC 20555, telephone (301) 427-1800.

**SUPPLEMENTARY INFORMATION:****Introduction and Background**

The Nuclear Regulatory Commission (NRC) is issuing modifications to its regulations for the purpose of conforming them to generally applicable requirements promulgated by the Environmental Protection Agency (EPA). These EPA requirements, contained in Subparts D and E of 40 CFR Part 192 (48 FR 43926, October 7, 1983), are applicable to the management of uranium and thorium byproduct material and became effective for NRC and Agreement State licensees and license applicants on December 6, 1983. This action modifies previously existing

regulations of the Commission to conform them to the EPA requirements and incorporates some of the EPA requirements into the Commission's regulations. The affected Commission regulations are contained in Appendix A to 10 CFR Part 40, which was promulgated in final form on October 3, 1980 (45 FR 65521). Proposed changes were published on November 26, 1984 (49 FR 46418). The comment period originally expired on January 10, 1985 but was extended until February 10, 1985 (50 FR 2293, January 16, 1985).

The action that the Commission will take with respect to the remainder of the EPA requirements, primarily those dealing with groundwater protection, was the subject of an Advanced Notice of Proposed Rulemaking (ANPRM) which requested comment on that subject (49 FR 46425, November 26, 1984). Under section 18(a) of Pub. L. 97-415, the Nuclear Regulatory Commission Authorization Act for fiscal years 1982 and 1983, the Commission was directed to conform its regulations to EPA's with notice and opportunity for public comment.

**Overview of Comments on Proposed  
Rule Changes**

Twenty-four commenters responded with 26 sets of comments. Six environmental groups, seven states, two Federal agencies, seven industry representatives, one pro-energy (pro-nuclear) group and one individual responded.

Comments were offered on both general issues and the specific changes set out in the proposed rule. These comments reflected widely diverse views. The general issues addressed were the Commission Authority and Responsibility Statement, procedural and jurisdictional issues, the scope of the rulemaking, the validity and merits of the EPA standard, and other miscellaneous topics.

Commenters on the Commission Authority and Responsibility Statement were divided. The environmental groups and EPA disagreed with all or part of the statement. Industry advocated an alternate approach relying on general agency roles. One state supported the flexibility of the approach described in the Statement.

Procedural and jurisdictional issues raised included industry challenging any conforming action to an EPA standard that is improper on jurisdictional grounds and delaying conforming action until the Tenth Circuit cases are settled. Three commenters challenged the legality of not meeting the six month date to conform and NRC's approach on conforming in two steps.

Comments on the scope of the first step rulemaking included general views that NRC should undertake a completely new rulemaking and make a number of specific additional changes. One environmental group and industry urged NRC to undertake new rulemaking to replace both EPA and NRC rules. Additional conforming changes suggested included tailings cover specifications, reliance on active maintenance, and changes based on the earlier suspension of portions of Appendix A and initial staff recommendations to the Commission. All categories of commenters suggested additional changes to 10 CFR Part 40, Appendix A not related to conforming to the EPA standard.

Virtually all categories of commenters expressed dissatisfaction with the EPA standards in 40 CFR Part 192 as either too lax or too stringent.

A number of other miscellaneous topics were raised including Agreement State implementation of the alternatives provision which tracks the language in section 84c of the AEA.

Comments on the addition of the flexibility provisions of section 84c of the Atomic Energy Act (AEA) to the Introduction of Appendix A generally did not take issue with the addition itself since it paraphrased the law. States and environmental groups expressed concerns about implementation. Some of the industry commenters favored extensive supplemental rulemaking to reduce the burden on licensees to develop alternatives.

Comments on proposed changes to Criterion 1 on the time frame for protection reflected confusion on goals or objectives versus requirements and disagreement on what the times and reliance on active maintenance should be. State and environmental comments urged times greater than the 1,000-year EPA design standard on cover longevity and no reliance on maintenance. Industry favored a 200-year goal and reliance on maintenance.

Comments on the proposed change in Criterion 4 to replace "maximum possible flood" with "Probable Maximum Flood" reflected divergent views on the appropriate design flood to be used in analyses. Environmental commenters favored maximum conservatism and industry advocated less conservative assumptions than either the existing or proposed language.

Proposed changes to Criteria 1, 3, and 5 were all intended to reflect that the EPA standard starts from a premise that no seepage from new or expanded impoundments or degradation of ground

water are allowed and that all ground water is to be protected regardless of quality or use category. Industry strongly opposed protecting non-usable ground water, recommended deferring all ground-water changes, and argued that the EPA ground-water standards are invalid because they fail the Congressional test of comparability to standards for wastes of similar hazard (for example, mining wastes).

Commenters objected to incorporation of the EPA longevity and radon design standards into Criterion 6 in general and opposed specific aspects of the proposed changes. Many of the arguments were directed against the EPA standard as being too lax to adequately protect health and the environment or more stringent than warranted by the risks. Several commenters urged NRC to keep its more restrictive radon limit and 3-meter minimum cover. Industry opposed including any EPA standards for thorium byproduct material.

Several state and environmental commenters objected to the incorporation of the EPA footnote qualifying the longevity and radon standard as a design standard not requiring confirmatory monitoring. Averaging provisions and disregard of the radon from cover materials were also of concern on Criterion 6 changes.

Commenters questioned implementation aspects of the Criterion 8 change to add as low as practicable goals for radon releases during operations. One commenter argued for the current terminology reflected in 10 CFR Part 20 for keeping releases as low as reasonably achievable (ALARA) as the true EPA intent.

A staff analysis of all the comments received is available in the NRC's Public Document Room (PDR). The following discussion summarizes and responds to all comments of major or generic significance and to all comments that prompted additional rule changes.

#### Commission Authority and Responsibility Statement

The notice included a statement on "Commission Authority and Responsibility." The statement summarized the Commission's policy on the exercise of its responsibility and authority for mill tailings, including the authority to approve site specific alternatives proposed by licensees under section 84c of the AEA.

**Comments.** Commenters were divided on this issue. The environmental groups and EPA disagreed with the statement. Industry advocated an alternate approach. In industry's view, reliance on the basic requirements of UMTRCA

with respect to the jurisdiction of the agencies would be a stronger legal position and would eliminate the need to rely on section 84c. One State supported the statement and the need for NRC and Agreement States to review and approve site specific alternatives to standards without EPA concurrence.

EPA disagreed with NRC's interpretation of section 84c. EPA stated "Section 84c does not confer on NRC authority to approve or employ alternative standards or to substitute its judgment for EPA's regarding the level of protection necessary to protect public health and the environment. Rather it authorizes NRC to approve or employ licensee-proposed alternatives to NRC's own general implementing requirements . . ." Further, EPA argued that its standard that requires EPA approval of site specific alternative concentration limits is within its authority, not NRC's under section 84c. In EPA's view, NRC must also establish specific requirements before it can consider alternatives to them. The environmental groups were in basic agreement with EPA.

**Response.** The Commission conducted an independent review of UMTRCA and the legislative history surrounding this issue.

The Commission reaffirmed that it is authorized under section 84c of the AEA to grant exemptions from EPA's standards without obtaining EPA's concurrence. The basis for this conclusion covers four points:

*First* is the belief that "specific Commission requirements" can be adopted without a rulemaking proceeding. Section 84a(2) requires the Commission to ensure that tailings are managed in conformance with EPA's standards. Section 84a(2) creates a statutory obligation on the Commission to enforce EPA's standards independent of whether the Commission adopts regulations which would clarify how the Commission would enforce those standards.

*Second*, section 84c explicitly states that the NRC may approve alternatives which, *to the extent practicable*, would achieve safety levels equivalent to those which would be achieved by compliance with NRC's requirements and EPA's standards. Thus, the NRC is authorized to exercise judgment on the level of protection of public health, safety and the environment achieved by a proposed alternative.

*Third*, UMTRCA does not use the phrase "implementing requirements." Section 84c refers to only "specific requirements adopted and enforced by the Commission." This phrase is clearly

intended to include all requirements adopted by the Commission to regulate mill tailings. The source of the adopted requirements is immaterial to the statutory scheme and may include EPA's detailed standards.

*Finally*, EPA's comment does not effectively respond to the Commission's argument that EPA site specific concurrence in exemptions contradicts the prohibition on EPA's issuance of a permit in section 275b(2) of the AEA.

Comments questioning NRC's motives or intent are offset by the findings required of the Commission in section 84c in order to exercise the flexibility to approve alternatives. Assertion of legal right does not equate to an intent to abuse a right. The AMC jurisdiction issue is addressed in the following section.

The statement on "Commission Authority and Responsibility" is repeated in this notice without change to reaffirm the Commission's position.

#### Procedural and Jurisdictional Issues

**Comment.** The American Mining Congress (AMC) presented extensive legal arguments on the EPA/NRC jurisdictional issue. The AMC comments focused on the following legal points: (1) Since its ratification of Reorganization Plan No. 3 of 1970, consistent Congressional policy has been to limit EPA standard setting authority for NRC licensed facilities to "generally applicable standards," meaning standards that are applicable outside site boundaries and that impose no site specific design, engineering or management requirements; (2) Congress in UMTRCA, adopted the division of jurisdiction between EPA and NRC first established in the 1970 Reorganization Plan; and (3) EPA's standards are not "generally applicable standards" and are therefore beyond the jurisdiction of EPA. Consequently, the EPA standards are a "mere nullity" of no legal force or effect and NRC is not legally bound to conform to the standards.

**Response.** As noted earlier, the Commission conducted an independent review of UMTRCA and its legislative history. The Commission concluded that EPA generally acted within its jurisdiction and found the AMC arguments flawed. The following points summarize the Commission's findings:

1. Before UMTRCA, EPA, not NRC, had primary authority over both the radiological and non-radiological impacts from uranium mill tailings;
2. During Congressional deliberations over UMTRCA, NRC attempted to reduce substantially EPA's authority over radiological hazards of mill tailings

by limiting it to EPA's "traditional" authority under Reorganization Plan No. 3, i.e., authority to promulgate only generally applicable, non-site specific radiological standards, applicable only outside the boundaries of the tailings sites;

3. EPA opposed the NRC's attempt to transfer to itself EPA's authority to regulate mill tailings. EPA's efforts were partially successful and resulted in a Congressional compromise which precluded EPA from promulgating site specific standards but which did not restrict EPA to standards applicable only outside site boundaries. EPA was also given concurrence authority over NRC regulations for controlling non-radiological hazards.

4. Except for one instance, EPA acted within its jurisdiction under UMTRCA in setting environmental standards for managing radioactive emissions and hazardous chemical wastes from uranium mill tailings; and

5. EPA exceeded its jurisdiction by stating that its concurrence would be required before the NRC could grant site specific case-by-case exemptions from NRC regulations for implementing EPA's standards. The Commission believes that such a concurrence role by EPA also contradicts the 1983 amendment to UMTRCA which added section 84c to the AEA.

*Comments.* Environmental groups and EPA commented on the legality of not meeting the six-month Congressional mandate to conform by April 1, 1984 and conforming in two steps. Commenters asserted that NRC's action is illegal, that it does not meet the explicit intent of UMTRCA, and that NRC should conform to the ground-water standards in 40 CFR Part 192 immediately. Concern that a four-year rulemaking on ground water delays compliance with EPA's ground-water requirements was expressed. Commenters objected to NRC's position that conforming to EPA's ground-water standards should be combined with developing a rule that fully meets the mandate in section 84a(3) to have general requirements that are comparable to EPA's requirements for similar materials regulated under the Solid Waste Disposal Act. EPA argued that the EPA standards in 40 CFR Part 192 already meet this requirement to be comparable.

*Response.* While it is true that section 275f(3) of the AEA required the NRC to conform its tailings regulations to EPA's tailings standards by March 30, 1984, immediate conformance is not necessary because the NRC is applying appropriate aspects of 40 CFR Part 192 in individual licensing actions. Section 275d requires the NRC to implement and

enforce the EPA standards during the conduct of NRC licensing activities. The Commission's general obligations under section 275d may be implemented in whole or in part by the NRC's conformed regulations promulgated in accordance with section 275f(3). In the absence of revised regulations under section 275f(3), the Commission must apply EPA's standards on a case-by-case basis as determined to be appropriate in each licensing action.

The NRC's responsibility to implement EPA's standards in individual licensing actions, independent of whether the NRC's regulations are conformed to those standards, explains why Congress did not attach any consequences to any NRC failure to meet the deadline in section 275f(3). Therefore, until the NRC conforms its regulations, the public health, safety and the environment will be protected by the NRC's case-by-case application of EPA's standards.

The scope and timing of the second-step rulemaking is still under consideration. Comments on the ANPRM are being analyzed. A simple rule change to incorporate the specific ground-water protection provisions of 40 CFR Part 192 is one option being considered.

*Comment.* One environmental group and industry urged that NRC delay conforming action until the legal challenges to the EPA standard in the Tenth Circuit are settled.

*Response.* EPA's rules, where consistent with their jurisdiction, must be deemed valid unless and until modified by a court. EPA contends that its rules were issued in accordance with the statutory authority and requirements applicable to those rules. Therefore, EPA contends that its rules have the force of law. Because the Commission does not sit as a reviewing court, it must accept EPA's rules as lawful, unless they are based on an interpretation of statutory authority addressed to the Commission, e.g., section 84c. Thus, absent a judicial decision to the contrary, the Commission must exercise its statutory responsibilities by implementing EPA's standards which do not conflict with the Commission's interpretation of its own statutory authority.

#### Scope of Rulemaking

*Comments.* Commenters offered a wide range of views on the scope of the rulemaking. NRC was urged to undertake an independent new rulemaking. An environmental group advocated the complete revision of 10 CFR Part 40, Appendix A, as issued in October, 1980 to provide more

protection from radon. Industry argued that NRC must undertake a completely new independent rulemaking to replace both the EPA and NRC rules. Industry asserted that EPA's standards are not adequately supported by analysis relating costs and risks and are outside EPA's jurisdiction and that NRC has provided no analysis establishing that Appendix A of Part 40 requirements are reasonably related in terms of cost, risks, and benefits. A key point in industry arguments was the 1983 (Pub. L. 97-415) addition to section 84a(1) of the AEA requiring the Commission to insure that the management of byproduct material takes "... into account the risk to the public health, safety, and the environment, with due consideration of the economic costs and such other factors as the Commission determines to be appropriate." The industry arguments imply that this addition mandates a total reconsideration and revision of NRC rules. Industry also noted the depressed economic state of the industry and early stabilization plans that have resulted since the 1980 rule.

*Response.* To the extent that commenters have challenged EPA's compliance with section 84a(1), that challenge is not properly before the Commission. As explained above, except for matters of interpretation of the Commission's statutory authority, the Commission must take as legally binding EPA's regulations, unless and until they are modified by a court.

As for the contention that the 1980 regulations did not properly take into account risks and economic costs, the legislative history of section 84a(1) clearly showed that Congress had no intention of requiring the Commission to completely redo the rulemaking on uranium mill tailings.

Section 84a(1) of the Atomic Energy Act of 1954 was amended to explicitly authorize the Commission to consider the risk to public health, safety and the environment with due consideration of the economic costs of its requirements. In explaining this amendment, the Conference Report explicitly eschewed any attempt to require cost-benefit analysis for the 1980 regulations. The Conferees stated:

The conferees do not intend and specifically oppose by this language affecting any pending litigation or appeal or judicial decisions based on the fundamental missions or responsibilities of the agencies. The conferees note that this language reflects accurately the current regulatory approach of the agencies. The language agreed to by the conferees should not result in any delays in establishment of remedial action standards. EPA, for example, has already advised the conferees that it is considering costs in

formulating its inactive site requirements. In addition, the NRC has testified before Congress that it, too, took costs into account in promulgating its Uranium Mill Licensing Requirements. Moreover, in adopting the language, the conferees intend neither to divert EPA and NRC from their principal focus on protecting the public health and safety nor to require that the agencies engage in cost-benefit analysis or optimization.

The conferees are of the view that the economic and environmental costs associated with standards and requirements established by the agencies should bear a reasonable relationship to the benefits expected to be derived. This recognition is consistent with the accepted approach to establishing radiation protection standards, and reflects the view of the conferees that, in promulgating such general environmental standards and regulations, EPA and NRC should exercise their best independent technical judgment in making such a determination. At all times, the conferees fully intend that EPA and NRC recognize as their paramount responsibility, protection of the public health and safety and the environment. (H.R. Rep. No. 97-884 (Conference Report), 97th Cong., 2d Sess. 471 (1982) (emphasis supplied).)

Moreover, it would be duplicative for the NRC to consider again risks and costs as part of the process of conforming its requirements to EPA's standards. EPA has already taken risks and costs into account in formulating its standards under section 275b(1). Recognizing that EPA would take these factors into account, the statute explicitly does not require the NRC to consider the same factors as part of the conformance process. *see* section 275f(3). This statutory provision, by its simplicity, just emphasizes Congress' intent to make the conformance procedure as straightforward an adoption of the EPA standards as possible.

The Commission views the mandate in section 84a(1) as applying to all aspects of its uranium recovery program. Thus section 84a(1) should be emphasized in Appendix A to make it clear that the NRC will in fact consider risks and economic costs and site specific needs in general. The insert to the Introduction to Appendix A that paraphrases section 84a(1) will explicitly emphasize this point.

The Commission also believes that implementation of "practicable" should be consistent with the intent of section 84a(1) and with the "as low as reasonably achievable" (ALARA) Commission policy stated in 10 CFR Part 20. This point is clarified by paraphrasing 10 CFR 20.1(c) in an addition to the Introduction to Appendix A.

Industry comments on the depressed state of the industry are valid and

licensees are faced with early reclamation. However, the Commission believes that this situation only emphasizes the site specific decisions needed and does not support the need for new rulemaking.

*Comments.* A categories of commenters advocated specific suggestions to expand the scope of the proposed rulemaking. Commenters generally fell into three categories—those advocating: (1) Additional changes needed to conform to the EPA standards, (2) additional changes that would make 10 CFR Part 40 more explicit or more protective of public health, safety, and environment but that are not directly related to conforming to the EPA standards, and (3) additional changes that would make Part 40 less restrictive or would conform Part 40 to the collective intent of Congress expressed in various legislation and hearing records rather than conforming it to the EPA standards. Comments in the first category were considered within the scope of this rulemaking. Comments in the latter two categories will be considered along with comments received on the accompanying ANPRM.

One commenter suggested that the Commission require that design calculations for covers incorporate a design margin to account explicitly for changes in moisture content and porosity, external erosional forces, and internal chemical reactions in order to meet the reasonable assurance provision of the EPA radon and longevity standard over the long term.

*Response.* The factors identified are important to consider in evaluating expected cover performance. However, these factors are very site specific and represent a level of detail that NRC normally delegates to guidance or procedural documents. The design margin recommended is essentially applied in the staff's use of conservative material parameters in the site specific evaluation of the design of soil and rock covers.

*Comment.* NRC was urged to add an active monitoring program for tailings stability to the Commission's rules.

*Response.* Criterion 12 of the Commission's rules has a minimum requirement for annual inspections by the custodial government agency to confirm the integrity of stabilization and the need for any maintenance.

*Comment.* Industry recommended a number of changes based on the Commission's earlier suspension action. The recommended changes and rationale for action were essentially the same as presented in the suspension notices. Examples include deletion of below grade or equivalent as the prime

option in Criterion 3 and deletion of radium content restrictions on cover materials in Criterion 8.

*Response.* The purpose of this action is to promulgate nondiscretionary conforming changes in order to eliminate conflicts and inconsistencies, add imposed standards and Congressional direction, and make minor editorial or clarifying changes. Industry comments were mainly statements or claims based on what "may not be required" and would require extensive new rulemaking. Therefore, these comments are considered outside the scope of the present action.

#### Comments on 40 CFR Part 192

*Comment.* Virtually all categories of commenters offered comments on the validity and merits of the EPA standard. The majority reflected dissatisfaction.

*Response.* As noted in the accompanying ANPRM (49 FR 46427), the Commission must focus on choices and decisions it must make on actions within its discretion. Until or unless court action sets aside the EPA standards, they are binding on NRC and Agreement State licensees. NRC licensees are faced with two sets of effective regulations that contain conflicting or inconsistent requirements. Under law, NRC must implement and enforce both.

Consistent with the Commission Authority and Responsibility statement, the Commission will not implement and enforce 40 CFR 192.32(a)(2)(v), which requires EPA's concurrence on site-specific NRC alternatives to other requirements under Part 192, because that paragraph is contrary to the Commission's statutory authority under section 84c. The Commission believes that removing conflicts and inconsistencies in the two sets of regulations and using site specific alternative authority to deal with occasional site specific problems represents the best regulatory approach.

Thus, comments on the lawfulness, merits and value of the EPA standards were considered outside the scope of this action and were not a factor in developing this final rule.

#### Other

*Comment.* One State questioned how the process of dealing with alternatives using the type of flexibility afforded by section 84c of the AEA would work in Agreement States.

*Response.* Section 19 of Pub. L. 97-415, the NRC Authorization Act for fiscal years 1982 and 1983, added the following option to section 274o of the

AEA for Agreement States: "... the State may adopt alternatives (including, where appropriate, site-specific alternatives) to the requirements adopted and enforced by the Commission for the same purpose if, after notice and opportunity for public hearing, the Commission determines that such alternatives will achieve a level of stabilization and containment of the sites concerned, and a level of protection for public health, safety and the environment from radiological and non-radiological hazards associated with such sites, which is equivalent to, to the extent practicable, or more stringent than the level which would be achieved by standards and requirements adopted and enforced by the Commission for the same purpose and any final standards promulgated by the Administrator the Environmental Protection Agency in accordance with section 275. Such alternative State requirements may take into account local or regional conditions, including geology topography, hydrology and meteorology."

The Commission must determine that alternative standards adopted by the State achieve the required levels of protection. Further, the Commission must notice the alternatives and provide an opportunity to request public hearing. This additional flexibility to adopt generic or site specific standards is available to the State regardless of the status of the State's regulations.

The comment does point out that 10 CFR 150.31 should be amended to add the option quoted above. Including the language in Part 150 is not legally required for the State to exercise the option, but the amendment to Part 150 would clarify the situation.

No comments were received on the Regulatory Flexibility Certification or Paperwork Reduction Act Statement in the notice. No specific comments were received on the NEPA discussion under Impact of the Amendments.

#### Comments on Specific Proposed Modifications to Appendix A 10 CFR Part 40

The proposed rule preamble listed the specific modifications and rationale for each change. The list followed the order of 10 CFR Part 40, Appendix A. In the following analysis, each of the modifications are summarized and addressed. The numbering system from the proposed rule preamble is used.

#### Introduction

*Modification 1(a).* Typographical error and no comments were received.

*Modification 1.(b).* This proposed change deleted an outdated information

submittal requirement associated with the 1980 publication of Appendix A.

*Comment.* One commenter expressed concern that the deletion would mean that detailed information on licensees' programs showing how they meet the criteria in Appendix A would not be required.

*Response.* Licensee compliance with Appendix A and the EPA standards is being handled and documented in the routine course of licensing and enforcement activities. A specific or separate submittal is not needed and would represent an unwarranted burden on licensees.

*Modification 1.(c).* This change would add a paraphrase of the provisions of section 84c of the AEA. The language provides applicants and licensees the opportunity to propose alternatives to the specific requirements of Appendix A.

*Comments.* Comments on the addition of the flexibility provisions of section 84c to the Introduction generally did not take issue with the addition itself since it paraphrased the law. States and environmental groups expressed concerns about implementation. Some of the industry commenters favored extensive supplemental rulemaking to reduce the burden on licensees to develop alternatives.

*Response.* The Commission agrees that additional guidance on how to implement the section 84c flexibility may be needed. Generic guidance is difficult to prepare absent experience with specific proposals. NRC has used this flexibility only once. In addition, detailed implementation guidance is normally not included in the Commission's rules. It is developed in more flexible guidance documents.

#### Criterion 1

*Modification 2.(a).* This change would delete, "thousands of years," and add the 1,000-year time frame in the EPA design standard. Editorial errors confused the specifics of this modification. The first paragraph of proposed modified Criterion 1 should have read: "In selecting among alternative tailings disposal sites or judging the adequacy of existing tailings sites, the following site features which will determine the extent to which a program meets the broad objective of isolating the tailings and associated contaminants from man and the environment during operations and for 1,000 years thereafter, without ongoing active maintenance, shall be considered."

*Comments.* Comments on proposed changes to the time frame in Criterion 1 reflected confusion on goals or

objectives versus requirements and disagreement on times and reliance on active maintenance. State and environmental comments urged times greater than the 1,000-year EPA design standard on cover longevity and no reliance on maintenance. Industry favored a 200-year goal and reliance on maintenance.

*Response.* Comments highlighted an important reason for the reactions to the existing language and the proposed change. The first paragraph of Criterion 1 is a statement of a very general goal or objective, not a specific standard or requirement. The proposed change and associated editorial errors compounded the problem. It was intended to prevent misunderstandings due to the reference to thousands of years, not to repeat the specific design standard being added to Criterion 6.

Comments advocating a 200-year goal are directed at the EPA design standard and how it will be implemented in site specific actions. EPA's primary design standard is 1,000 years. Accordingly, the Commission has no discretion to promulgate a different design standard for a shorter period. Nor is the Commission authorized to establish a longer period as a stabilization requirement. The Commission's authority under section 84a(1) must be read in conjunction with the limits on that authority in section 84a(2). Taken together, these provisions authorize the Commission to exercise its discretion within the bounds established by EPA's standards. Further, as a general goal, permanent isolation with no planned reliance on active maintenance is consistent with the findings in the GEIS, the EPA standard and the Congressional intent in section 161x(2) of the AEA that states: "... the need for long term maintenance and monitoring ... will be minimized and, to the maximum extent practicable, eliminated." Because Congress did not flatly prohibit maintenance, NRC may consider it, but the preference for no maintenance is clear.

The first paragraph of Criterion 1 is being clarified to emphasize that it states a goal and not a standard, and to delete any specific time frame. "Shall" is being changed to "should" in the fourth paragraph of Criterion 1 to further emphasize the goal concept.

*Modification 2.(b).* This change would delete the ground-water modifier "usable" to be consistent with the primary thrust of the EPA standard to protect all ground water.

*Comments.* State and environmental commenters supported this change and industry opposed it for reasons

discussed under Criterion 5 modifications.

**Response.** The general goal of the EPA standard is to protect all ground water. The proposed change was not intended to set aside the site specific option to pursue alternate concentration limits which may be based in part on the existing and potential use of the ground water. The existing language in Criterion 1 referring to "... isolation of contaminants from usable ground water sources" conflicts with the EPA standard.

#### Criterion 3

**Modification 3.(a).** This change would delete the ground-water modifiers "high quality" to be consistent with the primary thrust of the EPA standard.

No new issues were raised on this change.

#### Criterion 4

**Modification 4.(a).** This change would delete "maximum possible flood" and insert "Probable Maximum Flood" (PMF).

**Comments.** Comments on the proposed change in Criterion 4 to replace "maximum possible flood" with "Probable Maximum Flood" reflected divergent views on the appropriate design flood to be used in analysis. Environmental commenters favored maximum conservatism and industry advocated less conservative assumptions than either the existing or proposed language.

**Response.** The intent of paragraph (a) in Criterion 4 is to require that siting of tailings disposal areas minimize the upstream catchment area to reduce the potential for erosion regardless of the magnitude of the design flood. The modifiers "maximum possible" and "probable maximum" are both inappropriate since this criterion is not intended to discuss design flood requirements. Decisions on design flood requirements will be tied to a necessary showing that the tailings pile will remain stabilized for the 1,000-year period in the EPA longevity standard. In order to emphasize the primary purpose of the requirement, the Commission is replacing "probable maximum flood" with "floods."

#### Criterion 5

Proposed changes to Criteria 1, 3, and 5 were all intended to reflect that the EPA standard starts from a premise that no seepage from new or expanded impoundments or degradation of ground water are allowed and that all ground water is to be protected regardless of quality or use category.

**Comments.** Industry strongly opposed protecting non-usable ground water, recommended deferring all ground-water changes, and argued that the EPA ground-water standards are invalid because they fail the Congressional test of comparability to standards for wastes of similar hazard (e.g., mining wastes). EPA made a general comment that more distinction between existing and new sites is needed.

**Response.** The comments clearly reflect confusion about the status of the EPA ground-water protection standards, the status of 10 CFR Part 40 Appendix A requirements, and the basis for proposing the few changes related to ground-water protection in advance of more comprehensive rulemaking on ground water. As discussed earlier, the EPA standards have been applicable since December 6, 1983. NRC rulemaking is not required to impose the EPA standards. The proposed changes to Appendix A, and Criterion 5 in particular, were all intended to reflect the EPA standard reflects the RCRA ground-water protection strategy and starts from a premise that no seepage from the impoundments or degradation of ground water is allowed and that all ground water is to be protected regardless of quality or use category. The changes were intended to remove language that explicitly conflicted with this basic strategy. They were not intended to fully conform to or to modify the EPA groundwater protection standard in any way.

The EPA comment that the distinction between new and existing sites was not reflected was based on the brief rationale for the proposed change rather than the changes themselves. The rationale did not address the complex site specific options provided under the EPA standard (i.e., the use of site specific alternate concentration limits as the secondary standard). Criterion 5, as modified in this rulemaking does not impact the existing/new site provisions and site specific provisions of 40 CFR Part 192 and no additional changes are warranted on this basis.

Specific clarification of the dual regulatory situation on ground water is needed and an insert at the beginning of Criterion 5 is being added.

**Modification 5.(a).** This change would delete language implying that seepage to ground water is acceptable if it does not change the use category.

No new issues were raised on this change.

**Modification 5.(b).** This change would delete language referring to bottom liners of "low permeability."

**Comment.** Commenters generally raised issues similar to those raised

elsewhere on ground water. One commenter opposed this modification on technical grounds and pointed out that no material is totally impermeable and that state-of-the-art liners have permeability ratings on the order of  $10^{-12}$  m/sec.

**Response.** The observation that in an absolute and theoretical sense even synthetic liners are permeable, is correct. Commission concern is that most people reading the reference to "low permeability" will not consider the absolute or theoretical concept and that most readers would consider clay as low permeability and synthetic materials as impermeable. Deletion of "low permeability" leaves the issue of what type of liners are acceptable to the more specific EPA standards.

**Modification 5.(c).** This change would delete a reference to potential use category as a standard.

**Comments.** Commenters questioned implementation aspects. One commenter stated that deletion would leave the issue of degree of groundwater restoration open and another that deletion allows NRC to be more restrictive in degree of restoration than the EPA standard.

**Response.** Deletion of the requirement to restore to ground water "to its potential use before milling operations began to the maximum extent practicable," does leave the degree of restoration open. The degree of restoration will be determined on a site specific basis in accordance with the EPA ground-water protection standards.

**Modification 5.(d).** This change would delete references to use category and tailings in contact with ground water.

No significant new issues were raised in comments on this proposed change.

**Modification 5.(e).** The ground-water modifier "usable" would be deleted.

No significant new issues were raised in comments on this proposed change.

#### Criterion 6

**Modification 6.(a).** This change would delete the two picocuries per square meter per second radon flux and minimum 3-meter cover thickness provisions and insert EPA's radon flux and longevity and stabilization standard.

**Comments.** Commenters objected to incorporation of the EPA longevity and radon design standards into Criterion 6. Many of the arguments were directed against the EPA standard as being too lax to adequately protect health and the environment. On the other hand, many commenters argued that the standards were more stringent than warranted by the risks.

*Response.* As noted earlier, comments directed at the validity and merits of the EPA standard are considered outside the scope of this rulemaking proceeding.

*Comments.* Several commenters urged NRC to keep its more restrictive radon limit and 3-meter minimum cover.

Commenters urging NRC to keep its more restrictive radon limit argued that the 2 picocurie flux is ALARA, is easily met based on the Department of Energy's (DOE) Title I research experience and is cost effective. Comments urging that the 3-meter requirement be retained based their position primarily on the protection 3 meters of earth affords against erosion and intrusion.

*Response.* The new issue raised on the radon limit is the reference to Title I research. The DOE Title I research experience compared costs for different types of cover strategies; however these studies did not include analyses which would result in conclusions on the warranted levels of radon releases from covered tailings. To truly investigate whether the meeting of the 2 pCi/m<sup>2</sup>s flux criterion is ALARA would require a cost-benefit analysis, which EPA did in promulgating its standard. EPA established the radon flux limit at 20 pCi/m<sup>2</sup>s and NRC must conform.

The specific thickness of 3 meters was set to meet a 2 picocurie or twice-background performance criteria and is inconsistent with the higher EPA 20 picocurie flux limit. Alternatives to earth or in conjunction with earth may be adequate to meet the new, higher flux limit. Further, well designed rock covers on the tops and side slopes of reclaimed tailings can provide sufficient erosion and intruder protection so that 3 meters of earth cannot be justified on the basis of the EPA longevity standard. Therefore, the three meter requirement has been deleted as inflexibly inconsistent with EPA's radon flux standard.

*Comment.* One State objected to including the 200-year minimum longevity requirement based on the small incremental costs and practicality of meeting the longer (1,000-year) time and the longevity of the hazards from tailings.

*Response.* The 200-year minimum longevity requirement provides relief in those unique reclamation situations where the 1,000-year criterion can be shown to impose too much of a cost hardship. The Commission views the EPA longevity standard to be 1,000 years unless site specific circumstances preclude meeting 1,000 years.

*Comment.* One State objected to NRC's proposed use of design standards and suggested that NRC rules explicitly

require proof that the design has been met by the reclamation actions.

*Response.* The EPA longevity and radon standard is written as a design standard. Requirements to confirm adequacy of design during and after construction have merit but will be very site and design specific. Normal inspection and enforcement activities would include quality control and compliance with designs approved and specified in license conditions. If unique site circumstances warrant, a requirement to confirm design parameters after the fact is not precluded.

*Comments.* Three commenters offered clarifying suggestions. They included clarifying the reference to "permanent disposal," defining the term "disposal area," and addressing how the longevity design standard will be implemented. One commenter also suggested that the standard be clarified to make it clear, that to the extent practicable, the cover would still meet the 20 picocurie flux limit at the end of the 1,000-year design period.

*Response.* The Commission is implementing the suggestion to clarify "permanent disposal" but believes that "disposal area" is adequately addressed in the context of the proposed changes. The suggestion to address implementation would result in a level of detail in the rule normally relegated to NRC guidance documents.

The Commission agrees that the EPA standard is not completely clear that the flux limit is to be met throughout the effective design life to the extent practicable and is clarifying this point.

*Comments.* Industry opposed including any EPA standards for thorium byproduct material or, if some standard is included, suggested that explicit flexibility for site specific decisions should also be included. Industry also suggested a 50-year stabilization time period for thorium byproduct materials.

*Response.* The comments opposing incorporation of the EPA standards for thorium byproduct material generally express dissatisfaction with the EPA standard itself. The thorium standards proposed for insertion are already in effect on NRC and State licensees and are nondiscretionary. The EPA standard in 40 CFR 192.42 provides for substitute generic provisions to those in Subpart E, but with EPA concurrence. NRC has the authority to consider and approve site specific alternatives if the finding in section 94c of the AEA can be made.

*Modification 8.(b).* This change would add the two radon flux modifying footnotes from the EPA standard that specify that no monitoring is required,

averaging is allowed, and cover materials do not have to be considered in meeting the flux limit.

*Comments.* Several State and environmental commenters objected to the incorporation of the EPA footnote qualifying the longevity and radon standard as a design standard not requiring confirmatory monitoring. Averaging provisions and disregard of the radon from cover materials in the footnotes were also of concern.

*Response.* The footnotes quoted from the EPA standards in 40 CFR Part 192 are necessary to define how EPA intended the longevity and radon standards to be used. The footnotes set the conditions which EPA supported as a reasonable balance of cost and benefit that would be achievable with present state of the art. The practical problems which led EPA to issue a design standard and NRC experience in radon attenuation measurements and calculations convince the Commission that flux monitoring should not be mandated. Measurement of flux levels in the field is difficult and subject to wide variations due to factors such as sensitivity to measurement methods, meteorological variations, nonhomogeneity of the tailings piles, and disturbance of the radon releases by the monitoring process. NRC's current method for providing reasonable assurance that the EPA flux standard will be met focuses on the selection and application of parameters and calculational methodology for radon barrier design. NRC expects to review quality assurance records during construction to assure that the approved design is implemented in the field. The Commission notes that Agreement States can adopt more restrictive standards than EPA or NRC and may mandate monitoring if desired.

NRC experience also supports the need for averaging over the impoundment. The tailings are not homogeneous. As a practical matter, radon transport offsite results in mixing before the public is exposed so that doses are reflected by average values. Details on calculation methods are more appropriate in guidance documents that can be tailored to site specific conditions and track state-of-the-art experience.

Concern about high radium content of cover materials is addressed in the second paragraph of the proposed modified Criterion 6. The second paragraph contains the requirements on low radium content that were already in Appendix A. The footnote only clarifies that the EPA standard applies to the tailings flux through the cover and that

radon from cover materials are not to be included in demonstrating compliance with the 20 picocurie flux.

**Modification 6.(c).** This change would correct a typographical error and delete the 3-meter requirement.

No new issues were raised on this change.

**Modification 6.(d).** This change would add the threshold radium levels for applicability of the EPA standard on longevity and control of radon releases.

**Comments.** One State expressed the view that the provision allowing averaging of radium content over 100 square meters allows highly contaminated small areas to be ignored and is therefore insufficiently protective. Other comments were based on the validity and merits of the EPA standards, particularly the thorium standards.

**Response.** The proposed language is needed to reflect the conditions under which EPA intended the longevity and radon standard to apply. The modification as proposed would allow NRC to be more restrictive if warranted by site specific conditions. NRC may require some degree of control for areas contaminated above background but below the threshold levels. A rule change is not needed to maintain this option on a site specific basis.

#### Criterion 8

**Modification 7.(a).** The change would add the EPA standard on the "as low as practicable" goal for radon releases during operations.

**Comments.** Commenters questioned implementation aspects of the Criterion 8 change. One commenter argued for the current terminology reflected in 10 CFR Part 20 for keeping releases as low as reasonably achievable (ALARA) as the true EPA intent.

**Response.** The Commission agrees that EPA's intent was to impose the ALARA principal and that ALARA is more consistent with Commission radiation protection policies as reflected in 10 CFR Part 20. The actual language in a standard has greater legal force than the preamble for the rule, but in this case, since numerical values or other specific provisions are not involved, the Commission has more flexibility in conforming.

**Modification 7.(b).** Those changes would add language from the EPA standard imposing 40 CFR Part 190 equivalent limits for thorium byproduct materials and compliance with 40 CFR Part 440, Subpart C.

**Comments.** One environmental commenter objected to the "reasonable assurance" language. Industry repeated objections to all the thorium standards.

Industry recommended that waiver provisions from a recent EPA rulemaking under the Clean Air Act (50 FR 5190, February 6, 1985) be incorporated into the thorium dose limits. Industry also opposed adding the language requiring compliance with 40 CFR Part 440, Subpart C stating that these regulations are invalid since EPA lacks authority to regulate byproduct material under the Clean Water Act.

**Response.** The proposed text was quoted verbatim from the EPA standard in 40 CFR Part 192. No deletions or modifications of existing NRC rules are involved. The proposed change incorporates for clarity standards that are already binding on NRC licensees and eliminates the need to refer to 40 CFR Part 192 for any requirements other than ground-water protection. The waiver provisions suggested may have merit in considering site specific situations but are outside the scope of this rulemaking. The Commission sees no merit in arguments that 40 CFR Part 440, Subpart C, is invalid as a standard incorporated by reference into 40 CFR Part 192.

**Modification 8.** Criteria 2, 7, 9, 10, 11, and 12 are not affected by proposed changes.

Changes to these criteria recommended by commenters are outside the scope of this rulemaking.

#### Modifications

The Commission is issuing the following modifications to Appendix A to 10 CFR Part 40:

##### 1. Introduction.

(a) In the second sentence of the third paragraph, change "amendability" to "amenability."

(b) Delete the fourth paragraph in its entirety.

(c) Add the following two paragraphs at the end:

"Licensees or applicants may propose alternatives to the specific requirements in this Appendix. The alternative proposals may take into account local or regional conditions, including geology, topography, hydrology, and meteorology. The Commission may find that the proposed alternatives meet the Commission's requirements if the alternatives will achieve a level of stabilization and containment of the sites concerned, and a level of protection for public health, safety, and the environment from radiological and nonradiological hazards associated with the sites, which is equivalent to, to the extent practicable, or more stringent than the level which would be achieved by the requirements of this Appendix and the standards promulgated by the

Environmental Protection Agency in 40 CFR Part 192, Subparts D and E."

"All site specific licensing decisions based on the criteria in this Appendix or alternatives proposed by licensees or applicants will take into account the risk to the public health and safety and the environment with due consideration to the economic costs involved and any other factors the Commission determines appropriate. In implementing this Appendix, the Commission will consider "practicable" and "reasonably achievable" as equivalent terms. Decisions involving these terms will take into account the state of technology, and the economics of improvements in relation to benefits to the public health and safety, and other societal and socioeconomic considerations, and in relation to the utilization of atomic energy in the public interest."

##### 2. Criterion 1.

(a) Revise the first paragraph to read:

"The general goal or broad objective in siting and design decisions is permanent isolation of tailings and associated contaminants by minimizing disturbance and dispersion by natural forces, and to do so without ongoing maintenance. For practical reasons, specific siting decisions and design standards must involve finite times (e.g., the longevity design standard in Criterion 6). The following site features which will contribute to such a goal or objective must be considered in selecting among alternative tailings disposal sites or judging the adequacy of existing tailings sites."

(b) In the second listed item of the first paragraph, delete the word "usable".

(c) In the fourth paragraph delete the word "shall" and insert "should".

##### 3. Criterion 3.

(a) Delete the modifiers "high quality" for ground water in the third sentence.

##### 4. Criterion 4.

(a) Revise paragraph (a) by deleting "maximum possible flood" and inserting "floods".

##### 5. Criterion 5.

(a) Add the following paragraph at the beginning:

"Licensees and applicants are reminded that Subparts D and E of 40 CFR Part 192 have been applicable since December 6, 1983. The goal of the EPA standards in 40 CFR Part 192 is nondegradation of all ground water. The primary ground-water standard in 40 CFR 192.32(a)(1), which applies to new or expanded impoundments, does not include consideration of existing or future ground-water quality. The secondary standard in 40 CFR

192.32(a)(2) applies to management of all byproduct material including existing and new or expanded impoundments. In the secondary standard, several ground-water quality criteria are considered, especially in site specific decisions on applications for alternate concentration limits. Criterion 5 supplements and does not conflict with or modify provisions of 40 CFR Part 192. Until or unless the Commission undertakes additional rulemaking as described in the advance notice of proposed rulemaking published in the *Federal Register* on November 26, 1984 (49 FR 46425), licensees and applicants should consult 40 CFR Part 192 for the applicable ground-water protection requirements. In the interim, the Commission is applying appropriate aspects of 40 CFR Part 192 in individual licensing actions on a case-by-case basis through license conditions and orders."

(b) Delete in its entirety the first paragraph beginning "Steps shall be taken . . ." and ending ". . . this objective." and insert the following: "In developing and conducting ground-water protection programs, applicants and licensees shall consider the following:"

(c) In the first listed item under the first paragraph beginning with "Installation of . . ." delete the words "low permeability" as a characteristic of bottom liners.

(d) In the second paragraph beginning "Where ground water impacts . . ." delete the phrase "to its potential use before milling operations began to the maximum extent practicable."

(e) Delete in its entirety the third paragraph beginning "While the primary method of protecting ground water shall be isolated . . ." and ending ". . . from current or potential uses."

(f) In the first sentence of the fifth paragraph beginning "This information must be gathered . . ." delete the word "usable" where it modifies "ground water."

#### 6. Criterion 6.

(a) Delete the first sentence in entirety, beginning with "Sufficient earth cover . . ." and ending with ". . . meter per second.", and in its place insert "In disposing of waste byproduct material, licensees shall place an earthen cover over tailings or wastes at the end of milling operations and shall close the waste disposal area in accordance with a design<sup>1</sup> which provides reasonable assurance of control of radiological hazards to (i) be effective for one thousand years, to the extent reasonably achievable, and, in any case, for at least 200 years, and (ii) limit releases of radon-222 from uranium byproduct materials, and radon-220 from thorium

byproduct materials, to the atmosphere so as to not exceed an average<sup>2</sup> release rate of 20 picocuries per square meter per second (pCi/m<sup>2</sup>s) to the extent practicable throughout the effective design life determined pursuant to (i) above."

(b) Add to Criterion 6 the following two footnotes which accompany the revised first sentence: Footnote (1) "The standard applies to design. Monitoring for radon after installation of an appropriately designed cover is not required." and footnote (2) "This average applies to the entire surface of each disposal area over periods of at least one year, but short compared to 100 years. Radon will come from both uranium byproduct materials and from covering materials. Radon emissions from covering materials should be estimated as part of developing a closure plan for each site. The standard, however, applies only to emissions from byproduct materials to the atmosphere."

(c) In the fifth sentence of the first paragraph, replace "non-soiled" with "non-soil," and replace the words "to reduce tailings covers to less than three meters" with the words "as cover materials."

(d) At the end of Criterion 6, add a new paragraph to read: "The design requirements in this Criterion for longevity and control of radon releases apply to any portion of a licensed and/or disposal site unless such portion contains a concentration of radium in land, averaged over areas of 100 square meters, which, as a result of byproduct material does not exceed the background level by more than: (i) 5 picocuries per gram (pCi/g) of radium-226, or, in the case of thorium byproduct material, radium-228, averaged over the first 15 centimeters (cm) below the surface, and (ii) 15 pCi/g of radium-226, or, in the case of thorium byproduct material, radium-228, averaged over 15-cm thick layers more than 15 cm below the surface."

#### 7. Criterion 8.

(a) At the end of the first full paragraph, add a new sentence to read "During operations and prior to closure, radiation doses from radon emissions from surface impoundments must be kept as low as is reasonably achievable."

(b) Following the third full paragraph of Criterion 8, just before Criterion 8A, insert the following two new paragraphs:

"Milling operations producing or involving thorium byproduct material must be conducted in such a manner as to provide reasonable assurance that the annual dose equivalent does not exceed 25 millirems to the whole body, 75

millirems to the thyroid, and 25 millirems to any other organ of any member of the public as a result of exposures to the planned discharge of radioactive materials, radon-220 and its daughters excepted, to the general environment."

"Uranium and thorium byproduct materials must be managed so as to conform to the applicable provisions of Title 40 of the Code of Federal Regulations, Part 440, Ore Mining and Dressing Point Source Category: Effluent Limitations Guidelines and New Source Performance Standards, Subpart C, Uranium, Radium, and Vanadium Ores Subcategory, as codified on January 1, 1983."

8. Criteria 2, 7, 9, 10, 11, and 12 are not affected by this action.

The Commission is also issuing the following change to 10 CFR Part 150:

9. At the end of § 150.31, a new paragraph (d) is added to read: "In adopting requirements pursuant to paragraph (b)(2) of this section, the State may adopt alternatives (including, where appropriate, site-specific alternatives) to the requirements adopted and enforced by the Commission for the same purpose if, after notice and opportunity for public hearing, the Commission determines that the alternatives will achieve a level of stabilization and containment of the sites concerned, and a level of protection for public health, safety and the environment from radiological and nonradiological hazards associated with such sites, which is equivalent to, to the extent practicable, or more stringent than the level which would be achieved by standards and requirements adopted and enforced by the Commission for the same purpose and any final standards promulgated by the Administrator of the Environmental Protection Agency in accordance with section 275. Alternative State requirements may take into account local or regional conditions, including geology, topography, hydrology and meteorology."

The Commission is also adopting the standard convention on imposing an obligation or expressing a prohibition. This convention is endorsed by the Office of the Federal Register and is being used in a significant portion of Federal regulatory writing. In this convention, "shall" is used to impose an obligation on an individual or a legal entity capable of performing the required action, "must" is used as the mandatory form when the subject is an inanimate object and "may not" is used to express a prohibition. All of Appendix A now reflects this standard convention.

### Commission Authority and Responsibility

Section 84c. of the Atomic Energy Act states that:

A licensee may propose alternatives to specific requirements adopted and enforced by the Commission under this act. Such alternative proposals may take into account local or regional conditions, including geology, topography, hydrology and meteorology. The Commission may treat such alternatives as satisfying Commission requirements if the Commission determines that such alternatives will achieve a level of stabilization and containment of the sites concerned, and a level of protection for public health, safety, and the environment from radiological and nonradiological hazards associated with such sites, which is equivalent to, to the extent practicable, or more stringent than the level which would be achieved by standards and requirements adopted and enforced by the Commission for the same purpose and any final standards promulgated by the Administrator of the Environmental Protection Agency in accordance with section 275.

The Commission historically has had the authority and responsibility to regulate the activities of persons licensed under the Atomic Energy Act of 1954, as amended. Consistent with that authority and in accordance with section 84c. of that Act, the Commission has the discretion to review and approve site specific alternatives to standards promulgated by the Commission and by the Administrator of the Environmental Protection Agency. In the exercise of this authority, section 84c. does not require the Commission to obtain the concurrence of the Administrator in any site specific alternative which satisfies Commission requirements for the level of protection for public health, safety, and the environment from radiological and nonradiological hazards at uranium mill tailings sites. As an example, the Commission need not seek concurrence of the Administrator in case-by-case determinations of alternative concentration limits and delisting of hazardous constituents for specific sites. It should be understood that the proposed conforming regulations deal with the exercise of the Commission's responsibility and authority under the Atomic Energy Act of 1954, solely as regards uranium mill tailings sites and have no broader connotation.

The Commission believes that licensee proposals for alternatives can be an important and effective way to help deal with the problems associated with implementing the new EPA standards. The Commission expects that it may require several years to have its conforming regulations fully in place. It expects to use the flexibility provided

by section 84 in the interim to consider and approve alternative proposals from licensees. Section 84c. provides NRC sufficient authority to independently approve alternatives so long as the Commission can make the required determination.

### Impact of the Amendments

The Commission's action in issuing these modifications to its regulations in Appendix A to 10 CFR Part 40 is to conform them to the new EPA standards. These changes are for the purpose of avoiding conflicts and inconsistencies between the text of the two rules, and for clarifying previously existing language so as to be compatible with the new requirements. The action taken here by the Commission is a consequence of previous actions taken by the Congress and the EPA, and is legally mandated in section 275b(3) of the Atomic Energy Act of 1954, as amended.

Commission action in this case is essentially nondiscretionary in nature, and for purposes of environmental analysis, rests upon existing environmental and other impact evaluations in the following documents: (1) "Final Environmental Impact Statement for Standards for the Control of Byproduct Materials from Uranium Ore Processing (40 CFR Part 192)," Volumes 1 and 2, EPA 520/1-83-008-1 and 2 (FEIS), September 1983, and (2) "Regulatory Impact Analysis of Final Environmental Standards for Uranium Mill Tailings at Active Sites," EPA 520/1-83-010 (RIA), September 1983, both prepared in support of Subparts D and E of 40 CFR Part 192,<sup>1</sup> and (3) "Final Generic Environmental Impact Statement on Uranium Milling," NUREG-0706, September 1980, prepared in support of Appendix A of 10 CFR Part 40.<sup>2</sup> The Commission believes that these supporting analyses for the EPA standards and the existing Commission regulations provide a more than adequate environmental review for the standards addressed in this rulemaking and that no additional impact analysis is warranted by the conforming actions issued in this final rule. The EPA

<sup>1</sup> Single copies of the FEIS and the RIA, as available, may be obtained from the Program Management Office (ANR-436), Office of Radiation Programs, U.S. Environmental Protection Agency, Washington, DC 20460; telephone number (703) 557-9351.

<sup>2</sup> Copies of NUREG-0706 may be purchased by calling (202) 275-2080 or by writing to the Superintendent of Documents, U.S. Government Printing Office, P.O. Box 37082, Washington, DC 20013-7082 or purchased from the National Technical Information Service, Department of Commerce, 5225 Port Royal Road, Springfield, VA 22161.

engaged in and completed a NEPA process with full consideration of environmental concerns, and for the purposes of this rulemaking action, can be viewed as the lead agency.

### Paperwork Reduction Act Statement

This rule does not contain a new or amended information collection requirement subject to the requirements of the Paperwork Reduction Act of 1980 (44 U.S.C. 3501 et seq.). Existing requirements were approved by the Office of Management and Budget approval number 3150-0020.

### Regulatory Flexibility Certification

As required by the Regulatory Flexibility Act of 1980, 5 U.S.C. 605(b), the Commission certifies that this rule will not have a significant economic impact upon a substantial number of small entities. Therefore, no Regulatory Flexibility Analysis has been prepared. The basis for this finding is that of the licensed uranium mills, only one qualifies as a small entity. Almost all the mills are owned by large corporations. Three of the mills are partly-owned by companies that could qualify as small businesses, according to the Small Business Administration generic small entity definition of 500 employees. However, under the Regulatory Flexibility Act, a small business is one that is independently owned and operated. Because these three mills are not independently owned they do not qualify as small entities.

### List of Subjects

#### 10 CFR Part 40

Government contracts, Hazardous materials-transportation, Nuclear materials, Penalty, Reporting and recordkeeping requirements, Source material, Uranium.

#### 10 CFR Part 150

Hazardous materials-transportation, Intergovernmental relations, Nuclear materials, Penalty, Reporting and recordkeeping requirements, Security measures, Source material, Special nuclear material.

Under the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974, as amended, 5 U.S.C. 553, and the Uranium Mill Tailings Radiation Control Act of 1978, as amended, the NRC is issuing the following amendments to 10 CFR Parts 40 and 150.

### PART 40—DOMESTIC LICENSING OF SOURCE MATERIAL

1. The authority citation for Part 40 is revised to read as follows:

Authority: Secs. 62, 63, 64, 65, 81, 161, 182, 183, 186, 68 Stat. 932, 933, 935, 948, 953, 954, 955, as amended; secs. 11e(2), 83, 84, Pub. L. 95-604, 92 Stat. 3033, as amended, 3039, sec. 234, 83 Stat. 444, as amended (42 U.S.C. 2014(e)(2), 2092, 2093, 2094, 2095, 2111, 2113, 2114, 2201, 2232, 2233, 2236, 2282); secs. 274, Pub. L. 86-373, 73 Stat. 688 (42 U.S.C. 2021); secs. 201, as amended, 202, 206, 88 Stat. 1242, as amended, 1244, 1246 (42 U.S.C. 5841, 5842, 5846); Sec. 275, 92 Stat. 3021, as amended by Pub. L. 97-415, 96 Stat. 2067 (42 U.S.C. 2022).

Section 40.7 also issued under Pub. L. 95-601, sec. 10, 92 Stat. 2951 (42 U.S.C. 5851). Section 40.31(g) also issued under sec. 122, 68 Stat. 939 (42 U.S.C. 2152). Section 40.46 also issued under sec. 184, 68 Stat. 954, as amended (42 U.S.C. 2234). Section 40.71 also issued under sec. 187, 68 Stat. 955 (42 U.S.C. 2237).

For the purposes of sec. 223, 68 Stat. 958, as amended (42 U.S.C. 2273): §§ 40.3, 40.25(d)(1)-(3), 40.35(a)-(d), 40.41(b) and (c), 40.46, 40.51(a) and (c), and 40.63 are issued under sec. 161b, 68 Stat. 948, as amended (42 U.S.C. 2201(b)); and §§ 40.25(c) and (d)(3) and (4), 40.26(c)(2), 40.35(e), 40.42, 40.61, 40.62, 40.64 and 40.65 are issued under sec. 161c, 68 Stat. 950, as amended (42 U.S.C. 2201(o)).

2. Appendix A to Part 40 is revised to read as follows:

**Appendix A to Part 40—Criteria Relating to the Operation of Uranium Mills and the Disposition of Tailings or Wastes Produced by the Extraction or Concentration of Source Material From Ores Processed Primarily for Their Source Material Content**

**Introduction.** Every applicant for a license to possess and use source material in conjunction with uranium or thorium milling, or byproduct material at sites formerly associated with such milling, is required by the provisions of § 40.31(h) to include in a license application proposed specifications relating to milling operations and the disposition of tailings or wastes resulting from such milling activities. This appendix establishes technical, financial, ownership, and long-term site surveillance criteria relating to the siting, operation, decontamination, decommissioning, and reclamation of mills and tailings or waste systems and sites at which such mills and systems are located. As used in this appendix, the term "as low as is reasonably achievable" has the same meaning as in § 20.1(c) of 10 CFR Part 20 of this chapter.

In many cases, flexibility is provided in the criteria to allow achieving an optimum tailings disposal program on a site-specific basis. However, in such cases the objectives, technical alternatives and concerns which must be taken into account in developing a tailings program are identified. As provided by the provisions of § 40.31(h) applications for licenses must clearly demonstrate how the criteria have been addressed.

The specifications must be developed considering the expected full capacity of tailings or waste systems and the lifetime of mill operations. Where later expansions of systems or operations may be likely (for example, where large quantities of ore now

marginally uneconomical may be stockpiled), the amenability of the disposal system to accommodate increased capacities without degradation in long-term stability and other performance factors must be evaluated.

Licensees or applicants may propose alternatives to the specific requirements in this Appendix. The alternative proposals may take into account local or regional conditions, including geology, topography, hydrology, and meteorology. The Commission may find that the proposed alternatives meet the Commission's requirements if the alternatives will achieve a level of stabilization and containment of the sites concerned, and a level of protection for public health, safety, and the environment from radiological and nonradiological hazards associated with the sites, which is equivalent to, to the extent practicable, or more stringent than the level which would be achieved by the requirements of this Appendix and the standards promulgated by the Environmental Protection Agency in 40 CFR Part 192, Subparts D and E.

All site specific licensing decisions based on the criteria in this Appendix or alternatives proposed by licensees or applicants will take into account the risk to the public health and safety and the environment with due consideration to the economic costs involved and any other factors the Commission determines to be appropriate. In implementing this Appendix, the Commission will consider "practicable" and "reasonably achievable" as equivalent terms. Decisions involving these terms will take into account the state of technology, and the economics of improvements in relation to benefits to the public health and safety, and other societal and socioeconomic considerations, and in relation to the utilization of atomic energy in the public interest.

**I. Technical Criteria**

**Criterion 1—**The general goal or broad objective in siting and design decisions is permanent isolation of tailings and associated contaminants by minimizing disturbance and dispersion by natural forces, and to do so without ongoing maintenance. For practical reasons, specific siting decisions and design standards must involve finite times (e.g., the longevity design standard in Criterion 6). The following site features which will contribute to such a goal or objective must be considered in selecting among alternative tailings disposal sites or judging the adequacy of existing tailings sites:

- Remoteness from populated areas;
- Hydrologic and other natural conditions as they contribute to continued immobilization and isolation of contaminants from ground-water sources; and
- Potential for minimizing erosion, disturbance, and dispersion by natural forces over the long term.

The site selection process must be an optimization to the maximum extent reasonably achievable in terms of these features.

In the selection of disposal sites, primary emphasis must be given to isolation of tailings or wastes, a matter having long-term

impacts, as opposed to consideration only of short-term convenience or benefits, such as minimization of transportation or land acquisition costs. While isolation of tailings will be a function of both site and engineering design, overriding consideration must be given to siting features given the long-term nature of the tailings hazards.

Tailings should be disposed of in a manner that no active maintenance is required to preserve conditions of the site.

**Criterion 2—**To avoid proliferation of small waste disposal sites and thereby reduce perpetual surveillance obligations, byproduct material from in situ extraction operations, such as residues from solution evaporation or contaminated control processes, and wastes from small remote above ground extraction operations must be disposed of at existing large mill tailings disposal sites; unless, considering the nature of the wastes, such as their volume and specific activity, and the costs and environmental impacts of transporting the wastes to a large disposal site, such offsite disposal is demonstrated to be impracticable or the advantages of onsite burial clearly outweigh the benefits of reducing the perpetual surveillance obligations.

**Criterion 3—**The "prime option" for disposal of tailings is placement below grade, either in mines or specially excavated pits (that is, where the need for any specially constructed retention structure is eliminated). The evaluation of alternative sites and disposal methods performed by mill operators in support of their proposed tailings disposal program (provided in applicants' environmental reports) must reflect serious consideration of this disposal mode. In some instances, below grade disposal may not be the most environmentally sound approach, such as might be the case if a ground-water formation is relatively close to the surface or not very well isolated by overlying soils and rock. Also, geologic and topographic conditions might make full below grade burial impracticable. For example, bedrock may be sufficiently near the surface that blasting would be required to excavate a disposal pit at excessive cost, and more suitable alternative sites are not available. Where full below grade burial is not practicable, the size of retention structures, and size and steepness of slopes associated exposed embankments must be minimized by excavation to the maximum extent reasonably achievable or appropriate given the geologic and hydrologic conditions at a site. In these cases, it must be demonstrated that an above grade disposal program will provide reasonably equivalent isolation of the tailings from natural erosional forces.

**Criterion 4—**The following site and design criteria must be adhered to whether tailings or wastes are disposed of above or below grade.

(a) Upstream rainfall catchment areas must be minimized to decrease erosion potential and the size of the floods which could erode or wash out sections of the tailings disposal area.

(b) Topographic features should provide good wind protection.

(c) Embankment and cover slopes must be relatively flat after final stabilization to minimize erosion potential and to provide conservative factors of safety assuring long-term stability. The broad objective should be to contour final slopes to grades which are as close as possible to those which would be provided if tailings were disposed of below grade; this could, for example, lead to slopes of about 10 horizontal to 1 vertical (10H:1V) or less steep. In general, slopes should not be steeper than about 5H:1V. Where steeper slopes are proposed, reasons why a slope less steep than 5H:1V would be impracticable should be provided, and compensating factors and conditions which make such slopes acceptable should be identified.

(d) A full self-sustaining vegetative cover must be established or rock cover employed to reduce wind and water erosion to negligible levels.

Where a full vegetative cover is not likely to be self-sustaining due to climatic or other conditions, such as in semi-arid and arid regions, rock cover must be employed on slopes of the impoundment system. The NRC will consider relaxing this requirement for extremely gentle slopes such as those which may exist on the top of the pile.

The following factors must be considered in establishing the final rock cover design to avoid displacement of rock particles by human and animal traffic or by natural process, and to preclude undercutting and piping:

- Shape, size, composition, and gradation of rock particles (excepting bedding material average particles size must be at least cobble size or greater);

- Rock cover thickness and zoning of particles by size; and

- Steepness of underlying slopes.

Individual rock fragments must be dense, sound, and resistant to abrasion, and must be free from cracks, seams, and other defects that would tend to unduly increase their destruction by water and frost actions. Weak, friable, or laminated aggregate may not be used.

Rock covering of slopes may be unnecessary where top covers are very thick (on the order of 10m or greater); impoundment slopes are very gentle (on the order of 10 H:1V or less); bulk cover materials have inherently favorable erosion resistance characteristics; and, there is negligible drainage catchment area upstream of the pile and good wind protection as described in points (a) and (b) of this Criterion.

Furthermore, all impoundment surfaces must be contoured to avoid areas of concentrated surface runoff or abrupt or sharp changes in slope gradient. In addition to rock cover on slopes, areas toward which surface runoff might be directed must be well protected with substantial rock cover (rip rap). In addition to providing for stability of the impoundment system itself, overall stability, erosion potential, and geomorphology of surrounding terrain must be evaluated to assure that there are not ongoing or potential processes, such as gully erosion, which would lead to impoundment instability.

(e) The impoundment may not be located near a capable fault that could cause a

maximum credible earthquake larger than that which the impoundment could reasonably be expected to withstand. As used in this criterion, the term "capable fault" has the same meaning as defined in section III(g) of Appendix A of 10 CFR Part 100. The term "maximum credible earthquake" means that earthquake which would cause the maximum vibratory ground motion based upon an evaluation of earthquake potential considering the regional and local geology and seismology and specific characteristics of local subsurface material.

(f) The impoundment, where feasible, should be designed to incorporate features which will promote deposition. For example, design features which promote deposition of sediment suspended in any runoff which flows into the impoundment area might be utilized; the object of such a design feature would be to enhance the thickness of cover over time.

**Criterion 5—Licensees and applicants are reminded that Subparts D and E of 40 CFR Part 192 have been applicable since December 6, 1983. The goal of the EPA standards in 40 CFR Part 192 is nondegradation of all ground water. The primary ground-water standard in 40 CFR 192.32(a)(1), which applies to new or expanded impoundments, does not include consideration of existing or future ground-water quality. The secondary standard in 40 CFR 192.32(a)(2) applies to management of all byproduct material including existing and new or expanded impoundments. In the secondary standard, several ground-water quality criteria are considered, especially in site specific decisions on applications for alternate concentration limits. Criterion 5 supplements and does not conflict with or modify provisions of 40 CFR Part 192. Until or unless the Commission undertakes additional rulemaking as described in the advance notice of proposed rulemaking published in the *Federal Register* on November 26, 1984 (49 FR 46425), licensees and applicants should consult 40 CFR Part 192 for the applicable ground-water protection requirements. In the interim, the Commission is applying appropriate aspects of 40 CFR Part 192 in individual licensing actions on a case-by-case basis through license conditions and orders.**

In developing and conducting ground-water protection programs, applicants and licensees shall consider the following:

- Installation of bottom liners (Where synthetic liners are used, a leakage detection system must be installed immediately below the liner to ensure major failures are detected if they occur. This is in addition to the ground-water monitoring program conducted as provided in Criterion 7. Where clay liners are proposed or relatively thin, in-situ clay soils are to be relied upon for seepage control, tests must be conducted with representative tailings solutions and clay materials to confirm that no significant deterioration of permeability or stability properties will occur with continuous exposure of clay to tailings solutions. Tests must be run for a sufficient period of time to reveal any effects if they are going to occur (in some cases deterioration has been observed to occur rather rapidly after about nine months of exposure)).

- Mill process designs which provide the maximum practicable recycle of solutions and conservation of water to reduce the net input of liquid to the tailings impoundment.

- Dewatering of tailings by process devices and/or in-situ drainage systems (At new sites, tailings must be dewatered by a drainage system installed at the bottom of the impoundment to lower the phreatic surface and reduce the driving head for seepage, unless tests show tailings are not amenable to such a system. Where in-situ dewatering is to be conducted, the impoundment bottom must be graded to assure that the drains are at a low point. The drains must be protected by suitable filter materials to assure that drains remain free running. The drainage system must also be adequately sized to assure good drainage).

- Neutralization to promote immobilization of toxic substances.

Where ground-water impacts are occurring at an existing site due to seepage, action must be taken to alleviate conditions that lead to excessive seepage impacts and restore ground-water quality. The specific seepage control and ground-water protection method, or combination of methods, to be used must be worked out on a site-specific basis. Technical specifications must be prepared to control installation of seepage control systems. A quality assurance, testing, and inspection program, which includes supervision by a qualified engineer or scientist, must be established to assure the specifications are met.

In support of a tailings disposal system proposal, the applicant/operator shall supply information concerning the following:

- The chemical and radioactive characteristics of the waste solutions

- The characteristics of the underlying soil and geologic formations particularly as they will control transport of contaminants and solutions. This includes detailed information concerning extent, thickness, uniformity, shape, and orientation of underlying strata. Hydraulic gradients and conductivities of the various formations must be determined.

This information must be gathered from borings and field survey methods taken within the proposed impoundment area and in surrounding areas where contaminants might migrate to ground water. The information gathered on boreholes must include both geologic and geophysical logs in sufficient number and degree of sophistication to allow determining significant discontinuities, fractures, and channelled deposits of high hydraulic conductivity. If field survey methods are used, they should be in addition to and calibrated with borehole logging. Hydrologic parameters such as permeability may not be determined on the basis of laboratory analysis of samples alone; a sufficient amount of field testing (e.g., pump tests) must be conducted to assure actual field properties are adequately understood. Testing must be conducted to allow estimating chemi-sorption attenuation properties of underlying soil and rock.

- Location, extent, quality, capacity and current uses of any ground water at and near the site.

Furthermore, steps must be taken during stockpiling of ore to minimize penetration of radionuclides into underlying soils; suitable methods include lining and/or compaction of ore storage areas.

**Criterion 6**—In disposing of waste byproduct material, licensees shall place an earthen cover over tailings or wastes at the end of milling operations and shall close the waste disposal area in accordance with a design<sup>1</sup> which provides reasonable assurance of control of radiological hazards to (i) be effective for 1,000 years, to the extent reasonably achievable, and, in any case, for at least 200 years, and (ii) limit releases of radon-222 from uranium byproduct materials, and radon-220 from thorium byproduct materials, to the atmosphere so as to not exceed an average<sup>2</sup> release rate of 20 picocuries per square meter per second (pCi/m<sup>2</sup>s) to the extent practicable throughout the effective design life determined pursuant to (i) above. In computing required tailings cover thicknesses, moisture in soils in excess of amounts found normally in similar soils in similar circumstances may not be considered. Direct gamma exposure from the tailings or wastes should be reduced to background levels. The effects of any thin synthetic layer may not be taken into account in determining the calculated radon exhalation level. If non-soil materials are proposed as cover materials, it must be demonstrated that such materials will not crack or degrade by differential settlement, weathering, or other mechanism, over long-term time intervals.

Near surface cover materials (i.e., within the top three meters) may not include waste or rock that contains elevated levels of radium; soils used for near surface cover must be essentially the same, as far as radioactivity is concerned, as that of surrounding surface soils. This is to ensure that surface radon exhalation is not significantly above background because of the cover material itself.

The design requirements in this criterion for longevity and control of radon releases apply to any portion of a licensed and/or disposal site unless such portion contains a concentration of radium in land, averaged over areas of 100 square meters, which, as a result of byproduct material does not exceed the background level by more than: (i) 5 picocuries per gram (pCi/g) of radium-226, or, in the case of thorium byproduct material, radium-226, averaged over the first 15 centimeters (cm) below the surface, and (ii) 15 pCi/g of radium-226, or, in the case of thorium byproduct material, radium-226, averaged over 15-cm thick layers more than 15 cm below the surface.

**Criterion 7**—At least one full year prior to any major site construction, a preoperational

monitoring program must be conducted to provide complete baseline data on a milling site and its environs. Throughout the construction and operating phases of the mill, an operational monitoring program must be conducted to measure or evaluate compliance with applicable standards and regulations; to evaluate performance of control systems and procedures; to evaluate environmental impacts of operation; and to detect potential long-term effects.

**Criterion 8**—Milling operations must be conducted so that all airborne effluent releases are reduced to levels as low as is reasonably achievable. The primary means of accomplishing this must be by means of emission controls. Institutional controls, such as extending the site boundary and exclusion area, may be employed; ensure that offsite exposure limits are met, but only after all practicable measures have been taken to control emissions at the source. Notwithstanding the existence of individual dose standards, strict control of emissions is necessary to assure that population exposures are reduced to the maximum extent reasonably achievable and to avoid site contamination. The greatest potential sources of offsite radiation exposure (aside from radon exposure) are dusting from dry surfaces of the tailings disposal area not covered by tailings solution and emissions from yellowcake drying and packaging operations. During operations and prior to closure, radiation doses from radon emissions from surface impoundments of uranium or thorium byproduct materials must be kept as low as is reasonably achievable.

Checks must be made and logged hourly of all parameters (e.g., differential pressures and scrubber water flow rates) which determine the efficiency of yellowcake stack emission control equipment operation. It must be determined whether or not conditions are within a range prescribed to ensure that the equipment is operating consistently near peak efficiency; corrective action must be taken when performance is outside of prescribed ranges. Effluent control devices must be operative at all times during drying and packaging operations and whenever air is exhausting from the yellowcake stack. Drying and packaging operations must terminate when controls are inoperative. When checks indicate the equipment is not operating within the range prescribed for peak efficiency, actions must be taken to restore parameters to the prescribed range. When this cannot be done without shutdown and repairs, drying and packaging operations must cease as soon as practicable. Operations may not be re-started after cessation due to off-normal performance until needed corrective actions have been identified and implemented. All such cessations, corrective actions, and re-starts must be reported to the appropriate NRC regional office as indicated in Criterion 8A, in writing, within 10 days of the subsequent restart.

To control dusting from tailings, that portion not covered by standing liquids must be wetted or chemically stabilized to prevent or minimize blowing and dusting to the maximum extent reasonably achievable. This requirement may be relaxed if tailings are

effectively sheltered from wind, such as may be the case where they are disposed of below grade and the tailings surface is not exposed to wind. Consideration must be given in planning tailings disposal programs to methods which would allow phased covering and reclamation of tailings impoundments because this will help in controlling particulate and radon emissions during operation. To control dusting from diffuse sources, such as tailings and ore pads where automatic controls do not apply, operators shall develop written operating procedures specifying the methods of control which will be utilized.

Milling operations producing or involving thorium byproduct material must be conducted in such a manner as to provide reasonable assurance that the annual dose equivalent does not exceed 25 millirems to the whole body, 25 millirems to the thyroid, and 25 millirems to any other organ of any member of the public as a result of exposures to the planned discharge of radioactive materials, radon-220 and its daughters excepted, to the general environment.

Uranium and thorium byproduct materials must be managed so as to conform to the applicable provisions of Title 40 of the Code of Federal Regulations, Part 440, "Ore Mining and Dressing Point Source Category: Effluent Limitations Guidelines and New Source Performance Standards, Subpart C, Uranium, Radium, and Vanadium Ores Subcategory," as codified on January 1, 1983.

**Criterion 8A**—Daily inspections of tailings or waste retention systems must be conducted by a qualified engineer or scientist and documented. The appropriate NRC regional office as indicated in Appendix D of 10 CFR Part 20, or the Director, Office of Inspection and Enforcement, U.S. Nuclear Regulatory Commission, Washington, DC 20555, must be immediately notified of any failure in a tailings or waste retention system which results in a release of tailings or waste into unrestricted areas, and/or of any unusual conditions (conditions not contemplated in the design of the retention system) which if not corrected could indicate the potential or lead to failure of the system and result in a release of tailings or waste into unrestricted areas.

## II. Financial Criteria

**Criterion 9**—Financial surety arrangements must be established by each mill operator prior to the commencement of operations to assure that sufficient funds will be available to carry out the decontamination and decommissioning of the mill and site and for the reclamation of any tailings or waste disposal areas. The amount of funds to be ensured by such surety arrangements must be based on Commission-approved cost estimates in a Commission-approved plan for (1) decontamination and decommissioning of mill buildings and the milling site to levels which allow unrestricted use of these areas upon decommissioning, and (2) the reclamation of tailings and/or waste areas in accordance with technical criteria delineated in Section I of this Appendix. The licensee shall submit this plan in conjunction with an environmental report that addresses the

<sup>1</sup> The standard applies to design. Monitoring for radon after installation of an appropriately designed cover is not required.

<sup>2</sup> This average applies to the entire surface of each disposal area over periods of at least 1 year, but short compared to 100 years. Radon will come from both uranium byproduct materials and from covering materials. Radon emissions from covering materials should be estimated as part of developing a closure plan for each site. The standard, however, applies only to emissions from uranium byproduct materials to the atmosphere.

expected environmental impacts of the milling operation, decommissioning and tailings reclamation, and evaluates alternatives for mitigating these impacts. The surety must also cover the payment of the charge for long-term surveillance and control required by Criterion 10. In establishing specific surety arrangements, the licensee's cost estimates must take into account total costs that would be incurred if an independent contractor were hired to perform the decommissioning and reclamation work. In order to avoid unnecessary duplication and expense, the Commission may accept financial sureties that have been consolidated with financial or surety arrangements established to meet requirements of other Federal or state agencies and/or local governing bodies for such decommissioning, decontamination, reclamation, and long-term site surveillance and control, provided such arrangements are considered adequate to satisfy these requirements and that the portion of the surety which covers the decommissioning and reclamation of the mill, mill tailings site and associated areas, and the long-term funding charge is clearly identified and committed for use in accomplishing these activities. The licensee's surety mechanism will be reviewed annually by the Commission to assure that sufficient funds would be available for completion of the reclamation plan if the work had to be performed by an independent contractor. The amount of surety liability should be adjusted to recognize any increases or decreases resulting from inflation, changes in engineering plans, activities performed, and any other conditions affecting costs. Regardless of whether reclamation is phased through the life of the operation or takes place at the end of operations, an appropriate portion of surety liability must be retained until final compliance with the reclamation plan is determined.

This will yield a surety that is at least sufficient at all times to cover the costs of decommissioning and reclamation of the areas that are expected to be disturbed before the next license renewal. The term of the surety mechanism must be open ended, unless it can be demonstrated that another arrangement would provide an equivalent level of assurance. This assurance would be provided with a surety instrument which is written for a specified period of time (e.g., 5 years) yet which must be automatically renewed unless the surety notifies the beneficiary (the Commission or the State regulatory agency) and the principal (the licensee) some reasonable time (e.g., 90 days) prior to the renewal date of their intention not to renew. In such a situation, the surety requirement still exists and the licensee would be required to submit an acceptable replacement surety within a brief period of time to allow at least 60 days for the regulatory agency to collect.

Proof of forfeiture must not be necessary to collect the surety so that in the event that the licensee could not provide an acceptable replacement surety within the required time, the surety shall be automatically collected prior to its expiration. The conditions described above would have to be clearly

stated on any surety instrument which is not open-ended, and must be agreed to by all parties. Financial surety arrangements generally acceptable to the Commission are:

- (a) Surety bonds;
- (b) Cash deposits;
- (c) Certificates of deposits;
- (d) Deposits of government securities;
- (e) Irrevocable letters or lines of credit; and
- (f) Combinations of the above or such other

types of arrangements as may be approved by the Commission. However, self insurance, or any arrangement which essentially constitutes self insurance (e.g., a contract with a State or Federal agency), will not satisfy the surety requirement since this provides no additional assurance other than that which already exists through license requirements.

**Criterion 10—**A minimum charge of \$250,000 (1978 dollars) to cover the costs of long-term surveillance must be paid by each mill operator to the general treasury of the United States or to an appropriate State agency prior to the termination of a uranium or thorium mill license.

If site surveillance or control requirements at a particular site are determined, on the basis of a site-specific evaluation, to be significantly greater than those specified in Criterion 12 (e.g., if fencing is determined to be necessary), variance in funding requirements may be specified by the Commission. In any case, the total charge to cover the costs of long-term surveillance must be such that, with an assumed 1 percent annual real interest rate, the collected funds will yield interest in an amount sufficient to cover the annual costs of site surveillance. The total charge will be adjusted annually prior to actual payment to recognize inflation. The inflation rate to be used is that indicated by the change in the Consumer Price Index published by the U.S. Department of Labor, Bureau of Labor Statistics.

### III. Site and Byproduct Material Ownership

**Criterion 11—**A. These criteria relating to ownership of tailings and their disposal sites become effective on November 8, 1981, and apply to all licenses terminated, issued, or renewed after that date.

B. Any uranium or thorium milling license or tailings license must contain such terms and conditions as the Commission determines necessary to assure that prior to termination of the license, the licensee will comply with ownership requirements of this criterion for sites used for tailings disposal.

C. Title to the byproduct material licensed under this Part and land, including any interests therein (other than land owned by the United States or by a State) which is used for the disposal of any such byproduct material, or is essential to ensure the long-term stability of such disposal site, must be transferred to the United States or the State in which such land is located, at the option of such State. In view of the fact that physical isolation must be the primary means of long-term control, and Government land ownership is a desirable supplementary measure, ownership of certain severable subsurface interests (for example, mineral rights) may be determined to be unnecessary to protect the public health and safety and

the environment. In any case, however, the applicant/operator must demonstrate a serious effort to obtain such subsurface rights, and must, in the event that certain rights cannot be obtained, provide notification in local public land records of the fact that the land is being used for the disposal of radioactive material and is subject to either an NRC general or specific license prohibiting the disruption and disturbance of the tailings. In some rare cases, such as may occur with deep burial where no ongoing site surveillance will be required, surface land ownership transfer requirements may be waived. For licenses issued before November 8, 1981, the Commission may take into account the status of the ownership of such land, and interests therein, and the ability of a licensee to transfer title and custody thereof to the United States or a State.

D. If the Commission subsequent to title transfer determines that use of the surface or subsurface estates, or both, of the land transferred to the United States or to a State will not endanger the public health, safety, welfare, or environment, the Commission may permit the use of the surface or subsurface estates, or both, of such land in a manner consistent with the provisions provided in these criteria. If the Commission permits such use of such land, it will provide the person who transferred such land with the right of first refusal with respect to such use of such land.

E. Material and land transferred to the United States or a State in accordance with this Criterion must be transferred without cost to the United States or a State other than administrative and legal costs incurred in carrying out such transfer.

F. The provisions of this part respecting transfer of title and custody to land and tailings and wastes do not apply in the case of lands held in trust by the United States for any Indian tribe or lands owned by such Indian tribe subject to a restriction against alienation imposed by the United States. In the case of such lands which are used for the disposal of byproduct material, as defined in this Part, the licensee shall enter into arrangements with the Commission as may be appropriate to assure the long-term surveillance of such lands by the United States.

### IV. Long-Term Site Surveillance

**Criterion 12—**The final disposition of tailings or wastes at milling sites should be such that ongoing active maintenance is not necessary to preserve isolation. As a minimum, annual site inspections must be conducted by the government agency retaining ultimate custody of the site where tailings or wastes are stored to confirm the integrity of the stabilized tailings or waste systems and to determine the need, if any, for maintenance and/or monitoring. Results of the inspection must be reported to the Commission within 60 days following each inspection. The Commission may require more frequent site inspections if, on the basis of a site-specific evaluation, such a need appears necessary due to the features of a particular tailings or waste disposal system.

**PART 150—EXEMPTIONS AND CONTINUED REGULATORY AUTHORITY IN AGREEMENT STATES AND IN OFFSHORE WATERS UNDER SECTION 274**

3. The authority citation for Part 150 continues to read as follows:

Authority: Sec. 161, 68 Stat. 946, as amended; sec. 274, 73 Stat. 638 (42 U.S.C. 2201, 2202); sec. 201, 68 Stat. 1242, as amended (42 U.S.C. 5841).

Sections 150.3, 150.15, 150.15a, 150.31, 150.32 also issued under secs. 11e(2), 81, 68 Stat. 923, 935, as amended; secs. 83, 84, 92 Stat. 3032, 3039 (42 U.S.C. 2014e(2), 2111, 2113, 2114); Section 150.14 also issued under sec. 53, 68 Stat. 930 (42 U.S.C. 2073); Section 150.17a also issued under sec. 122, 68 Stat. 939 (42 U.S.C. 2152); Section 150.30 also issued under sec. 234, 63 Stat. 444 (42 U.S.C. 2282).

For the purposes of sec. 223, 68 Stat. 958, as amended (42 U.S.C. 2273): §§ 150.20(b)(2)-(4) and 150.21 are issued under sec. 161b, 68 Stat. 948, as amended (42 U.S.C. 2201(b)); § 150.14 is issued under sec. 161i, 68 Stat. 948, as amended (42 U.S.C. 2201(i)); and §§ 150.18-150.19 and 150.21(b)(1) are issued under sec. 161c, 68 Stat. 950, as amended (42 U.S.C. 2201(c)).

4. In § 150.31, paragraph (d) is added to read as follows:

§ 150.31 Required for Agreement State regulation of byproduct material.

(d) In adopting requirements pursuant to paragraph (b)(2) of this section, the State may adopt alternatives (including, where appropriate, site-specific alternatives) to the requirements adopted and enforced by the Commission for the same purpose if, after notice and opportunity for public hearing, the Commission determines that the alternatives will achieve a level of stabilization and containment of the sites concerned, and a level of protection for public health, safety, and the environment from radiological and nonradiological hazards associated with the sites, which is equivalent to, to the extent practicable, or more stringent than the level which would be achieved by standards and requirements adopted and enforced by the Commission for the same purpose and any final standards promulgated by the Administrator of the Environmental Protection Agency in accordance with section 275. Alternative State requirements may take into account local or regional conditions, including geology, topography, hydrology and meteorology.

Dated at Washington, DC, this 9th day of October 1985.

For the Nuclear Regulatory Commission  
Samuel J. Chalk,  
Secretary of the Commission.  
(FR Doc. 85-24689 Filed 10-13-85; 8:45 am)  
BILLING CODE 7590-01-M

**DEPARTMENT OF TRANSPORTATION**

**Federal Aviation Administration**

**14 CFR Part 71**

(Airspace Docket No. 85-AWP-35)

**Andersen AFB, Agana, Guam; Control Zone**

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Final rule.

**SUMMARY:** An amended description to the existing Andersen AFB, Agana, Guam, (Lat. 13°34'52" N., long. 144°55'28" E.) Control Zone is necessary as a result of the recent name and identification change of the Agana Very High Frequency Omni-directional Radio Range and Tactical Air Navigational Aid (VORTAC) facility to the Nimitz VORTAC. This action will provide only editorial changes and does not change the actual airspace of the existing Guam Island Andersen AFB, Guam, Control Zone description.

**EFFECTIVE DATE:** 0901 G.M.T., November 21, 1985.

**FOR FURTHER INFORMATION CONTACT:** Curtis Alma, Airspace and Procedures Branch, Air Traffic Division, Federal Aviation Administration (FAA), 15000 Aviation Boulevard, Hawthorne, California 90281; telephone (213) 536-6649.

**SUPPLEMENTARY INFORMATION:**

**History**

The Agana VORTAC is used as a reference point in the definition of the Andersen AFB, Agana, Guam, Control Zone. The name of the Agana VORTAC facility is being changed to the Nimitz VORTAC. As a result of this name change, an editorial change to the description of the control zone becomes necessary.

To preclude numerous editorial changes to control zones and transition areas, it has been determined that the use of geographical coordinates as reference points describing control zones and transition areas are more permanent and are not subject to change as names or location of VORTAC facilities.

**The Rule**

The purpose of this amendment to § 71.171 of Part 71 of the Federal Aviation Regulations (14 CFR Part 71) is to change the description of the Andersen AFB, Agana, Guam, Control Zone using geographical coordinates and delete the Agana VORTAC reference used in the definition. This action does not change the actual airspace of the existing control zone. Section 71.171 of Part 71 of the Federal Aviation Regulations was republished in Handbook 7400.6A dated January 2, 1985.

The FAA concludes that there is an immediate need for a regulation to reflect the correct description of the Andersen AFB, Agana, Guam, Control Zone. Therefore, I find that notice on public procedure under 5 U.S.C. 553(b) is contrary to the public interest and that good cause exists for making this amendment effective coincident with the charting date of November 21, 1985. Description of the amended control zone is set forth below and depicted on the chart at the end of this document.

The FAA has determined that this regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore—(1) is not a "major rule" under Executive Order 12201; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a regulatory evaluation as the anticipated impact is so minimal. Since this is a routine matter that will only affect air traffic procedures and air navigation, it is certified that this rule will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

**List of Subjects in 14 CFR Part 71**

Control zones, Transition areas, Aviation safety.

**Adoption of the Amendment**

Accordingly, pursuant to the authority delegated to me, the Federal Aviation Administration is amending Part 71 of the FAR as follows:

**PART 71—[AMENDED]**

1. The authority citation for Part 71 continues to read as follows:

Authority: 49 U.S.C. 1348(a), 1354(a), 1510, Executive Order 10854; 49 U.S.C. 106(g) (Revised Pub. L. 97-449, January 12, 1983); 14 CFR 11.69.